

14 February 2024

Work Order: 2402068

Price: \$6,000.00

Cheri Meyer
EGLE-WRD-SE MICHIGAN
27700 DONALD CT.
WARREN, MI 48092
RE: FINI FINISH

This is the official environmental laboratory report for testing conducted by the Michigan Department of Environment, Great Lakes, and Energy. Analyses performed by the laboratory were conducted using methods published by the U.S. Environmental Protection Agency, Standard Methods for the Examination of Water and Wastewater, ASTM, or other published or approved reference methods.

Kirby Shane
Laboratory Director

EGLE-WRD-SE MICHIGAN
27700 DONALD CT.
WARREN MI, 48092

Project: FINI FINISH
Location ID: FINI FINSIH
Project Manager: Cheri Meyer

Reported:
02/14/2024

Analytical Report for Samples

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received | Qualifier |
|------------------|---------------|--------|--------------|---------------|-----------|
| Mound Road 001 | 2402068-01 | Water | 02/12/2024 | 02/13/2024 | |
| Mound Road 002 | 2402068-02 | Water | 02/12/2024 | 02/13/2024 | |
| 12 Mile 001 | 2402068-03 | Water | 02/12/2024 | 02/13/2024 | |
| Van Dyke 001 | 2402068-04 | Water | 02/12/2024 | 02/13/2024 | |
| 14 Mile 001 | 2402068-05 | Water | 02/12/2024 | 02/13/2024 | |
| Chicago 001 | 2402068-06 | Water | 02/12/2024 | 02/13/2024 | |
| Site Catch Basin | 2402068-07 | Water | 02/12/2024 | 02/13/2024 | |
| Trip Blank | 2402068-08 | Water | 02/12/2024 | 02/13/2024 | |

Notes and Definitions

- I Dilution required due to matrix interference; reporting limit (RL) raised.
- A04 Result is estimated due to high matrix spike recovery.
- ND Indicates the analyte was not detected at or above the method reporting limit (RL)
- RL Reporting Limit
- NA Not Applicable

*****Case Narrative*****

Samples were received **2/13/2024 7:11:00AM** for client **EGLE-WRD-SE MICHIGAN** as a part of project **FINI FINISH**.

Samples were logged and designated as Work Order # **2402068** on **2/13/2024 7:19:00AM**.

This Report was created **2/14/2024 1:45:35PM**.

Additional Notes/Narrative (if applicable):

Priority Samples

Client ID: Mound Road 001

Lab ID: 2402068-01

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---|---------------|------------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| 763051-92-9 | 11Cl-PF3OUdS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 356-02-5 | 3:3FTCA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 757124-72-4 | 4:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 914637-49-3 | 5:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 27619-97-2 | 6:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 812-70-4 | 7:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 39108-34-4 | 8:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 756426-58-1 | 9Cl-PF3ONS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 919005-14-4 | ADONA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 13252-13-6 | HFPO-DA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2991-50-6 | NEtFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2355-31-9 | NMeFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-22-4 | PFBA | 9.5 | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-73-5 | PFBS | 16 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 30334-69-1 | PFBSA | 2.9 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-76-2 | PFDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-55-1 | PFDODA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-77-3 | PFDS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 646-83-3 | PFECHS | 11 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-85-9 | PFHpA | 3.5 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-92-8 | PFHpS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-24-4 | PFHxA | 8.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 355-46-4 | PFHxS | 4.9 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 41997-13-1 | PFHxSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-95-1 | PFNA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 68259-12-1 | PFNS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-67-1 | PFOA | 6.4 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 1763-23-1 | PFOS | 14 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 754-91-6 | PFOSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-90-3 | PFPeA | 11 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-91-4 | PFPeS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 376-06-7 | PFTeDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 72629-94-8 | PFTTrDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2058-94-8 | PFUnDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-4:2FTS</i> | | | 101 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-6:2FTS</i> | | | 87.0 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-8:2FTS</i> | | | 95.9 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA</i> | | | 90.2 % | | 25-250 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA+13C2-PFTeDA</i> | | | 71.2 % | | 25-250 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFTeDA</i> | | | 47.2 % | | 25-250 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C3-HFPODA</i> | | | 95.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | BM | |

Client ID: Mound Road 001

Lab ID: 2402068-01

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---------------------------------------|--|--------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| | <i>Isotope Dilution Analog: 13C3-PFBS</i> | | 89.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C3-PFHxS</i> | | 88.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFBA</i> | | 85.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFHpA</i> | | 91.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFHxA</i> | | 91.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFPeA</i> | | 87.8 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C6-PFDA</i> | | 85.1 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C7-PFU_nDA</i> | | 87.1 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 91.5 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOS</i> | | 89.8 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 89.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C9-PFNA</i> | | 87.8 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d3-N-MeFOSAA</i> | | 91.8 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d5-N-EtFOSAA</i> | | 96.8 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |

Client ID: Mound Road 002

Lab ID: 2402068-02

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---|---------------|------------|--------|--------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| 763051-92-9 | 11Cl-PF3OUdS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 356-02-5 | 3:3FTCA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 757124-72-4 | 4:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 914637-49-3 | 5:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 27619-97-2 | 6:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 812-70-4 | 7:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 39108-34-4 | 8:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 756426-58-1 | 9Cl-PF3ONS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 919005-14-4 | ADONA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 13252-13-6 | HFPO-DA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2991-50-6 | NEtFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2355-31-9 | NMeFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-22-4 | PFBA | 9.1 | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-73-5 | PFBS | 16 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 30334-69-1 | PFBSA | 3.1 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-76-2 | PFDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-55-1 | PFDoDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-77-3 | PFDS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 646-83-3 | PFECHS | 11 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-85-9 | PFHpA | 3.9 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-92-8 | PFHpS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-24-4 | PFHxA | 8.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 355-46-4 | PFHxS | 4.5 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 41997-13-1 | PFHxSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-95-1 | PFNA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 68259-12-1 | PFNS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-67-1 | PFOA | 6.9 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 1763-23-1 | PFOS | 11 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 754-91-6 | PFOSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-90-3 | PFPeA | 11 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-91-4 | PFPeS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 376-06-7 | PFTeDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 72629-94-8 | PFTTrDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2058-94-8 | PFUnDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-4:2FTS</i> | | | 97.9 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-6:2FTS</i> | | | 89.3 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-8:2FTS</i> | | | 110 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA</i> | | | 87.9 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA+13C2-PFTeDA</i> | | | 62.1 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFTeDA</i> | | | 29.6 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C3-HFPODA</i> | | | 89.3 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |

Client ID: Mound Road 002

Lab ID: 2402068-02

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---------------------------------------|--|--------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| | <i>Isotope Dilution Analog: 13C3-PFBS</i> | | 89.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C3-PFHxS</i> | | 91.0 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFBA</i> | | 84.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFHpA</i> | | 89.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFHxA</i> | | 89.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFPeA</i> | | 87.9 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C6-PFDA</i> | | 90.0 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C7-PFU_nDA</i> | | 88.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 89.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOS</i> | | 89.1 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 89.1 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C9-PFNA</i> | | 85.4 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d3-N-MeFOSAA</i> | | 91.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d5-N-EtFOSAA</i> | | 102 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |

Client ID: 12 Mile 001

Lab ID: 2402068-03

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---|---------------|------------|--------|--------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| 763051-92-9 | 11Cl-PF3OUdS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 356-02-5 | 3:3FTCA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 757124-72-4 | 4:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 914637-49-3 | 5:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 27619-97-2 | 6:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 812-70-4 | 7:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 39108-34-4 | 8:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 756426-58-1 | 9Cl-PF3ONS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 919005-14-4 | ADONA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 13252-13-6 | HFPO-DA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2991-50-6 | NEtFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2355-31-9 | NMeFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-22-4 | PFBA | 9.0 | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-73-5 | PFBS | 16 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 30334-69-1 | PFBSA | 2.9 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-76-2 | PFDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-55-1 | PFDoDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-77-3 | PFDS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 646-83-3 | PFECHS | 11 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-85-9 | PFHpA | 3.8 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-92-8 | PFHpS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-24-4 | PFHxA | 9.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 355-46-4 | PFHxS | 7.4 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 41997-13-1 | PFHxSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-95-1 | PFNA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 68259-12-1 | PFNS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-67-1 | PFOA | 7.3 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 1763-23-1 | PFOS | 14 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 754-91-6 | PFOSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-90-3 | PFPeA | 12 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-91-4 | PFPeS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 376-06-7 | PFTeDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 72629-94-8 | PFTTrDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2058-94-8 | PFUnDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-4:2FTS</i> | | | 100 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-6:2FTS</i> | | | 89.4 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-8:2FTS</i> | | | 96.6 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA</i> | | | 87.5 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA+13C2-PFTeDA</i> | | | 63.9 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFTeDA</i> | | | 34.1 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C3-HFPODA</i> | | | 86.4 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |

Client ID: 12 Mile 001

Lab ID: 2402068-03

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---------------------------------------|--|--------|--------|--------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| | <i>Isotope Dilution Analog: 13C3-PFBS</i> | | 89.1 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C3-PFHxS</i> | | 92.7 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C4-PFBA</i> | | 84.8 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C4-PFHpA</i> | | 91.1 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C5-PFHxA</i> | | 91.3 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C5-PFPeA</i> | | 87.9 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C6-PFDA</i> | | 89.3 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C7-PFU_nDA</i> | | 89.0 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 89.9 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C8-PFOS</i> | | 88.2 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 89.5 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C9-PFNA</i> | | 87.7 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: d3-N-MeFOSAA</i> | | 91.0 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: d5-N-EtFOSAA</i> | | 97.9 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |

Client ID: Van Dyke 001

Lab ID: 2402068-04

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---|---------------|------------|--------|--------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| 763051-92-9 | 11Cl-PF3OUdS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 356-02-5 | 3:3FTCA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 757124-72-4 | 4:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 914637-49-3 | 5:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 27619-97-2 | 6:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 812-70-4 | 7:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 39108-34-4 | 8:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 756426-58-1 | 9Cl-PF3ONS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 919005-14-4 | ADONA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 13252-13-6 | HFPO-DA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2991-50-6 | NEtFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2355-31-9 | NMeFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-22-4 | PFBA | 8.9 | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-73-5 | PFBS | 15 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 30334-69-1 | PFBSA | 2.5 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-76-2 | PFDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-55-1 | PFDODA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-77-3 | PFDS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 646-83-3 | PFECHS | 8.0 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-85-9 | PFHpA | 4.0 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-92-8 | PFHpS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-24-4 | PFHxA | 9.1 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 355-46-4 | PFHxS | 7.1 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 41997-13-1 | PFHxSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-95-1 | PFNA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 68259-12-1 | PFNS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-67-1 | PFOA | 6.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 1763-23-1 | PFOS | 13 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 754-91-6 | PFOSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-90-3 | PFPeA | 12 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-91-4 | PFPeS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 376-06-7 | PFTeDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 72629-94-8 | PFTTrDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2058-94-8 | PFUnDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-4:2FTS</i> | | | 100 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-6:2FTS</i> | | | 88.5 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-8:2FTS</i> | | | 95.2 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA</i> | | | 93.7 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA+13C2-PFTeDA</i> | | | 68.4 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFTeDA</i> | | | 36.4 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C3-HFPODA</i> | | | 88.5 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |

Client ID: Van Dyke 001

Lab ID: 2402068-04

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---------------------------------------|--|--------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| | <i>Isotope Dilution Analog: 13C3-PFBS</i> | | 88.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C3-PFHxS</i> | | 93.4 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFBA</i> | | 86.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFHpA</i> | | 92.1 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFHxA</i> | | 92.8 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFPeA</i> | | 90.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C6-PFDA</i> | | 88.8 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C7-PFU_nDA</i> | | 91.5 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 92.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOS</i> | | 93.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 92.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C9-PFNA</i> | | 89.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d3-N-MeFOSAA</i> | | 94.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d5-N-EtFOSAA</i> | | 97.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |

Client ID: 14 Mile 001

Lab ID: 2402068-05

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---|---------------|------------|--------|--------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| 763051-92-9 | 11Cl-PF3OUdS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 356-02-5 | 3:3FTCA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 757124-72-4 | 4:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 914637-49-3 | 5:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 27619-97-2 | 6:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 812-70-4 | 7:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 39108-34-4 | 8:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 756426-58-1 | 9Cl-PF3ONS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 919005-14-4 | ADONA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 13252-13-6 | HFPO-DA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2991-50-6 | NEtFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2355-31-9 | NMeFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-22-4 | PFBA | 6.1 | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-73-5 | PFBS | 12 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 30334-69-1 | PFBSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-76-2 | PFDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-55-1 | PFDoDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-77-3 | PFDS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 646-83-3 | PFECHS | 3.4 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-85-9 | PFHpA | 2.6 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-92-8 | PFHpS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-24-4 | PFHxA | 9.0 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 355-46-4 | PFHxS | 4.4 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 41997-13-1 | PFHxSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-95-1 | PFNA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 68259-12-1 | PFNS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-67-1 | PFOA | 5.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 1763-23-1 | PFOS | 8.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 754-91-6 | PFOSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-90-3 | PFPeA | 10 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-91-4 | PFPeS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 376-06-7 | PFTeDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 72629-94-8 | PFTTrDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2058-94-8 | PFUnDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-4:2FTS</i> | | | 99.8 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-6:2FTS</i> | | | 93.6 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-8:2FTS</i> | | | 95.4 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA</i> | | | 77.1 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA+13C2-PFTeDA</i> | | | 56.8 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFTeDA</i> | | | 31.2 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C3-HFPODA</i> | | | 87.3 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |

Client ID: 14 Mile 001

Lab ID: 2402068-05

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---------------------------------------|--|--------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| | <i>Isotope Dilution Analog: 13C3-PFBS</i> | | 90.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C3-PFHxS</i> | | 93.0 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFBA</i> | | 87.4 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFHpA</i> | | 91.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFHxA</i> | | 91.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFPeA</i> | | 90.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C6-PFDA</i> | | 87.0 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C7-PFU_nDA</i> | | 85.1 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 91.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOS</i> | | 92.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 90.1 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C9-PFNA</i> | | 86.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d3-N-MeFOSAA</i> | | 91.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d5-N-EtFOSAA</i> | | 93.0 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |

Client ID: Chicago 001

Lab ID: 2402068-06

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---|---------------|------------|--------|--------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| 763051-92-9 | 11Cl-PF3OUdS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 356-02-5 | 3:3FTCA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 757124-72-4 | 4:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 914637-49-3 | 5:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 27619-97-2 | 6:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 812-70-4 | 7:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 39108-34-4 | 8:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 756426-58-1 | 9Cl-PF3ONS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 919005-14-4 | ADONA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 13252-13-6 | HFPO-DA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2991-50-6 | NEtFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2355-31-9 | NMeFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-22-4 | PFBA | 8.4 | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-73-5 | PFBS | 14 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 30334-69-1 | PFBSA | 2.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-76-2 | PFDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-55-1 | PFDoDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-77-3 | PFDS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 646-83-3 | PFECHS | 7.3 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-85-9 | PFHpA | 3.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-92-8 | PFHpS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-24-4 | PFHxA | 8.7 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 355-46-4 | PFHxS | 6.6 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 41997-13-1 | PFHxSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-95-1 | PFNA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 68259-12-1 | PFNS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-67-1 | PFOA | 6.8 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 1763-23-1 | PFOS | 13 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 754-91-6 | PFOSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-90-3 | PFPeA | 11 | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-91-4 | PFPeS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 376-06-7 | PFTeDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 72629-94-8 | PFTTrDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2058-94-8 | PFUnDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-4:2FTS</i> | | | 102 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-6:2FTS</i> | | | 88.6 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-8:2FTS</i> | | | 98.5 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA</i> | | | 91.5 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA+13C2-PFTeDA</i> | | | 70.3 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFTeDA</i> | | | 43.6 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C3-HFPODA</i> | | | 89.4 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |

Client ID: Chicago 001

Lab ID: 2402068-06

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---------------------------------------|--|--------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| | <i>Isotope Dilution Analog: 13C3-PFBS</i> | | 91.4 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C3-PFHxS</i> | | 94.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFBA</i> | | 87.5 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFHpA</i> | | 91.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFHxA</i> | | 93.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFPeA</i> | | 90.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C6-PFDA</i> | | 90.0 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C7-PFU_nDA</i> | | 91.1 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 92.5 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOS</i> | | 94.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 91.5 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C9-PFNA</i> | | 87.5 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d3-N-MeFOSAA</i> | | 93.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d5-N-EtFOSAA</i> | | 94.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |

Client ID: Site Catch Basin

Lab ID: 2402068-07

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---|---------------|-------------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| 763051-92-9 | 11Cl-PF3OUdS | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 356-02-5 | 3:3FTCA | ND | 4.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 757124-72-4 | 4:2FTS | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 914637-49-3 | 5:3FTCA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 27619-97-2 | 6:2FTS | 150 | 20 | ng/L | 10 | 02/14/24 | B4B1321 | 8327 | BM | |
| 812-70-4 | 7:3FTCA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 39108-34-4 | 8:2FTS | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 756426-58-1 | 9Cl-PF3ONS | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 919005-14-4 | ADONA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 13252-13-6 | HFPO-DA | ND | 4.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 2991-50-6 | NEtFOSAA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 2355-31-9 | NMeFOSAA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 375-22-4 | PFBA | ND | 40 | ng/L | 10 | 02/14/24 | B4B1321 | 8327 | BM | I |
| 375-73-5 | PFBS | 7.9 | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 30334-69-1 | PFBSA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 335-76-2 | PFDA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 307-55-1 | PFDoDA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 335-77-3 | PFDS | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 646-83-3 | PFECHS | 800 | 20 | ng/L | 10 | 02/14/24 | B4B1321 | 8327 | BM | |
| 375-85-9 | PFHpA | 9.5 | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 375-92-8 | PFHpS | 15 | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 307-24-4 | PFHxA | 17 | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 355-46-4 | PFHxS | 43 | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 41997-13-1 | PFHxSA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 375-95-1 | PFNA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 68259-12-1 | PFNS | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 335-67-1 | PFOA | 4.7 | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 1763-23-1 | PFOS | 1100 | 20 | ng/L | 10 | 02/14/24 | B4B1321 | 8327 | BM | |
| 754-91-6 | PFOSA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 2706-90-3 | PFPeA | 15 | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 2706-91-4 | PFPeS | 5.4 | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 376-06-7 | PFTeDA | ND | 40 | ng/L | 10 | 02/14/24 | B4B1321 | 8327 | BM | I |
| 72629-94-8 | PFTTrDA | ND | 4.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| 2058-94-8 | PFUnDA | ND | 2.0 | ng/L | 1 | 02/14/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-4:2FTS</i> | | | 70.9 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-6:2FTS</i> | | | 95.6 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-8:2FTS</i> | | | 89.6 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA</i> | | | 57.1 % | | 25-250 | 02/14/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA+13C2-PFTeDA</i> | | | 41.1 % | | 25-250 | 02/14/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFTeDA</i> | | | 46.6 % | | 25-250 | 02/14/24 | B4B1321 | 8327 | BM | I |
| <i>Isotope Dilution Analog: 13C3-HFPODA</i> | | | 76.5 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |

Client ID: Site Catch Basin

Lab ID: 2402068-07

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---------------------------------------|--|--------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| | <i>Isotope Dilution Analog: 13C3-PFBS</i> | | 75.7 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C3-PFHxS</i> | | 88.2 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C4-PFBA</i> | | 66.3 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | I |
| | <i>Isotope Dilution Analog: 13C4-PFHpA</i> | | 84.7 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C5-PFHxA</i> | | 76.6 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C5-PFPeA</i> | | 62.5 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C6-PFDA</i> | | 80.7 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C7-PFU_nDA</i> | | 67.6 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 85.4 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C8-PFOS</i> | | 87.1 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 80.0 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: 13C9-PFNA</i> | | 82.8 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: d3-N-MeFOSAA</i> | | 82.5 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |
| | <i>Isotope Dilution Analog: d5-N-EtFOSAA</i> | | 77.0 % | | 50-200 | 02/14/24 | B4B1321 | 8327 | BM | |

Client ID: Trip Blank
Lab ID: 2402068-08

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---|--------------|--------|--------|--------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| 763051-92-9 | 11Cl-PF3OUdS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 356-02-5 | 3:3FTCA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 757124-72-4 | 4:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 914637-49-3 | 5:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 27619-97-2 | 6:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 812-70-4 | 7:3FTCA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 39108-34-4 | 8:2FTS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 756426-58-1 | 9Cl-PF3ONS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 919005-14-4 | ADONA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 13252-13-6 | HFPO-DA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2991-50-6 | NEtFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2355-31-9 | NMeFOSAA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-22-4 | PFBA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-73-5 | PFBS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 30334-69-1 | PFBSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-76-2 | PFDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-55-1 | PFDODA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-77-3 | PFDS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 646-83-3 | PFECHS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-85-9 | PFHpA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-92-8 | PFHpS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 307-24-4 | PFHxA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 355-46-4 | PFHxS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 41997-13-1 | PFHxSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 375-95-1 | PFNA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 68259-12-1 | PFNS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 335-67-1 | PFOA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 1763-23-1 | PFOS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 754-91-6 | PFOSA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-90-3 | PFPeA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2706-91-4 | PFPeS | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 376-06-7 | PFTeDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 72629-94-8 | PFTTrDA | ND | 4.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| 2058-94-8 | PFUnDA | ND | 2.0 | ng/L | 1 | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-4:2FTS</i> | | | 94.9 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-6:2FTS</i> | | | 89.9 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-8:2FTS</i> | | | 98.9 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA</i> | | | 106 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFDoDA+13C2-PFTeDA</i> | | | 101 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C2-PFTeDA</i> | | | 95.5 % | 25-250 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C3-HFPODA</i> | | | 91.6 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |
| <i>Isotope Dilution Analog: 13C3-PFBS</i> | | | 92.3 % | 50-200 | | 02/13/24 | B4B1321 | 8327 | BM | |

Client ID: Trip Blank

Lab ID: 2402068-08

| CAS # | Analyte | Result | RL | Units | Dilution | Analyzed Date | QC Batch | Method | Analyst | Qualifier |
|---------------------------------------|--|--------|--------|-------|----------|---------------|----------|--------|---------|-----------|
| Organics-PFAS Isotope Dilution | | | | | | | | | | |
| | <i>Isotope Dilution Analog: 13C3-PFHxS</i> | | 92.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFBA</i> | | 91.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C4-PFHpA</i> | | 90.5 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFHxA</i> | | 90.9 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C5-PFPeA</i> | | 91.2 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C6-PFDA</i> | | 90.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C7-PFUnDA</i> | | 95.8 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 91.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOS</i> | | 91.4 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C8-PFOA</i> | | 93.3 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: 13C9-PFNA</i> | | 88.7 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d3-N-MeFOSAA</i> | | 96.6 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |
| | <i>Isotope Dilution Analog: d5-N-EtFOSAA</i> | | 99.0 % | | 50-200 | 02/13/24 | B4B1321 | 8327 | | BM |

Lab Work Order Number

Project Name

Matrix

2402068

Fini Finish

ENV WATER

Location ID
Fini Finish
Dept-Division-District
EGLE-WRD-~~ES~~ Statewide

Program
WPSM
Activity
761W/NRF

Report CC Email 1
Mchinnie RC Michigan.gov
Report CC Email 2
Steffler MC Michigan.gov

Project TAT Days*
ASAP
Report Batch QC
Yes No

Sample Collector
Micky Leonard Ryan McWhorter
Sample Collector Phone
248-763-1635 517 66 78394

State Project Manager
Micky Leonard Cheri Meyer
State Project Manager Email
LeonardM4@michigan.gov
State Project Manager Phone
248-763-1635 517 2829108

Funding Source
8400
Location Code
EO
SUD Location Code

Report CC Email 3
Meyer C R Michigan.gov
Overflow Lab Choice 1
Overflow Lab Choice 2

Lab Use Only
Sample Receipt Temperature
0.3 °C
Received On Ice
Yes No

Contract Firm
Contract Firm Primary Contact
Primary Contact Phone

* Project Turnaround time (TAT) other than standard 21 days must be pre-approved and scheduled with the laboratory. Surcharges apply.

| Lab Use Only | Field Sample Identification | Collection Date | Collection Time | Bottle Count | Comments |
|--------------|-----------------------------|-----------------|-----------------|--------------|--|
| 1 | 01 Mound Road 001 | 2/12/24 | 14:07 | 4 | Sample MS/MSD Required For Batch QC |
| 2 | 02 Mound Road 002 | | 14:15 | 73 | |
| 3 | 03 12 Mile 001 | | 14:42 | 73 | |
| 4 | 04 Van Dyke 001 | | 15:14 | 73 | |
| 5 | 05 14 Mile 001 | | 16:13 | 73 | Order not chronological on spec Times are correct |
| 6 | 04 Chicago 001 | | 15:38 | 73 | |
| 7 | 07 Site Catch Basin | | 16:40 | 73 | |
| 8 | 08 Trip Blank | 2/12/24 | : | 2 | |
| 9 | | | : | 2 | |
| 10 | | | : | 2 | |
| 11 | | | : | 2 | |
| 12 | | | : | 2 | |
| 13 | | | : | 2 | |
| 14 | | | : | 2 | |
| 15 | | | : | 2 | |
| 16 | | | : | 2 | |
| 17 | | | : | 2 | |
| 18 | | | : | 2 | |
| 19 | | | : | 2 | |
| 20 | | | : | 2 | |

PFAS - Semi-Volatile Organic Compounds

PFAS - EPA 8327

| Chain of Custody | Relinquished by | Received By | Date / Time |
|------------------|--|-------------|-----------------|
| | Print Name & Org. Micky Leonard EGLE Signature: Ryan McWhorter | RM 100A | 2/12/24 : 18:50 |
| | Print Name & Org. RM 100A Signature: | Kirby Shane | 2/13/24 : 07:11 |
| | Print Name & Org. Signature: | | 1 1 : |