



CITY: SYRACUSE DIV/GRUPO: ENV DB: A SANCHEZ ID: ALS/GMS PIC: C S PETERS PM: C KIKER TM: C KIKER LVR: ON=OFF=REF*
C:\Users\alsanchez\BIM_360\Acad\BIM - RACER TRUST\Project Files\Buck City RCRA\2020\3000\B00101-DWG\RTBC-F-2020_LEAD FIGURE.dwg LAYOUT: 1. SAVED: 9/25/2020 10:20 AM ACADVER: 23.1S (LMS TECH) PAGES: 23.1S (LMS TECH) PLOTSETUP: PLOTSTYLETABLE: PLOTTED: 9/25/2020 10:24 AM BY: SANCHEZ, ADRIAN




RACER TRUST
BUICK CITY
FLINT, MICHIGAN


SUMMARY OF LEAD GROUNDWATER RESULTS JULY 2020

CITY: SYRACUSE DIV: GROUP: ENV DB: A. SANCHEZ ID: ALS/GMS PIC: C. KIKER TM: C. KIKER LVR: ON=OFF=REF
C:\Users\asanchez\BIM\360\Arcadis\ANA - RACER TRUST\Project Files\Buck City RCRA\2020\300608001\DWG\RTBC-F-2020_LEAD FIGURE.dwg LAYOUT: 1. SAVED: 9/25/2020 10:20 AM ACADVER: 23.15 (LMS TECH) PAGES: 23.15 (LMS TECH) PLOT: 9/25/2020 10:24 AM BY: SANCHEZ, ADRIAN




CITY:SYRACUSE DIV:GROUP:ENV DB:A SANCHEZ DB:A SANCHEZ
C:\Users\asanchez\BIM\360\Arcadis\ANA - RACER TRUST\PH
PETERS, PM, C KIKER, TM, C KIKER, LVR, ON=OFF=REF*
RA2020\3030008001\DWG\RTBC-F-OUTFALL DRAINAGE_2020.dwg LAYOUT: 2 SAVED: 5/13/2020 12:33 PM ACADVER: 23 IS (LMS TECH) PAGES: 20 PLOTSTYLETABLE: --- PLOTSETUP: --- PLOTTED: 5/14/2020 1:29 PM BY: SANCHEZ, ADRIAN





CITY: SYRACUSE DIV/GRUP: ENV DB: A SANCHEZ ID: ALS/GMS PIC: C S PETERS PM: C KIKER TM: C KIKER LVR: ON=OFF=REF
C:\Users\alsanchez\BIM 360\Arcadis\ANA - RACER TRUST\Project Files\Buick City RCRA\2020\300090001-DWG\RTBC-F-OUTFALL DRAINAGE_2020.dwg LAYOUT: 3 SAVED: 5/13/2020 12:33 PM ACADVER: 23 IS (LMS TECH) PAGE: 1
ETABLE: --- PLOTTED: 5/14/2020 1:30 PM BY: SANCHEZ, ADRIAN




LEGEND

- PROPERTY BOUNDARY
- FORMER RACER PROPERTY BOUNDARY
- SEWER LINE
- MONITORING WELL (ACTIVE)
- SOIL BORING

PFOS CONCENTRATIONS

- <12 ng/L
- >12 ng/L
- >1,000 ng/L
- >10,000 ng/L
- >50,000 ng/L
- >100,000 ng/L
- PREVIOUS EXCEEDANCE BEING DELINEATED



Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
SB-10-76	9 - 14	06/12/20	9.7 U	9.7 U	9.7 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
SB-10-75	5 - 10	06/12/20	10 U	21	15

Location ID:	Date Collected:	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
RFI-10-26	06/18/20	140	750	10

Location ID:	Date Collected:	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
86-100	06/15/20	10 U	17	10 U

Location ID:	Date Collected:	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
RFI-81-09	06/15/20	110	4,400	27

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
SB-86-17	14 - 19	06/11/20	10 U	10 U	10 U

Location ID:	Date Collected:	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
RFI-81-35	06/15/20	9.9 U	20	9.9 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
SB-86-18	9 - 14	06/11/20	10 U	66	10 U

Location ID:	Date Collected:	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
MW-00-FP7	06/18/20	9.9 U	43	17

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
SB-86-19	11 - 16	06/12/20	9.7 U	9.7 U	9.7 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
SB-10-83	8 - 13	06/12/20	9.8 U	38	9.8 U

Location ID:	Date Collected:	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
RFI-81-02	06/17/20	10 U	23	12



Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/L)	PFOS (ng/L)	PFOA (ng/L)
SB-86-20	16 - 21	06/11/20	82	110	19

RACER TRUST
BUICK CITY
FLINT, MICHIGAN

**FTA, WWTP AND FPA
GROUNDWATER SELECT PFAS RESULTS**

ARCADIS Design & Consultancy
for natural and
built assets

FIGURE
5




LEGEND

- PROPERTY BOUNDARY FORMER
- RACER PROPERTY BOUNDARY
- SEWER LINE
- MONITORING WELL (ACTIVE)
- SOIL BORING


PFOS SOIL CONCENTRATIONS

- <240 ng/kg
- >240 ng/kg
- >1,000 ng/kg
- >10,000 ng/kg
- >50,000 ng/kg
- >100,000 ng/kg
- PREVIOUS GROUNDWATER EXCEEDANCE BEING DELINEATED




RACER TRUST
BUICK CITY
FLINT, MICHIGAN

BUILDING 12 AND 16 SOIL
RESULTS



SAVED: 5/13/2020 12:33 PM ACADVER: 23.1S (LMS TECH) PAGES: 1 OF 1 PLOTSTYLETABLE: --- PLOTSETUP: --- PLOTTED: 5/14/2020 1:31 PM BY: SANCHEZ, ADRIAN
CITY: SYRACUSE DIV/GRP: ENV DB: A SANCHI
C:\Users\slanchez\BIM\360\Arcadis\ANA - RACER TRU



LEGEND

- PROPERTY BOUNDARY FORMER
- RACER PROPERTY BOUNDARY
- SEWER LINE
- MONITORING WELL (ACTIVE)
- SOIL BORING

PFOS SOIL CONCENTRATIONS

- <240 ng/kg
- >240 ng/kg
- >1,000 ng/kg
- >10,000 ng/kg
- >50,000 ng/kg
- >100,000 ng/kg
- PREVIOUS GROUNDWATER EXCEEDANCE BEING DELINEATED

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-25	0 - 2	06/03/20	120 U	1,000	120 U
SB-84-25	9 - 11	06/03/20	79 U	130	79 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-28	1 - 3	06/03/20	74 U	1,500	74 U
SB-84-28	8 - 10	06/03/20	87 U	2,500	87 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-27	2 - 4	06/03/20	83 U	83 U	83 U
SB-84-27	18 - 20	06/03/20	240	1,000	79 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-24	0 - 2	06/03/20	100 U	100 U	100 U
SB-84-24	9 - 11	06/03/20	100 U	100 U	100 U


Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-26	0 - 2	06/03/20	240	5,200	170 U
SB-84-26	14 - 16	06/03/20	92 U	120	92 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-30	0 - 2	06/03/20	1,900	20,000	160
SB-84-30	3 - 5	06/03/20	1,100	88,000	150
SB-84-30	23 - 25	06/03/20	480	16,000	58 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-31	1 - 3	06/02/20	240	5,500	63 U
SB-84-31	16 - 18	06/02/20	270	340	59 U

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-29	1 - 3	06/03/20	2,100 Y	88,000 Y	430 UY
SB-84-29	15 - 17	06/03/20	5,700	9,900	200


Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-84-23	1 - 3	06/02/20	79 U	79 U	79 U
SB-84-23	9 - 11	06/02/20	89 U	89 U	89 U





RACER TRUST
BUICK CITY
FLINT, MICHIGAN

**FACTORY 84
SOIL SELECT PFAS RESULTS**









Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-62	1 - 1.5	08/07/20	330	33,000	41
SB-04-62	4 - 4.5	08/07/20	320	24	39
SB-04-62	8 - 8.5	08/07/20	610	27,000	70
SB-04-62	12.5 - 13	08/07/20	19	20 U	10
SB-04-62	16.5 - 17	08/07/20	41	210	32
SB-04-62	18.5 - 19	08/07/20	350	770	28
SB-04-62	22 - 22.5	08/07/20	780	4,000	110
SB-04-62	24.5 - 25	08/07/20	640	87	76

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-63	1 - 1.5	08/06/20	3,400	37,000	210
SB-04-63	4 - 4.5	08/06/20	2,700	150,000	240
SB-04-63	8 - 8.5	08/06/20	750	34,000	80
SB-04-63	12.5 - 13	08/06/20	6,600	85	410
SB-04-63	16.5 - 17	08/06/20	1,500	920	130
SB-04-63	18.5 - 19	08/06/20	1,400	390	170
SB-04-63	22 - 22.5	08/06/20	1,700	24	150
SB-04-63	24.5 - 25	08/06/20	950	1,100	120

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-46	1 - 1.5	07/30/20	70	160	40
SB-04-46	4 - 4.5	07/30/20	10 U	20 U	24
SB-04-46	14 - 14.5	07/30/20	46,000	150,000	3,800
SB-04-46	16.5 - 17	07/30/20	32,000	160,000	2,100
SB-04-46	18.5 - 19	07/30/20	62,000	110,000	3,800
SB-04-46	22 - 22.5	07/30/20	54,000	12,000	5,300
SB-04-46	24.5 - 25	07/30/20	990	66	150

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-33	1 - 1.5	07/28/20	2,300	180,000	560
SB-04-33	4 - 4.5	07/28/20	1,400	10,000	440
SB-04-33	8 - 8.5	07/28/20	1,600	1,500	190
SB-04-33	12.5 - 13	07/28/20	4,700	3,300	350
SB-04-33	16.5 - 17	07/28/20	3,500	1,200	290
SB-04-33	18.5 - 19	07/28/20	2,300	49	180
SB-04-33	24.5 - 25	07/28/20	2,700	2,800	380

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-52	1 - 1.5	07/31/20	8,900	140,000	1,500
SB-04-52	4 - 4.5	07/31/20	14,000	52,000	2,100

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-55	1 - 1.5	07/30/20	57	1,800	26
SB-04-55	2.5 - 3	07/30/20	450	12,000	120
SB-04-55	5 - 5.5	07/30/20	420	2,200	29
SB-04-55	7 - 7.5	07/30/20	190	2,300	20
SB-04-55	12.5 - 13	07/30/20	790	25	170
SB-04-55	16.5 - 17	07/30/20	580	2,000	79
SB-04-55	18.5 - 19	07/30/20	1,000	1,600	170
SB-04-55	21.5 - 22	07/30/20	570	4,400	56
SB-04-55	24 - 24.5	07/30/20	620	58	63

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-32	2 - 2.5	07/28/20	4,400	63,000	820
SB-04-32	5 - 5.5	07/28/20	4,900	34,000	550
SB-04-32	8 - 8.5	07/28/20	2,400	30,000	260
SB-04-32	11.5 - 12	07/28/20	940	41,000	180

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	POA (ng/kg)
SB-04-54	4.5 - 5	07/30/20	340	10,000	89
SB-04-54	5 - 5.5	07/30/20	230	1,600	31
SB-04-54	8 - 8.5	07/30/20	1,700	34,000	200
SB-04-54	16.5 - 17	07/30/20	940	26,000	150
SB-04-54	18.5 - 19	07/30/20	780	11,000	97
SB-04-54	20 - 20.5	07/30/20	6,800	62,000	930
SB-04-54	24.5 - 25	07/30/20	690	8,500	58

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-53	2 - 2.5	07/31/20	4,400	57,000	220
SB-04-53	4 - 4.5	07/31/20	1,300	20,000	270

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	FOA (ng/kg)
SB-04-34	1.5 - 2.5	07/28/20	120,000	1,300,000	27,000
SB-04-34	9.5 - 10	07/28/20	76,000	270,000	5,400
SB-04-34	24.5 - 25	07/28/20	1,200	200	130


Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-51	1 - 1.5	07/31/20	940	53,000	110
SB-04-51	4 - 4.5	07/31/20	1,600	150,000	260
SB-04-51	8 - 8.5	07/31/20	3,300	2,100	620
SB-04-51	14 - 14.5	07/31/20	3,700	65,000	400

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-47	1 - 1.5	07/30/20	4,700	18,000	95
SB-04-47	4 - 4.5	07/30/20	1,600	86,000	19
SB-04-47	9 - 9.5	07/30/20	40,000	210,000	2,900
SB-04-47	22 - 22.5	07/30/20	3,100	7,700	280
SB-04-47	24.5 - 25	07/30/20	290	690	18

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-49	1 - 1.5	07/30/20	160	20 U	20
SB-04-49	4 - 4.5	07/30/20	21	20 U	10 U
SB-04-49	6 - 6.5	07/30/20	130	16,000	52
SB-04-49	18.5 - 19	07/30/20	13,000	78,000	1,000
SB-04-49	22 - 22.5	07/30/20	3,300	54	180
SB-04-49	24.5 - 25	07/30/20	1,200	37	90

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-40	1 - 1.5	07/30/20	44	570	10 U
SB-04-40	4 - 4.5	07/30/20	26	1,100	10 U
SB-04-40	6.5 - 7	07/30/20	450	1,100	24
SB-04-40	8.5 - 9	07/30/20	250	1,700	29
SB-04-40	10.5 - 11	07/30/20	88	520	25
SB-04-40	14.5 - 15	07/30/20	260	20 U	18
SB-04-40	18 - 18.5	07/30/20	250	260	23
SB-04-40	22 - 22.5	07/30/20	220	20 U	12
SB-04-40	23.5 - 24	07/30/20	200	300	13

Location ID	Sample Depth:	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-64	0 - 1	08/06/20	1,800	20,000	160
SB-04-64	1 - 2	08/06/20	8,400	180,000	840
SB-04-64	2 - 3	08/06/20	74,000	1,600,000	15,000
SB-04-64	3 - 4	08/06/20	29,000	430,000	1,600
SB-04-64	4 - 5	08/06/20	22,000	620,000	2,100
SB-04-64	5 - 6	08/06/20	8,200	500,000	2,000
SB-04-64	6 - 7	08/06/20	20,000	860,000	2,400
SB-04-64	7 - 8	08/06/20	36,000	930,000	4,000
SB-04-64	8 - 9	08/06/20	120,000	11,000,000	7,400
SB-04-64	12.5 - 13	08/06/20	36,000	100,000	3,200
SB-04-64	16.5 - 17	08/06/20	52,000	970,000	4,400
SB-04-64	18.5 - 19	08/06/20	29,000	9,000	2,900
SB-04-64	22 - 22.5	08/06/20	25,000	120,000	2,200
SB-04-64	24.5 - 25	08/06/20	32,000	52,000	3,000





Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-67	1 - 1.5	08/18/20	510	11,000	78
SB-04-67	5 - 5.5	08/18/20	260	4,000	110
SB-04-67	6 - 6.5	08/07/20	67	5,900	95
SB-04-67	8 - 8.5	08/07/20	170	1,500	89
SB-04-67	8 - 8.5	08/18/20	260	3,300	84

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-29	8 - 8.5	07/27/20	1,200	35,000	340
SB-04-29	12 - 12.5	07/27/20	570	9,500	180
SB-04-29	16.5 - 17	07/27/20	2,000	630	79
SB-04-29	18.5 - 19	07/27/20	370	970	110
SB-04-29	22 - 22.5	07/27/20	440	600	66
SB-04-29	24.5 - 25	07/27/20	350	810	50

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-30	0.5 - 1	07/27/20	710	5,900	99
SB-04-30	3.5 - 4	07/27/20	2,300	6,300	180
SB-04-30	8 - 8.5	07/27/20	510	45,000	62
SB-04-30	12.5 - 13	07/27/20	1,400	52,000	160
SB-04-30	16.5 - 17	07/27/20	770	450	87
SB-04-30	18.5 - 19	07/27/20	2,000	730	250
SB-04-30	22 - 22.5	07/27/20	1,800	550	200
SB-04-30	24.5 - 25	07/27/20	680	1,300	120

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-38	1 - 1.5	07/29/20	780	150	110
SB-04-38	4 - 4.5	07/29/20	290	66	17
SB-04-38	5 - 5.5	07/29/20	950	3,500	66
SB-04-38	8 - 8.5	07/29/20	300	260	10 U
SB-04-38	13.5 - 14	07/29/20	20	20 U	13
SB-04-38	15.5 - 16	07/29/20	770	900	19
SB-04-38	18 - 18.5	07/29/20	270	670	14
SB-04-38	22 - 22.5	07/29/20	570	300	58
SB-04-38	24.3 - 24.5	07/29/20	420	630	49



Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-39	1 - 1.5	07/28/20	10 U	530	24
SB-04-39	4 - 4.5	07/28/20	10	20 U	17
SB-04-39	9 - 9.3	07/28/20	46	230	10 U
SB-04-39	11 - 11.5	07/28/20	58	160	20
SB-04-39	16.5 - 17	07/28/20	110	430	16
SB-04-39	18.5 - 19	07/28/20	120	380	15
SB-04-39	20.5 - 21	07/28/20	120	240	27
SB-04-39	24.5 - 25	07/28/20	10 U	20 U	10 U


Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-36	2 - 2.5	07/29/20	440	920	83
SB-04-36	4 - 4.5	07/29/20	580	940	130
SB-04-36	8 - 8.5	07/29/20	310	20 U	31
SB-04-36	12 - 12.5	07/29/20	520	620	28
SB-04-36	16 - 16.5	07/29/20	230	390	10 U
SB-04-36	18.5 - 19	07/29/20	230	510	23
SB-04-36	22 - 22.5	07/29/20	240	22	41
SB-04-36	24.5 - 25	07/29/20	230	410	24

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-37	1 - 1.5	07/30/20	1,000	5,000	170
SB-04-37	3.5 - 4	07/30/20	670	4,100	290
SB-04-37	5 - 5.5	07/30/20	290	5,200	47
SB-04-37	9.5 - 10	07/30/20	120	7,600	49
SB-04-37	15 - 15.5	07/30/20	46	1,000	11
SB-04-37	17 - 17.5	07/30/20	21	920	16
SB-04-37	20 - 20.5	07/30/20	250	500	12
SB-04-37	22 - 22.5	07/30/20	73	700	10 U
SB-04-37	24.7 - 25	07/30/20	540	560	22

Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-31	1 - 1.5	07/28/20	120	940	53
SB-04-31	4 - 4.5	07/28/20	130	2,600	49
SB-04-31	5.5 - 6	07/28/20	410	1,100	42
SB-04-31	10 - 10.5	07/28/20	850	120	26
SB-04-31	12.5 - 13	07/28/20	480	750	59
SB-04-31	16.5 - 17	07/28/20	75	20 U	43
SB-04-31	18 - 18.5	07/28/20	71	20 U	10 U
SB-04-31	22 - 22.5	07/28/20	220	260	29
SB-04-31	24.5 - 25	07/28/20	280	930	18


Location ID	Sample Depth(ft)	Date Collected	PFHxS (ng/kg)	PFOS (ng/kg)	PFOA (ng/kg)
SB-04-35	1 - 1.5	07/29/20	100	1,000	10 U
SB-04-35	4 - 4.5	07/29/20	2,800	29,000	320
SB-04-35	8 - 8.5	07/29/20	1,100	29,000	98
SB-04-35	12.5 - 13	07/29/20	850	15,000	120
SB-04-35	14.5 - 15	07/29/20	910	14,000	91
SB-04-35	17.5 - 18	07/29/20	660	310	100
SB-04-35	22 - 22.5	07/29/20	270	1,100	15
SB-04-35	24.5 - 25	07/29/20	110	62	34






 PROPERTY BOUNDARY FORMER
 RACER PROPERTY BOUNDARY
 SEWER LINE
 MONITORING WELL (ACTIVE)
 SOIL BORING

 <240 ng/kg
 >240 ng/kg
 >1,000 ng/kg
 >10,000 ng/kg
 >50,000 ng/kg
 >100,000 ng/kg



1. BASE MAP INFORMATION FROM A SURVEY BY BMJ, INC. DATED APRIL 2001, AT A SCALE OF 1:100. AERIAL IMAGE FROM ARCGIS 10 ONLINE MAPPING, ACCESSED 6/12/2013.



RACER TRUST
BUICK CITY
FLINT, MICHIGAN

HAMILTON AVENUE PFOS SOIL SUMMARY



