TABLES

Table 1. Summary of Chloride Concentrations 2010 - 2025

Well I.D.	Screen Elevation	Year															
		2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
OB-1A	579.9	20	21	19	20	19	19	20	19	19.5	18.3	21.2	18.7	19.3	21.6	22.2	21.9
OB-2A	587.8	30	30	29	31	32	32	33	33	33	29.3	33	34.6	34.2	32.4	33.2	34.3
OB-3	577.9	11	13	14	16	17	19	21	21	21.1	21.3	23.8	26.2	25.7	25	27.8	26.5
OB-4	638.9	1.7	1.4	1.5	1.7	1.6	1.4	1.5	1.0	1.3	1.2	1.1	1.1	1.1	1.0	1.0	1.0
OB-5	603.8	1.9	1.9	1.5	1.7	1.8	1.6	1.9	1.7	2.0	1.2	1.5	1.8	1.8	2.0	1.6	1.6
OB-6	627.1	1.5	1.0	1.5	1.5	2.1	1.4	1.5	1.2	1.6	1.0	1.1	1.2	1.3	1.3	1.0	1.0
OB-7	627.0	1.9	2.0	1.8	1.9	1.9	1.7	1.5	1.5	1.7	1.1	1.3	1.5	1.3	1.5	1.2	1.2
OB-8	629.0	1.5	1.1	1.5	1.2	1.3	1.2	1.3	1.0	1.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0
OB-9	614.1	1.4	1.8	1.4	1.5	1.4	1.5	1.6	1.5	1.1	1.0	1.3	1.4	1.4	1.5	1.1	1.3
OB-10	621.0	2.0	1.0	1.6	1.6	1.9	1.4	1.8	1.1	1.4	1.0	1.3	1.3	1.2	1.3	1.0	1.0
OB-11A	611.4	1.9	1.8	1.8	1.6	2.0	1.7	1.5	1.5	1.9	1.6	1.5	1.5	1.6	1.2	1.3	1.2
OB-12	620.6	2.1	1.5	1.6	1.6	1.5	1.3	1.5	1.2	1.8	1.0	1.2	1.3	1.2	1.4	1.0	1.1
OB-13	619.9	2.1	1.8	1.5	1.4	1.5	1.3	1.6	1.5	1.5	1.0	1.2	1.3	1.4	1.4	1.0	1.1
OB-14	600.1	2.5	2.3	2.3	2.6	2.6	2.6	2.5	2.5	3.6	2.8	3.4	3.7	3.6	3.8	3.6	3.6
OB-15	617.3	2.0	1.8	2.2	2.0	2.0	1.9	2.0	2.0	2.1	1.4	1.7	1.8	1.8	1.6	1.5	1.5
OB-16	596.5	4.4	4.2	4.0	4.0	4.8	4.8	4.9	5.3	4.9	5.2	5.9	6.1	6.0	5.5	5.7	5.8
OB-18	589.2	13	13	14	13	12	13	13	13	13.3	11.8	12.7	12.5	12.2	13.2	13.7	13.8
OB-19R	585.6	15	14	14	14	14	14	15	14	14.2	13.3	13.3	13.8	14.2	14.4	14.5	14.5
OB-20	609.9	3.4	3.1	4.3	4.5	5.3	7.2	8.6	10	12.7	13.6	17.1	17.9	20.7	24.5	23.4	26.2
OB-21	600.9	20	23	28	33	34	36	36	38	37.8	34.3	35.7	34.7	35.1	35.1	35.2	35.5
OB-22	568.3	11	11	11	11	12	13	13	14	15	15	16	16	17	19	20	19.6
OB-23A	574.5	30	31	33	33	34	34	34	34	34.3	32.3	34.9	33.7	34.6	33.5	32.1	35.5
OB-24	614.4	4.3	4.2	5.2	5.5	6.4	6.9	7.8	9.0	9.4	10.8	12.3	11.5	11.5	11.4	11.0	12.4
OB-25	620.0	2.1	2	2.4	2	2	2.1	2.4	2	2.6	2.3	2.4	2.4	2.8	2.3	2.5	2.7
OB-26A	628.5	2.1	1.8	2.4	1.9	2	1.7	1.8	2	1.9	1.7	1.6	1.9	1.6	1.8	1.9	2.2
OB-27A	636.5	1.7	1.4	1.9	2.0	1.4	1.6	1.8	1.7	1.6	1.0	1.3	1.3	1.5	1.6	1.0	1.0
OB-28	583.9	54	54	53	53	55	54	53	51	49.1	46.6	47.2	44.8	43.5	39.1	38	36.8
OB-29	609.4	2.3	2.0	2.3	2.7	2.6	2.4	2.8	2.8	3.1	3.0	3.2	3.3	4.0	3.6	3.5	3.6
OB-30	607.4	1.6	1.7	2.4	1.7	1.9	1.9	2.1	2.1	1.7	1.5	1.6	1.6	1.4	1.7	1.3	1.3
OB-31AR	628.1	1.6	1.6	1.8	1.6	1.7	1.6	1.8	1.9	2.4	1.2	1.4	1.4	1.2	1.2	1.1	1.2
OB-32	565.3	16	16	16	17	16	16	17	17	16.7	15.2	16.5	16.2	16.3	17.9	18.7	17.9
OB-36	572.1	12	14	16	18	19	20	21	23	23.5	22.7	25.1	29.3	25.4	24.9	25.4	26.7
OB-37	572.7	25	24	25	26	27	29	30	31	31.7	28.6	31.9	32	32.5	30.2	31.7	34,4
OB-38	573.4	38	38	40	40	40	41	40	40	38.8	36.5	36.9	37	35.2	32.3	32.1	31.0
OB-39	561.9	38	39	40	41	41	43	43	42	42.8	38.7	40.5	38.2	40.8	32.8	34.5	34.7
OB-40R	610.2	1.9	1.8	1.8	1.6	1.5	1.5	1.9	1.6	1.6	1.5	1.7	1.5	1.6	1.5	1.5	1.4
OB-41	562.0	33	33	33	33	33	33	33	33	33.1	35.2	32.5	32.9	34.2	32.9	32.7	35.5
OB-42	624.4	1.9	1.7	1.9	1.8	1.9	1.5	1.9	1.7	1.6	1.8	1.4	1.4	1.3	1.2	1.6	1.4
OB-43	595.1	18	19	18	18	19	20	21	22	21.3	22.2	19.5	18.9	18.2	17.9	17.9	19
OB-44	639.5	1.7	1.7	1.9	1.8	2.1	1.9	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.2	1.5
OB-45	628.0	2.9	2.7	2.8	2.9	2.9	2.5	2.6	2.6	2.8	2.8	3.1	3.4	4.1	4.9	4.1	5.7
OB-46	600.0	40	42	40	42	41	43	43	45	44.9	48.7	47.3	49.1	52.1	48.8	47.9	50.7
OB-47	594.3	2.5	2.7	2.6	2.6	2.7	3.5	3.1	2.8	2.8	3.7	4.2	4.2	4.7	3.8	4.8	5.1
OB-48	614.2					16	18	19	20	19.7	19.1	20.8	19.5	20.8	23.4	24.8	24.1
OB-49	572.5					17	26	23	18	22.8	22.6	25.7	28.2	25.7	24.7	25.6	24.5
OB-50	602.4					45	47	48	46	47.3	43.7	50.7	53.5	44.5	43.2	44.3	43.7
OB-51	606.2					45	47	47	47	47.2	33.6	37.5	43	36.8	34.4	35.1	33.7
OB-52	620.9					1.4	1.1	1.3	1	1.5	1.1	1.1	1.1	1.2	1.2	1	1.0
OB-53	600.8					3.7	3.8	3.8	4.3	4.5	4.6	5.6	6.4	7.2	7.2	7.9	7.8

TABLE 2. GROUND WATER ELEVATIONS - WDI SITE #2

WELL I.D.	TOC	1/27/2025	4/4/2025	7/14/2025	10/1/2025
OB-1A	705.88	654.19	653.62	654.07	653.58
OB-2A	701.29	653.84	653.08	653.60	653.30
OB-3	708.97	653.03	652.63	652.93	652.75
OB-4	712.43	656.37	655.83	656.19	655.94
OB-5	705.15	653.80	653.13	653.67	653.35
OB-6	704.65	652.67	652.32	652.56	652.36
OB-7	703.52	655.87	655.64	655.92	655.65
OB-8	707.47	652.82	652.44	652.70	652.47
OB-9	701.16	652.77	652.40	652.65	652.44
OB-10	707.87	653.69	653.35	653.64	653.36
OB-11A	698.90	653.65	653.17	653.67	653.34
OB-12R	707.78	652.78	652.40	652.64	652.44
OB-13	703.11	652.78	652.29	652.57	652.35
OB-14	702.13	652.80	652.77	652.85	652.64
OB-15	707.50	654.15	654.99	655.07	654.86
OB-16	700.87	653.81	653.16	653.66	653.36
OB-18	703.02	654.32	654.09	654.27	654.02
OB-19R	709.12	654.72	654.15	654.61	654.34
OB-20	715.40	653.10	653.18	653.32	653.13
OB-21	704.99	652.96	652.59	652.81	652.62
OB-22	704.04	653.92	653.25	653.73	653.46
OB-23A	702.62	653.07	652.63	652.88	652.67
OB-24	704.61	653.91	653.28	653.73	653.46
OB-25	710.93	653.98	653.30	653.77	653.50
OB-26A	714.03	653.93	653.38	653.86	653.58
OB-27A	708.17	653.92	653.39	653.84	653.55
OB-28	708.96	653.97	653.40	653.92	653.62
OB-29	705.52	653.87	653.38	653.82	653.53
OB-30	703.82	653.67	653.48	653.84	653.50
OB-31AR	700.61	656.02	655.69	655.96	655.75
OB-32	701.43	654.05	653.49	654.00	653.78
OB-36	702.12	652.91	652.57	652.80	652.60
OB-37	711.15	653.93	653.26	653.72	653.45
OB-38	714.03	653.97	653.39	653.89	653.63
OB-39	707.50	653.90	653.35	653.84	653.56
OB-40R	708.71	656.49	656.11	656.51	656.24
OB-41	701.89	653.75	653.22	653.70	653.42
OB-42	717.21	653.79	653.25	653.72	651.45
OB-43	717.42	653.77	653.26	653.74	653.46
OB-44	701.26	653.85	653.13	653.61	653.31
OB-45	701.20	653.68	653.00	653.49	653.18
OB-46	701.14	653.72	653.04	653.53	653.22
OB-47	702.67	652.90	652.93	653.04	652.90
OB-48	712.50	655.72	654.96	655.44	655.15
OB-49	714.04	653.17	652.78	653.07	652.85
OB-50	722.28	653.04	652.75	652.90	652.71
OB-51A	720.40	653.02	652.65	652.93	652.72
OB-52	709.17	654.11	653.52	653.99	653.71
OB-53	713.91	652.82	652.46	652.70	652.49

Table 3. Organics Detected in HWMA Leachate - WDI - 2025

Compound	Maximum Concentration (mg/L)	Number of Samples Detected?*	Included in LDCRS/Lysimeter Program?	Included in Groundwater Program?
SVOCs				
Aniline	0.16	1	no	no
Benzoic Acid	88.4	17	no	no
Phenol	170	19	no	no
2-Chlorophenol	6.2	2	no	no
2,4-Dichlorophenol	1.9	7	no	no
2,4-Dimethylphenol	3.4	15	no	no
2-Methylphenol	2.9	11	no	no
2-Nitrophenol	0.29	1	no	no
2,4,6-Trichlorophenol	0.49	1	no	no
3&4-Methylphenol	12.1	18	no	no
4-Chloro-3-methylphenol	6.9	1	no	no
Benzyl Alcohol	2.9	5	no	no
Pyridine	0.64	2	no	no
Nitrobenzene	0.33	1	no	no
Napthalene	1.2	5	no	no
VOCs				
Acetone	94.4	21	yes	no
Benzene	0.72	10	yes	yes
Carbon Disulfide	0.33	2	yes	yes
Chlorobenzene	0.03	2	yes	no
Isobutanol	19.8	2	no	no
4-Methyl-2-Pentanone	7	20	no	no
Toluene	1.9	20	yes	yes
1,1-Dichloroethane	0.18	8	yes	yes
1,2-Dichloroethene	0.24	5	yes	yes
1,4-Dioxane	26.7	8	yes	yes
Methylene Chloride	2.0	3	yes	yes
Styrene	0.096	2	no	no
Trichloroethene	0.034	5	yes	yes
Tetrachloroethene	0.046	2	yes	yes
2-Butanone	48.2	20	yes	no
Xylene	0.78	17	yes	yes
Ethylbenzene	0.17	17	yes	yes
Vinyl Chloride	0.026	3	yes	yes
PCBs				
PCB-1242	0.0011	5	yes	yes

* out of 21 samples

Table 4. Monthly Leachate Volumes for Master Cell V
Wayne Disposal, Inc. Site #2 - 2025

Month	Cell V-A (gallons)	Cell V-B (gallons)	Cell V-C (gallons)	Cell V-E (gallons)	Total (gallons)
January	3,748	954	4,908	435	10,045
February	1,768	0	4,565	1,286	7,619
March	1,340	26	19,680	1,009	22,055
April	824	1,101	21,485	1,965	25,375
May	2	3,323	15,379	1,261	19,965
June	334	6,043	1,787	0	8,164
July	16	8,624	0	760	9,400
August	1,189	2,151	242	1,579	5,161
September	2,088	4,010	19,511	7,817	33,426
October	14,938	6,576	16,979	994	39,487
November	12,865	1,075	14,446	542	28,928
December	19,270	1,343	19,815	7,815	48,243
Total	**58,382**	**35,226**	**138,797**	**25,463**	**257,868**

Table 5. Monthly Leachate Volumes for Master Cell VI
Wayne Disposal, Inc. Site #2 - 2025

Month	Cell VI-AS (gallons)	Cell VI-AN (gallons)	Cell VI-B (gallons)	Cell VI-C (gallons)	Cell VI-D (gallons)	Cell VI-ESW (gallons)	Cell VI-ESE (gallons)	Cell VI-ENW (gallons)	Cell VI-ENE (gallons)	Cell VI-G-1 (gallons)	Cell VI-F-1 (gallons)	Cell VI-F-2 (gallons)	Cell VI-F-3 (gallons)	Leachate Total (gallons)
January	27,800	7,500	43,400	47,600	182,694	48,270	15,500	1,500	36,000	18,600	28,300	197,900	91,000	746,064
February	33,800	10,300	52,400	80,300	228,525	57,280	21,300	1,800	52,200	30,300	24,500	153,000	83,300	829,005
March	35,100	10,800	52,200	78,400	228,665	43,749	30,100	1,300	78,000	81,300	39,500	312,900	160,400	1,152,414
April	28,400	7,900	32,200	110,500	183,058	42,200	22,900	1,300	91,200	143,000	26,300	179,305	173,800	1,042,063
May	33,600	9,400	36,500	130,400	183,172	24,147	23,800	1,200	80,300	310,100	23,800	218,595	171,800	1,246,814
June	36,400	11,200	33,000	135,400	229,120	-6,817	28,800	-300	93,500	385,600	33,000	142,500	154,500	1,275,903
July	30,900	8,200	26,500	100,700	183,422	13,937	21,100	-1,200	75,900	172,700	12,000	59,900	67,100	771,159
August	29,100	7,300	25,400	88,200	183,534	30,792	26,900	1,700	71,300	441,800	33,800	120,100	207,400	1,267,326
September	39,400	11,100	35,000	107,600	229,577	47,491	27,600	2,400	98,200	261,500	22,200	50,200	82,000	1,014,268
October	29,500	8,300	21,770	113,400	183,786	11,508	22,330	1,000	66,000	266,100	20,500	30,440	44,200	818,834
November	36,400	17,400	30,750	119,100	229,890	38,877	22,540	1,200	81,500	146,300	20,800	48,160	52,800	845,717
December	37,300	15,900	27,200	117,400	230,032	27,015	26,000	1,000	99,200	202,100	22,500	29,300	112,200	947,147
Total	**397,700**	**125,300**	**416,320**	**1,229,000**	**2,475,475**	**378,449**	**288,870**	**12,900**	**923,300**	**2,459,400**	**307,200**	**1,542,300**	**1,400,500**	**11,956,714**

Table 6. Monthly Leachate Volumes for Master Cell VII
Wayne Disposal, Inc. Site #2 - 2025

Month	Cell VII-A (gallons)	Cell VII-BN (gallons)	Cell VII-BS (gallons)	Cell VII-C (gallons)	Total (gallons)
January	7,974	1,298	0	820	10,092
February	11,495	3,196	0	240	14,931
March	9,901	3,164	0	1,019	14,084
April	9,303	3,518	0	1,696	14,517
May	3,813	1,940	0	1,711	7,464
June	299	2,160	0	805	3,264
July	105	3,480	0	0	3,585
August	31	3,500	0	0	3,531
September	980	2,420	0	361	3,761
October	984	3,692	510	1,193	6,379
November	717	3,734	550	763	5,764
December	1,131	4,587	450	1,354	7,522
Total	**46,733**	**36,689**	**1,510**	**9,962**	**94,894**

Table 7. Weekly Leachate Level Measurements MC-V - 2025

	5A			5B			5C			5E		
Date	DTL	Elevation	Elevation 652.1 or under?	DTL	Elevation	Elevation 662.7 or under?	DTL	Elevation	Elevation 663.1 or under?	DTL	Elevation	Elevation 666.1 or under?
01/07/2025	69.3	651.62	Yes	63.1	662.14	Yes	56.1	662.9	Yes	61.9	665.41	Yes
01/15/2025	69.1	651.82	Yes	63.0	662.24	Yes	56.2	662.8	Yes	62.0	665.31	Yes
01/22/2025	69.1	651.82	Yes	63.0	662.24	Yes	56.2	662.8	Yes	62.0	665.31	Yes
01/27/2025	69.3	651.62	Yes	63.2	662.04	Yes	56.4	662.6	Yes	62.0	665.31	Yes
02/04/2025	69.2	651.72	Yes	63.1	662.14	Yes	56.7	662.3	Yes	62.3	665.01	Yes
02/11/2025	69.3	651.62	Yes	63.1	662.14	Yes	56.6	662.4	Yes	62.2	665.11	Yes
02/18/2025	69.4	651.52	Yes	63.1	662.14	Yes	56.6	662.4	Yes	62.3	665.01	Yes
02/26/2025	69.3	651.62	Yes	63.1	662.14	Yes	56.5	662.5	Yes	62.2	665.11	Yes
03/05/2025	69.2	651.72	Yes	63.1	662.14	Yes	56.4	662.6	Yes	62.1	665.21	Yes
03/11/2025	69.2	651.72	Yes	63.1	662.14	Yes	56.4	662.6	Yes	62.0	665.31	Yes
03/18/2025	69.1	651.82	Yes	62.5	662.74	Yes	56.4	662.6	Yes	62.1	665.21	Yes
03/25/2025	69.2	651.72	Yes	62.9	662.34	Yes	56.5	662.5	Yes	62.3	665.01	Yes
04/02/2025	69.1	651.82	Yes	63.2	662.04	Yes	56.4	662.6	Yes	62.2	665.11	Yes
04/08/2025	69.1	651.82	Yes	63.1	662.14	Yes	56.6	662.4	Yes	62.3	665.01	Yes
04/15/2025	69.2	651.72	Yes	63.0	662.24	Yes	56.7	662.3	Yes	62.0	665.31	Yes
04/26/2025	69.0	651.92	Yes	63.7	661.54	Yes	57.0	662.0	Yes	62.8	664.51	Yes
05/01/2025	69.0	651.92	Yes	63.6	661.64	Yes	57.0	662.0	Yes	62.7	664.61	Yes
05/06/2025	69.1	651.82	Yes	63.4	661.84	Yes	56.7	662.3	Yes	62.0	665.31	Yes
05/13/2025	69.2	651.72	Yes	63.4	661.84	Yes	56.8	662.2	Yes	62.1	665.21	Yes
05/21/2025	69.3	651.62	Yes	63.4	661.84	Yes	56.6	662.4	Yes	62.0	665.31	Yes
05/28/2025	69.3	651.62	Yes	63.3	661.94	Yes	56.8	662.2	Yes	62.0	665.31	Yes
06/04/2025	69.3	651.62	Yes	63.2	662.04	Yes	56.6	662.4	Yes	62.0	665.31	Yes
06/11/2025	69.5	651.42	Yes	63.3	661.94	Yes	56.5	662.5	Yes	62.0	665.31	Yes
06/17/2025	69.5	651.42	Yes	63.2	662.04	Yes	56.5	662.5	Yes	62.0	665.31	Yes
06/26/2025	69.4	651.52	Yes	63.1	662.14	Yes	56.5	662.5	Yes	62.0	665.31	Yes
07/03/2025	69.4	651.52	Yes	63.2	662.04	Yes	56.5	662.5	Yes	62.1	665.21	Yes
07/10/2025	69.0	651.92	Yes	63.1	662.14	Yes	56.5	662.5	Yes	62.0	665.31	Yes
07/16/2025	69.0	651.92	Yes	63.1	662.14	Yes	56.5	662.5	Yes	62.1	665.21	Yes
07/21/2025	69.1	651.82	Yes	63.0	662.24	Yes	56.5	662.5	Yes	62.3	665.01	Yes
07/28/2025	69.1	651.82	Yes	63.2	662.04	Yes	56.5	662.5	Yes	62.3	665.01	Yes
08/05/2025	69.1	651.82	Yes	63.3	661.94	Yes	56.5	662.5	Yes	62.0	665.31	Yes
08/13/2025	69.0	651.92	Yes	63.2	662.04	Yes	56.5	662.5	Yes	62.3	665.01	Yes
08/20/2025	69.1	651.82	Yes	63.3	661.94	Yes	56.7	662.3	Yes	62.5	664.81	Yes
08/28/2025	69.1	651.82	Yes	63.3	661.94	Yes	56.8	662.2	Yes	62.5	664.81	Yes
09/02/2025	69.2	651.72	Yes	63.4	661.84	Yes	56.7	662.3	Yes	62.4	664.91	Yes
09/11/2025	69.5	651.42	Yes	62.5	662.74	Yes	57.1	661.9	Yes	63.1	664.21	Yes
09/18/2025	70.1	650.82	Yes	62.5	662.74	Yes	57.6	661.4	Yes	63.2	664.11	Yes
09/27/2025	70.0	650.92	Yes	62.7	662.54	Yes	56.9	662.1	Yes	63.1	664.21	Yes
10/02/2025	70.2	650.72	Yes	63.9	661.34	Yes	56.2	662.8	Yes	61.3	666.01	Yes
10/10/2025	70.3	650.62	Yes	62.6	662.64	Yes	57.2	661.8	Yes	62.3	665.01	Yes
10/16/2025	70.2	650.72	Yes	63.6	661.64	Yes	57.6	661.4	Yes	63.2	664.11	Yes
10/23/2025	70.1	650.82	Yes	63.5	661.74	Yes	57.2	661.8	Yes	63.1	664.21	Yes
10/29/2025	70.1	650.82	Yes	63.4	661.84	Yes	57.2	661.8	Yes	63.3	664.01	Yes
11/07/2025	70.1	650.82	Yes	63.6	661.64	Yes	57.1	661.9	Yes	63.2	664.11	Yes
11/12/2025	70.3	650.62	Yes	63.6	661.64	Yes	57.1	661.9	Yes	63.4	663.91	Yes
11/20/2025	71.3	649.62	Yes	63.6	661.64	Yes	57.0	662.0	Yes	63.3	664.01	Yes
11/25/2025	70.0	650.92	Yes	63.7	661.54	Yes	57.0	662.0	Yes	63.2	664.11	Yes
12/03/2025	70.1	650.82	Yes	63.5	661.74	Yes	56.9	662.1	Yes	62.2	665.11	Yes
12/10/2025	70.0	650.92	Yes	63.7	661.54	Yes	57.1	661.9	Yes	63.2	664.11	Yes
12/19/2025	70.1	650.82	Yes	62.7	662.54	Yes	56.9	662.1	Yes	62.3	665.01	Yes
12/23/2025	70.1	650.82	Yes	63.7	661.54	Yes	57.7	661.3	Yes	63.1	664.21	Yes
12/30/2025	70.1	650.82	Yes	63.8	661.44	Yes	58.1	660.9	Yes	63.2	664.11	Yes

Table 8. Weekly Leachate Level Measurements MC-VI - 2025

	6AS			6AN			6B			6C			6D			6ESW			6ESE		
	Compliance Elevation: 660.00			Compliance Elevation: 660.10			Compliance Elevation: 658.80			Compliance Elevation: 654.30			Compliance Elevation: 653.70			Compliance Elevation: 716.50			Compliance Elevation: 716.50		
DATE	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance
1/6/2025	128.91	659.20	Yes	128.77	658.97	Yes	139.45	656.94	Yes	101.73	654.30	Yes	129.06	652.3	Yes	10.19	714.05	Yes	8.4	715.15	Yes
1/13/2025	129.41	658.70	Yes	128.97	658.77	Yes	139.65	657.14	Yes	101.73	654.30	Yes	129.56	651.8	Yes	10.19	714.05	Yes	9.1	714.45	Yes
1/20/2025	129.91	658.20	Yes	129.17	658.57	Yes	141.05	658.54	Yes	101.73	654.30	Yes	128.76	652.6	Yes	9.99	714.25	Yes	9.1	714.45	Yes
1/27/2025	128.81	659.30	Yes	128.77	658.97	Yes	139.75	657.24	Yes	101.73	654.30	Yes	129.26	652.1	Yes	10.49	713.75	Yes	9.1	714.45	Yes
2/3/2025	129.21	658.90	Yes	129.47	658.27	Yes	139.65	657.14	Yes	101.83	654.20	Yes	128.86	652.5	Yes	10.29	713.95	Yes	8.8	714.75	Yes
2/10/2025	128.81	659.30	Yes	128.97	658.77	Yes	140.15	657.64	Yes	101.73	654.30	Yes	128.56	652.8	Yes	10.39	713.85	Yes	9.4	714.15	Yes
2/17/2025	129.21	658.90	Yes	129.07	658.67	Yes	139.65	657.14	Yes	101.93	654.10	Yes	128.86	652.5	Yes	10.49	713.75	Yes	9.1	714.45	Yes
2/24/2025	130.11	658.00	Yes	128.97	658.77	Yes	140.15	657.64	Yes	101.73	654.30	Yes	129.16	652.2	Yes	10.39	713.85	Yes	9.6	713.95	Yes
3/3/2025	130.11	658.00	Yes	129.07	658.67	Yes	140.05	657.54	Yes	101.83	654.20	Yes	129.16	652.2	Yes	10.49	713.75	Yes	8.6	714.95	Yes
3/10/2025	130.21	657.90	Yes	129.67	658.07	Yes	139.05	656.54	Yes	101.93	654.10	Yes	128.96	652.4	Yes	10.19	714.05	Yes	10.8	712.75	Yes
3/17/2025	129.11	659.00	Yes	129.57	658.17	Yes	138.95	656.44	Yes	101.73	654.30	Yes	129.56	651.8	Yes	10.49	713.75	Yes	9.4	714.15	Yes
3/24/2025	129.31	658.80	Yes	129.57	658.17	Yes	138.95	656.44	Yes	102.03	654.00	Yes	129.16	652.2	Yes	9.39	714.85	Yes	9.1	714.45	Yes
3/31/2025	129.81	658.30	Yes	129.57	658.17	Yes	138.85	656.34	Yes	101.73	654.30	Yes	129.46	651.9	Yes	10.19	714.05	Yes	10.7	712.85	Yes
4/7/2025	130.01	658.10	Yes	129.37	658.37	Yes	140.15	657.64	Yes	101.73	654.30	Yes	130.06	651.3	Yes	10.39	713.85	Yes	10.1	713.45	Yes
4/14/2025	130.11	658.00	Yes	129.57	658.17	Yes	139.55	657.04	Yes	101.73	654.30	Yes	128.96	652.4	Yes	10.49	713.75	Yes	10.0	713.55	Yes
4/21/2025	129.41	658.70	Yes	128.37	659.37	Yes	140.05	657.54	Yes	101.83	654.20	Yes	130.66	650.7	Yes	10.59	713.65	Yes	8.6	714.95	Yes
4/28/2025	128.91	659.20	Yes	129.07	658.67	Yes	140.15	657.64	Yes	101.73	654.30	Yes	128.96	652.4	Yes	10.59	713.65	Yes	8.6	714.95	Yes
5/5/2025	130.31	657.80	Yes	129.27	658.47	Yes	139.95	657.44	Yes	102.93	653.10	Yes	128.96	652.4	Yes	10.69	713.55	Yes	9.3	714.25	Yes
5/12/2025	132.21	655.90	Yes	129.37	658.37	Yes	140.05	657.54	Yes	101.73	654.30	Yes	128.96	652.4	Yes	10.59	713.65	Yes	10.1	713.45	Yes
5/19/2025	128.81	659.30	Yes	129.57	658.17	Yes	139.75	657.24	Yes	102.03	654.00	Yes	129.36	652	Yes	10.99	713.25	Yes	10.1	713.45	Yes
5/28/2025	128.81	659.30	Yes	129.47	658.27	Yes	141.15	658.64	Yes	101.73	654.30	Yes	128.82	652.54	Yes	10.29	713.95	Yes	12.1	711.45	Yes
6/2/2025	129.21	658.90	Yes	129.57	658.17	Yes	140.75	658.24	Yes	101.73	654.30	Yes	129.16	652.2	Yes	10.89	713.35	Yes	10.5	713.05	Yes
6/9/2025	128.81	659.30	Yes	128.67	659.07	Yes	139.15	656.64	Yes	102.03	654.00	Yes	129.06	652.3	Yes	11.29	712.95	Yes	9.8	713.75	Yes
6/16/2025	129.81	658.30	Yes	128.27	659.47	Yes	141.05	658.54	Yes	101.73	654.30	Yes	131.46	649.9	Yes	10.89	713.35	Yes	8.0	715.55	Yes
6/23/2025	128.81	659.30	Yes	129.67	658.07	Yes	140.85	658.34	Yes	101.93	654.10	Yes	129.16	652.2	Yes	11.09	713.15	Yes	9.2	714.35	Yes
6/30/2025	129.01	659.10	Yes	128.37	659.37	Yes	139.15	656.64	Yes	101.83	654.20	Yes	128.66	652.7	Yes	10.49	713.75	Yes	8.6	714.95	Yes
7/7/2025	128.81	659.30	Yes	129.47	658.27	Yes	139.65	657.14	Yes	101.73	654.30	Yes	129.26	652.1	Yes	10.59	713.65	Yes	8.8	714.75	Yes
7/14/2025	129.81	658.30	Yes	129.17	658.57	Yes	138.75	656.24	Yes	101.83	654.20	Yes	129.66	651.7	Yes	10.59	713.65	Yes	10.1	713.45	Yes
7/21/2025	129.51	658.60	Yes	128.27	659.47	Yes	140.75	658.24	Yes	101.73	654.30	Yes	130.46	650.9	Yes	10.59	713.65	Yes	10.1	713.45	Yes
7/28/2025	130.11	658.00	Yes	128.97	658.77	Yes	140.25	657.74	Yes	101.73	654.30	Yes	129.26	652.1	Yes	10.89	713.35	Yes	10.3	713.25	Yes
8/4/2025	129.31	658.80	Yes	128.47	659.27	Yes	139.15	656.64	Yes	101.73	654.30	Yes	129.06	652.3	Yes	10.49	713.75	Yes	8.7	714.85	Yes
8/11/2025	129.11	659.00	Yes	128.57	659.17	Yes	141.25	658.74	Yes	101.73	654.30	Yes	128.66	652.7	Yes	9.99	714.25	Yes	7.5	716.05	Yes
8/18/2025	128.41	659.70	Yes	128.47	659.27	Yes	141.25	658.74	Yes	101.73	654.30	Yes	128.36	653	Yes	9.99	714.25	Yes	7.8	715.75	Yes
8/25/2025	128.31	659.80	Yes	128.57	659.17	Yes	140.15	657.64	Yes	101.83	654.20	Yes	129.26	652.1	Yes	10.39	713.85	Yes	8.8	714.75	Yes
9/3/2025	128.41	659.70	Yes	128.77	658.97	Yes	139.65	657.14	Yes	101.83	654.20	Yes	128.86	652.5	Yes	10.49	713.75	Yes	10.4	713.15	Yes
9/8/2025	128.41	659.70	Yes	129.37	658.37	Yes	139.75	657.24	Yes	102.03	654.00	Yes	129.66	651.7	Yes	10.29	713.95	Yes	9.4	714.15	Yes
9/15/2025	128.51	659.60	Yes	128.57	659.17	Yes	140.85	658.34	Yes	101.73	654.30	Yes	128.96	652.4	Yes	10.59	713.65	Yes	8.8	714.75	Yes
9/22/2025	128.31	659.80	Yes	128.37	659.37	Yes	139.05	656.54	Yes	101.83	654.20	Yes	129.26	652.1	Yes	10.59	713.65	Yes	9.1	714.45	Yes
9/29/2025	129.41	658.70	Yes	129.37	658.37	Yes	138.95	656.44	Yes	101.83	654.20	Yes	130.16	651.2	Yes	10.49	713.75	Yes	9.0	714.55	Yes
10/6/2025	130.11	658.00	Yes	129.27	658.47	Yes	140.45	657.94	Yes	101.93	654.10	Yes	128.96	652.4	Yes	10.39	713.85	Yes	9.1	714.45	Yes
10/13/2025	129.31	658.80	Yes	128.27	659.47	Yes	140.15	657.64	Yes	101.83	654.20	Yes	129.66	651.7	Yes	10.79	713.45	Yes	8.7	714.85	Yes
10/20/2025	128.61	659.50	Yes	128.47	659.27	Yes	139.75	657.24	Yes	101.83	654.20	Yes	129.76	651.6	Yes	11.29	712.95	Yes	10.8	712.74	Yes
10/27/2025	130.01	658.10	Yes	128.87	658.87	Yes	140.55	658.04	Yes	101.93	654.10	Yes	129.76	651.6	Yes	11.99	712.25	Yes	10.4	713.15	Yes
11/3/2025	128.51	659.60	Yes	129.07	658.67	Yes	140.25	657.74	Yes	101.93	654.10	Yes	129.76	651.6	Yes	9.79	714.45	Yes	9.5	714.05	Yes
11/10/2025	130.11	658.00	Yes	129.47	658.27	Yes	139.35	656.84	Yes	101.73	654.30	Yes	129.66	651.7	Yes	10.69	713.55	Yes	9.5	714.05	Yes
11/17/2025	128.81	659.30	Yes	128.67	659.07	Yes	139.25	656.74	Yes	101.73	654.30	Yes	129.36	652	Yes	10.19	714.05	Yes	8.8	714.75	Yes
11/24/2025	128.31	659.80	Yes	128.87	658.87	Yes	140.15	657.64	Yes	101.83	654.20	Yes	128.86	652.5	Yes	9.99	714.25	Yes	11.4	712.15	Yes
12/1/2025	129.61	658.50	Yes	129.17	658.57	Yes	139.45	656.94	Yes	101.73	654.30	Yes	128.86	652.5	Yes	9.99	714.25	Yes	9.2	714.35	Yes
12/8/2025	128.31	659.80	Yes	129.07	658.67	Yes	139.85	657.34	Yes	101.83	654.20	Yes	129.66	651.7	Yes	9.89	714.35	Yes	8.3	715.25	Yes
12/17/2025	129.31	658.80	Yes	129.07	658.67	Yes	139.95	657.44	Yes	101.73	654.30	Yes	128.86	652.5	Yes	10.19	714.05	Yes	7.6	715.95	Yes
12/22/2025	130.21	657.90	Yes	128.57	659.17	Yes	140.05	657.54	Yes	101.73	654.30	Yes	130.06	651.3	Yes	10.29	713.95	Yes	8.5	715.05	Yes
12/29/2025	128.91	659.20	Yes	129.57	658.17	Yes	140.45	657.94	Yes	101.73	654.30	Yes	130.36	651	Yes	10.69	713.55	Yes	10.1	713.45	Yes

Table 8. Weekly Leachate Level Measurements MC-VI - 2025

	6ENW			6ENE			6G			F1			F2			F3		
	Compliance Elevation: 719.00			Compliance Elevation: 704.50			Compliance Elevation: 670.00			Compliance Elevation: 716.80			Compliance Elevation: 710.40			Compliance Elevation: 710.10		
DATE	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance	Depth to Liquid	Elevation	In Compliance
1/6/2025	23.82	711.8	Yes	21.63	703.84	Yes	246.36	666.36	Yes	127.50	713.7	Yes	128.91	707.43	Yes	118.23	708.29	Yes
1/13/2025	23.82	711.8	Yes	21.83	703.64	Yes	245.60	665.60	Yes	128.10	713.5	Yes	127.53	707.89	Yes	117.75	708.45	Yes
1/20/2025	23.82	711.8	Yes	22.03	703.44	Yes	245.34	665.34	Yes	128.70	713.3	Yes	129.45	707.25	Yes	117.90	708.4	Yes
1/27/2025	18.62	717	Yes	22.33	703.14	Yes	245.37	665.37	Yes	130.20	712.8	Yes	128.04	707.72	Yes	117.75	708.45	Yes
2/3/2025	18.92	716.7	Yes	21.53	703.94	Yes	245.82	665.82	Yes	128.10	713.5	Yes	124.74	708.82	Yes	117.30	708.6	Yes
2/10/2025	18.92	716.7	Yes	21.83	703.64	Yes	246.49	666.49	Yes	129.60	713	Yes	125.73	708.49	Yes	117.36	708.58	Yes
2/17/2025	18.72	716.9	Yes	21.43	704.04	Yes	246.12	666.12	Yes	132.60	712	Yes	125.10	708.7	Yes	118.20	708.3	Yes
2/24/2025	18.92	716.7	Yes	25.33	700.14	Yes	246.72	666.72	Yes	129.00	713.2	Yes	125.04	708.72	Yes	117.75	708.45	Yes
3/3/2025	18.72	716.9	Yes	22.13	703.34	Yes	247.12	667.12	Yes	130.80	712.6	Yes	128.82	707.46	Yes	117.99	708.37	Yes
3/10/2025	18.62	717	Yes	21.63	703.84	Yes	246.40	666.40	Yes	129.90	712.9	Yes	129.66	707.18	Yes	117.99	708.37	Yes
3/17/2025	18.82	716.8	Yes	22.33	703.14	Yes	246.47	666.47	Yes	129.60	713	Yes	126.15	708.35	Yes	117.09	708.67	Yes
3/24/2025	18.62	717	Yes	25.23	700.24	Yes	247.62	667.62	Yes	132.00	712.2	Yes	128.25	707.65	Yes	117.27	708.61	Yes
3/31/2025	18.62	717	Yes	21.43	704.04	Yes	246.82	666.82	Yes	130.20	712.8	Yes	124.83	708.79	Yes	117.69	708.47	Yes
4/7/2025	18.62	717	Yes	25.23	700.24	Yes	248.04	668.04	Yes	127.80	713.6	Yes	128.10	707.7	Yes	117.36	708.58	Yes
4/14/2025	18.72	716.9	Yes	22.03	703.44	Yes	248.14	668.14	Yes	130.80	712.6	Yes	127.35	707.95	Yes	117.54	708.52	Yes
4/21/2025	18.92	716.7	Yes	22.93	702.54	Yes	247.40	667.40	Yes	130.50	712.7	Yes	129.75	707.15	Yes	117.78	708.44	Yes
4/28/2025	19.02	716.6	Yes	23.93	701.54	Yes	246.04	666.04	Yes	130.50	712.7	Yes	127.89	707.77	Yes	117.48	708.54	Yes
5/5/2025	18.72	716.9	Yes	21.43	704.04	Yes	247.61	667.61	Yes	128.40	713.4	Yes	129.63	707.19	Yes	118.17	708.31	Yes
5/12/2025	18.52	717.1	Yes	22.63	702.84	Yes	247.10	667.10	Yes	127.80	713.6	Yes	126.69	708.17	Yes	117.78	708.44	Yes
5/19/2025	18.62	717	Yes	23.53	701.94	Yes	246.57	666.57	Yes	131.70	712.3	Yes	129.75	707.15	Yes	117.66	708.48	Yes
5/28/2025	18.52	717.1	Yes	21.73	703.74	Yes	246.93	666.93	Yes	123.00	715.2	Yes	125.97	708.41	Yes	117.84	708.42	Yes
6/2/2025	18.62	717	Yes	21.53	703.94	Yes	246.56	666.56	Yes	131.10	712.5	Yes	125.46	708.58	Yes	117.54	708.52	Yes
6/9/2025	18.62	717	Yes	23.63	701.84	Yes	246.60	666.60	Yes	126.90	713.9	Yes	124.83	708.79	Yes	117.75	708.45	Yes
6/16/2025	18.52	717.1	Yes	23.93	701.54	Yes	246.82	666.82	Yes	130.80	712.6	Yes	125.04	708.72	Yes	117.78	708.44	Yes
6/23/2025	18.52	717.1	Yes	23.83	701.64	Yes	247.17	667.17	Yes	127.20	713.8	Yes	127.38	707.94	Yes	117.45	708.55	Yes
6/30/2025	18.52	717.1	Yes	21.63	703.84	Yes	247.26	667.26	Yes	131.10	712.5	Yes	127.41	707.93	Yes	117.63	708.49	Yes
7/7/2025	18.52	717.1	Yes	21.93	703.54	Yes	249.37	669.37	Yes	128.10	713.5	Yes	129.60	707.2	Yes	117.48	708.54	Yes
7/14/2025	18.52	717.1	Yes	21.93	703.54	Yes	249.40	669.40	Yes	125.70	714.3	Yes	127.35	707.95	Yes	117.21	708.63	Yes
7/21/2025	18.42	717.2	Yes	22.03	703.44	Yes	248.00	668.00	Yes	131.40	712.4	Yes	126.60	708.2	Yes	118.11	708.33	Yes
7/28/2025	18.42	717.2	Yes	24.43	701.04	Yes	245.50	665.50	Yes	129.60	713	Yes	124.32	708.96	Yes	118.11	708.33	Yes
8/4/2025	18.42	717.2	Yes	24.13	701.34	Yes	246.40	666.40	Yes	131.10	712.5	Yes	126.66	708.18	Yes	117.33	708.59	Yes
8/11/2025	18.22	717.4	Yes	22.43	703.04	Yes	247.90	667.90	Yes	126.60	714	Yes	128.58	707.54	Yes	117.30	708.6	Yes
8/18/2025	18.22	717.4	Yes	21.13	704.34	Yes	248.00	668.00	Yes	127.80	713.6	Yes	125.67	708.51	Yes	117.81	708.43	Yes
8/25/2025	18.32	717.3	Yes	21.03	704.44	Yes	248.98	668.98	Yes	131.10	712.5	Yes	126.72	708.16	Yes	117.87	708.41	Yes
9/3/2025	18.22	717.4	Yes	22.33	703.14	Yes	249.50	669.50	Yes	118.50	716.7	Yes	126.57	708.21	Yes	117.36	708.58	Yes
9/8/2025	18.42	717.2	Yes	23.63	701.84	Yes	247.00	667.00	Yes	132.00	712.2	Yes	127.98	707.74	Yes	117.72	708.46	Yes
9/15/2025	18.42	717.2	Yes	21.53	703.94	Yes	245.70	665.70	Yes	131.70	712.3	Yes	126.33	708.29	Yes	117.36	708.58	Yes
9/22/2025	18.32	717.3	Yes	21.83	703.64	Yes	247.80	667.80	Yes	127.80	713.6	Yes	126.33	708.29	Yes	117.18	708.64	Yes
9/29/2025	18.42	717.2	Yes	22.03	703.44	Yes	245.40	665.40	Yes	130.50	712.7	Yes	126.63	708.19	Yes	117.69	708.47	Yes
10/6/2025	18.42	717.2	Yes	22.43	703.04	Yes	245.10	665.10	Yes	129.90	712.9	Yes	126.09	708.37	Yes	117.69	708.47	Yes
10/13/2025	18.42	717.2	Yes	21.93	703.54	Yes	245.10	665.10	Yes	130.50	712.7	Yes	125.49	708.57	Yes	117.51	708.53	Yes
10/20/2025	18.42	717.2	Yes	21.43	704.04	Yes	248.20	668.20	Yes	128.70	713.3	Yes	127.23	707.99	Yes	118.05	708.35	Yes
10/27/2025	18.42	717.2	Yes	22.23	703.24	Yes	245.30	665.30	Yes	132.00	712.2	Yes	126.66	708.18	Yes	117.69	708.47	Yes
11/3/2025	18.42	717.2	Yes	22.53	702.94	Yes	248.10	668.10	Yes	128.10	713.5	Yes	126.21	708.33	Yes	119.04	708.02	Yes
11/10/2025	18.52	717.1	Yes	21.43	704.04	Yes	248.50	668.50	Yes	129.90	712.9	Yes	129.96	707.08	Yes	118.20	708.3	Yes
11/17/2025	18.52	717.1	Yes	21.63	703.84	Yes	244.60	664.60	Yes	129.60	713	Yes	128.61	707.53	Yes	118.05	708.35	Yes
11/24/2025	18.52	717.1	Yes	21.73	703.74	Yes	244.80	664.80	Yes	130.50	712.7	Yes	125.85	708.45	Yes	117.75	708.45	Yes
12/1/2025	18.72	716.9	Yes	21.13	704.34	Yes	245.70	665.70	Yes	128.10	713.5	Yes	128.61	707.53	Yes	118.23	708.29	Yes
12/8/2025	18.52	717.1	Yes	21.03	704.44	Yes	244.70	664.70	Yes	126.60	714	Yes	127.44	707.92	Yes	117.36	708.58	Yes
12/17/2025	18.32	717.3	Yes	21.33	704.14	Yes	244.90	664.90	Yes	129.00	713.2	Yes	127.26	707.98	Yes	117.54	708.52	Yes
12/22/2025	18.52	717.1	Yes	21.73	703.74	Yes	245.20	665.20	Yes	130.80	712.6	Yes	126.21	708.33	Yes	117.36	708.58	Yes
12/29/2025	18.32	717.3	Yes	22.03	703.44	Yes	245.30	665.30	Yes	126.90	713.9	Yes	129.57	707.21	Yes	117.45	708.55	Yes

Table 9. Weekly Leachate Level Measurements MC-VII - 2025

	7A			7BN			7BS			7C		
Date	DTL	Elevation	Elevation 672.0 or under?	DTL	Elevation	Elevation 666.0 or under?	DTL	Elevation	Elevation 674.3 or under?	DTL	Elevation	Elevation 666.0 or under?
1/7/2025	54.0	671.28	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.0	665.2	Yes
1/15/2025	54.1	671.18	Yes	50.0	665.3	Yes	51.8	674.21	Yes	47.0	665.2	Yes
1/27/2025	54.1	671.18	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.0	665.2	Yes
2/4/2025	54.1	671.18	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.0	665.2	Yes
2/11/2025	54.3	670.98	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.0	665.2	Yes
2/18/2025	54.3	670.98	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.0	665.2	Yes
2/26/2025	54.0	671.28	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.0	665.2	Yes
3/5/2025	54.2	671.08	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.0	665.2	Yes
3/11/2025	54.2	671.08	Yes	50.3	665	Yes	51.8	674.21	Yes	47.0	665.2	Yes
3/18/2025	54.3	670.98	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.1	665.1	Yes
3/25/2025	54.2	671.08	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.2	665	Yes
4/2/2025	54.1	671.18	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.1	665.1	Yes
4/8/2025	54.1	671.18	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.1	665.1	Yes
4/15/2025	54.2	671.08	Yes	50.1	665.2	Yes	51.9	674.13	Yes	47.0	665.2	Yes
4/26/2025	54.2	671.08	Yes	51.0	664.3	Yes	51.8	674.21	Yes	47.5	664.7	Yes
5/1/2025	54.1	671.18	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.4	664.8	Yes
5/6/2025	54.0	671.28	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.0	665.2	Yes
5/13/2025	54.2	671.08	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.1	665.1	Yes
5/21/2025	54.0	671.28	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.1	665.1	Yes
5/28/2025	54.0	671.28	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.0	665.2	Yes
6/4/2025	54.0	671.28	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.0	665.2	Yes
6/11/2025	54.0	671.28	Yes	50.3	665	Yes	51.8	674.21	Yes	47.0	665.2	Yes
6/17/2025	54.0	671.28	Yes	50.3	665	Yes	51.8	674.21	Yes	47.0	665.2	Yes
6/26/2025	54.0	671.28	Yes	50.3	665	Yes	51.8	674.21	Yes	47.0	665.2	Yes
7/3/2025	54.0	671.28	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.2	665	Yes
7/10/2025	54.1	671.18	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.2	665	Yes
7/16/2025	54.1	671.18	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.2	665	Yes
7/21/2025	54.1	671.18	Yes	50.3	665	Yes	51.8	674.21	Yes	47.2	665	Yes
7/28/2025	54.1	671.18	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.2	665	Yes
8/5/2025	54.1	671.18	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.2	665	Yes
8/13/2025	54.1	671.18	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.2	665	Yes
8/20/2025	54.1	671.18	Yes	50.3	665	Yes	51.8	674.21	Yes	47.2	665	Yes
8/28/2025	54.4	670.88	Yes	50.2	665.1	Yes	51.8	674.21	Yes	47.2	665	Yes
9/2/2025	54.3	670.98	Yes	50.1	665.2	Yes	51.8	674.21	Yes	47.2	665	Yes
9/11/2025	54.6	670.68	Yes	51.6	663.7	Yes	51.8	674.21	Yes	46.2	666	Yes
9/18/2025	54.3	670.98	Yes	51.4	663.9	Yes	51.8	674.21	Yes	47.6	664.6	Yes
9/27/2025	54.1	671.18	Yes	50.1	665.2	Yes	52.2	673.81	Yes	47.6	664.6	Yes
10/2/2025	54.1	671.18	Yes	49.8	665.5	Yes	53.0	673.01	Yes	46.2	666	Yes
10/8/2025	54.0	671.28	Yes	51.1	664.2	Yes	53.5	672.51	Yes	47.1	665.1	Yes
10/16/2025	55.2	670.08	Yes	51.6	663.7	Yes	51.9	674.11	Yes	48.2	664	Yes
10/23/2025	54.1	671.18	Yes	51.2	664.1	Yes	52.0	674.01	Yes	48.2	664	Yes
10/29/2025	55.9	669.38	Yes	51.4	663.9	Yes	52.0	674.01	Yes	48.2	664	Yes
11/7/2025	54.9	670.38	Yes	51.3	664	Yes	52.0	674.01	Yes	47.5	664.7	Yes
11/12/2025	55.4	669.88	Yes	51.4	663.9	Yes	51.9	674.11	Yes	48.0	664.2	Yes
11/20/2025	55.3	669.98	Yes	51.4	663.9	Yes	52.1	673.91	Yes	51.5	660.7	Yes
11/25/2025	55.1	670.18	Yes	51.6	663.7	Yes	51.9	674.11	Yes	48.1	664.1	Yes
12/3/2025	54.9	670.38	Yes	51.5	663.8	Yes	51.8	674.21	Yes	48.0	664.2	Yes
12/10/2025	56.0	669.28	Yes	51.5	663.8	Yes	51.8	674.21	Yes	47.9	664.3	Yes
12/19/2025	54.9	670.38	Yes	51.4	663.9	Yes	51.8	674.21	Yes	47.2	665	Yes
12/23/2025	55.1	670.18	Yes	51.5	663.8	Yes	51.9	674.11	Yes	48.3	663.9	Yes
12/30/2025	55.1	670.18	Yes	51.4	663.9	Yes	52.8	673.21	Yes	48.5	663.7	Yes

Table 10. Leak Detection Collection & Removal System Volume Data
Master Cell VI-A South - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	8046	154	35	4.4	0.58
2/28/2025	8178	132	28	4.7	0.62
3/28/2025	8315	137	28	4.9	0.64
4/25/2025	8487	172	28	6.1	0.80
5/30/2025	8692	205	35	5.9	0.77
6/27/2025	8858	166	28	5.9	0.77
7/25/2025	9035	177	28	6.3	0.83
8/29/2025	9239	204	35	5.8	0.76
9/26/2025	9404	165	28	5.9	0.77
10/31/2025	9627	223	35	6.4	0.83
11/28/2025	9788	161	28	5.8	0.75
12/26/2025	9936	148	28	5.3	0.69
Total Volume		**2044**		**Ave. Spec. Dis.**	**0.73**

Table 11. Leak Detection Collection & Removal System Volume Data
Master Cell VI-A North - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	37584	524	35	15.0	2.6
2/28/2025	37584	0	28	0.0	0.0
3/28/2025	37919	335	28	12.0	2.1
4/25/2025	38221	302	28	10.8	1.9
5/30/2025	39652	1431	35	40.9	7.0
6/27/2025	40562	910	28	32.5	5.6
7/25/2025	41668	1106	28	39.5	6.8
8/29/2025	42956	1288	35	36.8	6.3
9/26/2025	43494	538	28	19.2	3.3
10/31/2025	45008	1514	35	43.3	7.4
11/28/2025	45345	337	28	12.0	2.1
12/26/2025	46147	802	28	28.6	4.9
Total Volume		**9087**		**Ave. Spec. Dis.**	**4.2**

Table 12. Leak Detection Collection & Removal System Volume Data
Master Cell VI-B - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	16997	206	35	5.9	1.0
2/28/2025	17162	165	28	5.9	1.0
3/28/2025	17336	174	28	6.2	1.0
4/25/2025	17515	179	28	6.4	1.0
5/30/2025	17741	226	35	6.5	1.1
6/28/2025	17898	157	29	5.4	0.9
7/25/2025	18098	200	27	7.4	1.2
8/29/2025	18308	210	35	6.0	1.0
9/26/2025	18486	178	28	6.4	1.0
10/31/2025	18662	176	35	5.0	0.8
11/28/2025	18808	146	28	5.2	0.9
12/26/2025	18846	38	28	1.4	0.2
Total Volume		**2055**		**Ave. Spec. Dis.**	**0.9**

Table 13. Leak Detection Collection & Removal System Volume Data
Master Cell VI-C - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	26455	276	35	8	1.6
2/28/2025	26662	207	28	7	1.5
3/28/2025	26875	213	28	8	1.6
4/25/2025	27110	235	28	8	1.7
5/30/2025	27405	295	35	8	1.7
6/27/2025	27643	238	28	9	1.7
7/25/2025	27892	249	28	9	1.8
8/29/2025	28217	325	35	9	1.9
9/26/2025	28515	298	28	11	2.2
10/31/2025	28884	369	35	11	2.2
11/28/2025	29140	256	28	9	1.9
12/26/2025	29367	227	28	8	1.7
Total Volume		**3188**		**Ave. Spec. Dis.**	**1.8**

Table 14. Leak Detection Collection & Removal System Volume Data
Master Cell VI-D - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	174962	474	35	14	1.9
2/28/2025	175241	279	28	10	1.4
3/28/2025	175518	277	28	10	1.4
4/25/2025	175994	476	28	17	2.3
5/30/2025	176646	652	35	19	2.6
6/27/2025	177097	451	28	16	2.2
7/30/2025	177410	313	33	9	1.3
8/29/2025	177794	384	30	13	1.8
9/26/2025	178033	239	28	9	1.2
10/31/2025	178299	266	35	8	1.0
11/28/2025	178488	189	28	7	0.9
12/26/2025	178710	222	28	8	1.1
Total Volume		**4222**		**Ave. Spec. Dis.**	**1.6**

Table 15. Leak Detection Collection & Removal System Volume Data
Master Cell VI-E-SW - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	10162.4	129	35	3.7	0.8
2/28/2025	10189.4	27	28	1.0	0.2
3/28/2025	10251.4	62	28	2.2	0.5
4/25/2025	10303.4	52	28	1.9	0.4
5/30/2025	10362.4	59	35	1.7	0.4
6/27/2025	10673.3	311	28	11.1	2.4
7/30/2025	11860.4	1187	33	36.0	7.9
8/29/2025	12329.4	469	30	15.6	3.4
9/26/2025	12408.4	79	28	2.8	0.5
10/31/2025	12482.4	74	35	2.1	0.4
11/28/2025	12550.4	68	28	2.4	0.4
12/26/2025	12622.4	72	28	2.6	0.5
Total Volume		**2589**		**Ave. Spec. Dis.**	**1.5**

Table 16. Leak Detection Collection & Removal System Volume Data
Master Cell VI-E-SE- Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	3101	51	35	1.5	0.3
2/28/2025	3131	30	28	1.1	0.2
3/28/2025	2	39	28	1.4	0.3
4/25/2025	28	26	28	0.9	0.2
5/30/2025	51	23	35	0.7	0.1
6/27/2025	75	24	28	0.9	0.2
7/30/2025	89	14	33	0.4	0.1
8/29/2025	142	53	30	1.8	0.4
9/26/2025	168	26	28	0.9	0.1
10/31/2025	201	33	35	0.9	0.1
11/28/2025	226	25	28	0.9	0.1
12/26/2025	254	28	28	1.0	0.1
Total Volume		**372**		**Ave. Spec. Dis.**	**0.2**

Table 17. Leak Detection Collection & Removal System Volume Data
Master Cell VI-E-NW - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	54278	619	35	17.69	2.0
2/28/2025	54816	538	28	19.21	2.2
3/28/2025	55425	609	28	21.75	2.5
4/25/2025	56094	669	28	23.89	2.7
5/30/2025	57544	1450	35	41.43	4.7
6/27/2025	58280	736	28	26.29	3.0
7/30/2025	60178	1898	33	57.52	6.5
8/29/2025	65393	5215	30	173.83	19.8
9/26/2025	66193	800	28	28.57	3.5
10/31/2025	67110	917	35	26.20	3.2
11/28/2025	67750	640	28	22.86	2.8
12/26/2025	68453	703	28	25.11	3.1
Total Volume		**14794**		**Ave. Spec. Dis.**	**4.7**

Table 18. Leak Detection Collection & Removal System Volume Data
Master Cell VI-E-NE - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	295860	509	35	14.5	1.1
2/28/2025	296035	175	28	6.3	0.5
3/28/2025	296255	220	28	7.9	0.6
4/25/2025	296599	344	28	12.3	0.9
5/30/2025	296918	319	35	9.1	0.7
6/27/2025	297227	309	28	11.0	0.8
7/30/2025	297854	627	33	19.0	1.4
8/29/2025	299090	1236	30	41.2	3.0
9/26/2025	299853	763	28	27.3	2.3
10/31/2025	300521	668	35	19.1	1.6
11/28/2025	300840	319	28	11.4	1.0
12/26/2025	301190	350	28	12.5	1.1
Total Volume		**5839**		**Ave. Spec. Dis.**	**1.2**

Table 19. Leak Detection Collection & Removal System Volume Data
Master Cell VI-G-1 - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	1869750	2542	35	73	3.6
2/28/2025	1871600	1850	28	66	3.3
3/28/2025	1873645	2045	28	73	3.7
4/25/2025	1876275	2630	28	94	4.7
5/30/2025	1879305	3030	35	87	4.4
6/27/2025	1882453	3148	28	112	5.6
7/30/2025	1886365	3912	33	119	6.0
8/29/2025	1893465	7100	30	237	11.9
9/26/2025	1898520	5055	28	181	6.2
10/31/2025	1903255	4735	35	135	4.6
11/28/2025	1905835	2580	28	92	3.2
12/26/2025	1907916	2081	28	74	2.6
Total Volume		**40708**		**Ave. Spec. Dis.**	**5.0**

Table 20. Leak Detection Collection & Removal System Volume Data
Master Cell VI-F-1 - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	44900	1327	35	38	10.0
2/28/2025	45345	445	28	16	4.2
3/28/2025	46175	830	28	30	7.8
4/25/2025	46973	798	28	29	7.5
5/30/2025	47760	787	35	22	5.9
6/27/2025	49280	1520	28	54	14.3
7/30/2025	50069	789	33	24	6.3
8/29/2025	51450	1381	30	46	12.1
9/26/2025	52875	1425	28	51	13.4
10/31/2025	55241	2366	35	68	17.8
11/28/2025	56078	837	28	30	7.9
12/26/2025	57870	1792	28	64	16.8
Total Volume		**14297**		**Ave. Spec. Dis.**	**10.3**

Table 21. Leak Detection Collection & Removal System Volume Data
Master Cell VI-F-2 - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	14187	372	35	11	1.9
2/28/2025	14393	206	28	7	1.3
3/28/2025	14556	163	28	6	1.1
4/25/2025	14724	168	28	6	1.1
5/30/2025	14924	200	35	6	1.0
6/27/2025	15092	168	28	6	1.1
7/30/2025	15291	199	33	6	1.1
8/29/2025	15552	261	30	9	1.6
9/26/2025	15759	207	28	7	1.3
10/31/2025	16027	268	35	8	1.4
11/28/2025	16208	181	28	6	1.2
12/26/2025	16372	164	28	6	1.1
Total Volume		**2557**		**Ave. Spec. Dis.**	**1.3**

Table 22. Leak Detection Collection & Removal System Volume Data
Master Cell VI-F-3 - Wayne Disposal Site #2 - 2025

Date	Meter Reading (gallons)	Volume Pumped (gallons)	Elapsed Time (days)	Ave. Daily Rate (gal/day)	Specific Discharge (g/acre/d)
1/31/2025	37115	972	35	28	4.7
2/28/2025	37585	470	28	17	2.8
3/28/2025	38085	500	28	18	3.0
4/25/2025	38542	457	28	16	2.8
5/30/2025	38941	399	35	11	1.9
6/27/2025	39453	512	28	18	3.1
7/25/2025	40320	867	28	31	5.2
8/29/2025	42440	2120	35	61	10.3
9/26/2025	43610	1170	28	42	7.1
10/31/2025	44962	1352	35	39	6.5
11/28/2025	45537	575	28	21	3.5
12/26/2025	45916	379	28	14	2.3
Total Volume		**9773**		**Ave. Spec. Dis.**	**4.4**

Table 23. Soil Monitoring Results - WDI - 2025

SAMPLE ID	SAMPLE DATE	MATRIX	TOTAL PCBs*	LOCATION/(THRESHOLD)
SM-1	3/20/2025	SEDIMENT	<0.15	**AREA A**
	9/17/2025		**0.13**	**(0.75 mg/kg)**
SM-2	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.096	**(0.75 mg/kg)**
SM-3	3/20/2025	SOIL	<0.14	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-4	3/20/2025	SOIL	<0.14	**AREA A**
	9/17/2025		<0.097	**(0.75 mg/kg)**
SM-5	3/20/2025	SEDIMENT	<0.13	**AREA A**
	9/17/2025		<0.11	**(0.75 mg/kg)**
SM-6	3/20/2025	SOIL	<0.13	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-7	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.098	**(0.75 mg/kg)**
SM-8	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.099	**(0.75 mg/kg)**
SM-9A	3/20/2025	SOIL	<0.15	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-10	3/20/2025	SEDIMENT	<0.14	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-11	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-12	3/20/2025	SEDIMENT	<0.13	**AREA A**
	9/17/2025		<0.11	**(0.75 mg/kg)**
SM-13	3/20/2025	SOIL	<0.11	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-14	3/20/2025	SOIL	<0.11	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-15	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.098	**(0.75 mg/kg)**
SM-16	3/20/2025	SOIL	<0.15	**AREA B**
	9/17/2025		<0.10	**(0.10 mg/kg)**
SM-17	3/20/2025	SEDIMENT	<0.12	**AREA B**
	9/17/2025		<0.12	**(0.10 mg/kg)**
SM-18	3/20/2025	SOIL	<0.15	**AREA B**
	9/17/2025		<0.10	**(0.10 mg/kg)**
SM-19	3/20/2025	SOIL	<0.15	**AREA B**
	9/17/2025		<0.10	**(0.10 mg/kg)**
SM-20	3/20/2025	SOIL	<0.13	**AREA B**
	9/17/2025		<0.10	**(0.10 mg/kg)**
SM-22	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-23	3/20/2025	SOIL	<0.13	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-24	3/20/2025	SOIL	<0.13	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-25A	3/20/2025	SOIL	<0.14	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-31	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-32	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**
SM-33	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.11	**(0.75 mg/kg)**
SM-34	3/20/2025	SOIL	<0.13	**AREA A**
	9/17/2025		<0.097	**(0.75 mg/kg)**
SM-35	3/20/2025	SOIL	<0.12	**AREA A**
	9/17/2025		<0.10	**(0.75 mg/kg)**

*mg/kg dry weight