



RECEIVED

JUL 15 2009

MDEQ - RRD
JACKSON DISTRICT OFFICE

EXTRACTION DATA

- TABLE #1 - UNIT "D2" UPGRADIENT EXTRACTION DATA
- TABLE #2 - UNIT "D2" DOWNGRADIENT EXTRACTION DATA
- TABLE #3 - CORE AREA EXTRACTION DATA
- TABLE #4 - MARSHY AREA EXTRACTION DATA
- TABLE #5 - SOUTHWEST AREA EXTRACTION DATA
- TABLE #6 - UNIT "E" EXTRACTION DATA
- TABLE #7 - WESTERN SYSTEM EXTRACTION DATA
- TABLE #8 - INDIVIDUAL PURGE WELL CONCENTRATIONS
- TABLE #9 - RED POND DATA
- TABLE #10 - RED POND CONCENTRATIONS

OZONE OPERATION DATA

- TABLE #11 - OZONE OPERATION REPORT

DISCHARGE DATA

- TABLE #12 - GREEN POND / DISCHARGE DATA
- TABLE #13 - DAILY DISCHARGE MONITORING REPORT

TABLE #1

UNIT D2 UPGRADIENT EXTRACTION DATA

Month of: Jun-09

Date	Horizontal Well Extraction			TW-9			TW-5			Daily	Daily
	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	Flow	Total
										GPM	Gallons
Mon-6/1/09	34,608	24	24.00	129,646	90	24.00	118,658	82	24.00	196	282,912
Tue-6/2/09	34,596	24	24.00	129,617	90	24.00	118,551	82	24.00	196	282,764
Wed-6/3/09	34,618	24	24.00	129,604	90	24.00	118,580	82	24.00	196	282,802
Thu-6/4/09	34,609	24	24.00	129,645	90	24.00	118,633	82	24.00	196	282,887
Fri-6/5/09	34,620	24	24.00	129,612	90	24.00	118,630	82	24.00	196	282,862
Sat-6/6/09	34,683	24	24.00	129,667	90	24.00	118,497	82	24.00	196	282,847
Sun-6/7/09	34,596	24	24.00	129,635	90	24.00	118,462	82	24.00	196	282,693
Mon-6/8/09	34,634	24	24.00	129,565	90	24.00	118,521	82	24.00	196	282,720
Tue-6/9/09	34,535	24	24.00	136,723	95	24.00	118,460	82	24.00	201	289,718
Wed-6/10/09	34,473	24	24.00	144,087	100	24.00	118,436	82	24.00	206	296,996
Thu-6/11/09	34,650	24	24.00	144,179	100	24.00	118,457	82	24.00	206	297,286
Fri-6/12/09	34,577	24	24.00	144,083	100	24.00	118,399	82	24.00	206	297,059
Sat-6/13/09	34,542	24	24.00	144,037	100	24.00	118,409	82	24.00	206	296,988
Sun-6/14/09	34,543	24	24.00	144,120	100	24.00	118,397	82	24.00	206	297,060
Mon-6/15/09	34,530	24	24.00	144,119	100	24.00	118,520	82	24.00	206	297,169
Tue-6/16/09	34,520	24	24.00	144,149	100	24.00	118,602	82	24.00	206	297,271
Wed-6/17/09	34,604	24	24.00	144,116	100	24.00	118,843	83	24.00	207	297,563
Thu-6/18/09	34,653	24	24.00	144,095	100	24.00	118,797	82	24.00	207	297,545
Fri-6/19/09	34,589	24	24.00	144,134	100	24.00	95,009	82	19.20	190	273,732
Sat-6/20/09	34,529	24	24.00	143,942	100	24.00	-	-	-	124	178,471
Sun-6/21/09	22,599	24	15.75	94,248	100	15.75	-	-	-	81	116,847
Mon-6/22/09	-	-	-	-	-	-	-	-	-	-	-
Tue-6/23/09	-	-	-	58,533	100	9.77	-	-	-	41	58,533
Wed-6/24/09	26,471	24	18.40	108,666	100	18.12	86,885	82	17.67	154	222,022
Thu-6/25/09	34,522	24	24.00	68,619	100	11.45	113,955	79	24.00	151	217,096
Fri-6/26/09	26,299	33	13.23	132,239	100	22.05	63,952	78	13.62	155	222,490
Sat-6/27/09	45,670	32	24.00	126,930	100	21.17	110,436	77	24.00	197	283,036
Sun-6/28/09	45,685	32	24.00	-	-	-	111,113	77	24.00	109	156,798
Mon-6/29/09	45,379	32	24.00	-	-	-	111,281	77	24.00	109	156,660
Tue-6/30/09	42,781	30	23.97	-	-	-	117,039	81	24.00	111	159,820
TOTALS	981,115	25	647.35	3,348,010	97	578.30	2,943,522	81	602.48	174	7,272,647

TOTAL VOLUME EXTRACTED :	7,272,647 GALLONS
DAYS IN MONTH :	30 DAYS
MONTHLY AVERAGE FLOW RATE :	168.35 GPM

06/19/09 - The Ann Arbor area was hit by a severe storm. During this storm, PLS experienced damage to its communication system and the treatment systems shut down.
 06/20/09 - 06/30/09 - Extraction from various wells was shut down periodically to adjust the Pond level

UNIT D2 DOWNGRADIENT EXTRACTION DATA

Month of: **Jun-09**

Date	LB-1			LB-3			AE-3			Daily	Daily
	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	Flow GPM	Total Gallons
Mon-6/1/09	136,877	95	23.98	129,802	90	24.00	21,609	15	24.00	200	288,288
Tue-6/2/09	136,877	95	24.00	129,788	90	24.00	21,576	15	24.00	200	288,241
Wed-6/3/09	136,874	95	24.00	129,767	90	24.00	21,541	15	24.00	200	288,182
Thu-6/4/09	136,879	95	24.00	129,738	90	23.98	21,527	15	24.00	200	288,144
Fri-6/5/09	136,877	95	23.98	129,726	90	24.00	21,562	15	24.00	200	288,165
Sat-6/6/09	136,866	95	24.00	129,743	90	24.00	21,596	15	24.00	200	288,205
Sun-6/7/09	136,873	95	24.00	129,664	90	24.00	21,588	15	24.00	200	288,125
Mon-6/8/09	136,870	95	24.00	129,653	90	23.98	21,577	15	24.00	200	288,100
Tue-6/9/09	136,872	95	23.98	129,646	90	24.00	21,550	15	24.00	200	288,068
Wed-6/10/09	136,873	95	24.00	129,763	90	24.00	21,542	15	24.00	200	288,178
Thu-6/11/09	136,875	95	24.00	129,709	90	24.00	21,548	15	24.00	200	288,132
Fri-6/12/09	136,866	95	24.00	129,710	90	24.00	21,523	15	24.00	200	288,099
Sat-6/13/09	136,873	95	23.98	129,806	90	23.98	21,528	15	24.00	200	288,207
Sun-6/14/09	136,868	95	24.00	129,784	90	24.00	21,511	15	24.00	200	288,163
Mon-6/15/09	136,857	95	24.00	129,745	90	24.00	21,479	15	24.00	200	288,081
Tue-6/16/09	136,863	95	24.00	129,756	90	24.00	21,554	15	24.00	200	288,173
Wed-6/17/09	136,864	95	24.00	129,660	90	23.98	21,591	15	24.00	200	288,115
Thu-6/18/09	136,857	95	23.98	129,798	90	24.00	21,617	15	24.00	200	288,272
Fri-6/19/09	136,862	95	24.00	129,640	90	24.00	21,593	15	24.00	200	288,095
Sat-6/20/09	136,847	95	24.00	129,668	90	24.00	21,594	15	24.00	200	288,109
Sun-6/21/09	90,183	95	15.82	85,506	90	15.82	14,216	15	15.80	132	189,905
Mon-6/22/09	67,797	95	11.90	64,153	90	11.90	10,694	15	11.90	99	142,644
Tue-6/23/09	136,845	95	23.98	129,726	90	23.98	21,670	15	24.00	200	288,241
Wed-6/24/09	136,842	95	24.00	129,838	90	24.00	21,624	15	24.00	200	288,304
Thu-6/25/09	136,843	95	24.00	129,744	90	24.00	21,617	15	24.00	200	288,204
Fri-6/26/09	136,845	95	24.00	129,713	90	24.00	21,559	15	24.00	200	288,117
Sat-6/27/09	136,850	95	24.00	129,764	90	23.98	21,562	15	24.00	200	288,176
Sun-6/28/09	136,845	95	23.98	129,827	90	24.00	21,614	15	24.00	200	288,286
Mon-6/29/09	136,850	95	24.00	129,762	90	24.00	21,600	15	24.00	200	288,212
Tue-6/30/09	136,861	95	24.00	129,767	90	24.00	21,605	15	24.00	200	288,233
TOTALS	3,990,131	95	699.58	3,782,366	90	699.60	628,967	15	699.70	194	8,401,464

TOTAL VOLUME EXTRACTED :	8,401,464 GALLONS
DAYS IN MONTH :	30 DAYS
MONTHLY AVERAGE FLOW RATE :	194.48 GPM

06/21/09 - 06/22/09 - Evergreen extraction was shut down to adjust the Pond level

TABLE #3

CORE AREA EXTRACTION DATA

Month of: Jun-09

Core Area Well Extraction																Daily	Daily
Date	TW-2 (Dolph)			TW-6			TW-10			TW-14			TW-20			Flow	Total
	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	GPM	Gallons
Mon-6/1/09	81,237	56	24.00	21,459	15	24.00	144,631	100	24.00	122,578	85	24.00	72,053	50	24.00	307	441,958
Tue-6/2/09	81,134	56	24.00	21,493	15	24.00	144,809	101	24.00	122,630	85	24.00	72,045	50	24.00	307	442,111
Wed-6/3/09	81,126	56	24.00	21,487	15	24.00	144,478	100	24.00	122,583	85	24.00	72,048	50	24.00	307	441,722
Thu-6/4/09	81,172	56	24.00	21,475	15	24.00	144,619	100	24.00	122,612	85	24.00	72,055	50	24.00	307	441,933
Fri-6/5/09	81,201	56	24.00	21,461	15	24.00	144,665	100	24.00	122,595	85	24.00	72,039	50	24.00	307	441,961
Sat-6/6/09	81,131	56	24.00	21,436	15	24.00	144,475	100	24.00	122,570	85	24.00	72,050	50	24.00	307	441,662
Sun-6/7/09	81,121	56	24.00	21,441	15	24.00	144,285	100	24.00	122,629	85	24.00	72,051	50	24.00	307	441,527
Mon-6/8/09	81,294	56	24.00	21,305	15	24.00	144,144	100	24.00	122,640	85	24.00	72,044	50	24.00	307	441,427
Tue-6/9/09	81,399	57	24.00	21,252	15	24.00	144,019	100	24.00	122,551	85	24.00	72,048	50	24.00	306	441,269
Wed-6/10/09	81,457	57	24.00	21,188	15	24.00	144,419	100	24.00	122,614	85	24.00	72,058	50	24.00	307	441,736
Thu-6/11/09	81,462	57	24.00	21,013	15	24.00	144,656	100	24.00	122,643	85	24.00	72,057	50	24.00	307	441,831
Fri-6/12/09	81,367	57	24.00	20,858	14	24.00	144,723	101	24.00	122,573	85	24.00	72,053	50	24.00	307	441,574
Sat-6/13/09	81,188	56	24.00	20,829	14	24.00	144,522	100	24.00	122,592	85	24.00	72,054	50	24.00	306	441,185
Sun-6/14/09	81,201	56	24.00	20,829	14	24.00	144,360	100	24.00	122,566	85	24.00	72,063	50	24.00	306	441,019
Mon-6/15/09	81,169	56	24.00	20,952	15	24.00	144,169	100	24.00	122,560	85	24.00	72,052	50	24.00	306	440,902
Tue-6/16/09	81,216	56	24.00	20,907	15	24.00	144,402	100	24.00	122,550	85	24.00	72,066	50	24.00	306	441,141
Wed-6/17/09	81,229	56	24.00	20,933	15	24.00	144,219	100	24.00	122,546	85	24.00	72,059	50	24.00	306	440,986
Thu-6/18/09	81,121	56	24.00	20,869	14	24.00	144,011	100	24.00	122,554	85	24.00	72,055	50	24.00	306	440,610
Fri-6/19/09	81,325	56	24.00	16,635	14	19.13	147,169	102	24.00	98,043	85	19.20	72,052	50	24.00	288	415,224
Sat-6/20/09	80,827	56	24.00	-	-	-	157,120	109	24.00	-	-	-	72,063	50	24.00	215	310,010
Sun-6/21/09	52,406	55	15.78	-	-	-	101,137	107	15.68	-	-	-	47,077	50	15.67	139	200,620
Mon-6/22/09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tue-6/23/09	-	-	-	-	-	-	64,195	109	9.83	-	-	-	29,148	50	9.73	65	93,343
Wed-6/24/09	60,915	57	17.85	-	-	-	78,811	109	12.08	-	-	-	49,223	50	16.38	131	188,949
Thu-6/25/09	81,916	57	24.00	-	-	-	69,164	100	11.50	-	-	-	23,900	50	7.98	122	174,980
Fri-6/26/09	81,387	57	24.00	-	-	-	144,623	100	24.00	90,595	97	15.63	72,054	50	24.00	270	388,659
Sat-6/27/09	81,399	57	24.00	-	-	-	126,969	100	21.08	126,907	100	21.17	63,470	50	21.13	277	398,745
Sun-6/28/09	81,616	57	24.00	-	-	-	-	-	-	-	-	-	-	-	-	57	81,616
Mon-6/29/09	81,739	57	24.00	-	-	-	43,421	76	9.58	-	-	-	-	-	-	87	125,160
Tue-6/30/09	81,671	57	24.00	-	-	-	37,196	75	8.23	-	-	-	-	-	-	83	118,867
TOTALS	2,227,426	56	657.63	397,822	15	451.13	3,569,411	100	592.00	2,522,131	86	488.00	1,725,937	50	574.90	250	10,442,727

TOTAL VOLUME EXTRACTED :	10,442,727 GALLONS
DAYS IN MONTH :	30 DAYS
MONTHLY AVERAGE FLOW RATE :	241.73 GPM

06/19/09 - The Ann Arbor area was hit by a severe storm. During this storm, PLS experienced damage to its communication system and the treatment systems shut down.
 06/20/09 - 06/30/09 - Extraction from various wells was shut down periodically to adjust the Pond level

MARSHY AREA EXTRACTION DATA

Month of: **Jun-09**

Marshy Well Extraction				Daily	Daily
Date	PW-1			Flow	Total
	Gallons	GPM	Run Hrs.	GPM	Gallons
Mon-6/1/09	7,508	5	24.00	5	7,508
Tue-6/2/09	7,503	5	24.00	5	7,503
Wed-6/3/09	7,537	5	24.00	5	7,537
Thu-6/4/09	7,533	5	24.00	5	7,533
Fri-6/5/09	7,542	5	24.00	5	7,542
Sat-6/6/09	7,516	5	24.00	5	7,516
Sun-6/7/09	7,512	5	24.00	5	7,512
Mon-6/8/09	7,503	5	24.00	5	7,503
Tue-6/9/09	7,505	5	24.00	5	7,505
Wed-6/10/09	7,487	5	24.00	5	7,487
Thu-6/11/09	7,522	5	24.00	5	7,522
Fri-6/12/09	7,553	5	24.00	5	7,553
Sat-6/13/09	7,547	5	24.00	5	7,547
Sun-6/14/09	7,534	5	24.00	5	7,534
Mon-6/15/09	7,528	5	24.00	5	7,528
Tue-6/16/09	7,535	5	24.00	5	7,535
Wed-6/17/09	7,518	5	24.00	5	7,518
Thu-6/18/09	7,506	5	24.00	5	7,506
Fri-6/19/09	7,439	5	24.00	5	7,439
Sat-6/20/09	6,209	5	19.87	4	6,209
Sun-6/21/09	3,836	5	12.42	3	3,836
Mon-6/22/09	-	-	-	-	-
Tue-6/23/09	-	-	-	-	-
Wed-6/24/09	4,848	5	15.03	3	4,848
Thu-6/25/09	6,921	5	21.78	5	6,921
Fri-6/26/09	3,384	5	10.53	2	3,384
Sat-6/27/09	-	-	-	-	-
Sun-6/28/09	-	-	-	-	-
Mon-6/29/09	-	-	-	-	-
Tue-6/30/09	-	-	-	-	-
TOTALS	168,026	5	535.63	5	168,026

TOTAL VOLUME EXTRACTED :	168,026 GALLONS
DAYS IN MONTH :	30 DAYS
MONTHLY AVERAGE FLOW RATE :	3.89 GPM

06/20/09 - 06/30/09 - Extraction was shut down periodically to adjust the Pond level

SOUTHWEST AREA EXTRACTION DATA

Month of: Jun-09

SouthWest Well Extraction				Daily	Daily
Date	ACTIVE WELLS			Flow	Total
	Gallons	GPM	Run Hrs.	GPM	Gallons
Mon-6/1/09	47,432	33	24.00	33	47,432
Tue-6/2/09	47,376	33	24.00	33	47,376
Wed-6/3/09	47,336	33	24.00	33	47,336
Thu-6/4/09	47,305	33	24.00	33	47,305
Fri-6/5/09	47,323	33	24.00	33	47,323
Sat-6/6/09	47,225	33	24.00	33	47,225
Sun-6/7/09	47,223	33	24.00	33	47,223
Mon-6/8/09	47,256	33	24.00	33	47,256
Tue-6/9/09	45,148	31	24.00	31	45,148
Wed-6/10/09	44,259	31	24.00	31	44,259
Thu-6/11/09	44,264	31	24.00	31	44,264
Fri-6/12/09	44,218	31	24.00	31	44,218
Sat-6/13/09	44,187	31	24.00	31	44,187
Sun-6/14/09	44,178	31	24.00	31	44,178
Mon-6/15/09	44,177	31	24.00	31	44,177
Tue-6/16/09	44,179	31	24.00	31	44,179
Wed-6/17/09	46,298	32	24.00	32	46,298
Thu-6/18/09	48,141	33	24.00	33	48,141
Fri-6/19/09	38,428	33	19.13	27	38,428
Sat-6/20/09	-	-	-	<2	-
Sun-6/21/09	-	-	-	<2	-
Mon-6/22/09	-	-	-	<2	-
Tue-6/23/09	-	-	-	<2	-
Wed-6/24/09	24,828	34	12.15	17	24,828
Thu-6/25/09	23,632	34	11.48	16	23,632
Fri-6/26/09	42,491	34	20.62	30	42,491
Sat-6/27/09	49,485	34	24.00	34	49,485
Sun-6/28/09	49,775	35	24.00	35	49,775
Mon-6/29/09	49,791	35	24.00	35	49,791
Tue-6/30/09	49,682	35	24.00	35	49,682
TOTALS	1,155,637	33	591.38	31	1,155,637

TOTAL VOLUME EXTRACTED :	1,155,637 GALLONS
DAYS IN MONTH :	30 DAYS
MONTHLY AVERAGE FLOW RATE :	26.75 GPM

Note: ACTIVE WELLS = TW-8, TW-13

06/19/09 - The Ann Arbor area was hit by a severe storm. During this storm, PLS experienced damage to its communication system and the treatment systems shut down.
 06/20/09 - 06/30/09 - Extraction from various wells was shut down periodically to adjust the Pond level

UNIT "E" EXTRACTION DATA

Month of: Jun-09

Date	TW-17			TW-18			Daily	Daily
	Gallons	GPM	Run Hrs.	Gallons	GPM	Run Hrs.	Flow GPM	Total Gallons
Mon-6/1/09	165,873	115	24.00	365,526	254	24.00	369	531,399
Tue-6/2/09	165,907	115	24.00	365,512	254	24.00	369	531,419
Wed-6/3/09	165,840	115	24.00	365,530	254	24.00	369	531,370
Thu-6/4/09	165,832	115	24.00	365,490	254	24.00	369	531,322
Fri-6/5/09	165,915	115	24.00	365,524	254	24.00	369	531,439
Sat-6/6/09	165,889	115	24.00	365,542	254	24.00	369	531,431
Sun-6/7/09	165,861	115	24.00	365,501	254	24.00	369	531,362
Mon-6/8/09	165,844	115	24.00	365,483	254	24.00	369	531,327
Tue-6/9/09	165,857	115	24.00	365,479	254	24.00	369	531,336
Wed-6/10/09	165,845	115	24.00	365,467	254	24.00	369	531,312
Thu-6/11/09	165,826	115	24.00	365,412	254	24.00	369	531,238
Fri-6/12/09	165,878	115	24.00	365,494	254	24.00	369	531,372
Sat-6/13/09	165,859	115	24.00	365,414	254	24.00	369	531,273
Sun-6/14/09	165,883	115	24.00	365,496	254	24.00	369	531,379
Mon-6/15/09	160,927	112	24.00	365,544	254	24.00	366	526,471
Tue-6/16/09	158,675	110	24.00	365,485	254	24.00	364	524,160
Wed-6/17/09	158,718	110	24.00	365,524	254	24.00	364	524,242
Thu-6/18/09	158,733	110	24.00	365,557	254	24.00	364	524,290
Fri-6/19/09	126,986	110	19.20	365,539	254	24.00	342	492,525
Sat-6/20/09	-	-	-	365,642	254	24.00	254	365,642
Sun-6/21/09	-	-	-	238,960	254	15.68	166	238,960
Mon-6/22/09	-	-	-	157,384	254	10.33	109	157,384
Tue-6/23/09	-	-	-	365,723	254	24.00	254	365,723
Wed-6/24/09	-	-	-	365,775	254	24.00	254	365,775
Thu-6/25/09	-	-	-	365,720	254	24.00	254	365,720
Fri-6/26/09	90,729	100	15.13	365,736	254	24.00	317	456,465
Sat-6/27/09	143,740	100	24.00	365,726	254	24.00	354	509,466
Sun-6/28/09	143,712	100	24.00	365,673	254	24.00	354	509,385
Mon-6/29/09	86,649	100	14.48	365,605	254	24.00	314	452,254
Tue-6/30/09	-	-	-	365,571	254	24.00	254	365,571
TOTALS	3,550,978	111	528.82	10,632,034	254	698.02	328	14,183,012

TOTAL VOLUME EXTRACTED :	14,183,012 GALLONS
DAYS IN MONTH :	30 DAYS
MONTHLY AVERAGE FLOW RATE :	328.31 GPM

06/19/09 - The Ann Arbor area was hit by a severe storm. During this storm, PLS experienced damage to its communication system and the treatment systems shut down.
 06/20/09 - 06/30/09 - Extraction from various wells was shut down periodically to adjust the Pond level

TABLE #8

INDIVIDUAL PURGE WELL CONCENTRATIONS

SAMPLE ID	1,4-DIOXANE (ppb)
AE-3-06-01-09-11:04	113
HZ-S-06-01-09-12:14	867
LB-1-06-01-09-11:00	537
LB-3-06-01-09-11:02	471
PW-1-06-01-09-11:34	907
SW-COMB-06-01-09-11:30	469
DOLPH-06-01-09-11:36	92
TW-5-06-01-09-11:20	903
TW-6-06-01-09-11:32	97
TW-8-06-01-09-14:20	514
TW-9-06-01-09-12:02	1,234
TW-10-06-01-09-11:58	842
TW-13-06-01-09-12:22	645
TW-14-06-01-09-12:08	107
TW-17-06-01-09-12:11	118
TW-18-06-01-09-11:38	404
TW-20-06-01-09-11:52	2,118
TEMPORARY EXTRACTION WELLS	
MW-50-06-01-09-14:22	575

RED POND DATA

Month of: **Jun-09**

Date	Time	Notes	Red Pond				
			Pond	Level	Aeration	Influent	Influent
			Visual Chk	Feet	Hours	Hours	GPM
Mon-6/1/09	03:05:00		Y	5.1	-	24.00	1,111
Tue-6/2/09	03:00:00		Y	5.1	-	24.00	1,111
Wed-6/3/09	03:00:00		Y	5.2	-	24.00	1,110
Thu-6/4/09	03:00:00		Y	5.2	-	24.00	1,111
Fri-6/5/09	03:00:00		Y	5.5	-	24.00	1,111
Sat-6/6/09	03:00:00	(1)		5.4	-	24.00	1,110
Sun-6/7/09	03:00:00	(1)		5.3	-	24.00	1,110
Mon-6/8/09	03:00:00		Y	5.2	-	24.00	1,110
Tue-6/9/09	03:00:00		Y	5.2	-	24.00	1,113
Wed-6/10/09	03:00:00		Y	5.1	-	24.00	1,118
Thu-6/11/09	03:00:00		Y	5.2	-	24.00	1,118
Fri-6/12/09	03:00:00		Y	5.3	-	24.00	1,118
Sat-6/13/09	03:00:00	(1)		5.3	-	24.00	1,118
Sun-6/14/09	03:00:01	(1)		5.3	-	24.00	1,118
Mon-6/15/09	03:00:00		Y	5.4	-	24.00	1,114
Tue-6/16/09	03:00:00		Y	5.3	-	24.00	1,113
Wed-6/17/09	03:00:01		Y	5.3	-	24.00	1,114
Thu-6/18/09	03:00:00		Y	5.4	-	24.00	1,116
Fri-6/19/09	03:00:00		Y	5.4	-	24.00	1,052
Sat-6/20/09	03:00:00	(1)		8.2	-	24.00	798
Sun-6/21/09	03:00:00	(1)		11.0	-	15.82	790
Mon-6/22/09	03:00:00		Y	13.4	-	11.90	-
Tue-6/23/09	03:00:00		Y	10.7	-	24.00	560
Wed-6/24/09	03:00:00		Y	5.9	-	24.00	760
Thu-6/25/09	03:00:00		Y	7.0	-	24.00	748
Fri-6/26/09	03:00:00		Y	6.4	-	24.00	973
Sat-6/27/09	03:00:00	(1)		5.6	-	24.00	1,062
Sun-6/28/09	03:00:00	(1)		5.6	-	24.00	754
Mon-6/29/09	03:00:00		Y	5.7	-	24.00	744
Tue-6/30/09	03:00:00		Y	6.1	-	24.00	682
TOTALS			-	-	-	700	

Daily readings are collected by the Operator at various times of the day, resulting in varied readings and calculations.

(1) Manual readings were not taken due to weekend and/or holiday.

TABLE #10

RED POND CONCENTRATIONS

Concentrations of 1,4-Dioxane found in the Red Pond

SAMPLE ID	1,4-DIOXANE (ppb)
Red Pond-06-01-09-11:40	560
Red Pond-06-08-09-07:49	564
Red Pond-06-15-09-08:30	569
Red Pond-06-22-09-14:33	611
Red Pond-06-29-09-09:22	423

OZONE OPERATION REPORT

Month of: Jun-09

Date	Time	Notes	SYSTEM-1A		SYSTEM-1B		SYSTEM-2A		SYSTEM-2B	
			Flow GPM	Run Hours	Flow GPM	Run Hours	Flow GPM	Run Hours	Flow GPM	Run Hours
Mon-6/1/09	03:07:00		370	24.00	370	24.00	370	24.00	0	0.00
Tue-6/2/09	03:00:00		370	24.00	370	24.00	371	23.75	0	0.00
Wed-6/3/09	03:00:00		370	24.00	371	24.00	371	23.10	0	0.00
Thu-6/4/09	03:00:00		370	24.00	369	24.00	371	24.00	0	0.00
Fri-6/5/09	03:00:00		370	24.00	369	24.00	371	24.00	0	0.00
Sat-6/6/09	03:00:00	(1)	370	24.00	370	24.00	370	24.00	0	0.00
Sun-6/7/09	03:00:00	(1)	370	24.00	370	24.00	371	24.00	0	0.00
Mon-6/8/09	03:00:00		369	24.00	370	24.00	371	24.00	0	0.00
Tue-6/9/09	03:00:00		370	24.00	370	24.00	370	24.00	0	0.00
Wed-6/10/09	03:00:00		370	24.00	370	24.00	371	24.00	0	0.00
Thu-6/11/09	03:00:00		370	24.00	370	24.00	370	24.00	0	0.00
Fri-6/12/09	03:00:00		370	24.00	369	24.00	370	24.00	0	0.00
Sat-6/13/09	03:00:00	(1)	370	24.00	370	24.00	370	24.00	0	0.00
Sun-6/14/09	03:00:01	(1)	370	24.00	370	24.00	370	24.00	0	0.00
Mon-6/15/09	03:00:00		370	24.00	370	24.00	370	24.00	0	0.00
Tue-6/16/09	03:00:00		370	24.00	370	24.00	370	24.00	0	0.00
Wed-6/17/09	03:00:01		370	24.00	370	24.00	370	24.00	0	0.00
Thu-6/18/09	03:00:00		370	24.00	370	24.00	369	24.00	0	0.00
Fri-6/19/09	03:00:00		370	19.12	370	19.10	370	19.12	0	0.00
Sat-6/20/09	03:00:00	(1)	0	0.00	0	0.00	0	0.00	0	0.00
Sun-6/21/09	03:00:00	(1)	0	0.00	0	0.00	0	0.00	0	0.00
Mon-6/22/09	03:00:00		0	14.40	0	14.58	0	13.85	0	0.00
Tue-6/23/09	03:00:00		370	24.00	371	24.00	371	24.00	0	0.00
Wed-6/24/09	03:00:00		370	24.00	369	24.00	371	15.32	0	0.00
Thu-6/25/09	03:00:00		370	24.00	370	24.00	0	11.95	0	0.00
Fri-6/26/09	03:00:00		370	24.00	370	24.00	370	24.00	0	0.00
Sat-6/27/09	03:00:00	(1)	370	24.00	371	24.00	370	24.00	0	0.00
Sun-6/28/09	03:00:00	(1)	370	24.00	0	5.47	370	24.00	0	0.00
Mon-6/29/09	03:00:00		370	24.00	0	0.00	370	24.00	0	0.00
Tue-6/30/09	03:00:00		370	24.00	0	0.00	370	22.23	0	0.00

Daily readings are collected by the Operator at various times of the day, resulting in varied readings and calculations.

(1) Manual readings were not taken due to weekend and/or holiday.

06/19/09 - The Ann Arbor area was hit by a severe storm. During this storm, PLS experienced damage to its communication system and the treatment systems shut down. Treatment resumed at Noon on 6/22/09.

06/24/09 - 06/25/09 - System 2A was shut down for maintenance.

06/28/09 - 06/30/09 - System 1B was shut down for maintenance.

06/30/09 - System 2A was shut down for maintenance.

TABLE #12

GREEN POND / DISCHARGE DATA

Month of: Jun-09

			Green Pond																		
Date	Time	Notes	Pond			Influent			Pond Discharge			Bypass Discharge			Recirc Thru UV to Pond			Recirc Thru UV to Disch			
			Visual Chk	Level Feet	Aeration Hours	Influent Hours	Influent GPM	Pond Discharge GPM	Pond Discharge Gallons	Pond Discharge Hours	Bypass Discharge GPM	Bypass Discharge Gallons	Bypass Discharge Hours	Recirc Thru UV to Pond GPM	Recirc Thru UV to Pond Gallons	Recirc Thru UV to Pond Hours	Recirc Thru UV to Disch GPM	Recirc Thru UV to Disch Gallons	Recirc Thru UV to Disch Hours		
Mon-6/1/09	03:05:00		Y	-	-								1,144	1,647,139	24.00	-	-	-	-	-	-
Tue-6/2/09	03:00:00		Y	-	-								1,141	1,642,473	24.00	-	-	-	-	-	-
Wed-6/3/09	03:00:00		Y	-	-								1,128	1,623,685	24.00	-	-	-	-	-	-
Thu-6/4/09	03:00:00		Y	-	-								1,143	1,646,148	24.00	-	-	-	-	-	-
Fri-6/5/09	03:00:00		Y	-	-								1,143	1,646,191	24.00	-	-	-	-	-	-
Sat-6/6/09	03:00:00	(1)		-	-								1,143	1,646,252	24.00	-	-	-	-	-	-
Sun-6/7/09	03:00:00	(1)		-	-								1,143	1,646,279	24.00	-	-	-	-	-	-
Mon-6/8/09	03:00:00		Y	-	-								1,144	1,646,845	24.00	-	-	-	-	-	-
Tue-6/9/09	03:00:00		Y	-	-								1,144	1,646,989	24.00	-	-	-	-	-	-
Wed-6/10/09	03:00:00		Y	-	-								1,144	1,647,006	24.00	-	-	-	-	-	-
Thu-6/11/09	03:00:00		Y	-	-								1,144	1,647,545	24.00	-	-	-	-	-	-
Fri-6/12/09	03:00:00		Y	-	-								1,144	1,647,496	24.00	-	-	-	-	-	-
Sat-6/13/09	03:00:00	(1)		-	-								1,144	1,647,212	24.00	-	-	-	-	-	-
Sun-6/14/09	03:00:01	(1)		-	-								1,144	1,646,711	24.00	-	-	-	-	-	-
Mon-6/15/09	03:00:00		Y	-	-								1,144	1,646,946	24.00	-	-	-	-	-	-
Tue-6/16/09	03:00:00		Y	-	-								1,144	1,647,335	24.00	-	-	-	-	-	-
Wed-6/17/09	03:00:01		Y	-	-								1,144	1,647,524	24.00	-	-	-	-	-	-
Thu-6/18/09	03:00:00		Y	-	-								1,144	1,647,567	24.00	-	-	-	-	-	-
Fri-6/19/09	03:00:00		Y	-	-								1,144	1,318,053	19.20	-	-	-	-	-	-
Sat-6/20/09	03:00:00	(1)		-	-									-	-	-	-	-	-	-	-
Sun-6/21/09	03:00:00	(1)		-	-									-	-	-	-	-	-	-	-
Mon-6/22/09	03:00:00		Y	-	-								1,116	971,094	14.50	-	-	-	-	-	-
Tue-6/23/09	03:00:00		Y	-	-								1,143	1,645,262	24.00	-	-	-	-	-	-
Wed-6/24/09	03:00:00		Y	-	-								1,001	1,440,846	24.00	-	-	-	-	-	-
Thu-6/25/09	03:00:00		Y	-	-								945	1,360,550	24.00	-	-	-	-	-	-
Fri-6/26/09	03:00:00		Y	-	-								1,138	1,638,012	24.00	-	-	-	-	-	-
Sat-6/27/09	03:00:00	(1)		-	-								1,088	1,567,256	24.00	-	-	-	-	-	-
Sun-6/28/09	03:00:00	(1)		-	-								760	1,094,262	24.00	-	-	-	-	-	-
Mon-6/29/09	03:00:00		Y	-	-								760	1,094,779	24.00	-	-	-	-	-	-
Tue-6/30/09	03:00:00		Y	-	-								725	1,043,318	24.00	-	-	-	-	-	-
TOTALS														42,790,775	658						

Daily readings are collected by the Operator at various times of the day, resulting in varied readings and calculations.

(1) Manual readings were not taken due to weekend and/or holiday.

06/19/09 - The Ann Arbor area was hit by a severe storm. During this storm, PLS experienced damage to its communication system and the treatment systems shut down.

