file

PALL Pall Corporation

Life Sciences
600 South Wagner Road
Ann Arbor, MI 48103-9019 USA

734.665.0651 phone

April 16, 2009

Ms. Sybil Kolon
Michigan Department of Environmental Quality
Environmental Response Division
Jackson District Office Building
301 E. Louis Glick Highway
Jackson, Michigan 49210

Re: **Quarterly Progress Report**
1st Quarter, 2009
January 1, 2009 to March 31, 2009

Dear Ms. Kolon:

Please find enclosed the Quarterly Progress Report for the period of January 1, 2009 to March 31, 2009.

Should you have any questions regarding this document, please contact me at 734-913-6130.

Sincerely,

Farsad Fotouhi

Farsad Fotouhi
Vice President
Corporate Environmental Engineering

cc: Ms. Celeste R. Gill, MDAG
Alan Wasserman, Esq.
Michael Caldwell, Esq.

PALL Life Sciences

1st Quarter, 2009

(January, February, March)

Table of Contents

large maps not available on-line, hard copies at Information Repositories

Summary of Activity

CEB = Central Environmental Building
C3 = C3 aquifer
D2 = D2 aquifer
E = E aquifer
SW = Southwest Property Area
Maple = Maple Road

Treatment Activities

01/05/09 - System-1B was shut down for maintenance on System-1A.

01/05/09 - 01/31/09 - TW-14 (C3) was shut down to adjust the Pond level.

01/05/09 - 01/26/09 - TW-20 (C3) was shut down to adjust the Pond level.

01/05/09 - 01/29/09 - TW-10 (C3) was shut down to adjust the Pond level.

01/05/09 - 01/31/09 - TW-17 (E) was shut down to adjust Pond level.

01/06/09 - HZ-S & TW-9 (D2), TW-2, TW-6, TW-10, TW-14, TW-20 (C3), SW, PW-1 (Marshy), and TW-18 (E) were shut down briefly to adjust the Pond level.

01/06/09 - System-2A was shut down for maintenance on System-1A.

01/06/09 - 01/31/09 - System-1A was shut down for repairs.

01/07/09 – Maple was shut down briefly for maintenance.

01/17/09 – Maple was shut down briefly for maintenance.

01/24/09 – Maple was shut down briefly for sensor repairs.

01/26/09 - 01/31/09 - TW-6 (C3) was shut down to adjust the Pond level.

01/29/09 - 01/31/09 - AE-3 (D2) was shut down for the Evergreen study.

02/01/09-02/28/09 – System-1A was shut down for repairs.

02/01/09-02/05/09 - TW-14 (C3) was shut down to adjust the Pond level.

02/01/09-02/17/09 - AE-3 (D2) was shut down for the Evergreen study.

02/05/09-02/17/09 - LB-1 & LB-3 (D2) were shut down for the Evergreen study.

02/17/09-02/28/09 - TW-10 & TW-14 (C3) were shut down to adjust the Pond level.

02/20/09 - Maple system was shut down for maintenance.

02/24/09 - Maple system was shut down for maintenance.

02/28/09 - TW-20 (C3) was shut down for maintenance.

03/01/09 - 03/05/09 - TW-6 & TW-10 (C3) were utilized while TW-20 (C3) was down for maintenance.

03/01/09 - 03/31/09 – System-1A was shut down for maintenance.

03/02/09 - 03/05/09 and 03/12/09 - 03/13/09 - TW-9 (D2) was shut down to adjust the Pond level.

03/11/09 - 03/12/09 - TW-20 (C3) was down to adjust the Pond level.

03/12/09 – System-1B & System-2A were shut down for maintenance.

03/12/09 - 03/14/09 – Maple system was shut down periodically for maintenance.

Field Activities

01/21/09 – 02/16/09 - Water level testing study under reduced flow conditions Evergreen Area

Submittals/Responses

01/13/09 PLS submitted draft well logs to MDEQ: PLS 08-07, MW-119, MW-120s &d, MW-121s & d, MW-122 s & d

01/14/09 PLS submitted Maple Interim Response Operation Report to MDEQ
PLS submitted Monthly Monitoring Report (NPDES) to MDEQ
PLS submitted Discharge Monitoring Report (DMR) electronically to MDEQ
PLS submitted 4th Quarter 2008 Report to MDEQ

01/16/09 PLS submitted gamma log for MW-121 to MDEQ

02/12/09 PLS submitted Maple Interim Response Operation Report to MDEQ
PLS submitted Monthly Monitoring Report (NPDES) to MDEQ
PLS submitted Discharge Monitoring Report (DMR) electronically to MDEQ

03/18/09 MDEQ correspondence to PLS re: Well Identification Plan Response, dated October 24, 2008

03/20/09 PLS submitted Report on Water Level Testing Under Reduced Flow Conditions – Evergreen Area to MDEQ
PLS submitted Maple Interim Response Operation Report to MDEQ
PLS submitted Monthly Monitoring Report (NPDES) to MDEQ
PLS submitted Discharge Monitoring Report (DMR) electronically to MDEQ

3/31/09 PLS submitted well logs to MDEQ: PLS 08-07, MW-119, MW-120s &d, MW-121s & d, MW-122 s & d and gamma logs: MW-119, MW-120, MW-121, MW-122

Anticipated Major Activities for the Next Quarter

- Install new set of monitoring wells for the Evergreen Study
- Work with MDEQ toward completion of the Global Remediation Plan
- Rehabilitate injection wells IW-3, IW-4, IW-5 and LB-1
- Connect residential homes at 685 & 697 S. Wagner Road to municipal water service

Quarterly Performance Analysis

For the months of January, February, and March 2009, over 500 pounds of 1,4-dioxane were removed and 100,870,831 gallons of water were extracted from the contaminated aquifers, treated and discharged. The total mass of 1,4-dioxane removed since May 1997 is 79,751 pounds and the total volume of water discharged since May 1997 is over 4.9 billion gallons.

In general, the performance of the operation was as expected, purging and treating contaminated groundwater to the existing allowable capacities.

Mass Reduction

MASS REDUCTION DETAIL BY AQUIFIER

January 1 - January 31, 2009

	Extraction Well	Month To Date Gallons Extracted	Month To Date Average Daily Flow Rate GPM	Month To Date Average Daily Pounds Removed	Month To Date Pounds Removed	Month To Date Average Concentration ppb
C3						
	TW-1	-	0	0.0	0.0	172
	TW-2 (Dolph)	2,493,737	56	0.1	1.8	88
	TW-3	-	0	0.0	0.0	66
	TW-6	602,088	13	0.0	0.6	110
	TW-10	1,040,823	23	0.3	8.5	988
	TW-14	748,421	17	0.0	0.8	131
	TW-20	688,527	15	0.4	13.7	2349
	MW-22	-	0.0	0.0	0.0	4296
	Sub-Totals	5,573,596	125	1	25	
Marshy						
	PW-1	235,133	5	0.1	2.0	1016
	Sub-Totals	235,133	5	0	2	
E						
	TW-11	-	0	0.0	0.0	263
	TW-12	-	0	0.0	0.0	17
	TW-17	934,933	21	0.0	0.8	105
	TW-18	11,390,560	255	1.2	38.4	404
	MW-64	-	0	0.0	0.0	62
	Sub-Totals	12,325,493	276	1	39	
Southwest						
	Active Wells*	1,841,817	41	0.3	8.4	546
	MW-10d	-	0.0	0.0	0.0	1173
	MW-75	-	0	0.0	0.0	70
	MW-45d	-	0.0	0.0	0.0	307
	Sub-Totals	1,841,817	41	0	8	
D2						
	LB-1	4,174,321	94	0.5	16.9	485
	LB-3	3,736,215	84	0.5	15.8	508
	AE-3	613,878	14	0.0	0.5	102
	HW-S	1,068,582	24	0.3	8.6	966
	TW-5	4,126,697	92	1.0	32.5	945
	TW-9	2,224,307	50	0.8	24.6	1324
	MW-11d	-	0	0.0	0.0	293
	Sub-Totals	15,944,000	357	3	99	
Overall Totals		35,920,039	805	5.6	173.0	

***SW Active = TW-8, TW-13, MW-50**

MASS REDUCTION DETAIL BY AQUIFIER

February 1 - February 28, 2009

	Extraction Well	Month To Date Gallons Extracted	Month To Date Average Daily Flow Rate GPM	Month To Date Average Daily Pounds Removed	Month To Date Pounds Removed	Month To Date Average Concentration ppb
C3						
	TW-1	-	0	0.0	0.0	172
	TW-2 (Dolph)	2,301,945	57	0.1	1.8	95
	TW-3	-	0	0.0	0.0	66
	TW-6	-	0	0.0	0.0	109
	TW-10	2,060,233	51	0.6	16.3	948
	TW-14	1,289,484	32	0.0	1.4	130
	TW-20	1,701,843	42	1.0	27.1	1911
	MW-22	-	0.0	0.0	0.0	4296
	Sub-Totals	7,353,505	182	2	47	
Marshy						
	PW-1	198,367	5	0.1	1.5	932
	Sub-Totals	198,367	5	0	2	
E						
	TW-11	-	0	0.0	0.0	263
	TW-12	-	0	0.0	0.0	17
	TW-17	-	0	0.0	0.0	105
	TW-18	10,215,716	253	1.2	33.6	394
	MW-64	-	0	0.0	0.0	62
	Sub-Totals	10,215,716	253	1	34	
Southwest						
	Active Wells	1,608,495	40	0.3	7.5	562
	MW-10d	-	0.0	0.0	0.0	1173
	MW-75	-	0	0.0	0.0	70
	MW-45d	-	0.0	0.0	0.0	307
	Sub-Totals	1,608,495	40	0	8	
D2						
	LB-1	2,003,660	50	0.3	8.6	516
	LB-3	1,583,217	39	0.2	6.6	500
	AE-3	253,531	6	0.0	0.2	101
	HW-S	968,214	24	0.3	7.3	905
	TW-5	3,714,183	92	1.1	30.3	979
	TW-9	2,016,722	50	0.8	22.0	1305
	MW-11d	-	0	0.0	0.0	293
	Sub-Totals	10,539,527	261	3	75	
Overall Totals		29,915,610	742	5.9	164.4	

*SW Active = TW-8, TW-13, MW-50

MASS REDUCTION DETAIL BY AQUIFIER

March 1 - March 31, 2008

	Extraction Well	Month To Date Gallons Extracted	Month To Date Average Daily Flow Rate GPM	Month To Date Average Daily Pounds Removed	Month To Date Pounds Removed	Month To Date Average Concentration ppb
C3						
	TW-1	-	0	0.0	0.0	172
	TW-2 (Dolph)	2,499,381	56	0.1	2.0	94
	TW-3	-	0	0.0	0.0	66
	TW-6	5,347	0	0.0	0.0	130
	TW-10	370,388	8	0.1	2.5	822
	TW-14	-	0	0.0	0.0	130
	TW-20	1,660,071	37	0.8	26.3	1895
	MW-22	-	0.0	0.0	0.0	4296
	Sub-Totals	4,535,187	102	1	31	
Marshy						
	PW-1	217,344	5	0.1	1.9	1032
	Sub-Totals	217,344	5	0	2	
E						
	TW-11	-	0	0.0	0.0	263
	TW-12	-	0	0.0	0.0	17
	TW-17	-	*0*	*0.0*	*0.0*	*105*
	TW-18	11,314,388	253	1.1	34.7	368
	MW-64	-	0	0.0	0.0	62
	Sub-Totals	11,314,388	253	1	35	
Southwest						
	Active Wells	1,687,205	38	0.2	7.5	531
	MW-10d	-	0.0	0.0	0.0	1173
	MW-75	-	0	0.0	0.0	*70*
	MW-45d	-	0.0	0.0	0.0	307
	Sub-Totals	1,687,205	38	0	7	
D2						
	LB-1	4,468,103	100	0.6	19.2	516
	LB-3	3,352,387	75	0.5	14.5	517
	AE-3	671,064	15	0.0	0.5	92
	HW-S	1,073,046	24	0.3	8.1	900
	TW-5	3,596,943	81	0.9	28.5	950
	TW-9	1,960,735	44	0.7	20.3	1240
	MW-11d	-	0	0.0	0.0	293
	Sub-Totals	15,122,278	339	3	91	
Overall Totals		32,876,402	736	5.4	165.9	

*SW Active = TW-8, TW-13, MW-50

MASS REDUCTION SUMMARY Mass Removed Per Month (lb)					
A	B	C	D	E	F
Month	Mass Removed from Unit E Only	Mass Removed from Southwest Only	Mass Removed from Marshy Only	Mass Removed from Units C3 and D2 Only	Total Mass Removed from Units E, D2, C3, Southwest and Marshy
Aug-00	0	0	8	366	374
Sep-00	0	0	9	332	341
Oct-00	0	5	9	583	597
Nov-00	0	3	12	1160	1175
Dec-00	0	0	10	1040	1050
Jan-01	0	0	7	816	823
Feb-01	0	0	7	1056	1063
Mar-01	0	0	11	1379	1390
Apr-01	0	0	9	1140	1149
May-01	0	1	8	990	999
Jun-01	0	2	8	933	943
Jul-01	0	2	10	1121	1133
Aug-01	0	2	13	1018	1033
Sep-01	0	1	9	909	919
Oct-01	0	5	8	896	909
Nov-01	0	4	5	827	836
Dec-01	0	6	4	768	778
Jan-02	0	6	5	753	764
Feb-02	0	4	6	691	701
Mar-02	0	7	7	663	677
Apr-02	0	6	7	682	695
May-02	100	9	7	898	1014
Jun-02	94	9	6	889	998
Jul-02	56	10	7	640	713
Aug-02	53	8	6	745	812
Sep-02	51	8	6	860	925
Oct-02	33	6	4	603	646
Nov-02	57	8	5	880	950
Dec-02	48	9	5	842	904
Jan-03	45	8	6	839	898
Feb-03	37	6	6	767	816
Mar-03	44	8	7	763	822
Apr-03	39	8	3	716	766
May-03	36	13	5	725	779
Jun-03	34	15	5	683	737
Jul-03	29	15	5	678	727
Aug-03	31	15	6	676	728
Sep-03	27	16	5	644	692
Oct-03	34	17	5	701	757
Nov-03	26	12	5	663	706
Dec-03	29	14	6	635	684
Jan-04	28	15	6	667	716
Feb-04	8	11	5	485	509
Mar-04	23	14	7	573	617
Apr-04	27	15	6	537	585
May-04	16	10	5	439	470
Jun-04	21	11	5	499	536
Jul-04	36	12	5	506	559
Aug-04	54	12	5	480	551
Sep-04	34	9	5	382	430
Oct-04	30	10	5	358	403
Nov-04	30	9	5	395	439
Dec-04	33	11	5	442	491
Jan-05	29	11	4	404	448
Feb-05	26	9	4	390	429
Mar-05	27	9	4	409	450
Apr-05	33	4	3	396	436
May-05	27	8	2	364	401
Jun-05	31	9	3	361	404
Jul-05	31	8	1	279	319

MASS REDUCTION SUMMARY Mass Removed Per Month (lb)					
A	B	C	D	E	F
Month	Mass Removed from Unit E Only	Mass Removed from Southwest Only	Mass Removed from Marshy Only	Mass Removed from Units C3 and D2 Only	Total Mass Removed from Units E, D2, C3, Southwest and Marshy
Aug-05	12	6	2	275	295
Sep-05	13	8	2	327	350
Oct-05	16	6	3	297	322
Nov-05	13	7	4	291	315
Dec-05	12	8	4	325	349
Jan-06	115	7	3	308	433
Feb-06	144	7	3	290	444
Mar-06	148	8	3	331	490
Apr-06	125	7	3	291	426
May-06	137	9	3	402	551
Jun-06	119	5	2	329	456
Jul-06	107	8	3	310	427
Aug-06	104	8	2	307	421
Sep-06	97	9	3	300	409
Oct-06	93	9	3	327	432
Nov-06	80	7	2	268	357
Dec-06	68	6	2	238	314
Jan-07	91	8	2	305	406
Feb-07	84	8	2	284	378
Mar-07	91	8	3	306	408
Apr-07	84	8	2	280	374
May-07	82	8	2	288	380
Jun-07	81	8	2	279	370
Jul-07	66	8	2	256	332
Aug-07	73	8	2	270	353
Sep-07	77	8	2	247	334
Oct-07	73	8	2	244	327
Nov-07	68	8	2	263	341
Dec-07	69	8	2	260	339
Jan-08	65	7	2	237	311
Feb-08	53	6	2	203	264
Mar-08	56	7	2	220	285
Apr-08	54	7	2	200	263
May-08	55	7	2	206	270
Jun-08	52	6	2	195	256
Jul-08	39	1	2	139	181
Aug-08	50	7	2	198	256
Sep-08	43	5	2	177	227
Oct-08	45	5	2	187	239
Nov-08	45	7	2	197	251
Dec-08	45	5	2	187	239
Jan-09	39	8	2	124	173
Feb-09	34	8	2	122	164
Mar-09	35	8	2	122	166
Total to date	**4499**	**779**	**469**	**52548**	**58294**

Maps

M:\CUSTOM\ACAD2005\SYMBOLS\B-85X11.DWG
N:\96502\RASTER\ORTHO\A2740283.JPG
N:\96502\RASTER\ORTHO\A2755283.JPG
N:\96502\RASTER\ORTHO\A2755284.JPG

PLOT INFO: U:\CADD\96502\DWG\MARSHY.DWG DATE: 4/10/2009 TIME: 3:21:29 PM USER: ADE



LEGEND

PW-1 = Purge Well/Sump
PMW-X = Peat Monitoring Well
NMW-X = Nested Monitoring Well
A-X = Aperture
MW-X = Monitoring Well
AMW-X = Aperture/Monitoring
OW-X = Observation Well
SG #X = Staff Gauge
CS-X = Core Sample
SW-X = Surface Water
= Potentiometric Surface

ALL DATA COLLECTED BY PALL LIFE SCIENCES
PW-1 Purging (5 gpm)

0 80 160'
Scale: 1" = 80'

POTENTIOMETRIC SURFACE MAP (SAND & GRAVEL) MARCH 17, 2009

NOTE: MAP COMBINES WELLS COMPLETED AT MULTIPLE DEPTHS. INTERPRETATION OF THIS MAP REQUIRES FAMILIARITY WITH THE GEOLOGY AND OF THE GROUNDWATER FLOW REGIME.

PROJECT NO. F96502

Pall Life Sciences
Scio Twp., Washtenaw County, Michigan
Quarterly Report

Hard copy is intended to be 8.5"x11" when plotted. Scale(s) indicated and graphic quality may not be accurate for any other size.

fishbeck, thompson, carr & huber, inc.
engineers
scientists
architects
constructors
fTC&h

M:\CUSTOM\ACAD2005\SYMBOLS\B-85X11.DWG N:\96502\RASTER\ORTHO\A2755283.JPG
N:\96502\RASTER\ORTHO\A2740283.JPG N:\96502\RASTER\ORTHO\A2755284.JPG

PLOT INFO: U:\CADD\96502\DWG\MARSHY.DWG DATE: 4/10/2009 TIME: 3:21:40 PM USER: ADE



POTENTIOMETRIC SURFACE MAP (PEAT) MARCH 17, 2009

NOTE: MAP COMBINES WELLS COMPLETED AT MULTIPLE DEPTHS. INTERPRETATION OF THIS MAP REQUIRES FAMILIARITY WITH THE GEOLOGY AND OF THE GROUNDWATER FLOW REGIME.

PROJECT NO. F96502

Pall Life Sciences
Scio Twp., Washtenaw County, Michigan
Quarterly Report

Hard copy is intended to be 8.5"x11" when plotted. Scale(s) indicated and graphic quality may not be accurate for any other size.

fishbeck, thompson, carr & huber, inc.

engineers scientists architects constructors

ftc&h



NOTE: MAP COMBINES WELLS COMPLETED AT MULTIPLE DEPTHS. INTERPRETATION OF THIS MAP REQUIRES FAMILIARITY WITH THE GEOLOGY AND OF THE GROUNDWATER FLOW REGIME.

LEGEND

- ⊕ –PURGE WELL
- ⊗ –TEMPORARY PURGE WELL
- ⊕ –MONITORING WELL
- ⊕ –SPRAY IRRIGATION FIELD PURGE WELL
- ◉ –HYDROGEOLOGIC TEST HOLE
- ~ –POTENTIOMETRIC SURFACE CONTOUR (Feet amsl)
- 882.83 –POTENTIOMETRIC SURFACE ELEVATION (Feet amsl)

0 200 400

Scale: 1" = 200'

AERIAL PHOTO TAKEN: APRIL 2002

POTENTIOMETRIC SURFACE MAP SOUTHWEST PROPERTY MARCH 17, 2009

fishbeck

engineers
scientists
architects
constructors

fishbeck, thompson, carr & huber, inc.

Hard copy is intended to be 8.5"x11" when plotted. Scale(s) indicated and graphic quality may not be accurate for any other size.

Pall Life Sciences
Scio Twp., Washtenaw County, Michigan
Quarterly Report

PROJECT NO.
F96502

PLOT INFO: U:\CADD\96502\DWG\STATEBASE_LARGE.DWG DATE: 4/10/2009 TIME: 3:26:01 PM USER: ADE
D:\WORK\96502\DOQ\SCIO_EB.TIF
D:\WORK\96502\DOQ\SCIO_SB.TIF
E:\IMAGES\DOP4FT.TIF
M:\CUSTOM\ACAD2005\SYMBOLS\B-85X11.DWG
N:\96502\RASTER\ORTHO\A2740282.JPG
N:\96502\RASTER\ORTHO\A2740283.JPG
..\REF\B-18X24.DWG
..\REF\B-85X11.DWG



NOTE: MAP COMBINES WELLS COMPLETED AT MULTIPLE DEPTHS. INTERPRETATION OF THIS MAP REQUIRES FAMILIARITY WITH THE GEOLOGY AND OF THE GROUNDWATER FLOW REGIME.

LEGEND

- –PURGE WELL
- –TEMPORARY PURGE WELL
- –MONITORING WELL
- –SPRAY IRRIGATION FIELD PURGE WELL
- –HYDROGEOLOGIC TEST HOLE
- –1,4–DIOXANE ISOCONCENTRATION CONTOUR (ug/L)
- 602 –1,4–DIOXANE CONCENTRATION (ug/L)

0 200 400

Scale: 1" = 200'

AERIAL PHOTO TAKEN: APRIL 2002

1,4–DIOXANE ISOCONCENTRATION CONTOUR MAP OCTOBER 2008–MARCH 2009

fr&h

engineers
scientists
architects
constructors

fishbeck, thompson, carr & huber, inc.

Hard copy is intended to be 8.5"x11" when plotted. Scale(s) indicated and graphic quality may not be accurate for any other size.

Pall Life Sciences
Scio Twp., Washtenaw County, Michigan
Quarterly Report

PROJECT NO.
F96502

PLOT INFO: U:\CADD\96502\DWG\STATEBASE_LARGE.DWG DATE: 4/10/2009 TIME: 3:31:24 PM USER: ADE
D:\WORK\96502\DOQ\SCIO_EB.TIF D:\WORK\96502\DOQ\SCIO_SB.TIF
..\REF\B-18X24.DWG ..\REF\B-85X11.DWG
E:\IMAGES\DOP4FT.TIF M:\CUSTOM\ACAD2005\SYMBOLS\B-85X11.DWG
N:\96502\RASTER\ORTHO\A2740282.JPG N:\96502\RASTER\ORTHO\A2740283.JPG
N:\96502\RA N:\96502\RA

MW-42s & d
879.69 & 879.65

MW-40s 879.95
MW-40D 879.76

ARTESIAN WELL AREA

877.36
878.00
MW-31
GSI 88-02

879.41(e)
(878.86(w))
878.50
MW-61s
MW-61d
(877.59)
MW-60
879.31

879.08

GSI 88-01
879.88

880.51
880.15
MW-53S
880.16
MW-53I
Ann Arbor Cleaning Supply
MW-53D
880.19

BHMW-92

MW-86
MW-35
880.41
(900.50)
MW-11S
MW-11I
MW-11D
879.96

880.40
MW-33

GSI 86-02
MW-32
880.01

MW-36
879.34

MW-64

(882.24)
MW-34SI
MW-34DI
(878.92)

MW-18D & S
880.42 (903.45)

881.30
MW-20

880.11
MW-39S
MW-39D

880.73
MW-38SI
MW-38D

TW-3
882
MW-5I
883.20
Location D

MW-44
MW-28
880.90

MW-56s
MW-56d

MW-63d
MW-63s
MW-63I

MW-62s
MW-62I
MW-62d

MW-21

879.99
MW-59s
MW-59d

PLS 07-01

PLS 08-07

MW-13
882.15
GSI 98-01
MW-5
MW-4D
GSI 98-03
TW-11

MW-9D & S
(905.26(s))
(902.93(s))
879.64(d)

JACKSON PL
879.77

REDSKIN
MW-2D & S

TW-14
TW-17
TW-1

MW-24
(882.40)

PW-1
(898.86)
MW-23
(876.56)
PLS 04-01
MW-4

TW-10
TW-20
880.35
MW-22
MW-52S
MW-52I
MW-52D
MW-105S
MW-105I
MW-25S &
880.42(d)
MW-55 & D

MW-75
MW-26
GSI 92-01

MW-90
MW-58I
MW-58S
MW-46
SIPPW-1
MW-27
MW-49
(908.12)

THIRD SISTER LAKE

Saginaw Forest Cabin #2
Saginaw Forest Cabin #1
MW-78

MW-57
MW-8D
883.73(d)

MW-94d
MW-94s
MW-96
TW-18
PLS 05-04
MW-95
418
MW-30 & S
879.71(d),(908.51(s))
879.57(s)
MW-105d
MW-15D & S
879.40(d) & (907.14(s))

MW-106d
MW-106s
MW-14D
MW-69
MW-118
MW-17
GSI 98-02
MW-30I
MW-30d
GSI 86-03

MW-108d
MW-108s
MW-71
MW-43

MW-16
(879.73)
MW-70

883.22(d)
MW-67

VARSITY FORD

FIRST SISTER LAKE

SECOND SISTER LAKE

JACKSON ROAD
PARK ROAD
W. DELHI ROAD
APRILL
NANCY DR.
JACKSON PLAZA
PARKLAND PLAZA
WAGNER ROAD
ROSE DR.
BARBER AVE
PARKWOOD
KINGWOOD
PARK LAKE
HILLTOP
WESTOVER
FERRY
PORTER
RHEA
LAKEVIEW
ANDREA
LAKEWOOD
SUNNYWOOD
HAZELWOOD
TRIBUTARY
HONEY CREEK
LITTLE LAKE
EAGLE POINT
LITTLELAKE
CLUB
I-94

Pall Life Sciences

LEGEND
- MONITOR WELL
- RESIDENTIAL WELL
- PURGE WELL
- HYDROGEOLOGIC TEST BORING
- UV/OX. TREATMENT SYSTEM
- TEMPORARY PURGE WELL
- SURFACE WATER ELEVATION POINT
- Unit C3 POTENTIOMETRIC SURFACE CONTOUR (Feet amsl) 1.0' INTERVAL
- Unit D0 POTENTIOMETRIC SURFACE CONTOUR (Feet amsl) 0.5' INTERVAL

NOTES: MAP COMBINES WELLS COMPLETED AT MULTIPLE DEPTHS. INTERPRETATION OF THIS MAP REQUIRES FAMILIARITY WITH THE GEOLOGY AND OF THE GROUNDWATER FLOW REGIME.

NORTH

0 600 1200
Scale: 1" = 600'

UNIT D_0 & C_3 AQUIFERS POTENTIOMETRIC SURFACE CONTOUR MAP MARCH 17, 2009

fr c&h
engineers
scientists
architects
constructors
fishbeck, thompson, carr & huber, inc.

Hard copy is intended to be 11"x17" when plotted. Scale(s) indicated and graphic quality may not be accurate for any other size.

Pall Life Sciences
Scio Twp., Washtenaw County, Michigan
Quarterly Report

PROJECT NO.
F96502