


GELMAN SCIENCES
Scio Twp., Washtenaw County, Michigan

1,4 DIOXANE ISOCONCENTRATION MAP UNITS C₃, D₀, D₂ & SW (MAY 2016 - SEPTEMBER 2016)

NOTES:
THE DATA SHOWN IS FROM SAMPLE PERIOD 05/2016 - 09/2016.
MAP COMBINES DATA FROM WELLS COMPLETED AT MULTIPLE DEPTHS. INTERPRETATION OF THIS MAP REQUIRES FAMILIARITY WITH THE GEOLOGY AND THE GROUNDWATER FLOW REGIME.

- LEGEND**
- - MONITOR WELL
 - ⊕ - EXTRACTION WELL
 - ⊖ - UNIT C₃, D₀, D₂ EXTRACTION WELL OPERATING DURING SAMPLING
 - ⊙ - FORMER RESIDENTIAL WELLS ROUTINELY MONITORED
 - ⊕ - INJECTION WELL
 - - PROHIBITION ZONE BOUNDARY
 - MW-xx - COMPLIANCE MONITOR WELL
 - MW-xx - LITTLE LAKE AREA COMPLIANCE MONITORING WELL
 - - UNIT D₂ 1,4-DIOXANE ISOCONCENTRATION CONTOUR (µg/L)
 - - UNIT D₂ AREA OF DEEPER MIGRATION 1,4-DIOXANE ISOCONCENTRATION CONTOUR (µg/L)
 - - UNIT D₀ 1,4-DIOXANE ISOCONCENTRATION CONTOUR (µg/L)
 - - UNIT C₃ AND SW PROPERTY 1,4-DIOXANE ISOCONCENTRATION CONTOUR (µg/L)
 - 510 - 1,4-DIOXANE CONCENTRATION (µg/L)
 - (169) - DATA NOT USED



PROJECT MGR.	DATE
JWB	10/17/16
DRAWN BY	DATE
AJP	10/17/16
GEOLOGIST	DATE
AJP	10/17/16
CAD FILE	
(15)1016_D0,2,C3_ISO	
EDIT	
amberp	10/17/16
SCALE	
1"=500'	
DRAWING	

PROJECT 806500
ISO
SHEET NO.

Hard copy is intended to be 24" x 36" when printed.
© Copyright 2016 All Rights Reserved.