

**Sample Analysis Report**

**October, 2007**

Analyst Initials

Date

*[Signature]*  
11/12/07

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>EXTRACTION WELLS</b>							
AE-3-10-01-07-08:34	88	1.0		5.0		10.0	
HZ-S-10-01-07-11:30	1066	1.0		5.0		10.0	
LB-1-10-01-07-08:30	500	1.0		5.0		10.0	
LB-3-10-01-07-08:32	548	1.0		5.0		10.0	
PW-1-10-01-07-08:50	1301	1.0		5.0		10.0	
DOLPH-10-01-07-08:49	89	1.0		5.0		10.0	
TW-5-10-01-07-11:05	1052	1.0		5.0		10.0	
TW-6-10-01-07-08:52	172	1.0		5.0		10.0	
TW-8-10-01-07-14:00	594	1.0		5.0		10.0	
TW-9-10-01-07-11:34	1402	1.0		5.0		10.0	
TW-10-10-01-07-11:17	1416	1.0		5.0		10.0	
TW-11-10-01-07-11:07	272	1.0		5.0		10.0	
TW-13-10-01-07-12:06	487	1.0		5.0		10.0	
TW-14-10-01-07-11:37	150	1.0		5.0		10.0	
TW-17-10-01-07-11:40	142	1.0		5.0		10.0	
TW-18-10-01-07-08:54	636	1.0		5.0		10.0	
TW-19-10-01-07-08:15	836	1.0		5.0		10.0	
TW-19-10-08-07-08:40	773	1.0		5.0		10.0	
TW-19-10-15-07-08:20	849	1.0		5.0		10.0	
TW-19-10-22-07-08:00	901	1.0		5.0		10.0	
TW-19-10-29-07-08:15	866	1.0		5.0		10.0	
TW-20-10-01-07-11:45	3962	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>TEMPORARY EXTRACTION WELLS</b>							
MW-11d-10-01-07-11:26	231	1.0		5.0		10.0	
MW-11d-10-30-07-14:17	242	1.0		5.0		10.0	Temporary extraction well.
MW-50-10-01-07-14:02	590	1.0		5.0		10.0	
MW-64-10-01-07-11:22	97	1.0		5.0		10.0	
MW-64-10-30-07-14:25	99	1.0		5.0		10.0	Temporary extraction well.
SW-COMB-10-01-07-08:48	576	1.0		5.0		10.0	
<b>RED POND</b>							
Red Pond-10-01-07-08:43	752	1.0		5.0	114	10.0	
Red Pond-10-08-07-08:45	705	1.0		5.0		10.0	
Red Pond-10-15-07-09:00	757	1.0		5.0		10.0	
Red Pond-10-23-07-08:30	743	1.0		5.0		10.0	
Red Pond-10-29-07-08:18	751	1.0		5.0		10.0	
<b>OUTFALL001</b>							
OUTFALL-10-01-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-02-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-03-07-	5	1.0	6	5.0		10.0	
OUTFALL-10-04-07-	5	1.0	6	5.0		10.0	
OUTFALL-10-07-07-	6	1.0	5	5.0		10.0	
OUTFALL-10-08-07-	6	1.0	6	5.0		10.0	
OUTFALL-10-09-07-	5	1.0	6	5.0		10.0	
OUTFALL-10-10-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-11-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-14-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-15-07-	4	1.0	6	5.0		10.0	
OUTFALL-10-16-07-	4	1.0	6	5.0		10.0	
OUTFALL-10-17-07-	4	1.0	6	5.0		10.0	
OUTFALL-10-18-07-	5	1.0	5	5.0		10.0	
OUTFALL-10-21-07-	5	1.0	7	5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>OUTFALL001</b>							
OUTFALL-10-22-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-23-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-24-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-25-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-28-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-29-07-	4	1.0	7	5.0		10.0	
OUTFALL-10-30-07-	5	1.0	6	5.0		10.0	
OUTFALL-10-31-07-	6	1.0	6	5.0		10.0	
<b>C3</b>							
MW-1-10-24-07-08:15	238	1.0		5.0		10.0	
MW-2d-10-17-07-08:15	45	1.0		5.0		10.0	
MW-5d-10-24-07-09:00	28500	1.0		5.0		10.0	
MW-11s-10-30-07-14:10	nd	1.0		5.0		10.0	
MW-11i-10-30-07-13:55	20	1.0		5.0		10.0	
MW-15d-10-17-07-12:30	1	1.0		5.0		10.0	
MW-18d-10-10-07-13:14	360	1.0		5.0		10.0	
MW-22-10-30-07-13:25	9455	1.0		5.0		10.0	
MW-23-10-08-07-09:45	192	1.0		5.0		10.0	
MW-24-10-08-07-12:05	801	1.0		5.0		10.0	
MW-25d-10-24-07-	See Comments	1.0		5.0		10.0	No sample - well dry.
MW-28-10-22-07-10:05	nd	1.0		5.0		10.0	
MW-32-10-10-07-12:50	28	1.0		5.0		10.0	
MW-37-10-22-07-13:10	432	1.0		5.0		10.0	
MW-75-10-24-07-10:30	106	1.0		5.0		10.0	
333 Jackson Plaza-10-17-07-07:45	22	1.0		5.0		10.0	
Saginaw Forest Cabin #4-10-25-07-08:05	nd	1.0		5.0		10.0	
<b>D0</b>							
MW-31-10-09-07-12:05	27	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>D0</b>							
MW-41s-10-12-07-14:20	19	1.0		5.0		10.0	
MW-41d-10-12-07-14:15	40	1.0		5.0		10.0	
MW-51-10-09-07-12:45	nd	1.0		5.0		10.0	
MW-53s-10-09-07-13:05	nd	1.0		5.0		10.0	
MW-53i-10-04-07-09:07	55	1.0		5.0		10.0	Static taken 30 min after A2 cleaning purging
MW-53d-10-09-07-13:38	2	1.0		5.0		10.0	
MW-59s-10-11-07-10:17	nd	1.0		5.0		10.0	
MW-60-10-30-07-09:50	16	1.0		5.0		10.0	
MW-93-10-30-07-09:00	10	1.0		5.0		10.0	
5115 Jackson Rd-10-15-07-14:15	nd	1.0		5.0		10.0	
110 Parkland Plaza-10-11-07-09:50	6	1.0		5.0		10.0	
4601 Park 4 inch-10-16-07-11:10	2	1.0		5.0		10.0	
4601 Park 6 inch-10-16-07-11:45	4	1.0		5.0		10.0	
4742 Park Rd-10-30-07-10:30	21	1.0		5.0		10.0	
A2 Cleaning Supply-10-04-07-08:30	113	1.0		5.0		10.0	
A2 Cleaning Supply-10-04-07-11:47	108	1.0		5.0		10.0	
A2 Cleaning Supply-10-04-07-14:30	106	1.0		5.0		10.0	
<b>D2</b>							
MW-17-10-03-07-10:55	866	1.0		5.0		10.0	
MW-30i-10-23-07-10:40	nd	1.0		5.0		10.0	
MW-38d-10-10-07-11:40	141	1.0		5.0		10.0	
MW-44-10-09-07-09:50	nd	1.0		5.0		10.0	
MW-56s-10-09-07-11:07	165	1.0		5.0		10.0	
MW-62s-10-22-07-12:00	nd	1.0		5.0		10.0	
MW-62i-10-22-07-11:45	nd	1.0		5.0		10.0	
MW-63s-10-22-07-09:35	nd	1.0		5.0		10.0	
MW-63i-10-22-07-08:40	nd	1.0		5.0		10.0	
MW-92-10-02-07-12:10	20	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>D2</b>							
MW-94s-10-26-07-11:35	2774	1.0		5.0		10.0	
MW-KD-1s-10-11-07-12:13	28	1.0		5.0		10.0	
MW-KD-1d-10-11-07-12:35	162	1.0		5.0		10.0	
545 Allison-10-02-07-11:40	9	1.0		5.0		10.0	
456 Clarendon-10-15-07-13:45	562	1.0		5.0		10.0	
2643 Dexter Rd-10-03-07-12:40	6	1.0		5.0		10.0	
2819 Dexter Rd-10-23-07-11:30	1085	1.0		5.0		10.0	
3225 Dexter Rd-10-03-07-12:10	nd	1.0		5.0		10.0	
3249 Dexter Rd-10-12-07-13:30	nd	1.0		5.0		10.0	
453 Dupont-10-15-07-14:00	4	1.0		5.0		10.0	
3365 Jackson Rd-10-03-07-11:50	558	1.0		5.0		10.0	
175 Jackson Plaza-10-17-07-10:00	427	1.0		5.0		10.0	
305 Pinewood-10-03-07-12:25	nd	1.0		5.0		10.0	
<b>E</b>							
Eaton-101s-10-29-07-10:35	nd	1.0		5.0		10.0	
Eaton-101d-10-29-07-11:25	nd	1.0		5.0		10.0	
Eaton-106s-10-29-07-13:25	nd	1.0		5.0		10.0	
Eaton-106d-10-29-07-14:15	nd	1.0		5.0		10.0	
Eaton-107s-10-29-07-13:40	nd	1.0		5.0		10.0	
Eaton-107d-10-29-07-12:25	nd	1.0		5.0		10.0	
MW-30d-10-17-07-14:20	1162	1.0		5.0		10.0	
MW-56d-10-09-07-10:40	nd	1.0		5.0		10.0	
MW-59d-10-11-07-10:57	nd	1.0		5.0		10.0	
MW-62d-10-22-07-11:20	nd	1.0		5.0		10.0	
MW-63d-10-22-07-09:20	nd	1.0		5.0		10.0	
MW-66-10-10-07-12:30	2	1.0		5.0		10.0	
MW-68-10-24-07-14:00	nd	1.0		5.0		10.0	
MW-69-10-26-07-09:00	nd	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>E</b>							
MW-71-10-02-07-10:20	1183	1.0		5.0		10.0	
MW-72s-10-02-07-13:35	44	1.0		5.0		10.0	
MW-72d-10-02-07-14:25	3598	1.0		5.0		10.0	
MW-76s-10-10-07-08:55	154	1.0		5.0		10.0	
MW-76i-10-10-07-09:35	11	1.0		5.0		10.0	
MW-76d-10-10-07-10:30	3	1.0		5.0		10.0	
MW-79s-10-16-07-10:00	250	1.0		5.0		10.0	
MW-79d-10-16-07-14:05	39	1.0		5.0		10.0	
MW-81-10-04-07-11:24	470	1.0		5.0		10.0	
MW-82s-10-17-07-10:55	39	1.0		5.0		10.0	
MW-82d-10-17-07-11:55	nd	1.0		5.0		10.0	
MW-83s-10-15-07-10:10	415	1.0		5.0		10.0	
MW-83d-10-15-07-11:00	nd	1.0		5.0		10.0	
MW-84s-10-16-07-09:25	581	1.0		5.0		10.0	
MW-84d-10-16-07-08:55	nd	1.0		5.0		10.0	
MW-85-10-04-07-13:35	1327	1.0		5.0		10.0	
MW-86-10-12-07-13:20	nd	1.0		5.0		10.0	
MW-88-10-16-07-14:40	259	1.0		5.0		10.0	
MW-89-10-12-07-12:10	nd	1.0		5.0		10.0	
MW-90-10-12-07-12:40	56	1.0		5.0		10.0	
MW-91-10-15-07-11:45	3	1.0		5.0		10.0	
MW-94d-10-26-07-11:15	nd	1.0		5.0		10.0	
MW-95-10-25-07-14:40	130	1.0		5.0		10.0	
MW-96-10-25-07-13:50	272	1.0		5.0		10.0	
MW-97s-10-12-07-08:55	nd	1.0		5.0		10.0	
MW-97d-10-12-07-09:37	nd	1.0		5.0		10.0	
MW-98s-10-12-07-10:15	nd	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>E</b>							
MW-98d-10-12-07-10:55	6	1.0		5.0		10.0	
MW-99s-10-11-07-13:35	nd	1.0		5.0		10.0	
MW-99d-10-11-07-14:15	nd	1.0		5.0		10.0	
MW-100-10-01-07-14:05	100	1.0		5.0		10.0	
MW-101-10-09-07-14:25	400	1.0		5.0		10.0	
MW-102s-10-15-07-07:47	nd	1.0		5.0		10.0	
MW-102d-10-15-07-08:25	nd	1.0		5.0		10.0	
MW-104-10-15-07-12:20	nd	1.0		5.0		10.0	
MW-105s-10-04-07-14:07	3215	1.0		5.0		10.0	
MW-105d-10-04-07-10:20	845	1.0		5.0		10.0	
MW-106s-10-26-07-14:10	1341	1.0		5.0		10.0	
MW-106d-10-26-07-13:50	2	1.0		5.0		10.0	
MW-107-10-02-07-11:20	43	1.0		5.0		10.0	
MW-108s-10-02-07-08:45	2731	1.0		5.0		10.0	
MW-108d-10-02-07-09:25	3812	1.0		5.0		10.0	
MW-110-10-02-07-12:45	27	1.0		5.0		10.0	
MW-111-10-03-07-08:25	nd	1.0		5.0		10.0	
TW-15-10-01-07-11:05	117	1.0		5.0		10.0	
Saginaw Forest Cabin #1-10-25-07-09:45	34	1.0		5.0		10.0	
Saginaw Forest Cabin #2-10-25-07-11:50	3	1.0		5.0		10.0	
<b>Marshy</b>							
AMW-1-10-08-07-11:45	405	1.0		5.0		10.0	
AMW-2-10-08-07-10:00	232	1.0		5.0		10.0	
MOW-1-10-08-07-10:15	1122	1.0		5.0		10.0	
NMW-1s-10-08-07-13:30	2096	1.0		5.0		10.0	
NMW-1d-10-08-07-13:10	837	1.0		5.0		10.0	
NMW-2s-10-08-07-12:40	3082	1.0		5.0		10.0	
NMW-2d-10-08-07-12:50	919	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>Marshy</b>							
NMW-3s-10-08-07-12:30	See Comments	1.0		5.0		10.0	Analytical Error. Resampled
NMW-3d-10-08-07-12:15	1405	1.0		5.0		10.0	
PMW-1-10-08-07-11:20	222	1.0		5.0		10.0	
PMW-2-10-08-07-11:00	4464	1.0		5.0		10.0	
PMW-3-10-08-07-10:30	9747	1.0		5.0		10.0	
PMW-4-10-08-07-10:48	1346	1.0		5.0		10.0	
SW-1M-10-08-07-14:15	nd	1.0		5.0		10.0	
SW-2M-10-08-07-14:25	nd	1.0		5.0		10.0	
SW-3M-10-08-07-14:35	nd	1.0		5.0		10.0	
<b>SW</b>							
MW-10d-10-24-07-12:05	1813	1.0		5.0		10.0	
MW-45s-10-24-07-11:05	12	1.0		5.0		10.0	
MW-45d-10-24-07-11:35	1258	1.0		5.0		10.0	
MW-46-10-22-07-14:05	110	1.0		5.0		10.0	
MW-48-10-24-07-12:50	143	1.0		5.0		10.0	
MW-49-10-22-07-13:35	nd	1.0		5.0		10.0	
MW-52s-10-10-07-14:30	1632	1.0		5.0		10.0	
MW-52i-10-10-07-14:15	nd	1.0		5.0		10.0	
MW-52d-10-10-07-13:52	nd	1.0		5.0		10.0	
MW-57-10-24-07-13:10	3	1.0		5.0		10.0	
MW-58s-10-22-07-	See Comments	1.0		5.0		10.0	No sample - damaged well.
MW-58d-10-22-07-12:45	8	1.0		5.0		10.0	
MW-78-10-25-07-08:30	41	1.0		5.0		10.0	
<b>Maple Injection</b>							
Maple-Inj-10-01-07-08:10	11	1.0	5	5.0		10.0	
Maple-Inj-10-02-07-07:37	10	1.0	6	5.0		10.0	
Maple-Inj-10-03-07-07:45	12	1.0	6	5.0		10.0	
Maple-Inj-10-04-07-08:40	10	1.0	5	5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>Maple Injection</b>							
Maple-Inj-10-05-07-08:45	10	1.0	6	5.0		10.0	
Maple-Inj-10-08-07-08:30	11	1.0	5	5.0		10.0	
Maple-Inj-10-09-07-08:15	10	1.0	6	5.0		10.0	
Maple-Inj-10-10-07-08:45	10	1.0	6	5.0		10.0	
Maple-Inj-10-11-07-08:22	11	1.0	nd	5.0		10.0	
Maple-Inj-10-12-07-08:13	12	1.0	nd	5.0		10.0	
Maple-Inj-10-15-07-08:20	18	1.0	nd	5.0		10.0	
Maple-Inj-10-16-07-08:10	13	1.0	nd	5.0		10.0	
Maple-Inj-10-17-07-08:30	11	1.0	5	5.0		10.0	
Maple-Inj-10-18-07-10:30	12	1.0	5	5.0		10.0	
Maple-Inj-10-19-07-07:32	13	1.0	nd	5.0		10.0	
Maple-Inj-10-22-07-07:55	12	1.0	nd	5.0		10.0	
Maple-Inj-10-23-07-08:15	9	1.0	6	5.0		10.0	
Maple-Inj-10-24-07-08:15	10	1.0	6	5.0		10.0	
Maple-Inj-10-25-07-08:07	10	1.0	6	5.0		10.0	
Maple-Inj-10-26-07-08:00	10	1.0	6	5.0		10.0	
Maple-Inj-10-29-07-08:20	9	1.0	6	5.0		10.0	
Maple-Inj-10-30-07-08:12	10	1.0	6	5.0		10.0	
Maple-Inj-10-31-07-08:10	10	1.0	6	5.0		10.0	
<b>Not Determined</b>							
685 South Wagner Rd-10-15-07-13:30	nd	1.0		5.0		10.0	
697 South Wagner Rd-10-15-07-13:20	nd	1.0		5.0		10.0	
<b>None</b>							
HC/HR-10-01-07-07:25		1.0	nd	2.0		10.0	
HC/HR-10-02-07-07:30		1.0	nd	2.0		10.0	
HC/HR-10-03-07-07:40		1.0	nd	2.0		10.0	
HC/HR-10-04-07-07:35		1.0	nd	2.0		10.0	
HC/HR-10-05-07-10:10		1.0	2	2.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>None</b>							
HC/HR-10-08-07-08:10		1.0	nd	2.0		10.0	
HC/HR-10-09-07-08:10		1.0	nd	2.0		10.0	
HC/HR-10-10-07-07:40		1.0	nd	2.0		10.0	
HC/HR-10-11-07-08:15		1.0	nd	2.0		10.0	
HC/HR-10-12-07-08:00		1.0	nd	2.0		10.0	
HC/HR-10-15-07-08:50		1.0	2	2.0		10.0	
HC/HR-10-16-07-07:40		1.0	2	2.0		10.0	
HC/HR-10-17-07-08:40		1.0	nd	2.0		10.0	
HC/HR-10-18-07-07:40		1.0	nd	2.0		10.0	
HC/HR-10-19-07-07:45		1.0	nd	2.0		10.0	
HC/HR-10-22-07-07:45		1.0	nd	2.0		10.0	
HC/HR-10-23-07-08:35		1.0	nd	2.0		10.0	
HC/HR-10-24-07-07:45		1.0	nd	2.0		10.0	
HC/HR-10-25-07-07:40		1.0	nd	2.0		10.0	
HC/HR-10-26-07-07:50		1.0	2	2.0		10.0	
HC/HR-10-29-07-08:00	9	1.0	2	2.0		10.0	
HC/HR-10-30-07-08:10		1.0	2	2.0		10.0	
HC/HR-10-31-07-07:45		1.0	2	2.0		10.0	

nd=Not detected at or above the Reporting Limit (R.L.)

# 1,4-Dioxane Precision and Accuracy Control Charting

Analysis Date	Method Blank	CVS True Value	CVS Result	CVS % Recovery	LFB True Value:	LFB Result:	LFB % Recovery:	Sample Result:	MS/MSD True Value:	MS Result:	MSD Result:	MS % Recovery:	MSD % Recovery:	MS/MSD Mean:	MS/MSD RSD:	MS/MSD RPD:
10/1/2007	0	10.00	9.23	92.3%	10.00	9.12	91.2	10.73	10.00	19.63	20.46	89	97.3	20.05	2.93	4.14%
10/2/2007	0	10.00	9.31	93.1%	10.00	9.16	91.6	10.14	10.00	19.99	20.44	98.5	103	20.22	1.57	2.23%
10/3/2007	0	10.00	9.01	90.1%	10.00	8.83	88.3	0.00	10.00	8.63	8.86	86.3	88.6	8.75	1.86	2.63%
	0	10.00	9.16	91.6%	10.00	9.27	92.7		10.00							
10/4/2007	0	10.00	9.17	91.7%	10.00	9.07	90.7	10.29	10.00	20.27	19.20	99.8	89.1	19.74	3.83	5.42%
10/5/2007	0	10.00	9.32	93.2%	10.00	9.18	91.8	10.41	10.00	20.45	20.02	100.4	96.1	20.24	1.50	2.13%
10/8/2007	0	10.00	8.93	89.3%	10.00	8.76	87.6	11.25	10.00	19.72	19.47	84.7	82.2	19.60	0.90	1.28%
10/10/2007	0	10.00	9.39	93.9%	10.00	9.45	94.5	9.65	10.00	18.61	19.81	89.6	101.6	19.21	4.42	6.25%
	0	10.00			10.00	10.18	101.8		10.00							
10/11/2007	0	10.00	9.80	98.0%	10.00	10.12	101.2	10.72	10.00	20.41	19.83	96.9	91.1	20.12	2.04	2.88%
10/12/2007	0	10.00	10.20	102.0%	10.00	10.05	100.5	11.89	10.00	22.31	22.53	104.2	106.4	22.42	0.69	0.98%
	0	10.00			10.00	10.95	109.5		10.00							
10/15/2007	0	10.00	9.78	97.8%	10.00	9.89	98.9	18.01	10.00	28.09	28.72	100.8	107.1	28.41	1.57	2.22%
10/16/2007	0	10.00	9.92	99.2%	10.00	9.65	96.5	12.76	10.00	22.21	21.71	94.5	89.5	21.96	1.61	2.28%
	0	10.00			10.00	10.37	103.7		10.00							
10/17/2007	0	10.00	9.65	96.5%	10.00	9.72	97.2	11.13	10.00	21.00	20.56	98.7	94.3	20.78	1.50	2.12%
	0	10.00			10.00	10.27	102.7		10.00							
10/18/2007	0	10.00	9.58	95.8%	10.00	9.67	96.7		10.00							
10/19/2007	0	10.00	9.65	96.5%	10.00	10.35	103.5	12.88	10.00	22.45	23.06	95.7	101.8	22.76	1.90	2.68%
10/22/2007	0	10.00	9.80	98.0%	10.00	10.23	102.3		10.00							
10/24/2007	0	10.00	10.13	101.3%	10.00	9.65	96.5	9.62	10.00	19.32	18.46	97	88.4	18.89	3.22	4.55%
10/25/2007	0	10.00	9.71	97.1%	10.00	9.65	96.5	9.95	10.00	19.47	19.33	95.2	93.8	19.40	0.51	0.72%
	0	10.00			10.00	8.73	87.3		10.00							
10/26/2007	0	10.00	9.75	97.5%	10.00	9.78	97.8	10.50	10.00	20.40	20.93	99	104.3	20.67	1.81	2.56%
	0	10.00			10.00	10.37	103.7		10.00							
10/29/2007	0	10.00	9.47	94.7%	10.00	10.58	105.8	9.34	10.00	19.65	19.24	103.1	99	19.45	1.49	2.11%

CVS Mean: 9.56    CVS Standard Dev: 0.34    3 Standard Dev.: 1.02    Lower Control Limit: 8.54    Upper Control Limit: 10.58

<i>Analysis Date</i>	<i>Method Blank</i>	<i>CVS True Value</i>	<i>CVS Result</i>	<i>CVS % Recovery</i>	<i>LFB True Value:</i>	<i>LFB Result:</i>	<i>LFB % Recovery:</i>	<i>Sample Result:</i>	<i>MS/MSD True Value:</i>	<i>MS Result:</i>	<i>MSD Result:</i>	<i>MS % Recovery:</i>	<i>MSD % Recovery:</i>	<i>MS/MSD Mean:</i>	<i>MS/MSD RSD:</i>	<i>MS/MSD RPD:</i>
10/30/2007	0	10.00	9.71	97.1%	10.00	9.73	97.3	9.74	10.00	20.61	20.55	108.7	108.1	20.58	0.21	0.29%
10/31/2007	0	10.00	9.69	96.9%	10.00	9.77	97.7	9.78	10.00	20.35	20.37	105.7	105.9	20.36	0.07	0.10%

CVS Mean: 9.56 CVS Standard Dev: 0.34 3 Standard Dev.: 1.02 Lower Control Limit: 8.54 Upper Control Limit: 10.58