

Gelman Sciences Data
(reported by Pall Life Sciences)

Aquifer	Well	Date Sampled	Date Received	Date Analyzed	Reporting Limit	Reporting Lab	1,4-Dioxane Results (ppb)	Comments
EXTRACTION WELLS								
	AE-1-11-03-03-06:42	11/03/03	11/03/03	11/05/03	1.0	PLS	100	
	AE-2-11-18-03-14:50	11/18/03	11/18/03	11/19/03	1.0	PLS	2	
	HZ-N-11-03-03-07:05	11/03/03	11/03/03	11/05/03	400.0	PLS	822	
	HZ-S-11-03-03-13:14	11/03/03	11/03/03	11/11/03	400.0	PLS	2333	
	LB-1-11-03-03-06:44	11/03/03	11/03/03	11/05/03	1.0	PLS	387	
	LB-2-11-03-03-06:46	11/03/03	11/03/03	11/05/03	1.0	PLS	917	
	PW-1-11-03-03-10:57	11/03/03	11/03/03	11/11/03	400.0	PLS	2025	
	DOLPH-11-03-03-12:12	11/03/03	11/03/03	11/05/03	1.0	PLS	273	
	TW-3-11-03-03-13:38	11/03/03	11/03/03	11/05/03	400.0	PLS	491	
	TW-5-11-03-03-11:33	11/03/03	11/03/03	11/05/03	1.0	PLS	1302	
	TW-6-11-03-03-10:55	11/03/03	11/03/03	11/11/03	400.0	PLS	2848	
	TW-8-11-03-03-13:59	11/03/03	11/03/03	11/05/03	1.0	PLS	1161	
	TW-8-11-26-03-17:11	11/26/03	11/26/03	12/01/03	1.0	PLS	1293	
	TW-9-11-03-03-13:18	11/03/03	11/03/03	11/11/03	400.0	PLS	2427	
	TW-10-11-03-03-13:42	11/03/03	11/03/03	11/11/03	1.0	PLS	10199	
	TW-11-11-03-03-11:35	11/03/03	11/03/03	11/05/03	1.0	PLS	845	

Gelman Sciences Data
(reported by Pall Life Sciences)

EXTRACTION WELLS	TW-12-11-03-03-12:14	11/03/03	11/03/03	11/05/03	1.0	PLS	105
	TW-13-11-03-03-11:44	11/03/03	11/03/03	11/05/03	400.0	PLS	790
	TW-14-11-03-03-13:26	11/03/03	11/03/03	11/05/03	400.0	PLS	681
TEMPORARY EXTRACTION WELLS	MW-22-11-14-03-13:29	11/14/03	11/14/03	11/19/03	1.0	PLS	3254
	MW-50-11-03-03-14:02	11/03/03	11/03/03	11/05/03	400.0	PLS	477
	MW-58s-11-03-03-14:04	11/03/03	11/03/03	11/05/03	400.0	PLS	596
	SW-COMB-11-03-03-10:53	11/03/03	11/03/03	11/05/03	1.0	PLS	902
TRANSMISSION PIPELINE	TRANS-11-03-03-06:40	11/03/03	11/03/03	11/05/03	400.0	PLS	587
	Red Pond-11-03-03-10:51	11/03/03	11/03/03	11/05/03	1.0	PLS	1561
RED POND	Red Pond-11-10-03-09:05	11/10/03	11/10/03	11/11/03	400.0	PLS	1458
	Red Pond-11-17-03-07:42	11/17/03	11/17/03	11/19/03	1.0	PLS	1973
	Red Pond-11-24-03-08:05	11/24/03	11/24/03	12/01/03	1.0	PLS	1827
	EFF-UV1-B-11-03-03-09:40	11/03/03	11/03/03	11/03/03	1.0	PLS	17
EFF-UV1-B-11-03-03-21:15	11/03/03	11/03/03	11/04/03	1.0	PLS	2	
OUTFALL001	OUTFALL-11-03-03-10:42	11/03/03	11/03/03	11/03/03	1.0	PLS	5
	OUTFALL-11-04-03-06:35	11/04/03	11/04/03	11/04/03	1.0	PLS	nd
	OUTFALL-11-05-03-11:55	11/05/03	11/05/03	11/05/03	1.0	PLS	nd
	OUTFALL-11-06-03-07:25	11/06/03	11/06/03	11/06/03	1.0	PLS	nd
	OUTFALL-11-07-03-07:40	11/07/03	11/07/03	11/07/03	1.0	PLS	nd
	OUTFALL-11-10-03-08:56	11/10/03	11/10/03	11/10/03	1.0	PLS	2
	OUTFALL-11-11-03-07:57	11/11/03	11/11/03	11/11/03	1.0	PLS	nd
	OUTFALL-11-12-03-08:40	11/12/03	11/12/03	11/12/03	1.0	PLS	1
	OUTFALL-11-13-03-08:27	11/13/03	11/13/03	11/14/03	1.0	PLS	2

Gelman Sciences Data
(reported by Pall Life Sciences)

	OUTFALL-11-14-03-07:58	11/14/03	11/14/03	11/14/03	1.0	PLS	nd	
	OUTFALL-11-17-03-07:47	11/17/03	11/17/03	11/17/03	1.0	PLS	1	
	OUTFALL-11-18-03-08:04	11/18/03	11/18/03	11/18/03	1.0	PLS	1	
	OUTFALL-11-19-03-06:50	11/19/03	11/19/03	11/19/03	1.0	PLS	1	
	OUTFALL-11-20-03-09:40	11/20/03	11/20/03	11/20/03	1.0	PLS	1	
	OUTFALL-11-21-03-06:40	11/21/03	11/21/03	11/21/03	1.0	PLS	1	
	OUTFALL-11-24-03-08:20	11/24/03	11/24/03	11/24/03	1.0	PLS	2	
	OUTFALL-11-25-03-08:40	11/25/03	11/25/03	11/25/03	1.0	PLS	2	
	OUTFALL-11-26-03-05:40	11/26/03	11/26/03	11/26/03	1.0	PLS	8	
C3								
	MW-1-11-11-03-14:39	11/11/03	11/11/03	11/12/03	1.0	PLS	2	
	MW-2d-11-12-03-11:01	11/12/03	11/12/03	11/14/03	1.0	PLS	191	
	MW-11s-11-03-03-10:27	11/03/03	11/03/03	11/03/03	1.0	PLS	4	
	MW-11i-11-03-03-10:17	11/03/03	11/03/03	11/03/03	1.0	PLS	50	
	MW-15d-11-11-03-14:21	11/11/03	11/11/03	11/12/03	1.0	PLS	2	
	MW-16-11-06-03-10:46	11/06/03	11/06/03	11/06/03	1.0	PLS	nd	
	MW-25d-11-26-03-	11/26/03	11/26/03		1.0	PLS	See Comments	Well is dry.
	MW-32-11-11-03-15:01	11/11/03	11/11/03	11/12/03	1.0	PLS	1	Sampling Error.
	MW-32-11-24-03-14:14	11/24/03	11/24/03	11/26/03	1.0	PLS	133	
	MW-39s-11-13-03-12:24	11/13/03	11/13/03	11/14/03	1.0	PLS	419	
	333 Jackson Plaza-11-12-03-10:40	11/12/03	11/12/03	11/14/03	1.0	PLS	37	
D0								
	MW-41s-11-19-03-10:22	11/19/03	11/19/03	11/19/03	1.0	PLS	17	
	MW-41d-11-19-03-10:20	11/19/03	11/19/03	11/22/03	1.0	PLS	47	
	MW-53s-11-23-03-11:00	11/23/03	11/24/03	11/26/03	1.0	PLS	nd	
	MW-53i-11-13-03-14:49	11/13/03	11/13/03	11/14/03	1.0	PLS	63	
	MW-53d-11-23-03-11:34	11/23/03	11/24/03	11/26/03	1.0	PLS	3	
	A2 Cleaning Supply-11-20-03-08:15	11/20/03	11/20/03	11/22/03	1.0	PLS	145	
	MW-61s-11-25-03-10:39	11/25/03	11/26/03	12/01/03	1.0	PLS	41	
	MW-61d-11-25-03-11:18	11/25/03	11/26/03	12/01/03	1.0	PLS	nd	
	5005 Jackson Rd-11-20-03-10:07	11/20/03	11/20/03	11/22/03	1.0	PLS	50	
	4601 Park 4 inch-11-11-03-13:59	11/11/03	11/11/03	11/12/03	1.0	PLS	8	
	4601 Park 6 inch-11-11-03-13:32	11/11/03	11/11/03	11/12/03	1.0	PLS	3	
D2								
	MW-9d-11-13-03-15:09	11/13/03	11/13/03	11/14/03	1.0	PLS	nd	
	MW-11d-11-24-03-13:12	11/24/03	11/24/03	11/26/03	1.0	PLS	387	
	MW-38d-11-13-03-12:49	11/13/03	11/13/03	11/14/03	1.0	PLS	411	
	MW-39d-11-13-03-11:55	11/13/03	11/13/03	11/14/03	1.0	PLS	385	
	MW-43-11-06-03-10:22	11/06/03	11/06/03	11/06/03	1.0	PLS	nd	
	MW-47s-11-13-03-10:56	11/13/03	11/13/03	11/14/03	1.0	PLS	nd	

Gelman Sciences Data
(reported by Pall Life Sciences)

	MW-47d-11-13-03-10:35	11/13/03	11/13/03	11/14/03	1.0	PLS	nd	
	MW-54s-11-06-03-11:35	11/06/03	11/06/03	11/06/03	1.0	PLS	nd	
	MW-54d-11-06-03-11:17	11/06/03	11/06/03	11/06/03	1.0	PLS	32	
	MW-77-11-06-03-12:51	11/06/03	11/06/03	11/06/03	1.0	PLS	199	
	MW-KZ-1-11-05-03-11:10	11/05/03	11/05/03	11/05/03	1.0	PLS	nd	
	544 Allison-11-05-03-11:38	11/05/03	11/05/03	11/05/03	1.0	PLS	nd	
	593 Allison-11-05-03-12:59	11/05/03	11/05/03	11/05/03	1.0	PLS	392	
	597 Allison-11-26-03-16:01	11/26/03	11/26/03	12/01/03	1.0	PLS	11	
	430 Barber East-11-06-03-11:59	11/06/03	11/06/03	11/06/03	1.0	PLS	2	
	430 Barber West-11-06-03-12:16	11/06/03	11/06/03	11/11/03	1.0	PLS	12	
	435 Barber-11-20-03-10:30	11/20/03	11/20/03	11/22/03	1.0	PLS	55	
	MW-400 Clarendon-11-05-03-10:39	11/05/03	11/05/03	11/05/03	1.0	PLS	nd	
	456 Clarendon-11-11-03-18:01	11/11/03	11/12/03	11/14/03	1.0	PLS	374	
	2652 Dexter Rd-11-05-03-12:20	11/05/03	11/05/03	11/05/03	1.0	PLS	3	
	2819 Dexter Rd-11-05-03-13:33	11/05/03	11/05/03	11/05/03	400.0	PLS	492	
	3261 Dexter Rd-11-26-03-	11/26/03			1.0	PLS	See Comments	No access.
D2	465 Dupont-11-13-03-11:17	11/13/03	11/13/03	11/14/03	1.0	PLS	314	
	175 Jackson Plaza-11-12-03-11:36	11/12/03	11/12/03	11/14/03	1.0	PLS	375	
	359 Pinewood-11-26-03-	11/26/03			1.0	PLS	See Comments	No access.
	373 Pinewood Shallow-11-14-03-13:09	11/14/03	11/14/03	11/19/03	1.0	PLS	2729	
E								
	MW-72s-11-19-03-11:53	11/19/03	11/19/03	11/19/03	1.0	PLS	168	
	MW-72d-11-19-03-11:20	11/19/03	11/19/03	11/19/03	1.0	PLS	3208	
	MW-76s-11-22-03-15:00	11/22/03	11/24/03	11/26/03	1.0	PLS	102	
	MW-76i-11-22-03-14:44	11/22/03	11/24/03	11/26/03	1.0	PLS	19	
	MW-76d-11-22-03-14:10	11/22/03	11/24/03	11/26/03	1.0	PLS	2	
	MW-81-11-23-03-08:51	11/23/03	11/24/03	11/26/03	1.0	PLS	211	
	MW-84s-11-21-03-14:21	11/21/03	11/24/03	11/26/03	1.0	PLS	136	
	MW-84d-11-21-03-14:05	11/21/03	11/24/03	11/26/03	1.0	PLS	nd	
	MW-85-11-23-03-08:10	11/23/03	11/24/03	12/01/03	1.0	PLS	2380	
	MW-86-11-25-03-16:21	11/25/03	11/25/03	11/26/03	1.0	PLS	nd	Error in static
	MW-91-11-25-03-15:21	11/25/03	11/25/03	11/26/03	1.0	PLS	nd	
	TW-15-11-22-03-11:18	11/22/03	11/24/03	11/26/03	1.0	PLS	81	
not determined								
	4285 Dexter Rd-11-03-03-13:50	11/03/03	11/03/03	11/04/03	1.0	PLS	nd	
	441 Parkwood-11-07-03-11:18	11/07/03	11/07/03	11/11/03	1.0	PLS	27	
SW								
	MW-45s-11-22-03-13:02	11/22/03	11/24/03	11/24/03	1.0	PLS	360	