

Gelman Sciences, Inc. Data as Reported by Pall Life Sciences

Aquifer	Well	Date Sampled	Date Received	Date Analyzed	Reporting Limit	Reporting Lab	1,4-Dioxane Results (ppb)	Comments
EXTRACTION WELLS								
	AE-2-07-12-04-12:00	07/12/04			1.0	PLS	See comments	Not in operation
	AE-3-07-05-04-11:05	07/05/04	07/05/04	07/06/04	1.0	PLS	82	
	HZ-N-07-05-04-10:51	07/05/04	07/05/04	07/06/04	1.0	PLS	560	
	HZ-S-07-05-04-11:45	07/05/04	07/05/04	07/06/04	1.0	PLS	2000	
	LB-1-07-05-04-11:01	07/05/04	07/05/04	07/06/04	1.0	PLS	370	
	LB-2-07-05-04-11:03	07/05/04	07/05/04	07/06/04	1.0	PLS	1010	
	PW-1-07-05-04-13:19	07/05/04	07/05/04	07/30/04	1.0	PLS	1880	
	TW-1-07-05-04-12:01	07/05/04	07/05/04	07/06/04	1.0	PLS	360	
	DOLPH-07-05-04-10:21	07/05/04	07/05/04	07/06/04	1.0	PLS	180	
	TW-3-07-05-04-12:03	07/05/04	07/05/04	07/06/04	1.0	PLS	360	
	TW-5-07-05-04-10:28	07/05/04	07/05/04	07/06/04	1.0	PLS	1160	
	TW-6-07-05-04-13:17	07/05/04	07/05/04	07/06/04	1.0	PLS	1700	
	TW-8-07-05-04-12:27	07/05/04	07/05/04	07/06/04	1.0	PLS	1150	
	TW-9-07-05-04-11:49	07/05/04	07/05/04	07/06/04	1.0	PLS	2120	
	TW-10-07-05-04-12:11	07/05/04	07/05/04	07/30/04	1.0	PLS	7440	
	TW-11-07-05-04-10:31	07/05/04	07/05/04	07/06/04	1.0	PLS	600	
	TW-12-07-05-04-10:23	07/05/04	07/05/04	07/29/04	1.0	PLS	68	
	TW-13-07-05-04-12:18	07/05/04	07/05/04	07/06/04	1.0	PLS	450	
	TW-14-07-05-04-11:57	07/05/04	07/05/04	07/06/04	1.0	PLS	540	
	TW-17-07-27-04-18:45	07/27/04	07/27/04	07/28/04	1.0	PLS	670	
TEMPORARY EXTRACTION WELLS								
	MW-50-07-05-04-12:31	07/05/04	07/05/04	07/06/04	1.0	PLS	200	
	MW-58s-07-05-04-12:29	07/05/04	07/05/04	07/06/04	1.0	PLS	520	
	SW-COMB-07-05-04-13:21	07/05/04	07/05/04	07/06/04	1.0	PLS	820	
TRANSMISSION PIPELINE								
	TRANS-07-05-04-11:07	07/05/04	07/05/04	07/06/04	1.0	PLS	540	
RED POND								
	Red Pond-07-05-04-13:23	07/05/04	07/05/04	07/06/04	1.0	PLS	1200	
	Red Pond-07-12-04-07:36	07/12/04	07/12/04	07/30/04	1.0	PLS	1270	
	Red Pond-07-19-04-07:45	07/19/04	07/19/04	07/30/04	1.0	PLS	1230	
	Red Pond-07-26-04-07:08	07/26/04	07/26/04	07/26/04	1.0	PLS	1230	

Aquifer	Well	Date Sampled	Date Received	Date Analyzed	Reporting Limit	Reporting Lab	1,4-Dioxane Results (ppb)	Comments
OUTFALL001								
	OUTFALL-07-01-04-07:24	07/01/04	07/01/04	07/01/04	1.0	PLS	nd	
	OUTFALL-07-02-04-07:46	07/02/04	07/02/04	07/02/04	1.0	PLS	nd	
	OUTFALL-07-05-04-09:38	07/05/04	07/05/04	07/07/04	1.0	PLS	1	
	OUTFALL-07-06-04-07:02	07/06/04	07/06/04	07/06/04	1.0	PLS	nd	
	OUTFALL-07-07-04-07:55	07/07/04	07/07/04	07/08/04	1.0	PLS	1	
	OUTFALL-07-08-04-07:30	07/08/04	07/08/04	07/08/04	1.0	PLS	2	
	OUTFALL-07-09-04-07:00	07/09/04	07/09/04	07/09/04	1.0	PLS	nd	
	OUTFALL-07-12-04-07:25	07/12/04	07/12/04	07/12/04	1.0	ATS	2	
	OUTFALL-07-13-04-07:37	07/13/04	07/13/04	07/13/04	1.0	ATS	nd	
	OUTFALL-07-14-04-07:42	07/14/04	07/14/04	07/14/04	1.0	ATS	4	
	OUTFALL-07-15-04-07:32	07/15/04	07/15/04	07/15/04	1.0	ATS	1	
	OUTFALL-07-16-04-07:28	07/16/04	07/16/04	07/16/04	1.0	ATS	nd	
	OUTFALL-07-19-04-07:35	07/19/04	07/19/04	07/19/04	1.0	PLS	nd	
	OUTFALL-07-20-04-07:08	07/20/04	07/20/04	07/20/04	1.0	PLS	nd	
	OUTFALL-07-21-04-07:12	07/21/04	07/21/04	07/21/04	1.0	PLS	nd	
	OUTFALL-07-22-04-07:07	07/22/04	07/22/04	07/22/04	1.0	PLS	2	
	OUTFALL-07-23-04-06:56	07/23/04	07/23/04	07/23/04	1.0	PLS	2	
	OUTFALL-07-26-04-07:02	07/26/04	07/26/04	07/26/04	1.0	PLS	nd	
	OUTFALL-07-27-04-07:35	07/27/04	07/27/04	07/27/04	1.0	PLS	2	
	OUTFALL-07-28-04-06:57	07/28/04	07/28/04	07/28/04	1.0	PLS	nd	
	OUTFALL-07-29-04-07:35	07/29/04	07/29/04	07/29/04	1.0	PLS	3	
	OUTFALL-07-30-04-06:15	07/30/04	07/30/04	07/30/04	1.0	PLS	3	
C2								
	MW-26-07-30-04-11:53	07/30/04	07/30/04	07/30/04	1.0	PLS	21	
C3								
	MW-3d-07-28-04-12:31	07/28/04	07/28/04	07/29/04	1.0	PLS	nd	
	MW-4s-07-20-04-11:08	07/20/04	07/20/04	07/27/04	1.0	PLS	3	
	MW-5d-07-20-04-16:04	07/20/04	07/20/04	07/30/04	1.0	PLS	43000	
	MW-12d-07-21-04-12:02	07/21/04	07/21/04	07/27/04	1.0	PLS	1	
	MW-15s-07-21-04-11:27	07/21/04	07/21/04	07/27/04	1.0	PLS	nd	
	MW-27-07-30-04-11:02	07/30/04	07/30/04	07/30/04	1.0	PLS	15	
	MW-34s-07-26-04-12:13	07/26/04	07/26/04	07/27/04	1.0	PLS	nd	
	MW-37-07-16-04-10:07	07/16/04	07/16/04	07/30/04	1.0	PLS	870	
	MW-39s-07-07-04-12:31	07/07/04	07/07/04	07/29/04	1.0	PLS	200	
D0								
	MW-53i-07-02-04-09:41	07/02/04	07/02/04	07/02/04	1.0	PLS	58	
	A2 Cleaning Supply-07-07-04-11:59	07/07/04	07/07/04	07/29/04	1.0	PLS	110	
	4141 Jackson Rd-07-07-04-18:58	07/07/04	07/07/04	07/28/04	1.0	PLS	7	
	4560 Jackson Rd-07-13-04-15:12	07/13/04	07/13/04	07/27/04	1.0	PLS	nd	

Aquifer	Well	Date Sampled	Date Received	Date Analyzed	Reporting Limit	Reporting Lab	1,4-Dioxane Results (ppb)	Comments
	5005 Jackson Rd-07-07-04-18:18	07/07/04	07/07/04	07/28/04	1.0	PLS	42	
	5115 Jackson Rd-07-13-04-14:36	07/13/04	07/13/04	07/27/04	1.0	PLS	nd	
	4401 Park West-07-02-04-10:41	07/02/04	07/02/04	07/02/04	1.0	PLS	16	
D1								
	ARTESIAN #3-07-13-04-14:52	07/13/04	07/13/04	07/28/04	1.0	PLS	24	
D2								
	MW-9d-07-21-04-11:05	07/21/04	07/21/04	07/27/04	1.0	PLS	nd	
	MW-11d-07-05-04-11:41	07/05/04	07/05/04	07/06/04	1.0	PLS	440	
	MW-13-07-02-04-11:36	07/02/04	07/02/04	07/02/04	1.0	PLS	nd	
	MW-14d-07-21-04-09:55	07/21/04	07/21/04	07/27/04	1.0	PLS	nd	
	MW-17-07-07-04-14:56	07/07/04	07/07/04	07/29/04	1.0	PLS	190	
	MW-34d-07-26-04-11:43	07/26/04	07/26/04	07/27/04	1.0	PLS	1	
	MW-39d-07-07-04-12:56	07/07/04	07/07/04	07/29/04	1.0	PLS	280	
	MW-47s-07-14-04-09:41	07/14/04	07/14/04	07/27/04	1.0	PLS	nd	
	MW-47d-07-15-04-09:42	07/15/04	07/15/04	07/27/04	1.0	PLS	nd	
	MW-54d-07-14-04-14:13	07/14/04	07/14/04	07/28/04	1.0	PLS	28	
D2								
	MW-56s-07-08-04-13:16	07/08/04	07/08/04	07/30/04	1.0	PLS	490	
	MW-77-07-19-04-14:28	07/19/04	07/19/04	07/29/04	1.0	PLS	170	
	MW-KD-1s-07-12-04-12:06	07/12/04	07/12/04	07/28/04	1.0	PLS	34	
	MW-KD-1d-07-12-04-12:31	07/12/04	07/12/04	07/28/04	1.0	PLS	74	
	593 Allison-07-15-04-10:58	07/15/04	07/15/04	08/02/04	1.0	PLS	43	
	170 Aprill-07-28-04-11:34	07/28/04	07/28/04	07/29/04	1.0	PLS	26	
	430 Barber West-07-19-04-13:52	07/19/04	07/19/04	07/28/04	1.0	PLS	80	
	435 Barber-07-08-04-15:27	07/08/04	07/08/04	07/29/04	1.0	PLS	47	
	MW-400 Clarendon-07-15-04-14:03	07/15/04	07/15/04	07/27/04	1.0	PLS	nd	
	440 Clarendon-07-14-04-11:42	07/14/04	07/14/04	07/29/04	1.0	PLS	160	
	2643 Dexter Rd-07-14-04-15:30	07/14/04	07/14/04	07/27/04	1.0	PLS	nd	
	2652 Dexter Rd-07-15-04-12:03	07/15/04	07/15/04	07/27/04	1.0	PLS	3	
	465 Dupont-07-16-04-15:52	07/16/04	07/16/04	07/29/04	1.0	PLS	320	
	3245 Kingwood-07-16-04-14:32	07/16/04	07/16/04	07/28/04	1.0	PLS	10	
	305 Pinewood-07-14-04-15:00	07/14/04	07/14/04	07/27/04	1.0	PLS	nd	
	354 Pinewood-07-14-04-15:14	07/14/04	07/14/04	07/27/04	1.0	PLS	3	
	460 Rose-07-14-04-14:40	07/14/04	07/14/04	07/27/04	1.0	PLS	nd	
	2678 Valley-07-15-04-15:15	07/15/04			1.0	PLS	See comment	On city water,unable to sample
	2950 Valley-07-15-04-15:03	07/15/04	07/15/04	07/27/04	1.0	PLS	nd	
E								
	MW-30d-07-07-04-14:04	07/07/04	07/07/04	07/30/04	1.0	PLS	750	
	MW-64-07-05-04-11:53	07/05/04	07/05/04	07/06/04	1.0	PLS	310	
	MW-71-07-07-04-17:54	07/07/04	07/07/04	07/30/04	1.0	PLS	520	
	MW-72s-07-16-04-11:50	07/16/04	07/16/04	07/30/04	1.0	PLS	130	

Aquifer	Well	Date Sampled	Date Received	Date Analyzed	Reporting Limit	Reporting Lab	1,4-Dioxane Results (ppb)	Comments
	MW-72d-07-16-04-11:12	07/16/04	07/16/04	07/30/04	1.0	PLS	2870	
	MW-76s-07-08-04-11:05	07/08/04	07/08/04	07/29/04	1.0	PLS	70	
	MW-76i-07-08-04-10:41	07/08/04	07/08/04	07/28/04	1.0	PLS	15	
	MW-81-07-12-04-14:13	07/12/04	07/12/04	07/29/04	1.0	PLS	180	
	MW-82s-07-13-04-08:42	07/13/04	07/13/04	07/28/04	1.0	PLS	18	
	MW-84s-07-13-04-09:18	07/13/04	07/13/04	07/29/04	1.0	PLS	170	
	MW-85-07-19-04-15:12	07/19/04	07/19/04	07/30/04	1.0	PLS	1420	
	MW-86-07-12-04-14:48	07/12/04	07/12/04	07/27/04	1.0	PLS	nd	
	MW-87s-07-13-04-10:55	07/13/04	07/13/04	07/30/04	1.0	PLS	610	
	MW-87d-07-13-04-09:56	07/13/04	07/13/04	07/30/04	1.0	PLS	670	
	MW-88-07-13-04-11:52	07/13/04	07/13/04	07/30/04	1.0	PLS	1210	
	MW-89-07-08-04-14:16	07/08/04	07/08/04	07/29/04	1.0	PLS	2	
	MW-90-07-08-04-11:38	07/08/04	07/08/04	07/27/04	1.0	PLS	8	
	MW-91-07-08-04-15:00	07/08/04	07/08/04	07/29/04	1.0	PLS	nd	
	TW-15-07-01-04-15:25	07/01/04	07/01/04	07/02/04	1.0	PLS	79	
SH								
	MW-5s-07-20-04-15:37	07/20/04	07/20/04	07/29/04	1.0	PLS	1	Well almost dry. Possible Rainwater?
SW								
	MW-8d-07-30-04-10:30	07/30/04	07/30/04	07/30/04	1.0	PLS	nd	
	MW-10s-07-30-04-10:45	07/30/04	07/30/04	07/30/04	1.0	PLS	37	
	MW-45s-07-28-04-13:33	07/28/04	07/28/04	07/29/04	1.0	PLS	85	
	MW-78-07-16-04-09:00	07/16/04	07/16/04	07/28/04	1.0	PLS	47	