

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>EXTRACTION WELLS</b>							
AE-1-01-13-06-	See Comments	1.0		5.0		10.0	Well Abandoned.
AE-3-01-09-06-10:24	83	1.0		5.0		10.0	
HZ-S-01-09-06-11:14	1584	1.0		5.0		10.0	
LB-1-01-09-06-10:20	454	1.0		5.0		10.0	
LB-2-01-09-06-10:22	968	1.0		5.0		10.0	
PW-1-01-09-06-09:41	1565	1.0		5.0		10.0	
TW-1-01-09-06-11:03	327	1.0		5.0		10.0	
DOLPH-01-09-06-10:07	130	1.0		5.0		10.0	
TW-3-01-09-06-11:05	166	1.0		5.0		10.0	
TW-5-01-09-06-10:45	1001	1.0		5.0		10.0	
TW-6-01-09-06-09:37	786	1.0		5.0		10.0	
TW-8-01-09-06-13:08	867	1.0		5.0		10.0	
TW-9-01-09-06-11:07	2026	1.0		5.0		10.0	
TW-10-01-09-06-11:00	3739	1.0		5.0		10.0	
TW-11-01-09-06-10:47	514	1.0		5.0		10.0	
TW-12-01-09-06-10:09	74	1.0		5.0		10.0	
TW-13-01-09-06-11:30	483	1.0		5.0		10.0	
TW-14-01-09-06-11:21	244	1.0		5.0		10.0	
TW-17-01-09-06-11:25	228	1.0		5.0		10.0	
<b>TEMPORARY EXTRACTION WELLS</b>							
MW-50-01-09-06-13:04	309	1.0		5.0		10.0	
MW-58s-01-09-06-	See Comments	1.0		5.0		10.0	Line was frozen.

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>TEMPORARY EXTRACTION WELLS</b>							
SW-COMB-01-09-06-09:39	700	1.0		5.0		10.0	
<b>RED POND</b>							
Red Pond-01-02-06-07:30	1212	1.0		5.0	124	10.0	
Red Pond-01-09-06-09:35	945	1.0		5.0	112	10.0	
Red Pond-01-16-06-07:25	1022	1.0		5.0	102	10.0	
Red Pond-01-23-06-07:20	1059	1.0		5.0	97	10.0	
Red Pond-01-30-06-07:30	1037	1.0		5.0	84	10.0	
<b>OUTFALL001</b>							
OUTFALL-01-01-06-	6	1.0	8	5.0		10.0	
OUTFALL-01-02-06-	6	1.0	7	5.0		10.0	
OUTFALL-01-03-06-	5	1.0	8	5.0		10.0	
OUTFALL-01-04-06-	4	1.0	7	5.0		10.0	
OUTFALL-01-05-06-	3	1.0	7	5.0		10.0	
OUTFALL-01-08-06-	3	1.0	7	5.0		10.0	
OUTFALL-01-09-06-	3	1.0	8	5.0		10.0	
OUTFALL-01-10-06-	3	1.0	7	5.0		10.0	
OUTFALL-01-11-06-	3	1.0	8	5.0		10.0	
OUTFALL-01-12-06-	4	1.0	8	5.0		10.0	
OUTFALL-01-15-06-	4	1.0	6	5.0		10.0	
OUTFALL-01-16-06-	4	1.0	6	5.0		10.0	
OUTFALL-01-17-06-	4	1.0	6	5.0		10.0	
OUTFALL-01-18-06-	4	1.0	7	5.0		10.0	
OUTFALL-01-19-06-	4	1.0	8	5.0		10.0	
OUTFALL-01-22-06-	4	1.0	9	5.0		10.0	
OUTFALL-01-23-06-	4	1.0	8	5.0		10.0	
OUTFALL-01-24-06-	4	1.0	8	5.0		10.0	
OUTFALL-01-25-06-	4	1.0	8	5.0		10.0	
OUTFALL-01-29-06-	5	1.0	6	5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>OUTFALL001</b>							
OUTFALL-01-30-06-	5	1.0	8	5.0		10.0	
OUTFALL-01-31-06-	5	1.0	8	5.0		10.0	
<b>C3</b>							
MW-39s-01-30-06-10:48	49	1.0		5.0		10.0	
<b>D0</b>							
MW-53i-01-12-06-14:06	48	1.0		5.0		10.0	
A2 Cleaning Supply-01-12-06-14:35	119	1.0		5.0		10.0	
5005 Jackson Rd-01-13-06-14:48	45	1.0		5.0		10.0	
<b>D2</b>							
MW-17-01-09-06-12:07	484	1.0		5.0		10.0	
MW-30i-01-06-06-11:31	nd	1.0		5.0		10.0	
MW-39d-01-30-06-11:30	144	1.0		5.0		10.0	
MW-92-01-24-06-09:03	17	1.0		5.0		10.0	
MW-94s-01-23-06-14:21	2734	1.0		5.0		10.0	
MW-KD-1s-01-13-06-10:02	26	1.0		5.0		10.0	
MW-KD-1d-01-13-06-10:34	117	1.0		5.0		10.0	
545 Allison-01-13-06-11:35	3	1.0		5.0		10.0	
593 Allison-01-24-06-11:01	68	1.0		5.0		10.0	
440 Clarendon-01-13-06-	See Comments	1.0		5.0		10.0	No access.
2643 Dexter Rd-01-13-06-11:44	nd	1.0		5.0		10.0	
2652 Dexter Rd-01-13-06-11:17	4	1.0		5.0		10.0	
465 Dupont-01-13-06-15:30	436	1.0		5.0		10.0	
3365 Jackson Rd-01-05-06-11:33	581	1.0		5.0		10.0	
3245 Kingwood-01-05-06-09:50	9	1.0		5.0		10.0	
<b>E</b>							
MW-30d-01-09-06-13:30	991	1.0		5.0		10.0	
MW-69-01-05-06-10:51	nd	1.0		5.0		10.0	
MW-70-01-10-06-10:26	nd	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
<b>E</b>							
MW-71-01-10-06-09:49	672	1.0		5.0		10.0	
MW-76s-01-16-06-10:35	107	1.0		5.0		10.0	
MW-76i-01-16-06-10:13	10	1.0		5.0		10.0	
MW-81-01-24-06-09:45	325	1.0		5.0		10.0	
MW-82s-01-16-06-12:13	25	1.0		5.0		10.0	
MW-84s-01-16-06-15:14	308	1.0		5.0		10.0	
MW-86-01-16-06-11:15	nd	1.0		5.0		10.0	
MW-89-01-19-06-13:43	nd	1.0		5.0		10.0	
MW-90-01-19-06-14:17	12	1.0		5.0		10.0	
MW-91-01-16-06-11:49	nd	1.0		5.0		10.0	
MW-94d-01-23-06-14:04	nd	1.0		5.0		10.0	
MW-95-01-24-06-15:09	482	1.0		5.0		10.0	
MW-96-01-24-06-14:30	3302	1.0		5.0		10.0	
TW-15-01-11-06-12:35	92	1.0		5.0		10.0	
TW-18-01-12-06-15:41	2710	1.0		5.0		10.0	
TW-18-01-12-06-16:41	2445	1.0		5.0		10.0	
TW-18-01-13-06-07:15	2183	1.0		5.0		10.0	
<b>Not Determined</b>							
3459 Ferry-01-05-06-16:04	nd	1.0		5.0		10.0	
Varsity Ford-01-04-06-12:15	3	1.0		5.0		10.0	
<b>None</b>							
350 Rose-01-04-06-11:27	29	1.0		5.0		10.0	

nd=Not detected at or above the Reporting Limit (R.L.)

# 1,4-Dioxane Precision and Accuracy Control Charting

Analysis Date	Method Blank	CVS		LFB		LFB %		Sample MS/MSD		MS		MSD %		MS/MSD		MS/MSD	
		True Value	Result	Recovery	True Value	Result	Recovery	True Value	Result	Recovery	Mean	Result	Recovery	Mean	Result	Recovery	RPD
1/2/2006	0	10.00	9.94	99.4	10.00	9.81	98.10	6.38	10.00	16.74	16.88	103.60	105.00	16.81	0.59		0.83%
1/3/2006	0	10.00	9.82	98.2	10.00	10.31	103.10										
1/4/2006	0	10.00	10.03	100.3	10.00	9.77	97.70	5.43	10.00	15.79	15.76	103.60	103.30	15.78	0.13		0.19%
1/5/2006	0	10.00	9.95	99.5	10.00	9.80	98.00	3.70	10.00	13.91	14.01	102.10	103.10	13.96	0.51		0.72%
1/6/2006	0	10.00	9.81	98.1	10.00	9.50	95.00	3.26	10.00	13.32	13.62	100.60	103.60	13.47	1.57		2.23%
1/9/2006	0	10.00	10.02	100.2	10.00	9.90	99.00	3.12	10.00	13.36	13.57	102.40	104.50	13.47	1.10		1.56%
1/10/2006	0	10.00	9.99	99.9	10.00	10.54	105.40	3.18	10.00	13.81	14.04	106.30	108.60	13.93	1.17		1.65%
1/11/2006	0	10.00	10.19	101.9	10.00	10.32	103.20	3.48	10.00	13.60	13.60	101.20	101.20	13.60	0.00		0.00%
1/12/2006	0	10.00	9.21	92.1	10.00	8.98	89.80										
1/13/2006	0	10.00	9.53	95.3	10.00	10.96	109.60	3.59	10.00	13.16	13.12	95.70	95.30	13.14	0.22		0.30%
1/16/2006	0	10.00	9.51	95.1	10.00	9.72	97.20	3.56	10.00	13.27	13.43	97.10	98.70	13.35	0.85		1.20%
1/17/2006	0	10.00	9.30	93	10.00	9.70	97.00	3.69	10.00	13.39	13.13	97.00	94.40	13.26	1.39		1.96%
1/18/2006	0	10.00	9.67	96.7	10.00	9.40	94.00	3.84	10.00	13.61	13.52	97.70	96.80	13.57	0.47		0.66%
1/19/2006	0	10.00	10.30	103	10.00	9.52	95.20	3.66	10.00	13.88	14.13	102.20	104.70	14.01	1.26		1.79%
1/20/2006	0	10.00	9.96	99.6	10.00	10.11	101.10	3.90	10.00	14.32	14.09	104.20	101.90	14.21	1.14		1.62%
1/23/2006	0	10.00	9.27	92.7	10.00	9.03	90.30	4.01	10.00	13.67	13.70	96.60	96.90	13.69	0.16		0.22%
1/24/2006	0	10.00	9.49	94.9	10.00	9.66	96.60	3.78	10.00	13.31	13.46	95.30	96.80	13.39	0.79		1.12%
1/25/2006	0	10.00	9.89	98.9	10.00	9.47	94.70	4.35	10.00	14.66	14.57	103.10	102.20	14.62	0.44		0.62%
1/26/2006	0	10.00	10.08	100.8	10.00	9.70	97.00										
1/27/2006	0	10.00	9.50	95	10.00	9.77	97.70	3.95	10.00	14.13	14.32	101.80	103.70	14.23	0.94		1.34%
1/30/2006	0	10.00	9.51	95.1	10.00	10.02	100.20	5.11	10.00	14.62	14.97	95.10	98.60	14.80	1.67		2.37%

CVS Mean: 9.73    CVS Standard Dev.: 0.32    3 Standard Dev.: 0.97    Lower Control Limit: 8.76    Upper Control Limit: 10.69

Analysis Date	Method	CVS Blank	CVS True Value	CVS Result	CVS % Recovery	LFB True Value	LFB Result	LFB % Recovery	Sample True Value	Sample Result	MS True Value	MS Result	MS % Recovery	MSD True Value	MSD Result	MSD % Recovery	MS/MSD True Value	MS/MSD Result	MS/MSD % Recovery	MS/MSD Mean	MS/MSD RSD	MS/MSD RPD
1/31/2006	0	10.00	9.25	92.5	10.00	9.72	97.20	5.00	10.00	14.91	14.90	99.10	99.00	14.91	14.91	100.00	10.00	14.91	14.91	100.00	0.05	0.07%

CVS Mean: 9.73    CVS Standard Dev.: 0.32    3 Standard Dev.: 0.97    Lower Control Limit: 8.76    Upper Control Limit: 10.69

Page 2 of 2