

Sample Analysis Report

July, 2006

Analyst Initials WJ

Date 08/04/06

| Sample Name - Date Sampled - Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments |
|---|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|
| EXTRACTION WELLS | | | | | | | |
| AE-3-07-03-06-09:02 | 80 | 1.0 | | 5.0 | | 10.0 | |
| HZ-S-07-03-06-09:54 | 1373 | 1.0 | | 5.0 | | 10.0 | |
| LB-1-07-03-06-08:58 | 442 | 1.0 | | 5.0 | | 10.0 | |
| LB-3-07-03-06-09:00 | 472 | 1.0 | | 5.0 | | 10.0 | |
| PW-1-07-03-06-09:29 | 1092 | 1.0 | | 5.0 | | 10.0 | |
| TW-1-07-10-06-12:50 | 350 | 1.0 | | 5.0 | | 10.0 | |
| TW-3-07-05-06-15:00 | 132 | 1.0 | | 5.0 | | 10.0 | |
| TW-5-07-03-06-09:13 | 1028 | 1.0 | | 5.0 | | 10.0 | |
| TW-6-07-03-06-09:27 | 313 | 1.0 | | 5.0 | | 10.0 | |
| TW-8-07-03-06-11:34 | 722 | 1.0 | | 5.0 | | 10.0 | |
| TW-9-07-03-06-09:48 | 1754 | 1.0 | | 5.0 | | 10.0 | |
| TW-10-07-03-06-09:39 | 2714 | 1.0 | | 5.0 | | 10.0 | |
| TW-11-07-03-06-09:15 | 380 | 1.0 | | 5.0 | | 10.0 | |
| TW-12-07-03-06-11:53 | 60 | 1.0 | | 5.0 | | 10.0 | |
| TW-13-07-03-06-10:39 | 392 | 1.0 | | 5.0 | | 10.0 | |
| TW-14-07-03-06-09:58 | 209 | 1.0 | | 5.0 | | 10.0 | |
| TW-17-07-03-06-10:01 | 196 | 1.0 | | 5.0 | | 10.0 | |
| TW-18-07-03-06-09:31 | 1215 | 1.0 | | 5.0 | | 10.0 | |
| TW-19-07-05-06-09:12 | 809 | 1.0 | nd | 5.0 | | 10.0 | |
| TW-19-07-10-06-08:55 | 733 | 1.0 | nd | 5.0 | | 10.0 | |
| TW-19-07-17-06-08:47 | 738 | 1.0 | nd | 5.0 | | 10.0 | |
| TW-19-07-24-06-08:12 | 803 | 1.0 | nd | 5.0 | | 10.0 | |

| Sample Name - Date Sampled - Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments |
|---|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|
| EXTRACTION WELLS | | | | | | | |
| TW-19-07-31-06-07:01 | 818 | 1.0 | nd | 5.0 | | 10.0 | |
| TW-20-07-03-06-10:07 | 7153 | 1.0 | | 5.0 | | 10.0 | |
| TEMPORARY EXTRACTION WELLS | | | | | | | |
| MW-50-07-03-06-11:30 | 325 | 1.0 | | 5.0 | | 10.0 | |
| MW-58s-07-03-06-11:32 | 861 | 1.0 | | 5.0 | | 10.0 | |
| MW-64-07-03-06-09:42 | 132 | 1.0 | | 5.0 | | 10.0 | |
| SW-COMB-07-03-06-09:33 | 675 | 1.0 | | 5.0 | | 10.0 | |
| RED POND | | | | | | | |
| Red Pond-07-03-06-09:25 | 1031 | 1.0 | | 5.0 | 97 | 10.0 | |
| Red Pond-07-10-06-07:30 | 1010 | 1.0 | | 5.0 | 110 | 10.0 | |
| Red Pond-07-17-06-07:36 | 857 | 1.0 | | 5.0 | 113 | 10.0 | |
| Red Pond-07-24-06-07:55 | 1103 | 1.0 | | 5.0 | 117 | 10.0 | |
| Red Pond-07-31-06-07:30 | 1164 | 1.0 | | 5.0 | 116 | 10.0 | |
| OUTFALL001 | | | | | | | |
| OUTFALL-07-02-06- | 5 | 1.0 | 6 | 5.0 | | 10.0 | |
| OUTFALL-07-03-06- | 4 | 1.0 | 6 | 5.0 | | 10.0 | |
| OUTFALL-07-04-06- | 4 | 1.0 | 5 | 5.0 | | 10.0 | |
| OUTFALL-07-05-06- | 4 | 1.0 | 5 | 5.0 | | 10.0 | |
| OUTFALL-07-06-06- | 4 | 1.0 | nd | 5.0 | | 10.0 | |
| OUTFALL-07-09-06- | 5 | 1.0 | 7 | 5.0 | | 10.0 | |
| OUTFALL-07-10-06- | 5 | 1.0 | 7 | 5.0 | | 10.0 | |
| OUTFALL-07-11-06- | 5 | 1.0 | 9 | 5.0 | | 10.0 | |
| OUTFALL-07-12-06- | 5 | 1.0 | 8 | 5.0 | | 10.0 | |
| OUTFALL-07-13-06- | 7 | 1.0 | 6 | 5.0 | | 10.0 | |
| OUTFALL-07-16-06- | 5 | 1.0 | nd | 5.0 | | 10.0 | |
| OUTFALL-07-17-06- | 5 | 1.0 | 6 | 5.0 | | 10.0 | |
| OUTFALL-07-18-06- | 8 | 1.0 | 6 | 5.0 | | 10.0 | |
| OUTFALL-07-19-06- | 6 | 1.0 | 8 | 5.0 | | 10.0 | |

| Sample Name - Date Sampled - Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments |
|---|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|
| OUTFALL001 | | | | | | | |
| OUTFALL-07-20-06- | 5 | 1.0 | 6 | 5.0 | | 10.0 | |
| OUTFALL-07-23-06- | 6 | 1.0 | 7 | 5.0 | | 10.0 | |
| OUTFALL-07-24-06- | 6 | 1.0 | 7 | 5.0 | | 10.0 | |
| OUTFALL-07-25-06- | 7 | 1.0 | 7 | 5.0 | | 10.0 | |
| OUTFALL-07-26-06- | 6 | 1.0 | 8 | 5.0 | | 10.0 | |
| OUTFALL-07-27-06- | 6 | 1.0 | 8 | 5.0 | | 10.0 | |
| OUTFALL-07-30-06- | 8 | 1.0 | 6 | 5.0 | | 10.0 | |
| OUTFALL-07-31-06- | 7 | 1.0 | 6 | 5.0 | | 10.0 | |
| C2 | | | | | | | |
| MW-25s-07-27-06-09:35 | 1220 | 1.0 | | 5.0 | | 10.0 | |
| MW-26-07-10-06-12:45 | 2 | 1.0 | | 5.0 | | 10.0 | |
| C3 | | | | | | | |
| MW-3d-07-20-06-08:45 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-4s-07-25-06-09:05 | 2 | 1.0 | | 5.0 | | 10.0 | |
| MW-5d-07-25-06-12:00 | 42,600 | 1.0 | | 5.0 | | 10.0 | |
| MW-11i-07-10-06-13:50 | 67 | 1.0 | | 5.0 | | 10.0 | |
| MW-12d-07-25-06-07:35 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-15s-07-07-06-14:25 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-27-07-25-06-09:35 | 13 | 1.0 | | 5.0 | | 10.0 | |
| MW-34s-07-10-06-14:20 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-35-07-11-06-14:15 | 6 | 1.0 | | 5.0 | | 10.0 | |
| MW-36-07-11-06-13:20 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-37-07-11-06-13:45 | 189 | 1.0 | | 5.0 | | 10.0 | |
| MW-38s-07-11-06-12:50 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-39s-07-10-06-09:35 | 52 | 1.0 | | 5.0 | | 10.0 | |
| D0 | | | | | | | |
| ARTESIAN #3-07-10-06-10:25 | 23 | 1.0 | | 5.0 | | 10.0 | |
| MW-53i-07-07-06-12:05 | 47 | 1.0 | | 5.0 | | 10.0 | |

| Sample Name - Date Sampled - Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments |
|---|---------------------------|------------|-----------------------|------------|-----------------------|------------|--------------------------|
| D0 | | | | | | | |
| 4141 Jackson Rd-07-19-06-09:00 | 8 | 1.0 | | 5.0 | | 10.0 | |
| 4560 Jackson Rd-07-11-06- | See Comments | 1.0 | | 5.0 | | 10.0 | Hooked up to city water. |
| 5005 Jackson Rd-07-24-06-09:20 | 47 | 1.0 | | 5.0 | | 10.0 | |
| 5115 Jackson Rd-07-10-06-10:45 | nd | 1.0 | | 5.0 | | 10.0 | |
| 4401 Park West-07-24-06-09:00 | 14 | 1.0 | | 5.0 | | 10.0 | |
| A2 Cleaning Supply-07-07-06-11:35 | 116 | 1.0 | | 5.0 | | 10.0 | |
| D2 | | | | | | | |
| MW-9d-07-20-06-08:10 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-13-07-10-06-08:30 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-14d-07-20-06-07:20 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-17-07-07-06-13:55 | 419 | 1.0 | | 5.0 | | 10.0 | |
| MW-34d-07-10-06-14:45 | 1 | 1.0 | | 5.0 | | 10.0 | |
| MW-38d-07-11-06-12:25 | 198 | 1.0 | | 5.0 | | 10.0 | |
| MW-39d-07-10-06-10:00 | 169 | 1.0 | | 5.0 | | 10.0 | |
| MW-47s-07-11-06-10:50 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-47d-07-11-06-10:20 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-54d-07-20-06-13:30 | 30 | 1.0 | | 5.0 | | 10.0 | |
| MW-56s-07-07-06-12:55 | 222 | 1.0 | | 5.0 | | 10.0 | |
| MW-77-07-20-06-14:05 | 455 | 1.0 | | 5.0 | | 10.0 | |
| MW-92-07-17-06-11:25 | 20 | 1.0 | | 5.0 | | 10.0 | |
| MW-94s-07-21-06-08:05 | 2610 | 1.0 | | 5.0 | | 10.0 | |
| MW-KD-1s-07-25-06-08:03 | 27 | 1.0 | | 5.0 | | 10.0 | |
| MW-KD-1d-07-25-06-08:25 | 122 | 1.0 | | 5.0 | | 10.0 | |
| 545 Allison-07-05-06-09:00 | 5 | 1.0 | | 5.0 | | 10.0 | |
| 593 Allison-07-17-06-12:20 | 113 | 1.0 | | 5.0 | | 10.0 | |
| 170 Aprill-07-10-06-09:00 | 24 | 1.0 | | 5.0 | | 10.0 | |
| 430 Barber West-07-20-06-14:30 | 122 | 1.0 | | 5.0 | | 10.0 | |
| MW-400 Clarendon-07-24-06-12:08 | nd | 1.0 | | 5.0 | | 10.0 | |

| Sample Name - Date Sampled - Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments |
|---|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|
| D2 | | | | | | | |
| 2643 Dexter Rd-07-19-06-13:50 | nd | 1.0 | | 5.0 | | 10.0 | |
| 2652 Dexter Rd-07-17-06-13:25 | 5 | 1.0 | | 5.0 | | 10.0 | |
| 465 Dupont-07-14-06-14:20 | 424 | 1.0 | | 5.0 | | 10.0 | |
| 3245 Kingwood-07-20-06-12:45 | 5 | 1.0 | | 5.0 | | 10.0 | |
| 305 Pinewood-07-19-06-13:35 | nd | 1.0 | | 5.0 | | 10.0 | |
| 354 Pinewood-07-14-06-14:45 | 4 | 1.0 | | 5.0 | | 10.0 | |
| 2950 Valley-07-24-06-10:30 | nd | 1.0 | | 5.0 | | 10.0 | |
| E | | | | | | | |
| MW-30d-07-19-06-09:50 | 1000 | 1.0 | | 5.0 | | 10.0 | |
| MW-71-07-14-06-10:40 | 738 | 1.0 | | 5.0 | | 10.0 | |
| MW-72s-07-14-06-11:15 | 56 | 1.0 | | 5.0 | | 10.0 | |
| MW-72d-07-14-06-11:55 | 3104 | 1.0 | | 5.0 | | 10.0 | |
| MW-76s-07-11-06-09:35 | 125 | 1.0 | | 5.0 | | 10.0 | |
| MW-76i-07-11-06-09:17 | 11 | 1.0 | | 5.0 | | 10.0 | |
| MW-76d-07-11-06-08:37 | 2 | 1.0 | | 5.0 | | 10.0 | |
| MW-79s-07-05-06-12:35 | 1024 | 1.0 | | 5.0 | | 10.0 | |
| MW-81-07-05-06-14:20 | 363 | 1.0 | | 5.0 | | 10.0 | |
| MW-82s-07-17-06-14:10 | 29 | 1.0 | | 5.0 | | 10.0 | |
| MW-83s-07-14-06-07:53 | 289 | 1.0 | | 5.0 | | 10.0 | |
| MW-83d-07-14-06-08:35 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-84s-07-17-06-09:55 | 431 | 1.0 | | 5.0 | | 10.0 | |
| MW-84d-07-17-06-09:25 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-85-07-17-06-08:42 | 2437 | 1.0 | | 5.0 | | 10.0 | |
| MW-86-07-19-06-10:30 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-87s-07-05-06-12:55 | 1154 | 1.0 | | 5.0 | | 10.0 | |
| MW-87d-07-05-06-13:23 | 465 | 1.0 | | 5.0 | | 10.0 | |
| MW-88-07-05-06-10:15 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-89-07-05-06-10:55 | nd | 1.0 | | 5.0 | | 10.0 | |

| Sample Name - Date Sampled - Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments |
|--|---------------------------|------------|-----------------------|------------|-----------------------|------------|------------------------------------|
| E | | | | | | | |
| MW-90-07-05-06-12:00 | 12 | 1.0 | | 5.0 | | 10.0 | |
| MW-91-07-14-06-13:45 | 2 | 1.0 | | 5.0 | | 10.0 | |
| MW-94d-07-21-06-07:48 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-95-07-21-06-09:20 | 238 | 1.0 | | 5.0 | | 10.0 | |
| MW-96-07-21-06-08:45 | 2473 | 1.0 | | 5.0 | | 10.0 | |
| TW-15-07-07-06-09:45 | 90 | 1.0 | | 5.0 | | 10.0 | |
| SH | | | | | | | |
| MW-5s-07-25-06-10:35 | See Comments | 1.0 | | 5.0 | | 10.0 | No sample taken - not enough water |
| SW | | | | | | | |
| MW-8d-07-25-06-10:15 | nd | 1.0 | | 5.0 | | 10.0 | |
| MW-10s-07-10-06-12:20 | 35 | 1.0 | | 5.0 | | 10.0 | |
| MW-45s-07-10-06-13:00 | 63 | 1.0 | | 5.0 | | 10.0 | |
| MW-78-07-27-06-08:45 | 41 | 1.0 | | 5.0 | | 10.0 | |
| Not Determined | | | | | | | |
| MW-79d-07-14-06-09:37 | 78 | 1.0 | | 5.0 | | 10.0 | |
| MW-101-07-05-06-09:38 | 373 | 1.0 | | 5.0 | | 10.0 | |
| 2601 Dexter-07-24-06-12:55 | 4 | 1.0 | | 5.0 | | 10.0 | |
| First Sister Lake-07-07-06-07:45 | 16 | 1.0 | | 5.0 | | 10.0 | |
| First Sister Lake-07-24-06-07:50 | 20 | 1.0 | | 5.0 | | 10.0 | |
| None | | | | | | | |
| 3050 Jackson Rd-07-27-06-10:30 | 329 | 1.0 | | 5.0 | | 10.0 | |
| Weber's Drain 1st Sister Lake-07-24-06-07:40 | See Comments | 1.0 | | 5.0 | | 10.0 | Failed analysis. Resample. |
| Maple-Inj-07-03-06-08:37 | 12 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-04-06-17:07 | 16 | 1.0 | 5 | 5.0 | | 10.0 | |
| Maple-Inj-07-05-06-09:10 | 10 | 1.0 | 7 | 5.0 | | 10.0 | |
| Maple-Inj-07-06-06-08:00 | 9 | 1.0 | 7 | 5.0 | | 10.0 | |
| Maple-Inj-07-07-06-08:25 | 10 | 1.0 | 10 | 5.0 | | 10.0 | |
| Maple-Inj-07-10-06-08:45 | 12 | 1.0 | 9 | 5.0 | | 10.0 | |

| Sample Name - Date Sampled - Time Sampled | 1,4-Dioxane Results (ppb) | R.L. (ppb) | Bromate Results (ppb) | R.L. (ppb) | Bromide Results (ppb) | R.L. (ppb) | Comments |
|---|---------------------------|------------|-----------------------|------------|-----------------------|------------|----------|
| None | | | | | | | |
| Maple-Inj-07-11-06-08:25 | 13 | 1.0 | 8 | 5.0 | | 10.0 | |
| Maple-Inj-07-12-06-08:45 | 14 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-13-06-09:30 | 13 | 1.0 | 8 | 5.0 | | 10.0 | |
| Maple-Inj-07-14-06-09:40 | 14 | 1.0 | 7 | 5.0 | | 10.0 | |
| Maple-Inj-07-17-06-08:45 | 17 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-18-06-09:50 | 16 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-19-06-10:20 | 14 | 1.0 | 7 | 5.0 | | 10.0 | |
| Maple-Inj-07-20-06-07:40 | 16 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-21-06-08:00 | 15 | 1.0 | 7 | 5.0 | | 10.0 | |
| Maple-Inj-07-24-06-08:10 | 14 | 1.0 | 7 | 5.0 | | 10.0 | |
| Maple-Inj-07-25-06-08:55 | 20 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-26-06-10:10 | 21 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-27-06-08:45 | 19 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-28-06-10:00 | 18 | 1.0 | 6 | 5.0 | | 10.0 | |
| Maple-Inj-07-31-06-07:00 | 20 | 1.0 | 5 | 5.0 | | 10.0 | |
| Maple-Inj-07-31-06-12:00 | 34 | 1.0 | 5 | 5.0 | | 10.0 | |

nd=Not detected at or above the Reporting Limit (R.L.)

1,4-Dioxane Precision and Accuracy Control Charting

| Analysis Date | Method Blank | CVS True Value | CVS Result | CVS % Recovery | LFB True Value: | LFB Result: | LFB % Recovery: | Sample Result: | MS/MSD True Value: | MS Result: | MSD Result: | MS % Recovery: | MSD % Recovery: | MS/MSD Mean: | MS/MSD RSD: | MS/MSD RPD: |
|---------------|--------------|----------------|------------|----------------|-----------------|-------------|-----------------|----------------|--------------------|------------|-------------|----------------|-----------------|--------------|-------------|-------------|
| 7/5/2006 | 0 | 10.00 | 9.17 | 91.7% | 10.00 | 9.37 | 93.7 | 4.36 | 10.00 | 13.87 | 12.75 | 95.1 | 83.9 | 13.31 | 5.95 | 8.41% |
| 7/6/2006 | 0 | 10.00 | 9.14 | 91.4% | 10.00 | 10.76 | 107.6 | 4.15 | 10.00 | 12.77 | 13.67 | 86.2 | 95.2 | 13.22 | 4.81 | 6.81% |
| 7/7/2006 | 0 | 10.00 | 9.09 | 90.9% | 10.00 | 9.47 | 94.7 | 4.44 | 10.00 | 13.34 | 14.39 | 89 | 99.5 | 13.87 | 5.35 | 7.57% |
| 7/10/2006 | 0 | 10.00 | 9.31 | 93.1% | 10.00 | 9.61 | 96.1 | 5.36 | 10.00 | 15.90 | 15.94 | 105.4 | 105.8 | 15.92 | 0.18 | 0.25% |
| 7/11/2006 | 0 | 10.00 | 9.25 | 92.5% | 10.00 | 10.00 | 100 | 5.25 | 10.00 | 15.26 | 14.23 | 100.1 | 89.8 | 14.75 | 4.94 | 6.99% |
| 7/12/2006 | 0 | 10.00 | 9.32 | 93.2% | 10.00 | 9.45 | 94.5 | 5.21 | 10.00 | 14.93 | 14.30 | 97.2 | 90.9 | 14.62 | 3.05 | 4.31% |
| 7/13/2006 | 0 | 10.00 | 9.01 | 90.1% | 10.00 | 9.93 | 99.3 | 4.82 | 10.00 | 15.53 | 15.84 | 107.1 | 110.2 | 15.69 | 1.40 | 1.98% |
| 7/14/2006 | 0 | 10.00 | 9.10 | 91.0% | 10.00 | 11.24 | 112.4 | 6.70 | 10.00 | 17.08 | 17.76 | 103.8 | 110.6 | 17.42 | 2.76 | 3.90% |
| 7/17/2006 | 0 | 10.00 | 8.67 | 86.7% | 10.00 | 9.96 | 99.6 | 5.21 | 10.00 | 15.58 | 16.16 | 103.7 | 109.5 | 15.87 | 2.58 | 3.65% |
| | 0 | 10.00 | 9.44 | 94.4% | 10.00 | 9.52 | 95.2 | | 10.00 | | | | | | | |
| 7/18/2006 | 0 | 10.00 | 9.60 | 96.0% | 10.00 | 8.85 | 88.5 | 5.04 | 10.00 | 14.26 | 14.21 | 92.2 | 91.7 | 14.24 | 0.25 | 0.35% |
| 7/19/2006 | 0 | 10.00 | 8.47 | 84.7% | 10.00 | 8.74 | 87.4 | 8.09 | 10.00 | | | | | | | |
| 7/21/2006 | 0 | 10.00 | 9.21 | 92.1% | 10.00 | 9.56 | 95.6 | 5.40 | 10.00 | 16.39 | 16.54 | 109.9 | 111.4 | 16.47 | 0.64 | 0.91% |
| 7/28/2006 | 0 | 10.00 | 9.88 | 98.8% | 10.00 | 9.69 | 96.9 | 6.15 | 10.00 | 15.94 | 17.52 | 97.9 | 113.7 | 16.73 | 6.68 | 9.44% |
| 7/31/2006 | 0 | 10.00 | 9.66 | 96.6% | 10.00 | 9.76 | 97.6 | 7.64 | 10.00 | | | | | | | |

CVS Mean: 9.22 CVS Standard Dev: 0.36 3 Standard Dev.: 1.07 Lower Control Limit: 8.15 Upper Control Limit: 10.29