

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
EXTRACTION WELLS							
AE-3-03-08-07-07:21	79	1.0		5.0		10.0	
HZ-S-03-05-07-09:30	1310	1.0		5.0		10.0	
LB-1-03-05-07-08:20	500	1.0		5.0		10.0	
LB-3-03-05-07-08:23	542	1.0		5.0		10.0	
PW-1-03-05-07-09:52	1264	1.0		5.0		10.0	
DOLPH-03-05-07-08:40	101	1.0		5.0		10.0	
TW-5-03-05-07-08:50	968	1.0		5.0		10.0	
TW-6-03-05-07-09:54	157	1.0		5.0		10.0	
TW-8-03-05-07-08:20	634	1.0		5.0		10.0	
TW-9-03-05-07-09:25	1517	1.0		5.0		10.0	
TW-10-03-05-07-09:10	1784	1.0		5.0		10.0	
TW-11-03-05-07-08:52	328	1.0		5.0		10.0	
TW-12-03-05-07-09:00	48	1.0		5.0		10.0	
TW-13-03-05-07-09:40	558	1.0		5.0		10.0	
TW-14-03-05-07-09:20	184	1.0		5.0		10.0	
TW-17-03-05-07-09:15	169	1.0		5.0		10.0	
TW-18-03-05-07-09:56	834	1.0		5.0		10.0	
TW-19-03-05-07-07:49	766	1.0	nd	5.0		10.0	
TW-19-03-12-07-08:40	750	1.0	nd	5.0		10.0	
TW-19-03-19-07-07:50	759	1.0	nd	5.0		10.0	
TW-19-03-26-07-07:50	752	1.0	nd	5.0		10.0	
TW-20-03-05-07-09:07	4639	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
TEMPORARY EXTRACTION WELLS							
MW-50-03-05-07-08:23	347	1.0		5.0		10.0	
SW-COMB-03-05-07-09:50	606	1.0		5.0		10.0	
RED POND							
Red Pond-03-05-07-07:39	879	1.0		5.0	100	10.0	
Red Pond-03-12-07-08:15	855	1.0		5.0	124	10.0	
Red Pond-03-19-07-09:05	868	1.0		5.0	122	10.0	
Red Pond-03-26-07-08:05	849	1.0		5.0	117	10.0	
OUTFALL001							
OUTFALL-03-01-07-	6	1.0	5	5.0		10.0	
OUTFALL-03-04-07-	5	1.0	8	5.0		10.0	
OUTFALL-03-05-07-	4	1.0	nd	5.0		10.0	
OUTFALL-03-06-07-	5	1.0	6	5.0		10.0	
OUTFALL-03-07-07-	5	1.0	nd	5.0		10.0	
OUTFALL-03-08-07-	5	1.0	nd	5.0		10.0	
OUTFALL-03-11-07-	5	1.0	6	5.0		10.0	
OUTFALL-03-12-07-	4	1.0	7	5.0		10.0	
OUTFALL-03-13-07-	5	1.0	6	5.0		10.0	
OUTFALL-03-14-07-	5	1.0	9	5.0		10.0	
OUTFALL-03-15-07-	4	1.0	7	5.0		10.0	
OUTFALL-03-18-07-	5	1.0	8	5.0		10.0	
OUTFALL-03-19-07-	4	1.0	7	5.0		10.0	
OUTFALL-03-20-07-	4	1.0	7	5.0		10.0	
OUTFALL-03-21-07-	4	1.0	8	5.0		10.0	
OUTFALL-03-22-07-	4	1.0	7	5.0		10.0	
OUTFALL-03-25-07-	4	1.0	8	5.0		10.0	
OUTFALL-03-26-07-	5	1.0	7	5.0		10.0	
OUTFALL-03-27-07-	5	1.0	6	5.0		10.0	
OUTFALL-03-28-07-	5	1.0	7	5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
OUTFALL001							
OUTFALL-03-29-07-	4	1.0	7	5.0		10.0	
D0							
MW-53I-03-05-07-13:25	60	1.0		5.0		10.0	
A2 Cleaning Supply-03-06-07-13:30	105	1.0		5.0		10.0	
D2							
MW-92-03-05-07-14:10	20	1.0		5.0		10.0	
545 Allison-03-20-07-12:45	11	1.0		5.0		10.0	
E							
MW-79s-03-21-07-12:55	229	1.0		5.0		10.0	
MW-81-03-21-07-13:30	424	1.0		5.0		10.0	
MW-85-03-21-07-14:10	1246	1.0		5.0		10.0	
MW-88-03-21-07-12:25	429	1.0		5.0		10.0	
MW-89-03-20-07-13:20	nd	1.0		5.0		10.0	
MW-90-03-20-07-13:50	29	1.0		5.0		10.0	
MW-91-03-20-07-11:55	2	1.0		5.0		10.0	
MW-107-03-20-07-12:25	56	1.0		5.0		10.0	
MW-108s-03-14-07-09:35	2754	1.0		5.0		10.0	
MW-108d-03-14-07-10:10	3993	1.0		5.0		10.0	
TW-15-03-21-07-11:25	111	1.0		5.0		10.0	
Not Determined							
MW-100-03-22-07-07:55	28	1.0		5.0		10.0	
MW-101-03-20-07-10:40	348	1.0		5.0		10.0	
MW-104-03-20-07-11:15	nd	1.0		5.0		10.0	
697 South Wagner Rd-03-14-07-14:45	nd	1.0		5.0		10.0	
None							
HC/HR-03-01-07-09:35	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-02-07-07:35	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-05-07-07:50	See Comments	1.0	nd	2.0		10.0	Bromate Only

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
None							
HC/HR-03-06-07-07:25	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-07-07-08:10	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-08-07-09:05	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-09-07-09:20	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-12-07-09:30	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-13-07-07:30	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-14-07-08:05	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-15-07-07:25	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-16-07-09:00	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-19-07-09:00	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-20-07-08:45	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-21-07-07:50	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-22-07-08:10	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-23-07-07:50	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-26-07-08:30	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-27-07-07:50	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-28-07-08:40	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-29-07-07:50	See Comments	1.0	nd	2.0		10.0	Bromate Only
HC/HR-03-30-07-08:20	See Comments	1.0	nd	2.0		10.0	Bromate Only
616 Allison-03-28-07-10:30	nd	1.0		5.0		10.0	
Maple-Inj-03-01-07-12:15	10	1.0	nd	5.0		10.0	
Maple-Inj-03-02-07-08:06	10	1.0	7	5.0		10.0	
Maple-Inj-03-05-07-07:47	9	1.0	10	5.0		10.0	
Maple-Inj-03-05-07-11:20	See Comments	1.0	5	5.0		10.0	Bromate Only
Maple-Inj-03-06-07-07:42	8	1.0	8	5.0		10.0	
Maple-Inj-03-07-07-07:55	11	1.0	6	5.0		10.0	
Maple-Inj-03-08-07-07:54	11	1.0	nd	5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
None							
Maple-Inj-03-09-07-07:55	15	1.0	nd	5.0		10.0	
Maple-Inj-03-12-07-08:35	12	1.0	nd	5.0		10.0	
Maple-Inj-03-13-07-08:00	17	1.0	nd	5.0		10.0	
Maple-Inj-03-14-07-08:15	10	1.0	5	5.0		10.0	
Maple-Inj-03-15-07-07:00	7	1.0	8	5.0		10.0	
Maple-Inj-03-16-07-08:20	11	1.0	6	5.0		10.0	
Maple-Inj-03-19-07-07:55	15	1.0	nd	5.0		10.0	
Maple-Inj-03-20-07-08:00	13	1.0	nd	5.0		10.0	
Maple-Inj-03-21-07-07:25	12	1.0	5	5.0		10.0	
Maple-Inj-03-21-07-14:30	12	1.0	7	5.0		10.0	
Maple-Inj-03-22-07-08:00	18	1.0	nd	5.0		10.0	
Maple-Inj-03-23-07-08:25	10	1.0	nd	5.0		10.0	
Maple-Inj-03-26-07-07:50	11	1.0	6	5.0		10.0	
Maple-Inj-03-27-07-07:50	11	1.0	6	5.0		10.0	
Maple-Inj-03-28-07-07:42	8	1.0	6	5.0		10.0	
Maple-Inj-03-29-07-07:45	10	1.0	6	5.0		10.0	
Maple-Inj-03-30-07-08:15	10	1.0	5	5.0		10.0	

nd=Not detected at or above the Reporting Limit (R.L.)

1,4-Dioxane Precision and Accuracy Control Charting

<i>Analysis Date</i>	<i>Method Blank</i>	<i>CVS True Value</i>	<i>CVS Result</i>	<i>CVS % Recovery</i>	<i>LFB True Value:</i>	<i>LFB Result:</i>	<i>LFB % Recovery:</i>	<i>Sample Result:</i>	<i>MS/MSD True Value:</i>	<i>MS Result:</i>	<i>MSD Result:</i>	<i>MS % Recovery:</i>	<i>MSD % Recovery:</i>	<i>MS/MSD Mean:</i>	<i>MS/MSD RSD:</i>	<i>MS/MSD RPD:</i>
3/1/2007	0	10.00	8.95	89.5%	10.00	8.99	89.9	10.25	10.00	21.10	21.56	108.5	113.1	21.33	1.52	2.16%
3/2/2007	0	10.00	9.07	90.7%	10.00	9.07	90.7	5.54	10.00	15.69	15.69	101.5	101.5	15.69	0.00	0.00%
3/5/2007	0	10.00	9.43	94.3%	10.00	9.17	91.7	5.23	10.00	15.26	15.37	100.3	101.4	15.32	0.51	0.72%
	0	10.00			10.00	10.77	107.7		10.00							
3/6/2007	0	10.00	9.46	94.6%	10.00	9.10	91	3.84	10.00	15.31	15.44	114.7	116	15.38	0.60	0.85%
3/7/2007	0	10.00	9.54	95.4%	10.00	9.35	93.5	4.91	10.00	15.59	15.66	106.8	107.5	15.63	0.32	0.45%
	0	10.00			10.00	11.23	112.3		10.00							
3/8/2007	0	10.00	9.86	98.6%	10.00	11.07	110.7	4.92	10.00	16.18	15.49	112.6	105.7	15.84	3.08	4.36%
	0	10.00			10.00	9.86	98.6		10.00							
3/9/2007	0	10.00	10.23	102.3%	10.00	10.02	100.2	5.04	10.00	15.72	15.53	106.8	104.9	15.63	0.86	1.22%
3/12/2007	0	10.00	10.44	104.4%	10.00	10.39	103.9	4.80	10.00	15.87	16.65	110.7	118.5	16.26	3.39	4.80%
3/13/2007	0	10.00	10.97	109.7%	10.00	11.01	110.1	4.44	10.00	16.43	16.88	119.9	124.4	16.66	1.91	2.70%
3/14/2007	0	10.00	11.35	113.5%	10.00	11.31	113.1	5.06	10.00	17.37	18.08	123.1	130.2	17.73	2.83	4.01%
3/15/2007	0	10.00	11.77	117.7%	10.00	11.30	113	4.71	10.00	17.65	17.38	129.4	126.7	17.52	1.09	1.54%
3/16/2007	0	10.00	10.49	104.9%	10.00	10.27	102.7	4.40	10.00	13.82	14.82	94.2	104.2	14.32	4.94	6.98%
3/19/2007	0	10.00	9.15	91.5%	10.00	9.23	92.3	4.72	10.00	14.58	14.84	98.6	101.2	14.71	1.25	1.77%
3/20/2007	0	10.00	9.25	92.5%	10.00	9.02	90.2	4.37	10.00	14.39	14.64	100.2	102.7	14.52	1.22	1.72%
3/21/2007	0	10.00	9.28	92.8%	10.00	9.03	90.3	4.52	10.00	14.32	14.00	98	94.8	14.16	1.60	2.26%
	0	10.00			10.00	9.72	97.2		10.00							
3/22/2007	0	10.00	9.28	92.8%	10.00	9.22	92.2	4.56	10.00	14.63	14.79	100.7	102.3	14.71	0.77	1.09%
	0	10.00			10.00	9.73	97.3		10.00							
3/23/2007	0	10.00	9.16	91.6%	10.00	8.81	88.1	4.12	10.00	14.27	14.04	101.5	99.2	14.16	1.15	1.62%
3/26/2007	0	10.00	8.89	88.9%	10.00	9.31	93.1	3.91	10.00	14.01	13.90	101	99.9	13.96	0.56	0.79%
	0	10.00			10.00	9.25	92.5		10.00							
3/27/2007	0	10.00	9.44	94.4%	10.00	9.21	92.1	4.76	10.00	14.93	15.00	101.7	102.4	14.97	0.33	0.47%

CVS Mean: 9.74 CVS Standard Dev: 0.82 3 Standard Dev.: 2.47 Lower Control Limit: 7.26 Upper Control Limit: 12.21

<i>Analysis Date</i>	<i>Method Blank</i>	<i>CVS True Value</i>	<i>CVS Result</i>	<i>CVS % Recovery</i>	<i>LFB True Value:</i>	<i>LFB Result:</i>	<i>LFB % Recovery:</i>	<i>Sample Result:</i>	<i>MS/MSD True Value:</i>	<i>MS Result:</i>	<i>MSD Result:</i>	<i>MS % Recovery:</i>	<i>MSD % Recovery:</i>	<i>MS/MSD Mean:</i>	<i>MS/MSD RSD:</i>	<i>MS/MSD RPD:</i>
3/28/2007	0	10.00	9.06	90.6%	10.00	8.85	88.5	4.62	10.00	14.42	14.72	98	101	14.57	1.46	2.06%
3/29/2007	0	10.00	9.37	93.7%	10.00	9.25	92.5	4.41	10.00	14.48	14.81	100.7	104	14.65	1.59	2.25%

CVS Mean: 9.74 CVS Standard Dev: 0.82 3 Standard Dev.: 2.47 Lower Control Limit: 7.26 Upper Control Limit: 12.21