

Sample Analysis Report

April, 2010

Analyst Initials

R
10/07/10

Date

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
Extraction Wells							
AE-3-04-05-10-12:44	119	1.0		5.0		10.0	
HZ-S-04-05-10-11:25	922	1.0		5.0		10.0	
LB-1-04-05-10-12:40	544	1.0		5.0		10.0	
LB-3-04-05-10-12:42	503	1.0		5.0		10.0	
PW-1-04-05-10-11:56	723	1.0		5.0		10.0	
SW-COMB-04-05-10-11:50	528	1.0		5.0		10.0	
DOLPH-04-05-10-11:52	80	1.0		5.0		10.0	
TW-5-04-05-10-12:59	917	1.0		5.0		10.0	
TW-8-04-05-10-14:30	513	1.0		5.0		10.0	
TW-9-04-05-10-11:12	975	1.0		5.0		10.0	
TW-10-04-05-10-11:07	712	1.0		5.0		10.0	
TW-13-04-05-10-12:05	649	1.0		5.0		10.0	
TW-14-04-05-10-11:31	110	1.0		5.0		10.0	
TW-17-04-05-10-11:35	100	1.0		5.0		10.0	
TW-18-04-05-10-11:54	322	1.0		5.0		10.0	
TW-19-04-05-10-09:30	760	1.0		5.0		10.0	
TW-19-04-12-10-08:00	786	1.0		5.0		10.0	
TW-19-04-19-10-08:10	772	1.0		5.0		10.0	
TW-19-04-26-10-10:05	726	1.0		5.0		10.0	
TW-20-04-05-10-11:40	1660	1.0		5.0		10.0	
RED POND							
Red Pond-04-02-10-08:30		1.0	nd	5.0		10.0	
Red Pond-04-05-10-07:40	517	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
RED POND							
Red Pond-04-12-10-07:45	545	1.0		5.0		10.0	
Red Pond-04-19-10-08:15	529	1.0		5.0		10.0	
Red Pond-04-26-10-08:05	551	1.0		5.0		10.0	
OUTFALL001							
OUTFALL-04-01-10-	5	1.0	nd	5.0		10.0	
OUTFALL-04-04-10-	4	1.0	6	5.0		10.0	
OUTFALL-04-05-10-	5	1.0	6	5.0		10.0	
OUTFALL-04-06-10-	5	1.0	6	5.0		10.0	
OUTFALL-04-07-10-	5	1.0	6	5.0		10.0	
OUTFALL-04-08-10-	5	1.0	6	5.0		10.0	
OUTFALL-04-11-10-	5	1.0	6	5.0		10.0	
OUTFALL-04-12-10-	5	1.0	6	5.0		10.0	
OUTFALL-04-13-10-	4	1.0	6	5.0		10.0	
OUTFALL-04-14-10-	5	1.0	5	5.0		10.0	
OUTFALL-04-15-10-	5	1.0	5	5.0		10.0	
OUTFALL-04-18-10-	5	1.0	5	5.0		10.0	
OUTFALL-04-19-10-	5	1.0	5	5.0		10.0	
OUTFALL-04-20-10-	4	1.0	6	5.0		10.0	
OUTFALL-04-21-10-	5	1.0	6	5.0		10.0	
OUTFALL-04-22-10-	4	1.0	8	5.0		10.0	
OUTFALL-04-25-10-	4	1.0	7	5.0		10.0	
OUTFALL-04-26-10-	4	1.0	nd	5.0		10.0	
OUTFALL-04-27-10-	5	1.0	7	5.0		10.0	
OUTFALL-04-28-10-	5	1.0	5	5.0		10.0	
OUTFALL-04-29-10-	5	1.0	5	5.0		10.0	
Injection Wells							
Maple-Inj-04-01-10-08:40	8	1.0	5	5.0		10.0	
Maple-Inj-04-05-10-09:30	6	1.0	6	5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
Injection Wells							
Maple-Inj-04-08-10-08:05	6	1.0	5	5.0		10.0	
Maple-Inj-04-12-10-08:00	7	1.0	nd	5.0		10.0	
Maple-Inj-04-15-10-08:15	6	1.0	nd	5.0		10.0	
Maple-Inj-04-19-10-08:10	4	1.0	6	5.0		10.0	
Maple-Inj-04-22-10-08:15	5	1.0	6	5.0		10.0	
Maple-Inj-04-26-10-10:00	6	1.0	7	5.0		10.0	
Maple-Inj-04-29-10-08:05	5	1.0	6	5.0		10.0	
A-Series Wells							
MW-112s-04-19-10-10:10	nd	1.0		5.0		10.0	
MW-112i-04-19-10-11:50	4	1.0		5.0		10.0	
MW-112d-04-19-10-11:05	nd	1.0		5.0		10.0	
C3							
TW-1-04-05-10-11:58	131	1.0		5.0		10.0	
D0							
MW-53i-04-20-10-13:15	34	1.0		5.0		10.0	
A2 Cleaning Supply-04-01-10-13:20	88	1.0		5.0		10.0	
D2							
MW-17-04-05-10-14:20	812	1.0		5.0		10.0	
MW-30i-04-21-10-13:45	nd	1.0		5.0		10.0	
MW-47s-04-22-10-13:25	nd	1.0		5.0		10.0	
MW-47d-04-22-10-13:55	nd	1.0		5.0		10.0	
MW-56s-04-20-10-09:40	95	1.0		5.0		10.0	
MW-92-04-14-10-13:45	17	1.0		5.0		10.0	
MW-94s-04-23-10-12:05	1754	1.0		5.0		10.0	
MW-113-04-14-10-14:30	40	1.0		5.0		10.0	
MW-118-04-22-10-11:35	158	1.0		5.0		10.0	
3365 Jackson Rd-04-19-10-14:45	267	1.0		5.0		10.0	
E							

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
E							
MW-30d-04-21-10-14:50	1084	1.0		5.0		10.0	
MW-71-04-15-10-13:55	1483	1.0		5.0		10.0	
MW-72s-04-12-10-13:55	17	1.0		5.0		10.0	
MW-72d-04-12-10-14:45	3004	1.0		5.0		10.0	
MW-79s-04-08-10-12:00	256	1.0		5.0		10.0	
MW-79d-04-08-10-11:20	6	1.0		5.0		10.0	
MW-81-04-13-10-14:15	518	1.0		5.0		10.0	
MW-82s-04-13-10-13:30	71	1.0		5.0		10.0	
MW-83s-04-05-10-13:45	554	1.0		5.0		10.0	
MW-84s-04-15-10-10:50	778	1.0		5.0		10.0	
MW-84d-04-15-10-10:15	nd	1.0		5.0		10.0	
MW-85-04-08-10-14:35	1995	1.0		5.0		10.0	
MW-87s-04-07-10-13:55	352	1.0		5.0		10.0	
MW-87d-04-07-10-14:35	634	1.0	nd	5.0		10.0	
MW-88-04-13-10-09:35	357	1.0		5.0		10.0	
MW-90-04-13-10-14:50	45	1.0		5.0		10.0	
MW-91-04-13-10-11:50	18	1.0		5.0		10.0	
MW-94d-04-23-10-10:10	nd	1.0		5.0		10.0	
MW-95-04-23-10-13:50	78	1.0		5.0		10.0	
MW-96-04-23-10-13:05	31	1.0		5.0		10.0	
MW-98s-04-19-10-13:00	nd	1.0		5.0		10.0	
MW-98d-04-19-10-13:40	9	1.0		5.0		10.0	
MW-100-04-12-10-11:05	483	1.0		5.0		10.0	
MW-101-04-12-10-11:50	444	1.0		5.0		10.0	
MW-104-04-22-10-14:35	nd	1.0		5.0		10.0	
MW-108s-04-15-10-12:05	1868	1.0		5.0		10.0	
MW-108d-04-15-10-12:55	2492	1.0		5.0		10.0	
MW-110-04-22-10-15:10	29	1.0		5.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
E							
MW-115-04-05-10-11:40	669	1.0		5.0		10.0	
MW-116-04-05-10-11:00	554	1.0		5.0		10.0	
MW-117-04-22-10-12:10	nd	1.0		5.0		10.0	
MW-119-04-13-10-10:50	216	1.0		5.0		10.0	
TW-11-04-05-10-13:01	260	1.0		5.0		10.0	
TW-15-04-06-10-12:00	165	1.0		5.0		10.0	
SW							
MW-45s-04-20-10-11:35	8	1.0		5.0		10.0	
MW-45d-04-20-10-11:10	1433	1.0		5.0		10.0	
MW-52s-04-20-10-10:40	1060	1.0		5.0		10.0	
MW-58s-04-20-10-10:20	233	1.0		5.0		10.0	
None							
HC/HR-04-01-10-08:20		1.0	nd	2.0		10.0	
HC/HR-04-05-10-08:15		1.0	nd	2.0		10.0	
HC/HR-04-06-10-07:55		1.0	nd	2.0		10.0	
HC/HR-04-07-10-08:55		1.0	nd	2.0		10.0	
HC/HR-04-08-10-07:45		1.0	nd	2.0		10.0	
HC/HR-04-09-10-07:45		1.0	nd	2.0		10.0	
HC/HR-04-12-10-07:40		1.0	nd	2.0		10.0	
HC/HR-04-13-10-07:40		1.0	nd	2.0		10.0	
HC/HR-04-14-10-07:10		1.0	nd	2.0		10.0	
HC/HR-04-15-10-07:35		1.0	nd	2.0		10.0	
HC/HR-04-16-10-08:30		1.0	nd	2.0		10.0	
HC/HR-04-19-10-07:40		1.0	nd	2.0		10.0	
HC/HR-04-20-10-07:40		1.0	nd	2.0		10.0	
HC/HR-04-21-10-07:25		1.0	nd	2.0		10.0	
HC/HR-04-22-10-07:35		1.0	nd	2.0		10.0	
HC/HR-04-23-10-07:40		1.0	nd	2.0		10.0	

Sample Name - Date Sampled - Time Sampled	1,4-Dioxane Results (ppb)	R.L. (ppb)	Bromate Results (ppb)	R.L. (ppb)	Bromide Results (ppb)	R.L. (ppb)	Comments
None							
HC/HR-04-26-10-09:00		1.0	nd	2.0		10.0	
HC/HR-04-27-10-08:15		1.0	nd	2.0		10.0	
HC/HR-04-28-10-08:10		1.0	nd	2.0		10.0	
HC/HR-04-29-10-08:25		1.0	nd	2.0		10.0	
HC/HR-04-30-10-08:05		1.0	nd	2.0		10.0	

nd=Not detected at or above the Reporting Limit (R.L.)

1,4-Dioxane Precision and Accuracy Control Charting

Analysis Date	Method Blank	CVS True Value	CVS Result	CVS % Recovery	LFB True Value	LFB Result	LFB % Recovery	Sample Result	MS/MSD True Value	MS Result	MSD Result	MS % Recovery	MSD % Recovery	MS/MSD Mean	MS/MSD RSD	MS/MSD RPD
4/1/2010	0	10.00	10.51	105.1%	10.00	10.23	102.3%	7.66	10.00	16.88	17.60	92.2%	99.4%	17.24	4.18%	
4/5/2010	0	10.00	9.78	97.8%	10.00	9.70	97.0%	6.02	10.00	15.46	14.98	94.4%	89.6%	15.22	3.15%	
	0	10.00	9.92	99.2%	10.00	10.81	108.1%		10.00							
4/6/2010	0	10.00	10.94	109.4%	10.00	9.77	97.7%	1.24	10.00	11.41	10.28	101.7%	90.4%	10.85	10.42%	
	0	10.00			10.00	9.38	93.8%		10.00							
4/7/2010	0	10.00	9.62	96.2%	10.00	10.09	100.9%	4.60	10.00	13.75	16.14	91.5%	115.4%	14.95	15.99%	
	0	10.00			10.00	10.72	107.2%		10.00							
4/9/2010	0	10.00	9.95	99.5%	10.00	10.85	108.5%	4.62	10.00	14.66	15.83	100.4%	112.1%	15.25	7.67%	
4/12/2010	0	10.00	10.06	100.6%	10.00	10.77	107.7%	7.45	10.00	17.38	18.97	99.3%	115.2%	18.18	8.75%	
4/13/2010	0	10.00	10.62	106.2%	10.00	9.50	95.0%	5.29	10.00	16.90	16.03	116.1%	107.4%	16.47	5.28%	
4/15/2010	0	10.00	10.25	102.5%	10.00	10.66	106.6%	6.10	10.00	16.09	17.19	99.9%	110.9%	16.64	6.61%	
4/16/2010	0	10.00	9.84	98.4%	10.00	10.00	100.0%	5.10	10.00	15.53	16.19	104.3%	110.9%	15.86	4.16%	
4/19/2010	0	10.00	9.81	98.1%	10.00	10.26	102.6%	4.50	10.00	13.28	13.90	87.8%	94.0%	13.59	4.56%	
4/20/2010	0	10.00	10.55	105.5%	10.00	10.54	105.4%	4.64	10.00	15.58	15.15	109.4%	105.1%	15.37	2.80%	
4/21/2010	0	10.00	9.85	98.5%	10.00	9.74	97.4%	4.44	10.00	13.76	13.24	93.2%	88.0%	13.50	3.85%	
4/22/2010	0	10.00	9.42	94.2%	10.00	9.73	97.3%	4.72	10.00	13.99	14.76	92.7%	100.4%	14.38	5.36%	
4/23/2010	0	10.00	9.37	93.7%	10.00	10.82	108.2%	4.57	10.00	15.53	14.95	109.6%	103.8%	15.24	3.81%	
4/26/2010	0	10.00	9.10	91.0%	10.00	9.41	94.1%	5.64	10.00	14.44	15.05	88.0%	94.1%	14.75	4.14%	
4/27/2010	0	10.00	9.82	98.2%	10.00	10.43	104.3%	4.58	10.00	14.72	14.63	101.4%	100.5%	14.68	0.61%	
4/29/2010	0	10.00	9.53	95.3%	10.00	9.29	92.9%	4.98	10.00	14.50	16.63	95.2%	116.5%	15.57	13.68%	
4/30/2010	0	10.00	10.49	104.9%	10.00	10.43	104.3%	5.05	10.00	14.02	15.32	89.7%	102.7%	14.67	8.86%	

✓
RZ 050710

CVS Mean: **9.97** 2 Standard Dev.: **0.97** Upper Warning Limit: **10.94** Upper Control Limit: **11.42**
 CVS Standard Dev: **0.48** 3 Standard Dev.: **1.45** Lower Warning Limit: **9.00** Lower Control Limit: **8.52**

ALS Laboratory Group

ANALYTICAL CHEMISTRY & TESTING SERVICES



Environmental Division

30-Apr-2010

Jessica Reade
Pall Life Sciences
600 South Wagner Road
Ann Arbor, MI 48103-9019

Re: **Outfall 001 April 19, 2010**

Work Order: **1004439**

Dear Jessica,

ALS Laboratory Group received 1 sample on 20-Apr-2010 10:15 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Laboratory Group and for only the analyses requested.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Laboratory Group. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 7.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

Electronically approved by: Ann Preston

Ann Preston
Project Manager



Certificate No: IL100452

ALS Group USA, Corp
Part of the **ALS Laboratory Group**
3352 128th Avenue Holland, Michigan 49424-9263
Phone: (616) 399-6070 Fax: (616) 399-6185
www.alsglobal.com
A Campbell Brothers Limited Company

Client: Pall Life Sciences
Project: Outfall 001 April 19, 2010
Work Order: 1004439

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1004439-01	Outfall001-4-19-2010-0830	Water		4/19/2010 08:30	4/20/2010 10:15	<input type="checkbox"/>

Client: Pall Life Sciences
 Project: Outfall 001 April 19, 2010
 WorkOrder: 1004439

**QUALIFIERS,
 ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCS D	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution

<u>Units Reported</u>	<u>Description</u>
µg/L	Micrograms per Liter

ALS Laboratory Group

Date: 30-Apr-10

Client: Pall Life Sciences
Project: Outfall 001 April 19, 2010

Work Order: 1004439

Lab ID: 1004439-01A
Client Sample ID: Outfall001-4-19-2010-0830

Collection Date: 4/19/2010 8:30:00 AM
Matrix: WATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ORGANIC ACIDS BY HPLC			HPLC			Analyst: RM
Oxalic acid	ND		150	µg/L	1	4/29/2010

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Laboratory Group

Date: 30-Apr-10

Client: Pall Life Sciences
 Work Order: 1004439
 Project: Outfall 001 April 19, 2010

QC BATCH REPORT

Batch ID: R77006 Instrument ID HPLC1 Method: HPLC

MBLK	Sample ID: MB-R77006-R77006	Units: mg/L	Analysis Date: 4/29/2010							
Client ID:	Run ID: HPLC1_100429A	SeqNo: 1324974	Prep Date: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Oxalic acid	ND	0.15								

LCS	Sample ID: LCS-R77006-R77006	Units: mg/L	Analysis Date: 4/29/2010							
Client ID:	Run ID: HPLC1_100429A	SeqNo: 1324975	Prep Date: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Oxalic acid	504.6	0.15	500	0	101	80-120	0			

LCSD	Sample ID: LCSD-R77006-R77006	Units: mg/L	Analysis Date: 4/29/2010							
Client ID:	Run ID: HPLC1_100429A	SeqNo: 1324979	Prep Date: DF: 1							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Oxalic acid	508.8	0.15	500	0	102	80-120	504.6	0.817	20	

MS	Sample ID: 1004439-01A MS	Units: mg/L	Analysis Date: 4/29/2010							
Client ID: Outfall001-4-19-2010-0830	Run ID: HPLC1_100429A	SeqNo: 1324977	Prep Date: DF: 2							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Oxalic acid	835.8	0.30	1000	0	83.6	45-85	0			

MSD	Sample ID: 1004439-01A MSD	Units: mg/L	Analysis Date: 4/29/2010							
Client ID: Outfall001-4-19-2010-0830	Run ID: HPLC1_100429A	SeqNo: 1324978	Prep Date: DF: 2							
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Oxalic acid	828.8	0.30	1000	0	82.9	45-85	835.8	0.841	20	

The following samples were analyzed in this batch: 1004439-01A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

ALS Laboratory Group

Sample Receipt Checklist

Client Name: PALL

Date/Time Received: 20-Apr-10 10:15

Work Order: 1004439

Received by: DS

Checklist completed by Diane Shaw 20-Apr-10
eSignature Date

Reviewed by: Ann Preston 20-Apr-10
eSignature Date

Matrices: Water

Carrier name: UPS

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No

Temperature(s)/Thermometer(s): 4.4 C

Cooler(s)/Kit(s):

Water - VOA vials have zero headspace? Yes No No VOA vials submitted

Water - pH acceptable upon receipt? Yes No N/A

pH adjusted? Yes No N/A

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction:

WO #1004439



Environmental Laboratory Services
600 South Wagner Rd. Ann Arbor, MI 48103-9019
Phone: (734)-913-6598 * Fax: (734)-913-6427

Chain of Custody Record

Page 1 of 1

Company Pall Life Sciences
Name Jessica Reade Jessica-Reade@pall.com
Street 600 S Wagner Rd
City Ann Arbor State MI Zip 48103
Phone (734) 913-6531 Fax (734) 913-6103

Required Completion Date: / / Fax the Report: Yes / No
Requested Turnaround: Standard * 4 business days * 48 hours
24 hours * 3 business days * ASAP/Same day
Project Name / Number: oxalic acid
Print Sampler Name: John Campbell

	Sample Identification or Location (This will appear on the final report)	Sample Date	Sample Time	Water Matrix				Number of Containers	Requested Testing	Preservation						Lab ID	
				Drinking	Ground	Surface	Waste			None	4 °C	HCl	HNO ₃	H ₂ SO ₄	Other		
1	<u>OUTFA11001-4-19-2010-0830</u>	<u>4/19/10</u>	<u>08:30</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>1</u>	<u>oxalic acid</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
2		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
3		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
4		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
5		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
6		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
7		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
8		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
9		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
10		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
11		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
12		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
13		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
14		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
15		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
Released by: <u>John C</u>		Date: <u>4/19/10</u>	Time: <u>08:50</u>	Received by: <u>Jessica Reade</u>		Date: <u>04/19/10</u>	Time: <u>08:50</u>										
Released by: <u>Jessica Reade</u>		Date: <u>04/19/10</u>	Time: <u>15:00</u>	Received by: <u>John F. Shan</u>		Date: <u>4/20/10</u>	Time: <u>10:15</u>										

PINK Copy - Sampler

WHITE copy and YELLOW copy - Forward to laboratory with samples.

Sample temperature upon laboratory receipt 4.4 °C