

Sampling Frequency - Sorted by Aquifer

Well Name	Aquifer	Screened or TOC to bottom (if screen zone n/avail)	Current Sampling Interval	Proposed Sampling Interval
MW-25s	C2	15.5-18.5	Annual	same
MW-26	C2	15-18	Annual	same
MW-1	C3	57.29-60.29	Semi-Annual	same
MW-2d	C3	50.5-53.5	Semi-Annual	Annual
MW-3d	C3	60.08-63.08	Annual	Bi-annual
MW-4s	C3	34-36	Annual	Bi-annual
MW-5d	C3	28.5-31.5	Quarterly	Semi-Annual
MW-11s	C3	14.14-16.14	Semi-Annual	Annual
MW-11i	C3	39-41	Quarterly	Annual
MW-12d	C3	61.53-64.53	Annual	Bi-annual
MW-15s	C3	17.67-19.67	Annual	Bi-annual
MW-15d	C3	59.38-61.38	Semi-Annual	Bi-annual
MW-16	C3	87-89	Semi-Annual	Bi-annual
MW-18d	C3	62-64	Semi-Annual	Annual
MW-20	C3	43-45	Semi-Annual	Annual
MW-22	C3	44-47	Semi-Annual	same
MW-23	C3	28-30	Semi-Annual	Annual
MW-24	C3	23-25	Semi-Annual	Annual
MW-25d	C3	37.1-40.1	Semi-Annual	Annual
MW-27	C3	8 to 11	Annual	Bi-annual
MW-28	C3	46-49	Semi-Annual	Annual
MW-32	C3	57.5-62.5	Semi-Annual	Annual
MW-34s	C3	45-50	Annual	Bi-annual
MW-35	C3	39-42	Annual	Bi-annual
MW-36	C3	65-70	Annual	Bi-annual
MW-37	C3	67-70	Quarterly	Annual
MW-38s	C3	33-36	Annual	Bi-annual
MW-39s	C3	50-55	Quarterly	Annual
MW-75	C3	46-51	Semi-Annual	Annual
MW-105s	C3	40-45	Quarterly	Semi-Annual
TW-1	C3	40.5-55.5	Extraction Monthly	same
DOLPH	C3	43-63	Extraction Monthly	same
TW-3	C3	56-71	Extraction Monthly	same
TW-6	C3	54-64	Extraction Monthly	same
TW-10	C3	50-60	Extraction Monthly	same
TW-20	C3	49-59	Extraction Monthly	same
333 Jackson Plaza	C3	58-62	Semi-Annual	Bi-annual
Saginaw Forest Cabin #4	C3	139-144	Semi-Annual	Annual
ARTESIAN #3	D0		Annual	Random
MW-31	D0	60-65	Semi-Annual	Bi-annual
MW-40s	D0	80-85	Semi-Annual	Bi-annual

Sampling Frequency - Sorted by Aquifer

Well Name	Aquifer	Screened or TOC to bottom (if screen zone n/avail)	Current Sampling Interval	Proposed Sampling Interval
MW-40d	D0	125-130	Semi-Annual	Bi-annual
MW-41s	D0	45-50	Semi-Annual	Bi-annual
MW-41d	D0	86-91	Semi-Annual	Bi-annual
MW-42s	D0	45-50	Annual	Bi-annual
MW-42d	D0	85-90	Annual	Bi-annual
MW-51	D0	25-35	Semi-Annual	Bi-annual
MW-53s	D0	60-70	Semi-Annual	Annual
MW-53i	D0	100-110	Quarterly	Annual
MW-53d	D0	150-160	Semi-Annual	Bi-annual
MW-59s	D0	53-63	Semi-Annual	Bi-annual
MW-60	D0	80-90	Semi-Annual	Bi-annual
MW-61s	D0	68-78	Semi-Annual	Bi-annual
MW-61d	D0	126-136	Semi-Annual	Bi-annual
MW-93	D0	60-65	Semi-Annual	Bi-annual
4141 Jackson Rd	D0	90-98	Annual	Bi-annual
5005 Jackson Rd	D0		Quarterly	Bi-annual
5115 Jackson Rd	D0		Annual	Bi-annual
110 Parkland Plaza	D0	80.2-91	Semi-Annual	Bi-annual
4401 Park West	D0		Annual	Bi-annual
4601 Park 4 inch	D0	52	Semi-Annual	Bi-annual
4601 Park 6 inch	D0	42	Semi-Annual	Bi-annual
4742 Park Rd	D0	46-50	Semi-Annual	Bi-annual
A2 Cleaning Supply	D0	100-110	Monthly	same
AE-3	D2	112-122	Extraction Monthly	same
HZ-S	D2		Extraction Monthly	same
LB-1	D2	136-156	Extraction Monthly	same
LB-3	D2	100-120	Extraction Monthly	same
MW-4d	D2	66.5-69.5	Semi-Annual	same
MW-9d	D2	62.33-65.33	Annual	Bi-annual
MW-11d	D2	87-90	Temp Extraction	same
MW-13	D2	133.5-135.5	Annual	Bi-annual
MW-14d	D2	80-82	Annual	Bi-annual
MW-17	D2	97.5-99.5	Quarterly	Semi-Annual
MW-30i	D2	137-145	Semi-Annual	Annual
MW-34d	D2	88-93	Annual	Bi-annual
MW-38d	D2	76-81	Quarterly	Semi-Annual
MW-39d	D2	85-90	Quarterly	Semi-Annual
MW-43	D2	85-90	Semi-Annual	Bi-annual
MW-44	D2	102-107	Semi-Annual	Bi-annual
MW-47s	D2	100-105	Quarterly	Bi-annual
MW-47d	D2	119-124	Quarterly	Bi-annual

Sampling Frequency - Sorted by Aquifer

Well Name	Aquifer	Screened or TOC to bottom (if screen zone n/avail)	Current Sampling Interval	Proposed Sampling Interval
MW-54s	D2	90-100	Semi-Annual	Bi-annual
MW-54d	D2	175-185	Quarterly	Annual
MW-55	D2	160-170	Semi-Annual	Annual
MW-56s	D2	95-105	Quarterly	Annual
MW-62s	D2	40-50	Semi-Annual	Bi-annual
MW-62i	D2	100-110	Semi-Annual	Bi-annual
MW-63s	D2	40-50	Semi-Annual	Bi-annual
MW-63i	D2	115-125	Semi-Annual	Bi-annual
MW-77	D2	160-170	Quarterly	Semi-Annual
MW-92	D2	145-150	Monthly	Semi-Annual
MW-94s	D2	68-73	Quarterly	same
MW-BE-1s	D2	110-113	Semi-Annual	Annual
MW-BE-1d	D2	142-145	Semi-Annual	Annual
MW-KD-1s	D2	105-108	Quarterly	Annual
MW-KD-1d	D2	132-135	Quarterly	Semi-Annual
MW-KZ-1	D2	101-104	Semi-Annual	Annual
TW-5	D2	95-115	Extraction Monthly	same
TW-9	D2	105-115	Extraction Monthly	same
TW-14	D2	60-75	Extraction Monthly	same
544 Allison	D2	131	Semi-Annual	Annual
545 Allison	D2	143-147	Monthly	Quarterly
593 Allison	D2	125	Quarterly	same
170 Aprill	D2	46-50	Annual	same
430 Barber East	D2	92	Semi-Annual	Annual
430 Barber West	D2	103	Quarterly	Annual
435 Barber	D2	103-107	Semi-Annual	Annual
476 Barber	D2	80	Semi-Annual	Annual
MW-400 Clarendon	D2	120-125	Quarterly	Annual
456 Clarendon	D2	98-102	Semi-Annual	same
2643 Dexter Rd	D2	91-95	Quarterly	Annual
2652 Dexter Rd	D2	118	Quarterly	Annual
2819 Dexter Rd	D2	104	Semi-Annual	same
3225 Dexter Rd	D2		Semi-Annual	Annual
3249 Dexter Rd	D2		Semi-Annual	Annual
453 Dupont	D2		Semi-Annual	Annual
465 Dupont	D2	177-181	Quarterly	Semi-Annual
3365 Jackson Rd	D2	100-101	Semi-Annual	Annual
175 Jackson Plaza	D2	92-103	Semi-Annual	Annual
3245 Kingwood	D2	90.48	Annual	Bi-annual
305 Pinewood	D2		Annual	Bi-annual
354 Pinewood	D2	127-131	Annual	Bi-annual

Sampling Frequency - Sorted by Aquifer

Well Name	Aquifer	Screened or TOC to bottom (if screen zone n/avail)	Current Sampling Interval	Proposed Sampling Interval
373 Pinewood Shallow	D2	96	Semi-Annual	same
2950 Valley	D2	115	Annual	Random
IW-2	E	194-228	Semi-Annual	Bi-annual
MW-30d	E	201-209	Quarterly	Semi-Annual
MW-56d	E	200-210	Semi-Annual	Bi-annual
MW-59d	E	165-175	Semi-Annual	Bi-annual
MW-62d	E	185-195	Semi-Annual	Bi-annual
MW-63d	E	160-170	Semi-Annual	Bi-annual
MW-64	E	205-215	Temp Extraction	same
MW-65s	E	142-152	Semi-Annual	Annual
MW-65i	E	201-211	Semi-Annual	Annual
MW-65d	E	252-262	Semi-Annual	Annual
MW-66	E	180-190	Semi-Annual	Bi-annual
MW-67	E	214-224	Semi-Annual	Bi-annual
MW-68	E	226-236	Semi-Annual	Bi-annual
MW-69	E	210-220	Semi-Annual	Bi-annual
MW-70	E	210-220	Semi-Annual	Bi-annual
MW-71	E	181-191	Quarterly	same
MW-72s	E	118.5-123.5	Quarterly	Semi-Annual
MW-72d	E	190-200	Quarterly	same
MW-76s	E	94-104	Quarterly	Semi-Annual
MW-76i	E	185-195	Quarterly	Semi-Annual
MW-76d	E	220-230	Quarterly	Semi-Annual
MW-79s	E	127-132	Monthly	Quarterly
MW-79d	E	181-186	Quarterly	same
MW-81	E	153-158	Monthly	Quarterly
MW-82s	E	80-85	Quarterly	Annual
MW-82d	E	246-251	Semi-Annual	Bi-annual
MW-83s	E	125-130	Quarterly	same
MW-83d	E	250-255	Quarterly	Bi-annual
MW-84s	E	108.9-113.9	Quarterly	Annual
MW-84d	E	235-240	Quarterly	Bi-annual
MW-85	E	158-163	Monthly	Quarterly
MW-86	E	131-136	Quarterly	Bi-annual
MW-87s	E	80-85	Quarterly	Semi-Annual
MW-87d	E	135-140	Quarterly	Semi-Annual
MW-88	E	145-150	Monthly	Semi-Annual
MW-89	E	140-145	Monthly	Annual
MW-90	E	125-130	Monthly	Annual
MW-91	E	155-160	Monthly	Annual
MW-94d	E	215-220	Quarterly	Annual

Sampling Frequency - Sorted by Aquifer

Well Name	Aquifer	Screened or TOC to bottom (if screen zone n/avail)	Current Sampling Interval	Proposed Sampling Interval
MW-95	E	168-173	Quarterly	Semi-Annual
MW-96	E	194-199	Quarterly	same
MW-97s	E	98-103	Quarterly	Annual
MW-97d	E	178-183	Quarterly	Annual
MW-98s	E	105-110	Quarterly	Annual
MW-98d	E	170-175	Quarterly	Annual
MW-99s	E	40-45	Quarterly	Annual
MW-99d	E	129-134	Quarterly	Annual
MW-100	E	218-223	Monthly	Quarterly
MW-101	E	155-160	Monthly	Quarterly
MW-102s	E	108-113	Quarterly	Semi-Annual
MW-102d	E	158-163	Quarterly	Semi-Annual
MW-103s	E	58-63	Quarterly	Semi-Annual
MW-103d	E	206-211	Quarterly	Semi-Annual
MW-104	E	145-150	Monthly	Annual
MW-105s	E	40-45	Quarterly	same
MW-105d	E	235-240	Quarterly	same
MW-106s	E	110-115	Quarterly	same
MW-106d	E	225-230	Quarterly	Annual
MW-107	E	110-115	Monthly	Annual
MW-108s	E	150-155	Monthly	Quarterly
MW-108d	E	177-182	Monthly	Quarterly
MW-110	E	130 to 135	Quarterly	Semi-Annual
MW-111	E	29-34	Semi-Annual	Annual
MW-112s (A Series)	E	50 to 55	Quarterly	same
MW-112i (A Series)	E	165 to 170	Quarterly	same
MW-112d (A Series)	E	202 to 207	Quarterly	same
TW-11	E	159-179	Extraction Monthly	same
TW-12	E	240-260	Extraction Monthly	same
TW-15	E	125-155	Monthly	same
TW-17	E	121-141	Extraction Monthly	same
TW-18	E	164-184	Extraction Monthly	same
TW-19	E	170-200	Extraction Monthly	same
373 Pinewood Deep	E	229-233	Semi-Annual	Bi-annual
Saginaw Forest Cabin #1	E	132	Semi-Annual	Bi-annual
Saginaw Forest Cabin #2	E	195-203	Semi-Annual	Bi-annual
AMW-1	Marshy	3.5-6.5	Semi-Annual	Annual
AMW-2	Marshy	4 to 7	Semi-Annual	Annual
MOW-1	Marshy	5'	Semi-Annual	Annual
NMW-1s	Marshy	4 to 7	Semi-Annual	Annual
NMW-1d	Marshy	10.5 to 13.5	Semi-Annual	Annual

Sampling Frequency - Sorted by Aquifer

Well Name	Aquifer	Screened or TOC to bottom (if screen zone n/avail)	Current Sampling Interval	Proposed Sampling Interval
NMW-2s	Marshy	4 to 7	Semi-Annual	Annual
NMW-2d	Marshy	10 to 13	Semi-Annual	Annual
NMW-3s	Marshy	2 to 5	Semi-Annual	Annual
NMW-3d	Marshy	5 to 8	Semi-Annual	Annual
PMW-1	Marshy	3 to 6	Semi-Annual	Annual
PMW-2	Marshy	5 to 8	Semi-Annual	Annual
PMW-3	Marshy	4 to 7	Semi-Annual	Annual
PMW-4	Marshy	3 to 6	Semi-Annual	Annual
PW-1	Marshy	9.5 to 15.5	Extraction Monthly	same
SW-1M	Marshy	not appl	Semi-Annual	Annual
SW-2M	Marshy	not appl	Semi-Annual	Bi-annual
SW-3M	Marshy	not appl	Semi-Annual	Bi-annual
441 Parkwood	Not Determined	103	Semi-Annual	Bi-annual
685 S. Wagner	Not Determined		Semi-Annual	Bi-annual
697 S. Wagner	Not Determined	172	Semi-Annual	Bi-annual
2575 Valley	Not Determined	105	Semi-Annual	Annual
MW-5s	SH	7.5 to 9.5	Annual	Bi-annual
MW-8d	SW	64 to 67	Annual	Bi-annual
MW-10s	SW	18.4	Annual	Bi-annual
MW-10d	SW	57.47 to 59.47	Semi-Annual	same
MW-45s	SW	35 to 40	Quarterly	Annual
MW-45d	SW	52 to 57	Semi-Annual	Annual
MW-46	SW	63 to 68	Semi-Annual	Annual
MW-48	SW	56 to 61	Semi-Annual	Annual
MW-49	SW	62 to 67	Semi-Annual	Bi-annual
MW-50	SW	51 to 56	Extraction Monthly	same
MW-52s	SW	64 to 69	Semi-Annual	same
MW-52i	SW	80 to 85	Semi-Annual	Bi-annual
MW-52d	SW	97 to 102	Semi-Annual	Bi-annual
MW-57	SW	45 to 50	Semi-Annual	Bi-annual
MW-58s	SW	64 to 69	Semi-Annual	Annual
MW-58d	SW	92 to 97	Semi-Annual	Annual
MW-78	SW	57 to 62	Quarterly	Annual
TW-4	SW	55.5 to 65.5	Extraction Monthly	same
TW-8	SW	59.5 to 69.5	Extraction Monthly	same
TW-13	SW	48 to 53	Extraction Monthly	same