

Gelman Residential Well Sampling - 2017

Site Name	County	Site Code	Sample Location Address	Analyte Code	Sample Number	Collect Date	Analysis Date	Analyte	CASNumber	Detection Level	Result	Unit	Method	Comments
Gelman Sciences Inc	Washtenaw	GELSC	37 BURTON	CXPDX	LLH21549	6/20/2017 1:50:00 PM	6/27/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	42 BURTON	CXPDX	LLH21533	6/20/2017 1:50:00 PM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	96 BURTON	CXPDX	LLH21529	6/20/2017 1:50:00 PM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3565 DEXTER RD	CXPDX	LLH21502	6/21/2017 11:25:00 AM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3615 DEXTER RD	CXPDX	LLH21501	6/21/2017 11:38:00 AM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3627 DEXTER RD	CXPDX	LLH21505	6/21/2017 11:40:00 AM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3685 DEXTER RD	CXPDX	LLH21504	6/21/2017 11:52:00 AM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3705 DEXTER RD	CXPDX	LLH21500	6/21/2017 12:05:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3739 DEXTER RD	CXPDX	LLH21496	6/21/2017 12:05:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3749 DEXTER RD	CXPDX	LLH21499	6/21/2017 12:13:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3769 DEXTER RD	CXPDX	LLH21498	6/21/2017 12:17:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3779 DEXTER RD	CXPDX	LLH21511	6/21/2017 12:24:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2017

Site Name	County	Site Code	Sample Location Address	Analyte Code	Sample Number	Collect Date	Analysis Date	Analyte	CASNumber	Detection Level	Result	Unit	Method	Comments
Gelman Sciences Inc	Washtenaw	GELSC	3827 DEXTER RD	CXPDX	LLH21506	6/21/2017 12:32:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3839 DEXTER RD	CXPDX	LLH21497	6/21/2017 12:35:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3460 DEXTER RD	CXPDX	LLH31608	8/1/2017 11:08:00 AM	8/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3460 DEXTER RD	CXPDX	LLH06299	3/31/2017 10:06:00 AM	4/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3537 ELIZABETH RD	CXPDX	LLH06301	3/31/2017 10:58:00 AM	4/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3563 ELIZABETH RD	CXPDX	LLH31610	8/1/2017 12:17:00 PM	8/6/2017	DIOXANE,1,4-	123-91-1	0.001	0.002	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3563 ELIZABETH RD	CXPDX	LLH06305	3/31/2017 10:47:00 AM	4/6/2017	DIOXANE,1,4-	123-91-1	0.001	0.002	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3574 ELIZABETH RD	CXPDX	LLH21537	6/20/2017 11:31:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3586 ELIZABETH RD	CXPDX	LLH21534	6/20/2017 11:35:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3600 ELIZABETH RD	CXPDX	LLH21528	6/20/2017 11:18:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3639 ELIZABETH RD	CXPDX	LLH06302	3/31/2017 10:21:00 AM	4/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3652 ELIZABETH RD	CXPDX	LLH21546	6/20/2017 11:00:00 AM	6/27/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2017

Site Name	County	Site Code	Sample Location Address	Analyte Code	Sample Number	Collect Date	Analysis Date	Analyte	CASNumber	Detection Level	Result	Unit	Method	Comments
Gelman Sciences Inc	Washtenaw	GELSC	3669 ELIZABETH RD	CXPDX	LLH31609	8/1/2017 11:31:00 AM	8/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3669 ELIZABETH RD	CXPDX	LLH06303	3/31/2017 10:20:00 AM	4/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3786 ELIZABETH RD	CXPDX	LLH21545	6/20/2017 10:28:00 AM	6/27/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3789 ELIZABETH RD	CXPDX	LLH21535	6/20/2017 11:00:00 AM	6/27/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3686 ELIZABETH RD	CXPDX	LLH21531	6/20/2017 10:55:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3500 ELIZABETH RD	CXPDX	LLH21544	6/20/2017 11:52:00 AM	6/27/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3601 ELIZABETH RD	CXPDX	LLH21527	6/20/2017 11:16:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3573 ELIZABETH RD	CXPDX	LLH31613	8/1/2017 12:05:00 PM	8/6/2017	DIOXANE,1,4-	123-91-1	0.001	0.001	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3573 ELIZABETH RD	CXPDX	LLH06306	3/31/2017 10:46:00 AM	4/6/2017	DIOXANE,1,4-	123-91-1	0.001	0.001	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3550 ELIZABETH RD	CXPDX	LLH21547	6/20/2017 11:37:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3627 ELIZABETH RD	CXPDX	LLH31612	8/31/2017 11:50:00 AM	8/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3627 ELIZABETH RD	CXPDX	LLH31607	8/31/2017 12:29:00 PM	8/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2017

Site Name	County	Site Code	Sample Location Address	Analyte Code	Sample Number	Collect Date	Analysis Date	Analyte	CASNumber	Detection Level	Result	Unit	Method	Comments
Gelman Sciences Inc	Washtenaw	GELSC	3627 ELIZABETH RD	CXPDX	LLH06300	3/31/2017 10:35:00 AM	4/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3530 ELIZABETH RD	CXPDX	LLH21536	6/20/2017 11:34:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3750 ELIZABETH RD	CXPDX	LLH21548	6/20/2017 10:43:00 AM	6/27/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3615 ELIZABETH RD	CXPDX	LLH21540	6/20/2017 11:16:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH RD	CXPDX	LLH21539	6/20/2017 11:18:00 AM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4470 JACKSON RD	CXPDX	LLH21541	6/20/2017 2:23:00 PM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	44 LUELLA ST	CXPDX	LLH21543	6/20/2017 1:32:00 PM	6/27/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	116 LUELLA ST	CXPDX	LLH21530	6/20/2017 1:30:00 PM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	105 MYRTLE	CXPDX	LLH21503	6/21/2017 2:06:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	495 N Wagner Rd	CXPDX	LLH21512	6/21/2017 12:47:00 PM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	50 WEST DELHI	CXPDX	LLH21542	6/20/2017 2:33:00 PM	6/27/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	75 W DELHI RD	CXPDX	LLH21507	6/20/2017 2:35:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2017

Site Name	County	Site Code	Sample Location Address	Analyte Code	Sample Number	Collect Date	Analysis Date	Analyte	CASNumber	Detection Level	Result	Unit	Method	Comments
Gelman Sciences Inc	Washtenaw	GELSC	79 W DELHI RD	CXPDX	LLH21538	6/20/2017 2:50:00 PM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	83 WEST DELHI	CXPDX	LLH21509	6/20/2017 2:45:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4061/4065 JACKSON RD	CXPDX	LLH31611	8/1/2017 12:47:00 PM	8/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4061/4065 JACKSON RD	CXPDX	LLH06304	4/3/2017 1:35:00 PM	4/6/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5130 JACKSON RD	CXPDX	LLH21532	6/20/2017 3:02:00 PM	6/26/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5134 JACKSON RD	CXPDX	LLH21508	6/20/2017 3:02:00 PM	6/23/2017	DIOXANE,1,4-	123-91-1	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.