

Gelman Residential Well Sampling - 2020

Site Name	County	Site Code	Sample Location Address	Sample Number	Collect Date	Arrive Date	Analyte	CASNumber	Test Code	Detection Level	Result	Unit	Method	Comments
Gelman Sciences Inc	Washtenaw	GELSC	4532 BREEZEWOOD	LLJ09911	6/23/2020 12:01:00 PM	6/25/2020 2:02:07 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4541 BREEZEWOOD	LLJ09896	6/23/2020 11:53:00 AM	6/25/2020 2:01:57 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4548 BREEZEWOOD	LLJ09897	6/23/2020 12:02:00 PM	6/25/2020 2:01:58 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4583 BREEZEWOOD	LLJ09934	6/23/2020 2:19:00 PM	6/25/2020 2:02:23 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4625 BREEZEWOOD	LLJ09922	6/23/2020 2:07:00 PM	6/25/2020 2:02:15 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4628 BREEZEWOOD	LLJ09948	6/23/2020 1:58:00 PM	6/25/2020 2:02:34 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4667 BREEZEWOOD	LLJ09945	6/23/2020 1:45:00 PM	6/25/2020 2:02:31 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4670 BREEZEWOOD	LLJ09947	6/23/2020 2:36:00 PM	6/25/2020 2:02:33 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4709 BREEZEWOOD	LLJ09888	6/23/2020 2:11:00 PM	6/25/2020 2:01:52 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4712 BREEZEWOOD	LLJ09946	6/23/2020 1:49:00 PM	6/25/2020 2:02:32 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	37 BURTON	LLJ08529	6/18/2020 9:52:00 AM	6/19/2020 9:05:05 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	42 BURTON	LLJ08535	6/18/2020 10:01:00 AM	6/19/2020 9:05:10 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	96 BURTON	LLJ08546	6/18/2020 9:51:00 AM	6/19/2020 9:05:17 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5179 Christine Court	LLJ09930	6/24/2020 12:52:00 PM	6/25/2020 2:02:20 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	5155 CHRISTINE COURT	LLJ09901	6/24/2020 1:10:00 PM	6/25/2020 2:02:00 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5167 CHRISTINE COURT	LLJ09932	6/24/2020 1:12:00 PM	6/25/2020 2:02:22 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5171 CHRISTINE COURT	LLJ09927	6/24/2020 1:10:00 PM	6/25/2020 2:02:18 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5175 CHRISTINE COURT	LLJ09910	6/24/2020 12:55:00 PM	6/25/2020 2:02:07 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5181 CHRISTINE COURT	LLJ09917	6/24/2020 12:58:00 PM	6/25/2020 2:02:11 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5061 CHRISTINE DRIVE	LLJ09914	6/24/2020 2:03:00 PM	6/25/2020 2:02:09 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5089 CHRISTINE DRIVE	LLJ09920	6/24/2020 1:54:00 PM	6/25/2020 2:02:13 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5112 CHRISTINE DRIVE	LLJ09906	6/24/2020 2:10:00 PM	6/25/2020 2:02:04 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5119 CHRISTINE DRIVE	LLJ09912	6/24/2020 1:44:00 PM	6/25/2020 2:02:08 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5145 CHRISTINE DRIVE	LLJ09913	6/24/2020 1:30:00 PM	6/25/2020 2:02:09 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5159 CHRISTINE DRIVE	LLJ09909	6/24/2020 1:30:00 PM	6/25/2020 2:02:06 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5160 CHRISTINE DRIVE	LLJ09900	6/24/2020 1:55:00 PM	6/25/2020 2:02:00 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5161 CHRISTINE DRIVE	LLJ09908	6/24/2020 1:35:00 PM	6/25/2020 2:02:05 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5188 CHRISTINE DRIVE	LLJ09919	6/24/2020 1:45:00 PM	6/25/2020 2:02:13 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	4564 COUNTRYSIDE COURT	LLJ09935	6/23/2020 2:32:00 PM	6/25/2020 2:02:24 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4596 COUNTRYSIDE COURT	LLJ09949	6/23/2020 2:50:00 PM	6/25/2020 2:02:34 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4612 COUNTRYSIDE COURT	LLJ09944	6/23/2020 2:47:00 PM	6/25/2020 2:02:31 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3480 DEXTER	LLJ08488	6/17/2020 1:59:00 PM	6/18/2020 4:01:25 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3535 DEXTER	LLJ08485	6/17/2020 4:02:00 PM	6/18/2020 4:01:23 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3565 DEXTER	LLJ08484	6/17/2020 3:48:00 PM	6/18/2020 4:01:23 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3615 DEXTER	LLJ08519	6/17/2020 3:49:00 PM	6/19/2020 8:45:52 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3627 DEXTER	LLJ08480	6/17/2020 3:50:00 PM	6/18/2020 4:01:21 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3665 DEXTER	LLJ08465	6/17/2020 11:50:00 AM	6/18/2020 3:39:48 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3685 DEXTER	LLJ08463	6/17/2020 11:48:00 AM	6/18/2020 3:39:47 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3705 DEXTER	LLJ08456	6/17/2020 11:56:00 AM	6/18/2020 3:39:44 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3739 DEXTER	LLJ08455	6/17/2020 11:17:00 AM	6/18/2020 3:39:44 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3749 DEXTER	LLJ08449	6/17/2020 11:33:00 AM	6/18/2020 3:39:41 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3769 DEXTER	LLJ08464	6/17/2020 11:33:00 AM	6/18/2020 3:39:48 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	3779 DEXTER	LLJ08454	6/17/2020 11:18:00 AM	6/18/2020 3:39:43 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3827 DEXTER	LLJ08447	6/17/2020 11:20:00 AM	6/18/2020 3:39:40 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3839 DEXTER	LLJ08466	6/17/2020 11:20:00 AM	6/18/2020 3:39:49 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3540 Dexter - Ann Arbor	LLJ08523	6/17/2020 2:52:00 PM	6/19/2020 8:45:54 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3550 Dexter - Ann Arbor	LLJ08486	6/17/2020 2:51:00 PM	6/18/2020 4:01:24 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3460 DEXTER - NEW 118 FT	LLJ08489	6/17/2020 2:00:00 PM	6/18/2020 4:01:25 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3460 DEXTER - NEW 118 FT	LLJ19692	8/24/2020 9:50:00 AM	8/25/2020 8:32:34 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3614 Dexter- Ann Arbor	LLJ08515	6/17/2020 3:08:00 PM	6/19/2020 8:45:49 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3620 Dexter- Ann Arbor	LLJ08483	6/17/2020 3:07:00 PM	6/18/2020 4:01:22 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4505 Dexter- Ann Arbor	LLJ19686	8/24/2020 9:10:00 AM	8/25/2020 8:32:29 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4611 Dexter- Ann Arbor	LLJ09916	6/24/2020 2:33:00 PM	6/25/2020 2:02:11 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4633 Dexter- Ann Arbor	LLJ09905	6/24/2020 2:41:00 PM	6/25/2020 2:02:03 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4645 Dexter- Ann Arbor	LLJ09902	6/24/2020 2:35:00 PM	6/25/2020 2:02:01 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3724 Dexter Ann Arbor Road	LLJ08514	6/17/2020 3:30:00 PM	6/19/2020 8:45:48 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	3744 Dexter Ann Arbor Road	LLJ08520	6/17/2020 3:27:00 PM	6/19/2020 8:45:52 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3798 Dexter Ann Arbor Road	LLJ08516	6/17/2020 3:28:00 PM	6/19/2020 8:45:50 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4657 DEXTER-ANN ARBOR RD	LLJ09903	6/24/2020 2:45:00 PM	6/25/2020 2:02:02 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3537 ELIZABETH	LLJ08461	6/17/2020 11:00:00 AM	6/18/2020 3:39:46 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	0.002	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3563 ELIZABETH	LLJ08442	6/17/2020 10:53:00 AM	6/18/2020 3:39:38 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	0.002	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3563 ELIZABETH	LLJ19690	8/24/2020 11:46:00 AM	8/25/2020 8:32:33 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	0.002	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3574 ELIZABETH	LLJ08452	6/17/2020 10:35:00 AM	6/18/2020 3:39:42 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3574 ELIZABETH	LLJ19689	8/24/2020 12:00:00 PM	8/25/2020 8:32:32 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3586 ELIZABETH	LLJ08458	6/17/2020 10:32:00 AM	6/18/2020 3:39:45 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3586 ELIZABETH	LLJ19693	8/24/2020 11:25:00 AM	8/25/2020 8:32:35 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3600 ELIZABETH	LLJ19702	8/24/2020 11:17:00 AM	8/25/2020 8:32:42 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3639 ELIZABETH	LLJ08446	6/17/2020 10:10:00 AM	6/18/2020 3:39:39 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3639 ELIZABETH	LLJ19685	8/24/2020 10:41:00 AM	8/25/2020 8:32:29 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3652 ELIZABETH	LLJ08460	6/17/2020 10:08:00 AM	6/18/2020 3:39:46 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	3652 ELIZABETH	LLJ19697	8/24/2020 10:47:00 AM	8/25/2020 8:32:38 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3669 ELIZABETH	LLJ08450	6/17/2020 9:34:00 AM	6/18/2020 3:39:41 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3669 ELIZABETH	LLJ19705	8/24/2020 10:35:00 AM	8/25/2020 8:32:46 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3786 ELIZABETH	LLJ08440	6/17/2020 9:47:00 AM	6/18/2020 3:39:37 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3786 ELIZABETH	LLJ19688	8/24/2020 10:05:00 AM	8/25/2020 8:32:31 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3789 ELIZABETH	LLJ08448	6/17/2020 9:34:00 AM	6/18/2020 3:39:40 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3789 ELIZABETH	LLJ19699	8/24/2020 10:23:00 AM	8/25/2020 8:32:40 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3686 ELIZABETH - NEW 101FT WELL	LLJ08453	6/17/2020 9:48:00 AM	6/18/2020 3:39:43 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3686 ELIZABETH - NEW 101FT WELL	LLJ19696	8/24/2020 10:30:00 AM	8/25/2020 8:32:37 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3500 ELIZABETH - NEW 124FT	LLJ08472	6/17/2020 11:03:00 AM	6/18/2020 3:39:51 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3500 ELIZABETH - NEW 124FT	LLJ19698	8/24/2020 12:10:00 PM	8/25/2020 8:32:39 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3601 ELIZABETH - NEW 157FT	LLJ08457	6/17/2020 10:24:00 AM	6/18/2020 3:39:45 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3601 ELIZABETH - NEW 157FT	LLJ19694	8/24/2020 11:12:00 AM	8/25/2020 8:32:36 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3573 ELIZABETH - NEW 164FT	LLJ08462	6/17/2020 10:50:00 AM	6/18/2020 3:39:47 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	0.002	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	3573 ELIZABETH - NEW 164FT	LLJ19691	8/24/2020 11:40:00 AM	8/25/2020 8:32:34 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	0.002	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3550 ELIZABETH - NEW 165FT WELL	LLJ08445	6/17/2020 10:48:00 AM	6/18/2020 3:39:39 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3550 ELIZABETH - NEW 165FT WELL	LLJ19695	8/24/2020 11:53:00 AM	8/25/2020 8:32:37 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	0.001	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3627 ELIZABETH - NEW 170FT WELL	LLJ08451	6/17/2020 12:00:00 AM	6/18/2020 3:39:42 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3627 ELIZABETH - NEW 170FT WELL	LLJ19700	8/24/2020 10:52:00 AM	8/25/2020 8:32:41 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3530 ELIZABETH - NEW 196FT WELL	LLJ08444	6/17/2020 10:58:00 AM	6/18/2020 3:39:38 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3750 ELIZABETH - NEW 79FT WELL	LLJ08459	6/16/2020 10:01:00 AM	6/18/2020 3:39:46 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3750 ELIZABETH - NEW 79FT WELL	LLJ19701	8/24/2020 10:15:00 AM	8/25/2020 8:32:42 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3615 ELIZABETH - NEW 96FT WELL	LLJ08441	6/17/2020 10:20:00 AM	6/18/2020 3:39:37 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3615 ELIZABETH - NEW 96FT WELL	LLJ19687	8/24/2020 11:05:00 AM	8/25/2020 8:32:30 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08443	6/17/2020 10:22:00 AM	6/18/2020 3:39:38 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	PCB (aroclor)	1336-36-3	CXPT3	0.0001	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	METHOXYCHLOR	72-43-5	CXPT3	0.0001	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	HEXACHLORO CYCLOPENTA DIENE	77-47-4	CXPT3	0.0002	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	DINOSEB	88-85-7	CXHB2	0.0002	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	ENDRIN	72-20-8	CXPT3	0.00002	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	BENZO(a)PYR ENE	50-32-8	CXPT3	0.00004	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	HEPTACHLOR	76-44-8	CXPT3	0.00008	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	2,4,5-TP (SILVEX)	93-72-1	CXHB2	0.0002	ND	mg/L	EPA 515.4	

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	ALDICARB	116-06-3	CXLPX	0.0005	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	CARBOFURAN	1563-66-2	CXLPX	0.0005	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	TOXAPHENE	8001-35-2	CXPT3	0.001	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	BENTAZON	25057-89-0	CXHB2	0.002	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	ALDICARB SULFOXIDE	1646-87-3	CXLPX	0.0005	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	TOTAL DCPA, MONO & DI- ACID DEGRADATES	1861-32-1	CXHB2	0.001	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	OXAMYL	23135-22-0	CXLPX	0.001	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	BIS(2- ETHYLHEXYL) PHTHALATE	117-81-7	CXPT3	0.0013	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	CHLORDANE- TECHNICAL	12789-03-6	CXPT3	0.0014	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	2,4,5-T	93-76-5	CXHB2	0.002	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	HEXACHLORO BENZENE	118-74-1	CXPT3	0.0001	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	ATRAZINE	1912-24-9	CXPT3	0.0002	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	2,4-D	94-75-7	CXHB2	0.0002	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	ALDICARB SULFONE	1646-88-4	CXLPX	0.0005	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	PROPOXUR (BAYGON)	114-26-1	CXLPX	0.001	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	ACIFLUORFEN	50594-66-6	CXHB2	0.004	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	HEPTACHLOR EPOXIDE	1024-57-3	CXPT3	0.00004	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	LINDANE (GAMMA-BHC)	58-89-9	CXPT3	0.00004	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	PENTACHLOR OPHENOL	87-86-5	CXHB2	0.00004	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	SIMAZINE	122-34-9	CXPT3	0.00014	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	ALACHLOR	15972-60-8	CXPT3	0.0002	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	PICLORAM	1918-02-1	CXHB2	0.0002	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	HYDROXYCAR BOFURAN,3- METHOMYL	16655-82-6	CXLPX	0.001	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	METHIOCARB	2032-65-7	CXLPX	0.001	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	CARBARYL	63-25-2	CXLPX	0.001	ND	mg/L	EPA 531.2	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	DI(ETHYLHEXY L)ADIPATE	103-23-1	CXPT3	0.0013	ND	mg/L	EPA 525.3	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ08782	6/17/2020 2:00:00 PM	6/22/2020 8:56:00 AM	DICAMBA	1918-00-9	CXHB2	0.002	ND	mg/L	EPA 515.4	
Gelman Sciences Inc	Washtenaw	GELSC	3618 ELIZABETH - NEW WELL	LLJ19704	8/24/2020 11:00:00 AM	8/25/2020 8:32:45 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	663 HALCYON COURT	LLJ09921	6/24/2020 2:14:00 PM	6/25/2020 2:02:14 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	672 HALCYON COURT	LLJ09907	6/24/2020 2:23:00 PM	6/25/2020 2:02:04 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4470 JACKSON	LLJ08536	6/18/2020 10:24:00 AM	6/19/2020 9:05:10 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5130 JACKSON	LLJ08531	6/18/2020 10:43:00 AM	6/19/2020 9:05:07 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	HD	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5134 JACKSON	LLJ08530	6/18/2020 10:30:00 AM	6/19/2020 9:05:06 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	505 LAKEVIEW	LLJ08571	6/16/2020 2:16:00 PM	6/19/2020 9:21:38 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	523 LAKEVIEW	LLJ08569	6/16/2020 2:17:00 PM	6/19/2020 9:21:36 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	524 LAKEVIEW	LLJ08557	6/16/2020 2:10:00 PM	6/19/2020 9:21:28 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	541 LAKEVIEW	LLJ08555	6/16/2020 2:33:00 PM	6/19/2020 9:21:27 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	557 LAKEVIEW	LLJ08563	6/16/2020 2:40:00 PM	6/19/2020 9:21:32 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	572 LAKEVIEW	LLJ08567	6/16/2020 2:30:00 PM	6/19/2020 9:21:35 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	577 LAKEVIEW	LLJ08568	6/16/2020 2:49:00 PM	6/19/2020 9:21:36 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	592 LAKEVIEW	LLJ08565	6/16/2020 2:49:00 PM	6/19/2020 9:21:34 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	597 LAKEVIEW	LLJ08573	6/16/2020 3:00:00 PM	6/19/2020 9:21:39 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	602 LAKEVIEW	LLJ08566	6/16/2020 3:05:00 PM	6/19/2020 9:21:34 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	617 LAKEVIEW	LLJ08572	6/16/2020 3:05:00 PM	6/19/2020 9:21:39 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	637 LAKEVIEW	LLJ08564	6/16/2020 3:12:00 PM	6/19/2020 9:21:33 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	647 LAKEVIEW	LLJ08575	6/16/2020 3:20:00 PM	6/19/2020 9:21:40 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	665 LAKEVIEW	LLJ08576	6/16/2020 3:25:00 PM	6/19/2020 9:21:41 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	687 LAKEVIEW	LLJ08574	6/16/2020 3:32:00 PM	6/19/2020 9:21:40 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	707 LAKEVIEW	LLJ08560	6/16/2020 3:45:00 PM	6/19/2020 9:21:30 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	731 LAKEVIEW	LLJ08570	6/16/2020 3:45:00 PM	6/19/2020 9:21:37 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	751 LAKEVIEW	LLJ08561	6/16/2020 3:56:00 PM	6/19/2020 9:21:31 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	752 LAKEVIEW	LLJ08559	6/16/2020 4:09:00 PM	6/19/2020 9:21:30 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	44 LUELLA	LLJ19703	8/24/2020 12:26:00 PM	8/25/2020 8:32:44 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	116 LUELLA	LLJ08534	6/18/2020 9:40:00 AM	6/19/2020 9:05:09 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	105 MYRTLE	LLJ08527	6/18/2020 10:09:00 AM	6/19/2020 9:05:04 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	495 N Wagner	LLJ08518	6/17/2020 4:04:00 PM	6/19/2020 8:45:51 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	521 N Wagner	LLJ08478	6/17/2020 2:16:00 PM	6/18/2020 4:01:20 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	539 N Wagner	LLJ08521	6/17/2020 2:31:00 PM	6/19/2020 8:45:53 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	555 N Wagner	LLJ08525	6/17/2020 2:30:00 PM	6/19/2020 8:45:56 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	575 N Wagner	LLJ08524	6/17/2020 2:16:00 PM	6/19/2020 8:45:55 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	520 N WAGNER	LLJ08487	6/17/2020 1:57:00 PM	6/18/2020 4:01:24 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	530 N WAGNER	LLJ08513	6/17/2020 1:44:00 PM	6/19/2020 8:45:48 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	564 N WAGNER	LLJ08522	6/17/2020 1:44:00 PM	6/19/2020 8:45:54 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	610 N WAGNER	LLJ08526	6/17/2020 1:42:00 PM	6/19/2020 8:45:57 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	511 N Wagner Rd	LLJ08517	6/17/2020 2:16:00 PM	6/19/2020 8:45:50 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5065 PARK	LLJ08532	6/18/2020 11:14:00 AM	6/19/2020 9:05:08 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5140 PARK	LLJ08533	6/18/2020 11:00:00 AM	6/19/2020 9:05:08 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	819 Rose	LLJ08537	6/16/2020 11:37:00 AM	6/19/2020 9:05:11 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	701 ROSE	LLJ08554	6/16/2020 12:41:00 PM	6/19/2020 9:05:23 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	704 ROSE	LLJ08542	6/16/2020 12:44:00 PM	6/19/2020 9:05:14 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	715 ROSE	LLJ08553	6/16/2020 12:33:00 PM	6/19/2020 9:05:22 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	728 ROSE	LLJ08544	6/16/2020 12:30:00 PM	6/19/2020 9:05:16 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	740 ROSE	LLJ08548	6/16/2020 12:25:00 PM	6/19/2020 9:05:19 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	752 ROSE	LLJ08541	6/16/2020 12:16:00 PM	6/19/2020 9:05:14 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	755 ROSE	LLJ08547	6/16/2020 12:06:00 PM	6/19/2020 9:05:18 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	764 ROSE	LLJ08545	6/16/2020 11:58:00 AM	6/19/2020 9:05:16 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	783 ROSE	LLJ08551	6/16/2020 11:46:00 AM	6/19/2020 9:05:21 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	788 ROSE	LLJ08539	6/16/2020 11:35:00 AM	6/19/2020 9:05:12 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	828 ROSE	LLJ08543	6/16/2020 11:21:00 AM	6/19/2020 9:05:15 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	841 ROSE	LLJ08538	6/16/2020 11:17:00 AM	6/19/2020 9:05:12 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	858 ROSE	LLJ08552	6/16/2020 11:08:00 AM	6/19/2020 9:05:21 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	859 ROSE	LLJ09904	6/24/2020 3:00:00 PM	6/25/2020 2:02:02 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	891 ROSE	LLJ08549	6/16/2020 11:00:00 AM	6/19/2020 9:05:19 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	892 ROSE	LLJ08540	6/16/2020 10:49:00 AM	6/19/2020 9:05:13 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	788 Scio Meadows	LLJ08467	6/18/2020 12:10:00 PM	6/18/2020 3:39:49 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	756 Scio Meadows Dr	LLJ08481	6/18/2020 12:04:00 PM	6/18/2020 4:01:21 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	595 SCIOMEADOW DRIVE	LLJ08477	6/18/2020 10:51:00 AM	6/18/2020 4:01:20 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	598 SCIOMEADOW DRIVE	LLJ08470	6/18/2020 11:03:00 AM	6/18/2020 3:39:51 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	627 SCIOMEADOW DRIVE	LLJ08471	6/18/2020 11:11:00 AM	6/18/2020 3:39:51 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	630 SCIOMEADOW DRIVE	LLJ08469	6/18/2020 11:22:00 AM	6/18/2020 3:39:50 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	659 SCIOMEADOW DRIVE	LLJ08473	6/18/2020 11:26:00 AM	6/18/2020 3:39:52 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	672 SCIOMEADOW DRIVE	LLJ08468	6/18/2020 11:35:00 AM	6/18/2020 3:39:50 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	691 SCIOMEADOW DRIVE	LLJ08476	6/18/2020 11:44:00 AM	6/18/2020 4:01:19 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	714 SCIOMEADOW DRIVE	LLJ08479	6/18/2020 11:57:00 AM	6/18/2020 4:01:21 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	733 SCIOMEADOW DRIVE	LLJ08482	6/18/2020 11:53:00 AM	6/18/2020 4:01:22 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3421 STOWE	LLJ08550	6/16/2020 10:48:00 AM	6/19/2020 9:05:20 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	464 W Delhi	LLJ09894	6/23/2020 3:26:00 PM	6/25/2020 2:01:56 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	486 W Delhi	LLJ09936	6/23/2020 3:25:00 PM	6/25/2020 2:02:25 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	605 W Delhi	LLJ09938	6/23/2020 4:00:00 PM	6/25/2020 2:02:27 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	50 W DELHI	LLJ08528	6/18/2020 10:34:00 AM	6/19/2020 9:05:05 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	250 W DELHI	LLJ09943	6/23/2020 9:57:00 AM	6/25/2020 2:02:30 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	255 W DELHI	LLJ09890	6/23/2020 10:02:00 AM	6/25/2020 2:01:53 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	304 W DELHI	LLJ09940	6/23/2020 10:07:00 AM	6/25/2020 2:02:28 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	310 W DELHI	LLJ09929	6/23/2020 10:13:00 AM	6/25/2020 2:02:19 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	325 W DELHI	LLJ09892	6/23/2020 10:23:00 AM	6/25/2020 2:01:54 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	345 W DELHI	LLJ09942	6/23/2020 10:30:00 AM	6/25/2020 2:02:29 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	355 W DELHI	LLJ09928	6/23/2020 10:35:00 AM	6/25/2020 2:02:19 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	359 W DELHI	LLJ09924	6/23/2020 10:41:00 AM	6/25/2020 2:02:16 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	360 W DELHI	LLJ09941	6/23/2020 10:45:00 AM	6/25/2020 2:02:29 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	367 W DELHI	LLJ09893	6/23/2020 10:55:00 AM	6/25/2020 2:01:55 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	379 W DELHI	LLJ09923	6/23/2020 11:00:00 AM	6/25/2020 2:02:15 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	380 W DELHI	LLJ09898	6/23/2020 11:15:00 AM	6/25/2020 2:01:58 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	384 W DELHI	LLJ09926	6/23/2020 11:07:00 AM	6/25/2020 2:02:17 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	395 W DELHI	LLJ09891	6/23/2020 11:18:00 AM	6/25/2020 2:01:54 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	420 W DELHI	LLJ09931	6/23/2020 11:30:00 AM	6/25/2020 2:02:21 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	442 W DELHI	LLJ09899	6/23/2020 11:39:00 AM	6/25/2020 2:01:59 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	530 W DELHI	LLJ09937	6/23/2020 3:05:00 PM	6/25/2020 2:02:26 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	531 W DELHI	LLJ09933	6/23/2020 3:06:00 PM	6/25/2020 2:02:23 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	548 W DELHI	LLJ09895	6/23/2020 3:35:00 PM	6/25/2020 2:01:56 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	553 W DELHI	LLJ09939	6/23/2020 3:15:00 PM	6/25/2020 2:02:27 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	575 W DELHI	LLJ09889	6/23/2020 3:45:00 PM	6/25/2020 2:01:52 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	Sample collection date was not given or incorrect date given. Results will be evaluated by regulating agency.
Gelman Sciences Inc	Washtenaw	GELSC	3250 W LIBERTY	LLJ08562	6/16/2020 4:23:00 PM	6/19/2020 9:21:32 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3340/3350 W LIBERTY	LLJ08556	6/16/2020 4:29:00 PM	6/19/2020 9:21:28 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3570/3572 Dexter- Ann Arbor	LLJ08474	6/17/2020 2:46:00 PM	6/18/2020 4:01:18 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	3700/3712 Dexter- Ann Arbor	LLJ08475	6/17/2020 3:10:00 PM	6/18/2020 4:01:19 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	396/398 W DELHI	LLJ09925	6/23/2020 11:45:00 AM	6/25/2020 2:02:17 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	4515/4517 Dexter- Ann Arbor	LLJ19684	8/24/2020 9:05:00 AM	8/25/2020 8:32:28 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.

Gelman Residential Well Sampling - 2020

Gelman Sciences Inc	Washtenaw	GELSC	5163/5165 CHRISTINE DRIVE	LLJ09918	6/24/2020 1:20:00 PM	6/25/2020 2:02:12 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	5183/5185 CHRISTINE DRIVE	LLJ09915	6/24/2020 1:28:00 PM	6/25/2020 2:02:10 PM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.
Gelman Sciences Inc	Washtenaw	GELSC	712/732 LAKEVIEW	LLJ08558	6/16/2020 4:06:00 PM	6/19/2020 9:21:29 AM	DIOXANE,1,4-	123-91-1	CXPDX	0.001	ND	mg/L	8260 SIM	This analysis is performed using selected ion monitoring (SIM). Due to the nature of 1,4-dioxane, results reported below 0.005 mg/L should be considered estimated.