Disclaimer: This document is a DRAFT document that has not received final approval from the Department of Environment, Great Lakes, and Energy (EGLE). This document was prepared pursuant to a governmental administrative order. The opinions, findings, and conclusions expressed are those of the authors and not those of the EGLE.

ARCADIS

ZF Active Safety US Inc.

PROGRESS REPORT NO. 7

Former Kelsey-Hayes Company Site, Milford, Michigan

Administrative Order for Response Activity, EGLE Docket No. AO-RRD-22-001

November 15, 2022

PROGRESS REPORT NO. 7
FORMER KELSEY-HAYES COMPANY
MILFORD, MICHIGAN
ADMINISTRATIVE ORDER FOR RESPONSE ACTIVITY EGLE
DOCKET NO. AO-RRD-22-001

This progress report has been prepared and is being submitted pursuant to Section XII of the Administrative Order for Response Activity, Docket No. AO-RRD-22-001 (AO) issued by the Department of Environment, Great Lakes, and Energy (EGLE) to ZF Active Safety US Inc. (ZF or Respondent) on March 16, 2022 (effective date), with respect to the former Kelsey-Hayes site in Milford, Michigan (the Site). This progress report provides information regarding response activities and other matters related to the AO that have occurred from October 15, 2022 through November 14, 2022.

Chronological Description of Activities Conducted during the Specified Reporting Period:

- On October 17, 2022, ZF received an electronic mail from EGLE (EGLE's October 17th Email) in response to the October 7 and 12, 2022 electronic mails from ZF that provided an updated draft Contingency Plan (CP) section of the Technical Summary Report and a draft of the additional technical information to address the questions in EGLE's September 22, 2022 electronic mail sent to ZF. EGLE concurred that the additional technical information was what they requested and will incorporate the information into their technical decision on the Technical Summary Report and ZF's request for EGLE to withdraw the AO. Regarding the CP, EGLE provided comments indicating that they want the Act 399 permit to be issued by EGLE so that procurement of equipment and construction of the treatment system can begin immediately if vinyl chloride above applicable criteria is confirmed and the construction activities in the permit are necessary pursuant to the CP. A copy of EGLE's October 17th Email and attachment is included in **Attachment 1**.
- On October 21, 2022, a conference call was conducted with representatives from EGLE, ZF, and Arcadis as a follow-up to EGLE's October 17th Email to discuss the updated CP section of the Technical Summary Report, which was submitted to EGLE via electronic mail on October 7, 2022. The call focused on the permitting process and the options of having an approved permit versus a previously reviewed permit package that could be approved within a short period of time. The other discussion point was related to the emergency response timing for ZF to provide an alternate water supply to the Village of Milford (VOM). Because Section VI of the AO contains language related to the provision of an alternate water supply, ZF suggested adopting this language for the CP, which appeared to be acceptable to EGLE.
- On November 3, 2022, a conference call was conducted with representatives from EGLE, ZF, Arcadis, and John Wood Group PLC (Wood) as a follow-up to the October 21, 2022 conference call to further discuss the CP section of the Technical Summary Report. EGLE initiated the call indicating that the additional technical information that ZF submitted to EGLE via electronic mail on October 12, 2022 adequately addressed their questions. ZF then presented its concerns with having an active permit on hold and suggested an alternative approach to limiting the time of holding the permit until another form

of agreement is reached. EGLE presented its concerns with not issuing the permit but were amenable to revisiting the need to continue to hold the permit after 2 to 3 years when more data would be available from Observation Wells OW-16D2R1 and OW-16D2R2. As a follow-up to the conference call on November 3, 2022, ZF sent an updated Technical Summary Report (including a revised CP) to EGLE on November 14, 2022 via electronic mail (ZF's November 14th Email and Technical Summary Report). A copy of ZF's November 14th Email and Technical Summary Report is included in **Attachment 2.**

- Observation Wells OW-16D2, OW-16D2R1, and OW-16D2R2 were sampled on November 3, 2022. The samples were submitted to Eurofins Canton, Ohio (Eurofins) for analysis of volatile organic compounds (VOCs) using United States Environmental Protection Agency (USEPA) Test Method 8260D. Laboratory analytical results will be submitted to EGLE and the VOM when available.

Results of Sampling and Tests and Other Data

- Observation Wells OW-16D2, OW-16D2R1, and OW-16D2R2 were sampled on November 3, 2022. The samples were submitted to Eurofins Canton, Ohio (Eurofins) for analysis of volatile organic compounds (VOCs) using United States Environmental Protection Agency (USEPA) Test Method 8260D. Laboratory analytical results will be submitted to EGLE and the VOM when available.

Status of Access Issues

- There have been no issues with access during the reporting period.

Scheduled for the Next Reporting Period

- Submit laboratory analytical results from the samples collected at Observation Wells OW-16D2, OW-16D2R1, and OW-16D2R2 on November 3, 2022 to EGLE and the VOM.
- Conduct sampling at Observation Well OW-16D2 during the month of December 2022, with analysis conducted by Fibertec or Eurofins Canton, Ohio (Eurofins) within 10 to 14 days.
- Conduct sampling at Observation Wells OW-16D2R1 and OW-16D2R2 during the month of December 2022, with analysis conducted by Fibertec or Eurofins within 10 to 14 days.
- Continue to work with Ms. Yusko-Kotimko (EGLE) on ZF's Permit Application for Water Supply Systems pursuant to Act 399 for construction of the VOM treatment system improvements.

Other Relevant Information

- No other relevant information was identified during this reporting period.

Attachments

1. EGLE's October 17th Email and Attachment
2. ZF's November 14th Email and Technical Summary Report

ATTACHMENT 1

EGLE's October 17th Email and Attachment

From: Alger, Brandon (EGLE) <AlgerB@michigan.gov>
Sent: Monday, October 17, 2022 2:27 PM
To: Detwiler Scott MSA HEEN
Cc: McInnis, John; Bleazard Robert; Martorano Kelly; WILSONC3; Bertolini, Emily (EGLE)
Subject: RE: ZF Milford Site - DRAFT Contingency Plan
Attachments: 221007 DRAFT CONTINGENCY PLAN Rev1 - Comments RRD.docx

Hi Scott,

Thanks for the draft contingency plan and the appendix containing additional information. I took this to our review team on Friday and we concurred that the additional information is what we were looking for. These were all things we were already in agreement on after our meeting a couple weeks ago, but wanted it in the words of ZF and Arcadis. Thank you for that and I'll be sure it's incorporated into our technical decision on the Technical Report.

I do want to further discuss the contingency plan. What's written here represents what RRD needed to see before referring a decision to C&E and the AG; however, RRD does have comments regarding the Act 399 permit and some minor language changes. I've attached some notes highlighting comments from the RRD review team during our discussion last Friday. If you'd like to have a conversation about any of this let me know and we can set something up tomorrow or Wednesday afternoon. I spoke with DWEHD today and they concurred with this approach and will work with you to issue the permit when appropriate.

Once we're in agreement on this the best step will be to adjust the contingency plan of the technical report, add Appendix 16 – referencing it where appropriate in the report, and resubmitting as a complete addendum or whatever you'd like to call it. Then RRD can quickly refer our technical decision to the AG and work from there.

Thanks,
Brandon Alger | Senior Geologist
Remediation and Redevelopment Division | Warren District Office
Michigan Department of Environment, Great Lakes, and Energy
586-623-2839 | AlgerB@Michigan.gov
Follow Us | Michigan.gov/EGLE

From: Detwiler Scott MSA HEEN <Scott.Detwiler@zf.com>
Sent: Friday, October 7, 2022 11:09 AM
To: Alger, Brandon (EGLE) <AlgerB@michigan.gov>
Cc: McInnis, John <John.McInnis@arcadis.com>; Bleazard Robert MSA HEEM <Robert.Bleazard@zf.com>; Martorano Kelly LVN GLX <kelly.martorano@zf.com>
Subject: ZF Milford Site - DRAFT Contingency Plan

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Hello Brandon,

I wanted to provide an update on our anticipated timing for submittal of the additional information requested during the recent meeting with the EGLE peer review team, Village of Milford, ZF and Arcadis. ZF plans to submit a revised Technical Report next week, including an updated Contingency Plan (CP) section that addresses the comments and concerns raised by EGLE during the meeting and in your email dated September 22nd. The updated Technical Report will also include an additional attachment/appendix that specifically answers the questions raised by EGLE during the meeting and in your email.

However, prior to submitting the revised Technical Report and CP, we wanted to share some of our ideas about the CP revisions with you and get some initial feedback from you on the approach before our October 11 submission target date, if your schedule permits..

1. Based on your comments and our discussion about monthly sampling results from the Observation Wells (OWs) that show vinyl chloride above the DW criteria, ZF plans to update the CP with the following information:

    1. Initial evaluation of the condition of the OWs within 1 business day to determine if the OWs are functioning properly, specifically to evaluate the draw-down of the OW(s).
    2. More details describing what will be done for an initial evaluation of the OWs.
    3. Description and estimated timing for rehabilitation or replacement of an OW, if it is found to be compromised based on the initial evaluation.

2. Based on your comment that it is not an acceptable contingency for ZF and EGLE to meet and make a plan, if the resampling results show vinyl chloride in excess of DW criteria, ZF plans to amend the CP to include the following actions if this situation arises:

    1. ZF will complete the current Act 399 construction permit review process with ELGE DWEHD in parallel with other actions and decisions related to the AO, so that a complete Act 399 permit package is available for immediate submission to EGLE, should it be required.
    2. If an OW has been rehabilitated or replaced and sampling still shows vinyl chloride above the DW criteria, then ZF will meet with ELGE and VOM within 5 business days to initiate the implementation of the treatment system and ZF will submit the Act 399 construction permit application for EGLE and VOM immediate approval.
    3. ZF will meet with EGLE every 5 years, while the Contingency Plan is required, to review the Act 399 construction permit application to make sure that the permit documentation still meets regulatory and technical requirements and would be ready for immediate submittal and approval, if needed.

I have attached a DRAFT version of the language we have formulated for the Contingency Plan for your review and feedback. Please advise on whether this will be acceptable to the Agency, or whether there are any significant issues that need to be discussed.

We believe these steps are prudent and protective and, if they are acceptable to EGLE, we will complete the edits to the Technical Report and Contingency Plan for submission next week.

Kind regards

Scott Detwiler CSP
Senior Regional EHS Manager

ZF Group
Environmental, Health and Safety
11202 E. Germann Rd., Mesa, AZ 85212
Phone: 480-722-4139, Mobile: 480-600-7433, Fax: 480-722-4254
E-Mail: scott.detwiler@zf.com

DRAFT

CONTINGENCY PLAN

This Contingency Plan has been developed to describe the actions that will be implemented if vinyl chloride above the applicable DW criteria is verified in the Observation Well(s) pursuant to the process set forth in the monitoring plan included above.

ZF will continue to work with the EGLE, Drinking Water and Environmental Health Division – Warren District Office (DWEHD – WDO) to complete the currently ongoing Act 399 construction permit review process, including submittal of any updated supporting plans and specifications that describe the work necessary to implement the treatment system set forth in ZF's Act 399 permit application submitted on June 20, 2022. ZF will coordinate with EGLE on the permit review process in parallel with the process of withdrawing and replacing the AO, so that a complete Act 399 permit package is available for immediate submission to EGLE, should it be required pursuant to this Contingency Plan. ZF would meet with EGLE and VOM every 5 years, while the Contingency Plan is still required for the Site, to review the Act 399 construction permit documentation and evaluate the technical and regulatory feasibility of the plans and specifications that describe the work necessary to implement the treatment system.

If the verification sampling results from the Observation Well(s) show vinyl chloride at concentrations that exceed the applicable DW criteria, then an initial evaluation of the condition of the Observation Well(s) will be conducted within 1 business day, to determine if the Observation Wells are functioning properly. Initial evaluation will specifically involve, evaluation of the drawdown within the Observation Well(s) under low-flow purging rates (100 to 150 milliliters per minute). If the well is unable to sustain low-flow purging rates without significant draw-down, or if the total amount of water purged from the well is similar to the volume of standing water measured in the well before purging, then stagnant water conditions likely exist and one or both of the Observation Wells may be compromised and not rendering sampling results representative of actual aquifer conditions. Based on the information obtained during the initial evaluation, one or both of the Observation Wells may require rehabilitation or replacement.

If an Observation Well is determined to be compromised, ZF will prepare a plan to rehabilitate or replace the well within 5 business days and submit it to EGLE for review. Rehabilitation measures may include surging/pumping, jetting, air lifting, mechanical scrubbing, and injecting approved additives into the Observation Well(s). It is expected that these rehabilitation measures could be performed within 2 weeks, subject to EGLE approvals, and contractor and equipment availability. If replacement of an Observation Well is necessary, it is anticipated that

drilling a new well could be completed within 1 month, subject to EGLE approvals, and contractor and equipment availability. Once an Observation Well is rehabilitated or replaced, the Observation Well will be resampled/sampled in one week (per EGLE guidelines) with expedited laboratory analysis. ZF will provide EGLE the results of the resampling/sampling within 1 business day of receipt from the laboratory.

If the Observation Well is determined to be functioning properly after rehabilitation, ZF will resample the Observation Well 1 more time within 1 business day of that determination, with expedited laboratory analysis. ZF will provide EGLE the results of the resampling within 1 business day of receipt from the laboratory.

If the Observation Well has been rehabilitated or a replacement well has been installed and the resampling/sampling results show vinyl chloride in excess of applicable DW criteria, then ZF will meet with EGLE and the VOM within 5 business days to initiate the implementation of the treatment system set forth in the Act 399 construction permit previously discussed with EGLE and ZF will submit the Act 399 construction permit documents for immediate approval. Once the Act 399 construction permit has been approved, ZF will begin the equipment procurement and installation process to implement the treatment system described in the Act 399 construction permit.

At any point, ZF may conduct additional investigation activities, including but not limited to additional sampling, groundwater flow and transport modeling, and forensic analysis to further evaluate the source of any vinyl chloride that could potentially be detected in groundwater at the Observation Wells at concentrations above applicable DW criteria. ZF would notify EGLE of its intent to collect and analyze such data, and present the data, methodologies, and determinations to EGLE. If the additional information indicates that the former Kelsey Hayes site is a valid potential source of vinyl chloride in the area of the Observation Wells, then ZF will continue its obligations under this Contingency Plan. If it is determined that the former Kelsey-Hayes site is not a valid potential source of vinyl chloride in the area of the Observation Wells, ZF may submit a request to EGLE to discontinue this Contingency Plan. ZF may also elect to evaluate whether there are alternative, equally protective, groundwater treatment technologies that may become available and propose any such technologies to EGLE and VOM for approval in place of the treatment system currently described in ZF's Act 399 construction permit application and supporting documents. This Contingency Plan may be modified, amended, or terminated upon the written consent and approval of ZF, EGLE and the VOM.

This Contingency Plan is protective of public health for the following reasons:

Commented [AB(1]: Indicate in the contingency plan that ZF will continue to work with DWEHD for approval of construction permit, and if the AO is removed and the permit is already approved, resubmission is not required; ZF and Arcadis will work with the already-approved permit.

Commented [AB(2]: State in the contingency plan that ZF's equipment procurement and implementation process will begin immediately, removing the statement about the "Once construction permit has been approved" – as the above comment should address this situation as non-relevant.

Commented [AB(3]: Add bullet point indicating that if procurement and installation become delayed, ZF will provide an alternative water source during the interim.

DRAFT

- The previous vinyl chloride detections above DW criteria at OW-16D2 have been shown to be a result of stagnant anaerobic water within a compromised and malfunctioning monitoring well, not representative of the groundwater conditions, and no other wells or VAP borings in the vicinity have ever yielded vinyl chloride detections.
- Previous detections of vinyl chloride within the compromised OW-16D2 at concentrations ranging from 1.2 to 3.5 ug/L from May 2021 through March 2022 did not result in a detectable concentration of vinyl chloride in any other wells, including the VOM drinking water wells (vinyl chloride has never been detected at any time in the VOM drinking water wells).
- The existing VOM iron removal plant is estimated to have a 50% removal efficiency for vinyl chloride, affording current safeguards against vinyl chloride concentrations exceeding DW criteria in the water being supplied by the VOM drinking water wells.

All actions will be evaluated and implemented in close cooperation with the VOM and EGLE.

ATTACHMENT 2

ZF's November 14th Email and Technical Summary Report

From: Detwiler Scott MSA HEEN <Scott.Detwiler@zf.com>
Sent: Monday, November 14, 2022 4:49 PM
To: Alger, Brandon (EGLE)
Cc: Owens, Paul (EGLE); HagyL; NoetzelK1; cwuerth; WILSONC3; Yusko-Kotimko, Tiffany (EGLE); McInnis, John; Martorano Kelly; Bleazard Robert; BOWLINGD; Sclafani, Troy; SynkP; AllisonYokomD; KeatleyA; NellerM; MOSHERJ1; YORDANICHD; MillerM61; GGilezan; Stewart, Paul
Subject: Revised Technical Summary Report and Contingency Plan
Attachments: 221114 Updated ZF (former Kelsey-Hayes Tech Summary Report and Contingency Plan (Milford).pdf; Cover Letter Technical Summary Report_ZF Milford Site (AO-RRD-22-001) 111422.pdf

Hello Brandon,

Attached please find a cover letter and revised Technical Summary Report and Contingency Plan for the ZF (former Kelsey Hayes site) in Milford. This Report is in response to EGLE's June 28th letter advising ZF that we could submit a summary of our technical arguments, Monitoring Plan and Contingency Plan and further discussions between EGLE and ZF on next steps on this project. Once you and other EGLE personnel have had a chance to review the Report, ZF would welcome and opportunity to discuss any questions.

Since this is a rather large file, please let me know that you have received it.

If you have any questions, please feel free to reach out to either John McInnis or myself.

Thanks,

Scott

Kind regards
Scott Detwiler CSP
Senior Regional EHS Manager

ZF Group
Environmental, Health and Safety
11202 E. Germann Rd., Mesa, AZ 85212

Phone: 480-722-4139, Mobile: 480-600-7433, Fax: 480-722-4254
E-Mail: scott.detwiler@zf.com

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department: Environmental, Health and Safety
From: Scott Detwiler
Phone: +1 480-722-4139
Email: Scott.Detwiler@zf.com
Date: November 14, 2022

VIA EMAIL: AlgerB@michigan.gov
AND CERTIFIED MAIL

Brandon Alger, Project Manager
Warren District Office, Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Updated Technical Summary Report Related to the Administrative Order for Response Activity Regarding the Former Kelsey-Hayes Company Site Located at 101 Oak Street, Milford, Oakland County, Michigan; **EGLE Docket No. AO-RRD-22-001; Facility Id. No. 63000952.**

Dear Mr. Alger,

ZF Active Safety US Inc. (ZF) is providing the attached updated Technical Summary Report, which is intended to replace the prior version of the Technical Summary Report submitted by ZF to the Department of Environment, Great Lakes, and Energy (EGLE) on August 9, 2022 in connection with Administrative Order for Response Activity, EGLE Docket No. AO-RRD-22-001 (the "AO") for the Former Kelsey-Hayes Company site located at 101 Oak Street, Milford, Oakland County, Michigan, (the "Site").

The updated Technical Summary Report is provided in response to EGLE's letter dated June 28, 2022 (the "June 28th Letter"), wherein EGLE states that, "if, at any point, ZF believes it has collected sufficient data to make any conclusions requiring EGLE concurrence, ZF must provide EGLE with the following documentation (at a minimum) for consideration: (i) A letter outlining any conclusions reached, and a request for EGLE concurrence with the conclusions; (ii) A Technical Summary Report; (iii) A Monitoring Plan; and (iv) A Contingency Plan." Furthermore, following ZF's initial submittal of the Technical Summary Report, EGLE, ZF and their respective consultants, met several times to discuss certain items in the Technical Summary Report and based upon those discussions, ZF prepared this updated Technical Summary Report.

The updated Technical Summary Report includes the following noteworthy updated or revised information:

(i) The results of additional samples collected from OW-16D2 and replacement monitoring wells (OW-16D2R1 and OW-16D2R2) between August 2022 and October 2022, all of which have demonstrated that detectable levels of vinyl chloride are not present in the groundwater in that location; and
(ii) Minor edits to the text of the Monitoring Plan section (no changes to the plan for monitoring);
(iii) An updated Contingency Plan;

(iv) Exhibit 16 – Additional Technical Information (In response to the September 22, 2022 Email from EGLE).

Finally, contemporaneous with its review of the updated Technical Summary Report, EGLE should review the information presented in ZF's letter submitted on August 9, 2022, which further sets forth ZF's conclusions, a request for EGLE's concurrence, and a request by ZF to withdraw the AO. See the "ZF August 9, 2022 Letter," attached. Upon withdraw of the AO, the Monitoring Plan and Contingency Plan, as presented in the attached updated Technical Summary Report will be included in a Response Activity Plan applicable to the Site. ZF also requests that EGLE immediately suspend the requirements under the AO while it considers a withdrawal of the AO.

ZF appreciates the opportunity to work with EGLE on the details of the updated Technical Summary Report and we look forward to hearing from EGLE regarding its concurrence with the conclusions presented by ZF and the status of the AO. Thank you for your attention to this matter and please include this letter and its attachments in the administrative record for the AO and the Site.

If you have any questions, please contact me at the phone number listed in the header on the first page of this letter, Mr. Robert Bleazard – ZF Senior EHS Manager, Environmental Remediation at 480-722-4866, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,

Scott Detwiler
Senior Regional Manager
ZF Environmental, Health and Safety

Enclosures
cc by email only:

Mr. Robert Bleazard, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director
Mr. Michael Neller, EGLE – Remediation and Redevelopment Division Director
Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

Attachment

ZF August 9, 2022 Letter

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department: Environmental, Health and Safety
From: Scott Detwiler
Phone: +1 480-722-4139
Email: Scott.Detwiler@zf.com
Date: August 9, 2022

VIA EMAIL: AlgerB@michigan.gov
AND CERTIFIED MAIL

Brandon Alger, Project Manager
Warren District Office, Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Response to Department of Environment, Great Lakes, and Energy Letter Dated June 28, 2022 and Additional Information Regarding the Administrative Order for Response Activity Regarding the Former Kelsey-Hayes Company Site Located at 101 Oak Street, Milford, Oakland County, Michigan; **EGLE Docket No. AO-RRD-22-001; Facility Id. No. 63000952.**

Dear Mr. Alger,

ZF Active Safety US Inc. (ZF) is providing the following information and attachments to the Department of Environment, Great Lakes, and Energy (EGLE) for further consideration and review regarding the Administrative Order for Response Activity, EGLE Docket No. AO-RRD-22-001 (the "AO") for the Former Kelsey-Hayes Company site located at 101 Oak Street, Milford, Oakland County, Michigan, (the "Site"). This information is also provided in connection with EGLE's letter dated June 28, 2022 (the "June 28th Letter"), wherein EGLE states that, "if, at any point, ZF believes it has collected sufficient data to make any conclusions requiring EGLE concurrence, ZF must provide EGLE with the following documentation (at a minimum) for consideration: (i) A letter outlining any conclusions reached, and a request for EGLE concurrence with the conclusions; (ii) A Technical Summary Report; (iii) A Monitoring Plan; and (iv) A Contingency Plan."

The purpose of the information provided in this letter and the Technical Summary Report attached hereto, is to present clear and convincing evidence to support a request by ZF and concurrence by EGLE to withdraw the AO. The Monitoring Plan and Contingency Plan, as presented in the attached Technical Summary Report will be included in a Response Activity Plan applicable to the Site. ZF also requests that EGLE immediately suspend the requirements under the AO while it considers a withdrawal of the AO.

The attached Technical Summary Report includes the detailed information regarding the substantial investigations that ZF and its consultant, Arcadis, have completed since March 2022, to further investigate the condition of the observation well (OW-16D2) and the aquifer characteristics near the Village of Milford (VOM) drinking water wells. The result of the investigations and the additional data gathered by ZF establishes that vinyl chloride is not present in groundwater at OW-16D2 at concentrations that would pose an imminent and substantial endangerment to the public health, safety, welfare, or the environment. Therefore, the basis for the AO is not supported by the current facts and circumstances and the requirements of the AO should be immediately suspended and the AO withdrawn and replaced with a Response Activity Plan. The Technical Summary Report discusses the following information:

(i) Background information and a chronology regarding the presence of vinyl chloride in samples from OW-16D2 that were above the Drinking Water (DW) criteria and formed the primary basis for the AO;

(ii) Subsequent investigations that determined OW-16D2 was in a compromised condition at the time of the water sampling that was relied upon to form the primary basis of the AO and therefore, the vinyl chloride detection data from OW-16D2 was inaccurate and does not support the findings of fact and determinations in the AO;

(iii) The additional work completed by ZF/Arcadis, since March 2022, to redevelop OW-16D2 and simultaneously install good quality replacement monitoring wells (OW-16D2R1 and OW-16D2R2) and the subsequent sampling of the redeveloped OW-16D2 well and the new monitoring well OW-16D2R1, all of which have demonstrated that detectable levels of vinyl chloride are not present in the groundwater in that location; and

(iv) The Monitoring Plan and Contingency Plan requested in EGLE's June 28, 2022 Letter.

The additional information presented in the Technical Summary Report supports a finding by EGLE that the AO should be withdrawn because there is no objectively reasonable basis or technical information to conclude under Part 201 of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA), MCL §324.20101 et seq. ("Part 201") that, as stated in Paragraphs 4.8 and 4.11 of the AO: (1) vinyl chloride is present in the groundwater at the location of observation well OW-16D2 and it presents an imminent and substantial endangerment to the public health, safety, welfare, or the environment within the meaning of Section 20119 of NREPA, MCL §324.20119; and (2) the groundwater impacts from the Site are the source of vinyl chloride in OW-16D2.

The Technical Summary Report shows that vinyl chloride is not present in the groundwater at OW-16D2 at or above the reporting limit of 1.0 ug/L. Pursuant to the Monitoring Well Rehabilitation and Vertical Aquifer Profiling (VAP) Work Plan submitted to EGLE on April 22, 2022 (the "Work Plan") and follow-up correspondence from EGLE on May 4, 2022, ZF has gathered additional information to better understand the presence and lateral and vertical distribution of chlorinated volatile organic compounds (CVOCs) in groundwater near OW-16D2. Vertical aquifer profiling (VAP) was completed at three points near OW-16D2. Vinyl chloride was not detected at or above the reporting limit of 1.0 ug/L in any of the 36 groundwater samples collected from the three VAP borings. In addition, ZF installed two new observation wells (OW-16D2R1 and OW-16D2R2) nearby OW-16D2. The results of the groundwater sampling of the new monitoring well OW-16D2R1 has consistently rendered results that are non-detectable (non-detect) for vinyl chloride. The new monitoring well OW-16D2R2 was sampled on August 8, 2022 and analytical results will be shared with EGLE upon receipt.

Furthermore, the information presented in the Technical Summary Report shows that scale build-up and compromised well conditions at OW-16D2 were the source of vinyl chloride in water samples collected from the well in May and August 2021, and in January and February 2022. Once OW-16D2 was redeveloped in April 2022, and groundwater from the formation could flow more freely into the well screen, the water samples from OW-16D2 on April 4, 8, and 18, May 18, June 8, and July 11, 2022 have consistently shown no detectable concentrations of vinyl chloride at or above the reporting limit of 1.0 ug/L. This also includes the split water samples collected by the VOM/John Wood Group PLC (Wood) on April 4, 8, 18, May 18, June 8, and July 11, 2022. Based on the information that has been documented about OW-16D2, such as significant scale build-up and stagnant water conditions, it is clear that OW-16D2 had become compromised and sample results obtained from the well prior to the redevelopment are not reliable because they were not representative of actual in-situ groundwater conditions. Therefore, the groundwater impacts from the Site are not the source of vinyl chloride in OW-16D2 and vinyl chloride is not present in the groundwater at OW-16D2 at or above the reporting limit of 1.0 ug/L.


Specifically, the non-detect vinyl chloride results for six consecutive post-redevelopment sampling events at OW-16D2, the non-detect vinyl chloride results in the 36 groundwater samples collected from the three VAP borings, and the non-detect vinyl chloride results in the new well, OW-16D2R1, confirms that CVOCs present in groundwater in the vicinity of OW-16D2 are stable and not degrading to vinyl chloride, which is also consistent with the sampling results throughout ZF's monitoring well network during the past 25 years; as further discussed in the Technical Summary Report and its attachments.

As outlined above and in the Technical Summary Report, the prior understanding of the circumstances at OW-16D2 and the samples collected in May and August 2021 and January and February 2022, has been replaced by subsequent competent, material, and substantial evidence that disproves the basis for the determinations in the AO. Therefore, EGLE's conclusion that vinyl chloride in impaired well OW-16D2 presents an imminent and substantial endangerment to the public health, safety, welfare, or the environment should be adjusted and the AO should be withdrawn. Instead, EGLE should allow ZF to proceed on the basis of its technical findings to date, as outlined in the Technical Summary Report, and on the performance of the Monitoring Plan and the Contingency Plan. The AO should be withdrawn and replaced with a Response Activity Plan, which would still provide EGLE and ZF the administrative structure to continue routine monitoring of the ZF wells that are in close proximity to the VOM wells and rely on the Contingency Plan to implement appropriate response actions if the routine monitoring indicates any threat to the VOM wells. The Monitoring Plan and the Contingency Plan proposed by ZF, coupled with a Response Activity Plan that provides an administrative framework and process that can be relied on by both ELGE and ZF, will still meet the objectives of ensuring the protection of public health, safety, welfare, and the environment. Furthermore, ZF has already completed a significant portion of the work included in the Performance Objectives under the AO, with the input and approvals of EGLE and the VOM, including water treatment system design plans and a Part 399 Permit Application. Therefore, ZF could easily utilize this body of work to support and quickly implement the items in the Contingency Plan, if necessary. ZF has collected a significant amount of compelling information and data since March 2022, related to the compromised condition and unreliable results for OW-16D2 prior to well redevelopment, and with respect to the groundwater aquifer, which confirms and supports the conclusion that there is no imminent and substantial endangerment or threat to the VOM drinking water wells based on vinyl chloride in the groundwater at OW-16D2.

ZF appreciates the opportunity to work with EGLE and obtain feedback throughout the process of developing and implementing the Work Plan. ZF would like to continue to engage with EGLE regarding both the progress of the technical work at the Site and with respect to ZF's request to withdraw the AO, suspend the requirements under the AO while EGLE considers withdrawing it, and implement a Response Activity Plan for the Site. We would like the opportunity to meet with EGLE to discuss a Response Activity Plan that meets the objectives of both EGLE and ZF, as well as the VOM where applicable. ZF remains committed to complying with Part 201 requirements for the Site and continuing our collaborative work with EGLE and the VOM to protect the VOM's valuable drinking water resource. Thank you for your attention to this matter and please include this letter and its attachments in the administrative record for the AO and the Site.

If you have any questions, please contact me at the phone number listed in the header on the first page of this letter, Mr. Robert Bleazard – ZF Senior EHS Manager, Environmental Remediation at 480-722-4866, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,



Scott Detwiler
Senior Regional EHS Manager
ZF Environmental, Health and Safety

Enclosures
cc by email only:

Mr. Robert Bleazard, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director
Mr. Michael Neller, EGLE – Remediation and Redevelopment Division Director
Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

Attachment

Technical Summary Report

Technical Summary Report

SUBJECT
Former Kelsey-Hayes Plant,
101 Oak Street
Oakland County, Michigan
EGLE Facility ID No. 63000952

TO
Brandon Alger
Michigan Department of Environment,
Great Lakes, and Energy

DATE
November 14, 2022

On behalf of ZF Active Safety US Inc. (ZF), Arcadis of Michigan, LLC (Arcadis) first prepared and submitted this Technical Summary Report on August 9, 2022, in response to the Michigan Department of Environment, Great Lakes, and Energy's (EGLE's) letter dated June 28, 2022 (the "June 28th Letter") and in connection with the Administrative Order for Response Activity, EGLE Docket No. AO-RRD-22-001 (the "AO"), for the former Kelsey-Hayes Company site located at 101 Oak Street, Milford, Oakland County, Michigan (the "Site"). ZF has since revised the Contingency Plan portion of the first version of the Technical Summary Report in response to comments received from EGLE and added additional technical information (See Attachment 16) in response to the September 22, 2022, electronic email from EGLE. ZF also updated portions of the Technical Summary Report to include the additional data collected from OW-16D2, OW-16D2R1, and OW-16D2R2 during the months of August, September, and October 2022. The purpose of this Technical Summary Report is to provide EGLE with documentation and additional information regarding the work that has been completed by ZF and Arcadis to date, to further investigate the condition of ZF observation well, OW-16D2, and evaluate chlorinated volatile organic compounds (CVOCs), particularly vinyl chloride, in the area of OW-16D2 and near the Village of Milford (VOM) municipal drinking water wells. This Technical Summary Report will demonstrate that: (i) the condition of OW-16D2 was compromised at the time the samples with vinyl chloride above the drinking water (DW) criteria were collected from the well, which was the basis for the AO; (ii) groundwater from the aquifer does not contain vinyl chloride at or above the reporting limit of 1.0 ug/L; (iii) the current condition of the compounds in the aquifer is stable.

This Technical Summary Report consolidates information and data previously submitted to EGLE in letters and data submitted between March 16, 2022, and July 13, 2022, and also includes the details of the investigations performed and data recently collected by Arcadis regarding monitoring well OW-16D2 and two new monitoring wells installed to analyze the groundwater near OW-16D2. In addition, this Technical Summary Report incorporates a Monitoring Plan and a Contingency Plan (revised), as requested in the June 28th Letter.

BACKGROUND AND CHRONOLOGY OF EVENTS

The background and chronology of events described in the following paragraphs is focused on information related to OW-16D2 and the data, observations, correspondence, and work performed in connection with OW-16D2 and the AO, from May 2021 to date.

ZF is the corporate successor to the prior operator of the Part 201 Facility located at the Site. As part of its obligations related to the Site, ZF has been collecting samples from a network of off-site wells, including OW-16D2, since 1998. Observation Well OW-16D2 is located approximately 200 feet from the Village of Milford (VOM) municipal drinking water wells. Vinyl chloride had not been detected above the DW criteria in any samples collected from OW-16D2 until May 2021, and then August 2021. Based on these results, ZF proposed to increase the sampling frequency for OW-16D2 from semi-annual sampling to bi-weekly sampling for three months and if concentrations of vinyl chloride remained below the DW criteria for six consecutive sampling events, the sampling

frequency would be monthly for the following three months, and return to semi-annually if no vinyl chloride was detected. EGLE agreed to the sampling plan via email from Mr. Kevin Wojciechowski on July 20, 2021. In addition, after the detections of vinyl chloride in May and August 2021, ZF and Arcadis reviewed the extensive data collected for the Site, as well as other available information for soil sampling and monitoring wells in the vicinity of the Site, to try to understand the emergence of vinyl chloride in OW-16D2. Given that vinyl chloride had not previously been detected in ZF's off-site monitoring well network in more than 25 years of monitoring, the emergence of vinyl chloride only in OW-16D2 warranted further review and investigation. In addition, available summaries of data collected by the VOM's consultant, John Wood Group PLC (Wood), for the VOM's drinking water well system showed that vinyl chloride had never been detected in the VOM's municipal wells (approximately 200 feet from OW-16D2) or associated distribution systems during the last 32 years. See Figure 1 (Site Layout) and Figure 2 (Cross Section) for a summary of recent groundwater monitoring results from ZF's monitoring well network, VOM's monitoring well MW-03-94, and the VOM drinking water wells. In addition, trend graphs prepared by Arcadis show decreasing concentrations of CVOCs in groundwater downgradient of the Site. See **Attachment 1**.

Although trichloroethene and cis-1,2-dichloroethene have historically been detected in Observation Wells OW-2D2, OW-05D2, OW-07D, OW-22, OW-22D, OW-23D, OW-28, and OW-30 (wells downgradient of the Site) from 1994 to 2022 (note: that the exact timeframe varies depending upon the well) vinyl chloride has never been detected in these wells except for an anomalous detection in OW-07D on December 18, 1997. The December 18, 1997 sample was rerun and EGLE had also collected a split sample and neither of those analyses detected vinyl chloride. Observation well OW-07D has been sampled at least 44 times from 1994 to 2022 and vinyl chloride has never been detected in this well other than the one anomalous result, which was not replicated in subsequent sampling. The data from these eight wells, observation wells OW-9, OW-9ML-A/B/C/D, OW-10, OW-10D, OW18D, OW-18ML-A/B/C, and OW-18ML-D/E/F located along West Liberty Street, and the VOM well (MW-03-94), demonstrate that CVOCs including trichloroethene and cis-1,2-dichloroethene are stable below DW criteria in the aquifer and conditions of the aquifer are not conducive for degradation of these compounds to vinyl chloride.

On September 1, 2021, EGLE sent a Compliance Communication regarding the Site to ZF and requested that ZF submit a Response Activity Plan to EGLE within 90 days. On October 25, 2021, EGLE sent ZF another Compliance Communication asking ZF to initiate an interim response measure of installing treatment on the Village of Milford drinking water system. During this time period, ZF continued to collect bi-weekly groundwater samples from OW-16D2 pursuant to the original agreement with EGLE in July 2021. The bi-weekly sampling did not identify vinyl chloride above the DW criteria in samples collected through the end of October 2021 and samples collected in November 2021 and December 2021, also did not reveal vinyl chloride above the DW criteria. ZF responded to EGLE's September 1st and October 25th Compliance Communications on November 23, 2021. See **Attachment 2.**

On January 4, 2022, and January 25, 2022, OW-16D2 was sampled in accordance with the original sampling plan agreed to by EGLE in July 2021 and the water sample results showed vinyl chloride at 2.5 micrograms per liter (ug/L) and 3.2 ug/L, respectively. A water sample was also collected on February 17, 2022, which did not identify vinyl chloride above the DW criteria. All of the sampling results were reported to EGLE via email. See **Attachment 3**.

On March 16, 2022, EGLE issued the AO to ZF on the basis that the presence of vinyl chloride in OW-16D2, "represents an imminent and substantial endangerment to the public health, safety, welfare, or the environment within the meaning of Section 20119 of NREPA, MCL §324.20119."

Around the time that EGLE issued the AO (late February to early March 2022) Arcadis had been evaluating water level trends at OW-16D2 to determine if the water level drawdown in the well was a result of low-flow sampling or the operation of the nearby VOM drinking water wells. After determining that there was no drawdown in OW-16D2 during operation of the VOM drinking water wells but an anomalous response in water level and certain groundwater parameters in OW-16D2 during sampling, Arcadis raised concerns regarding the possible integrity of the well screen and/or the sand pack surrounding the well screen. In addition, considering the proximity of OW-16D2 to the VOM drinking water wells, ZF and Arcadis carefully analyzed the viability of OW-16D2 and considered whether the groundwater samples collected from this well were representative of the aquifer. Arcadis initially questioned whether OW-16D2 may be compromised because there was significant drawdown in the well during most of the low-flow sampling events where vinyl chloride was detected, and purge volumes were observed to be similar to the volume of standing water removed from the well. Except for a few instances, this was not observed in the past. This indicated stagnant water conditions in the well. In addition, water samples collected from OW-16D2 with vinyl chloride detections had a strong reducing oxidation reduction potential (ORP) in the range of -60 to -134 millivolts and low dissolved oxygen (DO) levels. These conditions within a well provide a reducing environment where anerobic microbes are active and reductive dichlorination of CVOCs can occur (i.e., cis-1,2-dichloroethene to vinyl chloride). Arcadis also noted that vinyl chloride has not been detected in the six observation wells, OW-9, OW-9D, OW-09ML-A/B/C/D, and MW-03-94, located upgradient of OW-16D2, in the VOM drinking water wells, or in any of the other monitoring wells regularly sampled by Arcadis, which have proven to be reliable in monitoring other CVOCs. Therefore, based on these multiple lines of evidence, it appeared that the recent detections of vinyl chloride in OW-16D2 were localized and warranted further review. Finally, the inability of OW-16D2 to sustain EGLE's low-flow sampling stabilization requirements for water level also indicated that groundwater samples collected from OW-16D2 were not representative of groundwater conditions and not suitable for comparison to the Part 201 Cleanup Criteria for compliance purposes. See **Attachment 4** for a summary table of laboratory analytical results for the seven upgradient wells and a summary table of laboratory analytical results for OW-16D2 and field parameters.

Based on the observations discussed above, OW-16D2 was further examined and efforts to redevelop the well began on April 1, 2022. The objective of the well redevelopment activities was to improve hydraulic communication between the well and the formation, in order to produce representative groundwater samples. During the examination and redevelopment of OW-16D2, Stearns Drilling Company (Stearns), the well redeveloper, used a surge block with a vacuum hose attachment to work up and down within the well screen and draw out sediments consistent with standard practice. Stearns moved this apparatus up and down within the well screen several times. During the process, there was initial discolored water and some fine sediment removed and then it cleared up. The plan was to then drop a pump down the well and purge water/groundwater as it re-entered the well, removing as much water as possible. However, after pulling the surge block apparatus out of the well, there was only about 2 feet of water remaining in the well (approximately 1/3 gallon). The depth of standing water in the well when Stearns started the redevelopment process was about 100 feet which is equivalent to approximately 16 gallons. This indicates that the well screen, sand pack, and/or formation around the screen was not functioning as designed. Arcadis measured the level of water in the well after this work and it recovered very slowly, at a rate of less than 1 foot per hour. Based on these observations, it appeared that the water in OW-16D2 was stagnant (and existing in an anaerobic condition) and therefore not representative of groundwater conditions present in the aquifer. These initial well redevelopment findings, combined with the observations noted above regarding well behavior during sampling, indicated that OW-16D2 had become compromised and could not be relied on for continued groundwater monitoring without further potential corrective action on the well. See **Attachment 5**, ZF letter to EGLE dated April 8, 2022.

Following the redevelopment on April 1, 2022, Arcadis collected water samples from OW-16D2 on April 4, 8, and 18, 2022. The samples were submitted to Fibertec Environmental Services of Holt, Michigan (Fibertec) and Eurofins Canton, Ohio (Eurofins) for analysis of volatile organic compound (VOCs) using United States Environmental Protection Agency (USEPA) Test Method 8260D. The results from all six samples, including associated duplicate samples, indicated non-detectable (non-detect) concentrations of vinyl chloride (less than 1.0 ug/L). In contrast, cis-1,2-dichloroethene, trans-1,2-dichloroethene, and 1,1-dichloroethane were detected below DW criteria and the concentrations of these other CVOCs were consistent with previous samples collected from OW-16D2. This indicated that these compounds were stable in the formation water that entered OW-16D2 after redevelopment and were not degrading to vinyl chloride in the aquifer in the vicinity of OW-16D2. See **Attachment 6**, summary of laboratory analytical results for OW-16D2 (April 4, 8, and 18, 2022). These findings, along with the OW-16D2 sampling results, and the well redevelopment observations described above, supported Arcadis's prior working hypothesis that, OW-16D2 was compromised and the production of vinyl chloride was occurring in the well resulting from stagnant anaerobic water within the well, and that the vinyl chloride detections were not representative of actual groundwater conditions. Therefore, ZF requested additional time to comply with the AO response deadline and develop and implement a work plan to further investigate, redevelop, and gather representative data from OW-16D2. See **Attachment 7**, ZF letter to EGLE dated April 13, 2022. EGLE responded to ZF on April 14, 2022, and denied ZF's request for additional time to comply with the AO. However, EGLE concurred that the technical information collected by ZF warranted more investigation and noted that ZF could submit a work plan describing the additional work that would be performed to continue to rehabilitate OW-16D2. EGLE also requested that the work plan include details about vertical aquifer profiling (VAP) in close proximity to OW-16D2 to verify the screen is in the zone of highest contamination, or if the depth of contamination is different than screening interval, installation of a new monitoring well. See **Attachment 8**, EGLE letter to ZF dated April 14, 2022.

ZF submitted a Monitoring Well Rehabilitation and Vertical Aquifer Profiling Work Plan to EGLE on April 22, 2022 (the "Work Plan"). EGLE responded with comments to the Work Plan on May 4, 2022 and ZF responded to EGLE's comments to the Work Plan on May 15, 2022 (the original Work Plan and the subsequent EGLE and ZF letters are hereafter referred to as the "Work Plan Documents"). See **Attachment 9**, Progress Report No. 1 dated May 15, 2022.

SUMMARY OF INVESTIGATIONS

Pursuant to the Work Plan Documents, ZF proceeded to schedule and implement the work. Well rehabilitation activities at OW-16D2 conducted to date include initial well redevelopment on April 1, 2022, collection of water samples for chemical and biological analysis to determine if the well recharging issues observed during the initial redevelopment are related to scaling or biofouling, and performing a camera survey to assess the integrity of the screen and casing. As described in more detail below, ZF conducted the VAP sampling activities on May 16 through 25, 2022, in close proximity to OW-16D2 (VAP Location No. 1) and at two other locations (VAP Locations No. 2 and 3) west of OW-16D2. The objective of the VAP sampling activities was to further assess the presence and lateral and vertical distribution of CVOCs in groundwater. In addition, on May 26 through 27, 2022, ZF installed a new monitoring well (OW-16D2R1) next to OW-16D2, based on the results from groundwater samples collected at VAP Location No. 1 and in consultation with EGLE. See **Attachment 10**, e-mail from Kevin Wojciechowski dated May 26, 2022. A second additional well (OW-16D2R2) was installed on July 20 and 21, 2022, to monitor the same screened interval as OW-16D2.

OBSERVATION WELL (OW-16D2) REHABILITATION

As discussed above, Arcadis began performing redevelopment activities on OW-16D2 on April 1, 2022. The initial redevelopment activities included clearing sediments from the well screen and allowing the well to recharge. Since the initial well redevelopment activities, Arcadis has collected water samples from OW-16D2 on nine occasions. Water samples collected on April 4, 8, and 18, and May 18, 2022, were submitted to Eurofins for analysis of VOCs using USEPA Test Method 8260D. Water samples collected on April 4, 8, and 18 were also submitted to Fibertec for expedited analysis of VOCs using USEPA Test Method 8260D. The water samples collected on June 8, July 11, August 8, September 8, and October 3, 2022, were submitted to Fibertec for expedited analysis of VOCs using USEPA Test Method 8260D. Vinyl chloride was not detected (at or above the reporting limit of 1.0 ug/L) in any of the water samples collected since the April 2022 redevelopment of OW-16D2. The consultant for the VOM, Wood, also collected split water samples on April 4, 8, 18, May 18, June 8, July 11, August 8, September 8, and October 3, 2022. The split samples collected by Wood also did not identify vinyl chloride above the DW criteria. The sampling data for OW-16D2 since the initial redevelopment activities on April 1st are presented below.

Sample Identification:	Observation Well OW-16D2																					Residential Drinking Water Criteria
Sample Collection Date:	4/4/2022			4/8/2022			4/18/2022			5/18/2022		6/8/2022		7/11/2022		8/8/2022		9/8/2022		10/3/2022		
	Fibertec	Eurofins	Wood	Fibertec	Eurofins	Wood	Fibertec	Eurofins	Wood	Fibertec	Wood	Fibertec	Wood	Fibertec	Wood	Fibertec	Wood	Fibertec	Wood	Fibertec	Wood	
Tetrachloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	5.0
Trichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	5.0
cis-1,2-Dichloroethene	19	21	17	20	18	17	18	16	14	16	13	19	14	18	10	16	12	21	16	17	16	70
trans-1,2-Dichloroethene	1.7	1.7	2.0	1.5	1.5	2.0	1.3	1.2	1.0	<1.0	<1.0	1.4	2.0	<1.0	<1.0	<1.0	<1.0	1.8	2.0	1.4	1.8	100
1,1-Dichloroethane	3.5	3.8	4.0	3.5	3.0	4.0	3.0	2.4	3.0	3.4	3.0	3.6	3.0	3.5	3.0	3.6	3.0	3.9	4.0	3.2	4.0	880
Vinyl chloride	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**<1.0**	**2.0**

All concentrations are in micrograms per liter (µg/L).

The laboratory analytical reports for the samples collected at OW-16D2 since redevelopment are included in **Attachment 11**.

SAMPLE COLLECTION FOR CHEMICAL AND BIOLOGICAL ANALYSIS

Water samples were collected for chemical and biological analysis from OW-16D2 on June 6, 2022. Samples were submitted to Water Systems Engineering Inc., Ottawa, Kansas (WSE). The laboratory analytical results and analysis found a significant potential for mineral scale buildup over time as indicated by the high concentration of dissolved minerals present including hardness, calcium, and alkalinity. The bacterial assessment as well as the microscopic evaluation found strong evidence indicating that the well is heavily impacted by excessive bacterial growth, particularly by slime forming organisms. Recommendations provided by WSE to help restore unrestricted flow between the interior of the well and the aquifer include well rehabilitation involving mechanical brushing, an acid treatment to dissolve mineral scale followed by disinfection to reduce the bacterial load in the well. See **Attachment 12**, complete well profile analysis report from WSE.

MONITORING WELL CAMERA SURVEY

A down well camera survey was conducted on July 21, 2022, to further assess the condition of OW-16D2. As expected, the camera survey showed significant build-up of sediments on the well screen. In addition to the findings from the chemical and biological analysis, this provides further evidence that OW-16D2 had become compromised. See **Attachment 13**, downhole photographs of the well screen.

VAP WORK

The VAP borings were advanced to approximately 5 feet into the clay stratum that was encountered at the bottom of the aquifer. Groundwater samples were collected at 10-foot intervals from the water table to 120 feet below ground surface (bgs). Groundwater samples were submitted to Fibertec for analysis of VOCs using USEPA Test Method 8260D. A summary of the laboratory analytical results and the laboratory analytical reports were submitted to EGLE and the VOM and are included in **Attachment 14**. In summary, vinyl chloride was not detected in any of the 36 groundwater samples collected from the three VAP borings.

VAP Location No.1 was advanced next to OW-16D2 and was used to verify the zone of highest contamination for installation of new well OW-16D2R1. As stated in EGLE's May 4th letter, the zone of highest contamination is defined as, "the zone of the highest detected concentration of vinyl chloride, or if no vinyl chloride is detected, as the zone with the highest total VOCs." Laboratory analytical results from VAP Location No. 1 indicated no detections of vinyl chloride. The zone with the highest total VOCs at VAP No. 1 was the groundwater sample collected from 85 to 90 feet bgs, which consisted of 1,1 dichloroethane (2.2 ug/L), cis-1,2-dichloroethene (19 ug/L), trans-1,2-dichloroethene (1.3 ug/L), and toluene (4.7 ug/L). Toluene is not a constituent of concern associated with the Site and this constituent may be associated with the former Leaking Underground Storage Tank sites directly to the north at the intersection of Commerce Road and Main Street. In the groundwater samples collected from VAP Location No. 2, only cis-1,2-dichloroethene (1.5 ug/L) was detected at a depth of 45 to 50 feet bgs. In the groundwater samples collected from VAP Location No. 3, only toluene was detected (1.5 and 1.0 ug/L) at 15 to 20 feet bgs and 105-110 feet bgs, respectively. Again, toluene is not a constituent of concern related to the Site and is likely from another upgradient source. In summary, vinyl chloride was not detected (at or above the reporting limit of 1.0 ug/L) in any of the 36 groundwater samples collected from the three VAP borings.

NEW OBSERVATION WELLS

Observation well 16D2R1 (OW-16D2R1) was installed on May 26 and 27, 2022 and is screened at the 85 to 90 feet bgs interval based on EGLE's statements in the May 4th letter and further e-mail confirmation from Mr. Wojciechowski on May 26, 2022. See **Attachments 9 and 10**. Groundwater samples were collected from OW-16D2R1 on June 8, July 11, August 8, September 8, and October 3, 2022, and submitted to Fibertec for expedited analysis of VOCs using USEPA Test Method 8260D. Laboratory analytical results are included in **Attachment 15**. Vinyl chloride was not detected in OW-16D2R1 at or above the reporting limit of 1.0 ug/L.

A second new observation well (OW-16D2R2) was installed on July 20 and 21, 2022, and is screened at 95 to 100 feet bgs to monitor the deeper interval, and to match the well-screen depth of OW-16D2, though it was not the zone of highest contaminant concentration in VAP-1 as defined by EGLE. Groundwater samples were collected from OW-16D2R2 on August 8, September 8, and October 3, 2022, and submitted to Fibertec for expedited analysis of VOCs using USEPA Test Method 8260D. Laboratory analytical results are included in **Attachment 15**. Vinyl chloride was not detected in OW-16D2R2 at or above the reporting limit of 1.0 ug/L.

The information presented above provides additional support for ZF's and Arcadis's prior assertions that OW-16D2's connection to the groundwater in the aquifer was compromised and was not providing representative samples from the aquifer prior to redevelopment on April 1, 2022 (beginning May 2021 through March 2022). Results from the April, May, June, July, August, September, and October 2022 samples collected following the April 2022 redevelopment of OW-16D2 are consistent with, and further support our understanding that, OW-16D2 had become compromised and sample results obtained from the well prior to the redevelopment on April 1, 2022, are not reliable

because they were not representative of actual in-situ groundwater conditions. Specifically, the non-detect vinyl chloride results now for nine consecutive post-redevelopment sampling events at OW-16D2, the non-detect vinyl chloride results in the groundwater samples collected in the 36 groundwater samples from the three VAP borings, and the non-detect vinyl chloride results in the new wells (OW-16D2R1 and OW-16D2R2) next to OW-16D2, confirms that CVOCs present in groundwater in the vicinity of OW-16D2 are not degrading to vinyl chloride, which is also consistent with the sampling results throughout ZF's monitoring well network for more than 25 years. These data demonstrate that the former Kelsey-Hayes site plume is adequately defined to applicable Part 201 criteria, the existing groundwater capture and treatment system is effectively capturing and treating impacted groundwater from the Site, reducing contaminant concentration and extent, and that the remaining CVOC impacts from the Site do not represent an unacceptable risk to the VOM's drinking water wells, while ZF continues to implement its ongoing groundwater cleanup and monitoring.

Based on 21 groundwater samples collected from OW-16D2 since the April 1, 2022 redevelopment, with no detections of vinyl chloride, it has been confirmed that the vinyl chloride that had been detected in OW-16D2 prior to the redevelopment April 1, 2022 (beginning May 2021 through March 2022) was the result of stagnant anaerobic water within the well and not representative of in-situ groundwater conditions. In addition, the absence of vinyl chloride in groundwater is further confirmed by the recent non-detect vinyl chloride results obtained from 14 groundwater samples collected at VAP No. 1, five groundwater samples collected from OW-16D2R1, and three groundwater samples collected from OW-16D2R2. In addition, collectively these data are consistent with and further support ZF's Conceptual Site Model presented to EGLE in our letter dated November 23, 2021, and during the AO conference on March 31, 2022, and reinforce ZF's assertions that vinyl chloride is not present in groundwater in the vicinity of OW-16D2 and does not pose an imminent and substantial endangerment to the VOM municipal drinking water system.

MONITORING PLAN

This monitoring plan has been developed to collect samples from OW-16D2R1 and OW-16D2R2 (the "Observation Wells") and compare the sampling results to applicable Part 201 criteria for vinyl chloride in drinking water (2.0 ug/L or current Part 201 promulgated value) and collect additional samples from the Observation Well(s) as needed. The Observation Wells will be sampled on a monthly frequency for the 6 months following approval of this Technical Report by EGLE, for the analysis of VOCs using USEPA method 8260D. Laboratory analysis of the samples collected each month will be completed on a standard turnaround time. The laboratory analytical results from the sampling of the Observation Wells will be provided to EGLE and the VOM within 4 business days of receiving the results from the laboratory. If the result from either Observation Well shows vinyl chloride at concentrations that exceed the applicable DW criteria, ZF will notify EGLE and the VOM within 1 business day of receiving the result from the laboratory and the Observation Well(s) will be resampled within 4 business days, and again within 8 business days, of receiving the first sample result showing vinyl chloride above the applicable DW criteria. Laboratory analysis of the verification samples will be completed with expedited laboratory turnaround time. If the verification sampling results from the Observation Well(s) also show vinyl chloride at concentrations that exceed the applicable DW criteria, then the Contingency Plan set forth below will be implemented. If the verification samples from the Observation Well(s) do not show vinyl chloride at concentrations exceeding the applicable DW criteria, then ZF will resume monthly sampling. If vinyl chloride is not detected above applicable DW criteria during any consecutive six-month period, then the sampling frequency of the Observation Wells will be reduced to quarterly for 1 year. If vinyl chloride is not detected above applicable DW criteria for 1 year, then the sampling frequency of the Observation Wells will be reduced to semi-annually, which is consistent with the current site-wide monitoring program for the Site.

CONTINGENCY PLAN

This Contingency Plan has been developed to describe the actions that will be implemented if vinyl chloride above the applicable DW criteria is verified in the Observation Well(s) pursuant to the process set forth in the monitoring plan included above.

ZF will continue to work with the EGLE, Drinking Water and Environmental Health Division – Warren District Office (DWEHD – WDO) to complete the currently ongoing Act 399 construction permit review process, including submittal of any updated supporting plans and specifications that describe the work necessary to implement the treatment system set forth in ZF's Act 399 permit application. ZF will coordinate with EGLE on the permit review process in parallel with the process of withdrawing and replacing the AO, so that a complete Act 399 permit package can be reviewed by EGLE, and a construction permit ("Permit") can be issued to the Village of Milford. The Permit will clearly state that any material or equipment procurement, or construction activities, will only commence when triggered by the events set forth in this Contingency Plan. If the Permit requirements are not triggered under this Contingency Plan within 2 years of the date of issuance of the Permit, and the first extension period (to be limited to an additional 2 years), then ZF may request that EGLE remove the requirement to have an active, issued, Act 399 Permit as part of its Contingency Plan. To support its request, ZF shall present data showing that vinyl chloride above the applicable DW criteria has not been identified in the Observation Well(s) and there is no imminent and substantial threat to the Village of Milford water supply.

If the verification sampling results from the Observation Well(s) show vinyl chloride at concentrations that exceed the applicable DW criteria, then an initial evaluation of the condition of the Observation Well(s) will be conducted within 1 business day, to determine if the Observation Wells are functioning properly. Initial evaluation will specifically involve evaluation of the drawdown within the Observation Well(s) under low-flow purging rates (100 to 150 milliliters per minute). If the well is unable to sustain low-flow purging rates without significant draw-down, or if the total amount of water purged from the well is similar to the volume of standing water measured in the well before purging, then stagnant water conditions likely exist and one or both of the Observation Wells may be compromised and not rendering sampling results representative of actual aquifer conditions. Based on the information obtained during the initial evaluation, one or both of the Observation Wells may require rehabilitation or replacement.

If an Observation Well is determined to be compromised, ZF will prepare a plan to rehabilitate or replace the well and submit it to EGLE for review within 5 business days. Rehabilitation measures may include surging/pumping, jetting, air lifting, mechanical scrubbing, and injecting approved additives into the Observation Well(s). It is expected that these rehabilitation measures could be performed within 2 weeks, subject to EGLE approvals, and contractor and equipment availability. If replacement of an Observation Well is necessary, it is anticipated that drilling a new well could be completed within 1 month, subject to EGLE approvals, and contractor and equipment availability. Once an Observation Well is rehabilitated or replaced, the Observation Well will be resampled/sampled in one week (per EGLE guidelines) with expedited laboratory analysis. ZF will provide EGLE with the results of the resampling/sampling within 1 business day of receipt from the laboratory.

If the Observation Well is determined to be functioning properly after rehabilitation, ZF will resample the Observation Well 1 more time within 1 business day of that determination, with expedited laboratory analysis. ZF will provide EGLE the results of the resampling within 1 business day of receipt from the laboratory.

If the Observation Well has been rehabilitated or a replacement well has been installed and the resampling/sampling results show vinyl chloride in excess of applicable DW criteria, then ZF will meet with EGLE and the VOM within 5

business days to coordinate implementation of the treatment system set forth in the Permit. Activities to implement the Permit include:

- Place equipment purchase orders 5 days after confirmation of a detection of vinyl chloride greater than DW criteria in the Observation Well(s) referenced in the Monitoring Plan;
- Release bid package for contractor consideration 2 weeks after confirmation of a detection of vinyl chloride greater than DW criteria in the Observation Well(s) referenced in the Monitoring Plan;
- Award project 30 days after release of bid package.

A more detailed schedule will be created and provided to EGLE and the VOM after the project is awarded and equipment delivery timing is confirmed.

At any point, ZF may conduct additional investigation activities, including but not limited to additional sampling, groundwater flow and transport modeling, and forensic analysis to further evaluate the source of any vinyl chloride that could potentially be detected in groundwater at the Observation Wells at concentrations above applicable DW criteria. ZF would notify EGLE of its intent to collect and analyze such data, and present the data, methodologies, and determinations to EGLE. If the additional information indicates that the former Kelsey Hayes site is a valid potential source of vinyl chloride in the area of the Observation Wells, then ZF will continue its obligations under this Contingency Plan. If it is determined that the former Kelsey-Hayes site is not a valid potential source of vinyl chloride in the area of the Observation Wells, ZF may submit a request to EGLE to discontinue this Contingency Plan. ZF may also elect to evaluate whether there are alternative, equally protective, groundwater treatment technologies that have become available and propose any such technologies to EGLE and VOM for approval in place of the treatment system described in the Act 399 Permit. This Contingency Plan may be modified, amended, or terminated upon the written consent and approval of ZF, EGLE and the VOM.

This Contingency Plan is protective of public health for the following reasons:

- The previous vinyl chloride detections above DW criteria at OW-16D2 have been shown to be a result of stagnant anaerobic water within a compromised and malfunctioning monitoring well, not representative of the groundwater conditions, and no other wells or VAP borings in the vicinity have ever yielded vinyl chloride detections.
- Previous detections of vinyl chloride within the compromised OW-16D2 at concentrations ranging from 1.2 to 3.5 ug/L from May 2021 through March 2022 did not result in a detectable concentration of vinyl chloride in any other wells, including the VOM drinking water wells (vinyl chloride has never been detected at any time in the VOM drinking water wells).
- The existing VOM iron removal plant is estimated to have a 50% removal efficiency for vinyl chloride, affording current safeguards against vinyl chloride concentrations exceeding DW criteria in the water being supplied by the VOM drinking water wells.
- Should drinking water monitoring data indicate the presence of vinyl chloride or other VOCs in the Village of Milford drinking water at levels exceeding the maximum contaminant level (MCL), ZF shall immediately and fully cooperate with the Village of Milford and EGLE to provide for interim response measures to mitigate injury to public health. If the provision of alternate water supply (such as bottled water) is necessary to mitigate injury to public health, ZF shall immediately provide it to all Village of Milford drinking water customers until such time that other interim response measures are effectively implemented to mitigate the injury to public health. All actions will be evaluated and implemented in close cooperation with the VOM and EGLE.

Enclosures: Figures and Attachments

Figures


1 - Site Layout Map
2 - Cross Section


Attachments

1 - Trend Graphs – Select Observation Wells
2 - November 23, 2021 ZF Response to EGLE ResAP Request
3 - Select Laboratory Analytical Results Summary Table – OW-16D2
4 - Summary Tables - Laboratory Analytical Results and Field Parameters (OW-16D2) and Upgradient Wells
5 - April 8, 2022 ZF Letter to EGLE
6 - Select Laboratory Analytical Results Summary Table (April 2022) – OW-16D2
7 - April 13, 2022 ZF Letter to EGLE
8 - April 14, EGLE Letter (Response to ZF)
9 - Progress Report No. 1
10 - Electronic Mail Confirmation from Mr. Wojciechowski on May 26, 2022
11 - Laboratory Analytical Reports – OW-16D2 since Redevelopment - ***Revised – Added Lab Reports***
12 - Well Profile Analysis Report - Chemical and Biological (OW-16D2)
13 - Photographs of OW-16D2 - ***Revised - Added a Photograph***
14 - Summary of Results and Laboratory Analytical Reports – Vertical Aquifer Profile Borings
15 - Laboratory Analytical Reports (June through October 2022) ***- Revised – Added Lab Reports***
16 - Additional Technical Information (In response to the September 22, 2022 Email from EGLE)

Figures

FORMER SPIRAL INDUSTRIES (2013)
Soils
VC - 63 TO 709 µg/kg
TOTAL CVOCs - 98 TO 2,676,000 µg/kg
Groundwater
VC - 6 TO 280 µg/L
TOTAL CVOCs - 13 TO 950 µg/L
FORMER COES' CLEANERS (2007)
Soils
TOTAL CVOCs - 410 TO 22,000 µg/kg
Groundwater
TOTAL CVOCs - 3 TO 52 µg/L
FORMER KELSEY-HAYES
Soils (2001 TO 2010)
VC - <10 TO 63 µg/kg
TOTAL CVOCs - 340 TO 40,000 µg/kg
Groundwater
VC - 3 TO 17 µg/L (on-site only-2010)
TOTAL CVOCs - 5 TO 40 µg/L (off-site-2021)
(88 to 1,210 µg/L - on-site)
FORMER SPIRAL INDUSTRIES
FORMER KELSEY-HAYES
FORMER COE'S CLEANERS
EGLE GWTS & WELLS
VILLAGE WELLS
IRON REMOVAL PLANT
UPPER MILL POND
MILL POND
MILL CREEK
HUBBELL POND
PROSPECT HILL SHOPPING CENTER
FORMER STORAGE PAD AREA
DISCHARGE PIPING
OUTFALL
ZF GWTS
Union St
E Summit St
W Summit St
N Main St
S Main St
N Milford Rd
Concrete Dr
Oak St
Cabinet St
Highland Ave
E Commerce St
W Commerce Rd
Center St
Dennis St
W Liberty St
Canal St
Henson Ave
AOW-11
AOW-07
AOW-1R
AOW-5R
AMW-34
AOW-4R
AOW-35
AOW-6R
AOW-3
AOW-10
DLZ-MW-5S
DLZ-MW-5D
AMW-23
DLZ-MW-03
DLZ-MW-04
AMW-22
AMW-20
AMW-19
AMW-16
DLZ-MW-8S
DLZ-MW-8D
RL-07B
RL-08
RL-02
RL-03
RL-01
RL-10
RL-09
RL-11
RL-06
DLZ-MW-9S
DLZ-MW-9D
DLZ-MW-10
DLZ-MW-6S
DLZ-MW-6D
DLZ-MW-11S
DLZ-MW-11D
DLZ-PW1
DLZ-PW-3
DLZ-PW-2
DLZ-MW-13D
DLZ-MW-13S
DLZ-MW-12S
DLZ-MW-12D
CMW-01
CMWD-01
CMWD-01B
CMWD-01A
CMWD-02B
CMWD-02A
CMWD-02
CMW-02
CMW-03
CMW-04
AOW-09
AOW-08
MW-01-94
MW-02-94
MW-03-94
OW-16D2R1
OW-16D2
OW-09
OW-09D
OW-09ML-A/B/C/D
OW-18ML-D/E/F
OW-18ML-A/B/C
OW-18D
OW-10
OW-10D
OW-15D
OW-15
OW-28
OW-01D
OW-01
OW-25D
OW-25S
OW-03D
OW-04D
OW-05
OW-05D2
OW-05D
OW-06D
OW-26D
OW-26S
OW-17D
OW-20
OW-27
OW-02
OW-21
OW-19
PW-3
OW-02D
OW-02D2
OW-13D
OW-22D
OW-22
OW-11D
OW-24
MP-2I/D
MALL AMW-02
LVP-02
LVP-01
OW-07D
OW-23D
PW-4
OW-30
DLZ-MW-01
OW-08D
DLZ-MW-02
OW-29
OW-12D
OW-12
OW-14D
NOTES:
1. LATEST CONCENTRATIONS OF TCE, cis-12-DCE, AND VC REPORTED IN µg/L.
1.3 - Trichloroethene
3.4 - Cis-1,2-Dichloroethene
ND - Vinyl Chloride
2. ABBREVIATIONS:
CVOC - Chlorinated Volatile Organic Compounds
cis-12-DCE - cis-1,2-Dichloroethene
TCE - Trichloroethene
VC - Vinyl Chloride
µg/L - microgram per liter
µg/kg - microgram per kilogram
ND - Not Detected
3. Approximate capture extents: Groundwater Flow Model Update and Hydraulic Capture Evaluation (Arcadis 2021).
Former Spiral Industries Data: Baseline Environmental Assessment (Applied Environmental 2014).
Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community
LEGEND
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY MONITORING WELL
ABANDONED MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY MONITORING WELL
MONITORING/OBSERVATION WELL
ABANDONED OBSERVATION WELL
PUMPING WELL
2014 GROUNDWATER ELEVATION CONTOUR
GROUNDWATER TREATMENT SYSTEM UNDERGROUND ELECTRICAL
GROUNDWATER TREATMENT SYSTEM UNDERGROUND ELECTRICAL AND CONVEYANCE PIPING
GROUNDWATER TREATMENT SYSTEM UNDERGROUND CONVEYANCE PIPING
GROUNDWATER TREATMENT SYSTEM UNDERGROUND DISCHARGE PIPING
APPROXIMATE CAPTURE EXTENT OF EGLE'S GROUNDWATER TREATMENT SYSTEM WELLS
APPROXIMATE CAPTURE EXTENT OF THE VILLAGE OF MILFORD'S DRINKING WATER WELLS
APPROXIMATE CAPTURE EXTENT OF EXTRACTION WELL PW-4
APPROXIMATE CAPTURE EXTENT OF EXTRACTION WELL LVP-2
APPROXIMATE EXTENT OF TRICHLOROETHENE IN GROUNDWATER ABOVE DRINKING WATER CRITERIA (5µg/L)
FORMER KELSEY-HAYES PROPERTY BOUNDARY
RELATIVE CVOC CONCENTRATION OF THE SOURCE AREA
RAILROAD TRACK
FENCE LINE
0
250
500
SCALE IN FEET
FORMER KELSEY-HAYES PLANT
MILFORD, MICHIGAN
SITE LAYOUT
ARCADIS
FIGURE
1
CITY:LANSING DIV: ENV DB: A. SMITH PIC: J.BARRETT PM: J.MCINNIS TM: M.SAMP PROJECT NUMBER: 30083633 CS: NAD 1983 StatePlane Michigan South FIPS 2113 Feet
T:_ENV\NoviBrighton_MILTRW\Milford_Lansing\Documents\SiteLayoutExpanded2022VillageWellData.mxd PLOTTED: 7/29/2022 1:13:16 PM BY: AKENS





LEGEND

- FILL
- PEAT
- CLAY
- SILT
- SAND
- SAND & GRAVEL
- GRAVEL
- TILL
- GROUNDWATER ELEVATION (MAY 16, 2022)
- GEOLOGIC SAMPLE INTERVAL
- MONITORING WELL SAMPLE (WELL SCREEN)
- VAP SAMPLE INTERVAL
  - Trichloroethene
  - Cis-1,2-Dichloroethene
  - Vinyl Chloride
- * ALL CONCENTRATIONS IN MICROGRAMS PER LITER
- EXTENT OF TCE EXCEEDING DRINKING WATER CRITERION
- GROUNDWATER TREATMENT SYSTEM CAPTURE ZONE

All other samples collected in May of 2022.

NS - Not recently sampled.

* Arcadis Sample in November 2021

0 100 200
SCALE IN FEET
VERTICAL EXAGGERATION = 4X

FORMER KELSEY-HAYES SITE
MILFORD, MICHIGAN

CROSS-SECTION A-A' AND SELECT CHLORINATED VOLATILE ORGANIC COMPOUND CONCENTRATIONS


ARCADIS


FIGURE 2

CITY:MOH DIV/GROUP:ENV DB: RIC PM:JAR/Monroe, TW TR: PROJECT-NUMBER: 30048750
COMMON:///////HYDRO/WITHIN THE SITE/CROSS SECTION UPDATE LAYOUT SECTION A-A'.MXD SAVED:07/14/2022 ACADVER: PAGESETUP -- PLOTSTYLETABLE: PROCESS.CTB PLOTTED:07/14/2022


Attachment 1


Trend Graphs – Select Observation Wells


OW-02D2
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
250
200
150
100
50
0
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022



OW-05D2
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
3.5
3
2.5
2
1.5
1
0.5
0
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022

ARCADIS



OW-07D
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
2000
1500
1000
500
0
1994
1997
2000
2003
2006
2009
2012
2015
2018
2021



OW-22
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
140
120
100
80
60
40
20
0
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022


ARCADIS


OW-22D
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
5
4.5
4
3.5
3
2.5
2
1.5
1
0.5
0
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021

ARCADIS


OW-23D
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
700
600
500
400
300
200
100
0
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022


OW-28
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
7.0
6.0
5.0
4.0
3.0
2.0
1.0
0.0
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022


OW-30
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
350
300
250
200
150
100
50
0
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022

Attachment 2

November 23, 2021 ZF Response to EGLE ResAP Request

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

VIA EMAIL: WojciechowskiK@Michigan.gov
AND CERTIFIED MAIL

Department Health Safety andEnvironmental
From Scott Detwiler
Phone +1 480 722-4139
Email Scott.Detwiler@zf.com
Date November 23, 2021

Mr. Kevin Wojciechowski, Project Manager
Warren District Office -Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Response to Michigan Department of Environment, Great Lakes, and Energy Compliance Communications Regarding the Facility Located at 101 Oak Street, Milford, Michigan.
EGLE Facility ID No. 63000952

Dear Mr. Wojciechowski:

This letter and the accompanying Response Activity Plan (ResAP) include ZF Active Safety US Inc.'s (ZF's) response to Compliance Communication letters from the Michigan Department of Environment, Great Lakes, and Energy (EGLE), dated September 1, 2021; received by ZF on September 13th (the September 2021 Letter) and dated October 25, 2021; received by ZF on November 9th (the October 2021 Letter). The two Letters state that they are related to the former Kelsey-Hayes property located at 101 Oak Street, Milford, Michigan (the "Facility" or the "Property") for which ZF retains some clean-up responsibility. However, ZF is no longer the owner of the Property.

The primary issue presented by EGLE in both of the Letters is related to groundwater sampling data collected by ZF from an Observation Well (OW-16D2) that exceeded the Part 201 generic drinking water criterion for vinyl chloride. Observation Well OW-16D2 is less than 200 feet from Village of Milford (Milford's) drinking water wells.

The September 2021 Letter requests that ZF submit a ResAP with a schedule, that when implemented, will achieve the cleanup criteria or protect from exposure to the contamination; to demonstrate compliance with Part 201 by 90 days. ZF and its consultant, Arcadis, were in the process of preparing the ResAP within the requested time period, when the October 2021 Letter was received by ZF. The October 2021 Letter requests that ZF initiate the interim response measure of installing treatment on the Milford drinking water system within 14 days of receipt of the October 2021 Letter. Given the two parallel requests from EGLE and the fact that ZF was already in the process of responding to the September 2021 Letter when it received the October 2021 Letter, this response addresses the issues raised in both of the EGLE Letters. The information presented below describes the response activities that ZF has taken at the Facility, including the information provided in the attached ResAP requested by EGLE.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

In addition, the information below provides ZF's response to EGLE's request to initiate the interim response measure of installing treatment on the Milford drinking water system.

I. September 2021 Letter and EGLE Request for a ResAP:

As noted above, the September 2021 Letter discusses the presence of vinyl chloride above the Part 201 drinking water criterion in Observation Well OW-16D2, and includes EGLE's request that ZF submit a ResAP with a schedule, that when implemented, will achieve the cleanup criteria or protect from exposure to the contamination. The following response actions have been completed or are ongoing with respect to the Property:

a. Immediately taking measures to contain or remove the contamination source

Numerous response actions have been implemented to address chlorinated volatile organic compound (CVOC) impacts at the Facility and include excavation and removal of impacted soil, installation and operation of a soil vapor extraction (SVE) system, and installation and operation of a groundwater extraction and treatment system (groundwater treatment system). Details of these interim response measures were reported to EGLE in the *Summary of Environmental Response Activities* (Haley and Aldrich of Michigan, LLC 2002) and *Remedial Action Plan* (Arcadis 2009). The combination of these interim responses and the continued operation and performance monitoring of the groundwater treatment system, combined with appropriate land-use restrictions, render relevant exposure pathways incomplete, thereby preventing potential threats to public health, safety, or welfare and to the environment.

b. Immediately identifying and eliminating any threat of fire or explosion or direct contact hazards

There are no threats of fire or explosion, or direct contact hazards associated with the detection of CVOCs at any observation wells sampled as part of the ongoing groundwater monitoring at the Facility. Concentrations of CVOCs detected are several orders of magnitude below the flammability and explosivity screening levels for groundwater. In addition, CVOCs detected in groundwater at Observation Well OW-16D2 are approximately 95 feet below grade. Groundwater concentrations observed at OW-16D2 do not exceed the generic drinking water criteria (except for vinyl chloride which was reported at concentrations of 3.5 and 3.0 ug/L during two sampling events on May 13 and August 3, 2021, and has not been above the drinking water criteria in the last six sampling events since August 3rd) and therefore do not pose unacceptable risks due to direct contact with groundwater. Continued groundwater sampling at this well from August 16 to October 25, 2021 did not indicate the presence of vinyl chloride or any other CVOCs above the generic drinking water criteria.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

c. Notifying EGLE and affected neighbors if contamination has migrated off the property

Impacted parties affected by the migration of property-related impacts from beyond the Facility boundaries have been notified of such migration in accordance with Rule 522(4). Documentation of the notices were reported in the *Remedial Action Plan* (Arcadis January 2009). For properties located along the east side of Cabinet Street between Commerce and Liberty Streets, documentation was provided in *Final Notice of Migration Letters* (Arcadis January 2011). EGLE was previously provided copies of the notices in accordance with the Part 201 notification requirements.

d. Delineating the extent of contamination

The nature and extent of soil and groundwater CVOC impacts related to the former Kelsey-Hayes Property have previously been delineated.

Documentation of the soil delineation is presented in the *Supplemental Soil Delineation Report*, which is Appendix A of the *Remedial Action Plan* (Arcadis January 2009), the *Technical Memorandum Regarding the Remedial Action Plan* (Arcadis January 2010), and the *2010 Site Investigation Activities and Current Site Conditions Report* (Arcadis March 2011).

Groundwater has been investigated at the Property since 1991 through several phases of investigation. A summary of historical groundwater investigations from 1991 to 2001 is presented in the *Summary of Environmental Response Activities* (Haley & Aldrich of Michigan, Inc. 2002) provided to EGLE (formerly MDEQ) on July 24, 2002. Since 2001, additional vertical aquifer profile (VAP) observation well installation and groundwater monitoring events have been performed to further define and verify the extent of groundwater impacts associated with the Facility. This work is documented in the *Groundwater Investigation Summary Report*, which is Appendix D of the *Remedial Action Plan* (Arcadis January 2009), the *Technical Memorandum Regarding the Remedial Action Plan* (Arcadis January 2010), the *June 2010 Investigation at the Intersection of Cabinet and Liberty Streets* (Arcadis August 2010), the *2010 Site Investigation Activities and Current Site Conditions Report* (Arcadis March 2011), and *Interim Groundwater Response Action Activities Summary Reports* (Arcadis 2002-2021), all of which were previously provided to EGLE. The current extent of groundwater impacts above the drinking water criteria and the layout of the groundwater treatment system and groundwater observation wells are presented on Figure 1.

Specific to the Milford municipal well field, groundwater impacts associated with the Site have not been detected south of Liberty Street at concentrations above the generic drinking water criteria, and concentrations trends within the ZF monitoring network are indicative of stable/decreasing trends and an absence of vinyl chloride. The conceptual site model (CSM) informed by multiple lines of evidence indicates a stable plume that is being effectively remediated by ongoing pumping and is therefore not a risk to impact the municipal wells. In addition, as presented in the *Groundwater Flow Model Update and Hydraulic Capture Evaluation* (Arcadis August 2014), and presented on Figure 1, OW-16D2 and the municipal wells are not within the flow path of groundwater emanating from the Facility.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

e. Undertaking the cleanup of contamination

As indicated above, numerous response actions have been implemented to address CVOC impacts at the Site and include excavation and removal of impacted soil, installation and operation of a SVE system, and installation and operation, and later enhancement of a groundwater treatment system. The treatment system enhancement work is documented in the *Groundwater Treatment System Optimization Work Plan* (Arcadis August 2011).

As presented in the *Remedial Action Plan* (Arcadis January 2009) all sources of CVOCs (tanks, drums, other containers, and secondary containment structures, as well as grossly impacted soils and foundation materials) have been physically removed from the Site as part of the building decommissioning and demolition, subsequent "hot spot" excavations of impacted subsurface soils have been conducted, and a SVE interim response has been implemented.

Current and historical groundwater monitoring data indicate that the current groundwater treatment system, which has been in operation since 1999, is effectively intercepting impacted groundwater associated with the Site and mitigating further migration of Property-related groundwater impacts above the drinking water criteria. In addition, as presented in the *Groundwater Flow Model Update and Hydraulic Capture Evaluation* (Arcadis August 2014) the Property groundwater treatment system extraction wells are providing adequate hydraulic capture of the Property-related CVOC plume.

f. Observation Well OW-16D2 Sampling

As presented above and demonstrated in the *Groundwater Flow Model Update and Hydraulic Capture Evaluation* (Arcadis August 2014), it's our position that OW-16D2 is not within the flow path of groundwater emanating from the Property. However, at the request of EGLE, ZF, recognizing that Observation Well OW-16D2 was included in the expansive and conservative well network originally developed by ZF, Arcadis/ZF submitted a sampling plan for OW-16D2 to EGLE on August 3, 2021 and October 7, 2021 via email, which was approved by you on October 13, 2021 via email (see Attachment 1). Pursuant to this plan, ZF sampled OW-16D2 bi-weekly until October 25, 2021. The concentrations of vinyl chloride in the last six sampling events conducted on August 16, September 1, September 13, September 27, October 11, and October 25, 2021 were below the generic drinking water criterion. Therefore, the sampling frequency will be monthly for November 2021, December 2021, and January 2022. If the concentration of vinyl chloride remains at or below the generic drinking water criterion during these three, monthly sampling events, the sampling frequency will return to the semiannual sampling schedule per the groundwater monitoring plan. If the generic drinking water criterion for vinyl chloride is exceeded during any of the remaining sampling events, the sampling frequency will be bi-weekly through January 2022.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

g. Due Care

ZF is not the owner of the Property and therefore, is not responsible for complying with the due care provisions under Section 20107a of Part 201 that are applicable to the Property.

II. October 2021 Letter and EGLE Request for Interim Response Measure to Install Treatment:

The October 2021 Letter reiterates that vinyl chloride was detected in OW-16D2 above the generic drinking water criteria and states that, *"the concentration of vinyl chloride found at the Property (i.e. Facility) and the proximity to the Village of Milford municipal well field makes this an imminent and substantial endangerment to public health, safety and welfare, and steps are required to abate that danger in accordance with Section 20119."* The October 2021 Letter then requests that ZF initiate the interim response measure of installing treatment on the Milford drinking water system.

ZF disagrees that there is an imminent and substantial endangerment to public health, safety, and welfare that is being caused by the chlorinated solvent plume from the former Kelsey-Hayes Property. The information presented below, includes historical and current data collected by both ZF and other parties, that supports this conclusion.

The following information previously submitted by ZF to EGLE[1] supports ZF's contention that CVOC's from the former Kelsey-Hayes Property are not an imminent and substantial endangerment to public health, safety and welfare, including:

- Vinyl chloride detections in groundwater at the Property were limited to the former storage pad area (see Figure 1) in investigations conducted between 1999 and 2011, with no vinyl chloride detected recently in any wells monitored by ZF.
- Vinyl chloride previously detected in groundwater wells between 1999 and 2011 within the former storage pad area is located upgradient of and entirely within the capture zones of ZF's active groundwater extraction wells. This groundwater treatment system has been in operation since 1999 and has been providing continuous hydraulic capture of groundwater impacts associated with the Facility.
- ZF has completed delineation of groundwater impacts associated with the Facility. None of the observation wells hydraulically downgradient of the facility at Liberty Street exceed the drinking water criteria.

[1] This information has previously been provided to EGLE in the following reports: *1) Remedial Action Plan* (Arcadis January 2009); 2) *2010 Site Investigation Activities and Current Site Conditions Report* (Arcadis March 2011).

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

- ZF has implemented multiple aggressive remedial actions including, source area excavations, soil vapor extraction (SVE), and a groundwater extraction and treatment system at the Facility. These remedies have been executed and completed during the past 25 years and the groundwater extraction and treatment system is continuing.
- ZF expanded the groundwater extraction and treatment system by installing PW-4 to specifically target groundwater impacts that were beyond the hydraulic influence of the Commerce Road ZF extraction wells.
- Results from numeric groundwater modeling completed by Arcadis, and shown on **Figure 1**, clearly shows that the groundwater extraction and treatment system completely captures the impacts from the Facility and shows the location of the ZF plume outside the hydraulic capture of the Milford municipal wells.

ZF has been collecting samples from OW-16D2 since 1998 and vinyl chloride has not been detected above the generic drinking water criteria in any samples collected until recently, in May 2021 and August 2021. The concentrations of vinyl chloride detected at OW-16D2 during the last six sampling events conducted between August 16th and October 25th, 2021 were all below the generic drinking water criteria for vinyl chloride.

Date	Vinyl Chloride (ug/L)	Drinking Water Criteria (ug/L)
May 13	3.5	2.0
June 8	1.2	2.0
August 3	3.0	2.0
August 16	1.8	2.0
September 1	1.7	2.0
September 13	1.6	2.0
September 27	1.8	2.0
October 11	1.4	2.0
October 25	1.5	2.0

Based on a several summaries of the data for the Milford municipal well system that have been provided to ZF and Arcadis, vinyl chloride has never been detected in Milford's municipal wells or associated distribution systems during the last 32 years. Therefore, based on the information that ZF has, it does not appear that there is an imminent and substantial endangerment to public health, safety and welfare and the installation of a treatment system on the Village of Milford drinking water system is not necessary.

In addition, there is no basis to conclude vinyl chloride at the levels detected in OW-16D2 will result in vinyl chloride being detected above drinking water criteria in Milford's municipal wells or its municipal water system.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

In sharp contrast to OW-16D2, the Milford municipal wells have screens 20 feet long with an average pumping rate of 470 gallons per minute (gpm) and draw water from a large area, including to the east and south (i.e., the opposite direction of OW-16D2). Because the municipal wells draw groundwater from such a large area, even if vinyl chloride were to migrate from OW-16D2 to the municipal wells (which there is no evidence of) it would not cause an exceedance of the generic drinking water criteria in the municipal water.

Finally, ZF disputes EGLE's assertion that the source of the vinyl chloride found in OW-16D2 is from the former Kelsey-Hayes Property. Observation well OW-16D2 and the Milford municipal wells are not within the flow path of groundwater emanating from the Property. There are multiple other confirmed sources of CVOC contamination near and upgradient of OW-16D2, which include vinyl chloride as a contaminant, and several known CVOC plumes in the Village of Milford. The other known sources include the former Spiral Industries site and the Coe's Cleaners site, discussed further below. See attached **Figure 1**, which shows the known source areas and the municipal well capture zone within the Village of Milford. The Spiral Industries site and the Coe's Cleaner site are upgradient of and directly in the groundwater flow path of OW-16D2 and the Milford municipal wells. Based on the probability that other sites may be the source of the vinyl chloride found in OW-16D2, and the multiple lines of evidence that ZF has that the Property is not the source of vinyl chloride impacts in OW-16D2, ZF contends that there is no conclusive evidence regarding the source of the vinyl chloride in OW-16D2. Therefore, ZF disputes EGLE's presumption that the former Kelsey-Hayes Property is the source.

a. Former Spiral Industries – 140 and 150 West Summit Street

The former Spiral Industries site is located north of the Milford municipal wells. Based on a Baseline Environmental Assessment (BEA) submitted to EGLE in June 2014, concentrations of CVOCs detected at the former Spiral Industries site include, but are not limited to: vinyl chloride (Soil: 709 ug/kg and Groundwater: 280 ug/l), trichloroethene (Soil: 2,620,000 ug/kg and Groundwater: 153 ug/l), and cis-1,2 dichloroethene (Soil: 215,000 ug/kg and Groundwater: 650 ug/l). The concentrations of vinyl chloride at Spiral Industries are more than two times higher than any vinyl chloride concentrations ever detected at the former Kelsey-Hayes Property. Unlike the Property, the former Spiral Industries site is directly upgradient of and within proximity to the Milford municipal well capture zone. EGLE should be aware of this information based on EGLE's acknowledgement of receipt of the BEA.

Furthermore, the BEA for the Spiral Industries site indicates that:

- The property is a "Facility" as defined by Part 201.
- The source, nature and extent of contamination at the property is not fully delineated.
- Soil and groundwater contamination at the site, including with vinyl chloride and other CVOCs, is within the Village of Milford and directly upgradient of the Milford municipal wells.
- To ZF's knowledge this site has not yet implemented response actions and therefore, represents an unmitigated risk to the Village of Milford municipal wells.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

b. Former Coe's Cleaners site – West of Main Street just north of Center Street

As for the Coe's Cleaners site, EGLE has also long been aware of and directly overseeing the ongoing investigation and cleanup of CVOCs emanating from this site. The groundwater monitoring wells associated with this site are located immediately upgradient of and within the Milford municipal well capture zone, as determined by the model results and shown on Figure 1. The concentrations of tetrachloroethene detected in soil samples collected at the former Coe's Cleaner site during an August 2007 investigation performed by Weston Solutions, Inc., ranged from 51 ug/kg to 22,000 ug/kg. There has been no source area removal or remediation performed at the Coe's Cleaner site.

III. Conclusion:

As detailed above and previously presented in various reports to EGLE, ZF has performed extensive response actions including site investigations and remediation at the Property and surrounding area for many years. These actions have achieved consistent compliance with Part 201 requirements. ZF continues to perform ongoing response actions associated with the Property, such as operating an active groundwater pumping remedy and completing groundwater monitoring. These remedies continue to be effective at removing CVOC mass from the aquifer and preventing the migration of contaminants from the Property. During the past 30 years, ZF has implemented response activities to achieve cleanup criteria or protect from exposure to the contamination at the Property and continues to do so.

Furthermore, based on the information presented in this letter, ZF disputes EGLE's assertion that there is an imminent and substantial endangerment to public health, safety, and welfare that is being caused by the chlorinated solvent plume from the Property. Based on the multiple lines of evidence that ZF has presented in this response, there is no conclusive evidence regarding the source of the vinyl chloride in OW-16D2 and ZF disagrees with EGLE's presumption that the former Kelsey-Hayes Property is the source. ZF does not have any information indicating that the Village of Milford drinking water system has been or could imminently be impacted with vinyl chloride. Therefore, it does not appear that there is an imminent and substantial endangerment to public health, safety and welfare and the installation of a treatment system on the Village of Milford drinking water system is not necessary and is not ZF's responsibility.

In light of the extensive response actions already undertaken by ZF, the complex history of CVOC contamination in the Village of Milford, and EGLE's request that ZF initiate plans to install treatment on the Milford municipal wells, ZF believes a technical meeting with EGLE would be a productive next step. Arcadis and ZF have made multiple attempts to schedule such a meeting with EGLE, most recently by calling you on November 9th. ZF would appreciate hearing from you regarding some dates and times that EGLE would be available to schedule a technical meeting. Please contact me at your earliest convenience.

.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Sincerely,

ZF Active Safety US Inc.

Scott D. Detwiler
Regional EHS Manager
ZF Health Safety and Environmental

Cc: John McInnis, Arcadis
Robert Bleazard, ZF Group
Kelly M. Martorano, ZF Group

Attachments: Attachment 1 – Email Correspondence with K. Wojciechowski
Figure 1 – Municipal Well Capture Zone and Known CVOC Sources

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Attachment 1

McInnis, John

From:	Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Sent:	Wednesday, October 13, 2021 12:49 PM
To:	McInnis, John
Cc:	Detwiler Scott MSA HEEN; Christian Wuerth; Owens, Paul (EGLE); Wilson, Cheryl (EGLE); Dewyre, Robin (robin.dewyre@amecfw.com); Mark Sweatman; Christian Wuerth; Mike Karll
Subject:	RE: Monitoring Well 16D2 Sampling

John,

Continue to monitor OW-16D2 as scheduled below.

Thanks,

Kevin Wojciechowski
Senior Environmental Quality Analyst
Michigan Department of Environment, Great Lakes, and Energy
Remediation Redevelopment Division
Warren District Office
Cell: 586-623-2948
wojciechowskik@michigan.gov
Pollution Emergency Alerting System: 1-800-292-4706

From: McInnis, John <John.McInnis@arcadis.com>
Sent: Thursday, October 7, 2021 9:53 AM
To: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Christian Wuerth <cwuerth@villageofmilford.org>; Owens, Paul (EGLE) <OWENSP@michigan.gov>; Wilson, Cheryl (EGLE) <WILSONC3@michigan.gov>; Dewyre, Robin (robin.dewyre@amecfw.com) <robin.dewyre@amecfw.com>; Mark Sweatman <mark.sweatman@woodplc.com>; Christian Wuerth <cwuerth@villageofmilford.org>; Mike Karll <mkarll@villageofmilford.org>
Subject: RE: Monitoring Well 16D2 Sampling

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Good morning Kevin,

Currently, we are operating in accordance with the Observation Well 16D2 sampling plan submitted to EGLE on August 3, 2021 via email. Sampling of Observation Well OW16D2 will continue bi-weekly, at a minimum, until October 25, 2021. The concentrations of vinyl chloride in the last three sampling events conducted on 8/16/21, 9/1/21, and 9/13/21 were below the drinking water criterion (DWC). If concentrations of vinyl chloride remain at or below the DWC for the next three sampling events (9/27/21, 10/11/21, and 10/25/21), the sampling frequency will change to monthly for the following three months (November 2021, December 2021, and January 2022). If the concentration of vinyl chloride remains at or below the DWC during these three months, the sampling frequency will return to the semiannual sampling schedule per the groundwater monitoring plan. If the DWC for vinyl chloride is exceeded during any of the remaining

sampling events, the sampling frequency will remain at bi-weekly during the months of November 2021, December 2021, and January 2022.

Regarding the request for a Response Activity Plan (ResAP), we are reviewing site information and are planning to provide the ResAP in accordance with the 90-day schedule mentioned in the Compliance Communication, dated September 1, 2021.

I was able to track down a copy of the 1998 Techna Interim Response Work Plan if you still need it.

Please let me know if you have any questions.

Thanks, John

From: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Sent: Wednesday, October 6, 2021 12:31 PM
To: McInnis, John <John.McInnis@arcadis.com>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Christian Wuerth <cwuerth@villageofmilford.org>; Owens, Paul (EGLE) <owensp@michigan.gov>; Wilson, Cheryl (EGLE) <WILSONC3@michigan.gov>; Dewyre, Robin (robin.dewyre@amecfw.com) <robin.dewyre@amecfw.com>; Mark Sweatman <mark.sweatman@woodplc.com>; Christian Wuerth <cwuerth@villageofmilford.org>; Mike Karll <mkarll@villageofmilford.org>
Subject: RE: Monitoring Well 16D2 Sampling

Good afternoon John,

What is ZF Corps plans for sampling OW-16D2 after the last October monitoring event? How are things progressing on the Response Active Plan for the groundwater? Now that we have received more data from the wells in the park the hit of vinyl chloride is not going away. Wood has found some old data from when these wells were installed, EGLE is going to be looking for the actual report from the 1990's because Wood doesn't have the complete report. This data is the vertical aquifer profiling that was done when the wells were installed. We can have a meeting once EGLE can track down that report.

Mark, what was the title and date of that vertical aquifer sampling report?

Thanks,

Kevin Wojciechowski

Senior Environmental Quality Analyst
Michigan Department of Environment, Great Lakes, and Energy
Remediation Redevelopment Division
Warren District Office
Cell: 586-623-2948
wojciechowskik@michigan.gov
Pollution Emergency Alerting System: 1-800-292-4706

From: Samp, Marina <Marina.Samp@arcadis.com>
Sent: Thursday, August 5, 2021 1:46 PM
To: Mike Karll <mkarll@villageofmilford.org>; Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Christian Wuerth <cwuerth@villageofmilford.org>; McInnis, John <John.McInnis@arcadis.com>
Subject: RE: Monitoring Well 16D2 Sampling

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Hi Kevin and Mike,

A tentative schedule for the next couple months is outlined below. Field staff have reviewed and indicated this will work with their schedules so I do not anticipate too many, if any, changes at this time. Contact info for field staff is listed below in the event it is needed.

- Monday, August 16th at 9:30 AM (Stacey Hannula/Emma Witherspoon)
- Wednesday, September 1st at 9:30 AM (Stacey Hannula/Allyson Hartz)
- Monday, September 13th at 9:30 AM (Allyson Hartz)
- Monday, September 27th at 9:30 AM (Allyson Hartz)
- Monday, October 11th at 9:30 AM (Stacey Hannula)
- Monday, October 25th at 9:30 AM (Stacey Hannula)

Allyson Hartz: 313-401-7398
Stacey Hannula: 517-203-8600

Please let John or myself know if there are any questions or concerns with this schedule.

Thanks!

From: McInnis, John <John.McInnis@arcadis.com>
Sent: Thursday, August 5, 2021 9:50 AM
To: Mike Karll <mkarll@villageofmilford.org>; Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Samp, Marina <Marina.Samp@arcadis.com>; Christian Wuerth <cwuerth@villageofmilford.org>
Subject: RE: Monitoring Well 16D2 Sampling

Thanks Mike,

Marina has been working on a tentative schedule for the sampling of Monitoring Well 16D2 and will pass it around to the group.

Thanks, John

From: Mike Karll <mkarll@villageofmilford.org>
Sent: Wednesday, August 4, 2021 4:36 PM
To: McInnis, John <John.McInnis@arcadis.com>; Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Samp, Marina <Marina.Samp@arcadis.com>; Christian Wuerth <cwuerth@villageofmilford.org>
Subject: RE: Monitoring Well 16D2 Sampling

Good afternoon John,

That should not be an issue. We do have Milford Memories the weekend prior but cleanup should be wrapping up by then. Could you please provide a tentative schedule for the future sampling events for the next couple of months?

Thank you,

Mike Karll
Director of Public Services
Village of Milford
Office: 248-685-3055
Cell: 248-396-2315
Fax: 248-684-3465

From: McInnis, John
Sent: Wednesday, August 4, 2021 3:30 PM
To: Wojciechowski, Kevin (EGLE); Mike Karll
Cc: Detwiler Scott MSA HEEN; Samp, Marina
Subject: Monitoring Well 16D2 Sampling

Hi Kevin and Mike,

Any conflicts with conducting the next sampling event of Monitoring Well 16D2 on August 16, 2021 around 9 AM?

Thanks, John

John McInnis PE
Senior Engineer/Project Manager
Arcadis of Michigan, LLC
28550 Cabot Drive Suite 500 | Novi, MI | 48377 | USA
T +1 248 994 2285
M +1 248 982 9674
www.arcadis.com





Professional Registration / PE-MI, 6201037207

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While

reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

FORMER SPIRAL INDUSTRIES (2013)
Soils
VC - 63 TO 709 µg/kg
TOTAL CVOCs - 98 TO 2,676,000 µg/kg
Groundwater
VC - 6 TO 280 µg/L
TOTAL CVOCs - 13 TO 950 µg/L
FORMER COES' CLEANERS (2007)
Soils
TOTAL CVOCs - 410 TO 22,000 µg/kg
Groundwater
TOTAL CVOCs - 3 TO 52 µg/L
FORMER KELSEY-HAYES
FORMER SPIRAL INDUSTRIES
FORMER COES CLEANERS
FORMER KELSEY-HAYES
VILLAGE WELLS
IRON REMOVAL PLANT
PROSPECT HILL SHOPPING CENTER
MILL POND
MILL CREEK
HUBBELL POND
OUTFALL
DISCHARGE PIPING
GROUNDWATER TREATMENT BUILDING
UPPER MILL POND
NOTES:
1.1.5 - LATEST CONCENTRATION OF VINYL CHLORIDE REPORTED IN µg/L.
2. ABBREVIATIONS:
E Commerce St
W Commerce St
E Summit St
W Summit St
N Main St
S Main St
Union St
Canal St
Cedar St
Ogden St
Division St
Cocoran Dr
N Mill St
V MARY Rd
Oakland Ave

Figure 1

MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY
REMEDIATION AND REDEVELOPMENT DIVISION
PO BOX 30426, LANSING, MICHIGAN 48909-7926

Request for EGLE Review of Response Activity Plan

This form is required for submittal of a request for EGLE to review a Response Activity Plan, under Section 20114b, Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended.

Section A: Type of Response Activity Plan being Submitted (Check all that apply):

Remedial Investigation	☐	20b(2)Site Specific Criteria	☐
Evaluation Plan	☒	*(modification of generic criteria)*	
Feasibility Study	☐	20b(3) Site Specific Criteria or Surrogate	☐
Remedial Action Plan	☐	*(no generic criteria available)*	
Interim Response Plan	☐	Section 20118(4) and (5) Request	☐
Mixing Zone Request	☐	Land or Resource Use Restrictions	☐
20e(14) De Minimus GSI Impact	☐	Other, Specify:	☐

The Response Activity Plan addresses the entire facility: ☐
(entire facility as defined by Part 201, all releases, hazardous substances, and environmental media)

The Response Activity Plan does not address the entire facility: ☒
Please specify the release(s), hazardous substance(s), environmental media, and/or portions of the facility addressed by the Response Activity Plan: Reported detection of vinyl chloride at Observation Well OW-16D2.

Section B: Facility/Property Subject to (Check all that apply):

Facility regulated under Part 201 Part 201 Facility ID (if known): 63000952	☒
Leaking Underground Storage Tank regulated pursuant to Part 213 Part 211/213. Facility ID, if known:	☐
Oil or gas production and development regulated pursuant to Part 615 or 625	☐
Licensed landfill regulated pursuant to Part 115	☐
Licensed hazardous waste treatment, storage, or disposal facility regulated pursuant to Part 111	☐
Consent Agreement or other legal agreement with EGLE	☐

Section C: Facility and Locational Information:

Facility Name: Former Kelsey-Hayes Plant Property

Street Address of Property: 101 Oak Street

City: Milford State: Michigan Zip: 48381

Property Tax ID (include all applicable IDs):16-10-227-018

Status of submitter relative to the property (check all that apply):

	Former	Current	Prospective
Owner	☒	☐	☐
Operator	☒	☐	☐

County: Oakland
City/Village/Township: Milford
Town: T 2N Range: R 7 E Section: 10
Quarter: NE Quarter-Quarter: NE

Decimal Degrees Latitude: 42.593101
Decimal Degrees Longitude: -83.602459

Reference point for latitude and longitude:
Center of site ☒ Main/front door ☐
Front gate/main entrance ☐ Other ☐

Collection method:
Survey ☐ GPS ☒ Interpolation ☐

Section D: Submitter Information:

Entity/person requesting review: ZF Active Safety US Inc.
Contact Person (name and title): Scott Detwiler
Submitter Address: 12025 Tech Center Drive
City: Livonia State: Michigan Zip: 48150
Telephone: 480-722-4139 E-Mail: scott.detwiler@zf.com
Relationship of contact person to the submitter: Same
Owner Name, if different from submitter: Village of Milford Company:
Address: 1100 Atlantic Street
City: Milford State: Michigan Zip: 48381
Telephone: 248-684-1515 E-Mail: info@villageofmilford.org

Section E: Are/were the following present at the facility (Check all that apply):

	Current	Previous	Unknown
Mobile or Migrating Non-Aqueous Phase Liquids (NAPL)	☐	☐	☐
Soil contamination above any residential criteria	☒	☐	☐
Soil contamination above any non-residential criteria	☒	☐	☐
Soil aesthetic impacts	☐	☐	☐
Groundwater contamination above any residential criteria	☒	☐	☐
Groundwater contamination above any non-residential criteria	☒	☐	☐
Groundwater aesthetic impacts	☐	☐	☐
Soil Gas contamination above residential vapor intrusion (VI) screening levels	☐	☐	☐
Soil Gas contamination above non-residential VI screening levels	☐	☐	☐
Conditions immediately dangerous to life or health (IDLH)	☐	☐	☐
Fire & Explosion hazards related to releases	☐	☐	☐
Contamination existing in drinking water supply	☐	☐	☐
Imminent threat to drinking water supply	☐	☐	☐
Impact to Surface Water	☐	☐	☐
Surface Water Sediments above screening levels	☐	☐	☐

Section F: The following questions assist EGLE in evaluating this request.

Known or Suspected Contaminant(s) Type (Check all that apply):
Petroleum ☐ Volatile Organic Compounds ☒ Metals ☐ Other ☐

Current Site Status (Check all that apply):
Undergoing property transfer ☐ Active operations ☐ Inactive operation ☒

Current Property Use:
Residential ☐
Non-residential ☒

Anticipated Property Use:
Residential ☐
Non-residential ☒

Estimated Area of Contamination Addressed in Response Action Plan (Cumulative):
Currently undetermined ☐ < 0.5 acre ☐ > 0.5 acre ☒

Migration:

	Yes	No	Unknown
Has contamination migrated beyond the property **boundaries?**	☒	☐	☐
Has the Notice of Migration been submitted?	☒	☐	☐

Facility Investigation Status:
Ongoing ☐ Complete ☒

Facility Response Activity Status (Check all that apply):
None ☐ IR Implemented ☒ Response Activity Ongoing ☐ Response Activity Completed ☐

Drinking Water Supply for Facility (Check all that apply):
Municipal ☐ Private Well(s) ☐ No Current Water Supply ☒ Municipal Available ☒

On-site Well(s) (Check all that apply):

Drinking Water ☐ Industrial/Commercial Production ☐ Agricultural/Irrigation ☐ No well on-site ☐
Approximate Depth of Well(s): Site Contains Observation Wells Only

Local Drinking Water Supply:

Is facility in a designated Wellhead Protection Area? Yes ☒ No ☐
Distance to nearest off-site drinking water well: 2,000 Feet Private ☐ Municipal ☒

Surface Water Bodies on or Adjacent to Facility (Check all that apply):

Wetlands ☐ Ditch ☐ Stream/River ☒ Lake/Pond ☒

Local Surface Water Bodies:

Distance to nearest wetland: Ditch: Stream/River: Lake/Pond: Approx. 550 Feet
(Downgradient of Site)

Have other plans been submitted for this facility?

Facility Name, if different than this submittal: Same
Date and Name of most recent submittal: Remedial Action Plan-1/30/2009 and Tech Memo Regarding Remedial Action Plan – 1/11/2010

Section G: Environmental Professional Signature:

With my signature below, I certify that this plan and all related materials are true, accurate, and complete to the best of my knowledge and belief.

Signature: Date: 11/23/2021

Printed Name: Troy Sclafani

Company of Environmental Professional: Arcadis

Address: 28550 Cabot Drive, Suite 500

City: Novi State: Michigan Zip: 48377

Telephone: 248-994-2288 E-mail address: Troy.Sclafani@arcadis.com

Section H: Submitter Signature:

With my signature below, I certify that this plan and all related materials are true, accurate, and complete to the best of my knowledge and belief and I am legally authorized to sign for the submitter.

Signature: Date: 11/23/2021

Printed name: Scott Detwiler

Title/Relationship of signatory to submitter: Regional EHS Manager/ZF Active Safety US Inc.

Address: 12025 Tech Center Drive

City: Livonia State: Michigan Zip: 48150

Telephone: 480-722-4139 E-Mail address: scott.detwiler@zf.com

This form and the Response Activity Plan should be submitted to EGLE Remediation & Redevelopment Division District Office for the county in which the property is located, unless the response activity is related to a facility that is regulated by another EGLE Division. A district map is located at www.michigan.gov/EGLErrd. If regulated by another division, contact should be made with that division for information on where to submit the form and plan.

For information or assistance on this publication, please contact the (program), through EGLE Environmental Assistance Center at 800-662-9278. This publication is available in alternative formats upon request.
EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.

Attachment 3

Select Laboratory Analytical Results Summary Table – OW-16D2

Attachment 3
OW-16D2 Groundwater Analytical Results
August 3 through February 17, 2022

Sample Identification:	Observation Well OW-16D2												Residential Drinking Water Criteria
Sample Collection Date:	8/3/2021	8/16/2021	9/1/2021	9/13/2021	9/27/2021	10/11/2021	10/25/2021	11/8/2021	12/6/2021	1/4/2022	1/25/2022	2/17/2022	
Tetrachloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	5.0 (A)
Trichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	5.0 (A)
cis-1,2-Dichloroethene	16	13	16	20	18	12	17	17	8.2	15	15	12	70 (A)
trans-1,2-Dichloroethene	1.6	1.1	1.3	1.7	1.7	1.1	1.6	1.5	<1.0	1.6	1.4	1.1	100 (A)
1,1-Dichloroethane	3.8	3.0	3.2	3.9	3.7	2.8	3.8	4.2	2.0	3.0	3.4	3.1	880
Vinyl chloride	3.0	1.8	1.7	1.6	1.8	1.4	1.5	1.5	<1.0	2.5	3.2	2.0	2.0 (A)

Notes:
All concentrations are in micrograms per liter (µg/L).
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976.

Attachment 4

Summary Tables - Laboratory Analytical Results and Field Parameters (OW-16D2) and Upgradient Wells

Sample Identification: / Sample Collection Date:	Residential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Observation Well OW-16D2																	
			6/15/2010	12/17/2010	6/15/2011	12/14/2011	6/29/2012	12/12/2012	6/12/2013	12/11/2013	6/15/2014	11/24/2014	6/24/2015	12/9/2015	6/14/2016	12/13/2016	12/6/2017	6/12/2018	12/4/2018	6/10/2019	12/3/2019
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	2.4	3.2	2.1	<1.0	1.4	12	<1.0	3.4	<1.0	22	<1.0	19	<1.0	1.7	18	<1.0	4.1	1.2	1.1
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.3	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethane	880	740	<1.0	<1.0	1.1	<1.0	<1.0	2.1	<1.0	<1.0	<1.0	3.0	<1.0	2.3	<1.0	<1.0	1.9	<1.0	2.1	1.6	1.4
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Field Parameters																					
Drawdown (feet)			-0.3	2.8	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.3	0.4	5.1	4.7	12.2	8.4	4.6	5.5	8.5	3.5
pH (standard units)			7.36	7.74	7.82	7.44	7.60	7.57	7.90	7.85	7.17	7.79	7.82	7.56	7.62	7.91	8.05	7.67	7.41	7.87	7.82
Conductivity (milliSiemens per centimenter)			0.59	0.56	0.64	0.54	0.64	0.60	0.64	0.59	0.60	0.80	0.634	0.952 [1]	0.827 [1]	0.604	0.63	0.64	0.62	0.64	0.82
Turbidity (Nephelometric Turbidity Unit)			1.09	4.22	3.67	0.76	3.68	2.24	0.60	2.43	2.19	102	2.27	52.1	0.61	1.36	11.7	0.80	2.2	3.06	0.79
Dissolved Oxygen (milligrams per liter)			1.33	0.47	0.11	1.44	0.56	0.8	1.19	3.45	4.99	3.8	4.08	0.19	3.22	0.38	0.3	3.04	1.21	0.25	11.74
Temperature (degrees Celsius)			14.66	9.23	15.71	10.33	17.45	9.90	15.19	10.39	14.72	10.83	14.1	11.75	13.89	11.33	10.6	14.60	10.96	12.7	8.6
Oxidation Reduction Potential (millivolt)			75	-12.5	78.3	12.7	125.1	110.6	115.1	115	82.4	-17.4	-39.1	-155.3	27.7	101.4	-121.6	203.7	159.9	231.9	122

Sample Identification: / Sample Collection Date:	Residential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Observation Well OW-16D2																	
			5/13/2020	11/17/2020	5/13/2021	6/8/2021	8/3/2021	8/16/2021	9/1/2021	9/13/2021	9/27/2021	10/11/2021	10/25/2021	11/8/2021	12/6/2021	1/4/2022	1/25/2022	2/17/2022	3/21/2022	4/4/2022	4/8/2022
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	<1.0	<1.0	17	10	16	13	16	20	18	12	17	17	8.2	15	15	12	18	19	20
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	1.3	<1.0	1.6	1.1	1.3	1.7	1.7	1.1	1.6	1.5	<1.0	1.6	1.4	1.1	1.6	1.7	1.5
1,1-Dichloroethane	880	740	<1.0	<1.0	3.8	2.4	3.8	3.0	3.2	3.9	3.7	2.8	3.8	4.2	2.0	3.0	3.4	3.1	3.7	3.5	3.5
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	3.5	1.2	3.0	1.8	1.7	1.6	1.8	1.4	1.5	1.5	<1.0	2.5	3.2	2.0	2.3	<1.0	<1.0
Field Parameters																					
Drawdown (feet)			4.2	10.2	0.0 [2]	0.0 [2]	12.7	14.2	15.0	10.6	13.7	15.2	8.1	10.9	7.5	8.1	17.4	17.4	7.1	6.9	3.6
pH (standard units)			8.51	8.44	7.89	7.6	7.5	7.68	7.64	7.28	7.38	7.81	7.49	7.43	8.02	7.56	7.54	7.77	7.54	7.43	7.39
Conductivity (milliSiemens per centimenter)			0.78	0.71	0.93	0.85	0.93	0.718	1.011	1.03	1.07	0.97	1.09	1.07	0.84	1.1	1.11	0.985	1.082	1.1	1.1
Turbidity (Nephelometric Turbidity Unit)			2.29	1.08	59.6	5.29	33.8	6.82	3.86	3.9	9.44	9.05	10.7	10.1	4.74	28.4	13.7	4.9	3.04	96.3	41.9
Dissolved Oxygen (milligrams per liter)			4.9	9.67	0.45	0.41	1.32	0.25	0.38	0.86	0.22	0.58	0.15	0.17	0.27	0.2	0.1	0.57	0.51	5.81	1.28
Temperature (degrees Celsius)			11.6	12.3	12.2	17.4	15.6	14.1	15	14.1	15	15.5	12.4	14	10.8	10.8	9.8	9.9	10.4	7.1	8.1
Oxidation Reduction Potential (millivolt)			155.1	12.1	-134	-104.1	-99	-139.1	-74.7	-64.8	-89.9	-99.2	-88.2	-66.4	-14	-93.1	-96.7	-61.3	-72.3	3.0	-29.9

Notes:
All volatile organic compound concentrations are in micrograms per liter (µg/L).
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976.
(X) The Groundwater Surface Water Interface (GSI) criterion shown is not protective for surface water that is used as a drinking water source.
[1.] Specific Conductivity
[2.] Drawdown only checked at the beginning of the sampling event

Attachment 4 Information
Groundwater Analytical Results - Select Wells Upgradient of OW-16D2

Report Parameter	Units	Residential Drinking Water Criteria	OW09										OW09D	OW09-ML-A							
		Date:	6/20/2007	3/20/2008	6/17/2008	12/23/2008	3/17/2009	6/17/2009	12/16/2009	3/17/2010	6/14/2010	12/15/2010	3/23/2006	6/19/2006	9/21/2006	12/13/2006	3/21/2007	6/20/2007	12/19/2007	3/20/2008	6/17/2008
1,1-Dichloroethane	ug/L	880	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/L	70 (A)	1.9	1.7	1.6	1.6	1.7	1.7	1.5	1.5	1.7	1.4	5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	ug/L	100 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl chloride	ug/L	2.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976

Attachment 4 Information
Groundwater Analytical Results - Select Wells Upgradient of OW-16D2

Report Parameter	Units	Residential Drinking Water Criteria	OW09-ML-A continued																	
		Date:	12/23/2008	3/17/2009	6/17/2009	12/15/2009	3/16/2010	6/14/2010	12/15/2010	6/14/2011	12/13/2011	6/25/2012	6/10/2013	12/10/2013	6/2/2014	6/24/2015	6/14/2016	6/12/2017	6/12/2018	6/11/2019
1,1-Dichloroethane	ug/L	880	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/L	70 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	ug/L	100 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl chloride	ug/L	2.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976

Attachment 4 Information
Groundwater Analytical Results - Select Wells Upgradient of OW-16D2

Report Parameter	Units	Residential Drinking Water Criteria	OW09-ML-B																		
		Date:	6/19/2006	9/21/2006	12/13/2006	3/21/2007	6/20/2007	12/19/2007	3/20/2008	6/17/2008	12/23/2008	3/17/2009	6/17/2009	12/15/2009	3/16/2010	6/14/2010	12/15/2010	6/14/2011	12/13/2011	6/25/2012	6/10/2013
1,1-Dichloroethane	ug/L	880	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/L	70 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	ug/L	100 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/L	5.0 (A)	1.5	<1.0	<1.0	1.6	1.8	1.2	1.1	1.2	1.4	1.4	<1.0	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl chloride	ug/L	2.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976

Report Parameter	Units	Residential Drinking Water Criteria	OW09-ML-B continued								OW09-ML-C										
		Date:	12/10/2013	6/2/2014	6/24/2015	6/14/2016	6/12/2017	6/12/2018	6/11/2019	5/13/2021	6/19/2006	9/21/2006	12/13/2006	3/22/2007	6/21/2007	12/19/2007	3/20/2008	6/17/2008	12/23/2008	3/17/2009	6/17/2009
1,1-Dichloroethane	ug/L	880	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/L	70 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.0	2.4	2.6	2.5	3.7	5.8	4.6	5.5	5.1	5.6	4.5
trans-1,2-Dichloroethene	ug/L	100 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/L	5.0 (A)	1.2	1.1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	3.1	3.2	3.9	2.8	3.7	2.5	1.8	1.4	<1.0	<1.0	<1.0
Vinyl chloride	ug/L	2.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976

Attachment 4 Information
Groundwater Analytical Results - Select Wells Upgradient of OW-16D2

Report Parameter	Units	Residential Drinking Water Criteria	OW09-ML-C continued																			
		Date:	12/15/2009	3/16/2010	6/15/2010	12/15/2010	6/14/2011	12/13/2011	6/25/2012	6/10/2013	12/10/2013	6/2/2014	6/24/2015	6/14/2016	6/12/2017	6/12/2018	6/11/2019	5/13/2020	11/17/2020	5/13/2021	11/10/2021	5/18/2022
1,1-Dichloroethane	ug/L	880	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/L	70 (A)	5.2	5.4	5.6	5.7	5.2	4.7	6.0	5.3	6.3	5.6	4.9	4.7	4.6	5.3	7.9	4.0	5.9	5.0	5.6	3.8
trans-1,2-Dichloroethene	ug/L	100 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.1	1.1	<1.0	<1.0	1.2	1.4	<1.0	<1.0	<1.0	<1.0	1.0	<1.0	1.5
Vinyl chloride	ug/L	2.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976

Attachment 4 Information
Groundwater Analytical Results - Select Wells Upgradient of OW-16D2

Report Parameter	Units	Residential Drinking Water Criteria	OW09-ML-D																	
		Date:	6/19/2006	9/21/2006	12/13/2006	3/22/2007	6/21/2007	12/19/2007	3/20/2008	6/17/2008	12/23/2008	3/17/2009	6/17/2009	12/15/2009	3/16/2010	6/15/2010	12/15/2010	6/14/2011	12/13/2011	6/10/2013	12/10/2013
1,1-Dichloroethane	ug/L	880	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/L	70 (A)	4.4	4.9	4.6	4.3	4.6	4.1	3.8	4	2.2	4.5	4.7	5.4	5.5	6.3	5.5	6.2	5.9	6.3	8.1
trans-1,2-Dichloroethene	ug/L	100 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/L	5.0 (A)	2.2	2.1	2.3	1.9	2.1	1.5	1.6	1.5	<1.0	1.6	1.5	<1.0	<1.0	1.4	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl chloride	ug/L	2.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976

Attachment 4 Information
Groundwater Analytical Results - Select Wells Upgradient of OW-16D2

Report Parameter	Units	Residential Drinking Water Criteria	OW09-ML-D continued											MW-03-94 (Village Milford Monitoring Well)															
		Date:	6/2/2014	6/24/2015	6/14/2016	6/13/2017	6/12/2018	6/11/2019	5/13/2020	11/17/2020	5/13/2021	11/10/2021	5/18/2022	3/2/2021	6/1/2021	8/6/2021	8/16/2021	9/7/2021	10/7/2021	11/8/2021	12/7/2021	1/4/2022	2/4/2022	3/10/2022	4/4/2022	5/3/2022	6/8/2022	7/8/2022
1,1-Dichloroethane	ug/L	880	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	ug/L	70 (A)	6.1	6.2	7.8	6.2	7.0	7.6	6.3	9.1	7.0	7.9	8.1	3.1	3.1	3.0	3.0	2.8	3.0	2.9	2.0	3.0	<1.0	3.0	3.0	3.0	3.0	3.0	<1.0
trans-1,2-Dichloroethene	ug/L	100 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	0.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	ug/L	5.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	0.8	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl chloride	ug/L	2.0 (A)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0

Notes:
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976

Attachment 5

April 8, 2022 ZF Letter to EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department Health Safety andEnvironmental
From Robert Bleazard
Phone +1 480 722-4866
Email Robert.Bleazard@zf.com
Date April 8, 2022

VIA E-MAIL TO: WojchiechowskiK@Michigan.gov

Kevin Wojciechowski, Project Manager
Warren District Office Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Additional Information for Consideration by Michigan Department of Environment, Great Lakes, and Energy Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001.

Dear Mr. Wojciechowski,

ZF Active Safety US Inc. (ZF) appreciates the opportunity to meet with the Department of Environment, Great Lakes, and Energy (EGLE) last Thursday, March 31, 2022, to discuss the Administrative Order for Response Activity (AO) issued by EGLE to ZF, with respect to the former Kelsey-Hayes site in Milford, Michigan (the "Site").

As demonstrated by ZF's November 23, 2021 letter in response to EGLE's October 25, 2021 Compliance Communication and its presentation of information at the meeting, ZF and Arcadis have been reviewing the extensive data collected for the Kelsey-Hayes site, as well as any other available information, in order to understand the recent emergence of vinyl chloride in groundwater monitoring well OW-16D2 when that compound has not been detected at any time elsewhere in ZF's off-site monitoring well network in more than 25 years of monitoring. Furthermore, Arcadis recently noted an anomalous response in water level and certain groundwater parameters in the well during sampling, raising concerns regarding the possible integrity of the well screen and/or the sand pack surrounding the well screen. In addition, considering EGLE's concerns regarding the proximity of OW-16D2 to the Village of Milford municipal wells and the statement in the Administrative Order that "the presence of vinyl chloride in monitoring well OW-16D2, a known carcinogen, represents an imminent and substantial endangerment to the public health, safety, welfare, or the environment…," ZF and Arcadis carefully analyzed the current viability of OW-16D2 and began evaluating whether samples collected from this well are representative of the aquifer.

Arcadis initially questioned whether OW-16D2 may be compromised because there was significant drawdown in the well during most of the low-flow sampling events where vinyl chloride was detected and purge volumes were observed to be similar to the volume of standing water removed from the well. This indicated stagnant water conditions in the well. In addition, water samples with vinyl chloride detections had an oxidation reduction potential (ORP) in the range of -60 to -134 millivolts and low dissolved oxygen (DO) levels (see attached Table 1 – Attachment 1). These conditions within the well provide a reducing environment where anerobic microbes are active and reductive dichlorination of chlorinated volatile organic compounds (CVOCs) can occur (i.e., cis-1,2-dichloroethene to vinyl chloride). Furthermore, vinyl chloride has not been detected in the

six observation wells, OW-9, OW-09ML-A/B/C/D, and MW-03-94, located upgradient of OW-16D2, in the Village of Milford drinking water wells, or in any of the other monitoring wells regularly sampled by Arcadis that have proven to be reliable in monitoring other CVOCs including trichloroethene (TCE). Collectively, these multiple lines of evidence are what caused Arcadis to take a closer look at the condition of OW-16D2 and also suggests that the recent detection of vinyl chloride in OW-16D2 is localized, anomalous, and warrants further evaluation. The inability of OW-16D2 to sustain EGLE's low-flow sampling and groundwater parameter stabilization requirements also indicates that groundwater samples collected from OW-16D2 are: 1) not representative of groundwater conditions; 2) not comparable to EGLE's Part 201 Cleanup Criteria for compliance purposes; and 3) therefore not a reliable basis for the conclusion by EGLE that OW-16D2 poses an imminent and substantial endangerment to the Village of Milford wells.

As Arcadis has previously discussed with you and as mentioned during the meeting, ZF's monitoring well OW-16D2 was further examined and redeveloped on Friday, April 1st with the objective of improving hydraulic communication between the well and formation to produce representative groundwater samples. During the examination and redevelopment of OW-16D2, Stearns, the well driller, used a surge block with a vacuum hose attachment to work up and down within the well screen and draw out sediments consistent with standard practice. Stearns moved this apparatus up and down within the well screen several times. During the process, there was initial discolored water and some fine sediment removed and then it cleared up. The plan was to then drop a pump down the well and purge water/groundwater as it re-entered the well, removing as much water as possible. However, after pulling the surge block apparatus out of the well, there was only about 2 feet of water remaining in the well (approximately 1/3 gallon). The amount of water in the well when Stearns started the redevelopment process was about 100 feet (approximately 16 gallons). This indicates that the well screen, sand pack, and/or formation around the screen is not functioning as designed. Arcadis measured the level of water in the well after this work and it recovered very slowly, at a rate of less than 1 foot per hour. Based on these observations, it appears that the water in the screened interval of the well was stagnant and therefore not fully representative of groundwater conditions in the aquifer. These well redevelopment findings, combined with the observations noted above regarding well behavior during sampling, indicate that OW-16D2 has become compromised and cannot be relied on for continued groundwater monitoring without further evaluation and potential corrective action on the well.

Following the redevelopment, Arcadis returned to sample OW-16D2 on Monday, April 4th and observed that the depth to groundwater was about 50 feet (so about 50 feet had recovered over the weekend). Arcadis used a low-flow bladder pump to purge the well (this took about 2 hours) and then sampled the well. The total drawdown of the well was approximately 7 feet during the sampling. Arcadis observed the water level in OW-16D2 to be relatively level for the last 10 minutes prior to sampling, indicating that the recharge was coming from the aquifer and not stagnant water within the well. One set of groundwater samples was collected on April 4th and was dropped off at Fibertec (Holt, Michigan) the same day, with a requested 48-hour turn-around-time and another set of samples was sent to Eurofins-TestAmerica for analysis under a standard turn-around-time. Analysis for volatile organic compounds using EPA Method 8260 was requested for both sets of samples.

The results from the Fibertec samples were returned on April 6th and as you know, were non-detect (less than 1.0 ug/L detection limit) for vinyl chloride. In contrast, cis-1,2-dichloroethene, trans-1,2-dichloroethene, and 1,1-dichloroethane were detected and the concentrations of these other CVOCs were consistent with previous samples collected from OW-16D2, indicating that these compounds are stable in the formation water that entered OW-16D2 after development and are not degrading to vinyl chloride in the vicinity of OW-16D2. The laboratory

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

analytical report (Attachment 2) was provided to you on April 6th. These findings, combined with the previous OW-16D2 sampling results and the well redevelopment observations described above show that the production of vinyl chloride appears to be a function of stagnant water within the well caused by the malfunctioning well itself. Additional samples from OW-16D2 will be collected on April 8th and April 18th. Arcadis will sample the well under as close to low-flow conditions as the well is able to sustain and will promptly report the results to EGLE.

Based on the observed conditions of OW-16D2 during the recent sampling and redevelopment of the well and the historical information provided above, there is an objectively reasonable and technical basis to conclude that the recent samples collected before the redevelopment of the well should not be relied upon as accurate representations of aquifer conditions in that location. Specifically, the following observations point to a lack of reliability for recent vinyl chloride results collected from OW-16D2:

- Inability of the OW-16D2 monitoring well to sustain low-flow purging/sampling consistent with EGLE guidelines;
- Recent consistent reducing conditions (i.e., negative ORP, low DO) with stagnant water conditions observed in OW-16D2, correlating with the observance of vinyl chloride detections that have improved after well redevelopment;
- The first occurrence of vinyl chloride in May 2021 after more than 25 years of monitoring, and its subsequent lack of detection following redevelopment of OW-16D2; while other CVOCs in OW-16D2 remained consistent with historical results;
- Continuing lack of vinyl chloride detections in any other monitoring wells, notably those that have unquestionably demonstrated the extent of TCE impacts, the presumed parent CVOC for dichlorination daughter products;
- Lack of vinyl chloride detections in Village of Milford municipal wells despite groundwater velocity calculations showing it would have arrived months ago if mobile.

Collectively, these findings provide compelling evidence of data quality concerns for OW-16D2 that must be further evaluated and corrected. It is imperative that any conclusions drawn from OW-16D2 sample results and determinations of potential additional response activities are based on accurate and reliable, representative data collected from a properly-performing monitoring well in accordance with EGLE requirements. Therefore, ZF intends to continue to evaluate OW-16D2 and collect additional data for this well which will be expedited and reported to EGLE as soon as available. We are planning to re-sample OW-16D2 on April 8th one week following redevelopment as previously discussed with you via email on April 1st. OW-16D2 will also be sampled again on April 18th.

In addition to the additional monitoring planned for OW-16D2, ZF is also evaluating potential corrective measures for the well including, further well rehabilitation using an approvable drinking water well additive as was communicated with EGLE via email on April 4th, and a downhole camera survey of the well. ZF is also evaluating potentially replacing OW-16D2 if the rehabilitation is not feasible or not successful, as you suggested. Such corrective measures would include a work plan that would be submitted to EGLE for review and approval, and careful coordination with the Village of Milford to ensure protection of the municipal wells.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

In light of the recent findings regarding OW-16D2 detailed above and considering that the basis for the AO is EGLE's determination that the vinyl chloride reported in recent samples from OW-16D2 above the Part 201 Drinking Water Criterion, pose an imminent and substantial endangerment to the Village of Milford municipal wells due to their proximity to OW-16D2, it would be prudent for all parties to have reliable data and an objective basis for decisions moving forward. Allowing ZF more time to remedy OW-16D2 and collect accurate data from the well will allow the parties to make a proper technical determination of whether vinyl chloride is in the aquifer at the location of OW-16D2. This information would also provide a strong basis to determine if there is any reasonably objective and technical need to implement the response activity required by the AO and would further serve to inform future discussions and decisions by EGLE, the Village of Milford, and ZF. ZF will follow-up this correspondence with the sample results to be collected from OW-16D2 on April 8th, which we expect to receive from the lab by April 12th, and with our plans to implement the OW-16D2 rehabilitation and/or replacement as necessary. ZF will also provide a formal response to the AO, but wanted to provide you with this recently obtained additional information for your consideration at this time.

Thank you for your attention to these matters and please include this letter and its attachments in the administrative record for the AO and the Site.

If you have any questions, please feel free to contact me at the phone number listed in the header on the first page of this letter, Mr. Scott Detwiler – ZF Project Manager at 480-722-4139, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,

Robert A Bleazard

Robert Bleazard
Sr. EHS Manager – Environmental Remediation
ZF Health, Safety, and Environment

Enclosure
cc by email only:
Mr. Scott Detwiler, ZF
Mr. Robert Bleazard, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director, EGLE
Mr. Mike Neller, EGLE - Remediation and Redevelopment Director

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

ATTACHMENT 1

Table 1
OW16D2 Groundwater Analytical Results and Field Parameters
Former Kelsey-Hayes Milford Plant

ARCADIS

Sample Identification:	Residential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Observation Well OW-16D2																	
Sample Collection Date:			6/15/2010	12/17/2010	6/15/2011	12/14/2011	6/29/2012	12/12/2012	6/12/2013	12/11/2013	6/15/2014	11/24/2014	6/24/2015	12/9/2015[1]	6/14/2016[1]	12/13/2016	12/6/2017	6/12/2018	12/4/2018	6/10/2019	12/3/2019
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	2.4	3.2	2.1	<1.0	1.4	12	<1.0	3.4	<1.0	22	<1.0	19	<1.0	1.7	18	<1.0	4.1	1.2	1.1
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.3	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethane	880	740	<1.0	<1.0	1.1	<1.0	<1.0	2.1	<1.0	<1.0	<1.0	3.0	<1.0	2.3	<1.0	<1.0	1.9	<1.0	2.1	1.6	1.4
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Field Parameters																					
Drawdown (feet)			-0.3	2.8	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.3	0.4	5.1	4.7	12.2	8.4	4.6	5.5	8.5	3.5
pH (standard units)			7.36	7.74	7.82	7.44	7.60	7.57	7.90	7.85	7.17	7.79	7.82	7.56	7.62	7.91	8.05	7.67	7.41	7.87	7.82
Conductivity (milliSiemens per centimenter)			0.59	0.56	0.64	0.54	0.64	0.60	0.64	0.59	0.60	0.80	0.634	0.952 [1]	0.827 [1]	0.604	0.63	0.64	0.62	0.64	0.82
Turbidity (Nephelometric Turbidity Unit)			1.09	4.22	3.67	0.76	3.68	2.24	0.60	2.43	2.19	102	2.27	52.1	0.61	1.36	11.7	0.80	2.2	3.06	0.79
Dissolved Oxygen (milligrams per liter)			1.33	0.47	0.11	1.44	0.56	0.8	1.19	3.45	4.99	3.8	4.08	0.19	3.22	0.38	0.3	3.04	1.21	0.25	11.74
Temperature (degrees Celsius)			14.66	9.23	15.71	10.33	17.45	9.90	15.19	10.39	14.72	10.83	14.1	11.75	13.89	11.33	10.6	14.60	10.96	12.7	8.6
Oxidation Reduction Potential (millivolt)			75	-12.5	78.3	12.7	125.1	110.6	115.1	115	82.4	-17.4	-39.1	-155.3	27.7	101.4	-121.6	203.7	159.9	231.9	122

Sample Identification:	Residential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Observation Well OW-16D2																	
Sample Collection Date:			5/13/2020	11/17/2020	5/13/2021	6/8/2021	8/3/2021	8/16/2021	9/1/2021	9/13/2021	9/27/2021	10/11/2021	10/25/2021	11/8/2021	12/6/2021	1/4/2022	1/25/2022	2/17/2022	3/21/2022	4/4/2022
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	<1.0	<1.0	17	10	16	13	16	20	18	12	17	17	8.2	15	15	12	18	19
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	1.3	<1.0	1.6	1.1	1.3	1.7	1.7	1.1	1.6	1.5	<1.0	1.6	1.4	1.1	1.6	1.7
1,1-Dichloroethane	880	740	<1.0	<1.0	3.8	2.4	3.8	3.0	3.2	3.9	3.7	2.8	3.8	4.2	2.0	3.0	3.4	3.1	3.7	3.5
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	3.5	1.2	3.0	1.8	1.7	1.6	1.8	1.4	1.5	1.5	<1.0	2.5	3.2	2.0	2.3	<1.0
First Depth to Water																				
Field Parameters																				
Drawdown (feet)			4.2	10.2	0.0	0.0	12.7	14.2	15.0	10.6	13.7	15.2	8.1	10.9	7.5	8.1	17.4	17.4	7.1	6.9
pH (standard units)			8.51	8.44	7.89	7.6	7.5	7.68	7.64	7.28	7.38	7.81	7.49	7.43	8.02	7.56	7.54	7.77	7.54	7.43
Conductivity (milliSiemens per centimenter)			0.78	0.71	0.93	0.85	0.93	0.718	1.011	1.03	1.07	0.97	1.09	1.07	0.84	1.1	1.11	0.985	1.082	1.1
Turbidity (Nephelometric Turbidity Unit)			2.29	1.08	59.6	5.29	33.8	6.82	3.86	3.9	9.44	9.05	10.7	10.1	4.74	28.4	13.7	4.9	3.04	96.3
Dissolved Oxygen (milligrams per liter)			4.9	9.67	0.45	0.41	1.32	0.25	0.38	0.86	0.22	0.58	0.15	0.17	0.27	0.2	0.1	0.57	0.51	5.81
Temperature (degrees Celsius)			11.6	12.3	12.2	17.4	15.6	14.1	15	14.1	15	15.5	12.4	14	10.8	10.8	9.8	9.9	10.4	7.1
Oxidation Reduction Potential (millivolt)			155.1	12.1	-134	-104.1	-99	-139.1	-74.7	-64.8	-99.9	-99.2	-88.2	-66.4	-14	-93.1	-96.7	-61.3	-72.3	3.0

Notes:
All volatile organic compound concentrations are in micrograms per liter (µg/L).
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976.
(X) The Groundwater Surface Water Interface (GSI) criterion shown is not protective for surface water that is used as a drinking water source.
[1] Specific Conductivity

ATTACHMENT 2

Fibertec
environmental
services

Wednesday, April 06, 2022

Fibertec Project Number: A07755
Project Identification: TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date: 04/04/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Sue Ricketts

By Sue Ricketts at 12:26 PM, Apr 06, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	FIELDBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Field	Collect Time:	11:45

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-001 **Matrix:** Blank: Field
Method: EPA 5030C/EPA 8260D **Description:** FIELDBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	FIELDBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Field	Collect Time:	11:45

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable #: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELDBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:55

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ÷: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS Aliquot ID: A07755-002 Matrix: Ground Water
Method: EPA 5030C/EPA 8260D Description: OW-16D2_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
÷ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
÷ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
27. 1,1-Dichloroethane	3.5		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
30. cis-1,2-Dichloroethene	19		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
31. trans-1,2-Dichloroethene	1.7		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:55

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-002 **Matrix:** Ground Water
Method: EPA 5030C/EPA 8260D **Description:** OW-16D2_040422

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	EQUIPMENTBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Equipment	Collect Time:	12:10

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-003 **Matrix:** Blank: Equipment
Method: EPA 5030C/EPA 8260D **Description:** EQUIPMENTBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	EQUIPMENTBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Equipment	Collect Time:	12:10

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS Aliquot ID: A07755-003 Matrix: Blank: Equipment
Method: EPA 5030C/EPA 8260D Description: EQUIPMENTBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	TRIP BLANK	Chain of Custody:	N/A
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Trip	Collect Time:	NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS
Method: EPA 5030C/EPA 8260D

Aliquot ID: A07755-004 **Matrix:** Blank: Trip
Description: TRIP BLANK

	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**N/A**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
V- : Recovery in the associated continuing calibration verification sample (CCV) exceeds the lower control limit. Results may be biased low.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*100*		*80-120*
Dibromofluoromethane(S)	*101*		*80-120*
1,2-Dichloroethane-d4(S)	*94*		*80-120*
Toluene-d8(S)	*98*		*80-120*

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Acetone	50.0	30.6	61	54-140		50.0	31.1	62		2	20	
Acrylonitrile	50.0	52.7	105	70-130		50.0	53.7	107		2	20	
Benzene	50.0	46.5	93	80-120		50.0	45.1	90		3	20	
Bromobenzene	50.0	44.7	89	75-125		50.0	44.2	88		1	20	
Bromochloromethane	50.0	40.7	81	70-130		50.0	40.1	80		1	20	
Bromodichloromethane	50.0	44.5	89	75-120		50.0	43.5	87		2	20	
Bromoform	50.0	45.8	92	70-130		50.0	45.4	91		1	20	
Bromomethane	50.0	27.5	55	69-135	*	50.0	29.1	58	*	5	20	
2-Butanone	50.0	40.1	80	70-148		50.0	40.5	81		1	20	
n-Butylbenzene	50.0	52.8	106	70-133		50.0	51.9	104		2	20	
sec-Butylbenzene	50.0	50.2	100	70-125		50.0	49.4	99		1	20	
tert-Butylbenzene	50.0	49.5	99	70-130		50.0	48.6	97		2	20	
Carbon Disulfide	50.0	44.6	89	70-130		50.0	42.8	86		3	20	
Carbon Tetrachloride	50.0	44.5	89	70-130		50.0	43.3	87		2	20	
Chlorobenzene	50.0	45.9	92	80-120		50.0	44.8	90		2	20	
Chloroethane	50.0	40.5	81	61-130		50.0	39.1	78		4	20	
Chloroform	50.0	44.2	88	80-120		50.0	43.4	87		1	20	
Chloromethane	50.0	38.4	77	67-125		50.0	38.9	78		1	20	
2-Chlorotoluene	50.0	47.3	95	75-125		50.0	46.6	93		2	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	48.5	97	70-130		50.0	49.6	99		2	20	
Dibromochloromethane	50.0	44.6	89	70-130		50.0	43.3	87		2	20	
Dibromomethane	50.0	41.6	83	75-125		50.0	40.4	81		2	20	
1,2-Dichlorobenzene	50.0	46.9	94	70-120		50.0	46.2	92		2	20	
1,3-Dichlorobenzene	50.0	45.8	92	75-125		50.0	45.0	90		2	20	
1,4-Dichlorobenzene	50.0	43.3	87	75-125		50.0	42.5	85		2	20	
Dichlorodifluoromethane	50.0	53.5	107	70-136		50.0	51.0	102		5	20	
1,1-Dichloroethane	50.0	45.9	92	70-130		50.0	44.5	89		3	20	
1,2-Dichloroethane	50.0	40.9	82	70-130		50.0	39.7	79		4	20	
1,1-Dichloroethene	50.0	43.8	88	78-120		50.0	42.1	84		5	20	
cis-1,2-Dichloroethene	50.0	44.8	90	70-125		50.0	43.2	86		5	20	
trans-1,2-Dichloroethene	50.0	44.5	89	70-130		50.0	43.5	87		2	20	
1,2-Dichloropropane	50.0	49.1	98	80-121		50.0	47.4	95		3	20	
cis-1,3-Dichloropropene	50.0	43.4	87	70-130		50.0	42.2	84		4	20	

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	48.2	96	70-132		50.0	46.7	93		3	20	
Ethylbenzene	50.0	48.4	97	80-120		50.0	47.0	94		3	20	
Ethylene Dibromide	50.0	45.2	90	80-120		50.0	44.4	89		1	20	
2-Hexanone	50.0	39.4	79	70-130		50.0	40.5	81		3	20	
Isopropylbenzene	50.0	48.7	97	75-125		50.0	47.5	95		2	20	
4-Methyl-2-pentanone	50.0	55.2	110	70-130		50.0	54.7	109		1	20	
Methylene Chloride	50.0	43.8	88	70-130		50.0	42.7	85		3	20	
2-Methylnaphthalene	50.0	46.0	92	70-130		50.0	46.5	93		1	20	
MTBE	50.0	48.3	97	70-125		50.0	47.3	95		2	20	
Naphthalene	50.0	46.7	93	70-130		50.0	47.5	95		2	20	
n-Propylbenzene	50.0	49.4	99	70-130		50.0	48.8	98		1	20	
Styrene	50.0	41.0	82	70-130		50.0	39.7	79		4	20	
1,1,1,2-Tetrachloroethane	50.0	46.7	93	80-130		50.0	45.2	90		3	20	
1,1,2,2-Tetrachloroethane	50.0	59.4	119	70-130		50.0	60.5	121		2	20	
Tetrachloroethene	50.0	48.5	97	70-130		50.0	46.9	94		3	20	
Toluene	50.0	47.9	96	80-120		50.0	46.4	93		3	20	
1,2,4-Trichlorobenzene	50.0	45.9	92	70-130		50.0	46.0	92		0	20	
1,1,1-Trichloroethane	50.0	45.5	91	70-130		50.0	44.3	89		2	20	
1,1,2-Trichloroethane	50.0	47.6	95	75-125		50.0	47.1	94		1	20	
Trichloroethene	50.0	41.6	83	71-125		50.0	39.9	80		4	20	
Trichlorofluoromethane	50.0	48.2	96	70-133		50.0	46.6	93		3	20	
1,2,3-Trichloropropane	50.0	49.9	100	75-125		50.0	49.3	99		1	20	
1,2,3-Trimethylbenzene	50.0	47.0	94	70-130		50.0	46.2	92		2	20	
1,2,4-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.7	97		1	20	
1,3,5-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.1	96		2	20	
Vinyl Chloride	50.0	43.9	88	74-125		50.0	42.2	84		5	20	
m&p-Xylene	100	95.1	95	75-130		100	92.8	93		2	20	
o-Xylene	50.0	47.9	96	80-120		50.0	46.3	93		3	20	
4-Bromofluorobenzene(S)			*100*	*80-120*				*101*				
Dibromofluoromethane(S)			*99*	*80-120*				*99*				
1,2-Dichloroethane-d4(S)			*91*	*80-120*				*90*				
Toluene-d8(S)			*100*	*80-120*				*100*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Sue Ricketts

By Sue Ricketts at 12:32 PM, Apr 06, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
201041
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Marina Samp
Project Name/ Number: TRW Milford 30046730
Email distribution to: marina.samp@arcadis.com; john.meiniss@arcadis.com
Quote #
Purchase Order # 30046730.0001Z

Date	Time	Sample #	Client Sample Descriptor	MATRIX (see matrix code to the right)	# OF CONTAINERS	PARAMETERS: VOCs 8260B	HOLD SAMPLE
4.4.22	1145		FIELDBLANK_040422	GW	3	3	
4.4.22	1155		OW-16D2-040422	GW	3	3	
4.4.22	1210		EQUIPMENTBLANK_040422	GW	3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks:

Received By Lab
APR 04 2022
Initials EA

Received On Ice

Comments:

Sampled/Relinquished By: Stacey Hannula	Date/ Time 4.4.22 1230	Received By: Anyssa Mandich/Arcadis
Relinquished By: Anyssa Mandich/Arcadis	Date/ Time 4/4/22 1415	Received By: Fibertec
Relinquished By:	Date/ Time	Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. day (48 hrs) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A07755

Temperature upon receipt at Lab: 2.0°C

Please see back for terms and conditions

Attachment 6

Select Laboratory Analytical Results Summary Table (April 2022) – OW-16D2

Attachment 6
OW-16D2 Groundwater Analytical Results
April 4 through April 18, 2022

Sample Identification:	Observation Well OW-16D2						Residential Drinking Water Criteria
Sample Collection Date:	4/4/2022		4/8/2022		4/18/2022		
	Fibertec	Eurofins	Fibertec	Eurofins	Fibertec	Eurofins	
Tetrachloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	5.0 (A)
Trichloroethene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	5.0 (A)
cis-1,2-Dichloroethene	19	21	20	18	18	16	70 (A)
trans-1,2-Dichloroethene	1.7	1.7	1.5	1.5	1.3	1.2	100 (A)
1,1-Dichloroethane	3.5	3.8	3.5	3.0	3.0	2.4	880
Vinyl chloride	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.0 (A)

Notes:
All concentrations are in micrograms per liter (µg/L).
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976.

Attachment 7

April 13, 2022 ZF Letter to EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department Health Safety andEnvironmental
From Robert Bleazard
Phone +1 480 722-4866
Email Robert.Bleazard@zf.com
Date April 13, 2022

VIA E-MAIL TO: WojchiechowskiK@Michigan.gov

Kevin Wojciechowski, Project Manager
Warren District Office Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Additional Information for Consideration by Michigan Department of Environment, Great Lakes, and Energy Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001.

Dear Mr. Wojciechowski,

ZF Active Safety US Inc. (ZF) is submitting the following information and attachment to the Department of Environment, Great Lakes, and Energy (EGLE) with respect to the Administrative Order for Response Activity (AO) issued by EGLE to ZF, with respect to the former Kelsey-Hayes site in Milford, Michigan (the "Site").

As noted in the letter that ZF sent to EGLE on April 8, 2022, Arcadis recently began redevelopment activities on monitoring well OW-16D2 on April 1st and subsequently collected samples from the well on April 4th and April 8th. The sample collected on April 8th was submitted to Fibertec and 48-hour turn-around-time was again requested. The groundwater sample result from OW-16D2 is again non-detect (less than 1 microgram per liter) for vinyl chloride. See attached Laboratory Report.

Our April 8th letter details the reasons why ZF and Arcadis suspected OW-16D2 may be compromised and describes the measures we took to further examine and redevelop the well on April 1st. The April 8th sample results collected one week following the redevelopment of OW-16D2 are consistent with, and further support our understanding that, OW-16D2 had become compromised and sample results obtained from the well prior to the redevelopment are not reliable because they were not representative of groundwater conditions. Specifically, the non-detect vinyl chloride results for now two consecutive post-redevelopment sampling events, coupled with the other chlorinated volatile organic compounds (CVOCs) that were detected in OW-16D2 below drinking water criteria at concentrations consistent with previous results, confirms that dissolved CVOCs present in groundwater in the vicinity of OW-16D2 are stable and not degrading to vinyl chloride, which is consistent with the sampling results throughout ZF's monitoring well network over the past 25 years.

The hydraulic observations presented in our April 8th letter clearly show that the well was unable to sustain low-flow purging. Stagnant water was removed during the redevelopment work and the resultant recharge into the well was inflow from the surrounding formation. In addition to the CVOC analytical results and hydraulic observations, it was noted during the April 8th sampling that drawdown was improved versus pre-redevelopment conditions and other parameters (i.e., dissolved oxygen, oxidation-reduction potential) were stable. Collectively, these multiple lines of evidence are indicating the well is now producing more representative groundwater samples than it was prior to the redevelopment. ZF and Arcadis believe that the initial redevelopment work completed on OW-16D2 meets the objective of improving hydraulic communication between the well and the formation and the well conditions are currently producing more accurate groundwater samples.

Based on these observations and the April 8th sample that detected no vinyl chloride, it appears that the vinyl chloride that had been detected in OW-16D2 prior to the recent well redevelopment action was the result of stagnant water within the well and not representative of true groundwater conditions. At this point, there is an objectively reasonable basis and enough technical evidence to say that EGLE should not rely on the samples collected from OW-16D2 prior to redevelopment of the well to make a determination that this well poses an imminent and substantial endangerment to the Village of Milford municipal wells. More work is necessary to further evaluate OW-16D2, including additional redevelopment activities, and this work will require additional time beyond the current April 15th compliance date in the AO.

Given that the sole basis for the corrective action work set forth in the AO is the detection of vinyl chloride in recent samples now understood to be consisting of stagnant water collected from OW-16D2 in a compromised condition, it would be reasonable and consistent with applicable laws and regulations for EGLE to provide ZF an extension of the compliance date in the AO in order to submit a work plan for additional well redevelopment activities, allow ZF time to implement the work plan, and further evaluate and discuss the work plan results and any necessary corrective actions with EGLE. Therefore, ZF will submit a detailed work plan to EGLE by **no later than April 22nd**, which will include plans for routine additional sampling of OW-16D2, and information regarding further mechanical and additive techniques to rehabilitate OW-16D2 or replace it.

Furthermore, a **60-day extension of the AO response deadline** will allow ZF time to implement the work plan and provide the parties time to review and discuss the work plan results. This additional information will enable the parties to reasonably act on an understanding based on representative data and objectively developed technical information about the integrity of OW-16D2, rather than presumptions about the recent appearance of vinyl chloride in only one well that has been determined to be compromised and was not yielding samples representative of the groundwater in that location before redevelopment. Furthermore, if EGLE is concerned about vinyl chloride appearing in the Village of Milford municipal well during the extension of the AO notice deadline, ZF's understanding based on the Focused Feasibility Study Report prepared by Wood for the Village of Milford is that the current Iron Removal System provides a feasible temporary response measure that could be utilized to remove vinyl chloride at the levels consistent with those previously reported in OW-16D2, if it were to be needed.

In light of the tight timing circumstances, we ask that EGLE please communicate to ZF prior to April 15th whether or not EGLE agrees with ZF's proposed submission of a work plan by no later than April 22nd and with a 60-day extension of the AO response deadline.

Thank you for your attention to these matters and please include this letter and its attachment in the administrative record for the AO and the Site.

If you have any questions, please feel free to contact me at the phone number listed in the header on the first page of this letter, Mr. Scott Detwiler – ZF Project Manager at 480-722-4139, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,

Robert A Bleazard

Robert Bleazard
Sr. EHS Manager – Environmental Remediation
ZF Health, Safety, and Environment

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Enclosure
cc by email only:

Mr. Scott Detwiler, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director, EGLE
Mr. Mike Neller, EGLE - Remediation and Redevelopment Director
Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

ATTACHMENT

Fibertec
environmental
services

Tuesday, April 12, 2022

Fibertec Project Number:	A07873
Project Identification:	TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date:	04/08/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Sue Ricketts

By Sue Ricketts at 1:11 PM, Apr 12, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

1914 Holloway Drive, Holt, MI 48842, T: (517) 699-0345, F: (517) 699-0388
11766 E. Grand River, Brighton, MI 48116, T: (810) 220-3300, F: (810) 220-3311
8660 S. Mackinaw Trail, Cadillac, MI 49601, T: (231) 775-8368, F: (231) 775-8584
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07873-002 **Matrix:** Ground Water
Method: EPA 5030C/EPA 8260D **Description:** OW-16D2-040822

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
18. Chloromethane	U	V- L-	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
27. 1,1-Dichloroethane	3.5		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
30. cis-1,2-Dichloroethene	20		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
31. trans-1,2-Dichloroethene	1.5		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

1914 Holloway Drive, Holt, MI 48842, T: (517) 699-0345, F: (517) 699-0388
11766 E. Grand River, Brighton, MI 48116, T: (810) 220-3300, F: (810) 220-3311
8660 S. Mackinaw Trail, Cadillac, MI 49601, T: (231) 775-8368, F: (231) 775-8584
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/09/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-003** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/09/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-003** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

Definitions/ Qualifiers:

- **A:** Spike recovery or precision unusable due to dilution.
- **B:** The analyte was detected in the associated method blank.
- **E:** The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
- **J:** The concentration is an estimated value.
- **M:** Modified Method
- **U:** The analyte was not detected at or above the reporting limit.
- **X:** Matrix interference has resulted in a raised reporting limit or distorted result.
- **W:** Results reported on a wet-weight basis.
- ***:** Value reported is outside QC limits

Exception Summary:

- **L+** : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
- **V+** : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

Attachment 8

April 14, EGLE Letter (Response to ZF)

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
LANSING

GRETCHEN WHITMER
GOVERNOR

LIESL EICHLER CLARK
DIRECTOR

April 14, 2022

VIA E-MAIL

Robert Bleazard
Sr. EHS Manager Environmental Remediation
ZF Health, Safety, and Environment
ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122

SUBJECT: Response to ZF Active Safety US Inc. Additional Information for Consideration Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001 (AO)

Dear Robert Bleazard:

The Department of Environment, Great Lakes, and Energy (EGLE) has received ZF Active Safety US Inc. (ZF) correspondence dated April 8, 2022, and April 13, 2022, containing technical information for EGLE's consideration pertaining to the potentially anomalous groundwater parameters in monitoring well OW-16D2 during sampling.

Although EGLE agrees that the information presented by ZF warrants additional investigation by ZF, EGLE does not believe the information presented thus far demonstrates that there is no imminent and substantial endangerment to the public drinking water supply for the Village of Milford. Therefore, EGLE cannot grant ZF's requested extension of the AO response deadline, and EGLE expects ZF's timely compliance with the AO.

If ZF intends to submit a work plan to undertake a parallel path to further investigate concerns regarding the integrity of OW-16D2, EGLE does not discourage those efforts, however the work plan should provide for the following:

- Continue to rehabilitate monitoring well OW-16D2 with mechanical and/or additive techniques. Collect post-rehabilitation groundwater samples for a sufficient period of time to demonstrate the samples are representative of aquifer conditions.
- Complete vertical aquifer profiling in close proximity to OW-16D2 to verify the screen is in the zone of highest contamination. Based on the completed vertical aquifer profile, if the depth of contamination differs from the screening interval of OW-16D2, install a new monitoring well to be screened at the depth of the highest level of contamination.

- Install a new monitoring well to replace OW-16D2 if it cannot be rehabilitated. The new monitoring well shall be screened based on the conclusions from the vertical aquifer profiling.

EGLE remains open to reconsider its position regarding the Administrative Order if additional data demonstrates that there is not an imminent and substantial risk to the Village of Milford's drinking water wells.

If you have questions regarding this matter, please contact Kevin Wojciechowski, Project Manager, at 586-623-2948 or WojciechowskiK@Michigan.gov; or you may contact me.

Sincerely,

Mike Neller, Director
Remediation & Redevelopment Division
517-512-5859

cc: Danielle Allison-Yokom, Michigan Department of Attorney General
Aaron B. Keatley, Chief Deputy Director, EGLE
Joshua Mosher, EGLE
Mary Miller, EGLE
Dan Yordanich, EGLE
Paul Owens, EGLE
Darren Bowling, EGLE
Cheryl Wilson, EGLE
Tiffany Yusko-Kotimko, EGLE
Kevin Wojciechowski, EGLE
Lyndsey Hagy, EGLE
Katie Noetzel, EGLE

Attachment 9

Progress Report No. 1

Disclaimer: This document is a DRAFT document that has not received final approval from the Department of Environment, Great Lakes, and Energy (EGLE). This document was prepared pursuant to a governmental administrative order. The opinions, findings, and conclusions expressed are those of the authors and not those of the EGLE.

ZF Active Safety US Inc.

PROGRESS REPORT NO. 1

Former Kelsey-Hayes Company Site, Milford, Michigan

Administrative Order for Response Activity, EGLE Docket No. AO-RRD-22-001

May 15, 2022

PROGRESS REPORT NO. 1
FORMER KELSEY-HAYES COMPANY
MILFORD, MICHIGAN
ADMINISTRATIVE ORDER FOR RESPONSE ACTIVITY EGLE
DOCKET NO. AO-RRD-22-001

This progress report has been prepared and is being submitted pursuant to Section XII of the Administrative Order for Response Activity, Docket No. AO-RRD-22-001 (AO) issued by the Department of Environment, Great Lakes, and Energy (EGLE) to ZF Active Safety US Inc. (ZF or Respondent) on March 16, 2022 (effective date), with respect to the former Kelsey-Hayes site in Milford, Michigan (the "Site"). This progress report provides information regarding response activities and other matters related to the AO, that have occurred since the AO effective date (March 16, 2022, through May 10, 2022).

Chronological Description of Activities Conducted during the Specified Reporting Period:

- Observation Well OW-16D2 was sampled on March 21, 2022, and April 4, 8, and 18, 2022. Samples were submitted to Eurofins Canton, Ohio (Eurofins) for analysis of chlorinated volatile organic compounds (VOCs) using United States Environmental Protection Agency (USEPA) Test Method 8260D. In addition, samples collected on April 4, 8, and 18, 2022 were also submitted to Fibertec Environmental Services of Holt, Michigan (Fibertec) for expedited analysis (48-hour turnaround time) of VOCs using USEPA Test Method 8260D. All results have been submitted to EGLE and the Village of Milford (VOM) and are attached. No vinyl chloride was detected in any of the April samples.
- Pursuant to Section XVIII of the AO, a conference with EGLE was conducted on March 31, 2022, to discuss the AO. ZF presented a summary of the extensive data collected with respect to the Site including a timeline of response actions and ZF's conceptual site model.
- On April 1, 2022, initial redevelopment activities were conducted on OW-16D2 due to prior observations which indicated that the condition of the well may have been compromised and previous water samples from OW-16D2 were likely not representative of groundwater conditions in the aquifer. Following the redevelopment activities, information collected from OW-16D2 indicated that the well screen, sand pack, and/or formation around the screen was not functioning as designed. Even after this initial redevelopment work and removal of all of the water from the well, the water level in the well recovered very slowly.
- Detailed information about the initial redevelopment work on OW-16D2 was presented to EGLE in a letter dated April 8, 2022 and is included in Attachment 1 (the "April 8th Letter"). The April 8th Letter includes laboratory results from a post well redevelopment sample collected on Monday, April 4, 2022. Vinyl chloride was not detected in the sample. In addition, ZF also provided additional groundwater field parameters for low-flow groundwater sampling of OW-16D2 since 2010, as requested by EGLE during the March 31st meeting. The findings from the initial well redevelopment activities on OW-16D2 provided compelling evidence of well integrity and performance and data quality concerns at OW-16D2 that indicated further evaluation and corrective actions on the well were appropriate.

- On April 13, 2022, ZF submitted another letter to EGLE presenting laboratory analytical results of a second post-redevelopment sample collected from OW-16D2 on April 8, 2022 (the "April 13th Letter"). No vinyl chloride was detected in the sample. Based on the observations from the initial well redevelopment work on OW-16D2 and no vinyl chloride detected in the April 8, 2022 sample, it appears that the vinyl chloride that had been detected in OW-16D2 prior to the recent well redevelopment work was the result of stagnant water within the well and not representative of true groundwater conditions. In the April 13th Letter, ZF indicated that a detailed work plan would be submitted to EGLE by April 22, 2022, describing further work to rehabilitate OW-16D2 (or replace it) and additional sampling of OW-16D2 to fully understand the condition of the well and the presence of vinyl chloride in samples collected prior to well rehabilitation activities. ZF also requested a 60-day extension of the AO response deadline to complete the anticipated work plan and well rehabilitation activities. A copy of the April 13th Letter is included as Attachment 2.
- On April 14, 2022, EGLE responded to ZF's April 8th Letter and April 13th Letter and agreed that the information presented by ZF warrants additional investigation by ZF. However, EGLE would not grant ZF an extension of the AO deadline (the "EGLE April 14th Letter"). Nonetheless, EGLE acknowledged that ZF should submit a work plan to further investigate the condition of OW-16D2. EGLE encouraged the review and rehabilitation of OW-16D2, requested vertical aquifer profiling (VAP) near OW-16D2 to verify the zone of highest contamination, and suggested installing a new well if the depth of VOC impacts differs from the screened interval of OW-16D2. A copy of the EGLE April 14th Letter is included as Attachment 3.
- On April 15, 2022, pursuant to Section XVII of the AO, ZF submitted its response to the AO confirming that ZF intends to comply with the AO and the subsequent ELGE April 14th Letter. The April 15, 2022 response to the AO is included an Attachment 4.
- Pursuant to Section V of the AO, ZF and Arcadis conducted the initial design meeting/call on April 20, 2022, with representatives from EGLE Drinking Water and Environmental Health Division (DWEHD) - Warren District Office, the VOM, and Wood (consultants for the VOM). A copy of the initial design meeting minutes is included in Attachment 5.
- On April 27, 2022, a follow-up conference call was conducted with ZF, Arcadis, EGLE DWEHD-WDO, VOM, and Wood. During that call, ZF verified that it will take the lead role in designing the treatment solution to prevent vinyl chloride from entering the VOM municipal drinking water system that is required by the AO.
- On April 27, 2022, EGLE held a virtual public meeting regarding the AO.
- As a follow-up to the initial design meeting, the Arcadis design team met at the VOM water plant on April 28, 2022, to review the existing treatment equipment at the iron removal plant and the well pump house. Information on the current operation and existing layout was noted. The VOM, Wood, and EGLE appeared open to other options on the type of air stripping system (alternate to the Packed Tower Air Stripper indicated in the AO) and where it's placed into service (before versus after the iron removal process). As a follow-up to this meeting, it was decided that design status update meetings would be scheduled with ZF, Arcadis, VOM, EGLE, and Wood (the "Design Group") two times a week. Design status update meetings have occurred on May 3, 6, and 10, 2022, with the Design Group. Based on these calls, the Design Group agreed that the design/construction would be much more complicated to install downstream of the iron removal process and that two air stripper units installed in place of the two existing aerators is acceptable. Although the potential for iron fouling is a consideration, the current aeration units don't appear to have an iron issue and the water chemistry

data provided by Wood does not suggest a significant iron fouling issue. A draft copy of the process flow diagram (prepared by Arcadis) and a summary of the basis of design and air stripping unit information provided by DeLoach Industries, Inc. (potential supplier of the air stripper units) are included as Attachment 6. Meeting minutes from the May 3, 6, and 10, 2022 Design Group meetings are included in Attachment 5.

- ZF submitted a Monitoring Well Rehabilitation and Vertical Aquifer Profiling Work Plan to EGLE on April 22, 2022 (the "Work Plan"). Pursuant to the Work Plan, ZF will perform the work listed in EGLE's April 14 Letter (Attachment 3) and will also conduct additional activities to further investigate, redevelop and possibly replace OW-16D2, and gather information to further assess the aquifer. The Work Plan is included as Attachment 7.
- On May 4, 2022, EGLE responded to ZF's Work Plan submittal and provided recommendations, questions, and comments regarding the Work Plan (the "EGLE May 4th Letter"). The EGLE May 4th Letter is included as Attachment 8.
- In response to EGLE's May 4th Letter regarding the Work Plan, ZF submitted a letter on May 15, 2022 to EGLE addressing each of EGLE's comments concerning the Work Plan (the "May 15th Letter"). The May 15th Letter is included as Attachment 9.

Results of Sampling and Tests and other Data

- As indicated above, OW-16D2 was sampled on March 21, 2022, and April 4, 8, and 18, 2022. Samples were submitted to Eurofins for analysis of VOCs using USEPA Test Method 8260D. In addition, samples collected on April 4, 8, and 18, 2022 were also submitted to Fibertec for expedited analysis (48-hour turnaround time) of VOCs using USEPA Test Method 8260D. A copy of the laboratory analytical reports is included in Attachment 10. No vinyl chloride was detected in any of the April samples.

Status of Access Issues

- There have been no issues with access during the reporting period.

Scheduled for the Next Reporting Period

- Conduct sampling at OW-16D2 on May 18, 2022, with analysis conducted by Eurofins within 10 days.
- Continue to conduct design status update meetings with the Design Group two times per week.
- Conduct the 80% Design Meeting on May 20, 2022.
- Perform vertical aquifer profiling during the period of May 16 through May 27, 2022.
- Perform rehabilitation activities of OW-16D2 during the month of June 2022.

Other Relevant Information

No other relevant information was identified during this reporting period.

Attachments

1. April 8, 2022 Letter from ZF
2. April 13, 2022 Letter from ZF
3. April 14, 2022 Letter from EGLE
4. April 15, 2022 Letter From ZF
5. Initial and Follow-up Design Meeting Minutes (April 20, May 3, 6, and 10, 2022)
6. Draft Process Flow Diagram and Summary of the Basis of Design and Air Stripping Unit Information
7. April 22, 2022 ZF Work Plan
8. May 4, 2022 letter from EGLE15
9. May 15, 2022 Letter from ZF
10. Laboratory Analytical Reports (Observation Well OW-16D2)

ATTACHMENT 1

April 8, 2022 Letter from ZF

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department Health Safety andEnvironmental
From Robert Bleazard
Phone +1 480 722-4866
Email Robert.Bleazard@zf.com
Date April 8, 2022

VIA E-MAIL TO: WojchiechowskiK@Michigan.gov

Kevin Wojciechowski, Project Manager
Warren District Office Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Additional Information for Consideration by Michigan Department of Environment, Great Lakes, and Energy Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001.

Dear Mr. Wojciechowski,

ZF Active Safety US Inc. (ZF) appreciates the opportunity to meet with the Department of Environment, Great Lakes, and Energy (EGLE) last Thursday, March 31, 2022, to discuss the Administrative Order for Response Activity (AO) issued by EGLE to ZF, with respect to the former Kelsey-Hayes site in Milford, Michigan (the "Site").

As demonstrated by ZF's November 23, 2021 letter in response to EGLE's October 25, 2021 Compliance Communication and its presentation of information at the meeting, ZF and Arcadis have been reviewing the extensive data collected for the Kelsey-Hayes site, as well as any other available information, in order to understand the recent emergence of vinyl chloride in groundwater monitoring well OW-16D2 when that compound has not been detected at any time elsewhere in ZF's off-site monitoring well network in more than 25 years of monitoring. Furthermore, Arcadis recently noted an anomalous response in water level and certain groundwater parameters in the well during sampling, raising concerns regarding the possible integrity of the well screen and/or the sand pack surrounding the well screen. In addition, considering EGLE's concerns regarding the proximity of OW-16D2 to the Village of Milford municipal wells and the statement in the Administrative Order that "the presence of vinyl chloride in monitoring well OW-16D2, a known carcinogen, represents an imminent and substantial endangerment to the public health, safety, welfare, or the environment…," ZF and Arcadis carefully analyzed the current viability of OW-16D2 and began evaluating whether samples collected from this well are representative of the aquifer.

Arcadis initially questioned whether OW-16D2 may be compromised because there was significant drawdown in the well during most of the low-flow sampling events where vinyl chloride was detected and purge volumes were observed to be similar to the volume of standing water removed from the well. This indicated stagnant water conditions in the well. In addition, water samples with vinyl chloride detections had an oxidation reduction potential (ORP) in the range of -60 to -134 millivolts and low dissolved oxygen (DO) levels (see attached Table 1 – Attachment 1). These conditions within the well provide a reducing environment where anerobic microbes are active and reductive dichlorination of chlorinated volatile organic compounds (CVOCs) can occur (i.e., cis-1,2-dichloroethene to vinyl chloride). Furthermore, vinyl chloride has not been detected in the

six observation wells, OW-9, OW-09ML-A/B/C/D, and MW-03-94, located upgradient of OW-16D2, in the Village of Milford drinking water wells, or in any of the other monitoring wells regularly sampled by Arcadis that have proven to be reliable in monitoring other CVOCs including trichloroethene (TCE). Collectively, these multiple lines of evidence are what caused Arcadis to take a closer look at the condition of OW-16D2 and also suggests that the recent detection of vinyl chloride in OW-16D2 is localized, anomalous, and warrants further evaluation. The inability of OW-16D2 to sustain EGLE's low-flow sampling and groundwater parameter stabilization requirements also indicates that groundwater samples collected from OW-16D2 are: 1) not representative of groundwater conditions; 2) not comparable to EGLE's Part 201 Cleanup Criteria for compliance purposes; and 3) therefore not a reliable basis for the conclusion by EGLE that OW-16D2 poses an imminent and substantial endangerment to the Village of Milford wells.

As Arcadis has previously discussed with you and as mentioned during the meeting, ZF's monitoring well OW-16D2 was further examined and redeveloped on Friday, April 1st with the objective of improving hydraulic communication between the well and formation to produce representative groundwater samples. During the examination and redevelopment of OW-16D2, Stearns, the well driller, used a surge block with a vacuum hose attachment to work up and down within the well screen and draw out sediments consistent with standard practice. Stearns moved this apparatus up and down within the well screen several times. During the process, there was initial discolored water and some fine sediment removed and then it cleared up. The plan was to then drop a pump down the well and purge water/groundwater as it re-entered the well, removing as much water as possible. However, after pulling the surge block apparatus out of the well, there was only about 2 feet of water remaining in the well (approximately 1/3 gallon). The amount of water in the well when Stearns started the redevelopment process was about 100 feet (approximately 16 gallons). This indicates that the well screen, sand pack, and/or formation around the screen is not functioning as designed. Arcadis measured the level of water in the well after this work and it recovered very slowly, at a rate of less than 1 foot per hour. Based on these observations, it appears that the water in the screened interval of the well was stagnant and therefore not fully representative of groundwater conditions in the aquifer. These well redevelopment findings, combined with the observations noted above regarding well behavior during sampling, indicate that OW-16D2 has become compromised and cannot be relied on for continued groundwater monitoring without further evaluation and potential corrective action on the well.

Following the redevelopment, Arcadis returned to sample OW-16D2 on Monday, April 4th and observed that the depth to groundwater was about 50 feet (so about 50 feet had recovered over the weekend). Arcadis used a low-flow bladder pump to purge the well (this took about 2 hours) and then sampled the well. The total drawdown of the well was approximately 7 feet during the sampling. Arcadis observed the water level in OW-16D2 to be relatively level for the last 10 minutes prior to sampling, indicating that the recharge was coming from the aquifer and not stagnant water within the well. One set of groundwater samples was collected on April 4th and was dropped off at Fibertec (Holt, Michigan) the same day, with a requested 48-hour turn-around-time and another set of samples was sent to Eurofins-TestAmerica for analysis under a standard turn-around-time. Analysis for volatile organic compounds using EPA Method 8260 was requested for both sets of samples.

The results from the Fibertec samples were returned on April 6th and as you know, were non-detect (less than 1.0 ug/L detection limit) for vinyl chloride. In contrast, cis-1,2-dichloroethene, trans-1,2-dichloroethene, and 1,1-dichloroethane were detected and the concentrations of these other CVOCs were consistent with previous samples collected from OW-16D2, indicating that these compounds are stable in the formation water that entered OW-16D2 after development and are not degrading to vinyl chloride in the vicinity of OW-16D2. The laboratory

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

analytical report (Attachment 2) was provided to you on April 6th. These findings, combined with the previous OW-16D2 sampling results and the well redevelopment observations described above show that the production of vinyl chloride appears to be a function of stagnant water within the well caused by the malfunctioning well itself. Additional samples from OW-16D2 will be collected on April 8th and April 18th. Arcadis will sample the well under as close to low-flow conditions as the well is able to sustain and will promptly report the results to EGLE.

Based on the observed conditions of OW-16D2 during the recent sampling and redevelopment of the well and the historical information provided above, there is an objectively reasonable and technical basis to conclude that the recent samples collected before the redevelopment of the well should not be relied upon as accurate representations of aquifer conditions in that location. Specifically, the following observations point to a lack of reliability for recent vinyl chloride results collected from OW-16D2:

- Inability of the OW-16D2 monitoring well to sustain low-flow purging/sampling consistent with EGLE guidelines;
- Recent consistent reducing conditions (i.e., negative ORP, low DO) with stagnant water conditions observed in OW-16D2, correlating with the observance of vinyl chloride detections that have improved after well redevelopment;
- The first occurrence of vinyl chloride in May 2021 after more than 25 years of monitoring, and its subsequent lack of detection following redevelopment of OW-16D2; while other CVOCs in OW-16D2 remained consistent with historical results;
- Continuing lack of vinyl chloride detections in any other monitoring wells, notably those that have unquestionably demonstrated the extent of TCE impacts, the presumed parent CVOC for dichlorination daughter products;
- Lack of vinyl chloride detections in Village of Milford municipal wells despite groundwater velocity calculations showing it would have arrived months ago if mobile.

Collectively, these findings provide compelling evidence of data quality concerns for OW-16D2 that must be further evaluated and corrected. It is imperative that any conclusions drawn from OW-16D2 sample results and determinations of potential additional response activities are based on accurate and reliable, representative data collected from a properly-performing monitoring well in accordance with EGLE requirements. Therefore, ZF intends to continue to evaluate OW-16D2 and collect additional data for this well which will be expedited and reported to EGLE as soon as available. We are planning to re-sample OW-16D2 on April 8th one week following redevelopment as previously discussed with you via email on April 1st. OW-16D2 will also be sampled again on April 18th.

In addition to the additional monitoring planned for OW-16D2, ZF is also evaluating potential corrective measures for the well including, further well rehabilitation using an approvable drinking water well additive as was communicated with EGLE via email on April 4th, and a downhole camera survey of the well. ZF is also evaluating potentially replacing OW-16D2 if the rehabilitation is not feasible or not successful, as you suggested. Such corrective measures would include a work plan that would be submitted to EGLE for review and approval, and careful coordination with the Village of Milford to ensure protection of the municipal wells.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

In light of the recent findings regarding OW-16D2 detailed above and considering that the basis for the AO is EGLE's determination that the vinyl chloride reported in recent samples from OW-16D2 above the Part 201 Drinking Water Criterion, pose an imminent and substantial endangerment to the Village of Milford municipal wells due to their proximity to OW-16D2, it would be prudent for all parties to have reliable data and an objective basis for decisions moving forward. Allowing ZF more time to remedy OW-16D2 and collect accurate data from the well will allow the parties to make a proper technical determination of whether vinyl chloride is in the aquifer at the location of OW-16D2. This information would also provide a strong basis to determine if there is any reasonably objective and technical need to implement the response activity required by the AO and would further serve to inform future discussions and decisions by EGLE, the Village of Milford, and ZF. ZF will follow-up this correspondence with the sample results to be collected from OW-16D2 on April 8th, which we expect to receive from the lab by April 12th, and with our plans to implement the OW-16D2 rehabilitation and/or replacement as necessary. ZF will also provide a formal response to the AO, but wanted to provide you with this recently obtained additional information for your consideration at this time.

Thank you for your attention to these matters and please include this letter and its attachments in the administrative record for the AO and the Site.

If you have any questions, please feel free to contact me at the phone number listed in the header on the first page of this letter, Mr. Scott Detwiler – ZF Project Manager at 480-722-4139, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,

Robert A Bleazard

Robert Bleazard
Sr. EHS Manager – Environmental Remediation
ZF Health, Safety, and Environment

Enclosure
cc by email only:
Mr. Scott Detwiler, ZF
Mr. Robert Bleazard, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director, EGLE
Mr. Mike Neller, EGLE - Remediation and Redevelopment Director

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

ATTACHMENT 1

Table 1
OW16D2 Groundwater Analytical Results and Field Parameters
Former Kelsey-Hayes Milford Plant

ARCADIS

Sample Identification:	Residential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Observation Well OW-16D2																	
Sample Collection Date:			6/15/2010	12/17/2010	6/15/2011	12/14/2011	6/29/2012	12/12/2012	6/12/2013	12/11/2013	6/15/2014	11/24/2014	6/24/2015	12/9/2015[1]	6/14/2016[1]	12/13/2016	12/6/2017	6/12/2018	12/4/2018	6/10/2019	12/3/2019
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	2.4	3.2	2.1	<1.0	1.4	12	<1.0	3.4	<1.0	22	<1.0	19	<1.0	1.7	18	<1.0	4.1	1.2	1.1
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.3	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethane	880	740	<1.0	<1.0	1.1	<1.0	<1.0	2.1	<1.0	<1.0	<1.0	3.0	<1.0	2.3	<1.0	<1.0	1.9	<1.0	2.1	1.6	1.4
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Field Parameters																					
Drawdown (feet)			-0.3	2.8	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.3	0.4	5.1	4.7	12.2	8.4	4.6	5.5	8.5	3.5
pH (standard units)			7.36	7.74	7.82	7.44	7.60	7.57	7.90	7.85	7.17	7.79	7.82	7.56	7.62	7.91	8.05	7.67	7.41	7.87	7.82
Conductivity (milliSiemens per centimenter)			0.59	0.56	0.64	0.54	0.64	0.60	0.64	0.59	0.60	0.80	0.634	0.952 [1]	0.827 [1]	0.604	0.63	0.64	0.62	0.64	0.82
Turbidity (Nephelometric Turbidity Unit)			1.09	4.22	3.67	0.76	3.68	2.24	0.60	2.43	2.19	102	2.27	52.1	0.61	1.36	11.7	0.80	2.2	3.06	0.79
Dissolved Oxygen (milligrams per liter)			1.33	0.47	0.11	1.44	0.56	0.8	1.19	3.45	4.99	3.8	4.08	0.19	3.22	0.38	0.3	3.04	1.21	0.25	11.74
Temperature (degrees Celsius)			14.66	9.23	15.71	10.33	17.45	9.90	15.19	10.39	14.72	10.83	14.1	11.75	13.89	11.33	10.6	14.60	10.96	12.7	8.6
Oxidation Reduction Potential (millivolt)			75	-12.5	78.3	12.7	125.1	110.6	115.1	115	82.4	-17.4	-39.1	-155.3	27.7	101.4	-121.6	203.7	159.9	231.9	122

Sample Identification:	Residential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Observation Well OW-16D2																	
Sample Collection Date:			5/13/2020	11/17/2020	5/13/2021	6/8/2021	8/3/2021	8/16/2021	9/1/2021	9/13/2021	9/27/2021	10/11/2021	10/25/2021	11/8/2021	12/6/2021	1/4/2022	1/25/2022	2/17/2022	3/21/2022	4/4/2022
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	<1.0	<1.0	17	10	16	13	16	20	18	12	17	17	8.2	15	15	12	18	19
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	1.3	<1.0	1.6	1.1	1.3	1.7	1.7	1.1	1.6	1.5	<1.0	1.6	1.4	1.1	1.6	1.7
1,1-Dichloroethane	880	740	<1.0	<1.0	3.8	2.4	3.8	3.0	3.2	3.9	3.7	2.8	3.8	4.2	2.0	3.0	3.4	3.1	3.7	3.5
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	3.5	1.2	3.0	1.8	1.7	1.6	1.8	1.4	1.5	1.5	<1.0	2.5	3.2	2.0	2.3	<1.0
First Depth to Water																				
Field Parameters																				
Drawdown (feet)			4.2	10.2	0.0	0.0	12.7	14.2	15.0	10.6	13.7	15.2	8.1	10.9	7.5	8.1	17.4	17.4	7.1	6.9
pH (standard units)			8.51	8.44	7.89	7.6	7.5	7.68	7.64	7.28	7.38	7.81	7.49	7.43	8.02	7.56	7.54	7.77	7.54	7.43
Conductivity (milliSiemens per centimenter)			0.78	0.71	0.93	0.85	0.93	0.718	1.011	1.03	1.07	0.97	1.09	1.07	0.84	1.1	1.11	0.985	1.082	1.1
Turbidity (Nephelometric Turbidity Unit)			2.29	1.08	59.6	5.29	33.8	6.82	3.86	3.9	9.44	9.05	10.7	10.1	4.74	28.4	13.7	4.9	3.04	96.3
Dissolved Oxygen (milligrams per liter)			4.9	9.67	0.45	0.41	1.32	0.25	0.38	0.86	0.22	0.58	0.15	0.17	0.27	0.2	0.1	0.57	0.51	5.81
Temperature (degrees Celsius)			11.6	12.3	12.2	17.4	15.6	14.1	15	14.1	15	15.5	12.4	14	10.8	10.8	9.8	9.9	10.4	7.1
Oxidation Reduction Potential (millivolt)			155.1	12.1	-134	-104.1	-99	-139.1	-74.7	-64.8	-99.9	-99.2	-88.2	-66.4	-14	-93.1	-96.7	-61.3	-72.3	3.0

Notes:
All volatile organic compound concentrations are in micrograms per liter (µg/L).
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976.
(X) The Groundwater Surface Water Interface (GSI) criterion shown is not protective for surface water that is used as a drinking water source.
[1] Specific Conductivity

ATTACHMENT 2

Fibertec
environmental
services

Wednesday, April 06, 2022

Fibertec Project Number: A07755
Project Identification: TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date: 04/04/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Sue Ricketts

By Sue Ricketts at 12:26 PM, Apr 06, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	FIELDBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Field	Collect Time:	11:45

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-001 **Matrix:** Blank: Field
Method: EPA 5030C/EPA 8260D **Description:** FIELDBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	FIELDBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Field	Collect Time:	11:45

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable #: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELDBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:55

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ÷: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS Aliquot ID: A07755-002 Matrix: Ground Water
Method: EPA 5030C/EPA 8260D Description: OW-16D2_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
÷ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
÷ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
27. 1,1-Dichloroethane	3.5		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
30. cis-1,2-Dichloroethene	19		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
31. trans-1,2-Dichloroethene	1.7		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:55

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-002 **Matrix:** Ground Water
Method: EPA 5030C/EPA 8260D **Description:** OW-16D2_040422

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	EQUIPMENTBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Equipment	Collect Time:	12:10

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-003 **Matrix:** Blank: Equipment
Method: EPA 5030C/EPA 8260D **Description:** EQUIPMENTBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	EQUIPMENTBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Equipment	Collect Time:	12:10

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS Aliquot ID: A07755-003 Matrix: Blank: Equipment
Method: EPA 5030C/EPA 8260D Description: EQUIPMENTBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	TRIP BLANK	Chain of Custody:	N/A
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Trip	Collect Time:	NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS
Method: EPA 5030C/EPA 8260D

Aliquot ID: A07755-004 **Matrix:** Blank: Trip
Description: TRIP BLANK

	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**N/A**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
V- : Recovery in the associated continuing calibration verification sample (CCV) exceeds the lower control limit. Results may be biased low.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*100*		*80-120*
Dibromofluoromethane(S)	*101*		*80-120*
1,2-Dichloroethane-d4(S)	*94*		*80-120*
Toluene-d8(S)	*98*		*80-120*

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Acetone	50.0	30.6	61	54-140		50.0	31.1	62		2	20	
Acrylonitrile	50.0	52.7	105	70-130		50.0	53.7	107		2	20	
Benzene	50.0	46.5	93	80-120		50.0	45.1	90		3	20	
Bromobenzene	50.0	44.7	89	75-125		50.0	44.2	88		1	20	
Bromochloromethane	50.0	40.7	81	70-130		50.0	40.1	80		1	20	
Bromodichloromethane	50.0	44.5	89	75-120		50.0	43.5	87		2	20	
Bromoform	50.0	45.8	92	70-130		50.0	45.4	91		1	20	
Bromomethane	50.0	27.5	55	69-135	*	50.0	29.1	58	*	5	20	
2-Butanone	50.0	40.1	80	70-148		50.0	40.5	81		1	20	
n-Butylbenzene	50.0	52.8	106	70-133		50.0	51.9	104		2	20	
sec-Butylbenzene	50.0	50.2	100	70-125		50.0	49.4	99		1	20	
tert-Butylbenzene	50.0	49.5	99	70-130		50.0	48.6	97		2	20	
Carbon Disulfide	50.0	44.6	89	70-130		50.0	42.8	86		3	20	
Carbon Tetrachloride	50.0	44.5	89	70-130		50.0	43.3	87		2	20	
Chlorobenzene	50.0	45.9	92	80-120		50.0	44.8	90		2	20	
Chloroethane	50.0	40.5	81	61-130		50.0	39.1	78		4	20	
Chloroform	50.0	44.2	88	80-120		50.0	43.4	87		1	20	
Chloromethane	50.0	38.4	77	67-125		50.0	38.9	78		1	20	
2-Chlorotoluene	50.0	47.3	95	75-125		50.0	46.6	93		2	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	48.5	97	70-130		50.0	49.6	99		2	20	
Dibromochloromethane	50.0	44.6	89	70-130		50.0	43.3	87		2	20	
Dibromomethane	50.0	41.6	83	75-125		50.0	40.4	81		2	20	
1,2-Dichlorobenzene	50.0	46.9	94	70-120		50.0	46.2	92		2	20	
1,3-Dichlorobenzene	50.0	45.8	92	75-125		50.0	45.0	90		2	20	
1,4-Dichlorobenzene	50.0	43.3	87	75-125		50.0	42.5	85		2	20	
Dichlorodifluoromethane	50.0	53.5	107	70-136		50.0	51.0	102		5	20	
1,1-Dichloroethane	50.0	45.9	92	70-130		50.0	44.5	89		3	20	
1,2-Dichloroethane	50.0	40.9	82	70-130		50.0	39.7	79		4	20	
1,1-Dichloroethene	50.0	43.8	88	78-120		50.0	42.1	84		5	20	
cis-1,2-Dichloroethene	50.0	44.8	90	70-125		50.0	43.2	86		5	20	
trans-1,2-Dichloroethene	50.0	44.5	89	70-130		50.0	43.5	87		2	20	
1,2-Dichloropropane	50.0	49.1	98	80-121		50.0	47.4	95		3	20	
cis-1,3-Dichloropropene	50.0	43.4	87	70-130		50.0	42.2	84		4	20	

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	48.2	96	70-132		50.0	46.7	93		3	20	
Ethylbenzene	50.0	48.4	97	80-120		50.0	47.0	94		3	20	
Ethylene Dibromide	50.0	45.2	90	80-120		50.0	44.4	89		1	20	
2-Hexanone	50.0	39.4	79	70-130		50.0	40.5	81		3	20	
Isopropylbenzene	50.0	48.7	97	75-125		50.0	47.5	95		2	20	
4-Methyl-2-pentanone	50.0	55.2	110	70-130		50.0	54.7	109		1	20	
Methylene Chloride	50.0	43.8	88	70-130		50.0	42.7	85		3	20	
2-Methylnaphthalene	50.0	46.0	92	70-130		50.0	46.5	93		1	20	
MTBE	50.0	48.3	97	70-125		50.0	47.3	95		2	20	
Naphthalene	50.0	46.7	93	70-130		50.0	47.5	95		2	20	
n-Propylbenzene	50.0	49.4	99	70-130		50.0	48.8	98		1	20	
Styrene	50.0	41.0	82	70-130		50.0	39.7	79		4	20	
1,1,1,2-Tetrachloroethane	50.0	46.7	93	80-130		50.0	45.2	90		3	20	
1,1,2,2-Tetrachloroethane	50.0	59.4	119	70-130		50.0	60.5	121		2	20	
Tetrachloroethene	50.0	48.5	97	70-130		50.0	46.9	94		3	20	
Toluene	50.0	47.9	96	80-120		50.0	46.4	93		3	20	
1,2,4-Trichlorobenzene	50.0	45.9	92	70-130		50.0	46.0	92		0	20	
1,1,1-Trichloroethane	50.0	45.5	91	70-130		50.0	44.3	89		2	20	
1,1,2-Trichloroethane	50.0	47.6	95	75-125		50.0	47.1	94		1	20	
Trichloroethene	50.0	41.6	83	71-125		50.0	39.9	80		4	20	
Trichlorofluoromethane	50.0	48.2	96	70-133		50.0	46.6	93		3	20	
1,2,3-Trichloropropane	50.0	49.9	100	75-125		50.0	49.3	99		1	20	
1,2,3-Trimethylbenzene	50.0	47.0	94	70-130		50.0	46.2	92		2	20	
1,2,4-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.7	97		1	20	
1,3,5-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.1	96		2	20	
Vinyl Chloride	50.0	43.9	88	74-125		50.0	42.2	84		5	20	
m&p-Xylene	100	95.1	95	75-130		100	92.8	93		2	20	
o-Xylene	50.0	47.9	96	80-120		50.0	46.3	93		3	20	
4-Bromofluorobenzene(S)			*100*	*80-120*				*101*				
Dibromofluoromethane(S)			*99*	*80-120*				*99*				
1,2-Dichloroethane-d4(S)			*91*	*80-120*				*90*				
Toluene-d8(S)			*100*	*80-120*				*100*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Sue Ricketts

By Sue Ricketts at 12:32 PM, Apr 06, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
201041
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Marina Samp
Project Name/ Number: TRW Milford 30046730
Email distribution to: marina.samp@arcadis.com; john.meiniss@arcadis.com
Quote #
Purchase Order # 30046730.0001Z

Date	Time	Sample #	Client Sample Descriptor	MATRIX (see matrix code to the right)	# OF CONTAINERS	PARAMETERS: VOCs 8260B	HOLD SAMPLE
4.4.22	1145		FIELDBLANK_040422	GW	3	3	
4.4.22	1155		OW-16D2-040422	GW	3	3	
4.4.22	1210		EQUIPMENTBLANK_040422	GW	3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks:

Received By Lab
APR 04 2022
Initials EA

Received On Ice

Comments:

Sampled/Relinquished By: Stacey Hannula	Date/ Time 4.4.22 1230	Received By: Anyssa Mandich/Arcadis
Relinquished By: Anyssa Mandich/Arcadis	Date/ Time 4/4/22 1415	Received By: Fibertec
Relinquished By:	Date/ Time	Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. day (48 hrs) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A07755

Temperature upon receipt at Lab: 2.0°C

Please see back for terms and conditions

ATTACHMENT 2

April 13, 2022 Letter from ZF

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department Health Safety andEnvironmental
From Robert Bleazard
Phone +1 480 722-4866
Email Robert.Bleazard@zf.com
Date April 13, 2022

VIA E-MAIL TO: WojchiechowskiK@Michigan.gov

Kevin Wojciechowski, Project Manager
Warren District Office Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Additional Information for Consideration by Michigan Department of Environment, Great Lakes, and Energy Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001.

Dear Mr. Wojciechowski,

ZF Active Safety US Inc. (ZF) is submitting the following information and attachment to the Department of Environment, Great Lakes, and Energy (EGLE) with respect to the Administrative Order for Response Activity (AO) issued by EGLE to ZF, with respect to the former Kelsey-Hayes site in Milford, Michigan (the "Site").

As noted in the letter that ZF sent to EGLE on April 8, 2022, Arcadis recently began redevelopment activities on monitoring well OW-16D2 on April 1st and subsequently collected samples from the well on April 4th and April 8th. The sample collected on April 8th was submitted to Fibertec and 48-hour turn-around-time was again requested. The groundwater sample result from OW-16D2 is again non-detect (less than 1 microgram per liter) for vinyl chloride. See attached Laboratory Report.

Our April 8th letter details the reasons why ZF and Arcadis suspected OW-16D2 may be compromised and describes the measures we took to further examine and redevelop the well on April 1st. The April 8th sample results collected one week following the redevelopment of OW-16D2 are consistent with, and further support our understanding that, OW-16D2 had become compromised and sample results obtained from the well prior to the redevelopment are not reliable because they were not representative of groundwater conditions. Specifically, the non-detect vinyl chloride results for now two consecutive post-redevelopment sampling events, coupled with the other chlorinated volatile organic compounds (CVOCs) that were detected in OW-16D2 below drinking water criteria at concentrations consistent with previous results, confirms that dissolved CVOCs present in groundwater in the vicinity of OW-16D2 are stable and not degrading to vinyl chloride, which is consistent with the sampling results throughout ZF's monitoring well network over the past 25 years.

The hydraulic observations presented in our April 8th letter clearly show that the well was unable to sustain low-flow purging. Stagnant water was removed during the redevelopment work and the resultant recharge into the well was inflow from the surrounding formation. In addition to the CVOC analytical results and hydraulic observations, it was noted during the April 8th sampling that drawdown was improved versus pre-redevelopment conditions and other parameters (i.e., dissolved oxygen, oxidation-reduction potential) were stable. Collectively, these multiple lines of evidence are indicating the well is now producing more representative groundwater samples than it was prior to the redevelopment. ZF and Arcadis believe that the initial redevelopment work completed on OW-16D2 meets the objective of improving hydraulic communication between the well and the formation and the well conditions are currently producing more accurate groundwater samples.

Based on these observations and the April 8th sample that detected no vinyl chloride, it appears that the vinyl chloride that had been detected in OW-16D2 prior to the recent well redevelopment action was the result of stagnant water within the well and not representative of true groundwater conditions. At this point, there is an objectively reasonable basis and enough technical evidence to say that EGLE should not rely on the samples collected from OW-16D2 prior to redevelopment of the well to make a determination that this well poses an imminent and substantial endangerment to the Village of Milford municipal wells. More work is necessary to further evaluate OW-16D2, including additional redevelopment activities, and this work will require additional time beyond the current April 15th compliance date in the AO.

Given that the sole basis for the corrective action work set forth in the AO is the detection of vinyl chloride in recent samples now understood to be consisting of stagnant water collected from OW-16D2 in a compromised condition, it would be reasonable and consistent with applicable laws and regulations for EGLE to provide ZF an extension of the compliance date in the AO in order to submit a work plan for additional well redevelopment activities, allow ZF time to implement the work plan, and further evaluate and discuss the work plan results and any necessary corrective actions with EGLE. Therefore, ZF will submit a detailed work plan to EGLE by **no later than April 22nd**, which will include plans for routine additional sampling of OW-16D2, and information regarding further mechanical and additive techniques to rehabilitate OW-16D2 or replace it.

Furthermore, a **60-day extension of the AO response deadline** will allow ZF time to implement the work plan and provide the parties time to review and discuss the work plan results. This additional information will enable the parties to reasonably act on an understanding based on representative data and objectively developed technical information about the integrity of OW-16D2, rather than presumptions about the recent appearance of vinyl chloride in only one well that has been determined to be compromised and was not yielding samples representative of the groundwater in that location before redevelopment. Furthermore, if EGLE is concerned about vinyl chloride appearing in the Village of Milford municipal well during the extension of the AO notice deadline, ZF's understanding based on the Focused Feasibility Study Report prepared by Wood for the Village of Milford is that the current Iron Removal System provides a feasible temporary response measure that could be utilized to remove vinyl chloride at the levels consistent with those previously reported in OW-16D2, if it were to be needed.

In light of the tight timing circumstances, we ask that EGLE please communicate to ZF prior to April 15th whether or not EGLE agrees with ZF's proposed submission of a work plan by no later than April 22nd and with a 60-day extension of the AO response deadline.

Thank you for your attention to these matters and please include this letter and its attachment in the administrative record for the AO and the Site.

If you have any questions, please feel free to contact me at the phone number listed in the header on the first page of this letter, Mr. Scott Detwiler – ZF Project Manager at 480-722-4139, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,

Robert A Bleazard

Robert Bleazard
Sr. EHS Manager – Environmental Remediation
ZF Health, Safety, and Environment

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Enclosure
cc by email only:

Mr. Scott Detwiler, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director, EGLE
Mr. Mike Neller, EGLE - Remediation and Redevelopment Director
Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

ATTACHMENT

Fibertec
environmental
services

Tuesday, April 12, 2022

Fibertec Project Number:	A07873
Project Identification:	TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date:	04/08/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Sue Ricketts

By Sue Ricketts at 1:11 PM, Apr 12, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

1914 Holloway Drive, Holt, MI 48842, T: (517) 699-0345, F: (517) 699-0388
11766 E. Grand River, Brighton, MI 48116, T: (810) 220-3300, F: (810) 220-3311
8660 S. Mackinaw Trail, Cadillac, MI 49601, T: (231) 775-8368, F: (231) 775-8584
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	Field Blank-040822	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/08/22
Client Project No:	30046730	Sample Matrix:	Blank: Field	Collect Time:	10:35

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07973
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2-040822	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/08/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:35

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07973-002 **Matrix:** Ground Water
Method: EPA 5030C/EPA 8260D **Description:** OW-16D2-040822

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
18. Chloromethane	U	V- L-	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
27. 1,1-Dichloroethane	3.5		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
30. cis-1,2-Dichloroethene	20		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
31. trans-1,2-Dichloroethene	1.5		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

1914 Holloway Drive, Holt, MI 48842, T: (517) 699-0345, F: (517) 699-0388
11766 E. Grand River, Brighton, MI 48116, T: (810) 220-3300, F: (810) 220-3311
8660 S. Mackinaw Trail, Cadillac, MI 49601, T: (231) 775-8368, F: (231) 775-8584
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07873
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2-040822	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/08/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:35

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07873-002 **Matrix:** Ground Water
Method: EPA 5030C/EPA 8260D **Description:** OW-16D2-040822

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	Trip Blank	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/08/22
Client Project No:	30046730	Sample Matrix:	Blank: Trip	Collect Time:	NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-003** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

1914 Holloway Drive, Holt, MI 48842, T: (517) 699-0345, F: (517) 699-0388
11766 E. Grand River, Brighton, MI 48116, T: (810) 220-3300, F: (810) 220-3311
8660 S. Mackinaw Trail, Cadillac, MI 49601, T: (231) 775-8368, F: (231) 775-8584
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	Trip Blank	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/09/22
Client Project No:	30046730	Sample Matrix:	Blank: Trip	Collect Time:	NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS
Method: EPA 5030C/EPA 8260D

Aliquot ID: A07873-003 **Matrix:** Blank: Trip
Description: Trip Blank

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

Definitions/ Qualifiers:

- **A:** Spike recovery or precision unusable due to dilution.
- **B:** The analyte was detected in the associated method blank.
- **E:** The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
- **J:** The concentration is an estimated value.
- **M:** Modified Method
- **U:** The analyte was not detected at or above the reporting limit.
- **X:** Matrix interference has resulted in a raised reporting limit or distorted result.
- **W:** Results reported on a wet-weight basis.
- ***:** Value reported is outside QC limits

Exception Summary:

- **L+** : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
- **V+** : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

ATTACHMENT 3

April 14, 2022 Letter from EGLE

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
LANSING

GRETCHEN WHITMER
GOVERNOR

LIESL EICHLER CLARK
DIRECTOR

April 14, 2022

VIA E-MAIL

Robert Bleazard
Sr. EHS Manager Environmental Remediation
ZF Health, Safety, and Environment
ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122

SUBJECT: Response to ZF Active Safety US Inc. Additional Information for Consideration Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001 (AO)

Dear Robert Bleazard:

The Department of Environment, Great Lakes, and Energy (EGLE) has received ZF Active Safety US Inc. (ZF) correspondence dated April 8, 2022, and April 13, 2022, containing technical information for EGLE's consideration pertaining to the potentially anomalous groundwater parameters in monitoring well OW-16D2 during sampling.

Although EGLE agrees that the information presented by ZF warrants additional investigation by ZF, EGLE does not believe the information presented thus far demonstrates that there is no imminent and substantial endangerment to the public drinking water supply for the Village of Milford. Therefore, EGLE cannot grant ZF's requested extension of the AO response deadline, and EGLE expects ZF's timely compliance with the AO.

If ZF intends to submit a work plan to undertake a parallel path to further investigate concerns regarding the integrity of OW-16D2, EGLE does not discourage those efforts, however the work plan should provide for the following:

- Continue to rehabilitate monitoring well OW-16D2 with mechanical and/or additive techniques. Collect post-rehabilitation groundwater samples for a sufficient period of time to demonstrate the samples are representative of aquifer conditions.
- Complete vertical aquifer profiling in close proximity to OW-16D2 to verify the screen is in the zone of highest contamination. Based on the completed vertical aquifer profile, if the depth of contamination differs from the screening interval of OW-16D2, install a new monitoring well to be screened at the depth of the highest level of contamination.

- Install a new monitoring well to replace OW-16D2 if it cannot be rehabilitated. The new monitoring well shall be screened based on the conclusions from the vertical aquifer profiling.

EGLE remains open to reconsider its position regarding the Administrative Order if additional data demonstrates that there is not an imminent and substantial risk to the Village of Milford's drinking water wells.

If you have questions regarding this matter, please contact Kevin Wojciechowski, Project Manager, at 586-623-2948 or WojciechowskiK@Michigan.gov; or you may contact me.

Sincerely,

Mike Neller, Director
Remediation & Redevelopment Division
517-512-5859

cc: Danielle Allison-Yokom, Michigan Department of Attorney General
Aaron B. Keatley, Chief Deputy Director, EGLE
Joshua Mosher, EGLE
Mary Miller, EGLE
Dan Yordanich, EGLE
Paul Owens, EGLE
Darren Bowling, EGLE
Cheryl Wilson, EGLE
Tiffany Yusko-Kotimko, EGLE
Kevin Wojciechowski, EGLE
Lyndsey Hagy, EGLE
Katie Noetzel, EGLE

ATTACHMENT 4

April 15, 2022 Letter From ZF

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122



Department General Legal
From Kelly M. Martorano
Phone 248-807-7975
Email kelly.martorano@zf.com
Date April 15, 2022

VIA EMAIL: nellerm@michigan.gov
AND CERTIFIED MAIL

Mr. Mike Neller, Director
Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
Constitution Hall, 5th Floor, South Tower
525 West Allegan Street
Lansing, Michigan 48933-1502

RE: ZF Active Safety US Inc.'s (Respondent's) Intent to Comply with Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001.

Dear Mr. Neller,

Pursuant to Section XVII of the Administrative Order for Response Activity (AO) issued by the Department of Environment, Great Lakes, and Energy (EGLE) to ZF Active Safety US Inc. (ZF or Respondent) on March 16, 2022, with respect to the former Kelsey-Hayes site in Milford, Michigan (the "Site"), this letter confirms that ZF intends to comply with the AO and EGLE's subsequent April 14, 2022 Response to ZF's letters dated April 8 and April 13, 2022, providing additional information for consideration related to the AO (the "April 14 EGLE Letter").

ZF is committed to protecting the environment and acting as a responsible corporation and member of the communities where we currently have facilities or have had facilities in the past. ZF actively assumes responsibility for its impact on the environment and strives to promote the environmental and social performance of its business and well-being of its employees.

In accordance with Section VII of the AO, ZF is designating Scott Detwiler as the Project Manager for the activities required by the AO and any communications and correspondence with EGLE regarding the AO. The ZF Project Manager contact information is included below:

Scott Detwiler
ZF Active Safety US Inc.
Sr. Regional Manager, Environmental, Health and Safety
11202 E. Germann Rd.
Mesa, Arizona 85212
(480) 722-4139 Work
(480) 600-7433 Mobile
Scott.detwiler@zf.com

For the reasons presented below and notwithstanding ZF's intent to comply with the AO, ZF admits no liability or responsibility with respect to the factual allegations or legal determinations made in the AO and reserves any and all rights and remedies it may have under the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA). The administrative record for the Site, which spans

over 25 years, and additional information obtained by ZF since the issuance of the AO, clearly demonstrates that there is no objectively reasonable basis to properly conclude under Part 201 of NREPA, MCL §324.20101 et seq. ("Part 201") that, as stated in Paragraphs 4.8 and 4.11 of the AO: (1) vinyl chloride is present in the groundwater at the location of monitoring well OW-16D2 and it alone presents an imminent and substantial endangerment to the public health, safety, welfare, or the environment due to the proximity of OW-16D2 to the Village of Milford's municipal drinking water wells; and (2) the groundwater impacts from the Site are the source of the vinyl chloride in OW-16D2.

As set forth in the two (2) letters submitted to EGLE on April 8 and 13, 2022 (Exhibit 1 and Exhibit 2), after observing anomalous water level response during low-flow sampling of OW-16D2, ZF completed initial well redevelopment activities on April 1st and has assembled compelling information to show that the vinyl chloride that had been detected in OW-16D2 prior to the recent well redevelopment work was the result of stagnant water within the well and not representative of actual groundwater conditions. Based on this information, ZF contends that there is an objectively reasonable basis and sufficient technical evidence to support a finding that additional well redevelopment work and sample collection should be completed before making a conclusive determination that the vinyl chloride sample results from OW-16D2 prior to well redevelopment are accurate representations of vinyl chloride being in groundwater at that location, demonstrate that vinyl chloride is sourced from the groundwater impacts from the Site, or creates an imminent and substantial endangerment to the Village of Milford municipal wells.

On April 14, 2022, EGLE responded to ZF's letters noted above and agreed that the information presented by ZF regarding anomalous conditions in groundwater well OW-16D2 warrants additional investigation by ZF. See Exhibit 3. The April 14th EGLE Letter further supports ZF's plans to prepare a work plan and undertake a parallel path to further redevelop and possibly replace OW-16D2 and offers specific recommendations for the work plan. ZF will incorporate EGLE's recommendations into its work plan for OW-16D2 and will submit the work plan to EGLE for review and comments. ZF will communicate with EGLE regarding our progress on the work plan. The additional redevelopment work and review of OW-16D2 pursuant to the work plan will ensure that any samples from OW-16D2, or its replacement, are based on accurate and reliable, representative data collected from a properly-performing monitoring well in accordance with EGLE requirements and can be appropriately used to determine applicable requirements under Part 201.

ZF refutes the allegation in Section 4.8 of the AO that the presence of vinyl chloride in OW-16D2, and cis-1,2-dichloroethene (DCE) in the Village of Milford municipal drinking water wells, is an indication that the groundwater impacts from the Site are migrating to OW-16D2 and the Village of Milford municipal wells. During the meeting to confer with EGLE on March 31, 2022, pursuant to Section XVIII of the AO, ZF presented information which showed that there is no technical basis for determining that the portion of the groundwater impacts from the Site, beyond the Site's groundwater treatment system extraction wells, is degrading to vinyl chloride and migrating in the direction of OW-16D2 and the Village of Milford municipal wells. The following evidence was presented:

- Vinyl chloride has never been detected in the Village of Milford municipal wells. In the 2009 Remedial Action Plan (RAP) submitted for the Site and during the March 31st meeting, Arcadis presented groundwater velocity calculations ranging from 1.4 feet/day (static) to 76 feet/day (pumping). Based on these calculations, if vinyl chloride was mobile in groundwater near OW-16D2 and moving toward the Village of Milford wells, then it would have been detected in the Village wells several months ago. However, vinyl chloride has not been detected.
- There have been no vinyl chloride detections in off-site monitoring wells; most notably the monitoring wells that have consistently demonstrated the extent of trichloroethene (TCE) in the groundwater from the Site (TCE being the presumed parent chlorinated volatile organic compound (CVOC) for dichlorination daughter products). This includes multi-level wells along Liberty Street

which EGLE believes are downgradient of the Site's groundwater treatment system extraction wells and upgradient of OW-16D2. The Liberty Street wells have shown no detections of vinyl chloride.

- Groundwater modeling showing: (1) the extent of the groundwater impacts from the Site outside of the Village of Milford municipal well capture zone; (2) forward particle tracking showing groundwater flow from the Site to the southwest, away from the Village of Milford wells and OW-16D2 and consistent with the spatial orientation of the groundwater impacts from the Site as defined by monitoring wells and vertical aquifer profiling (VAP) data. The groundwater model was run using the Village of Milford's current average pumping rate and a previously reported higher pumping rate provided by the Milford Department of Public Services and deemed appropriate to assess long-term influence on groundwater flow conditions. In addition, forward particle tracking simulations run with our model, indicate particles released at the former Spiral Industries Part 201 Facility encroach on the ZF monitoring well network on Liberty Street. Based on a review of a recent Baseline Environmental Assessment (BEA) completed at the Spiral Industries site, known CVOC contamination, including vinyl chloride, DCE, and TCE exists and has not been defined beyond the boundaries of the Spiral Industries property.
- The highest reported concentration of vinyl chloride at OW-16D2 was the first detection of 3.5 ug/L in May 2021, which did not subsequently result in a detection in the Village of Milford wells, despite the proximity and high groundwater velocity.
- The results of ongoing monitoring of the groundwater wells at Liberty Street and to the south of Liberty Street that are beyond the influence of the pumping wells, have been consistent with historical data showing no indication of changes over time that would affect contaminant fate and transport.

Beyond the extensive investigation, analysis and ongoing cleanup work being performed by ZF for the Site, there are confirmed sources of CVOC contamination near and upgradient of OW-16D2, which include vinyl chloride and/or other parent CVOCs as a contaminant and there are other known sources of CVOC groundwater contamination in the Village of Milford. The other known sources of CVOCs include the former Spiral Industries Part 201 Facility and the Coe's Cleaners Part 201 Facility. The Spiral Industries Facility in particular, is upgradient of OW-16D2 and the Village of Milford municipal wells and the extent of contamination related to the Spiral Industries Facility has not been defined beyond the property boundary.

The former Spiral Industries Facility is located north of the Village of Milford municipal wells. Based on a BEA submitted to EGLE in June 2014 that ZF has reviewed, concentrations of CVOCs detected at the former Spiral Industries Facility include, but are not limited to: vinyl chloride (soil: 709 ug/kg and groundwater: 280 ug/l), TCE (soil: 2,620,000 ug/kg and groundwater: 153 ug/l), and DCE (soil: 215,000 ug/kg and groundwater: 650 ug/l). Unlike the Site, the extent of groundwater contamination associated with the Spiral Industries Facility has not been defined beyond the property boundary. In our meeting on March 31st, EGLE explained that there are no additional data available to determine the extent of groundwater contamination from the Spiral Industries Facility because the current owner who is redeveloping the property is not required to define hazardous substances beyond what was required for the BEA and no other responsible party under Part 201 has offered or been demanded by EGLE to define the extent of contamination in light of the wellhead protection zone. Given the known information regarding CVOCs present at the Spiral Industries Facility, it seems that additional and complete CVOC delineation related to this site is warranted and would not only help answer some currently unanswered questions about the extent of potential off-site contamination, but is also necessary and appropriate to understand potential impacts on the Village of Milford's municipal wells.

In light of the long working relationship between EGLE and ZF at the Site, potential public health concerns, and the technical anomaly of vinyl chloride being detected recently and intermittently at only one of many monitoring wells in over 25 years, ZF does not understand why EGLE elected to issue this AO without first providing ZF an opportunity to meet with EGLE, and partner together on determining the reason for such a detection at that well, but nowhere else, and any measures to address it. As noted in Paragraph 4.9 of the AO, EGLE sent ZF a Compliance Communication regarding the Site on October 25, 2021 (the "Compliance Communication"). What the AO leaves out however, is that ZF responded to the Compliance Communication in a timely manner by submitting a detailed letter to EGLE on November 23, 2021, raising several technical questions and concerns regarding the Compliance Communication ("ZF's Response Letter"). ZF's letter concluded with the following request for a meeting with EGLE:

> "In light of the extensive response actions already undertaken by ZF, the complex history of CVOC contamination in the Village of Milford, and EGLE's request that ZF initiate plans to install treatment on the Milford municipal wells, ZF believes a technical meeting would be a productive next step. Arcadis and ZF have made multiple attempts to schedule such a meeting with EGLE, most recently by calling you on November 9th. ZF would appreciate hearing from you regarding some dates and times that EGLE would be available to schedule a technical meeting." See Exhibit 4, ZF Response to EGLE Compliance Communication.

After some additional attempts to reach EGLE about having a meeting, ZF was finally told that EGLE would be responding to ZF's Response Letter. Over the nearly four months since ZF submitted its Response Letter to EGLE, ZF received email acknowledgements that EGLE had received our sampling results for OW-16D2, but never received a response to ZF's Response Letter or any meaningful feedback from EGLE to address the questions raised by ZF. Instead, EGLE issued the AO to ZF on March 16, 2022. ZF takes all matters that involve threats to human health and the environment seriously and this matter is no exception and this is why ZF requested a meeting several times after receiving the Compliance Communication.

As was described in detail in ZF's Response Letter, and as EGLE is aware, ZF has been performing various investigation and response activities at the Site for over 25 years. See Exhibit 4. During that time, ZF has always responded in a timely manner to EGLE's requests and has willingly taken responsibility for the Site. ZF has actively engaged with EGLE regarding the most appropriate and feasible remediation techniques for the Site and has worked cooperatively with the Village of Milford with respect to the Site as well. Ultimately, ZF and the Village of Milford agreed on a transfer of the Site to the Village in 2014 to facilitate its eventual redevelopment and beneficial use in the community. ZF, EGLE and the Village of Milford have generally enjoyed an open and productive working relationship with the mutual objective of protecting human health, welfare, and the environment.

ZF appreciates that EGLE thoughtfully reviewed and considered the additional information about OW-16D2 that we provided in our recent letters and appreciates that EGLE remains open to reconsidering the AO upon a showing that there is not an imminent and substantial risk to the Village of Milford municipal wells due to the presence of vinyl chloride in groundwater at the location of OW-16D2. ZF intends to continue our long standing working relationship with EGLE and the Village of Milford to ensure that the ongoing activities at the Site to address the AO, including ZF's incorporation into its work plan of the recommendations in the April 14 EGLE Letter, continue to proceed in line with Part 201.

Thank you for your attention to these matters and please include this letter and its attachments in the administrative record for the AO and the Site. If you have any questions, please contact me at the phone number listed in the header on the first page of this letter.

Sincerely,

Kelly M. Martorano

Kelly M. Martorano
ZF Group
Senior Attorney – Environmental, Health & Safety

Enclosures
cc by email only:

Mr. Scott Detwiler, ZF
Mr. Robert Bleazard, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director, EGLE
Mr. Kevin Wojciechowski, Project Manager, EGLE
Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

EXHIBIT 1

April 8, 2022 – ZF Letter RE: Additional Information for Consideration by EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department Health Safety andEnvironmental
From Robert Bleazard
Phone +1 480 722-4866
Email Robert.Bleazard@zf.com
Date April 8, 2022

VIA E-MAIL TO: WojchiechowskiK@Michigan.gov

Kevin Wojciechowski, Project Manager
Warren District Office Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Additional Information for Consideration by Michigan Department of Environment, Great Lakes, and Energy Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001.

Dear Mr. Wojciechowski,

ZF Active Safety US Inc. (ZF) appreciates the opportunity to meet with the Department of Environment, Great Lakes, and Energy (EGLE) last Thursday, March 31, 2022, to discuss the Administrative Order for Response Activity (AO) issued by EGLE to ZF, with respect to the former Kelsey-Hayes site in Milford, Michigan (the "Site").

As demonstrated by ZF's November 23, 2021 letter in response to EGLE's October 25, 2021 Compliance Communication and its presentation of information at the meeting, ZF and Arcadis have been reviewing the extensive data collected for the Kelsey-Hayes site, as well as any other available information, in order to understand the recent emergence of vinyl chloride in groundwater monitoring well OW-16D2 when that compound has not been detected at any time elsewhere in ZF's off-site monitoring well network in more than 25 years of monitoring. Furthermore, Arcadis recently noted an anomalous response in water level and certain groundwater parameters in the well during sampling, raising concerns regarding the possible integrity of the well screen and/or the sand pack surrounding the well screen. In addition, considering EGLE's concerns regarding the proximity of OW-16D2 to the Village of Milford municipal wells and the statement in the Administrative Order that "the presence of vinyl chloride in monitoring well OW-16D2, a known carcinogen, represents an imminent and substantial endangerment to the public health, safety, welfare, or the environment…," ZF and Arcadis carefully analyzed the current viability of OW-16D2 and began evaluating whether samples collected from this well are representative of the aquifer.

Arcadis initially questioned whether OW-16D2 may be compromised because there was significant drawdown in the well during most of the low-flow sampling events where vinyl chloride was detected and purge volumes were observed to be similar to the volume of standing water removed from the well. This indicated stagnant water conditions in the well. In addition, water samples with vinyl chloride detections had an oxidation reduction potential (ORP) in the range of -60 to -134 millivolts and low dissolved oxygen (DO) levels (see attached Table 1 – Attachment 1). These conditions within the well provide a reducing environment where anerobic microbes are active and reductive dichlorination of chlorinated volatile organic compounds (CVOCs) can occur (i.e., cis-1,2-dichloroethene to vinyl chloride). Furthermore, vinyl chloride has not been detected in the

six observation wells, OW-9, OW-09ML-A/B/C/D, and MW-03-94, located upgradient of OW-16D2, in the Village of Milford drinking water wells, or in any of the other monitoring wells regularly sampled by Arcadis that have proven to be reliable in monitoring other CVOCs including trichloroethene (TCE). Collectively, these multiple lines of evidence are what caused Arcadis to take a closer look at the condition of OW-16D2 and also suggests that the recent detection of vinyl chloride in OW-16D2 is localized, anomalous, and warrants further evaluation. The inability of OW-16D2 to sustain EGLE's low-flow sampling and groundwater parameter stabilization requirements also indicates that groundwater samples collected from OW-16D2 are: 1) not representative of groundwater conditions; 2) not comparable to EGLE's Part 201 Cleanup Criteria for compliance purposes; and 3) therefore not a reliable basis for the conclusion by EGLE that OW-16D2 poses an imminent and substantial endangerment to the Village of Milford wells.

As Arcadis has previously discussed with you and as mentioned during the meeting, ZF's monitoring well OW-16D2 was further examined and redeveloped on Friday, April 1st with the objective of improving hydraulic communication between the well and formation to produce representative groundwater samples. During the examination and redevelopment of OW-16D2, Stearns, the well driller, used a surge block with a vacuum hose attachment to work up and down within the well screen and draw out sediments consistent with standard practice. Stearns moved this apparatus up and down within the well screen several times. During the process, there was initial discolored water and some fine sediment removed and then it cleared up. The plan was to then drop a pump down the well and purge water/groundwater as it re-entered the well, removing as much water as possible. However, after pulling the surge block apparatus out of the well, there was only about 2 feet of water remaining in the well (approximately 1/3 gallon). The amount of water in the well when Stearns started the redevelopment process was about 100 feet (approximately 16 gallons). This indicates that the well screen, sand pack, and/or formation around the screen is not functioning as designed. Arcadis measured the level of water in the well after this work and it recovered very slowly, at a rate of less than 1 foot per hour. Based on these observations, it appears that the water in the screened interval of the well was stagnant and therefore not fully representative of groundwater conditions in the aquifer. These well redevelopment findings, combined with the observations noted above regarding well behavior during sampling, indicate that OW-16D2 has become compromised and cannot be relied on for continued groundwater monitoring without further evaluation and potential corrective action on the well.

Following the redevelopment, Arcadis returned to sample OW-16D2 on Monday, April 4th and observed that the depth to groundwater was about 50 feet (so about 50 feet had recovered over the weekend). Arcadis used a low-flow bladder pump to purge the well (this took about 2 hours) and then sampled the well. The total drawdown of the well was approximately 7 feet during the sampling. Arcadis observed the water level in OW-16D2 to be relatively level for the last 10 minutes prior to sampling, indicating that the recharge was coming from the aquifer and not stagnant water within the well. One set of groundwater samples was collected on April 4th and was dropped off at Fibertec (Holt, Michigan) the same day, with a requested 48-hour turn-around-time and another set of samples was sent to Eurofins-TestAmerica for analysis under a standard turn-around-time. Analysis for volatile organic compounds using EPA Method 8260 was requested for both sets of samples.

The results from the Fibertec samples were returned on April 6th and as you know, were non-detect (less than 1.0 ug/L detection limit) for vinyl chloride. In contrast, cis-1,2-dichloroethene, trans-1,2-dichloroethene, and 1,1-dichloroethane were detected and the concentrations of these other CVOCs were consistent with previous samples collected from OW-16D2, indicating that these compounds are stable in the formation water that entered OW-16D2 after development and are not degrading to vinyl chloride in the vicinity of OW-16D2. The laboratory

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

analytical report (Attachment 2) was provided to you on April 6th. These findings, combined with the previous OW-16D2 sampling results and the well redevelopment observations described above show that the production of vinyl chloride appears to be a function of stagnant water within the well caused by the malfunctioning well itself. Additional samples from OW-16D2 will be collected on April 8th and April 18th. Arcadis will sample the well under as close to low-flow conditions as the well is able to sustain and will promptly report the results to EGLE.

Based on the observed conditions of OW-16D2 during the recent sampling and redevelopment of the well and the historical information provided above, there is an objectively reasonable and technical basis to conclude that the recent samples collected before the redevelopment of the well should not be relied upon as accurate representations of aquifer conditions in that location. Specifically, the following observations point to a lack of reliability for recent vinyl chloride results collected from OW-16D2:

- Inability of the OW-16D2 monitoring well to sustain low-flow purging/sampling consistent with EGLE guidelines;
- Recent consistent reducing conditions (i.e., negative ORP, low DO) with stagnant water conditions observed in OW-16D2, correlating with the observance of vinyl chloride detections that have improved after well redevelopment;
- The first occurrence of vinyl chloride in May 2021 after more than 25 years of monitoring, and its subsequent lack of detection following redevelopment of OW-16D2; while other CVOCs in OW-16D2 remained consistent with historical results;
- Continuing lack of vinyl chloride detections in any other monitoring wells, notably those that have unquestionably demonstrated the extent of TCE impacts, the presumed parent CVOC for dichlorination daughter products;
- Lack of vinyl chloride detections in Village of Milford municipal wells despite groundwater velocity calculations showing it would have arrived months ago if mobile.

Collectively, these findings provide compelling evidence of data quality concerns for OW-16D2 that must be further evaluated and corrected. It is imperative that any conclusions drawn from OW-16D2 sample results and determinations of potential additional response activities are based on accurate and reliable, representative data collected from a properly-performing monitoring well in accordance with EGLE requirements. Therefore, ZF intends to continue to evaluate OW-16D2 and collect additional data for this well which will be expedited and reported to EGLE as soon as available. We are planning to re-sample OW-16D2 on April 8th one week following redevelopment as previously discussed with you via email on April 1st. OW-16D2 will also be sampled again on April 18th.

In addition to the additional monitoring planned for OW-16D2, ZF is also evaluating potential corrective measures for the well including, further well rehabilitation using an approvable drinking water well additive as was communicated with EGLE via email on April 4th, and a downhole camera survey of the well. ZF is also evaluating potentially replacing OW-16D2 if the rehabilitation is not feasible or not successful, as you suggested. Such corrective measures would include a work plan that would be submitted to EGLE for review and approval, and careful coordination with the Village of Milford to ensure protection of the municipal wells.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

In light of the recent findings regarding OW-16D2 detailed above and considering that the basis for the AO is EGLE's determination that the vinyl chloride reported in recent samples from OW-16D2 above the Part 201 Drinking Water Criterion, pose an imminent and substantial endangerment to the Village of Milford municipal wells due to their proximity to OW-16D2, it would be prudent for all parties to have reliable data and an objective basis for decisions moving forward. Allowing ZF more time to remedy OW-16D2 and collect accurate data from the well will allow the parties to make a proper technical determination of whether vinyl chloride is in the aquifer at the location of OW-16D2. This information would also provide a strong basis to determine if there is any reasonably objective and technical need to implement the response activity required by the AO and would further serve to inform future discussions and decisions by EGLE, the Village of Milford, and ZF. ZF will follow-up this correspondence with the sample results to be collected from OW-16D2 on April 8th, which we expect to receive from the lab by April 12th, and with our plans to implement the OW-16D2 rehabilitation and/or replacement as necessary. ZF will also provide a formal response to the AO, but wanted to provide you with this recently obtained additional information for your consideration at this time.

Thank you for your attention to these matters and please include this letter and its attachments in the administrative record for the AO and the Site.

If you have any questions, please feel free to contact me at the phone number listed in the header on the first page of this letter, Mr. Scott Detwiler – ZF Project Manager at 480-722-4139, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,

Robert A Bleazard

Robert Bleazard
Sr. EHS Manager – Environmental Remediation
ZF Health, Safety, and Environment

Enclosure
cc by email only:
Mr. Scott Detwiler, ZF
Mr. Robert Bleazard, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director, EGLE
Mr. Mike Neller, EGLE - Remediation and Redevelopment Director

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

ATTACHMENT 1

Table 1
OW16D2 Groundwater Analytical Results and Field Parameters
Former Kelsey-Hayes Milford Plant

ARCADIS

Sample Identification:	Residential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Observation Well OW-16D2																	
Sample Collection Date:			6/15/2010	12/17/2010	6/15/2011	12/14/2011	6/29/2012	12/12/2012	6/12/2013	12/11/2013	6/15/2014	11/24/2014	6/24/2015	12/9/2015[1]	6/14/2016[1]	12/13/2016	12/6/2017	6/12/2018	12/4/2018	6/10/2019	12/3/2019
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	2.4	3.2	2.1	<1.0	1.4	12	<1.0	3.4	<1.0	22	<1.0	19	<1.0	1.7	18	<1.0	4.1	1.2	1.1
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.3	<1.0	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
1,1-Dichloroethane	880	740	<1.0	<1.0	1.1	<1.0	<1.0	2.1	<1.0	<1.0	<1.0	3.0	<1.0	2.3	<1.0	<1.0	1.9	<1.0	2.1	1.6	1.4
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Field Parameters																					
Drawdown (feet)			-0.3	2.8	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.3	0.4	5.1	4.7	12.2	8.4	4.6	5.5	8.5	3.5
pH (standard units)			7.36	7.74	7.82	7.44	7.60	7.57	7.90	7.85	7.17	7.79	7.82	7.56	7.62	7.91	8.05	7.67	7.41	7.87	7.82
Conductivity (milliSiemens per centimenter)			0.59	0.56	0.64	0.54	0.64	0.60	0.64	0.59	0.60	0.80	0.634	0.952 [1]	0.827 [1]	0.604	0.63	0.64	0.62	0.64	0.82
Turbidity (Nephelometric Turbidity Unit)			1.09	4.22	3.67	0.76	3.68	2.24	0.60	2.43	2.19	102	2.27	52.1	0.61	1.36	11.7	0.80	2.2	3.06	0.79
Dissolved Oxygen (milligrams per liter)			1.33	0.47	0.11	1.44	0.56	0.8	1.19	3.45	4.99	3.8	4.08	0.19	3.22	0.38	0.3	3.04	1.21	0.25	11.74
Temperature (degrees Celsius)			14.66	9.23	15.71	10.33	17.45	9.90	15.19	10.39	14.72	10.83	14.1	11.75	13.89	11.33	10.6	14.60	10.96	12.7	8.6
Oxidation Reduction Potential (millivolt)			75	-12.5	78.3	12.7	125.1	110.6	115.1	115	82.4	-17.4	-39.1	-155.3	27.7	101.4	-121.6	203.7	159.9	231.9	122

Sample Identification:	Residential Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Observation Well OW-16D2																	
Sample Collection Date:			5/13/2020	11/17/2020	5/13/2021	6/8/2021	8/3/2021	8/16/2021	9/1/2021	9/13/2021	9/27/2021	10/11/2021	10/25/2021	11/8/2021	12/6/2021	1/4/2022	1/25/2022	2/17/2022	3/21/2022	4/4/2022
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	<1.0	<1.0	17	10	16	13	16	20	18	12	17	17	8.2	15	15	12	18	19
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	1.3	<1.0	1.6	1.1	1.3	1.7	1.7	1.1	1.6	1.5	<1.0	1.6	1.4	1.1	1.6	1.7
1,1-Dichloroethane	880	740	<1.0	<1.0	3.8	2.4	3.8	3.0	3.2	3.9	3.7	2.8	3.8	4.2	2.0	3.0	3.4	3.1	3.7	3.5
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	3.5	1.2	3.0	1.8	1.7	1.6	1.8	1.4	1.5	1.5	<1.0	2.5	3.2	2.0	2.3	<1.0
First Depth to Water																				
Field Parameters																				
Drawdown (feet)			4.2	10.2	0.0	0.0	12.7	14.2	15.0	10.6	13.7	15.2	8.1	10.9	7.5	8.1	17.4	17.4	7.1	6.9
pH (standard units)			8.51	8.44	7.89	7.6	7.5	7.68	7.64	7.28	7.38	7.81	7.49	7.43	8.02	7.56	7.54	7.77	7.54	7.43
Conductivity (milliSiemens per centimenter)			0.78	0.71	0.93	0.85	0.93	0.718	1.011	1.03	1.07	0.97	1.09	1.07	0.84	1.1	1.11	0.985	1.082	1.1
Turbidity (Nephelometric Turbidity Unit)			2.29	1.08	59.6	5.29	33.8	6.82	3.86	3.9	9.44	9.05	10.7	10.1	4.74	28.4	13.7	4.9	3.04	96.3
Dissolved Oxygen (milligrams per liter)			4.9	9.67	0.45	0.41	1.32	0.25	0.38	0.86	0.22	0.58	0.15	0.17	0.27	0.2	0.1	0.57	0.51	5.81
Temperature (degrees Celsius)			11.6	12.3	12.2	17.4	15.6	14.1	15	14.1	15	15.5	12.4	14	10.8	10.8	9.8	9.9	10.4	7.1
Oxidation Reduction Potential (millivolt)			155.1	12.1	-134	-104.1	-99	-139.1	-74.7	-64.8	-99.9	-99.2	-88.2	-66.4	-14	-93.1	-96.7	-61.3	-72.3	3.0

Notes:
All volatile organic compound concentrations are in micrograms per liter (µg/L).
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976.
(X) The Groundwater Surface Water Interface (GSI) criterion shown is not protective for surface water that is used as a drinking water source.
[1] Specific Conductivity

ATTACHMENT 2

Fibertec
environmental
services

Wednesday, April 06, 2022

Fibertec Project Number: A07755
Project Identification: TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date: 04/04/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Sue Ricketts

By Sue Ricketts at 12:26 PM, Apr 06, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	FIELDBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Field	Collect Time:	11:45

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-001 **Matrix:** Blank: Field
Method: EPA 5030C/EPA 8260D **Description:** FIELDBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	FIELDBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Field	Collect Time:	11:45

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable #: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELDBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
# 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:55

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ÷: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS Aliquot ID: A07755-002 Matrix: Ground Water
Method: EPA 5030C/EPA 8260D Description: OW-16D2_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
÷ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
÷ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
27. 1,1-Dichloroethane	3.5		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
30. cis-1,2-Dichloroethene	19		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
31. trans-1,2-Dichloroethene	1.7		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:55

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-002 **Matrix:** Ground Water
Method: EPA 5030C/EPA 8260D **Description:** OW-16D2_040422

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	EQUIPMENTBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Equipment	Collect Time:	12:10

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07755-003 **Matrix:** Blank: Equipment
Method: EPA 5030C/EPA 8260D **Description:** EQUIPMENTBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	EQUIPMENTBLANK_040422	Chain of Custody:	201041
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Equipment	Collect Time:	12:10

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS Aliquot ID: A07755-003 Matrix: Blank: Equipment
Method: EPA 5030C/EPA 8260D Description: EQUIPMENTBLANK_040422

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/05/22 00:48	VI22D05B	JMF

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	TRIP BLANK	Chain of Custody:	N/A
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/04/22
Client Project No:	30046730	Sample Matrix:	Blank: Trip	Collect Time:	NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS
Method: EPA 5030C/EPA 8260D

Aliquot ID: A07755-004 **Matrix:** Blank: Trip
Description: TRIP BLANK

	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	8. Bromomethane	U	V-, L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**N/A**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
V- : Recovery in the associated continuing calibration verification sample (CCV) exceeds the lower control limit. Results may be biased low.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*100*		*80-120*
Dibromofluoromethane(S)	*101*		*80-120*
1,2-Dichloroethane-d4(S)	*94*		*80-120*
Toluene-d8(S)	*98*		*80-120*

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Acetone	50.0	30.6	61	54-140		50.0	31.1	62		2	20	
Acrylonitrile	50.0	52.7	105	70-130		50.0	53.7	107		2	20	
Benzene	50.0	46.5	93	80-120		50.0	45.1	90		3	20	
Bromobenzene	50.0	44.7	89	75-125		50.0	44.2	88		1	20	
Bromochloromethane	50.0	40.7	81	70-130		50.0	40.1	80		1	20	
Bromodichloromethane	50.0	44.5	89	75-120		50.0	43.5	87		2	20	
Bromoform	50.0	45.8	92	70-130		50.0	45.4	91		1	20	
Bromomethane	50.0	27.5	55	69-135	*	50.0	29.1	58	*	5	20	
2-Butanone	50.0	40.1	80	70-148		50.0	40.5	81		1	20	
n-Butylbenzene	50.0	52.8	106	70-133		50.0	51.9	104		2	20	
sec-Butylbenzene	50.0	50.2	100	70-125		50.0	49.4	99		1	20	
tert-Butylbenzene	50.0	49.5	99	70-130		50.0	48.6	97		2	20	
Carbon Disulfide	50.0	44.6	89	70-130		50.0	42.8	86		3	20	
Carbon Tetrachloride	50.0	44.5	89	70-130		50.0	43.3	87		2	20	
Chlorobenzene	50.0	45.9	92	80-120		50.0	44.8	90		2	20	
Chloroethane	50.0	40.5	81	61-130		50.0	39.1	78		4	20	
Chloroform	50.0	44.2	88	80-120		50.0	43.4	87		1	20	
Chloromethane	50.0	38.4	77	67-125		50.0	38.9	78		1	20	
2-Chlorotoluene	50.0	47.3	95	75-125		50.0	46.6	93		2	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	48.5	97	70-130		50.0	49.6	99		2	20	
Dibromochloromethane	50.0	44.6	89	70-130		50.0	43.3	87		2	20	
Dibromomethane	50.0	41.6	83	75-125		50.0	40.4	81		2	20	
1,2-Dichlorobenzene	50.0	46.9	94	70-120		50.0	46.2	92		2	20	
1,3-Dichlorobenzene	50.0	45.8	92	75-125		50.0	45.0	90		2	20	
1,4-Dichlorobenzene	50.0	43.3	87	75-125		50.0	42.5	85		2	20	
Dichlorodifluoromethane	50.0	53.5	107	70-136		50.0	51.0	102		5	20	
1,1-Dichloroethane	50.0	45.9	92	70-130		50.0	44.5	89		3	20	
1,2-Dichloroethane	50.0	40.9	82	70-130		50.0	39.7	79		4	20	
1,1-Dichloroethene	50.0	43.8	88	78-120		50.0	42.1	84		5	20	
cis-1,2-Dichloroethene	50.0	44.8	90	70-125		50.0	43.2	86		5	20	
trans-1,2-Dichloroethene	50.0	44.5	89	70-130		50.0	43.5	87		2	20	
1,2-Dichloropropane	50.0	49.1	98	80-121		50.0	47.4	95		3	20	
cis-1,3-Dichloropropene	50.0	43.4	87	70-130		50.0	42.2	84		4	20	

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	48.2	96	70-132		50.0	46.7	93		3	20	
Ethylbenzene	50.0	48.4	97	80-120		50.0	47.0	94		3	20	
Ethylene Dibromide	50.0	45.2	90	80-120		50.0	44.4	89		1	20	
2-Hexanone	50.0	39.4	79	70-130		50.0	40.5	81		3	20	
Isopropylbenzene	50.0	48.7	97	75-125		50.0	47.5	95		2	20	
4-Methyl-2-pentanone	50.0	55.2	110	70-130		50.0	54.7	109		1	20	
Methylene Chloride	50.0	43.8	88	70-130		50.0	42.7	85		3	20	
2-Methylnaphthalene	50.0	46.0	92	70-130		50.0	46.5	93		1	20	
MTBE	50.0	48.3	97	70-125		50.0	47.3	95		2	20	
Naphthalene	50.0	46.7	93	70-130		50.0	47.5	95		2	20	
n-Propylbenzene	50.0	49.4	99	70-130		50.0	48.8	98		1	20	
Styrene	50.0	41.0	82	70-130		50.0	39.7	79		4	20	
1,1,1,2-Tetrachloroethane	50.0	46.7	93	80-130		50.0	45.2	90		3	20	
1,1,2,2-Tetrachloroethane	50.0	59.4	119	70-130		50.0	60.5	121		2	20	
Tetrachloroethene	50.0	48.5	97	70-130		50.0	46.9	94		3	20	
Toluene	50.0	47.9	96	80-120		50.0	46.4	93		3	20	
1,2,4-Trichlorobenzene	50.0	45.9	92	70-130		50.0	46.0	92		0	20	
1,1,1-Trichloroethane	50.0	45.5	91	70-130		50.0	44.3	89		2	20	
1,1,2-Trichloroethane	50.0	47.6	95	75-125		50.0	47.1	94		1	20	
Trichloroethene	50.0	41.6	83	71-125		50.0	39.9	80		4	20	
Trichlorofluoromethane	50.0	48.2	96	70-133		50.0	46.6	93		3	20	
1,2,3-Trichloropropane	50.0	49.9	100	75-125		50.0	49.3	99		1	20	
1,2,3-Trimethylbenzene	50.0	47.0	94	70-130		50.0	46.2	92		2	20	
1,2,4-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.7	97		1	20	
1,3,5-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.1	96		2	20	
Vinyl Chloride	50.0	43.9	88	74-125		50.0	42.2	84		5	20	
m&p-Xylene	100	95.1	95	75-130		100	92.8	93		2	20	
o-Xylene	50.0	47.9	96	80-120		50.0	46.3	93		3	20	
4-Bromofluorobenzene(S)			*100*	*80-120*				*101*				
Dibromofluoromethane(S)			*99*	*80-120*				*99*				
1,2-Dichloroethane-d4(S)			*91*	*80-120*				*90*				
Toluene-d8(S)			*100*	*80-120*				*100*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Sue Ricketts

By Sue Ricketts at 12:32 PM, Apr 06, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
201041
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Marina Samp
Project Name/ Number: TRW Milford 30046730
Email distribution to: marina.samp@arcadis.com; john.meiniss@arcadis.com
Quote #
Purchase Order # 30046730.0001Z

Date	Time	Sample #	Client Sample Descriptor	MATRIX (see matrix code to the right)	# OF CONTAINERS	PARAMETERS: VOCs 8260B	HOLD SAMPLE
4.4.22	1145		FIELDBLANK_040422	GW	3	3	
4.4.22	1155		OW-16D2-040422	GW	3	3	
4.4.22	1210		EQUIPMENTBLANK_040422	GW	3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks:

Received By Lab
APR 04 2022
Initials EA

Received On Ice

Comments:

Sampled/Relinquished By: Stacey Hannula	Date/ Time 4.4.22 1230	Received By: Anyssa Mandich/Arcadis
Relinquished By: Anyssa Mandich/Arcadis	Date/ Time 4/4/22 1415	Received By: Fibertec
Relinquished By:	Date/ Time	Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. day (48 hrs) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A07755

Temperature upon receipt at Lab: 2.0°C

Please see back for terms and conditions

EXHBIT 2

April 13, 2022 - Letter RE: Additional Information for Consideration by EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department Health Safety andEnvironmental
From Robert Bleazard
Phone +1 480 722-4866
Email Robert.Bleazard@zf.com
Date April 13, 2022

VIA E-MAIL TO: WojchiechowskiK@Michigan.gov

Kevin Wojciechowski, Project Manager
Warren District Office Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Additional Information for Consideration by Michigan Department of Environment, Great Lakes, and Energy Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001.

Dear Mr. Wojciechowski,

ZF Active Safety US Inc. (ZF) is submitting the following information and attachment to the Department of Environment, Great Lakes, and Energy (EGLE) with respect to the Administrative Order for Response Activity (AO) issued by EGLE to ZF, with respect to the former Kelsey-Hayes site in Milford, Michigan (the "Site").

As noted in the letter that ZF sent to EGLE on April 8, 2022, Arcadis recently began redevelopment activities on monitoring well OW-16D2 on April 1st and subsequently collected samples from the well on April 4th and April 8th. The sample collected on April 8th was submitted to Fibertec and 48-hour turn-around-time was again requested. The groundwater sample result from OW-16D2 is again non-detect (less than 1 microgram per liter) for vinyl chloride. See attached Laboratory Report.

Our April 8th letter details the reasons why ZF and Arcadis suspected OW-16D2 may be compromised and describes the measures we took to further examine and redevelop the well on April 1st. The April 8th sample results collected one week following the redevelopment of OW-16D2 are consistent with, and further support our understanding that, OW-16D2 had become compromised and sample results obtained from the well prior to the redevelopment are not reliable because they were not representative of groundwater conditions. Specifically, the non-detect vinyl chloride results for now two consecutive post-redevelopment sampling events, coupled with the other chlorinated volatile organic compounds (CVOCs) that were detected in OW-16D2 below drinking water criteria at concentrations consistent with previous results, confirms that dissolved CVOCs present in groundwater in the vicinity of OW-16D2 are stable and not degrading to vinyl chloride, which is consistent with the sampling results throughout ZF's monitoring well network over the past 25 years.

The hydraulic observations presented in our April 8th letter clearly show that the well was unable to sustain low-flow purging. Stagnant water was removed during the redevelopment work and the resultant recharge into the well was inflow from the surrounding formation. In addition to the CVOC analytical results and hydraulic observations, it was noted during the April 8th sampling that drawdown was improved versus pre-redevelopment conditions and other parameters (i.e., dissolved oxygen, oxidation-reduction potential) were stable. Collectively, these multiple lines of evidence are indicating the well is now producing more representative groundwater samples than it was prior to the redevelopment. ZF and Arcadis believe that the initial redevelopment work completed on OW-16D2 meets the objective of improving hydraulic communication between the well and the formation and the well conditions are currently producing more accurate groundwater samples.

Based on these observations and the April 8th sample that detected no vinyl chloride, it appears that the vinyl chloride that had been detected in OW-16D2 prior to the recent well redevelopment action was the result of stagnant water within the well and not representative of true groundwater conditions. At this point, there is an objectively reasonable basis and enough technical evidence to say that EGLE should not rely on the samples collected from OW-16D2 prior to redevelopment of the well to make a determination that this well poses an imminent and substantial endangerment to the Village of Milford municipal wells. More work is necessary to further evaluate OW-16D2, including additional redevelopment activities, and this work will require additional time beyond the current April 15th compliance date in the AO.

Given that the sole basis for the corrective action work set forth in the AO is the detection of vinyl chloride in recent samples now understood to be consisting of stagnant water collected from OW-16D2 in a compromised condition, it would be reasonable and consistent with applicable laws and regulations for EGLE to provide ZF an extension of the compliance date in the AO in order to submit a work plan for additional well redevelopment activities, allow ZF time to implement the work plan, and further evaluate and discuss the work plan results and any necessary corrective actions with EGLE. Therefore, ZF will submit a detailed work plan to EGLE by **no later than April 22nd**, which will include plans for routine additional sampling of OW-16D2, and information regarding further mechanical and additive techniques to rehabilitate OW-16D2 or replace it.

Furthermore, a **60-day extension of the AO response deadline** will allow ZF time to implement the work plan and provide the parties time to review and discuss the work plan results. This additional information will enable the parties to reasonably act on an understanding based on representative data and objectively developed technical information about the integrity of OW-16D2, rather than presumptions about the recent appearance of vinyl chloride in only one well that has been determined to be compromised and was not yielding samples representative of the groundwater in that location before redevelopment. Furthermore, if EGLE is concerned about vinyl chloride appearing in the Village of Milford municipal well during the extension of the AO notice deadline, ZF's understanding based on the Focused Feasibility Study Report prepared by Wood for the Village of Milford is that the current Iron Removal System provides a feasible temporary response measure that could be utilized to remove vinyl chloride at the levels consistent with those previously reported in OW-16D2, if it were to be needed.

In light of the tight timing circumstances, we ask that EGLE please communicate to ZF prior to April 15th whether or not EGLE agrees with ZF's proposed submission of a work plan by no later than April 22nd and with a 60-day extension of the AO response deadline.

Thank you for your attention to these matters and please include this letter and its attachment in the administrative record for the AO and the Site.

If you have any questions, please feel free to contact me at the phone number listed in the header on the first page of this letter, Mr. Scott Detwiler – ZF Project Manager at 480-722-4139, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,

Robert A Bleazard

Robert Bleazard
Sr. EHS Manager – Environmental Remediation
ZF Health, Safety, and Environment

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Enclosure
cc by email only:

Mr. Scott Detwiler, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director, EGLE
Mr. Mike Neller, EGLE - Remediation and Redevelopment Director
Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

ATTACHMENT

Fibertec
environmental
services

Tuesday, April 12, 2022

Fibertec Project Number:	A07873
Project Identification:	TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date:	04/08/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Sue Ricketts

By Sue Ricketts at 1:11 PM, Apr 12, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

1914 Holloway Drive, Holt, MI 48842, T: (517) 699-0345, F: (517) 699-0388
11766 E. Grand River, Brighton, MI 48116, T: (810) 220-3300, F: (810) 220-3311
8660 S. Mackinaw Trail, Cadillac, MI 49601, T: (231) 775-8368, F: (231) 775-8584
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	Field Blank-040822	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/08/22
Client Project No:	30046730	Sample Matrix:	Blank: Field	Collect Time:	10:35

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07973
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2-040822	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/08/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:35

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07973-002 **Matrix:** Ground Water
Method: EPA 5030C/EPA 8260D **Description:** OW-16D2-040822

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
18. Chloromethane	U	V- L-	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
27. 1,1-Dichloroethane	3.5		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
30. cis-1,2-Dichloroethene	20		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
31. trans-1,2-Dichloroethene	1.5		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

1914 Holloway Drive, Holt, MI 48842, T: (517) 699-0345, F: (517) 699-0388
11766 E. Grand River, Brighton, MI 48116, T: (810) 220-3300, F: (810) 220-3311
8660 S. Mackinaw Trail, Cadillac, MI 49601, T: (231) 775-8368, F: (231) 775-8584
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07873
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	OW-16D2-040822	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/08/22
Client Project No:	30046730	Sample Matrix:	Ground Water	Collect Time:	11:35

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID:** A07873-002 **Matrix:** Ground Water
Method: EPA 5030C/EPA 8260D **Description:** OW-16D2-040822

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	Trip Blank	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/08/22
Client Project No:	30046730	Sample Matrix:	Blank: Trip	Collect Time:	NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-003** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

1914 Holloway Drive, Holt, MI 48842, T: (517) 699-0345, F: (517) 699-0388
11766 E. Grand River, Brighton, MI 48116, T: (810) 220-3300, F: (810) 220-3311
8660 S. Mackinaw Trail, Cadillac, MI 49601, T: (231) 775-8368, F: (231) 775-8584
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	Arcadis U.S., Inc. - Novi	Sample Description:	Trip Blank	Chain of Custody:	207003
Client Project Name:	TRW Milford ZF Active Safety (30046730)	Sample No:		Collect Date:	04/09/22
Client Project No:	30046730	Sample Matrix:	Blank: Trip	Collect Time:	NA

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS
Method: EPA 5030C/EPA 8260D

Aliquot ID: A07873-003 **Matrix:** Blank: Trip
Description: Trip Blank

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

Definitions/ Qualifiers:

- **A:** Spike recovery or precision unusable due to dilution.
- **B:** The analyte was detected in the associated method blank.
- **E:** The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
- **J:** The concentration is an estimated value.
- **M:** Modified Method
- **U:** The analyte was not detected at or above the reporting limit.
- **X:** Matrix interference has resulted in a raised reporting limit or distorted result.
- **W:** Results reported on a wet-weight basis.
- ***:** Value reported is outside QC limits

Exception Summary:

- **L+** : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
- **V+** : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

EXHIBIT 3

April 14, 2022 - EGLE Response to ZF April 8 and April 13, 2022 Letters RE: Additional Information for Consideration

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
LANSING

GRETCHEN WHITMER
GOVERNOR

LIESL EICHLER CLARK
DIRECTOR

April 14, 2022

VIA E-MAIL

Robert Bleazard
Sr. EHS Manager Environmental Remediation
ZF Health, Safety, and Environment
ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122

SUBJECT: Response to ZF Active Safety US Inc. Additional Information for Consideration Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001 (AO)

Dear Robert Bleazard:

The Department of Environment, Great Lakes, and Energy (EGLE) has received ZF Active Safety US Inc. (ZF) correspondence dated April 8, 2022, and April 13, 2022, containing technical information for EGLE's consideration pertaining to the potentially anomalous groundwater parameters in monitoring well OW-16D2 during sampling.

Although EGLE agrees that the information presented by ZF warrants additional investigation by ZF, EGLE does not believe the information presented thus far demonstrates that there is no imminent and substantial endangerment to the public drinking water supply for the Village of Milford. Therefore, EGLE cannot grant ZF's requested extension of the AO response deadline, and EGLE expects ZF's timely compliance with the AO.

If ZF intends to submit a work plan to undertake a parallel path to further investigate concerns regarding the integrity of OW-16D2, EGLE does not discourage those efforts, however the work plan should provide for the following:

- Continue to rehabilitate monitoring well OW-16D2 with mechanical and/or additive techniques. Collect post-rehabilitation groundwater samples for a sufficient period of time to demonstrate the samples are representative of aquifer conditions.
- Complete vertical aquifer profiling in close proximity to OW-16D2 to verify the screen is in the zone of highest contamination. Based on the completed vertical aquifer profile, if the depth of contamination differs from the screening interval of OW-16D2, install a new monitoring well to be screened at the depth of the highest level of contamination.

- Install a new monitoring well to replace OW-16D2 if it cannot be rehabilitated. The new monitoring well shall be screened based on the conclusions from the vertical aquifer profiling.

EGLE remains open to reconsider its position regarding the Administrative Order if additional data demonstrates that there is not an imminent and substantial risk to the Village of Milford's drinking water wells.

If you have questions regarding this matter, please contact Kevin Wojciechowski, Project Manager, at 586-623-2948 or WojciechowskiK@Michigan.gov; or you may contact me.

Sincerely,

Mike Neller, Director
Remediation & Redevelopment Division
517-512-5859

cc: Danielle Allison-Yokom, Michigan Department of Attorney General
Aaron B. Keatley, Chief Deputy Director, EGLE
Joshua Mosher, EGLE
Mary Miller, EGLE
Dan Yordanich, EGLE
Paul Owens, EGLE
Darren Bowling, EGLE
Cheryl Wilson, EGLE
Tiffany Yusko-Kotimko, EGLE
Kevin Wojciechowski, EGLE
Lyndsey Hagy, EGLE
Katie Noetzel, EGLE

EXHIBIT 4

November 23, 2021 - ZF Response to EGLE Compliance Communication

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

VIA EMAIL: WojciechowskiK@Michigan.gov
AND CERTIFIED MAIL

Department Health Safety andEnvironmental
From Scott Detwiler
Phone +1 480 722-4139
Email Scott.Detwiler@zf.com
Date November 23, 2021

Mr. Kevin Wojciechowski, Project Manager
Warren District Office -Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Response to Michigan Department of Environment, Great Lakes, and Energy Compliance Communications Regarding the Facility Located at 101 Oak Street, Milford, Michigan.
EGLE Facility ID No. 63000952

Dear Mr. Wojciechowski:

This letter and the accompanying Response Activity Plan (ResAP) include ZF Active Safety US Inc.'s (ZF's) response to Compliance Communication letters from the Michigan Department of Environment, Great Lakes, and Energy (EGLE), dated September 1, 2021; received by ZF on September 13th (the September 2021 Letter) and dated October 25, 2021; received by ZF on November 9th (the October 2021 Letter). The two Letters state that they are related to the former Kelsey-Hayes property located at 101 Oak Street, Milford, Michigan (the "Facility" or the "Property") for which ZF retains some clean-up responsibility. However, ZF is no longer the owner of the Property.

The primary issue presented by EGLE in both of the Letters is related to groundwater sampling data collected by ZF from an Observation Well (OW-16D2) that exceeded the Part 201 generic drinking water criterion for vinyl chloride. Observation Well OW-16D2 is less than 200 feet from Village of Milford (Milford's) drinking water wells.

The September 2021 Letter requests that ZF submit a ResAP with a schedule, that when implemented, will achieve the cleanup criteria or protect from exposure to the contamination; to demonstrate compliance with Part 201 by 90 days. ZF and its consultant, Arcadis, were in the process of preparing the ResAP within the requested time period, when the October 2021 Letter was received by ZF. The October 2021 Letter requests that ZF initiate the interim response measure of installing treatment on the Milford drinking water system within 14 days of receipt of the October 2021 Letter. Given the two parallel requests from EGLE and the fact that ZF was already in the process of responding to the September 2021 Letter when it received the October 2021 Letter, this response addresses the issues raised in both of the EGLE Letters. The information presented below describes the response activities that ZF has taken at the Facility, including the information provided in the attached ResAP requested by EGLE.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

In addition, the information below provides ZF's response to EGLE's request to initiate the interim response measure of installing treatment on the Milford drinking water system.

I. September 2021 Letter and EGLE Request for a ResAP:

As noted above, the September 2021 Letter discusses the presence of vinyl chloride above the Part 201 drinking water criterion in Observation Well OW-16D2, and includes EGLE's request that ZF submit a ResAP with a schedule, that when implemented, will achieve the cleanup criteria or protect from exposure to the contamination. The following response actions have been completed or are ongoing with respect to the Property:

a. Immediately taking measures to contain or remove the contamination source

Numerous response actions have been implemented to address chlorinated volatile organic compound (CVOC) impacts at the Facility and include excavation and removal of impacted soil, installation and operation of a soil vapor extraction (SVE) system, and installation and operation of a groundwater extraction and treatment system (groundwater treatment system). Details of these interim response measures were reported to EGLE in the *Summary of Environmental Response Activities* (Haley and Aldrich of Michigan, LLC 2002) and *Remedial Action Plan* (Arcadis 2009). The combination of these interim responses and the continued operation and performance monitoring of the groundwater treatment system, combined with appropriate land-use restrictions, render relevant exposure pathways incomplete, thereby preventing potential threats to public health, safety, or welfare and to the environment.

b. Immediately identifying and eliminating any threat of fire or explosion or direct contact hazards

There are no threats of fire or explosion, or direct contact hazards associated with the detection of CVOCs at any observation wells sampled as part of the ongoing groundwater monitoring at the Facility. Concentrations of CVOCs detected are several orders of magnitude below the flammability and explosivity screening levels for groundwater. In addition, CVOCs detected in groundwater at Observation Well OW-16D2 are approximately 95 feet below grade. Groundwater concentrations observed at OW-16D2 do not exceed the generic drinking water criteria (except for vinyl chloride which was reported at concentrations of 3.5 and 3.0 ug/L during two sampling events on May 13 and August 3, 2021, and has not been above the drinking water criteria in the last six sampling events since August 3rd) and therefore do not pose unacceptable risks due to direct contact with groundwater. Continued groundwater sampling at this well from August 16 to October 25, 2021 did not indicate the presence of vinyl chloride or any other CVOCs above the generic drinking water criteria.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

c. Notifying EGLE and affected neighbors if contamination has migrated off the property

Impacted parties affected by the migration of property-related impacts from beyond the Facility boundaries have been notified of such migration in accordance with Rule 522(4). Documentation of the notices were reported in the *Remedial Action Plan* (Arcadis January 2009). For properties located along the east side of Cabinet Street between Commerce and Liberty Streets, documentation was provided in *Final Notice of Migration Letters* (Arcadis January 2011). EGLE was previously provided copies of the notices in accordance with the Part 201 notification requirements.

d. Delineating the extent of contamination

The nature and extent of soil and groundwater CVOC impacts related to the former Kelsey-Hayes Property have previously been delineated.

Documentation of the soil delineation is presented in the *Supplemental Soil Delineation Report*, which is Appendix A of the *Remedial Action Plan* (Arcadis January 2009), the *Technical Memorandum Regarding the Remedial Action Plan* (Arcadis January 2010), and the *2010 Site Investigation Activities and Current Site Conditions Report* (Arcadis March 2011).

Groundwater has been investigated at the Property since 1991 through several phases of investigation. A summary of historical groundwater investigations from 1991 to 2001 is presented in the *Summary of Environmental Response Activities* (Haley & Aldrich of Michigan, Inc. 2002) provided to EGLE (formerly MDEQ) on July 24, 2002. Since 2001, additional vertical aquifer profile (VAP) observation well installation and groundwater monitoring events have been performed to further define and verify the extent of groundwater impacts associated with the Facility. This work is documented in the *Groundwater Investigation Summary Report*, which is Appendix D of the *Remedial Action Plan* (Arcadis January 2009), the *Technical Memorandum Regarding the Remedial Action Plan* (Arcadis January 2010), the *June 2010 Investigation at the Intersection of Cabinet and Liberty Streets* (Arcadis August 2010), the *2010 Site Investigation Activities and Current Site Conditions Report* (Arcadis March 2011), and *Interim Groundwater Response Action Activities Summary Reports* (Arcadis 2002-2021), all of which were previously provided to EGLE. The current extent of groundwater impacts above the drinking water criteria and the layout of the groundwater treatment system and groundwater observation wells are presented on Figure 1.

Specific to the Milford municipal well field, groundwater impacts associated with the Site have not been detected south of Liberty Street at concentrations above the generic drinking water criteria, and concentrations trends within the ZF monitoring network are indicative of stable/decreasing trends and an absence of vinyl chloride. The conceptual site model (CSM) informed by multiple lines of evidence indicates a stable plume that is being effectively remediated by ongoing pumping and is therefore not a risk to impact the municipal wells. In addition, as presented in the *Groundwater Flow Model Update and Hydraulic Capture Evaluation* (Arcadis August 2014), and presented on Figure 1, OW-16D2 and the municipal wells are not within the flow path of groundwater emanating from the Facility.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

e. Undertaking the cleanup of contamination

As indicated above, numerous response actions have been implemented to address CVOC impacts at the Site and include excavation and removal of impacted soil, installation and operation of a SVE system, and installation and operation, and later enhancement of a groundwater treatment system. The treatment system enhancement work is documented in the *Groundwater Treatment System Optimization Work Plan* (Arcadis August 2011).

As presented in the *Remedial Action Plan* (Arcadis January 2009) all sources of CVOCs (tanks, drums, other containers, and secondary containment structures, as well as grossly impacted soils and foundation materials) have been physically removed from the Site as part of the building decommissioning and demolition, subsequent "hot spot" excavations of impacted subsurface soils have been conducted, and a SVE interim response has been implemented.

Current and historical groundwater monitoring data indicate that the current groundwater treatment system, which has been in operation since 1999, is effectively intercepting impacted groundwater associated with the Site and mitigating further migration of Property-related groundwater impacts above the drinking water criteria. In addition, as presented in the *Groundwater Flow Model Update and Hydraulic Capture Evaluation* (Arcadis August 2014) the Property groundwater treatment system extraction wells are providing adequate hydraulic capture of the Property-related CVOC plume.

f. Observation Well OW-16D2 Sampling

As presented above and demonstrated in the *Groundwater Flow Model Update and Hydraulic Capture Evaluation* (Arcadis August 2014), it's our position that OW-16D2 is not within the flow path of groundwater emanating from the Property. However, at the request of EGLE, ZF, recognizing that Observation Well OW-16D2 was included in the expansive and conservative well network originally developed by ZF, Arcadis/ZF submitted a sampling plan for OW-16D2 to EGLE on August 3, 2021 and October 7, 2021 via email, which was approved by you on October 13, 2021 via email (see Attachment 1). Pursuant to this plan, ZF sampled OW-16D2 bi-weekly until October 25, 2021. The concentrations of vinyl chloride in the last six sampling events conducted on August 16, September 1, September 13, September 27, October 11, and October 25, 2021 were below the generic drinking water criterion. Therefore, the sampling frequency will be monthly for November 2021, December 2021, and January 2022. If the concentration of vinyl chloride remains at or below the generic drinking water criterion during these three, monthly sampling events, the sampling frequency will return to the semiannual sampling schedule per the groundwater monitoring plan. If the generic drinking water criterion for vinyl chloride is exceeded during any of the remaining sampling events, the sampling frequency will be bi-weekly through January 2022.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

g. Due Care

ZF is not the owner of the Property and therefore, is not responsible for complying with the due care provisions under Section 20107a of Part 201 that are applicable to the Property.

II. October 2021 Letter and EGLE Request for Interim Response Measure to Install Treatment:

The October 2021 Letter reiterates that vinyl chloride was detected in OW-16D2 above the generic drinking water criteria and states that, *"the concentration of vinyl chloride found at the Property (i.e. Facility) and the proximity to the Village of Milford municipal well field makes this an imminent and substantial endangerment to public health, safety and welfare, and steps are required to abate that danger in accordance with Section 20119."* The October 2021 Letter then requests that ZF initiate the interim response measure of installing treatment on the Milford drinking water system.

ZF disagrees that there is an imminent and substantial endangerment to public health, safety, and welfare that is being caused by the chlorinated solvent plume from the former Kelsey-Hayes Property. The information presented below, includes historical and current data collected by both ZF and other parties, that supports this conclusion.

The following information previously submitted by ZF to EGLE[1] supports ZF's contention that CVOC's from the former Kelsey-Hayes Property are not an imminent and substantial endangerment to public health, safety and welfare, including:

- Vinyl chloride detections in groundwater at the Property were limited to the former storage pad area (see Figure 1) in investigations conducted between 1999 and 2011, with no vinyl chloride detected recently in any wells monitored by ZF.
- Vinyl chloride previously detected in groundwater wells between 1999 and 2011 within the former storage pad area is located upgradient of and entirely within the capture zones of ZF's active groundwater extraction wells. This groundwater treatment system has been in operation since 1999 and has been providing continuous hydraulic capture of groundwater impacts associated with the Facility.
- ZF has completed delineation of groundwater impacts associated with the Facility. None of the observation wells hydraulically downgradient of the facility at Liberty Street exceed the drinking water criteria.

[1] This information has previously been provided to EGLE in the following reports: *1) Remedial Action Plan* (Arcadis January 2009); 2) *2010 Site Investigation Activities and Current Site Conditions Report* (Arcadis March 2011).

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

- ZF has implemented multiple aggressive remedial actions including, source area excavations, soil vapor extraction (SVE), and a groundwater extraction and treatment system at the Facility. These remedies have been executed and completed during the past 25 years and the groundwater extraction and treatment system is continuing.
- ZF expanded the groundwater extraction and treatment system by installing PW-4 to specifically target groundwater impacts that were beyond the hydraulic influence of the Commerce Road ZF extraction wells.
- Results from numeric groundwater modeling completed by Arcadis, and shown on **Figure 1**, clearly shows that the groundwater extraction and treatment system completely captures the impacts from the Facility and shows the location of the ZF plume outside the hydraulic capture of the Milford municipal wells.

ZF has been collecting samples from OW-16D2 since 1998 and vinyl chloride has not been detected above the generic drinking water criteria in any samples collected until recently, in May 2021 and August 2021. The concentrations of vinyl chloride detected at OW-16D2 during the last six sampling events conducted between August 16th and October 25th, 2021 were all below the generic drinking water criteria for vinyl chloride.

Date	Vinyl Chloride (ug/L)	Drinking Water Criteria (ug/L)
May 13	3.5	2.0
June 8	1.2	2.0
August 3	3.0	2.0
August 16	1.8	2.0
September 1	1.7	2.0
September 13	1.6	2.0
September 27	1.8	2.0
October 11	1.4	2.0
October 25	1.5	2.0

Based on a several summaries of the data for the Milford municipal well system that have been provided to ZF and Arcadis, vinyl chloride has never been detected in Milford's municipal wells or associated distribution systems during the last 32 years. Therefore, based on the information that ZF has, it does not appear that there is an imminent and substantial endangerment to public health, safety and welfare and the installation of a treatment system on the Village of Milford drinking water system is not necessary.

In addition, there is no basis to conclude vinyl chloride at the levels detected in OW-16D2 will result in vinyl chloride being detected above drinking water criteria in Milford's municipal wells or its municipal water system.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

In sharp contrast to OW-16D2, the Milford municipal wells have screens 20 feet long with an average pumping rate of 470 gallons per minute (gpm) and draw water from a large area, including to the east and south (i.e., the opposite direction of OW-16D2). Because the municipal wells draw groundwater from such a large area, even if vinyl chloride were to migrate from OW-16D2 to the municipal wells (which there is no evidence of) it would not cause an exceedance of the generic drinking water criteria in the municipal water.

Finally, ZF disputes EGLE's assertion that the source of the vinyl chloride found in OW-16D2 is from the former Kelsey-Hayes Property. Observation well OW-16D2 and the Milford municipal wells are not within the flow path of groundwater emanating from the Property. There are multiple other confirmed sources of CVOC contamination near and upgradient of OW-16D2, which include vinyl chloride as a contaminant, and several known CVOC plumes in the Village of Milford. The other known sources include the former Spiral Industries site and the Coe's Cleaners site, discussed further below. See attached **Figure 1**, which shows the known source areas and the municipal well capture zone within the Village of Milford. The Spiral Industries site and the Coe's Cleaner site are upgradient of and directly in the groundwater flow path of OW-16D2 and the Milford municipal wells. Based on the probability that other sites may be the source of the vinyl chloride found in OW-16D2, and the multiple lines of evidence that ZF has that the Property is not the source of vinyl chloride impacts in OW-16D2, ZF contends that there is no conclusive evidence regarding the source of the vinyl chloride in OW-16D2. Therefore, ZF disputes EGLE's presumption that the former Kelsey-Hayes Property is the source.

a. Former Spiral Industries – 140 and 150 West Summit Street

The former Spiral Industries site is located north of the Milford municipal wells. Based on a Baseline Environmental Assessment (BEA) submitted to EGLE in June 2014, concentrations of CVOCs detected at the former Spiral Industries site include, but are not limited to: vinyl chloride (Soil: 709 ug/kg and Groundwater: 280 ug/l), trichloroethene (Soil: 2,620,000 ug/kg and Groundwater: 153 ug/l), and cis-1,2 dichloroethene (Soil: 215,000 ug/kg and Groundwater: 650 ug/l). The concentrations of vinyl chloride at Spiral Industries are more than two times higher than any vinyl chloride concentrations ever detected at the former Kelsey-Hayes Property. Unlike the Property, the former Spiral Industries site is directly upgradient of and within proximity to the Milford municipal well capture zone. EGLE should be aware of this information based on EGLE's acknowledgement of receipt of the BEA.

Furthermore, the BEA for the Spiral Industries site indicates that:

- The property is a "Facility" as defined by Part 201.
- The source, nature and extent of contamination at the property is not fully delineated.
- Soil and groundwater contamination at the site, including with vinyl chloride and other CVOCs, is within the Village of Milford and directly upgradient of the Milford municipal wells.
- To ZF's knowledge this site has not yet implemented response actions and therefore, represents an unmitigated risk to the Village of Milford municipal wells.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

b. Former Coe's Cleaners site – West of Main Street just north of Center Street

As for the Coe's Cleaners site, EGLE has also long been aware of and directly overseeing the ongoing investigation and cleanup of CVOCs emanating from this site. The groundwater monitoring wells associated with this site are located immediately upgradient of and within the Milford municipal well capture zone, as determined by the model results and shown on Figure 1. The concentrations of tetrachloroethene detected in soil samples collected at the former Coe's Cleaner site during an August 2007 investigation performed by Weston Solutions, Inc., ranged from 51 ug/kg to 22,000 ug/kg. There has been no source area removal or remediation performed at the Coe's Cleaner site.

III. Conclusion:

As detailed above and previously presented in various reports to EGLE, ZF has performed extensive response actions including site investigations and remediation at the Property and surrounding area for many years. These actions have achieved consistent compliance with Part 201 requirements. ZF continues to perform ongoing response actions associated with the Property, such as operating an active groundwater pumping remedy and completing groundwater monitoring. These remedies continue to be effective at removing CVOC mass from the aquifer and preventing the migration of contaminants from the Property. During the past 30 years, ZF has implemented response activities to achieve cleanup criteria or protect from exposure to the contamination at the Property and continues to do so.

Furthermore, based on the information presented in this letter, ZF disputes EGLE's assertion that there is an imminent and substantial endangerment to public health, safety, and welfare that is being caused by the chlorinated solvent plume from the Property. Based on the multiple lines of evidence that ZF has presented in this response, there is no conclusive evidence regarding the source of the vinyl chloride in OW-16D2 and ZF disagrees with EGLE's presumption that the former Kelsey-Hayes Property is the source. ZF does not have any information indicating that the Village of Milford drinking water system has been or could imminently be impacted with vinyl chloride. Therefore, it does not appear that there is an imminent and substantial endangerment to public health, safety and welfare and the installation of a treatment system on the Village of Milford drinking water system is not necessary and is not ZF's responsibility.

In light of the extensive response actions already undertaken by ZF, the complex history of CVOC contamination in the Village of Milford, and EGLE's request that ZF initiate plans to install treatment on the Milford municipal wells, ZF believes a technical meeting with EGLE would be a productive next step. Arcadis and ZF have made multiple attempts to schedule such a meeting with EGLE, most recently by calling you on November 9th. ZF would appreciate hearing from you regarding some dates and times that EGLE would be available to schedule a technical meeting. Please contact me at your earliest convenience.

.

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Sincerely,

ZF Active Safety US Inc.

Scott D. Detwiler
Regional EHS Manager
ZF Health Safety and Environmental

Cc: John McInnis, Arcadis
Robert Bleazard, ZF Group
Kelly M. Martorano, ZF Group

Attachments: Attachment 1 – Email Correspondence with K. Wojciechowski
Figure 1 – Municipal Well Capture Zone and Known CVOC Sources

ZF Active Safety US Inc.
12001 Tech Center Drive
Livonia, Michigan 48150-2122
USA
Phone: +1 734 855-2600
www.zf.com

Attachment 1

McInnis, John

From:	Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Sent:	Wednesday, October 13, 2021 12:49 PM
To:	McInnis, John
Cc:	Detwiler Scott MSA HEEN; Christian Wuerth; Owens, Paul (EGLE); Wilson, Cheryl (EGLE); Dewyre, Robin (robin.dewyre@amecfw.com); Mark Sweatman; Christian Wuerth; Mike Karll
Subject:	RE: Monitoring Well 16D2 Sampling

John,

Continue to monitor OW-16D2 as scheduled below.

Thanks,

Kevin Wojciechowski
Senior Environmental Quality Analyst
Michigan Department of Environment, Great Lakes, and Energy
Remediation Redevelopment Division
Warren District Office
Cell: 586-623-2948
wojciechowskik@michigan.gov
Pollution Emergency Alerting System: 1-800-292-4706

From: McInnis, John <John.McInnis@arcadis.com>
Sent: Thursday, October 7, 2021 9:53 AM
To: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Christian Wuerth <cwuerth@villageofmilford.org>; Owens, Paul (EGLE) <OWENSP@michigan.gov>; Wilson, Cheryl (EGLE) <WILSONC3@michigan.gov>; Dewyre, Robin (robin.dewyre@amecfw.com) <robin.dewyre@amecfw.com>; Mark Sweatman <mark.sweatman@woodplc.com>; Christian Wuerth <cwuerth@villageofmilford.org>; Mike Karll <mkarll@villageofmilford.org>
Subject: RE: Monitoring Well 16D2 Sampling

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Good morning Kevin,

Currently, we are operating in accordance with the Observation Well 16D2 sampling plan submitted to EGLE on August 3, 2021 via email. Sampling of Observation Well OW16D2 will continue bi-weekly, at a minimum, until October 25, 2021. The concentrations of vinyl chloride in the last three sampling events conducted on 8/16/21, 9/1/21, and 9/13/21 were below the drinking water criterion (DWC). If concentrations of vinyl chloride remain at or below the DWC for the next three sampling events (9/27/21, 10/11/21, and 10/25/21), the sampling frequency will change to monthly for the following three months (November 2021, December 2021, and January 2022). If the concentration of vinyl chloride remains at or below the DWC during these three months, the sampling frequency will return to the semiannual sampling schedule per the groundwater monitoring plan. If the DWC for vinyl chloride is exceeded during any of the remaining

sampling events, the sampling frequency will remain at bi-weekly during the months of November 2021, December 2021, and January 2022.

Regarding the request for a Response Activity Plan (ResAP), we are reviewing site information and are planning to provide the ResAP in accordance with the 90-day schedule mentioned in the Compliance Communication, dated September 1, 2021.

I was able to track down a copy of the 1998 Techna Interim Response Work Plan if you still need it.

Please let me know if you have any questions.

Thanks, John

From: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Sent: Wednesday, October 6, 2021 12:31 PM
To: McInnis, John <John.McInnis@arcadis.com>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Christian Wuerth <cwuerth@villageofmilford.org>; Owens, Paul (EGLE) <owensp@michigan.gov>; Wilson, Cheryl (EGLE) <WILSONC3@michigan.gov>; Dewyre, Robin (robin.dewyre@amecfw.com) <robin.dewyre@amecfw.com>; Mark Sweatman <mark.sweatman@woodplc.com>; Christian Wuerth <cwuerth@villageofmilford.org>; Mike Karll <mkarll@villageofmilford.org>
Subject: RE: Monitoring Well 16D2 Sampling

Good afternoon John,

What is ZF Corps plans for sampling OW-16D2 after the last October monitoring event? How are things progressing on the Response Active Plan for the groundwater? Now that we have received more data from the wells in the park the hit of vinyl chloride is not going away. Wood has found some old data from when these wells were installed, EGLE is going to be looking for the actual report from the 1990's because Wood doesn't have the complete report. This data is the vertical aquifer profiling that was done when the wells were installed. We can have a meeting once EGLE can track down that report.

Mark, what was the title and date of that vertical aquifer sampling report?

Thanks,

Kevin Wojciechowski

Senior Environmental Quality Analyst
Michigan Department of Environment, Great Lakes, and Energy
Remediation Redevelopment Division
Warren District Office
Cell: 586-623-2948
wojciechowskik@michigan.gov
Pollution Emergency Alerting System: 1-800-292-4706

From: Samp, Marina <Marina.Samp@arcadis.com>
Sent: Thursday, August 5, 2021 1:46 PM
To: Mike Karll <mkarll@villageofmilford.org>; Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Christian Wuerth <cwuerth@villageofmilford.org>; McInnis, John <John.McInnis@arcadis.com>
Subject: RE: Monitoring Well 16D2 Sampling

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Hi Kevin and Mike,

A tentative schedule for the next couple months is outlined below. Field staff have reviewed and indicated this will work with their schedules so I do not anticipate too many, if any, changes at this time. Contact info for field staff is listed below in the event it is needed.

- Monday, August 16th at 9:30 AM (Stacey Hannula/Emma Witherspoon)
- Wednesday, September 1st at 9:30 AM (Stacey Hannula/Allyson Hartz)
- Monday, September 13th at 9:30 AM (Allyson Hartz)
- Monday, September 27th at 9:30 AM (Allyson Hartz)
- Monday, October 11th at 9:30 AM (Stacey Hannula)
- Monday, October 25th at 9:30 AM (Stacey Hannula)

Allyson Hartz: 313-401-7398
Stacey Hannula: 517-203-8600

Please let John or myself know if there are any questions or concerns with this schedule.

Thanks!

From: McInnis, John <John.McInnis@arcadis.com>
Sent: Thursday, August 5, 2021 9:50 AM
To: Mike Karll <mkarll@villageofmilford.org>; Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Samp, Marina <Marina.Samp@arcadis.com>; Christian Wuerth <cwuerth@villageofmilford.org>
Subject: RE: Monitoring Well 16D2 Sampling

Thanks Mike,

Marina has been working on a tentative schedule for the sampling of Monitoring Well 16D2 and will pass it around to the group.

Thanks, John

From: Mike Karll <mkarll@villageofmilford.org>
Sent: Wednesday, August 4, 2021 4:36 PM
To: McInnis, John <John.McInnis@arcadis.com>; Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Samp, Marina <Marina.Samp@arcadis.com>; Christian Wuerth <cwuerth@villageofmilford.org>
Subject: RE: Monitoring Well 16D2 Sampling

Good afternoon John,

That should not be an issue. We do have Milford Memories the weekend prior but cleanup should be wrapping up by then. Could you please provide a tentative schedule for the future sampling events for the next couple of months?

Thank you,

Mike Karll
Director of Public Services
Village of Milford
Office: 248-685-3055
Cell: 248-396-2315
Fax: 248-684-3465

From: McInnis, John
Sent: Wednesday, August 4, 2021 3:30 PM
To: Wojciechowski, Kevin (EGLE); Mike Karll
Cc: Detwiler Scott MSA HEEN; Samp, Marina
Subject: Monitoring Well 16D2 Sampling

Hi Kevin and Mike,

Any conflicts with conducting the next sampling event of Monitoring Well 16D2 on August 16, 2021 around 9 AM?

Thanks, John

John McInnis PE
Senior Engineer/Project Manager
Arcadis of Michigan, LLC
28550 Cabot Drive Suite 500 | Novi, MI | 48377 | USA
T +1 248 994 2285
M +1 248 982 9674
www.arcadis.com





Professional Registration / PE-MI, 6201037207

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While

reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

FORMER SPIRAL INDUSTRIES (2013)
Soils
VC - 63 TO 709 µg/kg
TOTAL CVOCs - 98 TO 2,676,000 µg/kg
Groundwater
VC - 6 TO 280 µg/L
TOTAL CVOCs - 13 TO 950 µg/L
FORMER COES' CLEANERS (2007)
Soils
TOTAL CVOCs - 410 TO 22,000 µg/kg
Groundwater
TOTAL CVOCs - 3 TO 52 µg/L
FORMER KELSEY-HAYES
FORMER SPIRAL INDUSTRIES
FORMER COES CLEANERS
FORMER KELSEY-HAYES
VILLAGE WELLS
IRON REMOVAL PLANT
PROSPECT HILL SHOPPING CENTER
MILL POND
MILL CREEK
HUBBELL POND
OUTFALL
DISCHARGE PIPING
GROUNDWATER TREATMENT BUILDING
UPPER MILL POND
NOTES:
1.1.5 - LATEST CONCENTRATION OF VINYL CHLORIDE REPORTED IN µg/L.
2. ABBREVIATIONS:
E Commerce St
W Commerce St
E Summit St
W Summit St
N Main St
S Main St
Union St
Canal St
Cedar St
Ogden St
Division St
Cocoran Dr
N Mill St
V MARY Rd
Oakland Ave

Figure 1

MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY
REMEDIATION AND REDEVELOPMENT DIVISION
PO BOX 30426, LANSING, MICHIGAN 48909-7926

Request for EGLE Review of Response Activity Plan

This form is required for submittal of a request for EGLE to review a Response Activity Plan, under Section 20114b, Part 201, Environmental Remediation, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended.

Section A: Type of Response Activity Plan being Submitted (Check all that apply):

Remedial Investigation	☐	20b(2)Site Specific Criteria	☐
Evaluation Plan	☒	*(modification of generic criteria)*	
Feasibility Study	☐	20b(3) Site Specific Criteria or Surrogate	☐
Remedial Action Plan	☐	*(no generic criteria available)*	
Interim Response Plan	☐	Section 20118(4) and (5) Request	☐
Mixing Zone Request	☐	Land or Resource Use Restrictions	☐
20e(14) De Minimus GSI Impact	☐	Other, Specify:	☐

The Response Activity Plan addresses the entire facility: ☐
(entire facility as defined by Part 201, all releases, hazardous substances, and environmental media)

The Response Activity Plan does not address the entire facility: ☒
Please specify the release(s), hazardous substance(s), environmental media, and/or portions of the facility addressed by the Response Activity Plan: Reported detection of vinyl chloride at Observation Well OW-16D2.

Section B: Facility/Property Subject to (Check all that apply):

Facility regulated under Part 201 Part 201 Facility ID (if known): 63000952	☒
Leaking Underground Storage Tank regulated pursuant to Part 213 Part 211/213. Facility ID, if known:	☐
Oil or gas production and development regulated pursuant to Part 615 or 625	☐
Licensed landfill regulated pursuant to Part 115	☐
Licensed hazardous waste treatment, storage, or disposal facility regulated pursuant to Part 111	☐
Consent Agreement or other legal agreement with EGLE	☐

Section C: Facility and Locational Information:

Facility Name: Former Kelsey-Hayes Plant Property

Street Address of Property: 101 Oak Street

City: Milford State: Michigan Zip: 48381

Property Tax ID (include all applicable IDs):16-10-227-018

Status of submitter relative to the property (check all that apply):

	Former	Current	Prospective
Owner	☒	☐	☐
Operator	☒	☐	☐

County: Oakland
City/Village/Township: Milford
Town: T 2N Range: R 7 E Section: 10
Quarter: NE Quarter-Quarter: NE

Decimal Degrees Latitude: 42.593101
Decimal Degrees Longitude: -83.602459

Reference point for latitude and longitude:
Center of site ☒ Main/front door ☐
Front gate/main entrance ☐ Other ☐

Collection method:
Survey ☐ GPS ☒ Interpolation ☐

Section D: Submitter Information:

Entity/person requesting review: ZF Active Safety US Inc.
Contact Person (name and title): Scott Detwiler
Submitter Address: 12025 Tech Center Drive
City: Livonia State: Michigan Zip: 48150
Telephone: 480-722-4139 E-Mail: scott.detwiler@zf.com
Relationship of contact person to the submitter: Same
Owner Name, if different from submitter: Village of Milford Company:
Address: 1100 Atlantic Street
City: Milford State: Michigan Zip: 48381
Telephone: 248-684-1515 E-Mail: info@villageofmilford.org

Section E: Are/were the following present at the facility (Check all that apply):

	Current	Previous	Unknown
Mobile or Migrating Non-Aqueous Phase Liquids (NAPL)	☐	☐	☐
Soil contamination above any residential criteria	☒	☐	☐
Soil contamination above any non-residential criteria	☒	☐	☐
Soil aesthetic impacts	☐	☐	☐
Groundwater contamination above any residential criteria	☒	☐	☐
Groundwater contamination above any non-residential criteria	☒	☐	☐
Groundwater aesthetic impacts	☐	☐	☐
Soil Gas contamination above residential vapor intrusion (VI) screening levels	☐	☐	☐
Soil Gas contamination above non-residential VI screening levels	☐	☐	☐
Conditions immediately dangerous to life or health (IDLH)	☐	☐	☐
Fire & Explosion hazards related to releases	☐	☐	☐
Contamination existing in drinking water supply	☐	☐	☐
Imminent threat to drinking water supply	☐	☐	☐
Impact to Surface Water	☐	☐	☐
Surface Water Sediments above screening levels	☐	☐	☐

Section F: The following questions assist EGLE in evaluating this request.

Known or Suspected Contaminant(s) Type (Check all that apply):
Petroleum ☐ Volatile Organic Compounds ☒ Metals ☐ Other ☐

Current Site Status (Check all that apply):
Undergoing property transfer ☐ Active operations ☐ Inactive operation ☒

Current Property Use:
Residential ☐
Non-residential ☒

Anticipated Property Use:
Residential ☐
Non-residential ☒

Estimated Area of Contamination Addressed in Response Action Plan (Cumulative):
Currently undetermined ☐ < 0.5 acre ☐ > 0.5 acre ☒

Migration:

	Yes	No	Unknown
Has contamination migrated beyond the property **boundaries?**	☒	☐	☐
Has the Notice of Migration been submitted?	☒	☐	☐

Facility Investigation Status:
Ongoing ☐ Complete ☒

Facility Response Activity Status (Check all that apply):
None ☐ IR Implemented ☒ Response Activity Ongoing ☐ Response Activity Completed ☐

Drinking Water Supply for Facility (Check all that apply):
Municipal ☐ Private Well(s) ☐ No Current Water Supply ☒ Municipal Available ☒

On-site Well(s) (Check all that apply):

Drinking Water ☐ Industrial/Commercial Production ☐ Agricultural/Irrigation ☐ No well on-site ☐
Approximate Depth of Well(s): Site Contains Observation Wells Only

Local Drinking Water Supply:

Is facility in a designated Wellhead Protection Area? Yes ☒ No ☐
Distance to nearest off-site drinking water well: 2,000 Feet Private ☐ Municipal ☒

Surface Water Bodies on or Adjacent to Facility (Check all that apply):

Wetlands ☐ Ditch ☐ Stream/River ☒ Lake/Pond ☒

Local Surface Water Bodies:

Distance to nearest wetland: Ditch: Stream/River: Lake/Pond: Approx. 550 Feet
(Downgradient of Site)

Have other plans been submitted for this facility?

Facility Name, if different than this submittal: Same
Date and Name of most recent submittal: Remedial Action Plan-1/30/2009 and Tech Memo Regarding Remedial Action Plan – 1/11/2010

Section G: Environmental Professional Signature:

With my signature below, I certify that this plan and all related materials are true, accurate, and complete to the best of my knowledge and belief.

Signature: Date: 11/23/2021

Printed Name: Troy Sclafani

Company of Environmental Professional: Arcadis

Address: 28550 Cabot Drive, Suite 500

City: Novi State: Michigan Zip: 48377

Telephone: 248-994-2288 E-mail address: Troy.Sclafani@arcadis.com

Section H: Submitter Signature:

With my signature below, I certify that this plan and all related materials are true, accurate, and complete to the best of my knowledge and belief and I am legally authorized to sign for the submitter.

Signature: Date: 11/23/2021

Printed name: Scott Detwiler

Title/Relationship of signatory to submitter: Regional EHS Manager/ZF Active Safety US Inc.

Address: 12025 Tech Center Drive

City: Livonia State: Michigan Zip: 48150

Telephone: 480-722-4139 E-Mail address: scott.detwiler@zf.com

This form and the Response Activity Plan should be submitted to EGLE Remediation & Redevelopment Division District Office for the county in which the property is located, unless the response activity is related to a facility that is regulated by another EGLE Division. A district map is located at www.michigan.gov/EGLErrd. If regulated by another division, contact should be made with that division for information on where to submit the form and plan.

For information or assistance on this publication, please contact the (program), through EGLE Environmental Assistance Center at 800-662-9278. This publication is available in alternative formats upon request.
EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.

ATTACHMENT 5

Initial and Follow-up Design Meeting Minutes (April 20, May 3, 6, and 10, 2022)

AGENDA and MEETING MINUTES
April 20, 2022
Initial Design Meeting
Village of Milford Drinking Water System
Air Stripper Installation
(Discussion Purposes Only)

Pursuant to Paragraph 5.2.a of EGLE Administrative Order AO-RRD-22-001

- Introduction
  - Completed introduction of call participants representing: ZF, Arcadis, Village of Milford (VOM), Wood (VOM consultant), and EGLE
  - Tiffany Yusko-Kotimko (EGLE) asked who was taking design lead (i.e. VOM/Wood lead with ZF/Arcadis as support, or ZF/Arcadis lead with VOM/Wood as support). Tiffany indicated EGLE has been having conversations with Wood and the Village. Based on the AO, ZF has anticipated that ZF would be driving the design with input from Wood and Village.
  - Village's desire is that a solution is designed and installed as quickly as possible that protects the DW supply, and is open to having Arcadis design with Wood providing QC. Tiffany indicated that some of the milestones in the AO were intended to have a more integrated design interface to smooth out the permitting process.
  - Roles and responsibility follow-up call currently scheduled for April 27. A follow-up onsite meeting to discuss information with Wood and Village was also suggested.

- Project Status – Procurement of Equipment Information/Specifications
  - VOM/Wood has started some initial design activities (i.e. site walk, inquiry with equipment suppliers for equipment availability, etc.)
  - VOM has reached out to supplier of iron removal equipment to confirm efficacy of that system to remove VC
  - Discussed the fact that no "Force Majeure" provisions exist in the AO, and requested that EGLE (Kevin W.) provide the criteria and documentation expectations for what would be considered legitimate claims of "sufficient cause" for securing relief from compliance dates in the AO due to circumstances beyond our control

- Site Layout – Proposed Air Stripper/Building Location
  - Discussed possible location of air stripper in either the well building complex or iron removal plant
  - Not enough space in any existing buildings, however, likely enough space within the fenced area of the iron removal plant for an additional pad/pedestal for an air stripper

- Information Needs – (As-builts-existing site plans, process flow and instrumentation diagrams, equipment specifications, etc.)
  - VOM confirmed full access to existing site plans/as-builts, flow diagrams, etc.

- EGLE Permitting Requirements (Act 399/Air permit Exemption)
  - Act 399 Construction Permit will be required
  - Permitting process has to go thru the Village and they have to sign off on any design before it goes to EGLE for permitting
  - Air permit not likely required
  - If sufficient soil disturbed an Erosion Control Permit from the County may be required

- Village of Milford Requirements (Permits, access, working hours/limitations during events, T&C's for working on the water system)
  - These provisions will be further discussed once roles and responsibilities are clearly defined

- 80% Design/Meeting Schedule
  - Discussed the due date for the 80% Design Meeting, per the AO, is within 30 days from today

- Other Design Considerations
  - Wood mentioned the need to review the design and its impact on the water quality (e.g. ORP, pH, etc.) that could cause issues in the distribution system

MEETING MINUTES
May 3, 2022
Design Group Meeting
Village of Milford Drinking Water System
Vinyl Chloride Treatment System
(Discussion Purposes Only)

- Participants (Design Group)
  - Mike Karll, VOM
  - Kevin Wojciechowski, EGLE (RRD)
  - Tiffany Yusko-Kotimko, EGLE (DW & EHD)
  - Scott Detwiler, ZF
  - John McInnis, Brad Hitts, Grant Andrews, Arcadis,
  - Jeshua Hansen, Wood (VOM consultant)
  - Ted Erickson, IMEG, (Wood consultant)

- Design Updates
  - Discussed potential options (vinyl chloride treatment system before or after the iron removal system) and preliminary advantages and disadvantages.
  - Currently reviewing performance efficiency for various options including using the existing aeration units, larger units, or adding a third unit. Arcadis indicated that a preliminary review was performed by DeLoach Industries, Inc. (the proposed manufacturer of the air stripping units), but further analysis was underway.
  - A review of the potential maintenance requirements was requested with the new air stripping units.
  - It was recommended that an extra set of the packing media be provided as part of the specifications to help facilitate the cleaning process.
  - A review of the stand-by power source was requested if an increase in the well pumps is required.

- Other Design Considerations
  - Tiffany Yusko-Kotimko indicated that the 10 States Standards need to be reviewed under Section 4.7 and 4.75 which includes requirements for air stripping units.

- Information Needs
  - No concerns with receiving access to existing site plans/as-builts, flow diagrams, etc. from the VOM.

MEETING MINUTES
May 6, 2022
Design Group Meeting
Village of Milford Drinking Water System
Vinyl Chloride Treatment System
(Discussion Purposes Only)

- Participants (Design Group)
  - Mike Karll, VOM
  - Kevin Wojciechowski, EGLE (RRD)
  - Tiffany Yusko-Kotimko and Nick Swiger, EGLE (DW & EHD)
  - Scott Detwiler, ZF
  - John McInnis, Arcadis,
  - Rob Dewyre and Jeshua Hansen, Wood (VOM consultant),

- Design Updates
  - Arcadis presented four options for the vinyl chloride treatment system and discussed advantages and disadvantages. Performance data was also presented for each option. Option 4 includes two new air strippers placed prior to the iron removal system and potentially upgrades to the two well pumps. This option met the performance requirements of the AO. There were no objections to moving forward with the Option 4 configuration.
  - Regarding the basis of design and performance, Arcadis will request updated performance data from DeLoach Industries, Inc. (the proposed manufacturer of the air stripping units) under different flow scenarios for informational purposes only.
  - Initial information was also presented on potential maintenance cleaning frequency for the new units.

- Other Design Considerations
  - Tiffany Yusko-Kotimko indicated that she would review potential corrosion issues resulting from the increased aeration of the proposed air stripping units.

- Information Needs
  - No concerns with receiving access to existing site plans/as-builts, flow diagrams, etc. from the VOM.

MEETING MINUTES
May 10, 2022
Design Group Meeting
Village of Milford Drinking Water System
Vinyl Chloride Treatment System
(Discussion Purposes Only)

- Participants (Design Group)
  - Mike Karll, VOM
  - Kevin Wojciechowski, EGLE (RRD)
  - Tiffany Yusko-Kotimko and Nick Swiger, EGLE (DW & EHD)
  - Scott Detwiler, ZF
  - John McInnis, Brad Hitts, and Grant Andrews, Arcadis,
  - Rob Dewyre and Jeshua Hansen, Wood (VOM consultant),
  - Ted Erickson, IMEG, (Wood consultant)

- Design Updates
  - ZF clarified that the design the vinyl chloride treatment system would be based on the performance of criteria stated in the AO which requires treatment of 50 ug/L of vinyl chloride to less than 2 ug/L at a flow rate of 1,375 gpm.
  - Arcadis presented the process flow diagram to the for the selected configuration showing two new air strippers placed prior to the iron removal system. There were no objections to the configuration.
  - It was also noted that the well pumps may also need to be upgraded pending analysis of the hydraulics. The proposed air strippers are approximately 10 feet taller than the existing aeration units.
  - Arcadis presented a basis of design summary (two air stripping units operated in parallel), preliminary air stripper specifications, and information on air stripper cleaning. Removal efficiency for vinyl chloride at 1,400 and 2,100 gallons per minute met the performance criteria required by the AO (50 ug/L to less than 2 ug/L) according to calculations performed by DeLoach Industries, Inc. (the proposed manufacturer of the air stripping units). There was a question regarding the air stripper meeting NSF standards. The requirement was understood. Arcadis will verify with DeLoach that the components of the air stripping units are NSF certified. Documentation will be provided during the design review process.
  - Additional information was also provided on potential cleaning frequency for the new units.
  - Arcadis reviewed preliminary stand-by generator electrical requirements but indicated that further evaluation will be performed if new well pumps are needed.
  - It was also noted that an extra set of the packing media be provided as part of the specifications to help facilitate the cleaning process.


- Other Design Considerations
  - Tiffany Yusko-Kotimko indicated that she would review potential corrosion issues resulting from the increased aeration of the proposed air stripping units and provide an update by the next meeting.

- Information Needs
  - No concerns with receiving access to existing site plans/as-builts, flow diagrams, etc. from the VOM.

ATTACHMENT 6

Draft Process Flow Diagram and Summary of the Basis of Design and Air Stripping Unit Information

User: GANDREWS Spec: AUS-NCSMOD File: C:\USERS\GANDREWS\ARCADIS\30126485 - ZF 2022 KELSEY-HAYES MILFORD OMM - 01 VILLAGE OF MILFORD TREATMENT SYS DESIGN\WATER\PROCESS FLOW DIAGRAM (OPTIONS).DWG
Scale: 1:1 SavedDate: 5/5/2022 Time: 11:57 Plot Date: Andrews, Grant; 5/5/2022; 11:57 ; Layout: OPTION 4



\+ CONSTRUCTED WITHIN THE FOOTPRINT OF EXISTING FACILITY
\+ NEW, MORE EFFICIENT UNITS CAPABLE OF MEETING REQUIRED VINYL CHLORIDE REMOVAL
\- INCREASED HORSEPOWER ON WELL PUMPS AND BLOWERS

ARCADIS Design & Consultancy for natural and built assets	ZF ACTIVE SAFETY US INC. EGLE ADMINISTRATIVE ORDER DOCKET NO. AO-RRD-22-001	MILFORD, MI WTP VINYL CHLORIDE REMOVAL SYSTEM OPTION 4 NOT TO SCALE	5/5/2022 SK-04

DRAFT

Village of Milford Drinking Water System
Vinyl Chloride Treatment System

The following information was provided by DeLoach Industries, Inc.

Basis of Design (two air stripping units operated in parallel)

Utilized 7'-6" sq. units with 14' bed depth of 3.5" Tripack, 30:1 A/W ratio (5615 cfm) @ 50 F influent water temperature. Assumed influent vinyl chloride concentration of 50 ug/L and cis-1,2-dichloroethene concentration of 4 ug/L.

Vinyl Chloride removal @1400 gpm - 98.7% (0.7 ug/L)

Vinyl Chloride removal @2100 gpm - 98.0% (1.0 ug/L)

Cis-1,2-dichloroethene removal @ 1400 gpm - 57.6% (1.7 ug/L)

Cis-1,2-dichloroethene removal @ 2100 gpm - 56.4% (1.7 ug/L)

Preliminary Specifications – Each Air Stripping Unit (For Informational Purposes Only)

a) One (1) aluminum reinforced 7'-6" sq. X 20'-0" tall vessel which will be constructed of ¼" thick, 3003 or 5052 aluminum. The interior of the vessel shall be completed with a smooth finish.
b) One (1) water separation demister will be attached to the vessel exhaust to prevent moisture droplets from leaving within the air stream.
c) One (1) NSF approved distribution system. The distributor shall be a header lateral type design and will be equipped with Munters 1-D nozzles for even distribution of water. The nozzles shall be sized to allow a design flow rate of 1400 GPM.
d) Four (4) air intake vents with 316 stainless steel screen
e) One (1) media support grating system
f) Fourteen (14) feet bed depth of 3.5" Tripack media
g) Three (3) 24" x 24" access hatches with neoprene gasket and 316 ss 1/4" bolts.
h) Four (4) elevated anchor legs with structural anchoring angle.
i) Four (4) lifting lugs
j) One (1) 12" dia. flanged inlet fitting.
k) One (1) 12" dia. flanged effluent fitting
n) One (1) cleanout drain with plug

o) One (1) centrifugal type blower with mounting curb

Make: Loren Cook	Model 225 ACEB
S.P. 1.25"	CFM 5615
Hp 3	RPM 1725
Volts 230/460	Phase 3

p) One (1) aluminum ladder with safety cage for access to top of the Air Stripping Tower.

n) One (1) two rail handrail assembly with kickplate for Air Stripping Tower roof perimeter per OSHA.

Air Stripper Cleaning (For Informational Purposes Only)

Recommendations on cleaning estimates are based on experience. The initial recommendation is to have them cleaned after one-year of operation and then potentially adjusted based on inspections and extent of fouling. They have been building and servicing water treatment systems for over 64 years.

Treatment units are typically cleaned onsite by removing the packing media, cleaning in tanks or specialized equipment, and then placing the media back into the units. Under a service agreement and cleaning program, the packing media is typically removed and replaced with a new set. The dirty set is cleaned and kept in storage. The type of cleaning (pressure washing/use of acid) depends on the fouling.

ATTACHMENT 7

April 22, 2022 ZF Work Plan

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department Environmental, Health and Safety
From Scott Detwiler
Phone +1 480-722-4139
Email Scott.Detwiler@zf.com
Date April 22, 2022

VIA EMAIL: WojciechowskiK@Michigan.gov
AND CERTIFIED MAIL

Kevin Wojciechowski, Project Manager
Warren District Office Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety US Inc. Submittal of the Monitoring Well Rehabilitation and Vertical Aquifer Profiling Work Plan Related to the Department of Environment, Great Lakes, and Energy April 14, 2022 Response to ZF's Additional Information for Consideration Related to Administrative Order for Response Activity; EGLE Docket No. AO-RRD-22-001 (AO) Regarding Former Kelsey-Hayes Company, 101 Oak Street, Milford, Oakland County, Michigan, Facility ID No. 63000952 (the "Site").

Dear Mr. Wojciechowski,

ZF Active Safety US Inc. (ZF) is providing the attached Monitoring Well Rehabilitation and Vertical Aquifer Profiling Work Plan (the "Work Plan") for the Department of Environment, Great Lakes, and Energy's (EGLE's) attention related to the April 14th Letter in Response to Additional Information for Consideration Related to the Administrative Order for Response Activity ("EGLE's April 14th Letter").

Pursuant to the Work Plan, ZF will perform the work listed in EGLE's April 14th Letter and will also conduct additional activities to further investigate, redevelop and possibly replace monitoring well OW-16D2, and gather information to further assess the aquifer. ZF will coordinate with EGLE and the Village of Milford as appropriate regarding the activities set forth in the Work Plan.

Thank you for your attention to these matters and please include this letter and its attachment in the administrative record for the AO and the Site.

If you have any questions, please contact me at the phone number listed in the header on the first page of this letter, Mr. Robert Bleazard – ZF Sr. EHS Manager, Environmental Remediation at 480-722-4866, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,

Scott Detwiler
Sr. Regional Manager
ZF Environmental, Health and Safety

Enclosures
cc by email only:

Mr. Robert Bleazard, ZF
Ms. Kelly Martorano, ZF
Mr. John McInnis, Arcadis
Mr. Troy Sclafani, Arcadis
Mr. Grant Gilezan, Dykema
Mr. Paul Stewart, Dykema
Mr. Christian Wuerth, Village Manager, Village of Milford
Ms. Polly Synk, Michigan Department of Attorney General
Ms. Danielle Allison-Yokom, Michigan Department of Attorney General
Mr. Aaron B. Keatley, EGLE - Chief Deputy Director, EGLE
Mr. Kevin Wojciechowski, Project Manager, EGLE
Mr. Josh Mosher, EGLE – Remediation and Redevelopment Assistant Director
Mr. Dan Yordanich, EGLE
Ms. Mary Miller, EGLE
Mr. Darren Bowling, EGLE
Mr. Paul Owens, EGLE
Ms. Cheryl Wilson, EGLE
Ms. Lyndsey Hagy, EGLE
Ms. Katie Noetzel, EGLE

Attachment 1

ZF Monitoring Well Rehabilitation and Vertical Aquifer Profiling Work Plan

Work Plan

SUBJECT
Former Kelsey-Hayes Plant,
101 Oak Street
Oakland County, Michigan
EGLE Facility ID No. 63000952

TO
Kevin Wojciechowski and Tiffany Yusko-Kotimko,
Michigan Department of Environment,
Great Lakes, And Energy

DATE
April 22, 2022

OUR REF
Monitoring Well Rehabilitation and Vertical Aquifer Profiling Work Plan

DEPARTMENT
Environment

PROJECT NUMBER
30046730

COPIES TO
Christian Wuerth, Village of Milford
Mike Karll, Village of Milford

OVERVIEW

On behalf of ZF Active Safety US Inc. (ZF), Arcadis of Michigan, LLC (Arcadis) has prepared this Monitoring Well Rehabilitation and Vertical Aquifer Profiling (VAP) Work Plan (Work Plan) to document proposed activities for the rehabilitation of Monitoring Well OW-16D2, VAP, and potential new well installation. This Work Plan was prepared pursuant to ZF's Letters to Michigan Department of Environment, Great Lakes, and Energy (EGLE) dated April 8, April 13 and April 15, 2022, and EGLE's letter to ZF dated April 14, 2022 and related email correspondence. This Work Plan describes the process for rehabilitating OW-16D2 (including possibly the introduction of an additive), conducting VAP, and possibly replacing OW-16D2.

The objective of these activities as mentioned in the above referenced correspondence is to ensure a properly performing and reliable monitoring well exists at or near the location of OW-16D2 that will provide groundwater data representative of conditions in the aquifer for comparison to Part 201 criteria and for determining whether the Administrative Order for Response Activity, EGLE Docket No. AO-RRD-22-001 was based on accurate prior data concerning the presence of vinyl chloride at that location. In addition, VAP (at three locations) will assess the lateral and vertical extent of groundwater impacts at and in the proximity of OW-16D2 and can be used to verify that the existing screen in OW-16D2 is in the zone of highest contamination and most representative of the impacted groundwater intended to be monitored by OW-16D2. The VAP can also be used if the rehabilitation of OW-16D2 does not meet the objectives set forth above and it is determined that replacement of OW-16D2 is necessary. See **Figures 1 and 2** for reference.

MONITORING WELL OW-16D2 REHABILITATION

Field activities associated with the rehabilitation of OW-16D2 will include:

- collecting water samples from OW-16D2 for chemical and biological analysis to determine if the recharging issues observed with the well are related to scaling or biofouling;
- performing a camera survey of the groundwater monitoring well to assess the integrity of the screen and the casing;
- performing a rising head/slug-out test to establish baseline well hydraulic performance;

- conducting redevelopment activities using a combination of surging, swabbing, airlifting, possibly the introduction of an approved additive, and removal of liquids from the well.

Sample Collection for Chemical and Biological Analysis

Water samples will be collected for chemical and biological analysis from OW-16D2 for a complete well profile. The samples will be submitted to Water System Engineering, Inc, (WSE) Ottawa, Kansas. The purpose of the sample is to collect data regarding biological and chemical factors (biofouling, scaling, etc.) that might contribute to the poor hydraulic connection of the current well to the aquifer. The data will be used to determine potential mechanical techniques and/or additives to remove a potential blockage from the well screen or maintain proper hydraulic connection of the well to the aquifer.

The water samples will be collected in two steps: The first sample will be collected from the water initially purged from the well (casing sample). After the first sample has been collected, the well will continue to be purged and the water quality will be monitored, using a multiparameter probe. The multiparameter probe will be used to measure field parameters (temperature, specific conductance, oxygen, pH, and Oxidation-Reduction Potential [ORP]) until they have stabilized within 10 percent, indicating that the well is drawing water from the formation. Once the readings indicate that formation water has entered the well, the second sample (well sample) will be collected. Unlike low-flow sampling, which requires the pump to be placed at the center of the screen, the pump will be placed approximately 5 to 10 feet above the well screen to collect the compete well profile. The pump rate will be up to 1,500 milliliters per minute.

The analysis of the samples will include: pH, alkalinity, bicarbonate, carbonates, chloride, total dissolved solids, conductivity, total hardness, calcium, magnesium, copper, iron, manganese, phosphate, nitrate, silica, sulfate, tannin, potassium, sodium, chlorine, ORP, Total Organic Carbon (TOC), Saturation Index calculation, Heterotrophic plate count, cell count made by adenosine triphosphate (ATP) method, bacterial identification of the two major populations, assessment of aerobic and anaerobic growth, sulfate reducing bacteria (SRB), iron oxidizing bacteria, total and E.coli coliform bacteria, and microscopic evaluation.

Monitoring Well Camera Survey

A down-well camera survey will be conducted to assess the integrity of OW-16D2. The survey will assess potential damage to the casing or the screen and will help determine if there is scaling or bioaccumulation in the well screen. The survey will be accomplished by lowering a camera down the well. Sections of the well with obvious defects or irregularities will be noted. A video recording of the camera survey will be created.

Assessment of Baseline Hydraulic Performance

A rising head/slug-out test will be conducted to establish baseline well performance using a disposable bailer. Field staff will use the following procedure for the test:

1. Measure depth to water and well total depth.
2. Total depth will be taken using a weighted tag line to determine the water column length. The "static" depth to water should be representative of the water level after the well equalizes with the atmosphere. Multiple depth to water measurements will be measured and any trends will be noted.
3. Review the well construction log to determine the screened interval and confirm the depth to the bottom. If discrepancies exist, the project hydrogeologist will be consulted.

4. Equip the well with a vented pressure transducer and program the instrument to read water level changes in 1-second intervals. Leave the laptop connected to the transducer during the test. If the transducer is not vented, install a barologger in the headspace of a nearby well to record barometric pressure.
5. Measure the bailer and rope assembly length and mark the rope at lengths as follows: Rope Mark #1 = Depth to Potentiometric Surface from TOC; Rope Mark #2 = Depth to Potentiometric Surface from TOC + Length of Bailer + Safety Factor (Safety Factor = ten percent (10%) of the Length of Bailer)
6. When deployed, Rope Mark #2 should ensure that the bailer is fully submerged. If a sufficient water column is not available to obtain a full bailer, measure the volume removed upon removal.
7. Slowly insert the bailer into the well and stop just above the potentiometric surface Rope Mark #1.
8. With slack in the rope and the bailer being suspended above the water column, lower the bailer and place the Rope Mark #2 at the top of casing. Clamp the non-bailer end of the rope to a static object to keep the rope in place.
9. Wait for the water level to equilibrate using a water level meter or observe using the transducer data displayed in real-time on the laptop computer.
10. Quickly remove the bailer from the water column and carefully pull it to the surface; start recording elapsed time once the bailer has been removed from the water column. Pour the removed water into an empty bucket.
11. Observe the water level response by measuring depth to water and observing water level changes on a laptop computer, if using a transducer. Allow sufficient time for the water level to recover to pre-test level (static). If completing one test, a recovery to 80% is sufficient.
12. With slow recovery, it is recommended to return to the well after a few days to observe recovery. The transducer will be retrieved once recovery has been achieved. The data will be downloaded and processed after the test.

The test will be performed before and after rehabilitation to evaluate the success of the rehabilitation measures.

Redevelopment of OW-16D2

Following the baseline well performance test, Arcadis will oversee the redevelopment of OW-16D2. Depending on the results of the chemical/biological analysis and camera survey, the redevelopment of OW-16D2 may include the introduction of Aqua-Clear®PFD and mechanical development techniques that will require the use of a water source. The Village of Milford water supply is the most readily available source of water and is proposed for this redevelopment work. If Aqua-Clear®PFD will be used, the date and time of the redevelopment will be coordinated with the Village of Milford to perform the work when its supply wells can be turned-off.

The well was redeveloped using surging/pumping technique on April 1, 2022. However, if additional sediment is found at the bottom of the well, which will be determined by comparing total depth measurements and review of the down well camera survey as described above, the material will be removed via air-lifting or pumping before beginning the next treatment step.

In a first step of the redevelopment process, a nylon brush appropriately sized for the well screen inner diameter (ID) will be used to brush two-foot sections of the screen at least 10 minutes (min) per section until the entire screen has been brushed. This process will be started at the top of the well screen and then continued downward to loosen/remove any biofilm, scaling, or fines that have accumulated on the well screen. After completion, the brush assembly will be removed, the well depth will be measured, and the presence of any sediment or loosened

materials in the bottom of well will be noted. As before, any sediment accumulated at the bottom of the well will be removed via bailer/air lift/pump before beginning the next redevelopment step. This step will be omitted if the review of the camera survey indicates that the well screen is free of scaling or bioaccumulation.

Upon consultation with EGLE and the Village of Milford, a commercially available mud dispersant (Aqua-Clear®PFD which is National Sanitation Foundation (NSF) / American National Standards Institute 60 certified) will be mixed with water following the manufacturer's directions for dosing and introduced into the screened interval. The water will come from the Village of Milford, as that is the nearest water source. Aqua-Clear®PFD is a common liquid polymer dispersant used in the water supply and environmental drilling industry. The material is classified as non-reactive and contains no hazardous substances above Occupational Safety and Health Administration cut-off values. The only ingredient contained in the NSF listing is sodium polyacrylate which is an approved Food and Drug Administration food additive and used in various medical applications. Copies of the NSF certification listing, manufacturer's information, and safety data sheet for Aqua-Clear® PFD are included in **Attachment 1**.

The mixture will be worked through the entire saturated screen interval by surging and brushing the screen for approximately 15 minutes. The dispersant will then be allowed to sit for approximately four hours before continuing well redevelopment activities.

The steps for mixing the dispersant are as follows:

1. Determine the volume of water in the screen area and double the calculated volume to account for water in the gravel pack and formation interface.
2. Once the water volume is determined, calculate the required volume of Aqua-Clear®PFD by using the following formula: Aqua-Clear®PFD (gal or L) = 0.002 x Water Volume (gal or L).
3. This equates to one gallon of Aqua-Clear®PFD for every 500 gallons of water (0.2% by volume) or 2.0 liters of Aqua-Clear®PFD for every cubic meter of water.
4. Mix thoroughly before introducing into well.
5. The preferable application method utilizes a tremie line with the product applied into the screened area.

After allowing the Aqua-Clear®PFD to sit for approximately four hours, mechanical redevelopment will start by lowering an appropriately sized double-surge block (or similar) into the well. Surging will start above the screen to reduce the possibility of "sand-locking" the surge block and will include the following:

- Initial surging will be done with a long stroke and at a slow rate (20 to 25 strokes per minute).
- After surging above the screen, the well will be cleaned by air-lifting.
- Surging will start at the lower end of the screen - gradually working upward, surging in 2-foot intervals until the entire screen has been developed. The well will be surged for a minimum of 10 throws per 2-ft screen interval.

Each interval may require several surge cycles to achieve the best development. The entire length of well screen must be surged.

The surge block will be moved upward faster than downward to pull the fines out of the filter pack, instead of forcing them back in (and allowing for proper settlement).

During the surging, the total depth of the well will be measured periodically to ensure that excessive amounts of sediment are not being pulled through the screen. Any debris accumulated in the well will be removed via simultaneous airlifting (if a combined tool is available) or pumping.

A multiparameter probe will be used to measure field parameters from the redevelopment water including turbidity during redevelopment. Redevelopment (purging) will continue until turbidity is relatively stable (± 10%) and is visibly clear (ideally less than 10 nephelometric turbidity units).

Up to 10 well volumes of water, depending on well production following surging, will be removed from the well once surging has been completed. The extracted liquids will be containerized in totes or tanks and disposed of at the groundwater remediation system at the former Kelsey-Hayes site. The well redevelopment process outlined above will take approximately 8 hours.

Following the redevelopment of OW-16D2, a second hydraulic performance test will be conducted as outlined above. The result will determine if additional mechanical redevelopment will be necessary in the future or possibly plugging and replacement of OW-16D2.

VERTICAL AQUIFER PROFILING

VAP will be conducted at three locations near and west of OW-16D2 (see **Figure 2**) to determine the potential lateral and vertical extent of groundwater impacts. Prior to any intrusive work, the Village of Milford will be contacted for access and Miss Dig 811 will be informed about the activities and requested that utilities to be marked in the work area. In addition, a private utility locating service will be contracted to confirm the markings.

Soil cores will be logged and screened for evidence of volatile organic compounds using a Photo Ionization Detector (PID).

Groundwater samples will be collected at 10-foot intervals from the water table to a maximum depth of 130 feet below ground surface, or the surface of the clay underlaying the aquifer, using sonic drilling methods in combination with an inflatable packer system or a push ahead sampler to isolate the target sampling interval. Samples will be collected top-down, starting at the highest interval going down.

When the target sampling interval has been reached, the water between the packers will be evacuated prior to collecting the sample. After the sample has been collected, the packer will be retrieved and decontaminated. The boring will then be advanced to the next sampling interval and the process will be repeated.

After finalizing sample collection and when the final depth of the boring has been reached, the borehole will be abandoned by injecting a bentonite grout slurry. The grout will be injected starting at the bottom of the hole using a tremie pipe.

Soil cuttings will be containerized in 55-gallon Department of Transportation approved steel drums and temporarily stored near the groundwater treatment system building at the former Kelsey-Hayes Site for waste characterization prior to off-site disposal. All purge water will be disposed of in the groundwater treatment system at the former Kelsey-Hayes Site.

The groundwater samples will be submitted to Eurofins Laboratories and/or another lab for analysis of volatile organic compounds using USEPA Method SW-846 8260D.

The analytical results of the VAP sampling will be used to assess the lateral and vertical extent of groundwater impacts at and in the proximity of OW-16D2 and can be used to verify that the existing screen in OW-16D2 is in the zone of highest contamination and most representative of the impacted groundwater intended to be monitored by OW-16D2. The VAP can also be used if the rehabilitation of OW-16D2 does not meet the objectives set forth above and it is determined that replacement of OW-16D2 is necessary.

If the result of the redevelopment indicates that a replacement for OW-16D2 is necessary, a new 2-inch diameter monitoring well with a 5-foot stainless steel screen will be installed using sonic drilling methods. As described before, the well location and screen placement will be determined by the VAP results.

TARGET SCHEDULE

Arcadis will implement this Work Plan based on the following proposed schedule, pending weather conditions, site access, and EGLE approval of the Aqua-Clear PFD® additive.

- Early May 2022 – Biological and chemical sampling and camera survey of OW-16D2.
- May 2022 – Hydraulic Performance testing, Redevelopment of OW-16D2.
- June 2022 – VAP and potential well replacement.
- Continue groundwater monthly sampling at OW-16D2.
    - The last sample was collected on April 18, 2022
    - The next sample will be collected the week of May 16, 2022.

Enclosures: Figures and Attachments

Figures


1 - Site Layout Map

2 – Site Layout Map with Proposed VAP Locations

Attachment

1 - Product Information for Halliburton AQUA-CLEAR® PFD.

Figures



Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

LEGEND

- MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY MONITORING WELL
- ABANDONED MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY MONITORING WELL
- MONITORING/OBSERVATION WELL
- ABANDONED OBSERVATION WELL
- PUMPING WELL
- GROUNDWATER TREATMENT SYSTEM UNDERGROUND ELECTRICAL
- GROUNDWATER TREATMENT SYSTEM UNDERGROUND ELECTRICAL AND CONVEYANCE PIPING
- GROUNDWATER TREATMENT SYSTEM UNDERGROUND CONVEYANCE PIPING
- GROUNDWATER TREATMENT SYSTEM UNDERGROUND DISCHARGE PIPING
- FORMER KELSEY-HAYES PROPERTY BOUNDARY
- RAILROAD TRACK
- FENCE LINE

0 250 500

SCALE IN FEET

FORMER KELSEY-HAYES PLANT
MILFORD, MICHIGAN

SITE LAYOUT

ARCADIS

FIGURE
1

RL-05
Center St
RL-04
E Liberty St
RL-03
Canal St
RL-02
EGLE GWTS
& WELLS
DLZ-MW-10
N Main St
N Main St
DLZ-MW-6S
RL-01
DLZ-MW-6D
N Main St
S Main St
S Main St
CMWD-01
CMWD-02B
CMWD-02A
RL-11
CMWD-02
DLZ-MW-11D
DLZ-MW-11S
IRON
REMOVAL
PLANT
RL-09
RL-10
RL-06
CMW-02
DLZ-PW1
MW-01-94
MW-02-94
Water St
EGLE GWTS
& WELLS
CMW-04
DLZ-PW-3
DLZ-PW-2
DLZ-MW-13D
DLZ-MW-13S
VILLAGE WELLS
DLZ-MW-12S
DLZ-MW-12D
MW-03-94
OW-16D2
Clinton St
OW-09
OW-09D
OW-09ML-A/B/C/D
MILL POND
W Liberty St
Text
HUBBELL POND
MILL CREEK
OW-18ML-D/E/F
OW-18D
OW-18ML-A/B/C

Service Layer Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

LEGEND

- MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY MONITORING WELL
- MONITORING/OBSERVATION WELL
- ABANDONED OBSERVATION WELL
- PUMPING WELL
- RAILROAD TRACK
- FENCE LINE
- VERTICAL AQUIFER PROFILING (VAP) LOCATION

0 120 240
SCALE IN FEET

FORMER KELSEY-HAYES PLANT
MILFORD, MICHIGAN

SITE LAYOUT WITH PROPOSED VAP BORING LOCATIONS

ARCADIS

FIGURE
2

Attachment 1

Product Information for Halliburton AQUA-CLEAR® PFD.

The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Monday, April 04, 2022** at 12:15 a.m. Eastern Time. Please contact NSF to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:
http://info.nsf.org/Certified/PwsChemicals/Listings.asp?Company=05240&Standard=060&

NSF/ANSI/CAN 60
Drinking Water Treatment Chemicals - Health Effects

Halliburton

3000 North Sam Houston Parkway East
Houston, TX 77032
United States
800-735-6075
281-871-4612
Visit this company's website (http://www.baroididp.com)

Facility : # 1 USA

Miscellaneous Water Supply Products[1]

Trade Designation	*Product Function*	*Max Use*
N-Seal™	Drilling Fluid	NA

[1] These products are designed to be flushed out prior to using the system for drinking water. Before being placed in service, the well is to be properly flushed and drained according to the manufacturer's use instructions.

NOTE: All N-Seal™ from this location is NSF Certified, whether or not it bears the NSF Mark.

Facility : # 4 USA

Miscellaneous Water Supply Products

Trade Designation	*Product Function*	*Max Use*
AQF-2™ XG[1]	Foaming Agent	NA
IDP-1004[1]	Foaming Agent	NA
IDP-1009[2]	Foaming Agent	NA
QUIK-FOAM® HP[2]	Foaming Agent	NA

[1] Certification of this product is based on a well drilling model using assumptions stated in NSF/ANSI Standard 60, Section 8 for well drilling foamers.
[2] Certification of this product is based on a well drilling model using assumptions stated in NSF/ANSI Standard 60, Section 8 for well drilling foamers.

Facility : # 7 USA

Miscellaneous Water Supply Products[1] [2]

Trade Designation	*Product Function*	*Max Use*
IDP-952	Well Sealant	NA
MAX-YIELD TCM	Well Sealant	NA

[1] The sealant is to be mixed at a ratio of not greater than 36 pounds to 50 pounds of grout.
[2] Certified for use as a well sealant additive only when used in conjunction with a well sealant grout.

Facility : # 8 USA

Miscellaneous Water Supply Products[1]

Trade Designation	*Product Function*	*Max Use*
IDP-953	Well Sealant	NA
MAX-YIELD HP	Well Sealant	NA

[1] This product is designed to be flushed out until the turbidity of the water is <1 NTU. Flushing is required before the system may be used for drinking water.

Facility : Belle Fourche, SD

Bentonite[1]

Trade Designation	*Product Function*	*Max Use*
AQUAGEL®	Drilling Fluid	NA
AQUAGEL® GOLD SEAL	Drilling Fluid	NA
AQUAGUARD®	Well Sealant	NA
BAROTHERM® GOLD	Well Sealant	NA
BENSEAL®	Well Sealant	NA
BORE-GEL®	Drilling Fluid	NA
BORE-GROUT®	Well Sealant	NA
IDP-502	Well Sealant	NA
IDP-512	Well Drilling Aid	NA
QUIK-BORE	Well Drilling Aid	NA
QUIK-GEL GOLD®	Drilling Fluid	NA
QUIK-GEL®	Drilling Fluid	NA
QUIK-GROUT®	Well Sealant	NA

[1] This product is designed to be used off-line following manufacturer's use instructions. The well is to be flushed until the turbidity of the water is < 1 NTU before the system may be used for drinking water.

Miscellaneous Water Supply Products

Trade Designation	*Product Function*	*Max Use*
BARAD-399 CORE[2]	Drilling Fluid	NA
BARASORB 955	Well Sealant	NA
IDP-399[2]	Drilling Fluid	NA

[2] These products are designed to be flushed out prior to using the system for drinking water. Before being placed into service, the well is to be properly flushed according to the manufacturer's use instructions. Certification of these products is based on the well drilling model with the following assumptions:

- The amount of well drilling fluid used is 3780 L (1000 U.S. gallons) to which the drilling fluid has been added at the manufacturer's recommended level.
- The aquifer contains 3.1 million liters of water (815,000 gallons) based on a 0.5 acre aquifer of 6.1 meter depth (20 ft.) and 25% porosity.
- The bore hole is 61 meters in total depth (200 ft.), the screen is 6.1 meters in length (20 ft.), and the bore hole is 25.4 cm. in diameter (10 in.).
- The amount of well drilling fluid removed from the well during construction is equal to the combined volumes of the casing and the screen, plus an additional amount removed through the well disinfection and development (90% removed).

- This product should not be used in constructing wells in highly porous formations, such as cavernous limestone.

NOTE: Only Listed products bearing the NSF Mark are NSF Certified.

Facility : Conroe, TX

Miscellaneous Water Supply Products

Trade Designation	*Product Function*	*Max Use*
BARAD-658[1] [2]	Other	NA
IDP-658[1] [2]	Other	NA
IDP-920[3]	Drilling Fluid Well Drilling Aid	NA
PENETROL DRY[3]	Drilling Fluid Well Drilling Aid	NA
QUIK-TROL® GOLD[4]	Well Drilling Aid	NA
QUIK-TROL® GOLD LV[1]	Well Drilling Aid	NA

[1] This product is designed to be used off-line following manufacturer’s use instructions. The well is to be flushed until the turbidity of the water is < 1 NTU before the system may be used for drinking water.

[2] This product is Certified for use as a well sealant additive only when used in conjunction with a well sealant grout.

[3] These products are designed to be flushed out prior to using the system for drinking water. Before being placed into service, the well is to be properly flushed according to the manufacturer's use instructions.
Certification of these products is based on the well drilling model with the following assumptions:
- The amount of well drilling fluid used is 3780 L (1000 U.S. gallons) to which the drilling fluid has been added at the manufacturer's recommended level.
- The aquifer contains 3.1 million liters of water (815,000 gallons) based on a 0.5 acre aquifer of 6.1 meter depth (20 ft.) and 25% porosity.
- The bore hole is 61 meters in total depth (200 ft.), the screen is 6.1 meters in length (20 ft.), and the bore hole is 25.4 cm. in diameter (10 in.).
- The amount of well drilling fluid removed from the well during construction is equal to the combined volumes of the casing and the screen, plus an additional amount removed through the well disinfection and development (90% removed).
- This product should not be used in constructing wells in highly porous formations, such as cavernous limestone.

[4] This product is designed to be used off-line following manufacturer’s use instructions.

The well is to be flushed until the turbidity of the water is 1 NTU before the system may be used for drinking water.

Polyacrylamide[PC]

Trade Designation	*Product Function*	*Max Use*
POLY-BORE™	Well Drilling Aid	NA

[PC] Polyacrylamide Products Certified by NSF International comply with 40 CFR 141.111 requirements for percent monomer and dose.

Polymer Blends[PC]

Trade Designation	*Product Function*	*Max Use*
Clay-Drill	Drilling Fluid	NA

[PC] Polyacrylamide Products Certified by NSF International comply with 40 CFR 141.111 requirements for percent monomer and dose.

Facility : Rosenberg, TX

Miscellaneous Water Supply Products

Trade Designation	*Product Function*	*Max Use*
AQF-2[1] [2]	Foaming Agent	NA
AQF-2™ XG[1]	Foaming Agent	NA
AQUA-CLEAR® AE[3]	Well Rehabilitation Aid	NA
AQUA-CLEAR® MGA[3]	Well Rehabilitation Aid	NA
IDP-1004[1]	Foaming Agent	NA
IDP-1009[1]	Foaming Agent	NA
IDP-930[4] [5] [PC]	Drilling Fluid Well Drilling Aid	NA
PENETROL DRY[2] [4] [5]	Drilling Fluid Well Drilling Aid	NA
Performatrol 930[4] [5] [PC]	Drilling Fluid Well Drilling Aid	NA
QUIK-FOAM® HP[1]	Foaming Agent	NA
QUIK-TROL®	Well Drilling Aid	NA
QUIK-TROL® GOLD[3]	Well Drilling Aid	NA
QUIK-TROL® GOLD LV[3]	Well Drilling Aid	NA
QUIK-TROL® LV	Well Drilling Aid	NA
Quik-Foam®[2]	Foaming Agent	NA

[1] Certification of this product is based on a well drilling model using assumptions staed in NSF/ANSI/CAN 60, Section 8 for well drilling foamers.
[2] This product is designed to be used off-line and flushed out prior to using the system for drinking water, following manufacturer's use instructions.
[3] This product is designed to be used off-line following manufacturer's use instructions. The well is to be flushed until the turbidity of the water is < 1 NTU before the system may be used for drinking water.
[4] These products are designed to be flushed out prior to using the system for drinking water. Before being placed into service, the well is to be properly flushed according to the manufacturer's use instructions.
[5] Certification of these products is based on the well drilling model with the following assumptions:
- The amount of well drilling fluid used is 3780 L (1000 U.S. gallons) to which the drilling fluid has been added at the manufacturer's recommended level.
- The aquifer contains 3.1 million liters of water (815,000 gallons) based on a 0.5 acre aquifer of 6.1 meter depth (20 ft.) and 25% porosity.
- The bore hole is 61 meters in total depth (200 ft.), the screen is 6.1 meters in length (20 ft.), and the bore hole is 25.4 cm. in diameter (10 in.).
- The amount of well drilling fluid removed from the well during construction is equal to the combined volumes of the casing and the screen, plus an additional amount removed through the well disinfection and development (90% removed).
- This product should not be used in constructing wells in highly porous formations, such as cavernous limestone.

[PC] Polyacrylamide Products Certified by NSF International comply with 40 CFR 141.111 requirements for percent monomer and dose.

Polyacrylamide [PC]

Trade Designation	*Product Function*	*Max Use*
EZ-MUD GOLD[5] [PC] [WL]	Well Drilling Aid	NA
EZ-MUD®[5] [PC] [WL]	Well Drilling Aid	NA
EZ-MUD® DP[5] [PC] [WL]	Well Drilling Aid	NA
EZ-MUD® PLUS[5] [6] [PC] [WL]	Well Drilling Aid	NA
POLY-BORE™[5] [PC] [WL]	Well Drilling Aid	NA

[5] Certification of these products is based on the well drilling model with the following assumptions:
- The amount of well drilling fluid used is 3780 L (1000 U.S. gallons) to which the drilling fluid has been added at the manufacturer's recommended level.
- The aquifer contains 3.1 million liters of water (815,000 gallons) based on a 0.5 acre aquifer of 6.1 meter depth (20 ft.) and 25% porosity.
- The bore hole is 61 meters in total depth (200 ft.), the screen is 6.1 meters in length (20 ft.), and the bore hole is 25.4 cm. in diameter (10 in.).

- The amount of well drilling fluid removed from the well during construction is equal to the combined volumes of the casing and the screen, plus an additional amount removed through the well disinfection and development (90% removed).
- This product should not be used in constructing wells in highly porous formations, such as cavernous limestone.

[6] This product is designed for the treatment of surface water before it enters the water treatment facility.

[PC] Polyacrylamide Products Certified by NSF International comply with 40 CFR 141.111 requirements for percent monomer and dose.

[PC] Polyacrylamide Products Certified by NSF International comply with 40 CFR 141.111 requirements for percent monomer and dose.

[WL] These products are designed to be flushed out prior to using the system for drinking water. The well shall be properly flushed and drained before being placed in service.

Polyamines[PY]

Trade Designation	*Product Function*	*Max Use*
SYSTEM-FLOC 360	Coagulation & Flocculation	10mg/L

[PY] Polyamines Certified by NSF International comply with 40 CFR 141.111 requirements for percent monomer and dose.

Polymer Blends[PY]

Trade Designation	*Product Function*	*Max Use*
Clay-Drill	Drilling Fluid	NA

[PY] Polyamines Certified by NSF International comply with 40 CFR 141.111 requirements for percent monomer and dose.

Sodium Carbonate

Trade Designation	*Product Function*	*Max Use*
SODA ASH	pH Adjustment	100mg/L

Sodium Polyacrylate

Trade Designation	*Product Function*	*Max Use*
AQUA-CLEAR® PFD[2] [4] [5]	Well Cleaning Aid	NA

[2] This product is designed to be used off-line and flushed out prior to using the system for drinking water, following manufacturer's use instructions.

[4] These products are designed to be flushed out prior to using the system for drinking water. Before being placed into service, the well is to be properly flushed according to

the manufacturer's use instructions.

[5] Certification of these products is based on the well drilling model with the following assumptions:

- The amount of well drilling fluid used is 3780 L (1000 U.S. gallons) to which the drilling fluid has been added at the manufacturer's recommended level.
- The aquifer contains 3.1 million liters of water (815,000 gallons) based on a 0.5 acre aquifer of 6.1 meter depth (20 ft.) and 25% porosity.
- The bore hole is 61 meters in total depth (200 ft.), the screen is 6.1 meters in length (20 ft.), and the bore hole is 25.4 cm. in diameter (10 in.).
- The amount of well drilling fluid removed from the well during construction is equal to the combined volumes of the casing and the screen, plus an additional amount removed through the well disinfection and development (90% removed).
- This product should not be used in constructing wells in highly porous formations, such as cavernous limestone.

Facility : Lovell, WY

Bentonite[1]

Trade Designation	*Product Function*	*Max Use*
AQUAGEL®	Drilling Fluid	NA
AQUAGEL® GOLD SEAL	Drilling Fluid	NA
BARA-KADE CHIPS	Well Sealant	NA
BORE-GEL®	Drilling Fluid	NA
CASING SEAL™	Well Sealant	NA
EZ-SEAL®	Well Sealant	NA
HOLEPLUG®	Well Sealant	NA
QUIK-GEL GOLD®	Drilling Fluid	NA
QUIK-GEL®	Drilling Fluid	NA

[1] This product is designed to be used off-line following manufacturer's use instructions. The well is to be flushed until the turbidity of the water is < 1 NTU before the system may be used for drinking water.

Number of matching Manufacturers is 1

Number of matching Products is 66

Processing time was 0 seconds

AQUA-CLEAR® PFD

Phosphate-Free Dispersant

Description

AQUA-CLEAR® PFD concentrated liquid polymer dispersant provides superior mud and sediment removal from the producing formation and gravel pack. This product is also a highly effective mud thinner. AQUA-CLEAR PFD dispersant contains no phosphates.

Applications/Functions

- Can disperse mud, sediment and clay from the producing formation and gravel pack in the screened interval.
- Can reduce viscosity and gel strength of drilling fluids

Advantages

- NSF/ANSI Standard 60 certified
- Helps reduce development time
- Helps increase well yield and capacity
- Safe to use on most plastics, rubber and metals
- Non-fermenting
- Can reduce pumping costs

Typical Properties

Appearance	straw colored liquid
Specific gravity	1.2 to 1.4
pH (neat)	6.5 to 7.5

Recommended Treatment

As a Well Development Aid

- Determine volume of water in screen area and double the calculated volume to account for water in gravel pack and formation interface ***or*** determine the static volume of water and add 50% excess.
- Once the water volume is determined, calculate the required treatment volume of AQUA-CLEAR PFD by the following formula:

  AQUA-CLEAR PFD (gal or L) = 0.002 x Water Volume (gal or L)

This equates to one gallon of AQUA-CLEAR PFD for every 500 gallons of water (0.2% by volume) or 2.0 liters of AQUA-CLEAR PFD for every cubic meter of water.

- Mix thoroughly before introducing into well.
- The preferable application method utilizes a tremie line with the product applied into the screened area.
- If necessary, the AQUA-CLEAR PFD/water solution may be poured into the well.
- Mixture should be thoroughly blended in well, then agitated using a surge

© Copyright 2011 Halliburton

AQUA-CLEAR is a registered trademark of Halliburton

Rev. 03/2011

Because the conditions of use of this product are beyond the seller's control, the product is sold without warranty either express or implied and upon condition that purchaser make its own test to determine the suitability for purchaser's application. Purchaser assumes all risk of use and handling of this product. This product will be replaced if defective in manufacture or packaging or if damaged. Except for such replacement, seller is not liable for any damages caused by this product or its use. The statements and recommendations made herein are believed to be accurate. No guarantee of their accuracy is made, however.

Recommended Treatment (continued)

and swab, jetting, or other developmental technique repeatedly every two hours for a period of up to 24 hours.

- Pump to waste until turbidity clears up and then connect well to distribution system.

As a Mud Thinner

- Start by adding one pint of AQUA-CLEAR® PFD to 500 gallons of mud. Increase concentration until desired viscosity is achieved.

Well Capacity Chart (Gallons per Foot)					
Well Diameter (Inches)	**Well Capacity in Gallons/ft**	**Well Diameter (Inches)**	**Well Capacity in Gallons/ft**	**Well Diameter (Inches)**	**Well Capacity in Gallons/ft**
2	0.2	12	5.9	24	23.5
4	0.7	14	8.0	26	27.6
6	1.5	18	13.2	30	36.7
8	2.6	20	16.3	36	52.9
10	4.1	22	19.7	48	94.0

Well Capacity Chart (Liters per Meter)					
Well Diameter (millimeters)	**Well Capacity Liters/meter**	**Well Diameter (millimeters)**	**Well Capacity Liters/meter**	**Well Diameter (millimeters)**	**Well Capacity Liters/meter**
51	2.0	305	73.0	610	292.0
102	8.1	356	99.3	660	342.6
152	18.3	457	164.2	762	456.1
203	32.4	508	202.7	914	656.8
254	50.7	559	245.3	1219	1167.7

Note: The volumes in these tables show only the volume of water in a 1 foot or 1 meter section of a given size of screen. Excess volume must be included to account for water present in the formation interface and gravel pack.

Packaging

AQUA-CLEAR PFD is packaged in 50-lb (22.7-kg) or 25-kg (55-lb) plastic containers or in a case of 4, 1-gal (3.8 liter) plastic containers weighing 43-lbs (19.6-kg).

Availability

AQUA-CLEAR PFD can be purchased through any Baroid Industrial Drilling Products Retailer. To locate the Baroid IDP retailer nearest you contact the Customer Service Department in Houston or your area IDP Sales Representative.

Baroid Industrial Drilling Products
Product Service Line, Halliburton
3000 N. Sam Houston Pkwy E.
Houston, TX 77032

Customer Service	(800) 735-6075 Toll Free	(281) 871-4612
Technical Service	(877) 379-7412 Toll Free	(281) 871-4613

HALLIBURTON

SAFETY DATA SHEET

Product Trade Name: **AQUA-CLEAR® PFD**

Revision Date: 17-Feb-2016 **Revision Number:** 17

1. Identification

1.1. Product Identifier

Product Trade Name: AQUA-CLEAR® PFD
Synonyms None
Chemical Family: Blend
Internal ID Code HM004116

1.2 Recommended use and restrictions on use

Application: Additive
Uses advised against No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier
Baroid Fluid Services
Product Service Line of Halliburton
P.O. Box 1675
Houston, TX 77251
Telephone: (281) 575-5000
Emergency Telephone: 1-866-519-4752 (US, Canada, Mexico) or 1-760-476-3962

Halliburton Energy Services
645 - 7th Ave SW Suite 2200
Calgary, AB
T2P 4G8
Canada

Prepared By Chemical Stewardship
Telephone: 1-281-871-6107
e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number

Emergency Telephone Number 1-866-519-4752 or 1-760-476-3962

2. Hazard(s) Identification

2.1 Classification in accordance with paragraph (d) of §1910.1200

As adopted by the competent authority, this product does not require an SDS or hazard warning label.

Not classified

2.2. Label Elements

Hazard pictograms

Signal Word Not Classified

Hazard Statements Not Hazardous

Precautionary Statements

Prevention	None
Response	None
Storage	None
Disposal	None

2.3 Hazards not otherwise classified

None known

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	60 - 100%	Not classified

The exact percentage (concentration) of the composition has been withheld as proprietary.

4. First-Aid Measures

4.1. Description of first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

Skin Wash with soap and water. Get medical attention if irritation persists.

Ingestion Under normal conditions, first aid procedures are not required.

4.2 Most important symptoms/effects, acute and delayed

No significant hazards expected.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2 Specific hazards arising from the substance or mixture

Special exposure hazards in a fire

Decomposition in fire may produce harmful gases. Spills produce extremely slippery surfaces.

5.3 Special protective equipment and precautions for fire-fighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Spills of this product are very slippery. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.
See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. Handling and storage

7.1. Precautions for safe handling

Handling Precautions
Avoid contact with eyes, skin, or clothing. Wash hands after use. Avoid breathing vapors. Ensure adequate ventilation. Use appropriate protective equipment.
Hygiene Measures
Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information
Store away from oxidizers. Store in a cool, dry location. Product has a shelf life of 24 months.

8. Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable

8.2 Appropriate engineering controls

Engineering Controls Use in a well ventilated area.

8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.
Respiratory Protection Not normally necessary.

Hand Protection Impervious rubber gloves.
Skin Protection Normal work coveralls.
Eye Protection Safety glasses.
Other Precautions None known.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid
Odor: Slight
Color Yellowish
Odor No information available

Property Remarks/ - Method	Values **Threshold:**
pH:	7 - 9
Freezing Point / Range	No data available
Melting Point / Range	No data available
Boiling Point / Range	No data available
Flash Point	> 100 °C / > 212 °F Cleveland Open Cup (COC)
Flammability (solid, gas)	No data available
Upper flammability limit	No data available
Lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	1.3
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

None anticipated

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

11. Toxicological Information

11.1 Information on likely routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Acute Toxicity

Inhalation May cause mild respiratory irritation.

Eye Contact May cause mild eye irritation.

Skin Contact Prolonged or repeated contact may cause slight skin irritation.

Ingestion Swallowing a relatively large amount of this material is unlikely to produce serious illness or death.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

11.3 Toxicity data

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No data available	No data available	No data available

12. Ecological Information

12.1. Toxicity

Ecotoxicity effects

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1. Waste treatment methods

Disposal methods Disposal should be made in accordance with federal, state, and local regulations.
Contaminated Packaging Follow all applicable national or local regulations.

14. Transport Information

US DOT

UN Number Not restricted
UN proper shipping name Not restricted
Transport Hazard Class(es) Not applicable
Packing Group: Not applicable
Environmental Hazards Not applicable

Canadian TDG

UN Number Not restricted
UN proper shipping name Not restricted
Transport Hazard Class(es) Not applicable
Packing Group: Not applicable
Environmental Hazards Not applicable

IMDG/IMO

UN Number Not restricted
UN proper shipping name Not restricted
Transport Hazard Class(es) Not applicable
Packing Group: Not applicable
Environmental Hazards Not applicable

IATA/ICAO

UN Number Not restricted
UN proper shipping name Not restricted
Transport Hazard Class(es) Not applicable
Packing Group: Not applicable
Environmental Hazards Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable
Special Precautions for User None

15. Regulatory Information

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

TSCA Significant New Use Rules - S5A2

Substances	CAS Number	TSCA Significant New Use Rules - S5A2
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

EPA SARA Title III Extremely Hazardous Substances

Substances	CAS Number	EPA SARA Title III Extremely Hazardous Substances
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

EPA SARA (311,312) Hazard Class

None

EPA SARA (313) Chemicals

Substances	CAS Number	Toxic Release Inventory (TRI) - Group I	Toxic Release Inventory (TRI) - Group II
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable

EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable

EPA RCRA Hazardous Waste Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law Does not apply.

NJ Right-to-Know Law Does not apply.

PA Right-to-Know Law Does not apply.

NFPA Ratings: Health 1, Flammability 1, Reactivity 0
HMIS Ratings: Health 1, Flammability 0, Physical Hazard 0 , PPE: B

Canadian Regulations

Canadian Domestic Substances List (DSL) All components listed on inventory or are exempt.

16. Other information

Preparation Information

Prepared By
Chemical Stewardship
Telephone: 1-281-871-6107
e-mail: fdunexchem@halliburton.com

Revision Date: 17-Feb-2016

Reason for Revision SDS sections updated:
7

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms used in the safety data sheet
bw – body weight
CAS – Chemical Abstracts Service
EC50 – Effective Concentration 50%
ErC50 – Effective Concentration growth rate 50%
LC50 – Lethal Concentration 50%
LD50 – Lethal Dose 50%
LL50 – Lethal Loading 50%
mg/kg – milligram/kilogram
mg/L – milligram/liter
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
STEL – Short Term Exposure Limit
TWA – Time-Weighted Average
UN – United Nations
h - hour
mg/m^3 - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
w/w - weight/weight
d - day

Key literature references and sources for data
www.ChemADVISOR.com/

Disclaimer Statement
This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet

ATTACHMENT 8

May 4, 2022 letter from EGLE15

STATE OF MICHIGAN
DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY
WARREN DISTRICT OFFICE

GRETCHEN WHITMER
GOVERNOR

LIESL EICHLER CLARK
DIRECTOR

May 4, 2022

Scott Detwiler
ZF Active Safety US Inc.
11202 East Germann Road
Mesa, Arizona 85212

Dear Scott Detwiler:

SUBJECT: EGLE Response to ZF Active Safety US Inc. (ZF's) Work Plan Related to Monitoring Well Rehabilitation and Vertical Aquifer Profiling Regarding Former Kelsey-Hayes Company, 101 Oak Street, Milford, Oakland County, Michigan, Facility ID No. 63000952.

The Michigan Department of Environment, Great Lakes, and Energy (EGLE), Remediation and Redevelopment Division (RRD) has received your letter on April 22, 2022, providing EGLE with ZF's Work Plan to rehabilitate monitoring well OW-16D2 and installation of three vertical aquifer profiling (VAP) borings.

The RRD has reviewed the Work Plan and has the following recommendations, questions, and concerns:

- The plan calls for a down-well camera survey before rehab activities are preformed but does not require a similar survey at other points such as after cleaning with a nylon brush or after the application of Aqua-Clear PFD. Comparison of the original survey to later surveys would be useful to inform next steps as well as revealing improvements in condition of the well or conditions which were not previously observable and could be a concern.
- Can any additional information be provided regarding what conditions from the well camera survey and chemical/biological results will trigger the use of Aqua-Clear PFD?
- Regarding the process for Aqua-Clear PFD:
    - The work plan states that following introduction of the solution the well will sit for 4 hours. However, the manufacturer recommendation is that the well should be agitated every 2 hours. Why is there a deviation from the manufacturer's recommendations?
    - Will the water level in the well be monitored during this work?
    - If there is insufficient recharge of the well, what measures will be taken to remove and rinse the solution out of the well/gravel pack/formation?
    - Has the manufacturer been contacted regarding potential reactions with vinyl chloride, cis-1,2-DCE, or other chlorinated and PFAS compounds?
- The zone of 'highest contamination" was not defined in EGLE's previous communication with ZF. The zone of "highest contamination" is defined by EGLE as the zone of the highest detected vinyl chloride, or if no vinyl chloride is detected, as the zone with the highest total volatile organic compounds (VOCs). In a scenario where the highest vinyl

chloride detected is in a different zone than highest total VOCs, ZF should meet with EGLE to discuss the placement of the well screen(s).

- The stated maximum depth of VAP borings is 130-feet below grade or to the surface of the clay underlying the aquifer. The VAP borings should be advanced 5 feet into the clay that is encountered at the bottom of the aquifer.
- Slug tests, using a bailer methodology, are to be completed on OW-16D2. A pneumatic displacement method for this well would provide a greater displacement of water in OW-16D2 and therefore improved results. Use of a pneumatic slug test method is recommended.
- What is the reasoning for not collecting VOC samples during the chemical and biological analysis of monitoring well OW-16D2?
- Testing of two water samples mentions microscopic evaluations. What specific microscopic evaluations are to be completed?
- Testing is also being completed for total and E. coli coliform bacterial analysis. The monitoring well is not being disinfected, is bacterial analyses appropriate for OW-16D2?
- What is the reason the VAP drilling is not occurring until June?

If you have any questions regarding this matter, please contact me.

Sincerely,



Kevin Wojciechowski,
Senior Environmental Quality Analyst
Warren District Office
Remediation and Redevelopment Division
586-623-2948
WojciechowskiK@Michigan.gov

cc: Christian Wuerth, Village of Milford
John McInnis, Arcadis
Joost Vant Erve, DHHS
Paul Owens, EGLE
Cheryl Wilson, EGLE
Darren Bowling, EGLE
Lyndsey Hagy, EGLE
Katie Noetzel, EGLE
Tiffany Yusko-Kotimko, EGLE

ATTACHMENT 9

May 15, 2022 Letter from ZF

ZF Active Safety US Inc.
12001 Tech Center Drive, Livonia, Michigan 48150-2122

Department	Environmental, Health & Safety
From	Scott Detwiler
Phone	480-722-4139
Email	scott.detwiler@zf.com
Date	May 15, 2022

VIA E-MAIL TO: WojchiechowskiK@Michigan.gov

Kevin Wojciechowski, Project Manager
Warren District Office Remediation and Redevelopment Division
Michigan Department of Environment, Great Lakes, and Energy
27700 Donald Court
Warren, Michigan 48092

RE: ZF Active Safety Systems Inc. (ZF) response to Michigan Department of Environment, Great Lakes, and Energy Comments Regarding ZF's Well Rehabilitation and Vertical Aquifer Profiling Work Plan submitted on April 22, 2022.

Dear Mr. Wojciechowski,

On May 4, 2022, the Department of Environment, Great Lakes, and Energy (EGLE) sent a response to ZF Active Safety Systems Inc. ("EGLE's May 4th Letter") regarding the Well Rehabilitation and Vertical Aquifer Profiling Work Plan submitted by ZF on April 22, 2022 (the "Work Plan"). The Work Plan was submitted by ZF in connection with EGLE's April 14, 2022 Letter in Response to Additional Information for Consideration Related to the Administrative Order for Response Activity, EGLE Docket No. AO-RRD-22-001 ("EGLE's April 14th Letter"). The purpose of this letter is to provide a response to each of the recommendations, comments, or questions included in EGLE's May 4th Letter.

1) EGLE Comment/Recommendation No. 1:

The plan calls for a down-well camera survey before rehab activities are preformed but does not require a similar survey at other points such as after cleaning with a nylon brush or after the application of Aqua-Clear® PFD. Comparison of the original survey to later surveys would be useful to inform next steps as well as revealing improvements in condition of the well or conditions which were not previously observable and could be a concern.

ZF Response:

ZF/Arcadis plans to have a down-well camera onsite during the Monitoring Well OW-16D2 rehabilitation activities and intends to conduct periodic surveys of the well during and after well rehabilitation. ZF/Arcadis will also document the conditions of the well before and after significant steps in the rehabilitation process. ZF/Arcadis will perform a down-well camera survey after the well has been cleaned and, if applicable, after the injection of the Aqua-Clear® PFD. As noted in the work plan, a video recording of each of the down-well camera surveys will be created.

2) EGLE Comment/Recommendation No. 2:

Can any additional information be provided regarding what conditions from the well camera survey and chemical/biological results will trigger the use of Aqua-Clear® PFD?

ZF Response:

As indicated in the Work Plan, the chemical/biological sampling results will be used to assess biological and chemical factors (biofouling, scaling, etc.) for a complete well profile and the down-well camera survey will assess potential damage to the casing or the screen and will help determine if there is scaling, bioaccumulation on the well screen. If the results of the chemical/biological analysis and camera survey indicated that the poor hydraulic connection of OW-16D2 to the aquifer is likely related to mineral scaling/biofouling or deterioration of the well casing and/or screen, the use of Aqua-Clear®PFD would not be recommended and only mechanical redevelopment techniques including a combination of surging, swabbing, brushing and sediment removal via bailing, air lifting, and/or pumping would be utilized to address the condition of the well. However, the use of Aqua-Clear®PFD would be recommended if the poor hydraulic connection of OW-16D2 to the aquifer appears to be related to sediment and clay plugging the well screen/formation. The microscopic evaluation, which is part of the chemical/biological analysis, can help identify the types of sediment (clay/silt/sand) present in a sample and therefore, verify if the use of Aqua-Clear®PFD is appropriate and further guide recommendations on concentration and number of applications.

3) EGLE Comment/Recommendation No. 3:

Regarding the process for Aqua-Clear PFD:

A. The work plan states that following introduction of the solution the well will sit for 4 hours. However, the manufacturer recommendation is that the well should be agitated every 2 hours. Why is there a deviation from the manufacturer's recommendations?
B. Will the water level in the well be monitored during this work?
C. If there is insufficient recharge of the well, what measures will be taken to remove and rinse the solution out of the well/gravel pack/formation?
D. Has the manufacturer been contacted regarding potential reactions with vinyl chloride, cis-1,2-DCE, or other chlorinated and PFAS compounds?

ZF Response:

A. During the initial redevelopment of OW-16D2 that was conducted on April 1, 2022, most of the water was removed from the well during the process and recovery of groundwater into the well was very slow. Because this initial surging did not significantly improve the hydraulic connection of the well to the aquifer, Arcadis's senior hydrogeologist recommended that the Aqua-Clear®PFD sit for approximately 4 hours to provide time for the dispersant to react with the sediment before conducting surging. The manufacturer's recommendations also specify a longer treatment time (up to 24 hours) for mud rotary well installation to disperse drilling mud introduced during the drilling process. OW-16D2 was installed using hollow-stem auger drilling methods without the use of drilling mud. However, the Village of Milford has requested that ZF/Arcadis complete the work on OW-16D2 in less than 8 hours, between 10:00pm and 6:00 am. Therefore, given the slow recovery of OW-16D2 at the time of the initial well rehabilitation work and the time limits on conducting the work, ZF/Arcadis believes that 4

hours is the minimum amount of time necessary to allow the Aqua-Clear®PFD to react with any sediment that is present and then begin surging. However, if EGLE would prefer that the well be agitated every 2 hours per the manufacturer's recommendation, ZF/Arcadis will implement that procedure.

B. *ZF/Arcadis plans to monitor the water level in the well during the well rehabilitation process. The water level will also be measured before starting the work to rehabilitate OW-16D2 and after the rehabilitation work is completed.*

C. *According to the manufacturer's specifications and instructions, a well that has been treated with Aqua-Clear®PFD is considered purged of the additive when the water is clear and there is no turbidity. ZF/Arcadis proposes to surge the well and extract the water, while measuring turbidity and field parameters using a multiparameter instrument and a stand-alone turbidity meter. If the recharge is insufficient, redevelopment will be completed in surge and re-charge cycles until the turbidity clears up to pre-additive measurements.*

D. *Arcadis contacted the manufacturer regarding potential reactions of Aqua-Clear®PFD with chlorinated volatile organic compounds (VOCs) and per- and polyfluoroalkyl substances (PFAS). The manufacturer indicated that they do not expect any reactions with chlorinated VOCs or PFAS and also stated that Aqua-Clear®PFD is a dispersant and only reacts with mud, sediment, and clay.*

4) EGLE Comment/Recommendation No. 4:

The zone of 'highest contamination" was not defined in EGLE's previous communication with ZF. The zone of "highest contamination" is defined by EGLE as the zone of the highest detected vinyl chloride, or if no vinyl chloride is detected, as the zone with the highest total VOCs. In a scenario where the highest vinyl chloride detected is in a different zone than highest total VOCs, ZF should meet with EGLE to discuss the placement of the well screen(s).

ZF Response:

Regarding the vertical aquifer profiling (VAP) work, ZF acknowledges and accepts EGLE's definition of "zone of highest contamination" to be the zone of the highest detected vinyl chloride, or if no vinyl chloride is detected, as the zone with the highest total VOCs. If the highest concentration of vinyl chloride detected is in a different zone than the highest total VOCs, ZF will contact EGLE to discuss the placement of well screen(s).

5) EGLE Comment/Recommendation No. 5:

The stated maximum depth of VAP borings is 130-feet below grade or to the surface of the clay underlying the aquifer. The VAP borings should be advanced 5 feet into the clay that is encountered at the bottom of the aquifer.

ZF Response*:*

ZF acknowledges and accepts EGLE's request and will attempt to advance the VAP borings to 5 feet onto the clay that is encountered at the bottom of the aquifer.

6) EGLE Comment/Recommendation No. 6:

Slug tests, using a bailer methodology, are to be completed on OW-16D2. A pneumatic displacement method for this well would provide a greater displacement of water in OW-16D2 and therefore improved results. Use of a pneumatic slug test method is recommended.

ZF Response:

ZF acknowledges EGLE's recommendation of using a pneumatic displacement method for slug tests at OW-16D2. Although an initial slug test was completed using the bailer methodology, ZF will use a pneumatic slug test method for future testing at OW-16D2.

7) EGLE Comment/Recommendation No. 7:

What is the reasoning for not collecting VOC samples during the chemical and biological analysis of monitoring well OW-16D2?

ZF Response:

The sampling procedures for the chemical and biological analysis do not meet the requirements for low-flow sampling that are required for collecting samples for VOC analysis. In addition, VOC samples were collected from OW-16D2 in April, will be collected again in May, and monthly thereafter, using the low-flow sampling techniques.

8) EGLE Comment/Recommendation No. 8:

Testing of two water samples mentions microscopic evaluations. What specific microscopic evaluations are to be completed?

ZF Response:

The microscopic evaluations include examination of a portion of the water samples (centrifuged to concentrate sediment) using a compound microscope at different magnifications from 100x to 1,000x. As indicated above, the microscopic evaluation, which is part of the chemical/biological analysis can help identify the types of sediment (clay/silt/sand) present in the sample and approximate particle sizing. This evaluation is also useful for identification of the types of bacterial activity (e.g., iron-oxidizing and/or sulfur reducing), scale accumulation (e.g., presence of calcium carbonate), formation influence, and corrosion by-products. The microscopic evaluation is also used to corroborate findings of the chemical/biological laboratory analysis such as oxidation-reduction potential.

9) EGLE Comment/Recommendation No. 9:

Testing is also being completed for total and E. coli coliform bacterial analysis. The monitoring well is not being disinfected, is bacterial analyses appropriate for OW-16D2?

ZF Response:

Total and E. coli coliform bacterial analysis are included in the complete well profile under the chemical/biological analysis, hence it was listed in the Work Plan. However, since OW-16D2 is not a potable water source, this testing is not necessary and will not be included in the analysis.

10) EGLE Comment/Recommendation No. 10:

What is the reason the VAP drilling is not occurring until June?

ZF Response:

The schedule for the VAP drilling is based on the availability of drilling companies. ZF/Arcadis would like to conduct the VAP work as soon as possible and have asked the drilling company to notify us if there are any openings in their schedule prior to June. Recent discussions indicate that the VAP work could start in May. However, this will also be dependent on coordination with the Village of Milford, as certain areas of Milford's Central Park will need to be closed-off during the performance of the work.

The Work Plan outlines the activities that ZF will perform to further investigate and rehabilitate Monitoring Well OW-16D2, conduct VAP, and potentially replace Monitoring Well OW-16D2 with a new well. In consideration of EGLE's comments and recommendations for the Work Plan, ZF's responses contained in this letter, and further discussions with EGLE, the Work Plan will be updated accordingly and resubmitted to EGLE.

Thank you for your attention to these matters and please include this letter in the administrative record for the AO and the Site.

If you have any questions, please contact me at the phone number listed in the header on the first page of this letter, Mr. Robert Bleazard – ZF Sr. EHS Manager, Environmental Remediation at 480-722-4866, or Mr. John McInnis of Arcadis at 248-994-2285.

Sincerely,



Scott Detwiler

Sr. Regional Manager
ZF Environmental, Health and Safety

cc: Christian Wuerth, Village of Milford
John McInnis, Arcadis
Joost Vant Erve, DHHS
Paul Owens, EGLE
Cheryl Wilson, EGLE
Darren Bowling, EGLE
Lyndsey Hagy, EGLE
Katie Noetzel, EGLE
Tiffany Yusko-Kotimko, EGLE

ATTACHMENT 10

Laboratory Analytical Reports (Observation Well OW-16D2)

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-164584-1
Client Project/Site: Milford

For:
ZF Active Safety and Electronics LLC
Tech 2
12025 Tech Center Drive
Livonia, Michigan 48150

Attn: Scott Detwiler

Authorized for release by:
4/13/2022 2:44:35 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@et.eurofinsus.com

LINKS
Review your project results through TotalAccess
Have a Question? Ask The Expert
Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 5
Sample Summary 6
Detection Summary 7
Client Sample Results 8
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 20
Lab Chronicle 21
Certification Summary 22
Chain of Custody 23

Definitions/Glossary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-164584-1

Laboratory: Eurofins Canton

Narrative

ob Narrative
240-164584-1

Comments
No additional comments.

Receipt
The samples were received on 4/6/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.9º C.

GC/MS VOA
Method 8260B: The continuing calibration verification (CCV) associated with batch 240-522044 recovered above the upper control limit for Acetone. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported. The associated samples are impacted: OW-16D2_040422 (240-164584-1), EQUIPMENT BLANK_040422 (240-164584-2), FIELD BLANK_040422 (240-164584-3), TRIP BLANK (240-164584-4), (CCV 240-522044/4), (CCVIS 240-522044/3), (LCS 240-522044/5), (LCS 240-522044/6), (MB 240-522044/9), (240-164634-B-3), (240-164634-B-3 MS) and (240-164634-B-3 MSD).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep
No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-164584-1	OW-16D2_040422	Water	04/04/22 11:55	04/06/22 08:00
240-164584-2	EQUIPMENT BLANK_040422	Water	04/04/22 12:10	04/06/22 08:00
240-164584-3	FIELD BLANK_040422	Water	04/04/22 11:45	04/06/22 08:00
240-164584-4	TRIP BLANK	Water	04/04/22 00:00	04/06/22 08:00

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: OW-16D2_040422 — Lab Sample ID: 240-164584-1

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	3.8		1.0		ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	21		1.0		ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.7		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: EQUIPMENT BLANK_040422 — Lab Sample ID: 240-164584-2

No Detections.

Client Sample ID: FIELD BLANK_040422 — Lab Sample ID: 240-164584-3

No Detections.

Client Sample ID: TRIP BLANK — Lab Sample ID: 240-164584-4

No Detections.

This Detection Summary does not include radiochemical test results.

Client Sample ID: OW-16D2_040422
Lab Sample ID: 240-164584-1

Date Collected: 04/04/22 11:55
Matrix: Water
Date Received: 04/06/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 17:02	1
Benzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 17:02	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 17:02	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 17:02	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 17:02	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 17:02	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1-Dichloroethane	**3.8**		1.0		ug/L			04/07/22 17:02	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 17:02	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 17:02	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
2-Hexanone	10	U	10		ug/L			04/07/22 17:02	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 17:02	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 17:02	1
Styrene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Toluene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 17:02	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 17:02	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 17:02	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
cis-1,2-Dichloroethene	**21**		1.0		ug/L			04/07/22 17:02	1
trans-1,2-Dichloroethene	**1.7**		1.0		ug/L			04/07/22 17:02	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*105*		*62 - 137*		*04/07/22 17:02*	*1*
4-Bromofluorobenzene (Surr)	*85*		*56 - 136*		*04/07/22 17:02*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*04/07/22 17:02*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: OW-16D2_040422
Date Collected: 04/04/22 11:55
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	93		73 - 120		04/07/22 17:02	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: EQUIPMENT BLANK_040422

Lab Sample ID: 240-164584-2

Date Collected: 04/04/22 12:10

Matrix: Water

Date Received: 04/06/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 15:21	1
Benzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 15:21	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 15:21	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 15:21	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 15:21	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 15:21	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 15:21	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 15:21	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
2-Hexanone	10	U	10		ug/L			04/07/22 15:21	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 15:21	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 15:21	1
Styrene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Toluene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 15:21	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 15:21	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 15:21	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*104*		*62 - 137*		*04/07/22 15:21*	*1*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*04/07/22 15:21*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*04/07/22 15:21*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: EQUIPMENT BLANK_040422
Date Collected: 04/04/22 12:10
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	90		73 - 120		04/07/22 15:21	1

Client Sample ID: FIELD BLANK_040422

Date Collected: 04/04/22 11:45
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 15:46	1
Benzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 15:46	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 15:46	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 15:46	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 15:46	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 15:46	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 15:46	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 15:46	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
2-Hexanone	10	U	10		ug/L			04/07/22 15:46	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 15:46	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 15:46	1
Styrene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Toluene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 15:46	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 15:46	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 15:46	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*105*		*62 - 137*		*04/07/22 15:46*	*1*
4-Bromofluorobenzene (Surr)	*85*		*56 - 136*		*04/07/22 15:46*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*04/07/22 15:46*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: FIELD BLANK_040422
Date Collected: 04/04/22 11:45
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	*90*		*73 - 120*		*04/07/22 15:46*	*1*

Client Sample ID: TRIP BLANK

Date Collected: 04/04/22 00:00
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 16:12	1
Benzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 16:12	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 16:12	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 16:12	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 16:12	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 16:12	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 16:12	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 16:12	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
2-Hexanone	10	U	10		ug/L			04/07/22 16:12	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 16:12	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 16:12	1
Styrene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Toluene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 16:12	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 16:12	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 16:12	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*104*		*62 - 137*		*04/07/22 16:12*	*1*
4-Bromofluorobenzene (Surr)	*86*		*56 - 136*		*04/07/22 16:12*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*04/07/22 16:12*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: TRIP BLANK
Date Collected: 04/04/22 00:00
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	92		73 - 120		04/07/22 16:12	1

Surrogate Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-164584-1	OW-16D2_040422	105	85	98	93
240-164584-2	EQUIPMENT BLANK_040422	104	87	98	90
240-164584-3	FIELD BLANK_040422	105	85	97	90
240-164584-4	TRIP BLANK	104	86	97	92
LCS 240-522044/5	Lab Control Sample	97	98	97	89
MB 240-522044/9	Method Blank	102	89	97	89

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-522044/9
Matrix: Water
Analysis Batch: 522044

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 14:06	1
Benzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 14:06	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 14:06	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 14:06	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 14:06	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 14:06	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 14:06	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 14:06	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
2-Hexanone	10	U	10		ug/L			04/07/22 14:06	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 14:06	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 14:06	1
Styrene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Toluene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 14:06	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 14:06	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 14:06	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*102*		*62 - 137*		*04/07/22 14:06*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-522044/9
Matrix: Water
Analysis Batch: 522044

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	*89*		*56 - 136*		*04/07/22 14:06*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*04/07/22 14:06*	*1*
Dibromofluoromethane (Surr)	*89*		*73 - 120*		*04/07/22 14:06*	*1*

Lab Sample ID: LCS 240-522044/5
Matrix: Water
Analysis Batch: 522044

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acetone	50.0	73.4		ug/L		147	50 - 149
Benzene	25.0	25.7		ug/L		103	77 - 123
Bromodichloromethane	25.0	27.4		ug/L		110	69 - 126
Bromoform	25.0	23.4		ug/L		94	57 - 129
Bromomethane	25.0	25.9		ug/L		103	36 - 142
2-Butanone (MEK)	50.0	55.9		ug/L		112	54 - 156
Carbon disulfide	25.0	22.8		ug/L		91	43 - 140
Carbon tetrachloride	25.0	27.3		ug/L		109	55 - 137
Chlorobenzene	25.0	26.1		ug/L		104	80 - 121
Chloroethane	25.0	26.1		ug/L		104	38 - 152
Chloroform	25.0	25.5		ug/L		102	74 - 122
Chloromethane	25.0	27.6		ug/L		110	47 - 143
1,1-Dichloroethane	25.0	25.1		ug/L		101	72 - 127
1,2-Dichloroethane	25.0	26.9		ug/L		108	66 - 128
1,1-Dichloroethene	25.0	23.4		ug/L		94	63 - 134
1,2-Dichloropropane	25.0	27.7		ug/L		111	75 - 133
cis-1,3-Dichloropropene	25.0	27.9		ug/L		111	64 - 130
trans-1,3-Dichloropropene	25.0	29.6		ug/L		118	57 - 129
Ethylbenzene	25.0	27.8		ug/L		111	80 - 121
2-Hexanone	50.0	66.7		ug/L		133	43 - 167
Methylene Chloride	25.0	26.6		ug/L		106	71 - 125
4-Methyl-2-pentanone (MIBK)	50.0	63.5		ug/L		127	46 - 158
Styrene	25.0	28.7		ug/L		115	80 - 135
1,1,2,2-Tetrachloroethane	25.0	30.9		ug/L		123	58 - 157
Tetrachloroethene	25.0	24.0		ug/L		96	76 - 123
Toluene	25.0	26.6		ug/L		106	80 - 123
Trichloroethene	25.0	23.2		ug/L		93	70 - 122
Vinyl chloride	25.0	27.1		ug/L		109	60 - 144
Xylenes, Total	50.0	55.9		ug/L		112	80 - 121
1,1,1-Trichloroethane	25.0	25.8		ug/L		103	64 - 131
1,1,2-Trichloroethane	25.0	27.2		ug/L		109	70 - 138
1,2-Dibromo-3-Chloropropane	25.0	24.7		ug/L		99	53 - 135
1,2-Dibromoethane	25.0	27.1		ug/L		108	71 - 134
Dichlorodifluoromethane	25.0	20.2		ug/L		81	34 - 153
cis-1,2-Dichloroethene	25.0	24.6		ug/L		98	77 - 123
trans-1,2-Dichloroethene	25.0	24.4		ug/L		98	75 - 124
Isopropylbenzene	25.0	28.8		ug/L		115	74 - 128
Methyl tert-butyl ether	25.0	26.4		ug/L		106	65 - 126
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	20.8		ug/L		83	51 - 146

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-522044/5
Matrix: Water
Analysis Batch: 522044

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,2,4-Trichlorobenzene	25.0	30.1		ug/L		120	44 - 147
1,2-Dichlorobenzene	25.0	27.6		ug/L		110	78 - 120
1,3-Dichlorobenzene	25.0	27.1		ug/L		108	80 - 120
1,4-Dichlorobenzene	25.0	26.8		ug/L		107	80 - 120
Trichlorofluoromethane	25.0	28.0		ug/L		112	30 - 170
Dibromochloromethane	25.0	27.5		ug/L		110	70 - 124
m-Xylene & p-Xylene	25.0	27.8		ug/L		111	80 - 120
o-Xylene	25.0	28.1		ug/L		112	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*97*		*62 - 137*
4-Bromofluorobenzene (Surr)	*98*		*56 - 136*
Toluene-d8 (Surr)	*97*		*78 - 122*
Dibromofluoromethane (Surr)	*89*		*73 - 120*

QC Association Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-164584-1
Project/Site: Milford

GC/MS VOA

Analysis Batch: 522044

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-164584-1	OW-16D2_040422	Total/NA	Water	8260B	
240-164584-2	EQUIPMENT BLANK_040422	Total/NA	Water	8260B	
240-164584-3	FIELD BLANK_040422	Total/NA	Water	8260B	
240-164584-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-522044/9	Method Blank	Total/NA	Water	8260B	
LCS 240-522044/5	Lab Control Sample	Total/NA	Water	8260B	

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: OW-16D2_040422
Lab Sample ID: 240-164584-1
Date Collected: 04/04/22 11:55
Matrix: Water
Date Received: 04/06/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522044	04/07/22 17:02	SAM	TAL CAN

Client Sample ID: EQUIPMENT BLANK_040422
Lab Sample ID: 240-164584-2
Date Collected: 04/04/22 12:10
Matrix: Water
Date Received: 04/06/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522044	04/07/22 15:21	SAM	TAL CAN

Client Sample ID: FIELD BLANK_040422
Lab Sample ID: 240-164584-3
Date Collected: 04/04/22 11:45
Matrix: Water
Date Received: 04/06/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522044	04/07/22 15:46	SAM	TAL CAN

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-164584-4
Date Collected: 04/04/22 00:00
Matrix: Water
Date Received: 04/06/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522044	04/07/22 16:12	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-164584-1
Project/Site: Milford

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

1.1/0.9

STL North Canton 4101 Shuffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico	TRW Chain Of Custody / Analysis Request			LAB USE ONLY Laboratory ID No. (Lot No.)
	Privileged & Confidential	Yes	Site Name:	Milford
Project Type:	Groundwater Sampling - IZ	TRW PO No.	30046730.000IZ	Site Location:	Milford, Michigan
TRW PM: (name, company, address, e-mail)		Database Manager: (name, company, address, E-mail)		Preservatives Code (see below)
Bob Bleazard		Marina Samp and Sharon Clouse		1
11202 East Germann Road		28550 Cabot Drive, Suite 500		
Mesa, AZ 85212		Novi, MI 48377		
bob.bleazard@trw.com		Marina.Samp@arcadis-us.com		
		sclouse@arcadis-us.com		
Analysis Level	Level 1 (Routine Report)	Sampler	Stacey Hannula	
TAT	10 Business Days (Standard - Level 1)	Deliverable	EDD/PDF (e-mail)	

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	VOC 8260	Lab Sample Numbers
1	OW-16D2	--	--	OW-16D2_040422	4.4.22	1155	GW	WATER	REG	3	G		X	
2		--	--											
3	EQUIPMENT BLANK			EQUIPMENT BLANK 040422		1210	QC	WATER	REG	1	G	N	X	
4	FIELD BLANK	--	--	FIELD BLANK_040422		1145	QC	WATER	REG	1	G	N	X	
5	TRIP BLANK	--	--	TRIP BLANK_	--	--	QC	WATER	REG	1	G	N	X	
6		--	--											
7		--	--											
8		--	--											
9		--	--											
10		--	--											
11														

240-164584 Chain of Custody

Special Instructions

Relinquished by	Company	Date/Time	Received by	Company	Date/Time	Condition	Cooler Temp	Custody Seals Intact
Stacey Hannula	Arcadis	4.4.22 2:15		EET	4/4/22 1417			
	EET	4/4/22 1420	Coldstorage	EET	4-4-22 1700			
Cold storage to T. Harlin	EET	4-5-22 1054		ETNC	4-6-22 300			

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify):

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : 164584
Canton Facility

Client TRN Site Name _____ Cooler unpacked by: Matt

Cooler Received on 4-6-22 Opened on 4-6-22

FedEx: 1st Grd Exp UPS FAS (Clipper) Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # NA Foam Box Client Cooler Box Other _____

Packing material used: (Bubble Wrap) Foam Plastic Bag None Other _____

COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
   IR GUN# IR-14 (CF -0.2 °C) Observed Cooler Temp. 1.1 °C Corrected Cooler Temp. 0.9 °C
   IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 (Yes) No
   -Were the seals on the outside of the cooler(s) signed & dated? (Yes) No NA
   -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes (No)
   -Were tamper/custody seals intact and uncompromised? (Yes) No NA
3. Shippers' packing slip attached to the cooler(s)? Yes (No)
4. Did custody papers accompany the sample(s)? (Yes) No
5. Were the custody papers relinquished & signed in the appropriate place? (Yes) No
6. Was/were the person(s) who collected the samples clearly identified on the COC? (Yes) No
7. Did all bottles arrive in good condition (Unbroken)? (Yes) No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? (Yes) No
9. For each sample, does the COC specify preservatives (Y/N) # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? (Yes) No
11. Sufficient quantity received to perform indicated analyses? (Yes) No
12. Are these work share samples and all listed on the COC? Yes (No)
    If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No (NA) pH Strip Lot# HC157842
14. Were VOAs on the COC? (Yes) No
15. Were air bubbles >6 mm in any VOA vials? ● Larger than this. Yes (No) NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 01047016 (Yes) No
17. Was a LL Hg or Me Hg trip blank present? _____ Yes (No)

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page — Samples processed by:

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WI-NC-099

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-164831-1
Client Project/Site: TRW Milford

For:
ZF Active Safety and Electronics LLC
Tech 2
12025 Tech Center Drive
Livonia, Michigan 48150

Attn: Scott Detwiler

Authorized for release by:
4/14/2022 2:32:39 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@et.eurofinsus.com

LINKS
Review your project results through TotalAccess
Have a Question? Ask The Expert
Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 5
Sample Summary 6
Detection Summary 7
Client Sample Results 8
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 20
Lab Chronicle 21
Certification Summary 22
Chain of Custody 23

Definitions/Glossary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-164831-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-164831-1

Comments
No additional comments.

Receipt
The samples were received on 4/9/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.1° C.

GC/MS VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-164831-1	OW-16D2_040822	Water	04/08/22 11:35	04/09/22 08:00
240-164831-2	EQUIPMENT BLANK_040822	Water	04/08/22 11:50	04/09/22 08:00
240-164831-3	FIELD BLANK_040822	Water	04/08/22 10:35	04/09/22 08:00
240-164831-4	TRIP BLANK	Water	04/08/22 10:35	04/09/22 08:00

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: OW-16D2_040822 — Lab Sample ID: 240-164831-1

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	3.0		1.0		ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	18		1.0		ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.5		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: EQUIPMENT BLANK_040822 — Lab Sample ID: 240-164831-2

No Detections.

Client Sample ID: FIELD BLANK_040822 — Lab Sample ID: 240-164831-3

No Detections.

Client Sample ID: TRIP BLANK — Lab Sample ID: 240-164831-4

No Detections.

This Detection Summary does not include radiochemical test results.

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: OW-16D2_040822
Date Collected: 04/08/22 11:35
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 15:59	1
Benzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 15:59	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 15:59	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 15:59	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 15:59	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 15:59	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1-Dichloroethane	**3.0**		1.0		ug/L			04/13/22 15:59	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 15:59	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 15:59	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
2-Hexanone	10	U	10		ug/L			04/13/22 15:59	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 15:59	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 15:59	1
Styrene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Toluene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 15:59	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 15:59	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 15:59	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
cis-1,2-Dichloroethene	**18**		1.0		ug/L			04/13/22 15:59	1
trans-1,2-Dichloroethene	**1.5**		1.0		ug/L			04/13/22 15:59	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*75*		*62 - 137*		*04/13/22 15:59*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/13/22 15:59*	*1*
Toluene-d8 (Surr)	*85*		*78 - 122*		*04/13/22 15:59*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: OW-16D2_040822
Date Collected: 04/08/22 11:35
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	88		73 - 120		04/13/22 15:59	1

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: EQUIPMENT BLANK_040822

Lab Sample ID: 240-164831-2

Date Collected: 04/08/22 11:50
Date Received: 04/09/22 08:00

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 16:24	1
Benzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 16:24	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 16:24	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 16:24	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 16:24	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 16:24	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 16:24	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 16:24	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
2-Hexanone	10	U	10		ug/L			04/13/22 16:24	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 16:24	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 16:24	1
Styrene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Toluene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 16:24	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 16:24	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 16:24	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*79*		*62 - 137*		*04/13/22 16:24*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/13/22 16:24*	*1*
Toluene-d8 (Surr)	*81*		*78 - 122*		*04/13/22 16:24*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: EQUIPMENT BLANK_040822
Date Collected: 04/08/22 11:50
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	82		73 - 120		04/13/22 16:24	1

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: FIELD BLANK_040822

Lab Sample ID: 240-164831-3

Date Collected: 04/08/22 10:35
Date Received: 04/09/22 08:00

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 16:49	1
Benzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 16:49	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 16:49	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 16:49	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 16:49	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 16:49	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 16:49	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 16:49	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
2-Hexanone	10	U	10		ug/L			04/13/22 16:49	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 16:49	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 16:49	1
Styrene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Toluene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 16:49	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 16:49	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 16:49	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*76*		*62 - 137*		*04/13/22 16:49*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/13/22 16:49*	*1*
Toluene-d8 (Surr)	*84*		*78 - 122*		*04/13/22 16:49*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: FIELD BLANK_040822
Date Collected: 04/08/22 10:35
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	81		73 - 120		04/13/22 16:49	1

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-164831-4

Date Collected: 04/08/22 10:35
Matrix: Water
Date Received: 04/09/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 17:14	1
Benzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 17:14	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 17:14	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 17:14	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 17:14	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 17:14	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 17:14	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 17:14	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
2-Hexanone	10	U	10		ug/L			04/13/22 17:14	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 17:14	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 17:14	1
Styrene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Toluene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 17:14	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 17:14	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 17:14	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*78*		*62 - 137*		*04/13/22 17:14*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/13/22 17:14*	*1*
Toluene-d8 (Surr)	*82*		*78 - 122*		*04/13/22 17:14*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: TRIP BLANK
Date Collected: 04/08/22 10:35
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	81		73 - 120		04/13/22 17:14	1

Surrogate Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-164831-1	OW-16D2_040822	75	79	85	88
240-164831-2	EQUIPMENT BLANK_040822	79	79	81	82
240-164831-3	FIELD BLANK_040822	76	79	84	81
240-164831-4	TRIP BLANK	78	79	82	81
LCS 240-522562/5	Lab Control Sample	74	86	80	87
MB 240-522562/8	Method Blank	78	80	83	84

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-522562/8
Matrix: Water
Analysis Batch: 522562

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 11:57	1
Benzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 11:57	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 11:57	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 11:57	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 11:57	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 11:57	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 11:57	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 11:57	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
2-Hexanone	10	U	10		ug/L			04/13/22 11:57	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 11:57	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 11:57	1
Styrene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Toluene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 11:57	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 11:57	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 11:57	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*78*		*62 - 137*		*04/13/22 11:57*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-522562/8
Matrix: Water
Analysis Batch: 522562

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	*80*		*56 - 136*		*04/13/22 11:57*	*1*
Toluene-d8 (Surr)	*83*		*78 - 122*		*04/13/22 11:57*	*1*
Dibromofluoromethane (Surr)	*84*		*73 - 120*		*04/13/22 11:57*	*1*

Lab Sample ID: LCS 240-522562/5
Matrix: Water
Analysis Batch: 522562

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acetone	40.0	28.8		ug/L		72	50 - 149
Benzene	20.0	19.0		ug/L		95	77 - 123
Bromodichloromethane	20.0	16.9		ug/L		84	69 - 126
Bromoform	20.0	14.3		ug/L		72	57 - 129
Bromomethane	20.0	18.0		ug/L		90	36 - 142
2-Butanone (MEK)	40.0	29.3		ug/L		73	54 - 156
Carbon disulfide	20.0	16.9		ug/L		84	43 - 140
Carbon tetrachloride	20.0	18.3		ug/L		91	55 - 137
Chlorobenzene	20.0	18.9		ug/L		95	80 - 121
Chloroethane	20.0	17.3		ug/L		87	38 - 152
Chloroform	20.0	18.4		ug/L		92	74 - 122
Chloromethane	20.0	17.8		ug/L		89	47 - 143
1,1-Dichloroethane	20.0	16.8		ug/L		84	72 - 127
1,2-Dichloroethane	20.0	16.7		ug/L		84	66 - 128
1,1-Dichloroethene	20.0	21.4		ug/L		107	63 - 134
1,2-Dichloropropane	20.0	17.6		ug/L		88	75 - 133
cis-1,3-Dichloropropene	20.0	16.9		ug/L		85	64 - 130
trans-1,3-Dichloropropene	20.0	14.7		ug/L		73	57 - 129
Ethylbenzene	20.0	18.4		ug/L		92	80 - 121
2-Hexanone	40.0	27.0		ug/L		67	43 - 167
Methylene Chloride	20.0	19.7		ug/L		98	71 - 125
4-Methyl-2-pentanone (MIBK)	40.0	28.9		ug/L		72	46 - 158
Styrene	20.0	17.9		ug/L		89	80 - 135
1,1,2,2-Tetrachloroethane	20.0	17.6		ug/L		88	58 - 157
Tetrachloroethene	20.0	19.2		ug/L		96	76 - 123
Toluene	20.0	17.6		ug/L		88	80 - 123
Trichloroethene	20.0	19.9		ug/L		100	70 - 122
Vinyl chloride	20.0	18.8		ug/L		94	60 - 144
Xylenes, Total	40.0	36.7		ug/L		92	80 - 121
1,1,1-Trichloroethane	20.0	17.9		ug/L		90	64 - 131
1,1,2-Trichloroethane	20.0	17.4		ug/L		87	70 - 138
1,2-Dibromo-3-Chloropropane	20.0	13.3		ug/L		67	53 - 135
1,2-Dibromoethane	20.0	17.6		ug/L		88	71 - 134
Dichlorodifluoromethane	20.0	22.4		ug/L		112	34 - 153
cis-1,2-Dichloroethene	20.0	19.6		ug/L		98	77 - 123
trans-1,2-Dichloroethene	20.0	19.1		ug/L		96	75 - 124
Isopropylbenzene	20.0	18.4		ug/L		92	74 - 128
Methyl tert-butyl ether	20.0	16.7		ug/L		84	65 - 126
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	21.5		ug/L		108	51 - 146

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-522562/5
Matrix: Water
Analysis Batch: 522562

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,2,4-Trichlorobenzene	20.0	17.2		ug/L		86	44 - 147
1,2-Dichlorobenzene	20.0	19.1		ug/L		96	78 - 120
1,3-Dichlorobenzene	20.0	18.2		ug/L		91	80 - 120
1,4-Dichlorobenzene	20.0	18.4		ug/L		92	80 - 120
Trichlorofluoromethane	20.0	20.1		ug/L		101	30 - 170
Dibromochloromethane	20.0	15.8		ug/L		79	70 - 124
m-Xylene & p-Xylene	20.0	18.3		ug/L		92	80 - 120
o-Xylene	20.0	18.4		ug/L		92	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*74*		*62 - 137*
4-Bromofluorobenzene (Surr)	*86*		*56 - 136*
Toluene-d8 (Surr)	*80*		*78 - 122*
Dibromofluoromethane (Surr)	*87*		*73 - 120*

QC Association Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-164831-1
Project/Site: TRW Milford

GC/MS VOA

Analysis Batch: 522562

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-164831-1	OW-16D2_040822	Total/NA	Water	8260B	
240-164831-2	EQUIPMENT BLANK_040822	Total/NA	Water	8260B	
240-164831-3	FIELD BLANK_040822	Total/NA	Water	8260B	
240-164831-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-522562/8	Method Blank	Total/NA	Water	8260B	
LCS 240-522562/5	Lab Control Sample	Total/NA	Water	8260B	

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: OW-16D2_040822
Lab Sample ID: 240-164831-1
Date Collected: 04/08/22 11:35
Matrix: Water
Date Received: 04/09/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522562	04/13/22 15:59	LEE	TAL CAN

Client Sample ID: EQUIPMENT BLANK_040822
Lab Sample ID: 240-164831-2
Date Collected: 04/08/22 11:50
Matrix: Water
Date Received: 04/09/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522562	04/13/22 16:24	LEE	TAL CAN

Client Sample ID: FIELD BLANK_040822
Lab Sample ID: 240-164831-3
Date Collected: 04/08/22 10:35
Matrix: Water
Date Received: 04/09/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522562	04/13/22 16:49	LEE	TAL CAN

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-164831-4
Date Collected: 04/08/22 10:35
Matrix: Water
Date Received: 04/09/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522562	04/13/22 17:14	LEE	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-164831-1
Project/Site: TRW Milford

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN
190

STL North Canton 4101 Shuffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico	TRW Chain Of Custody / Analysis Request			LAB USE ONLY Laboratory ID No. (Lot No.)
Project Type: Groundwater Sampling - IZ	Privileged & Confidential: Yes		Site Name: Milford	
TRW PM: (name, company, address, e-mail) Bob Beazard 11202 East Germann Road Mesa, AZ 85212	TRW PO No. 30046730.0001Z Database Manager: (name, company, address, E-mail) Marina Samp and Sharon Clouse 28550 Cabot Drive, Suite 500 Novi, MI 48377		Site Location: Milford, Michigan	
Analysis Level: Level 1 (Routine Report)	Sampler: Stacey Hannula			
TAT: 10 Business Days (Standard - Level 1)	Deliverable: EDD/PDF (e-mail)			

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	VOC 8260	Preservatives Code (see below)	Lab Sample Numbers
1	OW-16D2	--	--	OW-16D2_040822	4.8.22	1135	GW	WATER	REG	3	G		X		
2		--	--												
3	EQUIPMENT BLANK			EQUIPMENT BLANK_040822		1150	QC	WATER	REG	1	G	N	X		
4	FIELD BLANK	--	--	FIELD BLANK_040822		1035	QC	WATER	REG	1	G	N	X		
5	TRIP BLANK	--	--	TRIP BLANK_	--	--	QC	WATER	REG	1	G	N	X		
6		--	--												
7		--	--												
8		--	--												
9		--	--												
10		--	--												
11															

240-164831 Chain of Custody

Special Instructions:

Relinquished by	Company	Received by	Company	Condition	Custody Seals Intact
Stacey Hannula	Arcadis Date/Time 4.8.22 1245		EETF Date/Time 4/8/22 1245	Cooler Temp.	
Relinquished by	Company EETF Date/Time 4/8/22 1245		EETNC Date/Time 4-9-22 830	Condition	Custody Seals Intact
Relinquished by	Company Date/Time	Received by:	Company Date/Time	Cooler Temp.	
Relinquished by:	Company Date/Time	Received by:	Company Date/Time	Condition	Custody Seals Intact
				Cooler Temp.	

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify)

Eurofins TestAmerica Canton Sample Receipt Form/Narrative **Login # : 164831**
Canton Facility

Client TRW Site Name

Cooler Received on 4-9-22 Opened on 4-9-22

Cooler unpacked by: Matt

FedEx: 1st Grd Exp UPS FAS (Clipper) Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # 14 Foam Box Client Cooler Box Other

Packing material used: (Bubble Wrap) Foam Plastic Bag None Other

COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
   IR GUN# IR-14 (CF -0.2 °C) Observed Cooler Temp. 3.3 °C Corrected Cooler Temp. 3.1 °C
   IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. ____ °C Corrected Cooler Temp. ____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	(Yes)	No
-Were the seals on the outside of the cooler(s) signed & dated?	(Yes)	No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes	(No)
-Were tamper/custody seals intact and uncompromised?	(Yes)	No NA
3. Shippers' packing slip attached to the cooler(s)?	Yes	(No)
4. Did custody papers accompany the sample(s)?	(Yes)	No
5. Were the custody papers relinquished & signed in the appropriate place?	(Yes)	No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	(Yes)	No
7. Did all bottles arrive in good condition (Unbroken)?	(Yes)	No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	Yes	(No) TR
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?		
10. Were correct bottle(s) used for the test(s) indicated?	(Yes)	No
11. Sufficient quantity received to perform indicated analyses?	(Yes)	No
12. Are these work share samples and all listed on the COC?	Yes	(No)
If yes, Questions 13-17 have been checked at the originating laboratory.		
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes No	(NA) pH Strip Lot# HC157842
14. Were VOAs on the COC?	(Yes)	No
15. Were air bubbles >6 mm in any VOA vials? ● ← Larger than this.	Yes	(No) NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 0104201G	(Yes)	No
17. Was a LL Hg or Me Hg trip blank present? ____	Yes	(No)

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM ____ Date ____ by ____ via Verbal Voice Mail Other

Concerning ____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page

Samples processed by:

Equipment Blank - 3 VOA's
Field Blank - 3 VOA's
Trip blanks - 2 vial's

19. SAMPLE CONDITION

Sample(s) ____ were received after the recommended holding time had expired.
Sample(s) ____ were received in a broken container.
Sample(s) ____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) ____ were further preserved in the laboratory.
Time preserved: ____ Preservative(s) added/Lot number(s): ____

VOA Sample Preservation - Date/Time VOAs Frozen: ____

WI-NC-099

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-165203-1
Client Project/Site: Milford

For:
ZF Active Safety and Electronics LLC
Tech 2
12025 Tech Center Drive
Livonia, Michigan 48150

Attn: Scott Detwiler

Authorized for release by:
4/26/2022 9:29:11 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@et.eurofinsus.com

LINKS
Review your project results through TotalAccess
Have a Question? Ask The Expert
Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 5
Sample Summary 6
Detection Summary 7
Client Sample Results 8
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 20
Lab Chronicle 21
Certification Summary 22
Chain of Custody 23

Definitions/Glossary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-165203-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-165203-1

Comments
No additional comments.

Receipt
The samples were received on 4/19/2022 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.5º C.

GC/MS VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-165203-1	OW-16D2_041822	Water	04/18/22 10:55	04/19/22 10:00
240-165203-2	EQUIPMENT BLANK_041822	Water	04/18/22 11:20	04/19/22 10:00
240-165203-3	FIELD BLANK_041822	Water	04/18/22 10:35	04/19/22 10:00
240-165203-4	TRIP BLANK	Water	04/18/22 00:00	04/19/22 10:00

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: OW-16D2_041822 — Lab Sample ID: 240-165203-1

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	2.4		1.0		ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	16		1.0		ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.2		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: EQUIPMENT BLANK_041822 — Lab Sample ID: 240-165203-2

No Detections.

Client Sample ID: FIELD BLANK_041822 — Lab Sample ID: 240-165203-3

No Detections.

Client Sample ID: TRIP BLANK — Lab Sample ID: 240-165203-4

No Detections.

This Detection Summary does not include radiochemical test results.

Client Sample ID: OW-16D2_041822
Lab Sample ID: 240-165203-1

Date Collected: 04/18/22 10:55
Matrix: Water
Date Received: 04/19/22 10:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 15:37	1
Benzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 15:37	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 15:37	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 15:37	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 15:37	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 15:37	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1-Dichloroethane	**2.4**		1.0		ug/L			04/21/22 15:37	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 15:37	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 15:37	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
2-Hexanone	10	U	10		ug/L			04/21/22 15:37	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 15:37	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 15:37	1
Styrene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Toluene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 15:37	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 15:37	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 15:37	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
cis-1,2-Dichloroethene	**16**		1.0		ug/L			04/21/22 15:37	1
trans-1,2-Dichloroethene	**1.2**		1.0		ug/L			04/21/22 15:37	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*76*		*62 - 137*		*04/21/22 15:37*	*1*
4-Bromofluorobenzene (Surr)	*78*		*56 - 136*		*04/21/22 15:37*	*1*
Toluene-d8 (Surr)	*82*		*78 - 122*		*04/21/22 15:37*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: OW-16D2_041822
Date Collected: 04/18/22 10:55
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	91		73 - 120		04/21/22 15:37	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: EQUIPMENT BLANK_041822

Date Collected: 04/18/22 11:20
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 16:02	1
Benzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 16:02	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 16:02	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 16:02	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 16:02	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 16:02	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 16:02	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:02	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
2-Hexanone	10	U	10		ug/L			04/21/22 16:02	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 16:02	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 16:02	1
Styrene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Toluene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 16:02	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 16:02	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 16:02	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*77*		*62 - 137*		*04/21/22 16:02*	*1*
4-Bromofluorobenzene (Surr)	*82*		*56 - 136*		*04/21/22 16:02*	*1*
Toluene-d8 (Surr)	*82*		*78 - 122*		*04/21/22 16:02*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: EQUIPMENT BLANK_041822
Date Collected: 04/18/22 11:20
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	88		73 - 120		04/21/22 16:02	1

Client Sample ID: FIELD BLANK_041822
Lab Sample ID: 240-165203-3

Date Collected: 04/18/22 10:35
Matrix: Water
Date Received: 04/19/22 10:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 16:27	1
Benzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 16:27	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 16:27	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 16:27	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 16:27	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 16:27	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 16:27	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:27	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
2-Hexanone	10	U	10		ug/L			04/21/22 16:27	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 16:27	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 16:27	1
Styrene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Toluene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 16:27	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 16:27	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 16:27	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*76*		*62 - 137*		*04/21/22 16:27*	*1*
4-Bromofluorobenzene (Surr)	*80*		*56 - 136*		*04/21/22 16:27*	*1*
Toluene-d8 (Surr)	*85*		*78 - 122*		*04/21/22 16:27*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: FIELD BLANK_041822
Date Collected: 04/18/22 10:35
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	88		73 - 120		04/21/22 16:27	1

Client Sample ID: TRIP BLANK

Date Collected: 04/18/22 00:00
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 16:52	1
Benzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 16:52	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 16:52	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 16:52	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 16:52	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 16:52	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 16:52	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:52	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
2-Hexanone	10	U	10		ug/L			04/21/22 16:52	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 16:52	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 16:52	1
Styrene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Toluene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 16:52	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 16:52	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 16:52	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*74*		*62 - 137*		*04/21/22 16:52*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/21/22 16:52*	*1*
Toluene-d8 (Surr)	*82*		*78 - 122*		*04/21/22 16:52*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: TRIP BLANK
Date Collected: 04/18/22 00:00
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	86		73 - 120		04/21/22 16:52	1

Surrogate Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-165203-1	OW-16D2_041822	76	78	82	91
240-165203-2	EQUIPMENT BLANK_041822	77	82	82	88
240-165203-3	FIELD BLANK_041822	76	80	85	88
240-165203-4	TRIP BLANK	74	79	82	86
LCS 240-523444/5	Lab Control Sample	73	86	81	90
MB 240-523444/8	Method Blank	78	78	81	89

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-523444/8
Matrix: Water
Analysis Batch: 523444

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 11:01	1
Benzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 11:01	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 11:01	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 11:01	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 11:01	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 11:01	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 11:01	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 11:01	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
2-Hexanone	10	U	10		ug/L			04/21/22 11:01	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 11:01	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 11:01	1
Styrene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Toluene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 11:01	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 11:01	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 11:01	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*78*		*62 - 137*		*04/21/22 11:01*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-523444/8
Matrix: Water
Analysis Batch: 523444

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	*78*		*56 - 136*		*04/21/22 11:01*	*1*
Toluene-d8 (Surr)	*81*		*78 - 122*		*04/21/22 11:01*	*1*
Dibromofluoromethane (Surr)	*89*		*73 - 120*		*04/21/22 11:01*	*1*

Lab Sample ID: LCS 240-523444/5
Matrix: Water
Analysis Batch: 523444

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acetone	40.0	21.8		ug/L		54	50 - 149
Benzene	20.0	18.3		ug/L		91	77 - 123
Bromodichloromethane	20.0	15.2		ug/L		76	69 - 126
Bromoform	20.0	13.2		ug/L		66	57 - 129
Bromomethane	20.0	16.9		ug/L		84	36 - 142
2-Butanone (MEK)	40.0	27.3		ug/L		68	54 - 156
Carbon disulfide	20.0	15.0		ug/L		75	43 - 140
Carbon tetrachloride	20.0	16.6		ug/L		83	55 - 137
Chlorobenzene	20.0	19.2		ug/L		96	80 - 121
Chloroethane	20.0	16.0		ug/L		80	38 - 152
Chloroform	20.0	17.5		ug/L		88	74 - 122
Chloromethane	20.0	14.8		ug/L		74	47 - 143
1,1-Dichloroethane	20.0	15.4		ug/L		77	72 - 127
1,2-Dichloroethane	20.0	15.6		ug/L		78	66 - 128
1,1-Dichloroethene	20.0	18.8		ug/L		94	63 - 134
1,2-Dichloropropane	20.0	16.1		ug/L		81	75 - 133
cis-1,3-Dichloropropene	20.0	14.9		ug/L		75	64 - 130
trans-1,3-Dichloropropene	20.0	12.6		ug/L		63	57 - 129
Ethylbenzene	20.0	18.7		ug/L		94	80 - 121
2-Hexanone	40.0	23.1		ug/L		58	43 - 167
Methylene Chloride	20.0	17.2		ug/L		86	71 - 125
4-Methyl-2-pentanone (MIBK)	40.0	24.2		ug/L		60	46 - 158
Styrene	20.0	17.9		ug/L		89	80 - 135
1,1,2,2-Tetrachloroethane	20.0	16.0		ug/L		80	58 - 157
Tetrachloroethene	20.0	21.1		ug/L		105	76 - 123
Toluene	20.0	17.9		ug/L		90	80 - 123
Trichloroethene	20.0	21.1		ug/L		105	70 - 122
Vinyl chloride	20.0	17.1		ug/L		86	60 - 144
Xylenes, Total	40.0	38.0		ug/L		95	80 - 121
1,1,1-Trichloroethane	20.0	16.7		ug/L		84	64 - 131
1,1,2-Trichloroethane	20.0	17.8		ug/L		89	70 - 138
1,2-Dibromo-3-Chloropropane	20.0	11.2		ug/L		56	53 - 135
1,2-Dibromoethane	20.0	17.3		ug/L		86	71 - 134
Dichlorodifluoromethane	20.0	21.0		ug/L		105	34 - 153
cis-1,2-Dichloroethene	20.0	19.0		ug/L		95	77 - 123
trans-1,2-Dichloroethene	20.0	18.2		ug/L		91	75 - 124
Isopropylbenzene	20.0	19.0		ug/L		95	74 - 128
Methyl tert-butyl ether	20.0	14.8		ug/L		74	65 - 126
1,1,2-Trichloro-1,2,2-trifluoroetha ne	20.0	20.4		ug/L		102	51 - 146

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-523444/5
Matrix: Water
Analysis Batch: 523444

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,2,4-Trichlorobenzene	20.0	17.8		ug/L		89	44 - 147
1,2-Dichlorobenzene	20.0	20.1		ug/L		100	78 - 120
1,3-Dichlorobenzene	20.0	19.2		ug/L		96	80 - 120
1,4-Dichlorobenzene	20.0	19.1		ug/L		95	80 - 120
Trichlorofluoromethane	20.0	18.7		ug/L		94	30 - 170
Dibromochloromethane	20.0	14.8		ug/L		74	70 - 124
m-Xylene & p-Xylene	20.0	19.0		ug/L		95	80 - 120
o-Xylene	20.0	19.0		ug/L		95	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*73*		*62 - 137*
4-Bromofluorobenzene (Surr)	*86*		*56 - 136*
Toluene-d8 (Surr)	*81*		*78 - 122*
Dibromofluoromethane (Surr)	*90*		*73 - 120*

QC Association Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-165203-1
Project/Site: Milford

GC/MS VOA

Analysis Batch: 523444

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-165203-1	OW-16D2_041822	Total/NA	Water	8260B	
240-165203-2	EQUIPMENT BLANK_041822	Total/NA	Water	8260B	
240-165203-3	FIELD BLANK_041822	Total/NA	Water	8260B	
240-165203-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-523444/8	Method Blank	Total/NA	Water	8260B	
LCS 240-523444/5	Lab Control Sample	Total/NA	Water	8260B	

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: OW-16D2_041822
Lab Sample ID: 240-165203-1
Date Collected: 04/18/22 10:55
Matrix: Water
Date Received: 04/19/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	523444	04/21/22 15:37	LEE	TAL CAN

Client Sample ID: EQUIPMENT BLANK_041822
Lab Sample ID: 240-165203-2
Date Collected: 04/18/22 11:20
Matrix: Water
Date Received: 04/19/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	523444	04/21/22 16:02	LEE	TAL CAN

Client Sample ID: FIELD BLANK_041822
Lab Sample ID: 240-165203-3
Date Collected: 04/18/22 10:35
Matrix: Water
Date Received: 04/19/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	523444	04/21/22 16:27	LEE	TAL CAN

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-165203-4
Date Collected: 04/18/22 00:00
Matrix: Water
Date Received: 04/19/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	523444	04/21/22 16:52	LEE	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-165203-1
Project/Site: Milford

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	04-24-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN
190

STL North Canton 4101 Shuffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico	**TRW Chain Of Custody / Analysis Request**		**LAB USE ONLY** Laboratory ID No. (Lot No.)
Project Type: Groundwater Sampling - IZ	**Privileged & Confidential** Yes	**Site Name:** Milford	
	TRW PO No. 30046730.000IZ	**Site Location:** Milford, Michigan	
TRW PM: (name, company, address, e-mail) Bob Bleazard 11202 East Germann Road Mesa, AZ 85212 bob.bleazard@trw.com	**Database Manager: (name, company, address, E-mail)** Marina Samp and Sharon Clouse 28550 Cabot Drive, Suite 500 Novi, MI 48377 Marina.Samp@arcadis-us.com sclouse@arcadis-us.com		
Analysis Level Level 1 (Routine Report)	**Sampler** Stacey Hennwig		
TAT 10 Business Days (Standard - Level 1)	**Deliverable** EDD/PDF (e-mail)		

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	Preservatives Code (see below): 1	Lab Sample Numbers
1	OW-16D2	--	--	OW-16D2_041822	4-18-22	1055	GW	WATER	REG	3	G		X	
2		--	--											
3	EQUIPMENT BLANK			EQUIPMENT BLANK 041822		1120	QC	WATER	REG	1	G	N	X	
4	FIELD BLANK	--	--	FIELD BLANK_041822		1035	QC	WATER	REG	1	G	N	X	
5	TRIP BLANK	--	--	TRIP BLANK_	--	--	QC	WATER	REG	1	G	N	X	
6		--	--											
7		--	--											
8		--	--											
9		--	--											
10		--	--											
11														

240-165203 Chain of Custody

Special Instructions:

Relinquished by: Stacey Hennwig	Company: Arcadis		Received by:	Company: FETA		Condition	Custody Seals Intact
	Date/Time: 4-18-22 1215			Date/Time: 4/18/22 1215		Cooler Temp	
Relinquished by:	Company: FETA		Received by:	Company: FETA		Condition	Custody Seals Intact
	Date/Time: 4/18/22 1218			Date/Time: 4-19-22 1000		Cooler Temp	
Relinquished by:	Company		Received by:	Company		Condition	Custody Seals Intact
	Date/Time			Date/Time		Cooler Temp	
Relinquished by:	Company		Received by:	Company		Condition	Custody Seals Intact
	Date/Time			Date/Time		Cooler Temp.	

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify):

Eurofins TestAmerica Canton Sample Receipt Form/Narrative **Login # : 165203**
Canton Facility

Client TRW Site Name _____ Cooler unpacked by: Tammy Kong

Cooler Received on 4-19-22 Opened on 4-19-22

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # _____ Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
   IR GUN# IR-13 (CF **0.0** °C) Observed Cooler Temp. 1.5 °C Corrected Cooler Temp. 1.5 °C
   IR GUN #IR-15 (CF **-0.7**°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	Yes	No
-Were the seals on the outside of the cooler(s) signed & dated?	Yes	No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes	No
-Were tamper/custody seals intact and uncompromised?	Yes	No NA
3. Shippers' packing slip attached to the cooler(s)?	Yes	No
4. Did custody papers accompany the sample(s)?	Yes	No
5. Were the custody papers relinquished & signed in the appropriate place?	Yes	No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	Yes	No
7. Did all bottles arrive in good condition (Unbroken)?	Yes	No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	Yes	No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?		
10. Were correct bottle(s) used for the test(s) indicated?	Yes	No
11. Sufficient quantity received to perform indicated analyses?	Yes	No
12. Are these work share samples and all listed on the COC?	Yes	No
If yes, Questions 13-17 have been checked at the originating laboratory.		
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes	No NA pH Strip Lot# HC157842
14. Were VOAs on the COC?	Yes	No
15. Were air bubbles >6 mm in any VOA vials? ● ⬅ Larger than this	Yes	No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 61109	Yes	No
17. Was a LL Hg or Me Hg trip blank present? _____	Yes	No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page | Samples processed by:

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-163988-1
Client Project/Site: TRW Milford

For:
ZF Active Safety and Electronics LLC
Tech 2
12025 Tech Center Drive
Livonia, Michigan 48150

Attn: Scott Detwiler

Authorized for release by:
3/30/2022 11:25:37 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@Eurofinset.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 5
Sample Summary 6
Detection Summary 7
Client Sample Results 8
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 20
Lab Chronicle 21
Certification Summary 22
Chain of Custody 23

Definitions/Glossary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Job ID: 240-163988-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-163988-1

Comments
No additional comments.

Receipt
The samples were received on 3/23/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.9º C and 1.0º C.

GC/MS VOA
No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep
No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-163988-1	OW-16D2_032122	Water	03/21/22 10:30	03/23/22 08:00
240-163988-2	EQUIPMENT BLANK	Water	03/21/22 10:30	03/23/22 08:00
240-163988-3	FIELD BLANK	Water	03/21/22 10:30	03/23/22 08:00
240-163988-4	TRIP BLANK	Water	03/21/22 00:00	03/23/22 08:00

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Client Sample ID: OW-16D2_032122 — Lab Sample ID: 240-163988-1

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	3.7		1.0		ug/L	1		8260B	Total/NA
Vinyl chloride	2.3		1.0		ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	18		1.0		ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.6		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: EQUIPMENT BLANK — Lab Sample ID: 240-163988-2

No Detections.

Client Sample ID: FIELD BLANK — Lab Sample ID: 240-163988-3

No Detections.

Client Sample ID: TRIP BLANK — Lab Sample ID: 240-163988-4

No Detections.

This Detection Summary does not include radiochemical test results.

Client Sample ID: OW-16D2_032122
Lab Sample ID: 240-163988-1

Date Collected: 03/21/22 10:30
Matrix: Water
Date Received: 03/23/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			03/28/22 17:24	1
Benzene	1.0	U	1.0		ug/L			03/28/22 17:24	1
Bromodichloromethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
Bromoform	1.0	U	1.0		ug/L			03/28/22 17:24	1
Bromomethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
2-Butanone (MEK)	10	U	10		ug/L			03/28/22 17:24	1
Carbon disulfide	1.0	U	1.0		ug/L			03/28/22 17:24	1
Carbon tetrachloride	1.0	U	1.0		ug/L			03/28/22 17:24	1
Chlorobenzene	1.0	U	1.0		ug/L			03/28/22 17:24	1
Chloroethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
Chloroform	1.0	U	1.0		ug/L			03/28/22 17:24	1
Chloromethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,1-Dichloroethane	**3.7**		1.0		ug/L			03/28/22 17:24	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			03/28/22 17:24	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 17:24	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 17:24	1
Ethylbenzene	1.0	U	1.0		ug/L			03/28/22 17:24	1
2-Hexanone	10	U	10		ug/L			03/28/22 17:24	1
Methylene Chloride	5.0	U	5.0		ug/L			03/28/22 17:24	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			03/28/22 17:24	1
Styrene	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
Tetrachloroethene	1.0	U	1.0		ug/L			03/28/22 17:24	1
Toluene	1.0	U	1.0		ug/L			03/28/22 17:24	1
Trichloroethene	1.0	U	1.0		ug/L			03/28/22 17:24	1
Vinyl chloride	**2.3**		1.0		ug/L			03/28/22 17:24	1
Xylenes, Total	2.0	U	2.0		ug/L			03/28/22 17:24	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			03/28/22 17:24	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
cis-1,2-Dichloroethene	**18**		1.0		ug/L			03/28/22 17:24	1
trans-1,2-Dichloroethene	**1.6**		1.0		ug/L			03/28/22 17:24	1
Isopropylbenzene	1.0	U	1.0		ug/L			03/28/22 17:24	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 17:24	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 17:24	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			03/28/22 17:24	1
Dibromochloromethane	1.0	U	1.0		ug/L			03/28/22 17:24	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*98*		*62 - 137*		*03/28/22 17:24*	*1*
4-Bromofluorobenzene (Surr)	*90*		*56 - 136*		*03/28/22 17:24*	*1*
Toluene-d8 (Surr)	*92*		*78 - 122*		*03/28/22 17:24*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Client Sample ID: OW-16D2_032122
Date Collected: 03/21/22 10:30
Date Received: 03/23/22 08:00

Lab Sample ID: 240-163988-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	98		73 - 120		03/28/22 17:24	1

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Client Sample ID: EQUIPMENT BLANK

Lab Sample ID: 240-163988-2

Date Collected: 03/21/22 10:30

Matrix: Water

Date Received: 03/23/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			03/28/22 15:44	1
Benzene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Bromodichloromethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
Bromoform	1.0	U	1.0		ug/L			03/28/22 15:44	1
Bromomethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
2-Butanone (MEK)	10	U	10		ug/L			03/28/22 15:44	1
Carbon disulfide	1.0	U	1.0		ug/L			03/28/22 15:44	1
Carbon tetrachloride	1.0	U	1.0		ug/L			03/28/22 15:44	1
Chlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Chloroethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
Chloroform	1.0	U	1.0		ug/L			03/28/22 15:44	1
Chloromethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			03/28/22 15:44	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 15:44	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Ethylbenzene	1.0	U	1.0		ug/L			03/28/22 15:44	1
2-Hexanone	10	U	10		ug/L			03/28/22 15:44	1
Methylene Chloride	5.0	U	5.0		ug/L			03/28/22 15:44	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			03/28/22 15:44	1
Styrene	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
Tetrachloroethene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Toluene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Trichloroethene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Vinyl chloride	1.0	U	1.0		ug/L			03/28/22 15:44	1
Xylenes, Total	2.0	U	2.0		ug/L			03/28/22 15:44	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			03/28/22 15:44	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 15:44	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Isopropylbenzene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:44	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:44	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			03/28/22 15:44	1
Dibromochloromethane	1.0	U	1.0		ug/L			03/28/22 15:44	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*98*		*62 - 137*		*03/28/22 15:44*	*1*
4-Bromofluorobenzene (Surr)	*90*		*56 - 136*		*03/28/22 15:44*	*1*
Toluene-d8 (Surr)	*92*		*78 - 122*		*03/28/22 15:44*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Client Sample ID: EQUIPMENT BLANK
Date Collected: 03/21/22 10:30
Date Received: 03/23/22 08:00

Lab Sample ID: 240-163988-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	94		73 - 120		03/28/22 15:44	1

Client Sample ID: FIELD BLANK

Date Collected: 03/21/22 10:30
Date Received: 03/23/22 08:00

Lab Sample ID: 240-163988-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			03/28/22 16:08	1
Benzene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Bromodichloromethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
Bromoform	1.0	U	1.0		ug/L			03/28/22 16:08	1
Bromomethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
2-Butanone (MEK)	10	U	10		ug/L			03/28/22 16:08	1
Carbon disulfide	1.0	U	1.0		ug/L			03/28/22 16:08	1
Carbon tetrachloride	1.0	U	1.0		ug/L			03/28/22 16:08	1
Chlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Chloroethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
Chloroform	1.0	U	1.0		ug/L			03/28/22 16:08	1
Chloromethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			03/28/22 16:08	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 16:08	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Ethylbenzene	1.0	U	1.0		ug/L			03/28/22 16:08	1
2-Hexanone	10	U	10		ug/L			03/28/22 16:08	1
Methylene Chloride	5.0	U	5.0		ug/L			03/28/22 16:08	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			03/28/22 16:08	1
Styrene	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
Tetrachloroethene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Toluene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Trichloroethene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Vinyl chloride	1.0	U	1.0		ug/L			03/28/22 16:08	1
Xylenes, Total	2.0	U	2.0		ug/L			03/28/22 16:08	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			03/28/22 16:08	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 16:08	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Isopropylbenzene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:08	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:08	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			03/28/22 16:08	1
Dibromochloromethane	1.0	U	1.0		ug/L			03/28/22 16:08	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*99*		*62 - 137*		*03/28/22 16:08*	*1*
4-Bromofluorobenzene (Surr)	*91*		*56 - 136*		*03/28/22 16:08*	*1*
Toluene-d8 (Surr)	*92*		*78 - 122*		*03/28/22 16:08*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Client Sample ID: FIELD BLANK
Date Collected: 03/21/22 10:30
Date Received: 03/23/22 08:00

Lab Sample ID: 240-163988-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	97		73 - 120		03/28/22 16:08	1

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-163988-4

Date Collected: 03/21/22 00:00
Matrix: Water
Date Received: 03/23/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			03/28/22 16:33	1
Benzene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Bromodichloromethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
Bromoform	1.0	U	1.0		ug/L			03/28/22 16:33	1
Bromomethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
2-Butanone (MEK)	10	U	10		ug/L			03/28/22 16:33	1
Carbon disulfide	1.0	U	1.0		ug/L			03/28/22 16:33	1
Carbon tetrachloride	1.0	U	1.0		ug/L			03/28/22 16:33	1
Chlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Chloroethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
Chloroform	1.0	U	1.0		ug/L			03/28/22 16:33	1
Chloromethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			03/28/22 16:33	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 16:33	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Ethylbenzene	1.0	U	1.0		ug/L			03/28/22 16:33	1
2-Hexanone	10	U	10		ug/L			03/28/22 16:33	1
Methylene Chloride	5.0	U	5.0		ug/L			03/28/22 16:33	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			03/28/22 16:33	1
Styrene	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
Tetrachloroethene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Toluene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Trichloroethene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Vinyl chloride	1.0	U	1.0		ug/L			03/28/22 16:33	1
Xylenes, Total	2.0	U	2.0		ug/L			03/28/22 16:33	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			03/28/22 16:33	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 16:33	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Isopropylbenzene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:33	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 16:33	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			03/28/22 16:33	1
Dibromochloromethane	1.0	U	1.0		ug/L			03/28/22 16:33	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*101*		*62 - 137*		*03/28/22 16:33*	*1*
4-Bromofluorobenzene (Surr)	*89*		*56 - 136*		*03/28/22 16:33*	*1*
Toluene-d8 (Surr)	*92*		*78 - 122*		*03/28/22 16:33*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Client Sample ID: TRIP BLANK
Date Collected: 03/21/22 00:00
Date Received: 03/23/22 08:00

Lab Sample ID: 240-163988-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	98		73 - 120		03/28/22 16:33	1

Surrogate Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-163988-1	OW-16D2_032122	98	90	92	98
240-163988-2	EQUIPMENT BLANK	98	90	92	94
240-163988-3	FIELD BLANK	99	91	92	97
240-163988-4	TRIP BLANK	101	89	92	98
LCS 240-521043/4	Lab Control Sample	92	100	96	95
MB 240-521043/7	Method Blank	103	92	93	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-521043/7
Matrix: Water
Analysis Batch: 521043

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			03/28/22 15:18	1
Benzene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Bromodichloromethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
Bromoform	1.0	U	1.0		ug/L			03/28/22 15:18	1
Bromomethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
2-Butanone (MEK)	10	U	10		ug/L			03/28/22 15:18	1
Carbon disulfide	1.0	U	1.0		ug/L			03/28/22 15:18	1
Carbon tetrachloride	1.0	U	1.0		ug/L			03/28/22 15:18	1
Chlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Chloroethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
Chloroform	1.0	U	1.0		ug/L			03/28/22 15:18	1
Chloromethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			03/28/22 15:18	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 15:18	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Ethylbenzene	1.0	U	1.0		ug/L			03/28/22 15:18	1
2-Hexanone	10	U	10		ug/L			03/28/22 15:18	1
Methylene Chloride	5.0	U	5.0		ug/L			03/28/22 15:18	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			03/28/22 15:18	1
Styrene	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
Tetrachloroethene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Toluene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Trichloroethene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Vinyl chloride	1.0	U	1.0		ug/L			03/28/22 15:18	1
Xylenes, Total	2.0	U	2.0		ug/L			03/28/22 15:18	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			03/28/22 15:18	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 15:18	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Isopropylbenzene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:18	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			03/28/22 15:18	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			03/28/22 15:18	1
Dibromochloromethane	1.0	U	1.0		ug/L			03/28/22 15:18	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*103*		*62 - 137*		*03/28/22 15:18*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-521043/7
Matrix: Water
Analysis Batch: 521043

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	*92*		*56 - 136*		*03/28/22 15:18*	*1*
Toluene-d8 (Surr)	*93*		*78 - 122*		*03/28/22 15:18*	*1*
Dibromofluoromethane (Surr)	*99*		*73 - 120*		*03/28/22 15:18*	*1*

Lab Sample ID: LCS 240-521043/4
Matrix: Water
Analysis Batch: 521043

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetone	50.0	52.1		ug/L		104	50 - 149
Benzene	25.0	25.3		ug/L		101	77 - 123
Bromodichloromethane	25.0	26.7		ug/L		107	69 - 126
Bromoform	25.0	23.9		ug/L		96	57 - 129
Bromomethane	25.0	24.8		ug/L		99	36 - 142
2-Butanone (MEK)	50.0	50.0		ug/L		100	54 - 156
Carbon disulfide	25.0	27.6		ug/L		111	43 - 140
Carbon tetrachloride	25.0	29.7		ug/L		119	55 - 137
Chlorobenzene	25.0	25.1		ug/L		100	80 - 121
Chloroethane	25.0	24.6		ug/L		98	38 - 152
Chloroform	25.0	25.7		ug/L		103	74 - 122
Chloromethane	25.0	25.8		ug/L		103	47 - 143
1,1-Dichloroethane	25.0	25.3		ug/L		101	72 - 127
1,2-Dichloroethane	25.0	25.5		ug/L		102	66 - 128
1,1-Dichloroethene	25.0	27.4		ug/L		110	63 - 134
1,2-Dichloropropane	25.0	25.4		ug/L		102	75 - 133
cis-1,3-Dichloropropene	25.0	25.8		ug/L		103	64 - 130
trans-1,3-Dichloropropene	25.0	26.9		ug/L		108	57 - 129
Ethylbenzene	25.0	27.1		ug/L		108	80 - 121
2-Hexanone	50.0	57.4		ug/L		115	43 - 167
Methylene Chloride	25.0	26.6		ug/L		106	71 - 125
4-Methyl-2-pentanone (MIBK)	50.0	53.5		ug/L		107	46 - 158
Styrene	25.0	27.4		ug/L		109	80 - 135
1,1,2,2-Tetrachloroethane	25.0	27.2		ug/L		109	58 - 157
Tetrachloroethene	25.0	25.6		ug/L		102	76 - 123
Toluene	25.0	25.3		ug/L		101	80 - 123
Trichloroethene	25.0	24.7		ug/L		99	70 - 122
Vinyl chloride	25.0	26.6		ug/L		106	60 - 144
Xylenes, Total	50.0	55.3		ug/L		111	80 - 121
1,1,1-Trichloroethane	25.0	27.3		ug/L		109	64 - 131
1,1,2-Trichloroethane	25.0	25.4		ug/L		101	70 - 138
1,2-Dibromo-3-Chloropropane	25.0	22.1		ug/L		88	53 - 135
1,2-Dibromoethane	25.0	25.5		ug/L		102	71 - 134
Dichlorodifluoromethane	25.0	24.3		ug/L		97	34 - 153
cis-1,2-Dichloroethene	25.0	25.9		ug/L		104	77 - 123
trans-1,2-Dichloroethene	25.0	26.1		ug/L		104	75 - 124
Isopropylbenzene	25.0	27.9		ug/L		112	74 - 128
Methyl tert-butyl ether	25.0	25.8		ug/L		103	65 - 126
1,1,2-Trichloro-1,2,2-trifluoroetha ne	25.0	28.7		ug/L		115	51 - 146

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-521043/4
Matrix: Water
Analysis Batch: 521043

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2,4-Trichlorobenzene	25.0	25.9		ug/L		103	44 - 147
1,2-Dichlorobenzene	25.0	25.6		ug/L		103	78 - 120
1,3-Dichlorobenzene	25.0	25.7		ug/L		103	80 - 120
1,4-Dichlorobenzene	25.0	25.1		ug/L		100	80 - 120
Trichlorofluoromethane	25.0	29.6		ug/L		118	30 - 170
Dibromochloromethane	25.0	27.4		ug/L		109	70 - 124
m-Xylene & p-Xylene	25.0	27.2		ug/L		109	80 - 120
o-Xylene	25.0	28.1		ug/L		112	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*92*		*62 - 137*
4-Bromofluorobenzene (Surr)	*100*		*56 - 136*
Toluene-d8 (Surr)	*96*		*78 - 122*
Dibromofluoromethane (Surr)	*95*		*73 - 120*

QC Association Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-163988-1
Project/Site: TRW Milford

GC/MS VOA

Analysis Batch: 521043

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-163988-1	OW-16D2_032122	Total/NA	Water	8260B	
240-163988-2	EQUIPMENT BLANK	Total/NA	Water	8260B	
240-163988-3	FIELD BLANK	Total/NA	Water	8260B	
240-163988-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-521043/7	Method Blank	Total/NA	Water	8260B	
LCS 240-521043/4	Lab Control Sample	Total/NA	Water	8260B	

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-163988-1

Client Sample ID: OW-16D2_032122
Lab Sample ID: 240-163988-1
Date Collected: 03/21/22 10:30
Matrix: Water
Date Received: 03/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	521043	03/28/22 17:24	SAM	TAL CAN

Client Sample ID: EQUIPMENT BLANK
Lab Sample ID: 240-163988-2
Date Collected: 03/21/22 10:30
Matrix: Water
Date Received: 03/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	521043	03/28/22 15:44	SAM	TAL CAN

Client Sample ID: FIELD BLANK
Lab Sample ID: 240-163988-3
Date Collected: 03/21/22 10:30
Matrix: Water
Date Received: 03/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	521043	03/28/22 16:08	SAM	TAL CAN

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-163988-4
Date Collected: 03/21/22 00:00
Matrix: Water
Date Received: 03/23/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	521043	03/28/22 16:33	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-163988-1
Project/Site: TRW Milford

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-22 *
Connecticut	State	PH-0590	12-31-21 *
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	03-31-22
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-21-14	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN
190

STL North Canton
4101 Shuffel Drive NW
North Canton, OH 44720
Attn: Michael DelMonico

TRW Chain Of Custody / Analysis Request

LAB USE ONLY
Laboratory ID No. (Lot No.)

Project Type:	Groundwater Sampling - IZ	Privileged & Confidential	Yes
TRW PM: (name, company, address, e-mail)		TRW PO No.	30046730.000IZ
Bob Bleazard		Database Manager: (name, company, address, E-mail)	Marina Samp and Sharon Clouse
11202 East Germann Road		28550 Cabot Drive, Suite 500	
Mesa, AZ 85212		Novi, MI 48377	
bob.bleazard@trw.com		Marina.Samp@arcadis.com	
		sclouse@arcadis-us.com	
Analysis Level	Level 1 (Routine Report)	Sampler	Allyson Hiatt
TAT	10 Business Days (Standard - Level 1)	Deliverable	EDD/PDF (e-mail)

Site Name: Milford
Site Location: Milford, Michigan

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	Preservatives Code (see below) 1	Lab Sample Numbers
1	OW-16D2	--	--	OW-16D2_032122	3/21/22	10:30	GW	WATER	REG	3	G	N	X	
2	EQUIPMENT BLANK	--	--	EQUIPMENT BLANK_032122		10:35	GW	WATER	REG	17 AH	G	N	X	
3	FIELD BLANK	--	--	FIELD BLANK_032122		10:03	QC	WATER	REG	1	G	N	X	
4	TRIP BLANK	--	--	TRIP BLANK_032122	↓	—	QC	WATER	REG	1	G	N	X	
5		--	--		--	--	QC	WATER	REG	1	G	N	X	
6		--	--											
7		--	--											
8		--	--											
9		--	--											
10		--	--											
11														

VOC 8260

240-163988 Chain of Custody

Special Instructions:

	Company		Received by:	Company		Condition		Custody Seals Intact	
Relinquished by: Allyson Hiatt	ARCADIS			EETA					
	Date/Time 3/21/22 1140			Date/Time 3/21/22		Cooler Temp.			
Relinquished by:	Company EETA		Received by: cold storage	Company EETA		Condition		Custody Seals Intact	
	Date/Time 3/21/22	1145		Date/Time 3/21/22 1300		Cooler Temp.			
Relinquished by: cold storage 190	Company EETA		Received by: Jamy Stryer	Company EETNC		Condition		Custody Seals Intact	
	Date/Time 3/22/22 11:19			Date/Time 3-23-22 800		Cooler Temp.			
Relinquished by:	Company		Received by:	Company		Condition		Custody Seals Intact	
	Date/Time			Date/Time		Cooler Temp.			

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify):

Eurofins TestAmerica Canton Sample Receipt Form/Narrative **Login # : 163985**
Canton Facility

Client TRW Site Name _____ Cooler unpacked by: Tamy Raya

Cooler Received on 3-23-22 Opened on 3-23-22

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # 1A Foam Box Client Cooler Box Other _____

Packing material used: ~~Bubble Wrap~~ Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt — See Multiple Cooler Form
   IR GUN# IR-14 (CF **-0.2** °C) Observed Cooler Temp._____°C Corrected Cooler Temp._____°C
   IR GUN #IR-15 (CF **-0.7**°C) Observed Cooler Temp._____°C Corrected Cooler Temp._____°C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 each — Yes No
   -Were the seals on the outside of the cooler(s) signed & dated? — Yes No NA
   -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? — Yes No
   -Were tamper/custody seals intact and uncompromised? — Yes No NA
3. Shippers' packing slip attached to the cooler(s)? — Yes No
4. Did custody papers accompany the sample(s)? — Yes No
5. Were the custody papers relinquished & signed in the appropriate place? — Yes No
6. Was/were the person(s) who collected the samples clearly identified on the COC? — Yes No
7. Did all bottles arrive in good condition (Unbroken)? — Yes No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? — Yes No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? — Yes No
10. Were correct bottle(s) used for the test(s) indicated? — Yes No
11. Sufficient quantity received to perform indicated analyses? — Yes No
12. Are these work share samples and all listed on the COC? — Yes No
    If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? — Yes No NA pH Strip Lot# **HC157842**
14. Were VOAs on the COC? — Yes No
15. Were air bubbles >6 mm in any VOA vials? ● ⬅ Larger than this. — Yes No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 61109 — Yes No
17. Was a LL Hg or Me Hg trip blank present? _____ — Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page

Samples processed by:

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WI-NC-099

Login # : _____

Eurofins TestAmerica Canton Sample Receipt Multiple Cooler Form				
Cooler Description (Circle)	IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
TA Client Box Other	IR-14 IR-15	1.2	1.0	Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15	1.1	0.9	Wet Ice Blue Ice Dry Ice Water None
TA Client Box Other	IR-14 IR-15	

Fibertec
environmental
services

Wednesday, April 06, 2022

Fibertec Project Number:	A07755
Project Identification:	TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date:	04/04/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 12:26 PM, Apr 06, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELDBLANK_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELDBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELDBLANK_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELDBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
27. 1,1-Dichloroethane	**3.5**		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
31. trans-1,2-Dichloroethene	**1.7**		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**EQUIPMENTBLANK_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**12:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-003** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: EQUIPMENTBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**EQUIPMENTBLANK_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**12:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-003** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: EQUIPMENTBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**N/A**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**N/A**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
V- : Recovery in the associated continuing calibration verification sample (CCV) exceeds the lower control limit. Results may be biased low.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***100***		***80-120***
Dibromofluoromethane(S)	***101***		***80-120***
1,2-Dichloroethane-d4(S)	***94***		***80-120***
Toluene-d8(S)	***99***		***80-120***

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	30.6	61	54-140		50.0	31.1	62		2	20	
Acrylonitrile	50.0	52.7	105	70-130		50.0	53.7	107		2	20	
Benzene	50.0	46.5	93	80-120		50.0	45.1	90		3	20	
Bromobenzene	50.0	44.7	89	75-125		50.0	44.2	88		1	20	
Bromochloromethane	50.0	40.7	81	70-130		50.0	40.1	80		1	20	
Bromodichloromethane	50.0	44.5	89	75-120		50.0	43.5	87		2	20	
Bromoform	50.0	45.8	92	70-130		50.0	45.4	91		1	20	
Bromomethane	50.0	27.5	55	68-135	*	50.0	29.1	58	*	5	20	
2-Butanone	50.0	40.1	80	70-148		50.0	40.5	81		1	20	
n-Butylbenzene	50.0	52.8	106	70-133		50.0	51.9	104		2	20	
sec-Butylbenzene	50.0	50.2	100	70-125		50.0	49.4	99		1	20	
tert-Butylbenzene	50.0	49.5	99	70-130		50.0	48.6	97		2	20	
Carbon Disulfide	50.0	44.6	89	70-130		50.0	42.8	86		3	20	
Carbon Tetrachloride	50.0	44.5	89	70-130		50.0	43.3	87		2	20	
Chlorobenzene	50.0	45.9	92	80-120		50.0	44.8	90		2	20	
Chloroethane	50.0	40.5	81	61-130		50.0	39.1	78		4	20	
Chloroform	50.0	44.2	88	80-120		50.0	43.4	87		1	20	
Chloromethane	50.0	38.4	77	67-125		50.0	38.9	78		1	20	
2-Chlorotoluene	50.0	47.3	95	75-125		50.0	46.6	93		2	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	48.5	97	70-130		50.0	49.6	99		2	20	
Dibromochloromethane	50.0	44.6	89	70-130		50.0	43.3	87		2	20	
Dibromomethane	50.0	41.6	83	75-125		50.0	40.4	81		2	20	
1,2-Dichlorobenzene	50.0	46.9	94	70-120		50.0	46.2	92		2	20	
1,3-Dichlorobenzene	50.0	45.8	92	75-125		50.0	45.0	90		2	20	
1,4-Dichlorobenzene	50.0	43.3	87	75-125		50.0	42.5	85		2	20	
Dichlorodifluoromethane	50.0	53.5	107	70-136		50.0	51.0	102		5	20	
1,1-Dichloroethane	50.0	45.9	92	70-130		50.0	44.5	89		3	20	
1,2-Dichloroethane	50.0	40.9	82	70-130		50.0	39.7	79		4	20	
1,1-Dichloroethene	50.0	43.8	88	78-120		50.0	42.1	84		5	20	
cis-1,2-Dichloroethene	50.0	44.8	90	70-125		50.0	43.2	86		5	20	
trans-1,2-Dichloroethene	50.0	44.5	89	70-130		50.0	43.5	87		2	20	
1,2-Dichloropropane	50.0	49.1	98	80-121		50.0	47.4	95		3	20	
cis-1,3-Dichloropropene	50.0	43.4	87	70-130		50.0	42.2	84		4	20	

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	48.2	96	70-132		50.0	46.7	93		3	20	
Ethylbenzene	50.0	48.4	97	80-120		50.0	47.0	94		3	20	
Ethylene Dibromide	50.0	45.2	90	80-120		50.0	44.4	89		1	20	
2-Hexanone	50.0	39.4	79	70-130		50.0	40.5	81		3	20	
Isopropylbenzene	50.0	48.7	97	75-125		50.0	47.5	95		2	20	
4-Methyl-2-pentanone	50.0	55.2	110	70-130		50.0	54.7	109		1	20	
Methylene Chloride	50.0	43.8	88	70-130		50.0	42.7	85		3	20	
2-Methylnaphthalene	50.0	46.0	92	70-130		50.0	46.5	93		1	20	
MTBE	50.0	48.3	97	70-125		50.0	47.3	95		2	20	
Naphthalene	50.0	46.7	93	70-130		50.0	47.5	95		2	20	
n-Propylbenzene	50.0	49.4	99	70-130		50.0	48.8	98		1	20	
Styrene	50.0	41.0	82	70-130		50.0	39.7	79		4	20	
1,1,1,2-Tetrachloroethane	50.0	46.7	93	80-130		50.0	45.2	90		3	20	
1,1,2,2-Tetrachloroethane	50.0	59.4	119	70-130		50.0	60.5	121		2	20	
Tetrachloroethene	50.0	48.5	97	70-130		50.0	46.9	94		3	20	
Toluene	50.0	47.9	96	80-120		50.0	46.4	93		3	20	
1,2,4-Trichlorobenzene	50.0	45.9	92	70-130		50.0	46.0	92		0	20	
1,1,1-Trichloroethane	50.0	45.5	91	70-130		50.0	44.3	89		2	20	
1,1,2-Trichloroethane	50.0	47.6	95	75-125		50.0	47.1	94		1	20	
Trichloroethene	50.0	41.6	83	71-125		50.0	39.9	80		4	20	
Trichlorofluoromethane	50.0	48.2	96	70-133		50.0	46.6	93		3	20	
1,2,3-Trichloropropane	50.0	49.9	100	75-125		50.0	49.3	99		1	20	
1,2,3-Trimethylbenzene	50.0	47.0	94	70-130		50.0	46.2	92		2	20	
1,2,4-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.7	97		1	20	
1,3,5-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.1	96		2	20	
Vinyl Chloride	50.0	43.9	88	74-125		50.0	42.2	84		5	20	
m&p-Xylene	100	95.1	95	75-130		100	92.8	93		2	20	
o-Xylene	50.0	47.9	96	80-120		50.0	46.3	93		3	20	
4-Bromofluorobenzene(S)			***100***	***80-120***				***101***				
Dibromofluoromethane(S)			***99***	***80-120***				***98***				
1,2-Dichloroethane-d4(S)			***91***	***80-120***				***90***				
Toluene-d8(S)			***100***	***80-120***				***100***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 12:32 PM, Apr 06, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 201041
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Marina Samp
Project Name/ Number: TRW Milford 30046730
Email distribution list: marina.samp@arcadis.com; john.mcinnis@arcadis.com
Quote#
Purchase Order# 30046730.000IZ

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOCs 8260B	HOLD SAMPLE
4.4.22	1145		FIELDBLANK_040422	GW	3	3	
4.4.22	1155		OW-16D2-040422	GW	3	3	
4.4.22	1210		EQUIPMENTBLANK_040422	GW	3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks:

Received By Lab
APR 04 2022
Initials EL

Received On Ice

Comments:

Sampled/Relinquished By: Stacey Hannula	Date/ Time 4.4.22 1230	Received By: Amyssa Mandich/Arcadis
Relinquished By: Amyssa Mandich/Arcadis	Date/ Time 4/4/22 1415	Received By: Fibertec
Relinquished By:	Date/ Time	Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days (48 hrs) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A07755
Temperature upon receipt at Lab: 2.0°C

Please see back for terms and conditions

Fibertec environmental services

Tuesday, April 12, 2022

Fibertec Project Number:	A07873
Project Identification:	TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date:	04/08/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 1:11 PM, Apr 12, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
27. 1,1-Dichloroethane	**3.5**		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
30. cis-1,2-Dichloroethene	**20**		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
31. trans-1,2-Dichloroethene	**1.5**		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-003** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-003** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-19-8 (TX)

VB22D11B: Method Blank (MB)

EPA 8260D

Run Time: VB22D11B.MB 04/11/2022 17:19 [VB22D11B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VB22D11B: Method Blank (MB) — EPA 8260D

Run Time: VB22D11B.MB 04/11/2022 17:19 [VB22D11B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***104***		***80-120***
Dibromofluoromethane(S)	***105***		***80-120***
1,2-Dichloroethane-d4(S)	***100***		***80-120***
Toluene-d8(S)	***102***		***80-120***

VB22D11B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22D11B.LCS: 04/11/2022 15:31 [VB22D11B] VB22D11B.LCSD: 04/11/2022 15:58 [VB22D11B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	38.5	77	54-140		50.0	40.0	80		4	20	
Acrylonitrile	50.0	54.7	109	70-130		50.0	54.1	108		1	20	
Benzene	50.0	48.4	97	80-120		50.0	47.1	94		3	20	
Bromobenzene	50.0	45.8	92	75-125		50.0	45.2	90		2	20	
Bromochloromethane	50.0	48.4	97	70-130		50.0	49.1	98		1	20	
Bromodichloromethane	50.0	50.1	100	75-120		50.0	49.1	98		2	20	
Bromoform	50.0	51.9	104	70-130		50.0	51.6	103		1	20	
Bromomethane	50.0	46.6	93	68-135		50.0	45.6	91		2	20	
2-Butanone	50.0	41.0	82	70-148		50.0	41.0	82		0	20	
n-Butylbenzene	50.0	53.9	108	70-133		50.0	52.5	105		3	20	
sec-Butylbenzene	50.0	51.2	102	70-125		50.0	49.4	99		3	20	
tert-Butylbenzene	50.0	49.3	99	70-130		50.0	48.1	96		3	20	
Carbon Disulfide	50.0	48.6	97	70-130		50.0	46.7	93		4	20	
Carbon Tetrachloride	50.0	52.9	106	70-130		50.0	52.4	105		1	20	
Chlorobenzene	50.0	47.8	96	80-120		50.0	46.6	93		3	20	
Chloroethane	50.0	48.1	96	61-130		50.0	46.6	93		3	20	
Chloroform	50.0	48.3	97	80-120		50.0	46.9	94		3	20	
Chloromethane	50.0	71.8	144	67-125	*	50.0	70.0	140	*	3	20	
2-Chlorotoluene	50.0	48.1	96	75-125		50.0	47.3	95		1	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	47.5	95	70-130		50.0	47.7	95		0	20	
Dibromochloromethane	50.0	48.5	97	70-130		50.0	48.7	97		0	20	
Dibromomethane	50.0	46.5	93	75-125		50.0	45.9	92		1	20	
1,2-Dichlorobenzene	50.0	47.0	94	70-120		50.0	46.6	93		1	20	
1,3-Dichlorobenzene	50.0	47.4	95	75-125		50.0	46.3	93		2	20	
1,4-Dichlorobenzene	50.0	45.3	91	75-125		50.0	44.5	89		2	20	
Dichlorodifluoromethane	50.0	60.4	121	70-136		50.0	57.0	114		6	20	
1,1-Dichloroethane	50.0	48.6	97	70-130		50.0	47.7	95		2	20	
1,2-Dichloroethane	50.0	45.9	92	70-130		50.0	45.3	91		1	20	
1,1-Dichloroethene	50.0	48.3	97	78-120		50.0	46.5	93		4	20	
cis-1,2-Dichloroethene	50.0	50.8	102	70-125		50.0	49.3	99		3	20	
trans-1,2-Dichloroethene	50.0	49.9	100	70-130		50.0	47.8	96		4	20	
1,2-Dichloropropane	50.0	51.0	102	80-121		50.0	50.7	101		1	20	
cis-1,3-Dichloropropene	50.0	49.4	99	70-130		50.0	48.7	97		2	20	

VB22D11B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22D11B.LCS: 04/11/2022 15:31 [VB22D11B] VB22D11B.LCSD: 04/11/2022 15:58 [VB22D11B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	53.5	107	70-132		50.0	53.0	106		1	20	
Ethylbenzene	50.0	50.8	102	80-120		50.0	49.2	98		4	20	
Ethylene Dibromide	50.0	49.2	98	80-120		50.0	48.5	97		1	20	
2-Hexanone	50.0	53.4	107	70-130		50.0	53.2	106		1	20	
Isopropylbenzene	50.0	52.0	104	75-125		50.0	50.4	101		3	20	
4-Methyl-2-pentanone	50.0	59.4	119	70-130		50.0	59.4	119		0	20	
Methylene Chloride	50.0	45.0	90	70-130		50.0	43.9	88		2	20	
2-Methylnaphthalene	50.0	46.5	93	70-130		50.0	46.0	92		1	20	
MTBE	50.0	51.4	103	70-125		50.0	51.6	103		0	20	
Naphthalene	50.0	49.5	99	70-130		50.0	49.7	99		0	20	
n-Propylbenzene	50.0	51.7	103	70-130		50.0	50.0	100		3	20	
Styrene	50.0	43.7	87	70-130		50.0	42.8	86		1	20	
1,1,1,2-Tetrachloroethane	50.0	50.6	101	80-130		50.0	49.3	99		2	20	
1,1,2,2-Tetrachloroethane	50.0	54.5	109	70-130		50.0	55.0	110		1	20	
Tetrachloroethene	50.0	51.6	103	70-130		50.0	48.3	97		6	20	
Toluene	50.0	51.0	102	80-120		50.0	49.6	99		3	20	
1,2,4-Trichlorobenzene	50.0	46.9	94	70-130		50.0	45.8	92		2	20	
1,1,1-Trichloroethane	50.0	52.7	105	70-130		50.0	51.0	102		3	20	
1,1,2-Trichloroethane	50.0	48.1	96	75-125		50.0	47.2	94		2	20	
Trichloroethene	50.0	46.6	93	71-125		50.0	45.7	91		2	20	
Trichlorofluoromethane	50.0	48.2	96	70-133		50.0	46.4	93		3	20	
1,2,3-Trichloropropane	50.0	46.1	92	75-125		50.0	46.7	93		1	20	
1,2,3-Trimethylbenzene	50.0	48.4	97	70-130		50.0	47.3	95		2	20	
1,2,4-Trimethylbenzene	50.0	51.5	103	75-130		50.0	50.8	102		1	20	
1,3,5-Trimethylbenzene	50.0	51.0	102	75-130		50.0	49.6	99		3	20	
Vinyl Chloride	50.0	53.8	108	74-125		50.0	51.4	103		5	20	
m&p-Xylene	100	103	103	75-130		100	100	100		3	20	
o-Xylene	50.0	50.9	102	80-120		50.0	49.4	99		3	20	
4-Bromofluorobenzene(S)			***105***	***80-120***				***104***				
Dibromofluoromethane(S)			***103***	***80-120***				***103***				
1,2-Dichloroethane-d4(S)			***99***	***80-120***				***97***				
Toluene-d8(S)			***101***	***80-120***				***102***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 1:19 PM, Apr 12, 2022

Fibertec environmental services

Analytical Laboratory

1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe

11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 207003
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Marina Samp
Project Name/ Number: TRW Milford 30046730
Email distribution list: marina.samp@arcadis.com, john.mcinnis@arcadis.com
Quote#
Purchase Order# 30046730.0001Z

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260B	HOLD SAMPLE
4.8.22	1035		FIELDBLANK-040822	GW	3	3	
	1135		GW-16D2-040822	GW	3	3	
			~~EQUIPMENT BLANK-040822~~	~~GW~~	~~3~~	~~3~~	
			TRIP BLANK		3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks:

Received By Lab
APR 08 2022
Initials: DG

Comments:

Sampled/Relinquished By: Stacey Hannola	Date/ Time 4.8.22 1240	Received By: Russ Scott
Relinquished By: Russ Scott	Date/ Time	Received By: [signature] 4/8/22 4:35
Relinquished By: [signature]	Date/ Time 4/8/22 1800	Received By Laboratory: [signature]

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days (48hr) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: 407873
Temperature upon receipt at Lab: 3.4c

Received Ice

Please see back for terms and conditions

Fibertec
environmental
services

Wednesday, April 20, 2022

Fibertec Project Number:	A08019
Project Identification:	TRW Milford (30046730) /30046730
Submittal Date:	04/18/2022

Mr. John McInnis
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. McInnis,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 12:45 PM, Apr 20, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08019
Laboratory Sample Number: A08019-001

Order: A08019
Date: 04/20/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK-041822**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	L-	µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	3. Benzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	4. Bromobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	5. Bromochloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	7. Bromoform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	8. Bromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	9. 2-Butanone	U		µg/L	25	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	10. n-Butylbenzene	U	V+	µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	15. Chlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	16. Chloroethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	17. Chloroform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	18. Chloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	22. Dibromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	35. Ethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	37. 2-Hexanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK-041822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
42. MTBE	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
43. Naphthalene	U	V+ L+	µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
45. Styrene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
49. Toluene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08019
Laboratory Sample Number: A08019-002

Order: A08019
Date: 04/20/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**EQUIPMENT BLANK-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**11:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-002** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: EQUIPMENT BLANK-041822**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	L-	µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	3. Benzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	4. Bromobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	5. Bromochloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	7. Bromoform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	8. Bromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	9. 2-Butanone	U		µg/L	25	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	10. n-Butylbenzene	U	V+	µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	15. Chlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	16. Chloroethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	17. Chloroform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	18. Chloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	22. Dibromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	35. Ethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
	37. 2-Hexanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**EQUIPMENT BLANK-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**11:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-002** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: EQUIPMENT BLANK-041822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
42. MTBE	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
43. Naphthalene	U	V+ L+	µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
45. Styrene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
49. Toluene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08019
Laboratory Sample Number: A08019-003

Order: A08019
Date: 04/20/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-041822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
3. Benzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
7. Bromoform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
8. Bromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
9. 2-Butanone	U		µg/L	25	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
10. n-Butylbenzene	U	V+	µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
16. Chloroethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
17. Chloroform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
18. Chloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
27. 1,1-Dichloroethane	**3.0**		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
30. cis-1,2-Dichloroethene	**18**		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
31. trans-1,2-Dichloroethene	**1.3**		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
37. 2-Hexanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-041822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
42. MTBE	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
43. Naphthalene	U	V+ L+	µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
45. Styrene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
49. Toluene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-19-8 (TX)

VB22D19A: Method Blank (MB)

EPA 8260D

Run Time: VB22D19A.MB 04/19/2022 11:47 [VB22D19A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VB22D19A: Method Blank (MB)

EPA 8260D

Run Time: VB22D19A.MB 04/19/2022 11:47 [VB22D19A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***99***		***80-120***
Dibromofluoromethane(S)	***101***		***80-120***
1,2-Dichloroethane-d4(S)	***100***		***80-120***
Toluene-d8(S)	***100***		***80-120***

VB22D19A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22D19A.LCS: 04/19/2022 10:27 [VB22D19A] VB22D19A.LCSD: 04/19/2022 10:54 [VB22D19A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	23.4	47	54-140	*	50.0	22.4	45	*	4	20	
Acrylonitrile	50.0	55.1	110	70-130		50.0	56.3	113		3	20	
Benzene	50.0	49.1	98	80-120		50.0	48.2	96		2	20	
Bromobenzene	50.0	50.2	100	75-125		50.0	49.3	99		1	20	
Bromochloromethane	50.0	49.3	99	70-130		50.0	48.7	97		2	20	
Bromodichloromethane	50.0	52.1	104	75-120		50.0	51.3	103		1	20	
Bromoform	50.0	51.1	102	70-130		50.0	51.8	104		2	20	
Bromomethane	50.0	49.3	99	68-135		50.0	47.9	96		3	20	
2-Butanone	50.0	38.2	76	70-148		50.0	39.1	78		3	20	
n-Butylbenzene	50.0	61.4	123	70-133		50.0	57.7	115		7	20	
sec-Butylbenzene	50.0	55.3	111	70-125		50.0	52.8	106		5	20	
tert-Butylbenzene	50.0	54.6	109	70-130		50.0	52.6	105		4	20	
Carbon Disulfide	50.0	43.7	87	70-130		50.0	41.9	84		4	20	
Carbon Tetrachloride	50.0	48.0	96	70-130		50.0	48.2	96		0	20	
Chlorobenzene	50.0	50.5	101	80-120		50.0	49.7	99		2	20	
Chloroethane	50.0	45.4	91	61-130		50.0	44.0	88		3	20	
Chloroform	50.0	48.1	96	80-120		50.0	48.5	97		1	20	
Chloromethane	50.0	51.3	103	67-125		50.0	50.2	100		3	20	
2-Chlorotoluene	50.0	53.2	106	75-125		50.0	51.3	103		3	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	56.4	113	70-130		50.0	56.9	114		1	20	
Dibromochloromethane	50.0	51.4	103	70-130		50.0	51.9	104		1	20	
Dibromomethane	50.0	49.7	99	75-125		50.0	50.3	101		2	20	
1,2-Dichlorobenzene	50.0	53.0	106	70-120		50.0	51.4	103		3	20	
1,3-Dichlorobenzene	50.0	52.6	105	75-125		50.0	51.4	103		2	20	
1,4-Dichlorobenzene	50.0	49.3	99	75-125		50.0	48.1	96		3	20	
Dichlorodifluoromethane	50.0	54.0	108	70-136		50.0	52.4	105		3	20	
1,1-Dichloroethane	50.0	49.9	100	70-130		50.0	49.2	98		2	20	
1,2-Dichloroethane	50.0	47.3	95	70-130		50.0	47.5	95		0	20	
1,1-Dichloroethene	50.0	45.2	90	78-120		50.0	43.5	87		3	20	
cis-1,2-Dichloroethene	50.0	50.3	101	70-125		50.0	50.2	100		1	20	
trans-1,2-Dichloroethene	50.0	48.2	96	70-130		50.0	47.2	94		2	20	
1,2-Dichloropropane	50.0	52.5	105	80-121		50.0	52.1	104		1	20	
cis-1,3-Dichloropropene	50.0	54.6	109	70-130		50.0	53.9	108		1	20	

VB22D19A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22D19A.LCS: 04/19/2022 10:27 [VB22D19A] VB22D19A.LCSD: 04/19/2022 10:54 [VB22D19A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	58.3	117	70-132		50.0	57.7	115		2	20	
Ethylbenzene	50.0	52.2	104	80-120		50.0	51.0	102		2	20	
Ethylene Dibromide	50.0	53.9	108	80-120		50.0	54.1	108		0	20	
2-Hexanone	50.0	39.6	79	70-130		50.0	39.0	78		1	20	
Isopropylbenzene	50.0	54.4	109	75-125		50.0	53.3	107		2	20	
4-Methyl-2-pentanone	50.0	57.3	115	70-130		50.0	58.2	116		1	20	
Methylene Chloride	50.0	42.2	84	70-130		50.0	35.1	70		18	20	
2-Methylnaphthalene	50.0	62.1	124	70-130		50.0	58.1	116		7	20	
MTBE	50.0	52.6	105	70-125		50.0	53.6	107		2	20	
Naphthalene	50.0	68.2	136	70-130	*	50.0	66.9	134	*	1	20	
n-Propylbenzene	50.0	53.9	108	70-130		50.0	52.0	104		4	20	
Styrene	50.0	49.5	99	70-130		50.0	49.1	98		1	20	
1,1,1,2-Tetrachloroethane	50.0	52.6	105	80-130		50.0	52.2	104		1	20	
1,1,2,2-Tetrachloroethane	50.0	61.9	124	70-130		50.0	62.5	125		1	20	
Tetrachloroethene	50.0	50.6	101	70-130		50.0	49.4	99		2	20	
Toluene	50.0	50.2	100	80-120		50.0	49.2	98		2	20	
1,2,4-Trichlorobenzene	50.0	59.2	118	70-130		50.0	57.8	116		2	20	
1,1,1-Trichloroethane	50.0	50.4	101	70-130		50.0	49.4	99		2	20	
1,1,2-Trichloroethane	50.0	52.4	105	75-125		50.0	52.3	105		0	20	
Trichloroethene	50.0	45.6	91	71-125		50.0	44.8	90		1	20	
Trichlorofluoromethane	50.0	51.7	103	70-133		50.0	48.8	98		5	20	
1,2,3-Trichloropropane	50.0	53.5	107	75-125		50.0	53.4	107		0	20	
1,2,3-Trimethylbenzene	50.0	53.1	106	70-130		50.0	51.7	103		3	20	
1,2,4-Trimethylbenzene	50.0	58.0	116	75-130		50.0	56.0	112		4	20	
1,3,5-Trimethylbenzene	50.0	55.3	111	75-130		50.0	53.5	107		4	20	
Vinyl Chloride	50.0	51.3	103	74-125		50.0	49.3	99		4	20	
m&p-Xylene	100	107	107	75-130		100	104	104		3	20	
o-Xylene	50.0	53.6	107	80-120		50.0	52.9	106		1	20	
4-Bromofluorobenzene(S)			***100***	***80-120***				***101***				
Dibromofluoromethane(S)			***99***	***80-120***				***100***				
1,2-Dichloroethane-d4(S)			***104***	***80-120***				***104***				
Toluene-d8(S)			***100***	***80-120***				***100***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 12:52 PM, Apr 20, 2022

Fibertec environmental services

Analytical Laboratory

1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe

11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 207305
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: TRW Milford 30046730
Email distribution list: marina.sampa@arcadis.com, john.mcinnis@arcadis.com
Quote#
Purchase Order# 30046730.0017

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260B	HOLD SAMPLE
4.18	1035		FIELDBLANK_041822	GW	3	3	
	~~1055~~ 1120		EQUIPMENTBLANK-041822	GW	3	3	
	1055		OW-16D2_041822	GW	3	3	
			TRIPBLANK		3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks: 1120 sample time

Received By Lab
APR 18 2022
Initials: EA

Received Onice

Comments:

	Date/ Time	Received By:
Sampled/Relinquished By: Stacey Hannula	4.18.22 12:10	
Relinquished By:	Date/ Time	Received By:
Relinquished By:	Date/ Time 4/18/22 15:15	Received By Laboratory: 4/18/22 1:30

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 48hr 2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A08019
Temperature upon receipt at Lab: 3.1 °C

Please see back for terms and conditions

Arcadis of Michigan, LLC

28550 Cabot Drive

Suite 500

Novi, Michigan 48377

Tel 248 994 2240

www.arcadis.com

Attachment 10

Electronic Mail Confirmation from Mr. Wojciechowski on May 26, 2022

McInnis, John

From: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Sent: Thursday, May 26, 2022 5:46 PM
To: McInnis, John
Cc: Detwiler Scott MSA HEEN; Owens, Paul (EGLE); Wilson, Cheryl (EGLE); Yusko-Kotimko, Tiffany (EGLE)
Subject: RE: VAP Monitoring well screen location

Thanks for the update.

Kevin Wojciechowski
Senior Environmental Quality Analyst
Michigan Department of Environment, Great Lakes, and Energy
Remediation Redevelopment Division
Warren District Office
Cell: 586-623-2948
wojciechowskik@michigan.gov
Pollution Emergency Alerting System: 1-800-292-4706

From: McInnis, John <John.McInnis@arcadis.com>
Sent: Thursday, May 26, 2022 3:58 PM
To: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Owens, Paul (EGLE) <OWENSP@michigan.gov>; Wilson, Cheryl (EGLE) <WILSONC3@michigan.gov>; Yusko-Kotimko, Tiffany (EGLE) <YuskoKotimkoT@michigan.gov>
Subject: RE: VAP Monitoring well screen location

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Hi Kevin,

As a follow-up to your email and our calls, this serves as confirmation that we are proceeding with the installation of a new monitoring well at the VAP #1 location today and tomorrow with a screened interval of 85 to 90 feet below ground level.

It's our intent to also install another deeper well near VAP #1 and OW16D2 with a screened interval of 95 to 100 feet below ground level consistent with the OW-16D2 screen interval, to serve as a nested pair with the new 85 to 90 foot well once the driller's schedule can be confirmed and additional materials procured.

Please let me know if you have any questions or concerns.

Thanks, John

From: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Sent: Thursday, May 26, 2022 10:54 AM
To: McInnis, John <John.McInnis@arcadis.com>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Owens, Paul (EGLE) <owensp@michigan.gov>; Wilson, Cheryl

(EGLE) <WILSONC3@michigan.gov>; Yusko-Kotimko, Tiffany (EGLE) <YuskoKotimkoT@michigan.gov>
Subject: Re: VAP Monitoring well screen location

Yes that was considered and it wasn't ruled out. Looking back at EGLEs communications with ZF, total VOCs was agree upon to set the screen. This is outside of the Order, but EGLE believes this is an important monitoring point and the VAP demonstrated VOCs especially CVOCs equally spread out in a large portion of the aquifer. The only thing that was agreed to in correspondences is set at highest total VOCs.

From: McInnis, John <John.McInnis@arcadis.com>
Sent: Thursday, May 26, 2022 10:00:38 AM
To: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Owens, Paul (EGLE) <OWENSP@michigan.gov>; Wilson, Cheryl (EGLE) <WILSONC3@michigan.gov>; Yusko-Kotimko, Tiffany (EGLE) <YuskoKotimkoT@michigan.gov>
Subject: RE: VAP Monitoring well screen location

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Hi Kevin,

Thanks for the feedback. Was there a consideration to use a 10-foot screen to cover a greater area of the impacted zone?

Also, just to confirm, you are only concerned about the total chlorinated VOCs for evaluation of the screen placement correct?

John

John McInnis PE
Principal Engineer/Project Manager
Arcadis of Michigan, LLC
28550 Cabot Drive Suite 500 | Novi, MI | 48377 | USA
T +1 248 994 2285
M +1 248 982 9674
www.arcadis.com





Professional Registration / PE-MI, 6201037207

From: Wojciechowski, Kevin (EGLE) <WojciechowskiK@michigan.gov>
Sent: Thursday, May 26, 2022 9:48 AM
To: McInnis, John <John.McInnis@arcadis.com>
Cc: Detwiler Scott MSA HEEN <scott.detwiler@zf.com>; Owens, Paul (EGLE) <owensp@michigan.gov>; Wilson, Cheryl (EGLE) <WILSONC3@michigan.gov>; Yusko-Kotimko, Tiffany (EGLE) <YuskoKotimkoT@michigan.gov>
Subject: VAP Monitoring well screen location

John,

After discussions with my supervisor's and geologist. The screen of the monitoring well should be placed from 85-90 ft where the highest total VOCs were located. Based on the review of the VAP data and the location of the monitoring well being a sentinel well before the village intake wells, levels of VOCs are consistent from 75-110 ft. Nested well screens should be considered for this location, to better monitoring near the Village intake wells.

Thanks,

Kevin Wojciechowski

Senior Environmental Quality Analyst
Michigan Department of Environment, Great Lakes, and Energy
Remediation Redevelopment Division
Warren District Office
Cell: 586-623-2948
wojciechowskik@michigan.gov
Pollution Emergency Alerting System: 1-800-292-4706

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

Attachment 11

Laboratory Analytical Reports – OW-16D2 since Redevelopment

Revised – Added Lab Reports

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-164584-1
Client Project/Site: Milford

For:
ZF Active Safety and Electronics LLC
Tech 2
12025 Tech Center Drive
Livonia, Michigan 48150

Attn: Scott Detwiler

Authorized for release by:
4/13/2022 2:44:35 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@et.eurofinsus.com

LINKS
Review your project results through TotalAccess
Have a Question? Ask The Expert
Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 5
Sample Summary 6
Detection Summary 7
Client Sample Results 8
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 20
Lab Chronicle 21
Certification Summary 22
Chain of Custody 23

Definitions/Glossary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-164584-1

Laboratory: Eurofins Canton

Narrative

ob Narrative
240-164584-1

Comments
No additional comments.

Receipt
The samples were received on 4/6/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.9º C.

GC/MS VOA
Method 8260B: The continuing calibration verification (CCV) associated with batch 240-522044 recovered above the upper control limit for Acetone. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported. The associated samples are impacted: OW-16D2_040422 (240-164584-1), EQUIPMENT BLANK_040422 (240-164584-2), FIELD BLANK_040422 (240-164584-3), TRIP BLANK (240-164584-4), (CCV 240-522044/4), (CCVIS 240-522044/3), (LCS 240-522044/5), (LCS 240-522044/6), (MB 240-522044/9), (240-164634-B-3), (240-164634-B-3 MS) and (240-164634-B-3 MSD).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep
No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-164584-1	OW-16D2_040422	Water	04/04/22 11:55	04/06/22 08:00
240-164584-2	EQUIPMENT BLANK_040422	Water	04/04/22 12:10	04/06/22 08:00
240-164584-3	FIELD BLANK_040422	Water	04/04/22 11:45	04/06/22 08:00
240-164584-4	TRIP BLANK	Water	04/04/22 00:00	04/06/22 08:00

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: OW-16D2_040422 — Lab Sample ID: 240-164584-1

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	3.8		1.0		ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	21		1.0		ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.7		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: EQUIPMENT BLANK_040422 — Lab Sample ID: 240-164584-2

No Detections.

Client Sample ID: FIELD BLANK_040422 — Lab Sample ID: 240-164584-3

No Detections.

Client Sample ID: TRIP BLANK — Lab Sample ID: 240-164584-4

No Detections.

This Detection Summary does not include radiochemical test results.

Client Sample ID: OW-16D2_040422
Lab Sample ID: 240-164584-1

Date Collected: 04/04/22 11:55
Matrix: Water
Date Received: 04/06/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 17:02	1
Benzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 17:02	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 17:02	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 17:02	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 17:02	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 17:02	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1-Dichloroethane	**3.8**		1.0		ug/L			04/07/22 17:02	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 17:02	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 17:02	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
2-Hexanone	10	U	10		ug/L			04/07/22 17:02	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 17:02	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 17:02	1
Styrene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Toluene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 17:02	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 17:02	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 17:02	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
cis-1,2-Dichloroethene	**21**		1.0		ug/L			04/07/22 17:02	1
trans-1,2-Dichloroethene	**1.7**		1.0		ug/L			04/07/22 17:02	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 17:02	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 17:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*105*		*62 - 137*		*04/07/22 17:02*	*1*
4-Bromofluorobenzene (Surr)	*85*		*56 - 136*		*04/07/22 17:02*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*04/07/22 17:02*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: OW-16D2_040422
Date Collected: 04/04/22 11:55
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	93		73 - 120		04/07/22 17:02	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: EQUIPMENT BLANK_040422

Lab Sample ID: 240-164584-2

Date Collected: 04/04/22 12:10

Matrix: Water

Date Received: 04/06/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 15:21	1
Benzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 15:21	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 15:21	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 15:21	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 15:21	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 15:21	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 15:21	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 15:21	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
2-Hexanone	10	U	10		ug/L			04/07/22 15:21	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 15:21	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 15:21	1
Styrene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Toluene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 15:21	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 15:21	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 15:21	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:21	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 15:21	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*104*		*62 - 137*		*04/07/22 15:21*	*1*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*04/07/22 15:21*	*1*
Toluene-d8 (Surr)	*98*		*78 - 122*		*04/07/22 15:21*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: EQUIPMENT BLANK_040422
Date Collected: 04/04/22 12:10
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	90		73 - 120		04/07/22 15:21	1

Client Sample ID: FIELD BLANK_040422

Date Collected: 04/04/22 11:45
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 15:46	1
Benzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 15:46	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 15:46	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 15:46	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 15:46	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 15:46	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 15:46	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 15:46	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
2-Hexanone	10	U	10		ug/L			04/07/22 15:46	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 15:46	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 15:46	1
Styrene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Toluene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 15:46	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 15:46	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 15:46	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 15:46	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 15:46	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*105*		*62 - 137*		*04/07/22 15:46*	*1*
4-Bromofluorobenzene (Surr)	*85*		*56 - 136*		*04/07/22 15:46*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*04/07/22 15:46*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: FIELD BLANK_040422
Date Collected: 04/04/22 11:45
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	*90*		*73 - 120*		*04/07/22 15:46*	*1*

Client Sample ID: TRIP BLANK

Date Collected: 04/04/22 00:00
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 16:12	1
Benzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 16:12	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 16:12	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 16:12	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 16:12	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 16:12	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 16:12	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 16:12	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
2-Hexanone	10	U	10		ug/L			04/07/22 16:12	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 16:12	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 16:12	1
Styrene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Toluene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 16:12	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 16:12	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 16:12	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 16:12	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 16:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*104*		*62 - 137*		*04/07/22 16:12*	*1*
4-Bromofluorobenzene (Surr)	*86*		*56 - 136*		*04/07/22 16:12*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*04/07/22 16:12*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: TRIP BLANK
Date Collected: 04/04/22 00:00
Date Received: 04/06/22 08:00

Lab Sample ID: 240-164584-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	92		73 - 120		04/07/22 16:12	1

Surrogate Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-164584-1	OW-16D2_040422	105	85	98	93
240-164584-2	EQUIPMENT BLANK_040422	104	87	98	90
240-164584-3	FIELD BLANK_040422	105	85	97	90
240-164584-4	TRIP BLANK	104	86	97	92
LCS 240-522044/5	Lab Control Sample	97	98	97	89
MB 240-522044/9	Method Blank	102	89	97	89

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-522044/9
Matrix: Water
Analysis Batch: 522044

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/07/22 14:06	1
Benzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Bromoform	1.0	U	1.0		ug/L			04/07/22 14:06	1
Bromomethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
2-Butanone (MEK)	10	U	10		ug/L			04/07/22 14:06	1
Carbon disulfide	1.0	U	1.0		ug/L			04/07/22 14:06	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/07/22 14:06	1
Chlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Chloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Chloroform	1.0	U	1.0		ug/L			04/07/22 14:06	1
Chloromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/07/22 14:06	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 14:06	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Ethylbenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
2-Hexanone	10	U	10		ug/L			04/07/22 14:06	1
Methylene Chloride	5.0	U	5.0		ug/L			04/07/22 14:06	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/07/22 14:06	1
Styrene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Toluene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Trichloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Vinyl chloride	1.0	U	1.0		ug/L			04/07/22 14:06	1
Xylenes, Total	2.0	U	2.0		ug/L			04/07/22 14:06	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/07/22 14:06	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/07/22 14:06	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/07/22 14:06	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*102*		*62 - 137*		*04/07/22 14:06*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-522044/9
Matrix: Water
Analysis Batch: 522044

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	*89*		*56 - 136*		*04/07/22 14:06*	*1*
Toluene-d8 (Surr)	*97*		*78 - 122*		*04/07/22 14:06*	*1*
Dibromofluoromethane (Surr)	*89*		*73 - 120*		*04/07/22 14:06*	*1*

Lab Sample ID: LCS 240-522044/5
Matrix: Water
Analysis Batch: 522044

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acetone	50.0	73.4		ug/L		147	50 - 149
Benzene	25.0	25.7		ug/L		103	77 - 123
Bromodichloromethane	25.0	27.4		ug/L		110	69 - 126
Bromoform	25.0	23.4		ug/L		94	57 - 129
Bromomethane	25.0	25.9		ug/L		103	36 - 142
2-Butanone (MEK)	50.0	55.9		ug/L		112	54 - 156
Carbon disulfide	25.0	22.8		ug/L		91	43 - 140
Carbon tetrachloride	25.0	27.3		ug/L		109	55 - 137
Chlorobenzene	25.0	26.1		ug/L		104	80 - 121
Chloroethane	25.0	26.1		ug/L		104	38 - 152
Chloroform	25.0	25.5		ug/L		102	74 - 122
Chloromethane	25.0	27.6		ug/L		110	47 - 143
1,1-Dichloroethane	25.0	25.1		ug/L		101	72 - 127
1,2-Dichloroethane	25.0	26.9		ug/L		108	66 - 128
1,1-Dichloroethene	25.0	23.4		ug/L		94	63 - 134
1,2-Dichloropropane	25.0	27.7		ug/L		111	75 - 133
cis-1,3-Dichloropropene	25.0	27.9		ug/L		111	64 - 130
trans-1,3-Dichloropropene	25.0	29.6		ug/L		118	57 - 129
Ethylbenzene	25.0	27.8		ug/L		111	80 - 121
2-Hexanone	50.0	66.7		ug/L		133	43 - 167
Methylene Chloride	25.0	26.6		ug/L		106	71 - 125
4-Methyl-2-pentanone (MIBK)	50.0	63.5		ug/L		127	46 - 158
Styrene	25.0	28.7		ug/L		115	80 - 135
1,1,2,2-Tetrachloroethane	25.0	30.9		ug/L		123	58 - 157
Tetrachloroethene	25.0	24.0		ug/L		96	76 - 123
Toluene	25.0	26.6		ug/L		106	80 - 123
Trichloroethene	25.0	23.2		ug/L		93	70 - 122
Vinyl chloride	25.0	27.1		ug/L		109	60 - 144
Xylenes, Total	50.0	55.9		ug/L		112	80 - 121
1,1,1-Trichloroethane	25.0	25.8		ug/L		103	64 - 131
1,1,2-Trichloroethane	25.0	27.2		ug/L		109	70 - 138
1,2-Dibromo-3-Chloropropane	25.0	24.7		ug/L		99	53 - 135
1,2-Dibromoethane	25.0	27.1		ug/L		108	71 - 134
Dichlorodifluoromethane	25.0	20.2		ug/L		81	34 - 153
cis-1,2-Dichloroethene	25.0	24.6		ug/L		98	77 - 123
trans-1,2-Dichloroethene	25.0	24.4		ug/L		98	75 - 124
Isopropylbenzene	25.0	28.8		ug/L		115	74 - 128
Methyl tert-butyl ether	25.0	26.4		ug/L		106	65 - 126
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	20.8		ug/L		83	51 - 146

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-522044/5
Matrix: Water
Analysis Batch: 522044

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,2,4-Trichlorobenzene	25.0	30.1		ug/L		120	44 - 147
1,2-Dichlorobenzene	25.0	27.6		ug/L		110	78 - 120
1,3-Dichlorobenzene	25.0	27.1		ug/L		108	80 - 120
1,4-Dichlorobenzene	25.0	26.8		ug/L		107	80 - 120
Trichlorofluoromethane	25.0	28.0		ug/L		112	30 - 170
Dibromochloromethane	25.0	27.5		ug/L		110	70 - 124
m-Xylene & p-Xylene	25.0	27.8		ug/L		111	80 - 120
o-Xylene	25.0	28.1		ug/L		112	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*97*		*62 - 137*
4-Bromofluorobenzene (Surr)	*98*		*56 - 136*
Toluene-d8 (Surr)	*97*		*78 - 122*
Dibromofluoromethane (Surr)	*89*		*73 - 120*

QC Association Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-164584-1
Project/Site: Milford

GC/MS VOA

Analysis Batch: 522044

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-164584-1	OW-16D2_040422	Total/NA	Water	8260B	
240-164584-2	EQUIPMENT BLANK_040422	Total/NA	Water	8260B	
240-164584-3	FIELD BLANK_040422	Total/NA	Water	8260B	
240-164584-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-522044/9	Method Blank	Total/NA	Water	8260B	
LCS 240-522044/5	Lab Control Sample	Total/NA	Water	8260B	

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-164584-1

Client Sample ID: OW-16D2_040422
Lab Sample ID: 240-164584-1
Date Collected: 04/04/22 11:55
Matrix: Water
Date Received: 04/06/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522044	04/07/22 17:02	SAM	TAL CAN

Client Sample ID: EQUIPMENT BLANK_040422
Lab Sample ID: 240-164584-2
Date Collected: 04/04/22 12:10
Matrix: Water
Date Received: 04/06/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522044	04/07/22 15:21	SAM	TAL CAN

Client Sample ID: FIELD BLANK_040422
Lab Sample ID: 240-164584-3
Date Collected: 04/04/22 11:45
Matrix: Water
Date Received: 04/06/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522044	04/07/22 15:46	SAM	TAL CAN

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-164584-4
Date Collected: 04/04/22 00:00
Matrix: Water
Date Received: 04/06/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522044	04/07/22 16:12	SAM	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-164584-1
Project/Site: Milford

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

1.1/0.9

STL North Canton 4101 Shuffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico	TRW Chain Of Custody / Analysis Request			LAB USE ONLY Laboratory ID No. (Lot No.)
	Privileged & Confidential	Yes	Site Name:	Milford
Project Type:	Groundwater Sampling - IZ	TRW PO No.	30046730.000IZ	Site Location:	Milford, Michigan
TRW PM: (name, company, address, e-mail)		Database Manager: (name, company, address, E-mail)		Preservatives Code (see below)
Bob Bleazard		Marina Samp and Sharon Clouse		1
11202 East Germann Road		28550 Cabot Drive, Suite 500		
Mesa, AZ 85212		Novi, MI 48377		
bob.bleazard@trw.com		Marina.Samp@arcadis-us.com		
		sclouse@arcadis-us.com		
Analysis Level	Level 1 (Routine Report)	Sampler	Stacey Hannula	
TAT	10 Business Days (Standard - Level 1)	Deliverable	EDD/PDF (e-mail)	

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	VOC 8260	Lab Sample Numbers
1	OW-16D2	--	--	OW-16D2_040422	4.4.22	1155	GW	WATER	REG	3	G		X	
2		--	--											
3	EQUIPMENT BLANK			EQUIPMENT BLANK 040422		1210	QC	WATER	REG	1	G	N	X	
4	FIELD BLANK	--	--	FIELD BLANK_040422		1145	QC	WATER	REG	1	G	N	X	
5	TRIP BLANK	--	--	TRIP BLANK_	--	--	QC	WATER	REG	1	G	N	X	
6		--	--											
7		--	--											
8		--	--											
9		--	--											
10		--	--											
11														

240-164584 Chain of Custody

Special Instructions

Relinquished by	Company	Date/Time	Received by	Company	Date/Time	Condition	Cooler Temp	Custody Seals Intact
Stacey Hannula	Arcadis	4.4.22 2:15		EET	4/4/22 1417			
	EET	4/4/22 1420	Coldstorage	EET	4-4-22 1700			
Cold storage to T. Harlin	EET	4-5-22 1054		ETNC	4-6-22 300			

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify):

Eurofins TestAmerica Canton Sample Receipt Form/Narrative Login # : 164584
Canton Facility

Client TRN Site Name _____ Cooler unpacked by: Matt

Cooler Received on 4-6-22 Opened on 4-6-22

FedEx: 1st Grd Exp UPS FAS (Clipper) Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # NA Foam Box Client Cooler Box Other _____

Packing material used: (Bubble Wrap) Foam Plastic Bag None Other _____

COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
   IR GUN# IR-14 (CF -0.2 °C) Observed Cooler Temp. 1.1 °C Corrected Cooler Temp. 0.9 °C
   IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 (Yes) No
   -Were the seals on the outside of the cooler(s) signed & dated? (Yes) No NA
   -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes (No)
   -Were tamper/custody seals intact and uncompromised? (Yes) No NA
3. Shippers' packing slip attached to the cooler(s)? Yes (No)
4. Did custody papers accompany the sample(s)? (Yes) No
5. Were the custody papers relinquished & signed in the appropriate place? (Yes) No
6. Was/were the person(s) who collected the samples clearly identified on the COC? (Yes) No
7. Did all bottles arrive in good condition (Unbroken)? (Yes) No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? (Yes) No
9. For each sample, does the COC specify preservatives (Y/N) # of containers (Y/N), and sample type of grab/comp (Y/N)?
10. Were correct bottle(s) used for the test(s) indicated? (Yes) No
11. Sufficient quantity received to perform indicated analyses? (Yes) No
12. Are these work share samples and all listed on the COC? Yes (No)
    If yes, Questions 13-17 have been checked at the originating laboratory.
13. Were all preserved sample(s) at the correct pH upon receipt? Yes No (NA) pH Strip Lot# HC157842
14. Were VOAs on the COC? (Yes) No
15. Were air bubbles >6 mm in any VOA vials? ● Larger than this. Yes (No) NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 01047016 (Yes) No
17. Was a LL Hg or Me Hg trip blank present? _____ Yes (No)

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page — Samples processed by:

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WI-NC-099

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-164831-1
Client Project/Site: TRW Milford

For:
ZF Active Safety and Electronics LLC
Tech 2
12025 Tech Center Drive
Livonia, Michigan 48150

Attn: Scott Detwiler

Authorized for release by:
4/14/2022 2:32:39 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@et.eurofinsus.com

LINKS
Review your project results through TotalAccess
Have a Question? Ask The Expert
Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 5
Sample Summary 6
Detection Summary 7
Client Sample Results 8
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 20
Lab Chronicle 21
Certification Summary 22
Chain of Custody 23

Definitions/Glossary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-164831-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-164831-1

Comments
No additional comments.

Receipt
The samples were received on 4/9/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.1° C.

GC/MS VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-164831-1	OW-16D2_040822	Water	04/08/22 11:35	04/09/22 08:00
240-164831-2	EQUIPMENT BLANK_040822	Water	04/08/22 11:50	04/09/22 08:00
240-164831-3	FIELD BLANK_040822	Water	04/08/22 10:35	04/09/22 08:00
240-164831-4	TRIP BLANK	Water	04/08/22 10:35	04/09/22 08:00

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: OW-16D2_040822 — Lab Sample ID: 240-164831-1

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	3.0		1.0		ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	18		1.0		ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.5		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: EQUIPMENT BLANK_040822 — Lab Sample ID: 240-164831-2

No Detections.

Client Sample ID: FIELD BLANK_040822 — Lab Sample ID: 240-164831-3

No Detections.

Client Sample ID: TRIP BLANK — Lab Sample ID: 240-164831-4

No Detections.

This Detection Summary does not include radiochemical test results.

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: OW-16D2_040822
Date Collected: 04/08/22 11:35
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 15:59	1
Benzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 15:59	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 15:59	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 15:59	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 15:59	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 15:59	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1-Dichloroethane	**3.0**		1.0		ug/L			04/13/22 15:59	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 15:59	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 15:59	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
2-Hexanone	10	U	10		ug/L			04/13/22 15:59	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 15:59	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 15:59	1
Styrene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Toluene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 15:59	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 15:59	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 15:59	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
cis-1,2-Dichloroethene	**18**		1.0		ug/L			04/13/22 15:59	1
trans-1,2-Dichloroethene	**1.5**		1.0		ug/L			04/13/22 15:59	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 15:59	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 15:59	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*75*		*62 - 137*		*04/13/22 15:59*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/13/22 15:59*	*1*
Toluene-d8 (Surr)	*85*		*78 - 122*		*04/13/22 15:59*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: OW-16D2_040822
Date Collected: 04/08/22 11:35
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	88		73 - 120		04/13/22 15:59	1

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: EQUIPMENT BLANK_040822

Lab Sample ID: 240-164831-2

Date Collected: 04/08/22 11:50
Date Received: 04/09/22 08:00

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 16:24	1
Benzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 16:24	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 16:24	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 16:24	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 16:24	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 16:24	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 16:24	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 16:24	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
2-Hexanone	10	U	10		ug/L			04/13/22 16:24	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 16:24	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 16:24	1
Styrene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Toluene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 16:24	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 16:24	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 16:24	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:24	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 16:24	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*79*		*62 - 137*		*04/13/22 16:24*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/13/22 16:24*	*1*
Toluene-d8 (Surr)	*81*		*78 - 122*		*04/13/22 16:24*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: EQUIPMENT BLANK_040822
Date Collected: 04/08/22 11:50
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	82		73 - 120		04/13/22 16:24	1

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: FIELD BLANK_040822

Lab Sample ID: 240-164831-3

Date Collected: 04/08/22 10:35
Date Received: 04/09/22 08:00

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 16:49	1
Benzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 16:49	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 16:49	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 16:49	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 16:49	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 16:49	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 16:49	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 16:49	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
2-Hexanone	10	U	10		ug/L			04/13/22 16:49	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 16:49	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 16:49	1
Styrene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Toluene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 16:49	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 16:49	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 16:49	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 16:49	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 16:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*76*		*62 - 137*		*04/13/22 16:49*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/13/22 16:49*	*1*
Toluene-d8 (Surr)	*84*		*78 - 122*		*04/13/22 16:49*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: FIELD BLANK_040822
Date Collected: 04/08/22 10:35
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	81		73 - 120		04/13/22 16:49	1

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-164831-4

Date Collected: 04/08/22 10:35
Matrix: Water
Date Received: 04/09/22 08:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 17:14	1
Benzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 17:14	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 17:14	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 17:14	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 17:14	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 17:14	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 17:14	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 17:14	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
2-Hexanone	10	U	10		ug/L			04/13/22 17:14	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 17:14	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 17:14	1
Styrene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Toluene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 17:14	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 17:14	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 17:14	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 17:14	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 17:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*78*		*62 - 137*		*04/13/22 17:14*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/13/22 17:14*	*1*
Toluene-d8 (Surr)	*82*		*78 - 122*		*04/13/22 17:14*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: TRIP BLANK
Date Collected: 04/08/22 10:35
Date Received: 04/09/22 08:00

Lab Sample ID: 240-164831-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	81		73 - 120		04/13/22 17:14	1

Surrogate Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-164831-1	OW-16D2_040822	75	79	85	88
240-164831-2	EQUIPMENT BLANK_040822	79	79	81	82
240-164831-3	FIELD BLANK_040822	76	79	84	81
240-164831-4	TRIP BLANK	78	79	82	81
LCS 240-522562/5	Lab Control Sample	74	86	80	87
MB 240-522562/8	Method Blank	78	80	83	84

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-522562/8
Matrix: Water
Analysis Batch: 522562

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/13/22 11:57	1
Benzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Bromoform	1.0	U	1.0		ug/L			04/13/22 11:57	1
Bromomethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
2-Butanone (MEK)	10	U	10		ug/L			04/13/22 11:57	1
Carbon disulfide	1.0	U	1.0		ug/L			04/13/22 11:57	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/13/22 11:57	1
Chlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Chloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Chloroform	1.0	U	1.0		ug/L			04/13/22 11:57	1
Chloromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/13/22 11:57	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 11:57	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Ethylbenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
2-Hexanone	10	U	10		ug/L			04/13/22 11:57	1
Methylene Chloride	5.0	U	5.0		ug/L			04/13/22 11:57	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/13/22 11:57	1
Styrene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Toluene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Trichloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Vinyl chloride	1.0	U	1.0		ug/L			04/13/22 11:57	1
Xylenes, Total	2.0	U	2.0		ug/L			04/13/22 11:57	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/13/22 11:57	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/13/22 11:57	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/13/22 11:57	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*78*		*62 - 137*		*04/13/22 11:57*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-522562/8
Matrix: Water
Analysis Batch: 522562

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	*80*		*56 - 136*		*04/13/22 11:57*	*1*
Toluene-d8 (Surr)	*83*		*78 - 122*		*04/13/22 11:57*	*1*
Dibromofluoromethane (Surr)	*84*		*73 - 120*		*04/13/22 11:57*	*1*

Lab Sample ID: LCS 240-522562/5
Matrix: Water
Analysis Batch: 522562

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acetone	40.0	28.8		ug/L		72	50 - 149
Benzene	20.0	19.0		ug/L		95	77 - 123
Bromodichloromethane	20.0	16.9		ug/L		84	69 - 126
Bromoform	20.0	14.3		ug/L		72	57 - 129
Bromomethane	20.0	18.0		ug/L		90	36 - 142
2-Butanone (MEK)	40.0	29.3		ug/L		73	54 - 156
Carbon disulfide	20.0	16.9		ug/L		84	43 - 140
Carbon tetrachloride	20.0	18.3		ug/L		91	55 - 137
Chlorobenzene	20.0	18.9		ug/L		95	80 - 121
Chloroethane	20.0	17.3		ug/L		87	38 - 152
Chloroform	20.0	18.4		ug/L		92	74 - 122
Chloromethane	20.0	17.8		ug/L		89	47 - 143
1,1-Dichloroethane	20.0	16.8		ug/L		84	72 - 127
1,2-Dichloroethane	20.0	16.7		ug/L		84	66 - 128
1,1-Dichloroethene	20.0	21.4		ug/L		107	63 - 134
1,2-Dichloropropane	20.0	17.6		ug/L		88	75 - 133
cis-1,3-Dichloropropene	20.0	16.9		ug/L		85	64 - 130
trans-1,3-Dichloropropene	20.0	14.7		ug/L		73	57 - 129
Ethylbenzene	20.0	18.4		ug/L		92	80 - 121
2-Hexanone	40.0	27.0		ug/L		67	43 - 167
Methylene Chloride	20.0	19.7		ug/L		98	71 - 125
4-Methyl-2-pentanone (MIBK)	40.0	28.9		ug/L		72	46 - 158
Styrene	20.0	17.9		ug/L		89	80 - 135
1,1,2,2-Tetrachloroethane	20.0	17.6		ug/L		88	58 - 157
Tetrachloroethene	20.0	19.2		ug/L		96	76 - 123
Toluene	20.0	17.6		ug/L		88	80 - 123
Trichloroethene	20.0	19.9		ug/L		100	70 - 122
Vinyl chloride	20.0	18.8		ug/L		94	60 - 144
Xylenes, Total	40.0	36.7		ug/L		92	80 - 121
1,1,1-Trichloroethane	20.0	17.9		ug/L		90	64 - 131
1,1,2-Trichloroethane	20.0	17.4		ug/L		87	70 - 138
1,2-Dibromo-3-Chloropropane	20.0	13.3		ug/L		67	53 - 135
1,2-Dibromoethane	20.0	17.6		ug/L		88	71 - 134
Dichlorodifluoromethane	20.0	22.4		ug/L		112	34 - 153
cis-1,2-Dichloroethene	20.0	19.6		ug/L		98	77 - 123
trans-1,2-Dichloroethene	20.0	19.1		ug/L		96	75 - 124
Isopropylbenzene	20.0	18.4		ug/L		92	74 - 128
Methyl tert-butyl ether	20.0	16.7		ug/L		84	65 - 126
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	21.5		ug/L		108	51 - 146

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-522562/5
Matrix: Water
Analysis Batch: 522562

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,2,4-Trichlorobenzene	20.0	17.2		ug/L		86	44 - 147
1,2-Dichlorobenzene	20.0	19.1		ug/L		96	78 - 120
1,3-Dichlorobenzene	20.0	18.2		ug/L		91	80 - 120
1,4-Dichlorobenzene	20.0	18.4		ug/L		92	80 - 120
Trichlorofluoromethane	20.0	20.1		ug/L		101	30 - 170
Dibromochloromethane	20.0	15.8		ug/L		79	70 - 124
m-Xylene & p-Xylene	20.0	18.3		ug/L		92	80 - 120
o-Xylene	20.0	18.4		ug/L		92	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*74*		*62 - 137*
4-Bromofluorobenzene (Surr)	*86*		*56 - 136*
Toluene-d8 (Surr)	*80*		*78 - 122*
Dibromofluoromethane (Surr)	*87*		*73 - 120*

QC Association Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-164831-1
Project/Site: TRW Milford

GC/MS VOA

Analysis Batch: 522562

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-164831-1	OW-16D2_040822	Total/NA	Water	8260B	
240-164831-2	EQUIPMENT BLANK_040822	Total/NA	Water	8260B	
240-164831-3	FIELD BLANK_040822	Total/NA	Water	8260B	
240-164831-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-522562/8	Method Blank	Total/NA	Water	8260B	
LCS 240-522562/5	Lab Control Sample	Total/NA	Water	8260B	

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: TRW Milford

Job ID: 240-164831-1

Client Sample ID: OW-16D2_040822
Lab Sample ID: 240-164831-1
Date Collected: 04/08/22 11:35
Matrix: Water
Date Received: 04/09/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522562	04/13/22 15:59	LEE	TAL CAN

Client Sample ID: EQUIPMENT BLANK_040822
Lab Sample ID: 240-164831-2
Date Collected: 04/08/22 11:50
Matrix: Water
Date Received: 04/09/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522562	04/13/22 16:24	LEE	TAL CAN

Client Sample ID: FIELD BLANK_040822
Lab Sample ID: 240-164831-3
Date Collected: 04/08/22 10:35
Matrix: Water
Date Received: 04/09/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522562	04/13/22 16:49	LEE	TAL CAN

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-164831-4
Date Collected: 04/08/22 10:35
Matrix: Water
Date Received: 04/09/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	522562	04/13/22 17:14	LEE	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-164831-1
Project/Site: TRW Milford

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN
190

STL North Canton 4101 Shuffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico	TRW Chain Of Custody / Analysis Request			LAB USE ONLY Laboratory ID No. (Lot No.)
Project Type: Groundwater Sampling - IZ	Privileged & Confidential: Yes		Site Name: Milford	
TRW PM: (name, company, address, e-mail) Bob Beazard 11202 East Germann Road Mesa, AZ 85212	TRW PO No. 30046730.0001Z Database Manager: (name, company, address, E-mail) Marina Samp and Sharon Clouse 28550 Cabot Drive, Suite 500 Novi, MI 48377		Site Location: Milford, Michigan	
Analysis Level: Level 1 (Routine Report)	Sampler: Stacey Hannula			
TAT: 10 Business Days (Standard - Level 1)	Deliverable: EDD/PDF (e-mail)			

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	VOC 8260	Preservatives Code (see below)	Lab Sample Numbers
1	OW-16D2	--	--	OW-16D2_040822	4.8.22	1135	GW	WATER	REG	3	G		X		
2		--	--												
3	EQUIPMENT BLANK			EQUIPMENT BLANK_040822		1150	QC	WATER	REG	1	G	N	X		
4	FIELD BLANK	--	--	FIELD BLANK_040822		1035	QC	WATER	REG	1	G	N	X		
5	TRIP BLANK	--	--	TRIP BLANK_	--	--	QC	WATER	REG	1	G	N	X		
6		--	--												
7		--	--												
8		--	--												
9		--	--												
10		--	--												
11															

240-164831 Chain of Custody

Special Instructions:

Relinquished by	Company	Received by	Company	Condition	Custody Seals Intact
Stacey Hannula	Arcadis Date/Time 4.8.22 1245		EETF Date/Time 4/8/22 1245	Cooler Temp.	
Relinquished by	Company EETF Date/Time 4/8/22 1245		EETNC Date/Time 4-9-22 830	Condition	Custody Seals Intact
Relinquished by	Company Date/Time	Received by:	Company Date/Time	Cooler Temp.	
Relinquished by:	Company Date/Time	Received by:	Company Date/Time	Condition	Custody Seals Intact
				Cooler Temp.	

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify)

Eurofins TestAmerica Canton Sample Receipt Form/Narrative **Login # : 164831**
Canton Facility

Client TRW Site Name

Cooler Received on 4-9-22 Opened on 4-9-22

Cooler unpacked by: Matt

FedEx: 1st Grd Exp UPS FAS (Clipper) Client Drop Off TestAmerica Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # 14 Foam Box Client Cooler Box Other

Packing material used: (Bubble Wrap) Foam Plastic Bag None Other

COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
   IR GUN# IR-14 (CF -0.2 °C) Observed Cooler Temp. 3.3 °C Corrected Cooler Temp. 3.1 °C
   IR GUN #IR-15 (CF -0.7°C) Observed Cooler Temp. ____ °C Corrected Cooler Temp. ____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	(Yes)	No
-Were the seals on the outside of the cooler(s) signed & dated?	(Yes)	No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes	(No)
-Were tamper/custody seals intact and uncompromised?	(Yes)	No NA
3. Shippers' packing slip attached to the cooler(s)?	Yes	(No)
4. Did custody papers accompany the sample(s)?	(Yes)	No
5. Were the custody papers relinquished & signed in the appropriate place?	(Yes)	No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	(Yes)	No
7. Did all bottles arrive in good condition (Unbroken)?	(Yes)	No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	Yes	(No) TR
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?		
10. Were correct bottle(s) used for the test(s) indicated?	(Yes)	No
11. Sufficient quantity received to perform indicated analyses?	(Yes)	No
12. Are these work share samples and all listed on the COC?	Yes	(No)
If yes, Questions 13-17 have been checked at the originating laboratory.		
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes No	(NA) pH Strip Lot# HC157842
14. Were VOAs on the COC?	(Yes)	No
15. Were air bubbles >6 mm in any VOA vials? ● ← Larger than this.	Yes	(No) NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 0104201G	(Yes)	No
17. Was a LL Hg or Me Hg trip blank present? ____	Yes	(No)

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM ____ Date ____ by ____ via Verbal Voice Mail Other

Concerning ____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page

Samples processed by:

Equipment Blank - 3 VOA's
Field Blank - 3 VOA's
Trip blanks - 2 vial's

19. SAMPLE CONDITION

Sample(s) ____ were received after the recommended holding time had expired.
Sample(s) ____ were received in a broken container.
Sample(s) ____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) ____ were further preserved in the laboratory.
Time preserved: ____ Preservative(s) added/Lot number(s): ____

VOA Sample Preservation - Date/Time VOAs Frozen: ____

WI-NC-099

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-165203-1
Client Project/Site: Milford

For:
ZF Active Safety and Electronics LLC
Tech 2
12025 Tech Center Drive
Livonia, Michigan 48150

Attn: Scott Detwiler

Authorized for release by:
4/26/2022 9:29:11 AM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@et.eurofinsus.com

LINKS
Review your project results through TotalAccess
Have a Question? Ask The Expert
Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 5
Sample Summary 6
Detection Summary 7
Client Sample Results 8
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 20
Lab Chronicle 21
Certification Summary 22
Chain of Custody 23

Definitions/Glossary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-165203-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-165203-1

Comments
No additional comments.

Receipt
The samples were received on 4/19/2022 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.5º C.

GC/MS VOA
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-165203-1	OW-16D2_041822	Water	04/18/22 10:55	04/19/22 10:00
240-165203-2	EQUIPMENT BLANK_041822	Water	04/18/22 11:20	04/19/22 10:00
240-165203-3	FIELD BLANK_041822	Water	04/18/22 10:35	04/19/22 10:00
240-165203-4	TRIP BLANK	Water	04/18/22 00:00	04/19/22 10:00

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: OW-16D2_041822 — Lab Sample ID: 240-165203-1

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	2.4		1.0		ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	16		1.0		ug/L	1		8260B	Total/NA
trans-1,2-Dichloroethene	1.2		1.0		ug/L	1		8260B	Total/NA

Client Sample ID: EQUIPMENT BLANK_041822 — Lab Sample ID: 240-165203-2

No Detections.

Client Sample ID: FIELD BLANK_041822 — Lab Sample ID: 240-165203-3

No Detections.

Client Sample ID: TRIP BLANK — Lab Sample ID: 240-165203-4

No Detections.

This Detection Summary does not include radiochemical test results.

Client Sample ID: OW-16D2_041822
Lab Sample ID: 240-165203-1

Date Collected: 04/18/22 10:55
Matrix: Water
Date Received: 04/19/22 10:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 15:37	1
Benzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 15:37	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 15:37	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 15:37	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 15:37	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 15:37	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1-Dichloroethane	**2.4**		1.0		ug/L			04/21/22 15:37	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 15:37	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 15:37	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
2-Hexanone	10	U	10		ug/L			04/21/22 15:37	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 15:37	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 15:37	1
Styrene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Toluene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 15:37	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 15:37	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 15:37	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
cis-1,2-Dichloroethene	**16**		1.0		ug/L			04/21/22 15:37	1
trans-1,2-Dichloroethene	**1.2**		1.0		ug/L			04/21/22 15:37	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 15:37	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 15:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*76*		*62 - 137*		*04/21/22 15:37*	*1*
4-Bromofluorobenzene (Surr)	*78*		*56 - 136*		*04/21/22 15:37*	*1*
Toluene-d8 (Surr)	*82*		*78 - 122*		*04/21/22 15:37*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: OW-16D2_041822
Date Collected: 04/18/22 10:55
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	91		73 - 120		04/21/22 15:37	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: EQUIPMENT BLANK_041822

Date Collected: 04/18/22 11:20
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 16:02	1
Benzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 16:02	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 16:02	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 16:02	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 16:02	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 16:02	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 16:02	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:02	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
2-Hexanone	10	U	10		ug/L			04/21/22 16:02	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 16:02	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 16:02	1
Styrene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Toluene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 16:02	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 16:02	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 16:02	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:02	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 16:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*77*		*62 - 137*		*04/21/22 16:02*	*1*
4-Bromofluorobenzene (Surr)	*82*		*56 - 136*		*04/21/22 16:02*	*1*
Toluene-d8 (Surr)	*82*		*78 - 122*		*04/21/22 16:02*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: EQUIPMENT BLANK_041822
Date Collected: 04/18/22 11:20
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	88		73 - 120		04/21/22 16:02	1

Client Sample ID: FIELD BLANK_041822
Lab Sample ID: 240-165203-3

Date Collected: 04/18/22 10:35
Matrix: Water
Date Received: 04/19/22 10:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 16:27	1
Benzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 16:27	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 16:27	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 16:27	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 16:27	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 16:27	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 16:27	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:27	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
2-Hexanone	10	U	10		ug/L			04/21/22 16:27	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 16:27	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 16:27	1
Styrene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Toluene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 16:27	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 16:27	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 16:27	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:27	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 16:27	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*76*		*62 - 137*		*04/21/22 16:27*	*1*
4-Bromofluorobenzene (Surr)	*80*		*56 - 136*		*04/21/22 16:27*	*1*
Toluene-d8 (Surr)	*85*		*78 - 122*		*04/21/22 16:27*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: FIELD BLANK_041822
Date Collected: 04/18/22 10:35
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	88		73 - 120		04/21/22 16:27	1

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-165203-4

Date Collected: 04/18/22 00:00
Matrix: Water
Date Received: 04/19/22 10:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 16:52	1
Benzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 16:52	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 16:52	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 16:52	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 16:52	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 16:52	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 16:52	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:52	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
2-Hexanone	10	U	10		ug/L			04/21/22 16:52	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 16:52	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 16:52	1
Styrene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Toluene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 16:52	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 16:52	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 16:52	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 16:52	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 16:52	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*74*		*62 - 137*		*04/21/22 16:52*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*04/21/22 16:52*	*1*
Toluene-d8 (Surr)	*82*		*78 - 122*		*04/21/22 16:52*	*1*

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: TRIP BLANK
Date Collected: 04/18/22 00:00
Date Received: 04/19/22 10:00

Lab Sample ID: 240-165203-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	86		73 - 120		04/21/22 16:52	1

Surrogate Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-165203-1	OW-16D2_041822	76	78	82	91
240-165203-2	EQUIPMENT BLANK_041822	77	82	82	88
240-165203-3	FIELD BLANK_041822	76	80	85	88
240-165203-4	TRIP BLANK	74	79	82	86
LCS 240-523444/5	Lab Control Sample	73	86	81	90
MB 240-523444/8	Method Blank	78	78	81	89

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-523444/8
Matrix: Water
Analysis Batch: 523444

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acetone	10	U	10		ug/L			04/21/22 11:01	1
Benzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Bromodichloromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Bromoform	1.0	U	1.0		ug/L			04/21/22 11:01	1
Bromomethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
2-Butanone (MEK)	10	U	10		ug/L			04/21/22 11:01	1
Carbon disulfide	1.0	U	1.0		ug/L			04/21/22 11:01	1
Carbon tetrachloride	1.0	U	1.0		ug/L			04/21/22 11:01	1
Chlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Chloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Chloroform	1.0	U	1.0		ug/L			04/21/22 11:01	1
Chloromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			04/21/22 11:01	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 11:01	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Ethylbenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
2-Hexanone	10	U	10		ug/L			04/21/22 11:01	1
Methylene Chloride	5.0	U	5.0		ug/L			04/21/22 11:01	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			04/21/22 11:01	1
Styrene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Tetrachloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Toluene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Trichloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Vinyl chloride	1.0	U	1.0		ug/L			04/21/22 11:01	1
Xylenes, Total	2.0	U	2.0		ug/L			04/21/22 11:01	1
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			04/21/22 11:01	1
1,2-Dibromoethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Isopropylbenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			04/21/22 11:01	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1
Dibromochloromethane	1.0	U	1.0		ug/L			04/21/22 11:01	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*78*		*62 - 137*		*04/21/22 11:01*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 240-523444/8
Matrix: Water
Analysis Batch: 523444

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	*78*		*56 - 136*		*04/21/22 11:01*	*1*
Toluene-d8 (Surr)	*81*		*78 - 122*		*04/21/22 11:01*	*1*
Dibromofluoromethane (Surr)	*89*		*73 - 120*		*04/21/22 11:01*	*1*

Lab Sample ID: LCS 240-523444/5
Matrix: Water
Analysis Batch: 523444

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acetone	40.0	21.8		ug/L		54	50 - 149
Benzene	20.0	18.3		ug/L		91	77 - 123
Bromodichloromethane	20.0	15.2		ug/L		76	69 - 126
Bromoform	20.0	13.2		ug/L		66	57 - 129
Bromomethane	20.0	16.9		ug/L		84	36 - 142
2-Butanone (MEK)	40.0	27.3		ug/L		68	54 - 156
Carbon disulfide	20.0	15.0		ug/L		75	43 - 140
Carbon tetrachloride	20.0	16.6		ug/L		83	55 - 137
Chlorobenzene	20.0	19.2		ug/L		96	80 - 121
Chloroethane	20.0	16.0		ug/L		80	38 - 152
Chloroform	20.0	17.5		ug/L		88	74 - 122
Chloromethane	20.0	14.8		ug/L		74	47 - 143
1,1-Dichloroethane	20.0	15.4		ug/L		77	72 - 127
1,2-Dichloroethane	20.0	15.6		ug/L		78	66 - 128
1,1-Dichloroethene	20.0	18.8		ug/L		94	63 - 134
1,2-Dichloropropane	20.0	16.1		ug/L		81	75 - 133
cis-1,3-Dichloropropene	20.0	14.9		ug/L		75	64 - 130
trans-1,3-Dichloropropene	20.0	12.6		ug/L		63	57 - 129
Ethylbenzene	20.0	18.7		ug/L		94	80 - 121
2-Hexanone	40.0	23.1		ug/L		58	43 - 167
Methylene Chloride	20.0	17.2		ug/L		86	71 - 125
4-Methyl-2-pentanone (MIBK)	40.0	24.2		ug/L		60	46 - 158
Styrene	20.0	17.9		ug/L		89	80 - 135
1,1,2,2-Tetrachloroethane	20.0	16.0		ug/L		80	58 - 157
Tetrachloroethene	20.0	21.1		ug/L		105	76 - 123
Toluene	20.0	17.9		ug/L		90	80 - 123
Trichloroethene	20.0	21.1		ug/L		105	70 - 122
Vinyl chloride	20.0	17.1		ug/L		86	60 - 144
Xylenes, Total	40.0	38.0		ug/L		95	80 - 121
1,1,1-Trichloroethane	20.0	16.7		ug/L		84	64 - 131
1,1,2-Trichloroethane	20.0	17.8		ug/L		89	70 - 138
1,2-Dibromo-3-Chloropropane	20.0	11.2		ug/L		56	53 - 135
1,2-Dibromoethane	20.0	17.3		ug/L		86	71 - 134
Dichlorodifluoromethane	20.0	21.0		ug/L		105	34 - 153
cis-1,2-Dichloroethene	20.0	19.0		ug/L		95	77 - 123
trans-1,2-Dichloroethene	20.0	18.2		ug/L		91	75 - 124
Isopropylbenzene	20.0	19.0		ug/L		95	74 - 128
Methyl tert-butyl ether	20.0	14.8		ug/L		74	65 - 126
1,1,2-Trichloro-1,2,2-trifluoroetha ne	20.0	20.4		ug/L		102	51 - 146

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-523444/5
Matrix: Water
Analysis Batch: 523444

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,2,4-Trichlorobenzene	20.0	17.8		ug/L		89	44 - 147
1,2-Dichlorobenzene	20.0	20.1		ug/L		100	78 - 120
1,3-Dichlorobenzene	20.0	19.2		ug/L		96	80 - 120
1,4-Dichlorobenzene	20.0	19.1		ug/L		95	80 - 120
Trichlorofluoromethane	20.0	18.7		ug/L		94	30 - 170
Dibromochloromethane	20.0	14.8		ug/L		74	70 - 124
m-Xylene & p-Xylene	20.0	19.0		ug/L		95	80 - 120
o-Xylene	20.0	19.0		ug/L		95	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*73*		*62 - 137*
4-Bromofluorobenzene (Surr)	*86*		*56 - 136*
Toluene-d8 (Surr)	*81*		*78 - 122*
Dibromofluoromethane (Surr)	*90*		*73 - 120*

QC Association Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-165203-1
Project/Site: Milford

GC/MS VOA

Analysis Batch: 523444

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-165203-1	OW-16D2_041822	Total/NA	Water	8260B	
240-165203-2	EQUIPMENT BLANK_041822	Total/NA	Water	8260B	
240-165203-3	FIELD BLANK_041822	Total/NA	Water	8260B	
240-165203-4	TRIP BLANK	Total/NA	Water	8260B	
MB 240-523444/8	Method Blank	Total/NA	Water	8260B	
LCS 240-523444/5	Lab Control Sample	Total/NA	Water	8260B	

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-165203-1

Client Sample ID: OW-16D2_041822
Lab Sample ID: 240-165203-1
Date Collected: 04/18/22 10:55
Matrix: Water
Date Received: 04/19/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	523444	04/21/22 15:37	LEE	TAL CAN

Client Sample ID: EQUIPMENT BLANK_041822
Lab Sample ID: 240-165203-2
Date Collected: 04/18/22 11:20
Matrix: Water
Date Received: 04/19/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	523444	04/21/22 16:02	LEE	TAL CAN

Client Sample ID: FIELD BLANK_041822
Lab Sample ID: 240-165203-3
Date Collected: 04/18/22 10:35
Matrix: Water
Date Received: 04/19/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	523444	04/21/22 16:27	LEE	TAL CAN

Client Sample ID: TRIP BLANK
Lab Sample ID: 240-165203-4
Date Collected: 04/18/22 00:00
Matrix: Water
Date Received: 04/19/22 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	523444	04/21/22 16:52	LEE	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-165203-1
Project/Site: Milford

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kansas	NELAP	E-10336	04-30-22
Kentucky (UST)	State	112225	02-23-22 *
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	11-06-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	04-24-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN
190

STL North Canton 4101 Shuffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico	**TRW Chain Of Custody / Analysis Request**		**LAB USE ONLY** Laboratory ID No. (Lot No.)
Project Type: Groundwater Sampling - IZ	**Privileged & Confidential** Yes	**Site Name:** Milford	
	TRW PO No. 30046730.000IZ	**Site Location:** Milford, Michigan	
TRW PM: (name, company, address, e-mail) Bob Bleazard 11202 East Germann Road Mesa, AZ 85212 bob.bleazard@trw.com	**Database Manager: (name, company, address, E-mail)** Marina Samp and Sharon Clouse 28550 Cabot Drive, Suite 500 Novi, MI 48377 Marina.Samp@arcadis-us.com sclouse@arcadis-us.com		
Analysis Level Level 1 (Routine Report)	**Sampler** Stacey Hennwig		
TAT 10 Business Days (Standard - Level 1)	**Deliverable** EDD/PDF (e-mail)		

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	Preservatives Code (see below): 1	Lab Sample Numbers
1	OW-16D2	--	--	OW-16D2_041822	4-18-22	1055	GW	WATER	REG	3	G		X	
2		--	--											
3	EQUIPMENT BLANK			EQUIPMENT BLANK 041822		1120	QC	WATER	REG	1	G	N	X	
4	FIELD BLANK	--	--	FIELD BLANK_041822		1035	QC	WATER	REG	1	G	N	X	
5	TRIP BLANK	--	--	TRIP BLANK_	--	--	QC	WATER	REG	1	G	N	X	
6		--	--											
7		--	--											
8		--	--											
9		--	--											
10		--	--											
11														

240-165203 Chain of Custody

Special Instructions:

Relinquished by: Stacey Hennwig	Company: Arcadis		Received by:	Company: FETA		Condition	Custody Seals Intact
	Date/Time: 4-18-22 1215			Date/Time: 4/18/22 1215		Cooler Temp	
Relinquished by:	Company: FETA		Received by:	Company: FETA		Condition	Custody Seals Intact
	Date/Time: 4/18/22 1218			Date/Time: 4-19-22 1000		Cooler Temp	
Relinquished by:	Company		Received by:	Company		Condition	Custody Seals Intact
	Date/Time			Date/Time		Cooler Temp	
Relinquished by:	Company		Received by:	Company		Condition	Custody Seals Intact
	Date/Time			Date/Time		Cooler Temp.	

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify):

Eurofins TestAmerica Canton Sample Receipt Form/Narrative **Login # : 165203**
Canton Facility

Client TRW Site Name _____ Cooler unpacked by: Tammy Kong

Cooler Received on 4-19-22 Opened on 4-19-22

FedEx: 1st Grd Exp UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

TestAmerica Cooler # _____ Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
   IR GUN# IR-13 (CF **0.0** °C) Observed Cooler Temp. 1.5 °C Corrected Cooler Temp. 1.5 °C
   IR GUN #IR-15 (CF **-0.7**°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	Yes	No
-Were the seals on the outside of the cooler(s) signed & dated?	Yes	No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes	No
-Were tamper/custody seals intact and uncompromised?	Yes	No NA
3. Shippers' packing slip attached to the cooler(s)?	Yes	No
4. Did custody papers accompany the sample(s)?	Yes	No
5. Were the custody papers relinquished & signed in the appropriate place?	Yes	No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	Yes	No
7. Did all bottles arrive in good condition (Unbroken)?	Yes	No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	Yes	No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?		
10. Were correct bottle(s) used for the test(s) indicated?	Yes	No
11. Sufficient quantity received to perform indicated analyses?	Yes	No
12. Are these work share samples and all listed on the COC?	Yes	No
If yes, Questions 13-17 have been checked at the originating laboratory.		
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes	No NA pH Strip Lot# HC157842
14. Were VOAs on the COC?	Yes	No
15. Were air bubbles >6 mm in any VOA vials? ● ⬅ Larger than this	Yes	No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 61109	Yes	No
17. Was a LL Hg or Me Hg trip blank present? _____	Yes	No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page | Samples processed by:

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Canton
180 S. Van Buren Avenue
Barberton, OH 44203
Tel: (330)497-9396

Laboratory Job ID: 240-167051-1
Client Project/Site: Milford

For:
ZF Active Safety and Electronics LLC
Tech 2
12025 Tech Center Drive
Livonia, Michigan 48150

Attn: Scott Detwiler

Authorized for release by:
6/7/2022 2:23:44 PM

Michael DelMonico, Project Manager I
(330)497-9396
Michael.DelMonico@et.eurofinsus.com

LINKS
Review your project results through my EOL
Have a Question? Ask The Expert
Visit us at: www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 5
Sample Summary 6
Detection Summary 7
Client Sample Results 9
Surrogate Summary 57
QC Sample Results 58
QC Association Summary 73
Lab Chronicle 74
Certification Summary 78
Chain of Custody 79

Definitions/Glossary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-167051-1

Laboratory: Eurofins Canton

Narrative

Job Narrative
240-167051-1

Comments
No additional comments.

Receipt
The samples were received on 5/21/2022 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.1º C.

GC/MS VOA
Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-528486 was outside the method criteria for bromomethane. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte is considered estimated.

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-528483 was outside the method criteria for the following analytes: Bromoform and Methylcyclohexane. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated: OW-10D_051722 (240-167051-2), OW-08D_051722 (240-167051-3), OW-05D2_051722 (240-167051-4), OW-30_051722 (240-167051-5), OW-23D_051722 (240-167051-6), OW-28_051722 (240-167051-7), OW-18D_051822 (240-167051-8), OW-09-ML-D_051822 (240-167051-9), OW-09-ML-C_051822 (240-167051-10), OW-18-ML-A_051822 (240-167051-11), OW-18-ML-B_051822 (240-167051-12), OW-18-ML-C_051922 (240-167051-13) and (CCVIS 240-528483/4).

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-528938 was outside the method criteria for some analytes. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated.

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-528862 was outside the method criteria for multiple analytes. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated: EQUIPMENT BLANK_051922 (240-167051-22), FIELD BLANK_051922 (240-167051-23), TRIP BLANK_051922 (240-167051-24) and (CCVIS 240-528862/3).

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-529073 was outside the method criteria for the following analytes: Bromomethane and Bromoform. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated: OW-22_052022 (240-167051-18), OW-07D_052022 (240-167051-19), DUP-01_052022 (240-167051-20), DUP-02_052022 (240-167051-21) and (CCVIS 240-529073/4).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep
No additional analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	TAL CAN
5030C	Purge and Trap	SW846	TAL CAN

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-167051-1	OW-16D2_051822	Water	05/18/22 09:18	05/21/22 08:00
240-167051-2	OW-10D_051722	Water	05/17/22 09:42	05/21/22 08:00
240-167051-3	OW-08D_051722	Water	05/17/22 11:45	05/21/22 08:00
240-167051-4	OW-05D2_051722	Water	05/17/22 13:15	05/21/22 08:00
240-167051-5	OW-30_051722	Water	05/17/22 14:35	05/21/22 08:00
240-167051-6	OW-23D_051722	Water	05/17/22 15:56	05/21/22 08:00
240-167051-7	OW-28_051722	Water	05/17/22 17:05	05/21/22 08:00
240-167051-8	OW-18D_051822	Water	05/18/22 11:10	05/21/22 08:00
240-167051-9	OW-09-ML-D_051822	Water	05/18/22 12:10	05/21/22 08:00
240-167051-10	OW-09-ML-C_051822	Water	05/18/22 13:13	05/21/22 08:00
240-167051-11	OW-18-ML-A_051822	Water	05/18/22 14:55	05/21/22 08:00
240-167051-12	OW-18-ML-B_051822	Water	05/18/22 15:33	05/21/22 08:00
240-167051-13	OW-18-ML-C_051922	Water	05/19/22 09:46	05/21/22 08:00
240-167051-14	OW-18-ML-D_051922	Water	05/19/22 10:55	05/21/22 08:00
240-167051-15	OW-18-ML-E_051922	Water	05/19/22 12:46	05/21/22 08:00
240-167051-16	OW-18-ML-F_051922	Water	05/19/22 13:52	05/21/22 08:00
240-167051-17	OW-02D2_051922	Water	05/19/22 16:03	05/21/22 08:00
240-167051-18	OW-22_052022	Water	05/20/22 08:47	05/21/22 08:00
240-167051-19	OW-07D_052022	Water	05/20/22 10:25	05/21/22 08:00
240-167051-20	DUP-01_052022	Water	05/20/22 00:00	05/21/22 08:00
240-167051-21	DUP-02_052022	Water	05/20/22 00:00	05/21/22 08:00
240-167051-22	EQUIPMENT BLANK_051922	Water	05/19/22 10:00	05/21/22 08:00
240-167051-23	FIELD BLANK_051922	Water	05/19/22 09:20	05/21/22 08:00
240-167051-24	TRIP BLANK_051922	Water	05/19/22 00:00	05/21/22 08:00

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-16D2_051822 — Lab Sample ID: 240-167051-1

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	3.4		1.0		ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	16		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-10D_051722 — Lab Sample ID: 240-167051-2

No Detections.

Client Sample ID: OW-08D_051722 — Lab Sample ID: 240-167051-3

No Detections.

Client Sample ID: OW-05D2_051722 — Lab Sample ID: 240-167051-4

No Detections.

Client Sample ID: OW-30_051722 — Lab Sample ID: 240-167051-5

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	3.2		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-23D_051722 — Lab Sample ID: 240-167051-6

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.7		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-28_051722 — Lab Sample ID: 240-167051-7

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.5		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-18D_051822 — Lab Sample ID: 240-167051-8

No Detections.

Client Sample ID: OW-09-ML-D_051822 — Lab Sample ID: 240-167051-9

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	8.1		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-09-ML-C_051822 — Lab Sample ID: 240-167051-10

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.8		1.0		ug/L	1		8260D	Total/NA
Trichloroethene	1.5		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-18-ML-A_051822 — Lab Sample ID: 240-167051-11

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.3		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-18-ML-B_051822 — Lab Sample ID: 240-167051-12

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.1		1.0		ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-C_051922 — Lab Sample ID: 240-167051-13

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.6		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-18-ML-D_051922 — Lab Sample ID: 240-167051-14

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	1.2		1.0		ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	7.0		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-18-ML-E_051922 — Lab Sample ID: 240-167051-15

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	1.4		1.0		ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	7.5		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-18-ML-F_051922 — Lab Sample ID: 240-167051-16

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	14		1.0		ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.4		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: OW-02D2_051922 — Lab Sample ID: 240-167051-17

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	5.9		2.5		ug/L	2.5		8260D	Total/NA
Trichloroethene	62		2.5		ug/L	2.5		8260D	Total/NA

Client Sample ID: OW-22_052022 — Lab Sample ID: 240-167051-18

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
1,1,1-Trichloroethane	5.3		2.5		ug/L	2.5		8260D	Total/NA
cis-1,2-Dichloroethene	32		2.5		ug/L	2.5		8260D	Total/NA
Tetrachloroethene	3.2		2.5		ug/L	2.5		8260D	Total/NA
Trichloroethene	54		2.5		ug/L	2.5		8260D	Total/NA

Client Sample ID: OW-07D_052022 — Lab Sample ID: 240-167051-19

No Detections.

Client Sample ID: DUP-01_052022 — Lab Sample ID: 240-167051-20

Analyte	Result	Qualifier	RL		Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.1		1.0		ug/L	1		8260D	Total/NA

Client Sample ID: DUP-02_052022 — Lab Sample ID: 240-167051-21

No Detections.

Client Sample ID: EQUIPMENT BLANK_051922 — Lab Sample ID: 240-167051-22

No Detections.

Client Sample ID: FIELD BLANK_051922 — Lab Sample ID: 240-167051-23

No Detections.

Client Sample ID: TRIP BLANK_051922 — Lab Sample ID: 240-167051-24

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Canton

Client Sample ID: OW-16D2_051822

Date Collected: 05/18/22 09:18
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-1

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,1-Dichloroethane	**3.4**		1.0		ug/L			05/31/22 19:52	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 19:52	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:52	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:52	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 19:52	1
2-Hexanone	10	U	10		ug/L			05/31/22 19:52	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 19:52	1
Acetone	10	U	10		ug/L			05/31/22 19:52	1
Benzene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 19:52	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 19:52	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 19:52	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 19:52	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
cis-1,2-Dichloroethene	**16**		1.0		ug/L			05/31/22 19:52	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 19:52	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Methyl acetate	10	U	10		ug/L			05/31/22 19:52	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 19:52	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 19:52	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 19:52	1
Styrene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Toluene	1.0	U	1.0		ug/L			05/31/22 19:52	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 19:52	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 19:52	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 19:52	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 19:52	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 19:52	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-16D2_051822
Date Collected: 05/18/22 09:18
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-1
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	102		78 - 122		05/31/22 19:52	1
Dibromofluoromethane (Surr)	97		73 - 120		05/31/22 19:52	1
4-Bromofluorobenzene (Surr)	98		56 - 136		05/31/22 19:52	1
1,2-Dichloroethane-d4 (Surr)	109		62 - 137		05/31/22 19:52	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-10D_051722

Date Collected: 05/17/22 09:42
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-2

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 14:14	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 14:14	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 14:14	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 14:14	1
2-Hexanone	10	U	10		ug/L			05/31/22 14:14	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 14:14	1
Acetone	10	U	10		ug/L			05/31/22 14:14	1
Benzene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 14:14	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 14:14	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 14:14	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 14:14	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 14:14	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 14:14	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Methyl acetate	10	U	10		ug/L			05/31/22 14:14	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 14:14	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 14:14	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 14:14	1
Styrene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Toluene	1.0	U	1.0		ug/L			05/31/22 14:14	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 14:14	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 14:14	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 14:14	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 14:14	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 14:14	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-10D_051722
Date Collected: 05/17/22 09:42
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-2
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	86		78 - 122		05/31/22 14:14	1
Dibromofluoromethane (Surr)	96		73 - 120		05/31/22 14:14	1
4-Bromofluorobenzene (Surr)	89		56 - 136		05/31/22 14:14	1
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		05/31/22 14:14	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-08D_051722
Date Collected: 05/17/22 11:45
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-3
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 15:28	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:28	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:28	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 15:28	1
2-Hexanone	10	U	10		ug/L			05/31/22 15:28	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 15:28	1
Acetone	10	U	10		ug/L			05/31/22 15:28	1
Benzene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 15:28	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 15:28	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 15:28	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 15:28	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 15:28	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 15:28	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Methyl acetate	10	U	10		ug/L			05/31/22 15:28	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 15:28	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 15:28	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 15:28	1
Styrene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Toluene	1.0	U	1.0		ug/L			05/31/22 15:28	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 15:28	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 15:28	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 15:28	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 15:28	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 15:28	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-08D_051722
Date Collected: 05/17/22 11:45
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-3
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	84		78 - 122		05/31/22 15:28	1
Dibromofluoromethane (Surr)	93		73 - 120		05/31/22 15:28	1
4-Bromofluorobenzene (Surr)	87		56 - 136		05/31/22 15:28	1
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		05/31/22 15:28	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-05D2_051722
Date Collected: 05/17/22 13:15
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-4
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 15:52	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:52	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:52	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 15:52	1
2-Hexanone	10	U	10		ug/L			05/31/22 15:52	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 15:52	1
Acetone	10	U	10		ug/L			05/31/22 15:52	1
Benzene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 15:52	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 15:52	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 15:52	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 15:52	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 15:52	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 15:52	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Methyl acetate	10	U	10		ug/L			05/31/22 15:52	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 15:52	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 15:52	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 15:52	1
Styrene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Toluene	1.0	U	1.0		ug/L			05/31/22 15:52	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 15:52	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 15:52	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 15:52	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 15:52	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 15:52	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-05D2_051722
Date Collected: 05/17/22 13:15
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-4
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		78 - 122		05/31/22 15:52	1
Dibromofluoromethane (Surr)	97		73 - 120		05/31/22 15:52	1
4-Bromofluorobenzene (Surr)	90		56 - 136		05/31/22 15:52	1
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		05/31/22 15:52	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-30_051722
Date Collected: 05/17/22 14:35
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-5
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 16:17	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:17	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:17	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 16:17	1
2-Hexanone	10	U	10		ug/L			05/31/22 16:17	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 16:17	1
Acetone	10	U	10		ug/L			05/31/22 16:17	1
Benzene	1.0	U	1.0		ug/L			05/31/22 16:17	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 16:17	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 16:17	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 16:17	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:17	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 16:17	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 16:17	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 16:17	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 16:17	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 16:17	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 16:17	1
Methyl acetate	10	U	10		ug/L			05/31/22 16:17	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 16:17	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 16:17	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 16:17	1
Styrene	1.0	U	1.0		ug/L			05/31/22 16:17	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 16:17	1
Toluene	1.0	U	1.0		ug/L			05/31/22 16:17	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 16:17	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 16:17	1
Trichloroethene	**3.2**		1.0		ug/L			05/31/22 16:17	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 16:17	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 16:17	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 16:17	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-30_051722
Date Collected: 05/17/22 14:35
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-5
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	85		78 - 122		05/31/22 16:17	1
Dibromofluoromethane (Surr)	96		73 - 120		05/31/22 16:17	1
4-Bromofluorobenzene (Surr)	90		56 - 136		05/31/22 16:17	1
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		05/31/22 16:17	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-23D_051722
Date Collected: 05/17/22 15:56
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-6
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 16:42	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:42	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:42	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 16:42	1
2-Hexanone	10	U	10		ug/L			05/31/22 16:42	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 16:42	1
Acetone	10	U	10		ug/L			05/31/22 16:42	1
Benzene	1.0	U	1.0		ug/L			05/31/22 16:42	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 16:42	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 16:42	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 16:42	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 16:42	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 16:42	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 16:42	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 16:42	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 16:42	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 16:42	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 16:42	1
Methyl acetate	10	U	10		ug/L			05/31/22 16:42	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 16:42	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 16:42	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 16:42	1
Styrene	1.0	U	1.0		ug/L			05/31/22 16:42	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 16:42	1
Toluene	1.0	U	1.0		ug/L			05/31/22 16:42	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 16:42	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 16:42	1
Trichloroethene	**2.7**		1.0		ug/L			05/31/22 16:42	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 16:42	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 16:42	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 16:42	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-23D_051722
Date Collected: 05/17/22 15:56
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-6
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	84		78 - 122		05/31/22 16:42	1
Dibromofluoromethane (Surr)	95		73 - 120		05/31/22 16:42	1
4-Bromofluorobenzene (Surr)	88		56 - 136		05/31/22 16:42	1
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		05/31/22 16:42	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-28_051722
Date Collected: 05/17/22 17:05
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-7
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 17:06	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:06	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:06	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 17:06	1
2-Hexanone	10	U	10		ug/L			05/31/22 17:06	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 17:06	1
Acetone	10	U	10		ug/L			05/31/22 17:06	1
Benzene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 17:06	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 17:06	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 17:06	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 17:06	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
cis-1,2-Dichloroethene	**3.5**		1.0		ug/L			05/31/22 17:06	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 17:06	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Methyl acetate	10	U	10		ug/L			05/31/22 17:06	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 17:06	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 17:06	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 17:06	1
Styrene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Toluene	1.0	U	1.0		ug/L			05/31/22 17:06	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 17:06	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 17:06	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 17:06	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 17:06	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 17:06	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-28_051722
Date Collected: 05/17/22 17:05
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-7
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	86		78 - 122		05/31/22 17:06	1
Dibromofluoromethane (Surr)	95		73 - 120		05/31/22 17:06	1
4-Bromofluorobenzene (Surr)	88		56 - 136		05/31/22 17:06	1
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		05/31/22 17:06	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18D_051822

Date Collected: 05/18/22 11:10
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-8

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 17:31	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:31	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:31	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 17:31	1
2-Hexanone	10	U	10		ug/L			05/31/22 17:31	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 17:31	1
Acetone	10	U	10		ug/L			05/31/22 17:31	1
Benzene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 17:31	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 17:31	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 17:31	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 17:31	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 17:31	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 17:31	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Methyl acetate	10	U	10		ug/L			05/31/22 17:31	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 17:31	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 17:31	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 17:31	1
Styrene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Toluene	1.0	U	1.0		ug/L			05/31/22 17:31	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 17:31	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 17:31	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 17:31	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 17:31	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 17:31	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18D_051822
Date Collected: 05/18/22 11:10
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-8
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	86		78 - 122		05/31/22 17:31	1
Dibromofluoromethane (Surr)	96		73 - 120		05/31/22 17:31	1
4-Bromofluorobenzene (Surr)	89		56 - 136		05/31/22 17:31	1
1,2-Dichloroethane-d4 (Surr)	93		62 - 137		05/31/22 17:31	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-09-ML-D_051822
Date Collected: 05/18/22 12:10
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-9
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 17:55	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:55	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:55	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 17:55	1
2-Hexanone	10	U	10		ug/L			05/31/22 17:55	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 17:55	1
Acetone	10	U	10		ug/L			05/31/22 17:55	1
Benzene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 17:55	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 17:55	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 17:55	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 17:55	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
cis-1,2-Dichloroethene	**8.1**		1.0		ug/L			05/31/22 17:55	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 17:55	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Methyl acetate	10	U	10		ug/L			05/31/22 17:55	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 17:55	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 17:55	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 17:55	1
Styrene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Toluene	1.0	U	1.0		ug/L			05/31/22 17:55	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 17:55	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 17:55	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 17:55	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 17:55	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 17:55	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-09-ML-D_051822
Date Collected: 05/18/22 12:10
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-9
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	84		78 - 122		05/31/22 17:55	1
Dibromofluoromethane (Surr)	91		73 - 120		05/31/22 17:55	1
4-Bromofluorobenzene (Surr)	85		56 - 136		05/31/22 17:55	1
1,2-Dichloroethane-d4 (Surr)	89		62 - 137		05/31/22 17:55	1

Client Sample ID: OW-09-ML-C_051822
Lab Sample ID: 240-167051-10

Date Collected: 05/18/22 13:13
Matrix: Water
Date Received: 05/21/22 08:00

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 18:20	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:20	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:20	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 18:20	1
2-Hexanone	10	U	10		ug/L			05/31/22 18:20	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 18:20	1
Acetone	10	U	10		ug/L			05/31/22 18:20	1
Benzene	1.0	U	1.0		ug/L			05/31/22 18:20	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 18:20	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 18:20	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 18:20	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:20	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 18:20	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
cis-1,2-Dichloroethene	**3.8**		1.0		ug/L			05/31/22 18:20	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 18:20	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 18:20	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 18:20	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 18:20	1
Methyl acetate	10	U	10		ug/L			05/31/22 18:20	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 18:20	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 18:20	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 18:20	1
Styrene	1.0	U	1.0		ug/L			05/31/22 18:20	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 18:20	1
Toluene	1.0	U	1.0		ug/L			05/31/22 18:20	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 18:20	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 18:20	1
Trichloroethene	**1.5**		1.0		ug/L			05/31/22 18:20	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 18:20	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 18:20	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 18:20	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-09-ML-C_051822
Date Collected: 05/18/22 13:13
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-10
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		78 - 122		05/31/22 18:20	1
Dibromofluoromethane (Surr)	96		73 - 120		05/31/22 18:20	1
4-Bromofluorobenzene (Surr)	89		56 - 136		05/31/22 18:20	1
1,2-Dichloroethane-d4 (Surr)	95		62 - 137		05/31/22 18:20	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-A_051822
Date Collected: 05/18/22 14:55
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-11
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 18:45	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:45	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:45	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 18:45	1
2-Hexanone	10	U	10		ug/L			05/31/22 18:45	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 18:45	1
Acetone	10	U	10		ug/L			05/31/22 18:45	1
Benzene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 18:45	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 18:45	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 18:45	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 18:45	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
cis-1,2-Dichloroethene	**1.3**		1.0		ug/L			05/31/22 18:45	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 18:45	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Methyl acetate	10	U	10		ug/L			05/31/22 18:45	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 18:45	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 18:45	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 18:45	1
Styrene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Toluene	1.0	U	1.0		ug/L			05/31/22 18:45	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 18:45	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 18:45	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 18:45	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 18:45	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 18:45	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-A_051822
Date Collected: 05/18/22 14:55
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-11
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		78 - 122		05/31/22 18:45	1
Dibromofluoromethane (Surr)	99		73 - 120		05/31/22 18:45	1
4-Bromofluorobenzene (Surr)	89		56 - 136		05/31/22 18:45	1
1,2-Dichloroethane-d4 (Surr)	95		62 - 137		05/31/22 18:45	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-B_051822

Date Collected: 05/18/22 15:33
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-12

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 19:09	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:09	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:09	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 19:09	1
2-Hexanone	10	U	10		ug/L			05/31/22 19:09	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 19:09	1
Acetone	10	U	10		ug/L			05/31/22 19:09	1
Benzene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 19:09	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 19:09	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 19:09	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 19:09	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
cis-1,2-Dichloroethene	**4.1**		1.0		ug/L			05/31/22 19:09	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 19:09	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Methyl acetate	10	U	10		ug/L			05/31/22 19:09	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 19:09	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 19:09	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 19:09	1
Styrene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Toluene	1.0	U	1.0		ug/L			05/31/22 19:09	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 19:09	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 19:09	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 19:09	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 19:09	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 19:09	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-B_051822
Date Collected: 05/18/22 15:33
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-12
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	83		78 - 122		05/31/22 19:09	1
Dibromofluoromethane (Surr)	95		73 - 120		05/31/22 19:09	1
4-Bromofluorobenzene (Surr)	86		56 - 136		05/31/22 19:09	1
1,2-Dichloroethane-d4 (Surr)	91		62 - 137		05/31/22 19:09	1

Client Sample ID: OW-18-ML-C_051922
Lab Sample ID: 240-167051-13

Date Collected: 05/19/22 09:46
Matrix: Water

Date Received: 05/21/22 08:00

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 19:34	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:34	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:34	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 19:34	1
2-Hexanone	10	U	10		ug/L			05/31/22 19:34	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 19:34	1
Acetone	10	U	10		ug/L			05/31/22 19:34	1
Benzene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 19:34	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 19:34	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 19:34	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 19:34	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
cis-1,2-Dichloroethene	**2.6**		1.0		ug/L			05/31/22 19:34	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 19:34	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Methyl acetate	10	U	10		ug/L			05/31/22 19:34	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 19:34	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 19:34	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 19:34	1
Styrene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Toluene	1.0	U	1.0		ug/L			05/31/22 19:34	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 19:34	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 19:34	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 19:34	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 19:34	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 19:34	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-C_051922
Date Collected: 05/19/22 09:46
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-13
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		78 - 122		05/31/22 19:34	1
Dibromofluoromethane (Surr)	97		73 - 120		05/31/22 19:34	1
4-Bromofluorobenzene (Surr)	89		56 - 136		05/31/22 19:34	1
1,2-Dichloroethane-d4 (Surr)	96		62 - 137		05/31/22 19:34	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-D_051922

Date Collected: 05/19/22 10:55
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-14

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,1-Dichloroethane	**1.2**		1.0		ug/L			05/31/22 20:14	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 20:14	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 20:14	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 20:14	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 20:14	1
2-Hexanone	10	U	10		ug/L			05/31/22 20:14	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 20:14	1
Acetone	10	U	10		ug/L			05/31/22 20:14	1
Benzene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 20:14	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 20:14	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 20:14	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 20:14	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
cis-1,2-Dichloroethene	**7.0**		1.0		ug/L			05/31/22 20:14	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 20:14	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Methyl acetate	10	U	10		ug/L			05/31/22 20:14	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 20:14	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 20:14	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 20:14	1
Styrene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Toluene	1.0	U	1.0		ug/L			05/31/22 20:14	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 20:14	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 20:14	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 20:14	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 20:14	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 20:14	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-D_051922
Date Collected: 05/19/22 10:55
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-14
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	103		78 - 122		05/31/22 20:14	1
Dibromofluoromethane (Surr)	98		73 - 120		05/31/22 20:14	1
4-Bromofluorobenzene (Surr)	97		56 - 136		05/31/22 20:14	1
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		05/31/22 20:14	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-E_051922
Date Collected: 05/19/22 12:46
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-15
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,1-Dichloroethane	**1.4**		1.0		ug/L			06/02/22 16:23	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/02/22 16:23	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:23	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:23	1
2-Butanone (MEK)	10	U	10		ug/L			06/02/22 16:23	1
2-Hexanone	10	U	10		ug/L			06/02/22 16:23	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/02/22 16:23	1
Acetone	10	U	10		ug/L			06/02/22 16:23	1
Benzene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
Bromoform	1.0	U	1.0		ug/L			06/02/22 16:23	1
Bromomethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
Carbon disulfide	1.0	U	1.0		ug/L			06/02/22 16:23	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/02/22 16:23	1
Chlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Chloroethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
Chloroform	1.0	U	1.0		ug/L			06/02/22 16:23	1
Chloromethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
cis-1,2-Dichloroethene	**7.5**		1.0		ug/L			06/02/22 16:23	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Cyclohexane	1.0	U	1.0		ug/L			06/02/22 16:23	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
Ethylbenzene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Methyl acetate	10	U	10		ug/L			06/02/22 16:23	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/02/22 16:23	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/02/22 16:23	1
Methylene Chloride	5.0	U	5.0		ug/L			06/02/22 16:23	1
Styrene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Toluene	1.0	U	1.0		ug/L			06/02/22 16:23	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 16:23	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Trichloroethene	1.0	U	1.0		ug/L			06/02/22 16:23	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/02/22 16:23	1
Vinyl chloride	1.0	U	1.0		ug/L			06/02/22 16:23	1
Xylenes, Total	2.0	U	2.0		ug/L			06/02/22 16:23	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-E_051922
Date Collected: 05/19/22 12:46
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-15
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	110		78 - 122		06/02/22 16:23	1
Dibromofluoromethane (Surr)	110		73 - 120		06/02/22 16:23	1
4-Bromofluorobenzene (Surr)	98		56 - 136		06/02/22 16:23	1
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		06/02/22 16:23	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-F_051922
Date Collected: 05/19/22 13:52
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-16
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/02/22 16:47	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:47	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:47	1
2-Butanone (MEK)	10	U	10		ug/L			06/02/22 16:47	1
2-Hexanone	10	U	10		ug/L			06/02/22 16:47	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/02/22 16:47	1
Acetone	10	U	10		ug/L			06/02/22 16:47	1
Benzene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
Bromoform	1.0	U	1.0		ug/L			06/02/22 16:47	1
Bromomethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
Carbon disulfide	1.0	U	1.0		ug/L			06/02/22 16:47	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/02/22 16:47	1
Chlorobenzene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Chloroethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
Chloroform	1.0	U	1.0		ug/L			06/02/22 16:47	1
Chloromethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
cis-1,2-Dichloroethene	**14**		1.0		ug/L			06/02/22 16:47	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Cyclohexane	1.0	U	1.0		ug/L			06/02/22 16:47	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
Ethylbenzene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Methyl acetate	10	U	10		ug/L			06/02/22 16:47	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/02/22 16:47	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/02/22 16:47	1
Methylene Chloride	5.0	U	5.0		ug/L			06/02/22 16:47	1
Styrene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Toluene	1.0	U	1.0		ug/L			06/02/22 16:47	1
trans-1,2-Dichloroethene	**1.4**		1.0		ug/L			06/02/22 16:47	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Trichloroethene	1.0	U	1.0		ug/L			06/02/22 16:47	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/02/22 16:47	1
Vinyl chloride	1.0	U	1.0		ug/L			06/02/22 16:47	1
Xylenes, Total	2.0	U	2.0		ug/L			06/02/22 16:47	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-F_051922
Date Collected: 05/19/22 13:52
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-16
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	107		78 - 122		06/02/22 16:47	1
Dibromofluoromethane (Surr)	108		73 - 120		06/02/22 16:47	1
4-Bromofluorobenzene (Surr)	97		56 - 136		06/02/22 16:47	1
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		06/02/22 16:47	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-02D2_051922

Date Collected: 05/19/22 16:03
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-17

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,1,2,2-Tetrachloroethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,1,2-Trichloro-1,2,2-trifluoroethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,1,2-Trichloroethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,1-Dichloroethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,1-Dichloroethene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,2,4-Trichlorobenzene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,2-Dibromo-3-Chloropropane	5.0	U	5.0		ug/L			06/02/22 17:10	2.5
Ethylene Dibromide	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,2-Dichlorobenzene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,2-Dichloroethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,2-Dichloropropane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,3-Dichlorobenzene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
1,4-Dichlorobenzene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
2-Butanone (MEK)	25	U	25		ug/L			06/02/22 17:10	2.5
2-Hexanone	25	U	25		ug/L			06/02/22 17:10	2.5
4-Methyl-2-pentanone (MIBK)	25	U	25		ug/L			06/02/22 17:10	2.5
Acetone	25	U	25		ug/L			06/02/22 17:10	2.5
Benzene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Dichlorobromomethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Bromoform	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Bromomethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Carbon disulfide	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Carbon tetrachloride	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Chlorobenzene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Chloroethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Chloroform	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Chloromethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
cis-1,2-Dichloroethene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
cis-1,3-Dichloropropene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Cyclohexane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Chlorodibromomethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Dichlorodifluoromethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Ethylbenzene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Isopropylbenzene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Methyl acetate	25	U	25		ug/L			06/02/22 17:10	2.5
Methyl tert-butyl ether	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Methylcyclohexane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Methylene Chloride	13	U	13		ug/L			06/02/22 17:10	2.5
Styrene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Tetrachloroethene	**5.9**		2.5		ug/L			06/02/22 17:10	2.5
Toluene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
trans-1,2-Dichloroethene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
trans-1,3-Dichloropropene	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Trichloroethene	**62**		2.5		ug/L			06/02/22 17:10	2.5
Trichlorofluoromethane	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Vinyl chloride	2.5	U	2.5		ug/L			06/02/22 17:10	2.5
Xylenes, Total	5.0	U	5.0		ug/L			06/02/22 17:10	2.5

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-02D2_051922
Date Collected: 05/19/22 16:03
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-17
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	108		78 - 122		06/02/22 17:10	2.5
Dibromofluoromethane (Surr)	108		73 - 120		06/02/22 17:10	2.5
4-Bromofluorobenzene (Surr)	98		56 - 136		06/02/22 17:10	2.5
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		06/02/22 17:10	2.5

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-22_052022
Date Collected: 05/20/22 08:47
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-18
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	**5.3**		2.5		ug/L			06/03/22 17:59	2.5
1,1,2,2-Tetrachloroethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,1,2-Trichloro-1,2,2-trifluoroethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,1,2-Trichloroethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,1-Dichloroethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,1-Dichloroethene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,2,4-Trichlorobenzene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,2-Dibromo-3-Chloropropane	5.0	U	5.0		ug/L			06/03/22 17:59	2.5
Ethylene Dibromide	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,2-Dichlorobenzene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,2-Dichloroethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,2-Dichloropropane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,3-Dichlorobenzene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
1,4-Dichlorobenzene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
2-Butanone (MEK)	25	U	25		ug/L			06/03/22 17:59	2.5
2-Hexanone	25	U	25		ug/L			06/03/22 17:59	2.5
4-Methyl-2-pentanone (MIBK)	25	U	25		ug/L			06/03/22 17:59	2.5
Acetone	25	U	25		ug/L			06/03/22 17:59	2.5
Benzene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Dichlorobromomethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Bromoform	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Bromomethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Carbon disulfide	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Carbon tetrachloride	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Chlorobenzene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Chloroethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Chloroform	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Chloromethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
cis-1,2-Dichloroethene	**32**		2.5		ug/L			06/03/22 17:59	2.5
cis-1,3-Dichloropropene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Cyclohexane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Chlorodibromomethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Dichlorodifluoromethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Ethylbenzene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Isopropylbenzene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Methyl acetate	25	U	25		ug/L			06/03/22 17:59	2.5
Methyl tert-butyl ether	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Methylcyclohexane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Methylene Chloride	13	U	13		ug/L			06/03/22 17:59	2.5
Styrene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Tetrachloroethene	**3.2**		2.5		ug/L			06/03/22 17:59	2.5
Toluene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
trans-1,2-Dichloroethene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
trans-1,3-Dichloropropene	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Trichloroethene	**54**		2.5		ug/L			06/03/22 17:59	2.5
Trichlorofluoromethane	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Vinyl chloride	2.5	U	2.5		ug/L			06/03/22 17:59	2.5
Xylenes, Total	5.0	U	5.0		ug/L			06/03/22 17:59	2.5

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-22_052022
Date Collected: 05/20/22 08:47
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-18
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	90		78 - 122		06/03/22 17:59	2.5
Dibromofluoromethane (Surr)	102		73 - 120		06/03/22 17:59	2.5
4-Bromofluorobenzene (Surr)	93		56 - 136		06/03/22 17:59	2.5
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		06/03/22 17:59	2.5

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-07D_052022
Date Collected: 05/20/22 10:25
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-19
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/03/22 18:23	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:23	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:23	1
2-Butanone (MEK)	10	U	10		ug/L			06/03/22 18:23	1
2-Hexanone	10	U	10		ug/L			06/03/22 18:23	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/03/22 18:23	1
Acetone	10	U	10		ug/L			06/03/22 18:23	1
Benzene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
Bromoform	1.0	U	1.0		ug/L			06/03/22 18:23	1
Bromomethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
Carbon disulfide	1.0	U	1.0		ug/L			06/03/22 18:23	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/03/22 18:23	1
Chlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Chloroethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
Chloroform	1.0	U	1.0		ug/L			06/03/22 18:23	1
Chloromethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 18:23	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Cyclohexane	1.0	U	1.0		ug/L			06/03/22 18:23	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
Ethylbenzene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Methyl acetate	10	U	10		ug/L			06/03/22 18:23	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/03/22 18:23	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/03/22 18:23	1
Methylene Chloride	5.0	U	5.0		ug/L			06/03/22 18:23	1
Styrene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Toluene	1.0	U	1.0		ug/L			06/03/22 18:23	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 18:23	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Trichloroethene	1.0	U	1.0		ug/L			06/03/22 18:23	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/03/22 18:23	1
Vinyl chloride	1.0	U	1.0		ug/L			06/03/22 18:23	1
Xylenes, Total	2.0	U	2.0		ug/L			06/03/22 18:23	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-07D_052022
Date Collected: 05/20/22 10:25
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-19
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	90		78 - 122		06/03/22 18:23	1
Dibromofluoromethane (Surr)	105		73 - 120		06/03/22 18:23	1
4-Bromofluorobenzene (Surr)	93		56 - 136		06/03/22 18:23	1
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		06/03/22 18:23	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: DUP-01_052022

Date Collected: 05/20/22 00:00
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-20

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/03/22 18:48	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:48	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:48	1
2-Butanone (MEK)	10	U	10		ug/L			06/03/22 18:48	1
2-Hexanone	10	U	10		ug/L			06/03/22 18:48	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/03/22 18:48	1
Acetone	10	U	10		ug/L			06/03/22 18:48	1
Benzene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
Bromoform	1.0	U	1.0		ug/L			06/03/22 18:48	1
Bromomethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
Carbon disulfide	1.0	U	1.0		ug/L			06/03/22 18:48	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/03/22 18:48	1
Chlorobenzene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Chloroethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
Chloroform	1.0	U	1.0		ug/L			06/03/22 18:48	1
Chloromethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
cis-1,2-Dichloroethene	**4.1**		1.0		ug/L			06/03/22 18:48	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Cyclohexane	1.0	U	1.0		ug/L			06/03/22 18:48	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
Ethylbenzene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Methyl acetate	10	U	10		ug/L			06/03/22 18:48	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/03/22 18:48	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/03/22 18:48	1
Methylene Chloride	5.0	U	5.0		ug/L			06/03/22 18:48	1
Styrene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Toluene	1.0	U	1.0		ug/L			06/03/22 18:48	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 18:48	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Trichloroethene	1.0	U	1.0		ug/L			06/03/22 18:48	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/03/22 18:48	1
Vinyl chloride	1.0	U	1.0		ug/L			06/03/22 18:48	1
Xylenes, Total	2.0	U	2.0		ug/L			06/03/22 18:48	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: DUP-01_052022
Date Collected: 05/20/22 00:00
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-20
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	91		78 - 122		06/03/22 18:48	1
Dibromofluoromethane (Surr)	105		73 - 120		06/03/22 18:48	1
4-Bromofluorobenzene (Surr)	94		56 - 136		06/03/22 18:48	1
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		06/03/22 18:48	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: DUP-02_052022

Date Collected: 05/20/22 00:00
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-21

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/03/22 19:12	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 19:12	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/03/22 19:12	1
2-Butanone (MEK)	10	U	10		ug/L			06/03/22 19:12	1
2-Hexanone	10	U	10		ug/L			06/03/22 19:12	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/03/22 19:12	1
Acetone	10	U	10		ug/L			06/03/22 19:12	1
Benzene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
Bromoform	1.0	U	1.0		ug/L			06/03/22 19:12	1
Bromomethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
Carbon disulfide	1.0	U	1.0		ug/L			06/03/22 19:12	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/03/22 19:12	1
Chlorobenzene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Chloroethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
Chloroform	1.0	U	1.0		ug/L			06/03/22 19:12	1
Chloromethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 19:12	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Cyclohexane	1.0	U	1.0		ug/L			06/03/22 19:12	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
Ethylbenzene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Methyl acetate	10	U	10		ug/L			06/03/22 19:12	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/03/22 19:12	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/03/22 19:12	1
Methylene Chloride	5.0	U	5.0		ug/L			06/03/22 19:12	1
Styrene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Toluene	1.0	U	1.0		ug/L			06/03/22 19:12	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 19:12	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Trichloroethene	1.0	U	1.0		ug/L			06/03/22 19:12	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/03/22 19:12	1
Vinyl chloride	1.0	U	1.0		ug/L			06/03/22 19:12	1
Xylenes, Total	2.0	U	2.0		ug/L			06/03/22 19:12	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: DUP-02_052022
Date Collected: 05/20/22 00:00
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-21
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	91		78 - 122		06/03/22 19:12	1
Dibromofluoromethane (Surr)	105		73 - 120		06/03/22 19:12	1
4-Bromofluorobenzene (Surr)	94		56 - 136		06/03/22 19:12	1
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		06/03/22 19:12	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: EQUIPMENT BLANK_051922

Lab Sample ID: 240-167051-22

Date Collected: 05/19/22 10:00

Matrix: Water

Date Received: 05/21/22 08:00

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/02/22 19:45	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 19:45	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 19:45	1
2-Butanone (MEK)	10	U	10		ug/L			06/02/22 19:45	1
2-Hexanone	10	U	10		ug/L			06/02/22 19:45	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/02/22 19:45	1
Acetone	10	U	10		ug/L			06/02/22 19:45	1
Benzene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
Bromoform	1.0	U	1.0		ug/L			06/02/22 19:45	1
Bromomethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
Carbon disulfide	1.0	U	1.0		ug/L			06/02/22 19:45	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/02/22 19:45	1
Chlorobenzene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Chloroethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
Chloroform	1.0	U	1.0		ug/L			06/02/22 19:45	1
Chloromethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 19:45	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Cyclohexane	1.0	U	1.0		ug/L			06/02/22 19:45	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
Ethylbenzene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Methyl acetate	10	U	10		ug/L			06/02/22 19:45	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/02/22 19:45	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/02/22 19:45	1
Methylene Chloride	5.0	U	5.0		ug/L			06/02/22 19:45	1
Styrene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Toluene	1.0	U	1.0		ug/L			06/02/22 19:45	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 19:45	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Trichloroethene	1.0	U	1.0		ug/L			06/02/22 19:45	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/02/22 19:45	1
Vinyl chloride	1.0	U	1.0		ug/L			06/02/22 19:45	1
Xylenes, Total	2.0	U	2.0		ug/L			06/02/22 19:45	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: EQUIPMENT BLANK_051922
Date Collected: 05/19/22 10:00
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-22
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	94		78 - 122		06/02/22 19:45	1
Dibromofluoromethane (Surr)	114		73 - 120		06/02/22 19:45	1
4-Bromofluorobenzene (Surr)	96		56 - 136		06/02/22 19:45	1
1,2-Dichloroethane-d4 (Surr)	103		62 - 137		06/02/22 19:45	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: FIELD BLANK_051922

Lab Sample ID: 240-167051-23

Date Collected: 05/19/22 09:20
Date Received: 05/21/22 08:00

Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/02/22 20:10	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:10	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:10	1
2-Butanone (MEK)	10	U	10		ug/L			06/02/22 20:10	1
2-Hexanone	10	U	10		ug/L			06/02/22 20:10	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/02/22 20:10	1
Acetone	10	U	10		ug/L			06/02/22 20:10	1
Benzene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
Bromoform	1.0	U	1.0		ug/L			06/02/22 20:10	1
Bromomethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
Carbon disulfide	1.0	U	1.0		ug/L			06/02/22 20:10	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/02/22 20:10	1
Chlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Chloroethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
Chloroform	1.0	U	1.0		ug/L			06/02/22 20:10	1
Chloromethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 20:10	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Cyclohexane	1.0	U	1.0		ug/L			06/02/22 20:10	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
Ethylbenzene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Methyl acetate	10	U	10		ug/L			06/02/22 20:10	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/02/22 20:10	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/02/22 20:10	1
Methylene Chloride	5.0	U	5.0		ug/L			06/02/22 20:10	1
Styrene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Toluene	1.0	U	1.0		ug/L			06/02/22 20:10	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 20:10	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Trichloroethene	1.0	U	1.0		ug/L			06/02/22 20:10	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/02/22 20:10	1
Vinyl chloride	1.0	U	1.0		ug/L			06/02/22 20:10	1
Xylenes, Total	2.0	U	2.0		ug/L			06/02/22 20:10	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: FIELD BLANK_051922
Date Collected: 05/19/22 09:20
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-23
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	93		78 - 122		06/02/22 20:10	1
Dibromofluoromethane (Surr)	113		73 - 120		06/02/22 20:10	1
4-Bromofluorobenzene (Surr)	97		56 - 136		06/02/22 20:10	1
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		06/02/22 20:10	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: TRIP BLANK_051922
Date Collected: 05/19/22 00:00
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-24
Matrix: Water

Method: 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/02/22 20:35	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:35	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:35	1
2-Butanone (MEK)	10	U	10		ug/L			06/02/22 20:35	1
2-Hexanone	10	U	10		ug/L			06/02/22 20:35	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/02/22 20:35	1
Acetone	10	U	10		ug/L			06/02/22 20:35	1
Benzene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
Bromoform	1.0	U	1.0		ug/L			06/02/22 20:35	1
Bromomethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
Carbon disulfide	1.0	U	1.0		ug/L			06/02/22 20:35	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/02/22 20:35	1
Chlorobenzene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Chloroethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
Chloroform	1.0	U	1.0		ug/L			06/02/22 20:35	1
Chloromethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 20:35	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Cyclohexane	1.0	U	1.0		ug/L			06/02/22 20:35	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
Ethylbenzene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Methyl acetate	10	U	10		ug/L			06/02/22 20:35	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/02/22 20:35	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/02/22 20:35	1
Methylene Chloride	5.0	U	5.0		ug/L			06/02/22 20:35	1
Styrene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Toluene	1.0	U	1.0		ug/L			06/02/22 20:35	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 20:35	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Trichloroethene	1.0	U	1.0		ug/L			06/02/22 20:35	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/02/22 20:35	1
Vinyl chloride	1.0	U	1.0		ug/L			06/02/22 20:35	1
Xylenes, Total	2.0	U	2.0		ug/L			06/02/22 20:35	1

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: TRIP BLANK_051922
Date Collected: 05/19/22 00:00
Date Received: 05/21/22 08:00

Lab Sample ID: 240-167051-24
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	96		78 - 122		06/02/22 20:35	1
Dibromofluoromethane (Surr)	112		73 - 120		06/02/22 20:35	1
4-Bromofluorobenzene (Surr)	99		56 - 136		06/02/22 20:35	1
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		06/02/22 20:35	1

Surrogate Summary

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	DBFM	BFB	DCA
Lab Sample ID	Client Sample ID	(78-122)	(73-120)	(56-136)	(62-137)
240-167051-1	OW-16D2_051822	102	97	98	109
240-167051-2	OW-10D_051722	86	96	89	93
240-167051-2 MS	OW-10D_051722	86	95	90	91
240-167051-2 MSD	OW-10D_051722	88	94	92	91
240-167051-3	OW-08D_051722	84	93	87	93
240-167051-4	OW-05D2_051722	87	97	90	94
240-167051-5	OW-30_051722	85	96	90	93
240-167051-6	OW-23D_051722	84	95	88	94
240-167051-7	OW-28_051722	86	95	88	94
240-167051-8	OW-18D_051822	86	96	89	93
240-167051-9	OW-09-ML-D_051822	84	91	85	89
240-167051-10	OW-09-ML-C_051822	87	96	89	95
240-167051-11	OW-18-ML-A_051822	87	99	89	95
240-167051-12	OW-18-ML-B_051822	83	95	86	91
240-167051-13	OW-18-ML-C_051922	87	97	89	96
240-167051-14	OW-18-ML-D_051922	103	98	97	106
240-167051-15	OW-18-ML-E_051922	110	110	98	100
240-167051-16	OW-18-ML-F_051922	107	108	97	101
240-167051-17	OW-02D2_051922	108	108	98	99
240-167051-18	OW-22_052022	90	102	93	98
240-167051-19	OW-07D_052022	90	105	93	102
240-167051-20	DUP-01_052022	91	105	94	100
240-167051-21	DUP-02_052022	91	105	94	101
240-167051-22	EQUIPMENT BLANK_051922	94	114	96	103
240-167051-23	FIELD BLANK_051922	93	113	97	104
240-167051-24	TRIP BLANK_051922	96	112	99	102
LCS 240-528483/5	Lab Control Sample	90	98	93	93
LCS 240-528486/5	Lab Control Sample	107	94	110	97
LCS 240-528862/5	Lab Control Sample	99	94	105	88
LCS 240-528938/5	Lab Control Sample	110	102	103	94
LCS 240-529073/5	Lab Control Sample	93	102	96	96
MB 240-528483/8	Method Blank	88	98	88	92
MB 240-528486/8	Method Blank	102	93	99	101
MB 240-528862/8	Method Blank	97	114	99	104
MB 240-528938/7	Method Blank	104	105	95	96
MB 240-529073/8	Method Blank	89	102	92	98

Surrogate Legend

TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-528483/8
Matrix: Water
Analysis Batch: 528483

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 11:47	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:47	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:47	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 11:47	1
2-Hexanone	10	U	10		ug/L			05/31/22 11:47	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 11:47	1
Acetone	10	U	10		ug/L			05/31/22 11:47	1
Benzene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 11:47	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 11:47	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 11:47	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 11:47	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 11:47	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 11:47	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Methyl acetate	10	U	10		ug/L			05/31/22 11:47	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 11:47	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 11:47	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 11:47	1
Styrene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Toluene	1.0	U	1.0		ug/L			05/31/22 11:47	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 11:47	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 11:47	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 11:47	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 11:47	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 11:47	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-528483/8
Matrix: Water
Analysis Batch: 528483

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*88*		*78 - 122*		*05/31/22 11:47*	*1*
Dibromofluoromethane (Surr)	*98*		*73 - 120*		*05/31/22 11:47*	*1*
4-Bromofluorobenzene (Surr)	*88*		*56 - 136*		*05/31/22 11:47*	*1*
1,2-Dichloroethane-d4 (Surr)	*92*		*62 - 137*		*05/31/22 11:47*	*1*

Lab Sample ID: LCS 240-528483/5
Matrix: Water
Analysis Batch: 528483

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	18.7		ug/L		94	64 - 131
1,1,2,2-Tetrachloroethane	20.0	18.0		ug/L		90	58 - 157
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	20.1		ug/L		101	51 - 146
1,1,2-Trichloroethane	20.0	17.4		ug/L		87	70 - 138
1,1-Dichloroethane	20.0	18.5		ug/L		92	72 - 127
1,1-Dichloroethene	20.0	19.6		ug/L		98	63 - 134
1,2,4-Trichlorobenzene	20.0	14.1		ug/L		70	44 - 147
1,2-Dibromo-3-Chloropropane	20.0	14.9		ug/L		75	53 - 135
Ethylene Dibromide	20.0	17.1		ug/L		85	71 - 134
1,2-Dichlorobenzene	20.0	16.6		ug/L		83	78 - 120
1,2-Dichloroethane	20.0	19.3		ug/L		97	66 - 128
1,2-Dichloropropane	20.0	18.8		ug/L		94	75 - 133
1,3-Dichlorobenzene	20.0	16.4		ug/L		82	80 - 120
1,4-Dichlorobenzene	20.0	16.5		ug/L		82	80 - 120
2-Butanone (MEK)	40.0	35.2		ug/L		88	54 - 156
2-Hexanone	40.0	33.0		ug/L		83	43 - 167
4-Methyl-2-pentanone (MIBK)	40.0	35.2		ug/L		88	46 - 158
Acetone	40.0	36.2		ug/L		90	50 - 149
Benzene	20.0	19.1		ug/L		95	77 - 123
Dichlorobromomethane	20.0	18.4		ug/L		92	69 - 126
Bromoform	20.0	14.0		ug/L		70	57 - 129
Bromomethane	20.0	18.8		ug/L		94	36 - 142
Carbon disulfide	20.0	19.3		ug/L		97	43 - 140
Carbon tetrachloride	20.0	18.1		ug/L		91	55 - 137
Chlorobenzene	20.0	17.1		ug/L		85	80 - 121
Chloroethane	20.0	20.4		ug/L		102	38 - 152
Chloroform	20.0	19.1		ug/L		95	74 - 122
Chloromethane	20.0	19.2		ug/L		96	47 - 143
cis-1,2-Dichloroethene	20.0	19.2		ug/L		96	77 - 123
cis-1,3-Dichloropropene	20.0	18.0		ug/L		90	64 - 130
Cyclohexane	20.0	17.2		ug/L		86	58 - 146
Chlorodibromomethane	20.0	15.5		ug/L		77	70 - 124
Dichlorodifluoromethane	20.0	24.1		ug/L		121	34 - 153
Ethylbenzene	20.0	16.8		ug/L		84	80 - 121
Isopropylbenzene	20.0	15.2		ug/L		76	74 - 128
Methyl acetate	40.0	34.7		ug/L		87	42 - 169
Methyl tert-butyl ether	20.0	18.4		ug/L		92	65 - 126
Methylcyclohexane	20.0	15.4		ug/L		77	62 - 136

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-528483/5
Matrix: Water
Analysis Batch: 528483

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Methylene Chloride	20.0	18.5		ug/L		93	71 - 125
Styrene	20.0	16.5		ug/L		82	80 - 135
Tetrachloroethene	20.0	17.3		ug/L		86	76 - 123
Toluene	20.0	16.8		ug/L		84	80 - 123
trans-1,2-Dichloroethene	20.0	18.3		ug/L		92	75 - 124
trans-1,3-Dichloropropene	20.0	16.5		ug/L		82	57 - 129
Trichloroethene	20.0	19.2		ug/L		96	70 - 122
Trichlorofluoromethane	20.0	21.0		ug/L		105	30 - 170
Vinyl chloride	20.0	20.5		ug/L		102	60 - 144
Xylenes, Total	40.0	32.9		ug/L		82	80 - 121
m-Xylene & p-Xylene	20.0	16.4		ug/L		82	80 - 120
o-Xylene	20.0	16.5		ug/L		83	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*90*		*78 - 122*
Dibromofluoromethane (Surr)	*98*		*73 - 120*
4-Bromofluorobenzene (Surr)	*93*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*93*		*62 - 137*

Lab Sample ID: 240-167051-2 MS
Matrix: Water
Analysis Batch: 528483

Client Sample ID: OW-10D_051722
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	1.0	U	20.0	17.9		ug/L		89	60 - 130
1,1,2,2-Tetrachloroethane	1.0	U	20.0	17.2		ug/L		86	54 - 145
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	20.0	19.0		ug/L		95	41 - 147
1,1,2-Trichloroethane	1.0	U	20.0	16.5		ug/L		82	69 - 131
1,1-Dichloroethane	1.0	U	20.0	17.7		ug/L		88	68 - 125
1,1-Dichloroethene	1.0	U	20.0	18.5		ug/L		92	56 - 135
1,2,4-Trichlorobenzene	1.0	U	20.0	13.1		ug/L		65	29 - 156
1,2-Dibromo-3-Chloropropane	2.0	U	20.0	13.7		ug/L		69	41 - 129
Ethylene Dibromide	1.0	U	20.0	16.0		ug/L		80	69 - 125
1,2-Dichlorobenzene	1.0	U	20.0	15.7		ug/L		78	73 - 120
1,2-Dichloroethane	1.0	U	20.0	18.3		ug/L		92	63 - 126
1,2-Dichloropropane	1.0	U	20.0	17.6		ug/L		88	69 - 130
1,3-Dichlorobenzene	1.0	U	20.0	15.2		ug/L		76	73 - 120
1,4-Dichlorobenzene	1.0	U	20.0	15.5		ug/L		77	74 - 120
2-Butanone (MEK)	10	U	40.0	34.6		ug/L		86	40 - 151
2-Hexanone	10	U	40.0	31.5		ug/L		79	35 - 156
4-Methyl-2-pentanone (MIBK)	10	U	40.0	34.0		ug/L		85	31 - 153
Acetone	10	U	40.0	33.8		ug/L		85	33 - 149
Benzene	1.0	U	20.0	18.0		ug/L		90	64 - 128
Dichlorobromomethane	1.0	U	20.0	17.3		ug/L		87	62 - 125
Bromoform	1.0	U	20.0	12.5		ug/L		63	47 - 125
Bromomethane	1.0	U	20.0	15.2		ug/L		76	28 - 150
Carbon disulfide	1.0	U	20.0	17.8		ug/L		89	38 - 140
Carbon tetrachloride	1.0	U	20.0	16.9		ug/L		84	51 - 133

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-167051-2 MS
Matrix: Water
Analysis Batch: 528483

Client Sample ID: OW-10D_051722
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chlorobenzene	1.0	U	20.0	16.2		ug/L		81	74 - 121
Chloroethane	1.0	U	20.0	19.6		ug/L		98	10 - 199
Chloroform	1.0	U	20.0	17.7		ug/L		89	70 - 122
Chloromethane	1.0	U	20.0	17.6		ug/L		88	32 - 149
cis-1,2-Dichloroethene	1.0	U	20.0	17.8		ug/L		89	66 - 128
cis-1,3-Dichloropropene	1.0	U	20.0	16.5		ug/L		83	47 - 125
Cyclohexane	1.0	U	20.0	16.2		ug/L		81	42 - 147
Chlorodibromomethane	1.0	U	20.0	14.1		ug/L		71	65 - 120
Dichlorodifluoromethane	1.0	U	20.0	22.5		ug/L		113	38 - 139
Ethylbenzene	1.0	U	20.0	15.9		ug/L		79	67 - 127
Isopropylbenzene	1.0	U	20.0	14.3		ug/L		72	64 - 129
Methyl acetate	10	U	40.0	33.2		ug/L		83	37 - 155
Methyl tert-butyl ether	1.0	U	20.0	17.7		ug/L		88	47 - 134
Methylcyclohexane	1.0	U	20.0	14.2		ug/L		71	39 - 144
Methylene Chloride	5.0	U	20.0	17.4		ug/L		87	62 - 129
Styrene	1.0	U	20.0	15.5		ug/L		78	70 - 139
Tetrachloroethene	1.0	U	20.0	15.5		ug/L		78	62 - 131
Toluene	1.0	U	20.0	15.9		ug/L		79	58 - 135
trans-1,2-Dichloroethene	1.0	U	20.0	17.3		ug/L		86	56 - 136
trans-1,3-Dichloropropene	1.0	U	20.0	15.6		ug/L		78	47 - 120
Trichloroethene	1.0	U	20.0	17.6		ug/L		88	61 - 124
Trichlorofluoromethane	1.0	U	20.0	19.9		ug/L		99	24 - 177
Vinyl chloride	1.0	U	20.0	18.9		ug/L		94	43 - 157
Xylenes, Total	2.0	U	40.0	30.7		ug/L		77	71 - 123
m-Xylene & p-Xylene	2.0	U	20.0	15.3		ug/L		76	71 - 123
o-Xylene	1.0	U	20.0	15.4		ug/L		77	70 - 125

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Toluene-d8 (Surr)	*86*		*78 - 122*
Dibromofluoromethane (Surr)	*95*		*73 - 120*
4-Bromofluorobenzene (Surr)	*90*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*91*		*62 - 137*

Lab Sample ID: 240-167051-2 MSD
Matrix: Water
Analysis Batch: 528483

Client Sample ID: OW-10D_051722
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane	1.0	U	20.0	18.5		ug/L		92	60 - 130	3	17
1,1,2,2-Tetrachloroethane	1.0	U	20.0	18.7		ug/L		94	54 - 145	8	15
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	20.0	19.5		ug/L		97	41 - 147	2	35
1,1,2-Trichloroethane	1.0	U	20.0	17.6		ug/L		88	69 - 131	6	14
1,1-Dichloroethane	1.0	U	20.0	18.2		ug/L		91	68 - 125	3	13
1,1-Dichloroethene	1.0	U	20.0	19.0		ug/L		95	56 - 135	3	26
1,2,4-Trichlorobenzene	1.0	U	20.0	14.2		ug/L		71	29 - 156	8	19
1,2-Dibromo-3-Chloropropane	2.0	U	20.0	14.7		ug/L		73	41 - 129	7	22
Ethylene Dibromide	1.0	U	20.0	17.0		ug/L		85	69 - 125	6	14
1,2-Dichlorobenzene	1.0	U	20.0	17.0		ug/L		85	73 - 120	8	14

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-167051-2 MSD
Matrix: Water
Analysis Batch: 528483

Client Sample ID: OW-10D_051722
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,2-Dichloroethane	1.0	U	20.0	19.1		ug/L		95	63 - 126	4	12
1,2-Dichloropropane	1.0	U	20.0	18.3		ug/L		92	69 - 130	4	13
1,3-Dichlorobenzene	1.0	U	20.0	16.5		ug/L		83	73 - 120	8	14
1,4-Dichlorobenzene	1.0	U	20.0	16.6		ug/L		83	74 - 120	7	15
2-Butanone (MEK)	10	U	40.0	35.6		ug/L		89	40 - 151	3	20
2-Hexanone	10	U	40.0	33.2		ug/L		83	35 - 156	5	17
4-Methyl-2-pentanone (MIBK)	10	U	40.0	35.5		ug/L		89	31 - 153	4	15
Acetone	10	U	40.0	35.2		ug/L		88	33 - 149	4	34
Benzene	1.0	U	20.0	18.6		ug/L		93	64 - 128	4	14
Dichlorobromomethane	1.0	U	20.0	17.7		ug/L		88	62 - 125	2	13
Bromoform	1.0	U	20.0	13.6		ug/L		68	47 - 125	8	15
Bromomethane	1.0	U	20.0	17.3		ug/L		86	28 - 150	13	26
Carbon disulfide	1.0	U	20.0	18.6		ug/L		93	38 - 140	5	23
Carbon tetrachloride	1.0	U	20.0	17.6		ug/L		88	51 - 133	4	24
Chlorobenzene	1.0	U	20.0	16.8		ug/L		84	74 - 121	4	14
Chloroethane	1.0	U	20.0	19.8		ug/L		99	10 - 199	1	30
Chloroform	1.0	U	20.0	18.5		ug/L		93	70 - 122	4	14
Chloromethane	1.0	U	20.0	19.0		ug/L		95	32 - 149	8	27
cis-1,2-Dichloroethene	1.0	U	20.0	18.7		ug/L		93	66 - 128	5	14
cis-1,3-Dichloropropene	1.0	U	20.0	17.4		ug/L		87	47 - 125	5	13
Cyclohexane	1.0	U	20.0	16.7		ug/L		84	42 - 147	3	35
Chlorodibromomethane	1.0	U	20.0	15.2		ug/L		76	65 - 120	7	13
Dichlorodifluoromethane	1.0	U	20.0	23.1		ug/L		116	38 - 139	3	35
Ethylbenzene	1.0	U	20.0	16.6		ug/L		83	67 - 127	4	15
Isopropylbenzene	1.0	U	20.0	14.8		ug/L		74	64 - 129	3	18
Methyl acetate	10	U	40.0	34.2		ug/L		86	37 - 155	3	18
Methyl tert-butyl ether	1.0	U	20.0	18.4		ug/L		92	47 - 134	4	16
Methylcyclohexane	1.0	U	20.0	14.8		ug/L		74	39 - 144	4	35
Methylene Chloride	5.0	U	20.0	17.8		ug/L		89	62 - 129	2	17
Styrene	1.0	U	20.0	16.2		ug/L		81	70 - 139	4	18
Tetrachloroethene	1.0	U	20.0	16.5		ug/L		83	62 - 131	6	20
Toluene	1.0	U	20.0	16.6		ug/L		83	58 - 135	4	14
trans-1,2-Dichloroethene	1.0	U	20.0	18.0		ug/L		90	56 - 136	4	15
trans-1,3-Dichloropropene	1.0	U	20.0	16.6		ug/L		83	47 - 120	6	14
Trichloroethene	1.0	U	20.0	18.6		ug/L		93	61 - 124	6	15
Trichlorofluoromethane	1.0	U	20.0	20.7		ug/L		104	24 - 177	4	34
Vinyl chloride	1.0	U	20.0	19.9		ug/L		100	43 - 157	5	24
Xylenes, Total	2.0	U	40.0	32.2		ug/L		81	71 - 123	5	15
m-Xylene & p-Xylene	2.0	U	20.0	16.0		ug/L		80	71 - 123	5	16
o-Xylene	1.0	U	20.0	16.2		ug/L		81	70 - 125	5	15

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*88*		*78 - 122*
Dibromofluoromethane (Surr)	*94*		*73 - 120*
4-Bromofluorobenzene (Surr)	*92*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*91*		*62 - 137*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-528486/8
Matrix: Water
Analysis Batch: 528486

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			05/31/22 11:40	1
Ethylene Dibromide	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:40	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:40	1
2-Butanone (MEK)	10	U	10		ug/L			05/31/22 11:40	1
2-Hexanone	10	U	10		ug/L			05/31/22 11:40	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			05/31/22 11:40	1
Acetone	10	U	10		ug/L			05/31/22 11:40	1
Benzene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Dichlorobromomethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
Bromoform	1.0	U	1.0		ug/L			05/31/22 11:40	1
Bromomethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
Carbon disulfide	1.0	U	1.0		ug/L			05/31/22 11:40	1
Carbon tetrachloride	1.0	U	1.0		ug/L			05/31/22 11:40	1
Chlorobenzene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Chloroethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
Chloroform	1.0	U	1.0		ug/L			05/31/22 11:40	1
Chloromethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 11:40	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Cyclohexane	1.0	U	1.0		ug/L			05/31/22 11:40	1
Chlorodibromomethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
Ethylbenzene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Isopropylbenzene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Methyl acetate	10	U	10		ug/L			05/31/22 11:40	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			05/31/22 11:40	1
Methylcyclohexane	1.0	U	1.0		ug/L			05/31/22 11:40	1
Methylene Chloride	5.0	U	5.0		ug/L			05/31/22 11:40	1
Styrene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Tetrachloroethene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Toluene	1.0	U	1.0		ug/L			05/31/22 11:40	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			05/31/22 11:40	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Trichloroethene	1.0	U	1.0		ug/L			05/31/22 11:40	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			05/31/22 11:40	1
Vinyl chloride	1.0	U	1.0		ug/L			05/31/22 11:40	1
Xylenes, Total	2.0	U	2.0		ug/L			05/31/22 11:40	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-528486/8
Matrix: Water
Analysis Batch: 528486

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*102*		*78 - 122*		*05/31/22 11:40*	*1*
Dibromofluoromethane (Surr)	*93*		*73 - 120*		*05/31/22 11:40*	*1*
4-Bromofluorobenzene (Surr)	*99*		*56 - 136*		*05/31/22 11:40*	*1*
1,2-Dichloroethane-d4 (Surr)	*101*		*62 - 137*		*05/31/22 11:40*	*1*

Lab Sample ID: LCS 240-528486/5
Matrix: Water
Analysis Batch: 528486

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	20.9		ug/L		105	64 - 131
1,1,2,2-Tetrachloroethane	20.0	21.6		ug/L		108	58 - 157
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	20.3		ug/L		102	51 - 146
1,1,2-Trichloroethane	20.0	21.7		ug/L		109	70 - 138
1,1-Dichloroethane	20.0	20.0		ug/L		100	72 - 127
1,1-Dichloroethene	20.0	20.9		ug/L		105	63 - 134
1,2,4-Trichlorobenzene	20.0	20.9		ug/L		105	44 - 147
1,2-Dibromo-3-Chloropropane	20.0	21.8		ug/L		109	53 - 135
Ethylene Dibromide	20.0	21.6		ug/L		108	71 - 134
1,2-Dichlorobenzene	20.0	21.2		ug/L		106	78 - 120
1,2-Dichloroethane	20.0	19.2		ug/L		96	66 - 128
1,2-Dichloropropane	20.0	19.9		ug/L		100	75 - 133
1,3-Dichlorobenzene	20.0	20.9		ug/L		104	80 - 120
1,4-Dichlorobenzene	20.0	20.6		ug/L		103	80 - 120
2-Butanone (MEK)	40.0	39.7		ug/L		99	54 - 156
2-Hexanone	40.0	47.5		ug/L		119	43 - 167
4-Methyl-2-pentanone (MIBK)	40.0	42.0		ug/L		105	46 - 158
Acetone	40.0	39.7		ug/L		99	50 - 149
Benzene	20.0	20.0		ug/L		100	77 - 123
Dichlorobromomethane	20.0	20.3		ug/L		102	69 - 126
Bromoform	20.0	22.7		ug/L		113	57 - 129
Bromomethane	20.0	15.6		ug/L		78	36 - 142
Carbon disulfide	20.0	21.2		ug/L		106	43 - 140
Carbon tetrachloride	20.0	21.3		ug/L		107	55 - 137
Chlorobenzene	20.0	20.7		ug/L		104	80 - 121
Chloroethane	20.0	16.1		ug/L		81	38 - 152
Chloroform	20.0	19.7		ug/L		98	74 - 122
Chloromethane	20.0	19.0		ug/L		95	47 - 143
cis-1,2-Dichloroethene	20.0	19.8		ug/L		99	77 - 123
cis-1,3-Dichloropropene	20.0	21.5		ug/L		107	64 - 130
Cyclohexane	20.0	20.5		ug/L		103	58 - 146
Chlorodibromomethane	20.0	22.4		ug/L		112	70 - 124
Dichlorodifluoromethane	20.0	25.4		ug/L		127	34 - 153
Ethylbenzene	20.0	21.7		ug/L		109	80 - 121
Isopropylbenzene	20.0	22.5		ug/L		113	74 - 128
Methyl acetate	40.0	40.2		ug/L		100	42 - 169
Methyl tert-butyl ether	20.0	20.6		ug/L		103	65 - 126
Methylcyclohexane	20.0	21.1		ug/L		106	62 - 136

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-528486/5
Matrix: Water
Analysis Batch: 528486

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Methylene Chloride	20.0	19.4		ug/L		97	71 - 125
Styrene	20.0	22.3		ug/L		112	80 - 135
Tetrachloroethene	20.0	21.3		ug/L		106	76 - 123
Toluene	20.0	21.2		ug/L		106	80 - 123
trans-1,2-Dichloroethene	20.0	20.4		ug/L		102	75 - 124
trans-1,3-Dichloropropene	20.0	23.0		ug/L		115	57 - 129
Trichloroethene	20.0	19.5		ug/L		98	70 - 122
Trichlorofluoromethane	20.0	18.0		ug/L		90	30 - 170
Vinyl chloride	20.0	19.4		ug/L		97	60 - 144
Xylenes, Total	40.0	44.7		ug/L		112	80 - 121
m-Xylene & p-Xylene	20.0	22.3		ug/L		112	80 - 120
o-Xylene	20.0	22.4		ug/L		112	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*107*		*78 - 122*
Dibromofluoromethane (Surr)	*94*		*73 - 120*
4-Bromofluorobenzene (Surr)	*110*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*97*		*62 - 137*

Lab Sample ID: MB 240-528862/8
Matrix: Water
Analysis Batch: 528862

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,1,2-Trichloroethane	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,1-Dichloroethane	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,1-Dichloroethene	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,2,4-Trichlorobenzene	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0	ug/L			06/02/22 11:28	1
Ethylene Dibromide	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,2-Dichlorobenzene	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,2-Dichloroethane	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,2-Dichloropropane	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,3-Dichlorobenzene	1.0	U	1.0	ug/L			06/02/22 11:28	1
1,4-Dichlorobenzene	1.0	U	1.0	ug/L			06/02/22 11:28	1
2-Butanone (MEK)	10	U	10	ug/L			06/02/22 11:28	1
2-Hexanone	10	U	10	ug/L			06/02/22 11:28	1
4-Methyl-2-pentanone (MIBK)	10	U	10	ug/L			06/02/22 11:28	1
Acetone	10	U	10	ug/L			06/02/22 11:28	1
Benzene	1.0	U	1.0	ug/L			06/02/22 11:28	1
Dichlorobromomethane	1.0	U	1.0	ug/L			06/02/22 11:28	1
Bromoform	1.0	U	1.0	ug/L			06/02/22 11:28	1
Bromomethane	1.0	U	1.0	ug/L			06/02/22 11:28	1
Carbon disulfide	1.0	U	1.0	ug/L			06/02/22 11:28	1
Carbon tetrachloride	1.0	U	1.0	ug/L			06/02/22 11:28	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-528862/8
Matrix: Water
Analysis Batch: 528862

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	1.0	U	1.0		ug/L			06/02/22 11:28	1
Chloroethane	1.0	U	1.0		ug/L			06/02/22 11:28	1
Chloroform	1.0	U	1.0		ug/L			06/02/22 11:28	1
Chloromethane	1.0	U	1.0		ug/L			06/02/22 11:28	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 11:28	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 11:28	1
Cyclohexane	1.0	U	1.0		ug/L			06/02/22 11:28	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/02/22 11:28	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/02/22 11:28	1
Ethylbenzene	1.0	U	1.0		ug/L			06/02/22 11:28	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/02/22 11:28	1
Methyl acetate	10	U	10		ug/L			06/02/22 11:28	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/02/22 11:28	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/02/22 11:28	1
Methylene Chloride	5.0	U	5.0		ug/L			06/02/22 11:28	1
Styrene	1.0	U	1.0		ug/L			06/02/22 11:28	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/02/22 11:28	1
Toluene	1.0	U	1.0		ug/L			06/02/22 11:28	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 11:28	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 11:28	1
Trichloroethene	1.0	U	1.0		ug/L			06/02/22 11:28	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/02/22 11:28	1
Vinyl chloride	1.0	U	1.0		ug/L			06/02/22 11:28	1
Xylenes, Total	2.0	U	2.0		ug/L			06/02/22 11:28	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*97*		*78 - 122*		*06/02/22 11:28*	*1*
Dibromofluoromethane (Surr)	*114*		*73 - 120*		*06/02/22 11:28*	*1*
4-Bromofluorobenzene (Surr)	*99*		*56 - 136*		*06/02/22 11:28*	*1*
1,2-Dichloroethane-d4 (Surr)	*104*		*62 - 137*		*06/02/22 11:28*	*1*

Lab Sample ID: LCS 240-528862/5
Matrix: Water
Analysis Batch: 528862

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1,1,1-Trichloroethane			20.0	19.4		ug/L		97	64 - 131		
1,1,2,2-Tetrachloroethane			20.0	19.9		ug/L		99	58 - 157		
1,1,2-Trichloro-1,2,2-trifluoroethane			20.0	23.6		ug/L		118	51 - 146		
1,1,2-Trichloroethane			20.0	20.6		ug/L		103	70 - 138		
1,1-Dichloroethane			20.0	20.4		ug/L		102	72 - 127		
1,1-Dichloroethene			20.0	22.6		ug/L		113	63 - 134		
1,2,4-Trichlorobenzene			20.0	20.0		ug/L		100	44 - 147		
1,2-Dibromo-3-Chloropropane			20.0	18.6		ug/L		93	53 - 135		
Ethylene Dibromide			20.0	19.6		ug/L		98	71 - 134		
1,2-Dichlorobenzene			20.0	21.2		ug/L		106	78 - 120		
1,2-Dichloroethane			20.0	18.0		ug/L		90	66 - 128		
1,2-Dichloropropane			20.0	21.0		ug/L		105	75 - 133		

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-528862/5
Matrix: Water
Analysis Batch: 528862

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,3-Dichlorobenzene	20.0	20.9		ug/L		104	80 - 120
1,4-Dichlorobenzene	20.0	20.6		ug/L		103	80 - 120
2-Butanone (MEK)	40.0	33.6		ug/L		84	54 - 156
2-Hexanone	40.0	37.2		ug/L		93	43 - 167
4-Methyl-2-pentanone (MIBK)	40.0	36.6		ug/L		91	46 - 158
Acetone	40.0	38.2		ug/L		96	50 - 149
Benzene	20.0	21.5		ug/L		107	77 - 123
Dichlorobromomethane	20.0	19.2		ug/L		96	69 - 126
Bromoform	20.0	18.8		ug/L		94	57 - 129
Bromomethane	20.0	14.3		ug/L		72	36 - 142
Carbon disulfide	20.0	22.6		ug/L		113	43 - 140
Carbon tetrachloride	20.0	19.5		ug/L		98	55 - 137
Chlorobenzene	20.0	20.7		ug/L		104	80 - 121
Chloroethane	20.0	19.3		ug/L		96	38 - 152
Chloroform	20.0	19.1		ug/L		96	74 - 122
Chloromethane	20.0	14.4		ug/L		72	47 - 143
cis-1,2-Dichloroethene	20.0	20.6		ug/L		103	77 - 123
cis-1,3-Dichloropropene	20.0	19.9		ug/L		99	64 - 130
Cyclohexane	20.0	23.7		ug/L		118	58 - 146
Chlorodibromomethane	20.0	19.8		ug/L		99	70 - 124
Dichlorodifluoromethane	20.0	22.8		ug/L		114	34 - 153
Ethylbenzene	20.0	21.4		ug/L		107	80 - 121
Isopropylbenzene	20.0	21.9		ug/L		109	74 - 128
Methyl acetate	40.0	33.8		ug/L		85	42 - 169
Methyl tert-butyl ether	20.0	18.7		ug/L		94	65 - 126
Methylcyclohexane	20.0	22.1		ug/L		110	62 - 136
Methylene Chloride	20.0	19.8		ug/L		99	71 - 125
Styrene	20.0	22.6		ug/L		113	80 - 135
Tetrachloroethene	20.0	21.9		ug/L		109	76 - 123
Toluene	20.0	21.5		ug/L		108	80 - 123
trans-1,2-Dichloroethene	20.0	20.7		ug/L		104	75 - 124
trans-1,3-Dichloropropene	20.0	20.1		ug/L		101	57 - 129
Trichloroethene	20.0	21.0		ug/L		105	70 - 122
Trichlorofluoromethane	20.0	19.4		ug/L		97	30 - 170
Vinyl chloride	20.0	14.9		ug/L		75	60 - 144
Xylenes, Total	40.0	43.8		ug/L		110	80 - 121
m-Xylene & p-Xylene	20.0	22.5		ug/L		113	80 - 120
o-Xylene	20.0	21.3		ug/L		107	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*99*		*78 - 122*
Dibromofluoromethane (Surr)	*94*		*73 - 120*
4-Bromofluorobenzene (Surr)	*105*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*88*		*62 - 137*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-528938/7
Matrix: Water
Analysis Batch: 528938

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,1,2-Trichloroethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,1-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,1-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,2,4-Trichlorobenzene	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0		ug/L			06/02/22 13:37	1
Ethylene Dibromide	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,2-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,2-Dichloroethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,2-Dichloropropane	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,3-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 13:37	1
1,4-Dichlorobenzene	1.0	U	1.0		ug/L			06/02/22 13:37	1
2-Butanone (MEK)	10	U	10		ug/L			06/02/22 13:37	1
2-Hexanone	10	U	10		ug/L			06/02/22 13:37	1
4-Methyl-2-pentanone (MIBK)	10	U	10		ug/L			06/02/22 13:37	1
Acetone	10	U	10		ug/L			06/02/22 13:37	1
Benzene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Dichlorobromomethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
Bromoform	1.0	U	1.0		ug/L			06/02/22 13:37	1
Bromomethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
Carbon disulfide	1.0	U	1.0		ug/L			06/02/22 13:37	1
Carbon tetrachloride	1.0	U	1.0		ug/L			06/02/22 13:37	1
Chlorobenzene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Chloroethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
Chloroform	1.0	U	1.0		ug/L			06/02/22 13:37	1
Chloromethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 13:37	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Cyclohexane	1.0	U	1.0		ug/L			06/02/22 13:37	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
Ethylbenzene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Methyl acetate	10	U	10		ug/L			06/02/22 13:37	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/02/22 13:37	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/02/22 13:37	1
Methylene Chloride	5.0	U	5.0		ug/L			06/02/22 13:37	1
Styrene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Toluene	1.0	U	1.0		ug/L			06/02/22 13:37	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/02/22 13:37	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Trichloroethene	1.0	U	1.0		ug/L			06/02/22 13:37	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/02/22 13:37	1
Vinyl chloride	1.0	U	1.0		ug/L			06/02/22 13:37	1
Xylenes, Total	2.0	U	2.0		ug/L			06/02/22 13:37	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-528938/7
Matrix: Water
Analysis Batch: 528938

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*104*		*78 - 122*		*06/02/22 13:37*	*1*
Dibromofluoromethane (Surr)	*105*		*73 - 120*		*06/02/22 13:37*	*1*
4-Bromofluorobenzene (Surr)	*95*		*56 - 136*		*06/02/22 13:37*	*1*
1,2-Dichloroethane-d4 (Surr)	*96*		*62 - 137*		*06/02/22 13:37*	*1*

Lab Sample ID: LCS 240-528938/5
Matrix: Water
Analysis Batch: 528938

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	25.0	24.3		ug/L		97	64 - 131
1,1,2,2-Tetrachloroethane	25.0	28.1		ug/L		112	58 - 157
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	25.8		ug/L		103	51 - 146
1,1,2-Trichloroethane	25.0	27.2		ug/L		109	70 - 138
1,1-Dichloroethane	25.0	24.7		ug/L		99	72 - 127
1,1-Dichloroethene	25.0	25.6		ug/L		102	63 - 134
1,2,4-Trichlorobenzene	25.0	27.0		ug/L		108	44 - 147
1,2-Dibromo-3-Chloropropane	25.0	28.9		ug/L		116	53 - 135
Ethylene Dibromide	25.0	26.9		ug/L		107	71 - 134
1,2-Dichlorobenzene	25.0	26.3		ug/L		105	78 - 120
1,2-Dichloroethane	25.0	22.5		ug/L		90	66 - 128
1,2-Dichloropropane	25.0	26.5		ug/L		106	75 - 133
1,3-Dichlorobenzene	25.0	26.2		ug/L		105	80 - 120
1,4-Dichlorobenzene	25.0	26.7		ug/L		107	80 - 120
2-Butanone (MEK)	50.0	56.5		ug/L		113	54 - 156
2-Hexanone	50.0	56.9		ug/L		114	43 - 167
4-Methyl-2-pentanone (MIBK)	50.0	53.5		ug/L		107	46 - 158
Acetone	50.0	51.3		ug/L		103	50 - 149
Benzene	25.0	26.0		ug/L		104	77 - 123
Dichlorobromomethane	25.0	24.9		ug/L		100	69 - 126
Bromoform	25.0	30.7		ug/L		123	57 - 129
Bromomethane	25.0	20.8		ug/L		83	36 - 142
Carbon disulfide	25.0	25.7		ug/L		103	43 - 140
Carbon tetrachloride	25.0	26.5		ug/L		106	55 - 137
Chlorobenzene	25.0	26.6		ug/L		106	80 - 121
Chloroethane	25.0	28.8		ug/L		115	38 - 152
Chloroform	25.0	23.6		ug/L		95	74 - 122
Chloromethane	25.0	26.3		ug/L		105	47 - 143
cis-1,2-Dichloroethene	25.0	24.9		ug/L		100	77 - 123
cis-1,3-Dichloropropene	25.0	26.7		ug/L		107	64 - 130
Cyclohexane	25.0	26.6		ug/L		107	58 - 146
Chlorodibromomethane	25.0	27.9		ug/L		112	70 - 124
Dichlorodifluoromethane	25.0	30.8		ug/L		123	34 - 153
Ethylbenzene	25.0	26.7		ug/L		107	80 - 121
Isopropylbenzene	25.0	26.1		ug/L		104	74 - 128
Methyl acetate	50.0	53.4		ug/L		107	42 - 169
Methyl tert-butyl ether	25.0	25.1		ug/L		100	65 - 126
Methylcyclohexane	25.0	27.9		ug/L		112	62 - 136

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-528938/5
Matrix: Water
Analysis Batch: 528938

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Methylene Chloride	25.0	24.8		ug/L		99	71 - 125
Styrene	25.0	25.7		ug/L		103	80 - 135
Tetrachloroethene	25.0	27.8		ug/L		111	76 - 123
Toluene	25.0	26.2		ug/L		105	80 - 123
trans-1,2-Dichloroethene	25.0	24.7		ug/L		99	75 - 124
trans-1,3-Dichloropropene	25.0	28.2		ug/L		113	57 - 129
Trichloroethene	25.0	26.0		ug/L		104	70 - 122
Trichlorofluoromethane	25.0	23.4		ug/L		94	30 - 170
Vinyl chloride	25.0	25.3		ug/L		101	60 - 144
Xylenes, Total	50.0	50.6		ug/L		101	80 - 121
m-Xylene & p-Xylene	25.0	25.4		ug/L		102	80 - 120
o-Xylene	25.0	25.2		ug/L		101	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*110*		*78 - 122*
Dibromofluoromethane (Surr)	*102*		*73 - 120*
4-Bromofluorobenzene (Surr)	*103*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*94*		*62 - 137*

Lab Sample ID: MB 240-529073/8
Matrix: Water
Analysis Batch: 529073

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,1,2-Trichloroethane	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,1-Dichloroethane	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,1-Dichloroethene	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,2,4-Trichlorobenzene	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,2-Dibromo-3-Chloropropane	2.0	U	2.0	ug/L			06/03/22 12:15	1
Ethylene Dibromide	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,2-Dichlorobenzene	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,2-Dichloroethane	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,2-Dichloropropane	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,3-Dichlorobenzene	1.0	U	1.0	ug/L			06/03/22 12:15	1
1,4-Dichlorobenzene	1.0	U	1.0	ug/L			06/03/22 12:15	1
2-Butanone (MEK)	10	U	10	ug/L			06/03/22 12:15	1
2-Hexanone	10	U	10	ug/L			06/03/22 12:15	1
4-Methyl-2-pentanone (MIBK)	10	U	10	ug/L			06/03/22 12:15	1
Acetone	10	U	10	ug/L			06/03/22 12:15	1
Benzene	1.0	U	1.0	ug/L			06/03/22 12:15	1
Dichlorobromomethane	1.0	U	1.0	ug/L			06/03/22 12:15	1
Bromoform	1.0	U	1.0	ug/L			06/03/22 12:15	1
Bromomethane	1.0	U	1.0	ug/L			06/03/22 12:15	1
Carbon disulfide	1.0	U	1.0	ug/L			06/03/22 12:15	1
Carbon tetrachloride	1.0	U	1.0	ug/L			06/03/22 12:15	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-529073/8
Matrix: Water
Analysis Batch: 529073

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	1.0	U	1.0		ug/L			06/03/22 12:15	1
Chloroethane	1.0	U	1.0		ug/L			06/03/22 12:15	1
Chloroform	1.0	U	1.0		ug/L			06/03/22 12:15	1
Chloromethane	1.0	U	1.0		ug/L			06/03/22 12:15	1
cis-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 12:15	1
cis-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/03/22 12:15	1
Cyclohexane	1.0	U	1.0		ug/L			06/03/22 12:15	1
Chlorodibromomethane	1.0	U	1.0		ug/L			06/03/22 12:15	1
Dichlorodifluoromethane	1.0	U	1.0		ug/L			06/03/22 12:15	1
Ethylbenzene	1.0	U	1.0		ug/L			06/03/22 12:15	1
Isopropylbenzene	1.0	U	1.0		ug/L			06/03/22 12:15	1
Methyl acetate	10	U	10		ug/L			06/03/22 12:15	1
Methyl tert-butyl ether	1.0	U	1.0		ug/L			06/03/22 12:15	1
Methylcyclohexane	1.0	U	1.0		ug/L			06/03/22 12:15	1
Methylene Chloride	5.0	U	5.0		ug/L			06/03/22 12:15	1
Styrene	1.0	U	1.0		ug/L			06/03/22 12:15	1
Tetrachloroethene	1.0	U	1.0		ug/L			06/03/22 12:15	1
Toluene	1.0	U	1.0		ug/L			06/03/22 12:15	1
trans-1,2-Dichloroethene	1.0	U	1.0		ug/L			06/03/22 12:15	1
trans-1,3-Dichloropropene	1.0	U	1.0		ug/L			06/03/22 12:15	1
Trichloroethene	1.0	U	1.0		ug/L			06/03/22 12:15	1
Trichlorofluoromethane	1.0	U	1.0		ug/L			06/03/22 12:15	1
Vinyl chloride	1.0	U	1.0		ug/L			06/03/22 12:15	1
Xylenes, Total	2.0	U	2.0		ug/L			06/03/22 12:15	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*89*		*78 - 122*		*06/03/22 12:15*	*1*
Dibromofluoromethane (Surr)	*102*		*73 - 120*		*06/03/22 12:15*	*1*
4-Bromofluorobenzene (Surr)	*92*		*56 - 136*		*06/03/22 12:15*	*1*
1,2-Dichloroethane-d4 (Surr)	*98*		*62 - 137*		*06/03/22 12:15*	*1*

Lab Sample ID: LCS 240-529073/5
Matrix: Water
Analysis Batch: 529073

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1,1,1-Trichloroethane			20.0	20.0		ug/L		100	64 - 131		
1,1,2,2-Tetrachloroethane			20.0	19.3		ug/L		96	58 - 157		
1,1,2-Trichloro-1,2,2-trifluoroethane			20.0	20.9		ug/L		104	51 - 146		
1,1,2-Trichloroethane			20.0	18.5		ug/L		92	70 - 138		
1,1-Dichloroethane			20.0	19.9		ug/L		99	72 - 127		
1,1-Dichloroethene			20.0	20.7		ug/L		103	63 - 134		
1,2,4-Trichlorobenzene			20.0	15.0		ug/L		75	44 - 147		
1,2-Dibromo-3-Chloropropane			20.0	15.6		ug/L		78	53 - 135		
Ethylene Dibromide			20.0	17.9		ug/L		90	71 - 134		
1,2-Dichlorobenzene			20.0	17.5		ug/L		88	78 - 120		
1,2-Dichloroethane			20.0	20.6		ug/L		103	66 - 128		
1,2-Dichloropropane			20.0	19.9		ug/L		100	75 - 133		

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-529073/5
Matrix: Water
Analysis Batch: 529073

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,3-Dichlorobenzene	20.0	17.4		ug/L		87	80 - 120
1,4-Dichlorobenzene	20.0	17.7		ug/L		88	80 - 120
2-Butanone (MEK)	40.0	38.3		ug/L		96	54 - 156
2-Hexanone	40.0	35.9		ug/L		90	43 - 167
4-Methyl-2-pentanone (MIBK)	40.0	37.8		ug/L		95	46 - 158
Acetone	40.0	39.8		ug/L		99	50 - 149
Benzene	20.0	20.5		ug/L		102	77 - 123
Dichlorobromomethane	20.0	19.8		ug/L		99	69 - 126
Bromoform	20.0	14.5		ug/L		72	57 - 129
Bromomethane	20.0	16.3		ug/L		82	36 - 142
Carbon disulfide	20.0	20.4		ug/L		102	43 - 140
Carbon tetrachloride	20.0	19.0		ug/L		95	55 - 137
Chlorobenzene	20.0	18.2		ug/L		91	80 - 121
Chloroethane	20.0	22.0		ug/L		110	38 - 152
Chloroform	20.0	20.6		ug/L		103	74 - 122
Chloromethane	20.0	20.1		ug/L		100	47 - 143
cis-1,2-Dichloroethene	20.0	20.5		ug/L		103	77 - 123
cis-1,3-Dichloropropene	20.0	19.0		ug/L		95	64 - 130
Cyclohexane	20.0	18.2		ug/L		91	58 - 146
Chlorodibromomethane	20.0	16.3		ug/L		82	70 - 124
Dichlorodifluoromethane	20.0	23.1		ug/L		115	34 - 153
Ethylbenzene	20.0	17.8		ug/L		89	80 - 121
Isopropylbenzene	20.0	16.0		ug/L		80	74 - 128
Methyl acetate	40.0	38.2		ug/L		96	42 - 169
Methyl tert-butyl ether	20.0	19.7		ug/L		98	65 - 126
Methylcyclohexane	20.0	16.3		ug/L		81	62 - 136
Methylene Chloride	20.0	19.6		ug/L		98	71 - 125
Styrene	20.0	17.6		ug/L		88	80 - 135
Tetrachloroethene	20.0	17.7		ug/L		88	76 - 123
Toluene	20.0	17.8		ug/L		89	80 - 123
trans-1,2-Dichloroethene	20.0	19.7		ug/L		98	75 - 124
trans-1,3-Dichloropropene	20.0	17.6		ug/L		88	57 - 129
Trichloroethene	20.0	20.2		ug/L		101	70 - 122
Trichlorofluoromethane	20.0	22.3		ug/L		112	30 - 170
Vinyl chloride	20.0	21.2		ug/L		106	60 - 144
Xylenes, Total	40.0	34.5		ug/L		86	80 - 121
m-Xylene & p-Xylene	20.0	17.1		ug/L		86	80 - 120
o-Xylene	20.0	17.4		ug/L		87	80 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*93*		*78 - 122*
Dibromofluoromethane (Surr)	*102*		*73 - 120*
4-Bromofluorobenzene (Surr)	*96*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*96*		*62 - 137*

GC/MS VOA

Analysis Batch: 528483

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-167051-2	OW-10D_051722	Total/NA	Water	8260D	
240-167051-3	OW-08D_051722	Total/NA	Water	8260D	
240-167051-4	OW-05D2_051722	Total/NA	Water	8260D	
240-167051-5	OW-30_051722	Total/NA	Water	8260D	
240-167051-6	OW-23D_051722	Total/NA	Water	8260D	
240-167051-7	OW-28_051722	Total/NA	Water	8260D	
240-167051-8	OW-18D_051822	Total/NA	Water	8260D	
240-167051-9	OW-09-ML-D_051822	Total/NA	Water	8260D	
240-167051-10	OW-09-ML-C_051822	Total/NA	Water	8260D	
240-167051-11	OW-18-ML-A_051822	Total/NA	Water	8260D	
240-167051-12	OW-18-ML-B_051822	Total/NA	Water	8260D	
240-167051-13	OW-18-ML-C_051922	Total/NA	Water	8260D	
MB 240-528483/8	Method Blank	Total/NA	Water	8260D	
LCS 240-528483/5	Lab Control Sample	Total/NA	Water	8260D	
240-167051-2 MS	OW-10D_051722	Total/NA	Water	8260D	
240-167051-2 MSD	OW-10D_051722	Total/NA	Water	8260D	

Analysis Batch: 528486

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-167051-1	OW-16D2_051822	Total/NA	Water	8260D	
240-167051-14	OW-18-ML-D_051922	Total/NA	Water	8260D	
MB 240-528486/8	Method Blank	Total/NA	Water	8260D	
LCS 240-528486/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 528862

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-167051-22	EQUIPMENT BLANK_051922	Total/NA	Water	8260D	
240-167051-23	FIELD BLANK_051922	Total/NA	Water	8260D	
240-167051-24	TRIP BLANK_051922	Total/NA	Water	8260D	
MB 240-528862/8	Method Blank	Total/NA	Water	8260D	
LCS 240-528862/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 528938

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-167051-15	OW-18-ML-E_051922	Total/NA	Water	8260D	
240-167051-16	OW-18-ML-F_051922	Total/NA	Water	8260D	
240-167051-17	OW-02D2_051922	Total/NA	Water	8260D	
MB 240-528938/7	Method Blank	Total/NA	Water	8260D	
LCS 240-528938/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 529073

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-167051-18	OW-22_052022	Total/NA	Water	8260D	
240-167051-19	OW-07D_052022	Total/NA	Water	8260D	
240-167051-20	DUP-01_052022	Total/NA	Water	8260D	
240-167051-21	DUP-02_052022	Total/NA	Water	8260D	
MB 240-529073/8	Method Blank	Total/NA	Water	8260D	
LCS 240-529073/5	Lab Control Sample	Total/NA	Water	8260D	

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-16D2_051822
Lab Sample ID: 240-167051-1
Date Collected: 05/18/22 09:18
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528486	05/31/22 19:52	TJL1	TAL CAN

Client Sample ID: OW-10D_051722
Lab Sample ID: 240-167051-2
Date Collected: 05/17/22 09:42
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 14:14	HMB	TAL CAN

Client Sample ID: OW-08D_051722
Lab Sample ID: 240-167051-3
Date Collected: 05/17/22 11:45
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 15:28	HMB	TAL CAN

Client Sample ID: OW-05D2_051722
Lab Sample ID: 240-167051-4
Date Collected: 05/17/22 13:15
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 15:52	HMB	TAL CAN

Client Sample ID: OW-30_051722
Lab Sample ID: 240-167051-5
Date Collected: 05/17/22 14:35
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 16:17	HMB	TAL CAN

Client Sample ID: OW-23D_051722
Lab Sample ID: 240-167051-6
Date Collected: 05/17/22 15:56
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 16:42	HMB	TAL CAN

Client Sample ID: OW-28_051722
Lab Sample ID: 240-167051-7
Date Collected: 05/17/22 17:05
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 17:06	HMB	TAL CAN

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18D_051822
Lab Sample ID: 240-167051-8
Date Collected: 05/18/22 11:10
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 17:31	HMB	TAL CAN

Client Sample ID: OW-09-ML-D_051822
Lab Sample ID: 240-167051-9
Date Collected: 05/18/22 12:10
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 17:55	HMB	TAL CAN

Client Sample ID: OW-09-ML-C_051822
Lab Sample ID: 240-167051-10
Date Collected: 05/18/22 13:13
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 18:20	HMB	TAL CAN

Client Sample ID: OW-18-ML-A_051822
Lab Sample ID: 240-167051-11
Date Collected: 05/18/22 14:55
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 18:45	HMB	TAL CAN

Client Sample ID: OW-18-ML-B_051822
Lab Sample ID: 240-167051-12
Date Collected: 05/18/22 15:33
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 19:09	HMB	TAL CAN

Client Sample ID: OW-18-ML-C_051922
Lab Sample ID: 240-167051-13
Date Collected: 05/19/22 09:46
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528483	05/31/22 19:34	HMB	TAL CAN

Client Sample ID: OW-18-ML-D_051922
Lab Sample ID: 240-167051-14
Date Collected: 05/19/22 10:55
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528486	05/31/22 20:14	TJL1	TAL CAN

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: OW-18-ML-E_051922
Lab Sample ID: 240-167051-15
Date Collected: 05/19/22 12:46
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528938	06/02/22 16:23	TJL1	TAL CAN

Client Sample ID: OW-18-ML-F_051922
Lab Sample ID: 240-167051-16
Date Collected: 05/19/22 13:52
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528938	06/02/22 16:47	TJL1	TAL CAN

Client Sample ID: OW-02D2_051922
Lab Sample ID: 240-167051-17
Date Collected: 05/19/22 16:03
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		2.5	528938	06/02/22 17:10	TJL1	TAL CAN

Client Sample ID: OW-22_052022
Lab Sample ID: 240-167051-18
Date Collected: 05/20/22 08:47
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		2.5	529073	06/03/22 17:59	HMB	TAL CAN

Client Sample ID: OW-07D_052022
Lab Sample ID: 240-167051-19
Date Collected: 05/20/22 10:25
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	529073	06/03/22 18:23	HMB	TAL CAN

Client Sample ID: DUP-01_052022
Lab Sample ID: 240-167051-20
Date Collected: 05/20/22 00:00
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	529073	06/03/22 18:48	HMB	TAL CAN

Client Sample ID: DUP-02_052022
Lab Sample ID: 240-167051-21
Date Collected: 05/20/22 00:00
Matrix: Water
Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	529073	06/03/22 19:12	HMB	TAL CAN

Lab Chronicle

Client: ZF Active Safety and Electronics LLC
Project/Site: Milford

Job ID: 240-167051-1

Client Sample ID: EQUIPMENT BLANK_051922

Lab Sample ID: 240-167051-22

Date Collected: 05/19/22 10:00

Matrix: Water

Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528862	06/02/22 19:45	HMB	TAL CAN

Client Sample ID: FIELD BLANK_051922

Lab Sample ID: 240-167051-23

Date Collected: 05/19/22 09:20

Matrix: Water

Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528862	06/02/22 20:10	HMB	TAL CAN

Client Sample ID: TRIP BLANK_051922

Lab Sample ID: 240-167051-24

Date Collected: 05/19/22 00:00

Matrix: Water

Date Received: 05/21/22 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260D		1	528862	06/02/22 20:35	HMB	TAL CAN

Laboratory References:

TAL CAN = Eurofins Canton, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: ZF Active Safety and Electronics LLC
Job ID: 240-167051-1
Project/Site: Milford

Laboratory: Eurofins Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-27-23
Connecticut	State	PH-0590	12-31-23
Florida	NELAP	E87225	06-30-22
Georgia	State	4062	02-23-22 *
Illinois	NELAP	200004	07-31-22
Iowa	State	421	06-01-23
Kentucky (UST)	State	112225	02-27-23
Kentucky (WW)	State	KY98016	12-31-22
Minnesota	NELAP	039-999-348	12-31-22
Minnesota (Petrofund)	State	3506	08-01-23
New Jersey	NELAP	OH001	06-30-22
New York	NELAP	10975	04-01-23
Ohio	State	8303	02-23-23
Ohio VAP	State	CL0024	02-27-23
Oregon	NELAP	4062	02-27-23
Pennsylvania	NELAP	68-00340	08-31-22
Texas	NELAP	T104704517-22-16	08-31-22
Virginia	NELAP	11570	09-14-22
Washington	State	C971	01-12-23
West Virginia DEP	State	210	12-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

MICHIGAN
190

2.1 | 2.1

STL North Canton	TRW Chain Of Custody / Analysis Request	LAB USE ONLY
4101 Shuffel Drive NW		Laboratory ID No. (Lot No.)
North Canton, OH 44720		
Attn: Michael DelMonico	Privileged & Confidential: Yes	Site Name: Milford
Project Type: Groundwater Sampling - IZ	TRW PO No.: 30046739.0001Z	Site Location: Milford, Michigan

TRW PM: (name, company, address, e-mail)	Database Manager: (name, company, address, E-mail)
Bob Bleazard	Marina Samp and Sharon Clouse
1120 East Germann Road	28550 Cabot Drive, Suite 500
Mesa, AZ 85212	Novi, MI 48377
bob.bleazard@trw.com	Marina.Samp@arcadis.com
	Sharon.Clouse@arcadis.com
Analysis Level: Level 1 (Routine Report)	Sampler: S Hannula
TAT: 10 Business Days (Standard - Level 1)	Deliverable: EDD/PDF (e-mail)

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	Preservatives Code (see below) 1	Lab Sample Numbers
1	OW-16D2	--	--	OW-16D2_051822	5.18.22	0918	GW	WATER	REG	3	G		X	
2														
3														
4														
5														
6														
7														
8														
9														
10														
11														

VOC 8260 D

240-167051 Chain of Custody

Special Instructions:

Relinquished by	Company	Received by	Company	Condition	Custody Seals Intact
Stacey Hannula	Arcadis		EET		
	Date/Time 5/20/22 1200		Date/Time 5/20/22 1801	Cooler Temp.	
Relinquished by: Levi Hall	Company EET	Received by:	Company EET NC	Condition	Custody Seals Intact
	Date/Time 5/20/22 1203		Date/Time 5/21/22 0802	Cooler Temp.	
Relinquished by:	Company	Received by	Company	Condition	Custody Seals Intact
	Date/Time		Date/Time	Cooler Temp.	
Relinquished by:	Company	Received by:	Company	Condition	Custody Seals Intact
	Date/Time		Date/Time	Cooler Temp.	

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify):

pg 1/1

2.1 | 2.1

STL North Canton 4101 Shaffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico	TRW Chain Of Custody / Analysis Request			LAB USE ONLY Laboratory ID No. (Lot No.)
	Privileged & Confidential	Yes	Site Name:	Milford
Project Type: Groundwater Sampling - IZ	TRW PO No.	30126485.0001Z	Site Location:	Milford, Michigan
TRW PM: (name, company, address, e-mail) Bob Bleazard 11202 East Germann Road Mesa, AZ 85212 bob.bleazard@trw.com	Database Manager: (name, company, address, E-mail) Marina Samp and Sharon Clouse 28550 Cabot Drive, Suite 500 Novi, MI 48377 Stacey Hannula@arcadis-us.com ssamp@arcadis-us.com			
Analysis Level: Level 1 (Routine Report)	Sampler	S. Hannula		
TAT: 10 Business Days (Standard - Level 1)	Deliverable	EDD/PDF (e-mail)		

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	Preservatives Code (see below): 1	Lab Sample Numbers
1	OW-10D (MS/MSD)	--	--	OW-10D_051722	5 17 22	0942	GW	WATER	REG	9	G		X	MS/MSD
2	OW-08D	--	--	OW-08D_051722	5.17.22	1145	GW	WATER	REG	3	G		X	
3	OW-05D2	--	--	OW-05D2_051722	5.17.22	1315	GW	WATER	REG	3	G		X	
4	OW-30	--	--	OW-30_051722	05.17.22	1435	GW	WATER	REG	3	G		X	
5	OW-23D	--	--	OW-23D_051722	5.17.22	1556	GW	WATER	REG	3	G		X	
6	OW-28	--	--	OW-28_051722	5.17.22	1705	GW	WATER	REG	3	G		X	
7	OW-18D	--	--	OW-18D_051822	5.18.22	1110	GW	WATER	REG	3	G		X	
8	OW-09-ML-D	--	--	OW-09-ML-D_051822	5.18.22	1210	GW	WATER	REG	3	G		X	
9	OW-09-ML-C	--	--	OW-09-ML-C_051822	5.18.22	1313	GW	WATER	REG	3	G		X	
10	OW-18-ML-A	--	--	OW-18-ML-A_051822	5.18.22	1455	GW	WATER	REG	3	G		X	
11	OW-18-ML-B	--	--	OW-18-ML-B_051822	5.18.22	1533	GW	WATER	REG	3	G		X	

Special Instructions:

Relinquished by: Stacey Hannula Arcadis	Company: Arcadis	Received by:	Company: EFTH	Condition		Custody Seals Intact	
	Date/Time: 5/20/22 1200		Date/Time: 5/20/22 1201	Cooler Temp.			
Relinquished by:	Company: EFTH	Received by:	Company: EETNC	Condition		Custody Seals Intact	
	Date/Time: 5/20/22 1603		Date/Time: 5/21/220800	Cooler Temp.			
Relinquished by:	Company	Received by:	Company	Condition		Custody Seals Intact	
	Date/Time		Date/Time	Cooler Temp.			
Relinquished by:	Company	Received by:	Company	Condition		Custody Seals Intact	
	Date/Time		Date/Time	Cooler Temp.			

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify):

pg 1/3

2.1 | 2.1

STL North Canton 4101 Shuffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico	TRW Chain Of Custody / Analysis Request			LAB USE ONLY Laboratory ID No. (Lot No.)
	Privileged & Confidential	Yes	Site Name:	Milford
Project Type: Groundwater Sampling - IZ	TRW PO No.	30049533.000IZ	Site Location:	Milford, Michigan
TRW PM: (name, company, address, e-mail) Bob Bleazard 11202 East Germann Road Mesa, AZ 85212 bob.bleazard@trw.com	Database Manager: (name, company, address, e-mail) Marina Samp and Sharon Clouse 28550 Cabot Drive, Suite 500 Novi, MI 48377 Marina.Samp@arcadis.com			
Analysis Level: Level 1 (Routine Report)	Sampler	S. Hannula		
TAT: 10 Business Days (Standard - Level 1)	Deliverable	EDD/PDF (e-mail)		

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	VOC 8260D	Preservatives Code (see below) 1	Lab Sample Numbers
1	OW-18-ML-C	--	--	OW-18-ML-C_051922	5 19 22	0946	GW	WATER	REG	3	G		X		
2	OW-18-ML-D	--	--	OW-18-ML-D 051922	5 19 22	1055	GW	WATER	REG	3	G		X		
3	OW-18-ML-E	--	--	OW-18-ML-E_051922	5 19 22	1246	GW	WATER	REG	3	G		X		
4	OW-18-ML-F	--	--	OW-18-ML-F_051922	5 19 22	1352	GW	WATER	REG	3	G		X		
5	OW-02D2	--	--	OW-02D2_051922	5 19 22	1603	GW	WATER	REG	3	G		X		
6	OW-22	--	--	OW-22_052022	5·20·22	1347	GW	WATER	REG	3	G		X		
7	OW-07D	--	--	OW-07D_052022	5·20·22	1025	GW	WATER	REG	3	G		X		
8	DUP-01	--	--	DUP-01_	—	--	GW	WATER	REG	3	G		X		
9	DUP-02	--	--	DUP-02_	—	--	GW	WATER	REG	3	G		X		
10	EQUIPMENT_BLANK	--	--	EQUIPMENT_BLANK_051922	5·19·22	1000	QC	WATER	REG	3	G	N	X		
11	FIELD_BLANK	--	--	FIELD_BLANK_051922	5·19·22	0920	QC	WATER	REG	3	G	N	X		

Special Instructions:

Relinquished by: Stacey Hannula	Company: Arcadis	Received by: Jen Hoe	Company: EEIA	Condition		Custody Seals Intact
	Date/Time: 5/20/22		Date/Time: 5/20/22 1201	Cooler Temp		
Relinquished by: Jen Hoe	Company: EEIA	Received by:	Company: EEINC	Condition		Custody Seals Intact
	Date/Time: 5/20/22 1203		Date/Time: 5/21/22 0800	Cooler Temp		
Relinquished by:	Company	Received by:	Company	Condition		Custody Seals Intact
	Date/Time		Date/Time	Cooler Temp		
Relinquished by:	Company	Received by:	Company	Condition		Custody Seals Intact
	Date/Time		Date/Time	Cooler Temp		

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify)

Pg 2/3

2 | 2-1

STL North Canton 4101 Shuffel Drive NW North Canton, OH 44720 Attn: Michael DelMonico		TRW Chain Of Custody / Analysis Request				LAB USE ONLY Laboratory ID No. (Lot No.)
		Privileged & Confidential	Yes	Site Name	Milford	
Project Type:	Groundwater Sampling - IZ	TRW PO No.	30049533.000IZ	Site Location	Milford, Michigan	
TRW PM: (name, company, address, e-mail)		Database Manager: (name, company, address, E-mail)		Preservatives Code (see below)		
Bob Bleazard		Marina Samp and Sharon Clouse				
11202 East Germann Road		28550 Cabot Drive, Suite 500				
Mesa, AZ 85212		Novi, MI 48377				
bob.bleazard@[illegible].com		Marina.Samp@arcadis.com				
		Sharon.Clouse@arcadis.us.com				
Analysis Level	Level I (Routine Report)	Sampler	S Hannula			
TAT	10 Business Days (Standard - Level I)	Deliverable	EDD/PDF (e-mail)			

Sample Identification and Information

	Location ID	Start Depth (ft)	End Depth (ft)	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	Sample Purpose	No. of Cont.	Grab or Composite	Field Filtered	VOC 8260											Lab Sample Numbers
													1											
1	TRIP BLANK	--	--	TRIP BLANK	--	--	QC	WATER	REG	1	G	N	X											
2																								
3																								
4																								
5																								
6																								
7																								
8																								
9																								
10																								
11																								

Special Instructions

Relinquished by: Stacy Hannula	Company: Arcadis	Received by: Teri Hall	Company: EETA	Condition		Custody Seals Intact
	Date/Time: 3/20/22 1200		Date/Time: 3/20/22 1701	Cooler Temp		
Relinquished by: Teri Hall	Company: EETA	Received by: [signature]	Company: EETNC	Condition		Custody Seals Intact
	Date/Time: 3/20/22 1703		Date/Time: 3/21/22 0800	Cooler Temp		
Relinquished by	Company	Received by	Company	Condition		Custody Seals Intact
	Date/Time		Date/Time	Cooler Temp		
Relinquished by:	Company	Received by:	Company	Condition		Custody Seals Intact
	Date/Time		Date/Time	Cooler Temp		

Preservatives Code: 0 = None; 1 = HCL; 2 = HNO3; 3 = H2SO4; 4 = NaOH; 5 = Zn. Acetate; 6 = MeOH; 7 = NaHSO4; 8 = Other (specify):

pg 3/3

Eurofins - Canton Sample Receipt Form/Narrative **Login # :** 167051
Barberton Facility

Client TRW Site Name Milford

Cooler Received on 5-21-22 Opened on 5-23-22

Cooler unpacked by: me

FedEx: 1st Grd Exp UPS FAS (Clipper) Client Drop Off Eurofins Courier Other

Receipt After-hours: Drop-off Date/Time Storage Location

Eurofins Cooler # TA Foam Box Client Cooler Box Other

Packing material used: (Bubble Wrap) Foam Plastic Bag None Other

COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
   IR GUN# IR-13 (CF **0.0** °C) Observed Cooler Temp. 2.1 °C Corrected Cooler Temp. 2.1 °C
   IR GUN #IR-15 (CF **-0.7**°C) Observed Cooler Temp. ____ °C Corrected Cooler Temp. ____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	(Yes) No
-Were the seals on the outside of the cooler(s) signed & dated?	(Yes) No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes (No)
-Were tamper/custody seals intact and uncompromised?	(Yes) No NA
3. Shippers' packing slip attached to the cooler(s)?	Yes (No)
4. Did custody papers accompany the sample(s)?	(Yes) No
5. Were the custody papers relinquished & signed in the appropriate place?	(Yes) No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	(Yes) No
7. Did all bottles arrive in good condition (Unbroken)?	(Yes) No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	(Yes) No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp(Y/N)?	(Y) (Y) (Y)
10. Were correct bottle(s) used for the test(s) indicated?	(Yes) No
11. Sufficient quantity received to perform indicated analyses?	(Yes) No
12. Are these work share samples and all listed on the COC?	Yes (No)
If yes, Questions 13-17 have been checked at the originating laboratory.	
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes No (NA) pH Strip Lot# **HC157842**
14. Were VOAs on the COC?	(Yes) No
15. Were air bubbles >6 mm in any VOA vials? ● ⬅ Larger than this.	Yes (No) NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 61042016	(Yes) No
17. Was a LL Hg or Me Hg trip blank present? ____	Yes No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM ____ Date ____ by ____ via Verbal Voice Mail Other

Concerning ____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page

Samples processed by:

19. SAMPLE CONDITION

Sample(s) ____ were received after the recommended holding time had expired.
Sample(s) ____ were received in a broken container.
Sample(s) ____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) ____ were further preserved in the laboratory.
Time preserved: ____ Preservative(s) added/Lot number(s): ____

VOA Sample Preservation - Date/Time VOAs Frozen: ____

WI-NC-099

Fibertec
environmental
services

Wednesday, April 06, 2022

Fibertec Project Number:	A07755
Project Identification:	TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date:	04/04/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 12:26 PM, Apr 06, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELDBLANK_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELDBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELDBLANK_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELDBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 00:21	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
27. 1,1-Dichloroethane	**3.5**		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
31. trans-1,2-Dichloroethene	**1.7**		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 02:59	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**EQUIPMENTBLANK_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**12:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-003** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: EQUIPMENTBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**EQUIPMENTBLANK_040422**	Chain of Custody:	**201041**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**12:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-003** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: EQUIPMENTBLANK_040422**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 00:48	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**N/A**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
3. Benzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
4. Bromobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
5. Bromochloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
7. Bromoform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
8. Bromomethane	U	V-L-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
9. 2-Butanone	U		µg/L	25	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
15. Chlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
16. Chloroethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
17. Chloroform	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
18. Chloromethane	U	V-	µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
22. Dibromomethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
35. Ethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**N/A**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/04/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07755-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
40. Methylene Chloride	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
42. MTBE	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
43. Naphthalene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
45. Styrene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
49. Toluene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
53. Trichloroethene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
60. m&p-Xylene	U		µg/L	2.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
61. o-Xylene	U		µg/L	1.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/05/22	VI22D05B	04/06/22 01:14	VI22D05B	JMF

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
V- : Recovery in the associated continuing calibration verification sample (CCV) exceeds the lower control limit. Results may be biased low.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22D05B: Method Blank (MB)

EPA 8260D

Run Time: VI22D05B.MB 04/05/2022 23:54 [VI22D05B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***100***		***80-120***
Dibromofluoromethane(S)	***101***		***80-120***
1,2-Dichloroethane-d4(S)	***94***		***80-120***
Toluene-d8(S)	***99***		***80-120***

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	30.6	61	54-140		50.0	31.1	62		2	20	
Acrylonitrile	50.0	52.7	105	70-130		50.0	53.7	107		2	20	
Benzene	50.0	46.5	93	80-120		50.0	45.1	90		3	20	
Bromobenzene	50.0	44.7	89	75-125		50.0	44.2	88		1	20	
Bromochloromethane	50.0	40.7	81	70-130		50.0	40.1	80		1	20	
Bromodichloromethane	50.0	44.5	89	75-120		50.0	43.5	87		2	20	
Bromoform	50.0	45.8	92	70-130		50.0	45.4	91		1	20	
Bromomethane	50.0	27.5	55	68-135	*	50.0	29.1	58	*	5	20	
2-Butanone	50.0	40.1	80	70-148		50.0	40.5	81		1	20	
n-Butylbenzene	50.0	52.8	106	70-133		50.0	51.9	104		2	20	
sec-Butylbenzene	50.0	50.2	100	70-125		50.0	49.4	99		1	20	
tert-Butylbenzene	50.0	49.5	99	70-130		50.0	48.6	97		2	20	
Carbon Disulfide	50.0	44.6	89	70-130		50.0	42.8	86		3	20	
Carbon Tetrachloride	50.0	44.5	89	70-130		50.0	43.3	87		2	20	
Chlorobenzene	50.0	45.9	92	80-120		50.0	44.8	90		2	20	
Chloroethane	50.0	40.5	81	61-130		50.0	39.1	78		4	20	
Chloroform	50.0	44.2	88	80-120		50.0	43.4	87		1	20	
Chloromethane	50.0	38.4	77	67-125		50.0	38.9	78		1	20	
2-Chlorotoluene	50.0	47.3	95	75-125		50.0	46.6	93		2	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	48.5	97	70-130		50.0	49.6	99		2	20	
Dibromochloromethane	50.0	44.6	89	70-130		50.0	43.3	87		2	20	
Dibromomethane	50.0	41.6	83	75-125		50.0	40.4	81		2	20	
1,2-Dichlorobenzene	50.0	46.9	94	70-120		50.0	46.2	92		2	20	
1,3-Dichlorobenzene	50.0	45.8	92	75-125		50.0	45.0	90		2	20	
1,4-Dichlorobenzene	50.0	43.3	87	75-125		50.0	42.5	85		2	20	
Dichlorodifluoromethane	50.0	53.5	107	70-136		50.0	51.0	102		5	20	
1,1-Dichloroethane	50.0	45.9	92	70-130		50.0	44.5	89		3	20	
1,2-Dichloroethane	50.0	40.9	82	70-130		50.0	39.7	79		4	20	
1,1-Dichloroethene	50.0	43.8	88	78-120		50.0	42.1	84		5	20	
cis-1,2-Dichloroethene	50.0	44.8	90	70-125		50.0	43.2	86		5	20	
trans-1,2-Dichloroethene	50.0	44.5	89	70-130		50.0	43.5	87		2	20	
1,2-Dichloropropane	50.0	49.1	98	80-121		50.0	47.4	95		3	20	
cis-1,3-Dichloropropene	50.0	43.4	87	70-130		50.0	42.2	84		4	20	

VI22D05B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22D05B.LCS: 04/05/2022 22:09 [VI22D05B] VI22D05B.LCSD: 04/05/2022 22:35 [VI22D05B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	48.2	96	70-132		50.0	46.7	93		3	20	
Ethylbenzene	50.0	48.4	97	80-120		50.0	47.0	94		3	20	
Ethylene Dibromide	50.0	45.2	90	80-120		50.0	44.4	89		1	20	
2-Hexanone	50.0	39.4	79	70-130		50.0	40.5	81		3	20	
Isopropylbenzene	50.0	48.7	97	75-125		50.0	47.5	95		2	20	
4-Methyl-2-pentanone	50.0	55.2	110	70-130		50.0	54.7	109		1	20	
Methylene Chloride	50.0	43.8	88	70-130		50.0	42.7	85		3	20	
2-Methylnaphthalene	50.0	46.0	92	70-130		50.0	46.5	93		1	20	
MTBE	50.0	48.3	97	70-125		50.0	47.3	95		2	20	
Naphthalene	50.0	46.7	93	70-130		50.0	47.5	95		2	20	
n-Propylbenzene	50.0	49.4	99	70-130		50.0	48.8	98		1	20	
Styrene	50.0	41.0	82	70-130		50.0	39.7	79		4	20	
1,1,1,2-Tetrachloroethane	50.0	46.7	93	80-130		50.0	45.2	90		3	20	
1,1,2,2-Tetrachloroethane	50.0	59.4	119	70-130		50.0	60.5	121		2	20	
Tetrachloroethene	50.0	48.5	97	70-130		50.0	46.9	94		3	20	
Toluene	50.0	47.9	96	80-120		50.0	46.4	93		3	20	
1,2,4-Trichlorobenzene	50.0	45.9	92	70-130		50.0	46.0	92		0	20	
1,1,1-Trichloroethane	50.0	45.5	91	70-130		50.0	44.3	89		2	20	
1,1,2-Trichloroethane	50.0	47.6	95	75-125		50.0	47.1	94		1	20	
Trichloroethene	50.0	41.6	83	71-125		50.0	39.9	80		4	20	
Trichlorofluoromethane	50.0	48.2	96	70-133		50.0	46.6	93		3	20	
1,2,3-Trichloropropane	50.0	49.9	100	75-125		50.0	49.3	99		1	20	
1,2,3-Trimethylbenzene	50.0	47.0	94	70-130		50.0	46.2	92		2	20	
1,2,4-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.7	97		1	20	
1,3,5-Trimethylbenzene	50.0	49.1	98	75-130		50.0	48.1	96		2	20	
Vinyl Chloride	50.0	43.9	88	74-125		50.0	42.2	84		5	20	
m&p-Xylene	100	95.1	95	75-130		100	92.8	93		2	20	
o-Xylene	50.0	47.9	96	80-120		50.0	46.3	93		3	20	
4-Bromofluorobenzene(S)			***100***	***80-120***				***101***				
Dibromofluoromethane(S)			***99***	***80-120***				***98***				
1,2-Dichloroethane-d4(S)			***91***	***80-120***				***90***				
Toluene-d8(S)			***100***	***80-120***				***100***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 12:32 PM, Apr 06, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 201041
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Marina Samp
Project Name/ Number: TRW Milford 30046730
Email distribution list: marina.samp@arcadis.com; john.mcinnis@arcadis.com
Quote#
Purchase Order# 30046730.000IZ

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOCs 8260B	HOLD SAMPLE
4.4.22	1145		FIELDBLANK_040422	GW	3	3	
4.4.22	1155		OW-16D2-040422	GW	3	3	
4.4.22	1210		EQUIPMENTBLANK_040422	GW	3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks:

Received By Lab
APR 04 2022
Initials EL

Received On Ice

Comments:

Sampled/Relinquished By: Stacey Hannula	Date/ Time 4.4.22 1230	Received By: Amyssa Mandich/Arcadis
Relinquished By: Amyssa Mandich/Arcadis	Date/ Time 4/4/22 1415	Received By: Fibertec
Relinquished By:	Date/ Time	Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days (48 hrs) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A07755
Temperature upon receipt at Lab: 2.0°C

Please see back for terms and conditions

Fibertec environmental services

Friday, June 17, 2022

Fibertec Project Number:	A08975
Project Identification:	ZF Active Safety US Inc. (Milford) /
Submittal Date:	06/08/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 9:55 AM, Jun 17, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-001

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_060822**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**09:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_060822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
8. Bromomethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
9. 2-Butanone	U		µg/L	25	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
27. 1,1-Dichloroethane	**3.6**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
31. trans-1,2-Dichloroethene	**1.4**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
37. 2-Hexanone	U		µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_060822**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**09:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_060822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 41. 2-Methylnaphthalene	U	V-	µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-002

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_060822**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**11:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_060822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
8. Bromomethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
9. 2-Butanone	U		µg/L	25	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
27. 1,1-Dichloroethane	**2.5**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
30. cis-1,2-Dichloroethene	**21**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
31. trans-1,2-Dichloroethene	**1.1**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
37. 2-Hexanone	U		µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_060822**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**11:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_060822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 41. 2-Methylnaphthalene	U	V-	µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-003

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-003** **Matrix: Blank: Field**
Method: EPA 0624.1/EPA 8260D **Description: Field Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 2. Acrylonitrile	U	V+ L+	µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
3. Benzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
5. Bromochloromethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
6. Bromodichloromethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
7. Bromoform	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
13. Carbon Disulfide	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
17. Chloroform	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
18. Chloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
33. cis-1,3-Dichloropropene	U	V+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
34. trans-1,3-Dichloropropene	U	V+ L+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-003

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-003** **Matrix: Blank: Field**
Method: EPA 0624.1/EPA 8260D **Description: Field Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
35. Ethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
37. 2-Hexanone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
39. 4-Methyl-2-pentanone	U	V+ L+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
47. 1,1,2,2-Tetrachloroethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-004

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**11:12**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-004** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 2. Acrylonitrile	U	V+ L+	µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
3. Benzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
5. Bromochloromethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
6. Bromodichloromethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
7. Bromoform	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
13. Carbon Disulfide	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
17. Chloroform	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
18. Chloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
33. cis-1,3-Dichloropropene	U	V+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
34. trans-1,3-Dichloropropene	U	V+ L+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**11:12**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-004** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
35. Ethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
37. 2-Hexanone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
39. 4-Methyl-2-pentanone	U	V+ L+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
47. 1,1,2,2-Tetrachloroethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 2. Acrylonitrile	U	V+ L+	µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
3. Benzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
5. Bromochloromethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
6. Bromodichloromethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
7. Bromoform	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
13. Carbon Disulfide	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
17. Chloroform	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
18. Chloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
33. cis-1,3-Dichloropropene	U	V+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
34. trans-1,3-Dichloropropene	U	V+ L+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-005

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
35. Ethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
37. 2-Hexanone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
39. 4-Methyl-2-pentanone	U	V+ L+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
47. 1,1,2,2-Tetrachloroethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V- : Recovery in the associated continuing calibration verification sample (CCV) exceeds the lower control limit. Results may be biased low.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VI22F13B: Method Blank (MB)

EPA 8260D

Run Time: VI22F13B.MB 06/14/2022 00:49 [VI22F13B]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22F13B: Method Blank (MB)

EPA 8260D

Run Time: VI22F13B.MB 06/14/2022 00:49 [VI22F13B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***100***		***80-120***
Dibromofluoromethane(S)	***102***		***80-120***
1,2-Dichloroethane-d4(S)	***104***		***80-120***
Toluene-d8(S)	***101***		***80-120***

VI22F13B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22F13B.LCS: 06/13/2022 23:31 [VI22F13B] VI22F13B.LCSD: 06/13/2022 23:57 [VI22F13B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	25.7	51	54-140	*	50.0	26.3	53	*	4	20	
Acrylonitrile	50.0	47.4	95	70-130		50.0	47.0	94		1	20	
Benzene	50.0	53.2	106	80-120		50.0	51.3	103		3	20	
Bromobenzene	50.0	47.9	96	75-125		50.0	46.7	93		3	20	
Bromochloromethane	50.0	52.6	105	70-130		50.0	51.6	103		2	20	
Bromodichloromethane	50.0	52.8	106	75-120		50.0	51.6	103		3	20	
Bromoform	50.0	50.4	101	70-130		50.0	49.7	99		2	20	
Bromomethane	50.0	63.5	127	68-135		50.0	61.9	124		2	20	
2-Butanone	50.0	41.2	82	70-148		50.0	42.3	85		4	20	
n-Butylbenzene	50.0	54.4	109	70-133		50.0	52.2	104		5	20	
sec-Butylbenzene	50.0	52.7	105	70-125		50.0	50.7	101		4	20	
tert-Butylbenzene	50.0	53.2	106	70-130		50.0	51.2	102		4	20	
Carbon Disulfide	50.0	48.6	97	70-130		50.0	46.0	92		5	20	
Carbon Tetrachloride	50.0	51.7	103	70-130		50.0	48.9	98		5	20	
Chlorobenzene	50.0	52.5	105	80-120		50.0	50.3	101		4	20	
Chloroethane	50.0	59.5	119	61-130		50.0	56.8	114		4	20	
Chloroform	50.0	52.6	105	80-120		50.0	51.2	102		3	20	
Chloromethane	50.0	59.2	118	67-125		50.0	56.5	113		4	20	
2-Chlorotoluene	50.0	54.8	110	75-125		50.0	52.5	105		5	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	46.9	94	70-130		50.0	46.9	94		0	20	
Dibromochloromethane	50.0	48.7	97	70-130		50.0	48.3	97		0	20	
Dibromomethane	50.0	48.8	98	75-125		50.0	47.8	96		2	20	
1,2-Dichlorobenzene	50.0	52.4	105	70-120		50.0	50.6	101		4	20	
1,3-Dichlorobenzene	50.0	50.2	100	75-125		50.0	48.9	98		2	20	
1,4-Dichlorobenzene	50.0	48.7	97	75-125		50.0	47.2	94		3	20	
Dichlorodifluoromethane	50.0	61.2	122	70-136		50.0	56.8	114		7	20	
1,1-Dichloroethane	50.0	56.9	114	70-130		50.0	54.8	110		4	20	
1,2-Dichloroethane	50.0	48.1	96	70-130		50.0	47.3	95		1	20	
1,1-Dichloroethene	50.0	51.4	103	78-120		50.0	48.5	97		6	20	
cis-1,2-Dichloroethene	50.0	52.9	106	70-125		50.0	51.1	102		4	20	
trans-1,2-Dichloroethene	50.0	51.4	103	70-130		50.0	48.8	98		5	20	
1,2-Dichloropropane	50.0	57.9	116	80-121		50.0	56.1	112		4	20	
cis-1,3-Dichloropropene	50.0	49.9	100	70-130		50.0	48.3	97		3	20	

VI22F13B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22F13B.LCS: 06/13/2022 23:31 [VI22F13B] VI22F13B.LCSD: 06/13/2022 23:57 [VI22F13B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	49.9	100	70-132		50.0	49.1	98		2	20	
Ethylbenzene	50.0	52.5	105	80-120		50.0	50.6	101		4	20	
Ethylene Dibromide	50.0	48.7	97	80-120		50.0	47.9	96		1	20	
2-Hexanone	50.0	41.7	83	70-130		50.0	41.2	82		1	20	
Isopropylbenzene	50.0	52.8	106	75-125		50.0	50.4	101		5	20	
4-Methyl-2-pentanone	50.0	54.3	109	70-130		50.0	55.1	110		1	20	
Methylene Chloride	50.0	51.8	104	70-130		50.0	50.6	101		3	20	
2-Methylnaphthalene	50.0	37.2	74	70-130		50.0	38.7	77		4	20	
MTBE	50.0	54.8	110	70-125		50.0	54.3	109		1	20	
Naphthalene	50.0	43.7	87	70-130		50.0	43.8	88		1	20	
n-Propylbenzene	50.0	54.7	109	70-130		50.0	52.3	105		4	20	
Styrene	50.0	44.8	90	70-130		50.0	43.6	87		3	20	
1,1,1,2-Tetrachloroethane	50.0	52.6	105	80-130		50.0	51.3	103		2	20	
1,1,2,2-Tetrachloroethane	50.0	59.0	118	70-130		50.0	58.3	117		1	20	
Tetrachloroethene	50.0	52.9	106	70-130		50.0	49.9	100		6	20	
Toluene	50.0	55.0	110	80-120		50.0	53.0	106		4	20	
1,2,4-Trichlorobenzene	50.0	47.7	95	70-130		50.0	46.4	93		2	20	
1,1,1-Trichloroethane	50.0	56.5	113	70-130		50.0	53.4	107		5	20	
1,1,2-Trichloroethane	50.0	52.6	105	75-125		50.0	51.2	102		3	20	
Trichloroethene	50.0	47.5	95	71-125		50.0	44.8	90		5	20	
Trichlorofluoromethane	50.0	58.7	117	70-133		50.0	54.7	109		7	20	
1,2,3-Trichloropropane	50.0	52.3	105	75-125		50.0	53.0	106		1	20	
1,2,3-Trimethylbenzene	50.0	52.1	104	70-130		50.0	50.3	101		3	20	
1,2,4-Trimethylbenzene	50.0	53.0	106	75-130		50.0	51.4	103		3	20	
1,3,5-Trimethylbenzene	50.0	52.8	106	75-130		50.0	51.1	102		4	20	
Vinyl Chloride	50.0	59.8	120	74-125		50.0	56.5	113		6	20	
m&p-Xylene	100	108	108	75-130		100	104	104		4	20	
o-Xylene	50.0	53.7	107	80-120		50.0	52.2	104		3	20	
4-Bromofluorobenzene(S)			***100***	***80-120***				***101***				
Dibromofluoromethane(S)			***103***	***80-120***				***102***				
1,2-Dichloroethane-d4(S)			***99***	***80-120***				***110***				
Toluene-d8(S)			***102***	***80-120***				***101***				

VM22F15A: Method Blank (MB)

EPA 8260D

Run Time: VM22F15A.MB 06/15/2022 11:43 [VM22F15A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VM22F15A: Method Blank (MB)

EPA 8260D

Run Time: VM22F15A.MB 06/15/2022 11:43 [VM22F15A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***92***		***80-120***
Dibromofluoromethane(S)	***102***		***80-120***
1,2-Dichloroethane-d4(S)	***97***		***80-120***
Toluene-d8(S)	***99***		***80-120***

VM22F15A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VM22F15A.LCS: 06/15/2022 10:18 [VM22F15A] VM22F15A.LCSD: 06/15/2022 10:46 [VM22F15A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	32.9	66	54-140		50.0	30.4	61		8	20	
Acrylonitrile	50.0	65.4	131	70-130	*	50.0	62.6	125		5	20	
Benzene	50.0	49.5	99	80-120		50.0	48.4	97		2	20	
Bromobenzene	50.0	49.5	99	75-125		50.0	48.1	96		3	20	
Bromochloromethane	50.0	59.5	119	70-130		50.0	57.7	115		3	20	
Bromodichloromethane	50.0	62.2	124	75-120	*	50.0	60.8	122	*	2	20	
Bromoform	50.0	85.6	171	70-130	*	50.0	85.2	170	*	1	20	
Bromomethane	50.0	53.5	107	68-135		50.0	46.5	93		14	20	
2-Butanone	50.0	52.0	104	70-148		50.0	50.8	102		2	20	
n-Butylbenzene	50.0	53.0	106	70-133		50.0	51.0	102		4	20	
sec-Butylbenzene	50.0	52.9	106	70-125		50.0	51.2	102		4	20	
tert-Butylbenzene	50.0	51.5	103	70-130		50.0	50.4	101		2	20	
Carbon Disulfide	50.0	60.2	120	70-130		50.0	59.9	120		0	20	
Carbon Tetrachloride	50.0	54.8	110	70-130		50.0	51.6	103		7	20	
Chlorobenzene	50.0	51.5	103	80-120		50.0	50.6	101		2	20	
Chloroethane	50.0	55.1	110	61-130		50.0	47.0	94		16	20	
Chloroform	50.0	53.8	108	80-120		50.0	52.5	105		3	20	
Chloromethane	50.0	57.5	115	67-125		50.0	59.4	119		3	20	
2-Chlorotoluene	50.0	51.6	103	75-125		50.0	49.8	100		3	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	88.2	176	70-130	*	50.0	86.6	173	*	2	20	
Dibromochloromethane	50.0	65.4	131	70-130	*	50.0	67.1	134	*	2	20	
Dibromomethane	50.0	51.4	103	75-125		50.0	50.7	101		2	20	
1,2-Dichlorobenzene	50.0	51.3	103	70-120		50.0	51.0	102		1	20	
1,3-Dichlorobenzene	50.0	53.0	106	75-125		50.0	52.1	104		2	20	
1,4-Dichlorobenzene	50.0	50.6	101	75-125		50.0	49.6	99		2	20	
Dichlorodifluoromethane	50.0	49.6	99	70-136		50.0	46.8	94		5	20	
1,1-Dichloroethane	50.0	55.6	111	70-130		50.0	53.9	108		3	20	
1,2-Dichloroethane	50.0	46.3	93	70-130		50.0	45.1	90		3	20	
1,1-Dichloroethene	50.0	44.7	89	78-120		50.0	44.7	89		0	20	
cis-1,2-Dichloroethene	50.0	53.7	107	70-125		50.0	51.7	103		4	20	
trans-1,2-Dichloroethene	50.0	47.8	96	70-130		50.0	45.9	92		4	20	
1,2-Dichloropropane	50.0	56.1	112	80-121		50.0	54.6	109		3	20	
cis-1,3-Dichloropropene	50.0	62.8	126	70-130		50.0	62.5	125		1	20	

VM22F15A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VM22F15A.LCS: 06/15/2022 10:18 [VM22F15A] VM22F15A.LCSD: 06/15/2022 10:46 [VM22F15A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	69.3	139	70-132	*	50.0	69.0	138	*	1	20	
Ethylbenzene	50.0	52.0	104	80-120		50.0	50.7	101		3	20	
Ethylene Dibromide	50.0	52.1	104	80-120		50.0	52.7	105		1	20	
2-Hexanone	50.0	62.5	125	70-130		50.0	61.3	123		2	20	
Isopropylbenzene	50.0	52.4	105	75-125		50.0	50.7	101		4	20	
4-Methyl-2-pentanone	50.0	84.3	169	70-130	*	50.0	78.4	157	*	7	20	
Methylene Chloride	50.0	55.8	112	70-130		50.0	53.5	107		5	20	
2-Methylnaphthalene	50.0	52.3	105	70-130		50.0	48.6	97		8	20	
MTBE	50.0	51.5	103	70-125		50.0	52.2	104		1	20	
Naphthalene	50.0	48.4	97	70-130		50.0	46.6	93		4	20	
n-Propylbenzene	50.0	53.9	108	70-130		50.0	51.7	103		5	20	
Styrene	50.0	48.0	96	70-130		50.0	46.5	93		3	20	
1,1,1,2-Tetrachloroethane	50.0	63.9	128	80-130		50.0	64.8	130		2	20	
1,1,2,2-Tetrachloroethane	50.0	66.2	132	70-130	*	50.0	66.0	132	*	0	20	
Tetrachloroethene	50.0	47.5	95	70-130		50.0	47.3	95		0	20	
Toluene	50.0	54.0	108	80-120		50.0	51.0	102		6	20	
1,2,4-Trichlorobenzene	50.0	48.7	97	70-130		50.0	46.8	94		3	20	
1,1,1-Trichloroethane	50.0	54.2	108	70-130		50.0	53.4	107		1	20	
1,1,2-Trichloroethane	50.0	51.2	102	75-125		50.0	52.9	106		4	20	
Trichloroethene	50.0	44.5	89	71-125		50.0	44.3	89		0	20	
Trichlorofluoromethane	50.0	51.9	104	70-133		50.0	46.5	93		11	20	
1,2,3-Trichloropropane	50.0	54.4	109	75-125		50.0	53.6	107		2	20	
1,2,3-Trimethylbenzene	50.0	50.8	102	70-130		50.0	50.2	100		2	20	
1,2,4-Trimethylbenzene	50.0	52.1	104	75-130		50.0	50.9	102		2	20	
1,3,5-Trimethylbenzene	50.0	51.6	103	75-130		50.0	49.9	100		3	20	
Vinyl Chloride	50.0	57.1	114	74-125		50.0	52.2	104		9	20	
m&p-Xylene	100	102	102	75-130		100	98.5	98		4	20	
o-Xylene	50.0	51.5	103	80-120		50.0	50.1	100		3	20	
4-Bromofluorobenzene(S)			***99***	***80-120***				***98***				
Dibromofluoromethane(S)			***110***	***80-120***				***108***				
1,2-Dichloroethane-d4(S)			***101***	***80-120***				***99***				
Toluene-d8(S)			***105***	***80-120***				***102***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 10:02 AM, Jun 17, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 203194
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: ~~2003~~ 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com; john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112.

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC - 8260D	HOLD SAMPLE	Remarks:
6.8	0935		OW-1602_060822	GW	3	x		48hr TAT
	1100		OW-16DUP1_060822	GW	3	x		48hr TAT
	1110		FIELDBLANK	W	3	x		standard TAT
	1112		EQUIPMENT BLANK	W	3	x		standard TAT
↓	—	—	TRIP BLANK	W	3	x		standard TAT

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
JUN 08 2022
Initials: JS

Comments:

Sampled/Relinquished By: Stacey Hannula Arcadis	Date/ Time 6.8.22 1200	Received By:
Relinquished By:	Date/ Time	Received By: 6/8/22 3:00
Relinquished By: 6/8/22 16:30	Date/ Time	Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day ___2___2 bus. days _____3 bus. days _____4 bus. days
___3___5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A08975
Temperature upon receipt at Lab: 3.4°C
Received On Ice

Please see back for terms and conditions

Fibertec environmental services

Tuesday, April 12, 2022

Fibertec Project Number:	A07873
Project Identification:	TRW Milford ZF Active Safety (30046730) /30046730
Submittal Date:	04/08/2022

Mrs. Marina Samp
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mrs. Samp,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 1:11 PM, Apr 12, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-001

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Field Blank-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:06	VB22D11B	KCM

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
27. 1,1-Dichloroethane	**3.5**		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
30. cis-1,2-Dichloroethene	**20**		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
31. trans-1,2-Dichloroethene	**1.5**		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-002

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-040822**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-040822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 20:00	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-003** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
3. Benzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
4. Bromobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
5. Bromochloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
7. Bromoform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
8. Bromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
9. 2-Butanone	U		µg/L	25	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
10. n-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
15. Chlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
16. Chloroethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
17. Chloroform	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
18. Chloromethane	U	V+ L+	µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
22. Dibromomethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
35. Ethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A07873
Laboratory Sample Number: A07873-003

Order: A07873
Date: 04/12/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**207003**
Client Project Name:	**TRW Milford ZF Active Safety (30046730)**	Sample No:		Collect Date:	**04/08/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A07873-003** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
40. Methylene Chloride	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
42. MTBE	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
43. Naphthalene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
45. Styrene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
49. Toluene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
53. Trichloroethene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
60. m&p-Xylene	U		µg/L	2.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
61. o-Xylene	U		µg/L	1.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/11/22	VB22D11B	04/11/22 19:33	VB22D11B	KCM

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

NELAP ACCREDITED TNI LABORATORY

Accreditation Number(s):

T104704518-19-8 (TX)

VB22D11B: Method Blank (MB)

EPA 8260D

Run Time: VB22D11B.MB 04/11/2022 17:19 [VB22D11B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VB22D11B: Method Blank (MB)

EPA 8260D

Run Time: VB22D11B.MB 04/11/2022 17:19 [VB22D11B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***104***		***80-120***
Dibromofluoromethane(S)	***105***		***80-120***
1,2-Dichloroethane-d4(S)	***100***		***80-120***
Toluene-d8(S)	***102***		***80-120***

VB22D11B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22D11B.LCS: 04/11/2022 15:31 [VB22D11B] VB22D11B.LCSD: 04/11/2022 15:58 [VB22D11B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	38.5	77	54-140		50.0	40.0	80		4	20	
Acrylonitrile	50.0	54.7	109	70-130		50.0	54.1	108		1	20	
Benzene	50.0	48.4	97	80-120		50.0	47.1	94		3	20	
Bromobenzene	50.0	45.8	92	75-125		50.0	45.2	90		2	20	
Bromochloromethane	50.0	48.4	97	70-130		50.0	49.1	98		1	20	
Bromodichloromethane	50.0	50.1	100	75-120		50.0	49.1	98		2	20	
Bromoform	50.0	51.9	104	70-130		50.0	51.6	103		1	20	
Bromomethane	50.0	46.6	93	68-135		50.0	45.6	91		2	20	
2-Butanone	50.0	41.0	82	70-148		50.0	41.0	82		0	20	
n-Butylbenzene	50.0	53.9	108	70-133		50.0	52.5	105		3	20	
sec-Butylbenzene	50.0	51.2	102	70-125		50.0	49.4	99		3	20	
tert-Butylbenzene	50.0	49.3	99	70-130		50.0	48.1	96		3	20	
Carbon Disulfide	50.0	48.6	97	70-130		50.0	46.7	93		4	20	
Carbon Tetrachloride	50.0	52.9	106	70-130		50.0	52.4	105		1	20	
Chlorobenzene	50.0	47.8	96	80-120		50.0	46.6	93		3	20	
Chloroethane	50.0	48.1	96	61-130		50.0	46.6	93		3	20	
Chloroform	50.0	48.3	97	80-120		50.0	46.9	94		3	20	
Chloromethane	50.0	71.8	144	67-125	*	50.0	70.0	140	*	3	20	
2-Chlorotoluene	50.0	48.1	96	75-125		50.0	47.3	95		1	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	47.5	95	70-130		50.0	47.7	95		0	20	
Dibromochloromethane	50.0	48.5	97	70-130		50.0	48.7	97		0	20	
Dibromomethane	50.0	46.5	93	75-125		50.0	45.9	92		1	20	
1,2-Dichlorobenzene	50.0	47.0	94	70-120		50.0	46.6	93		1	20	
1,3-Dichlorobenzene	50.0	47.4	95	75-125		50.0	46.3	93		2	20	
1,4-Dichlorobenzene	50.0	45.3	91	75-125		50.0	44.5	89		2	20	
Dichlorodifluoromethane	50.0	60.4	121	70-136		50.0	57.0	114		6	20	
1,1-Dichloroethane	50.0	48.6	97	70-130		50.0	47.7	95		2	20	
1,2-Dichloroethane	50.0	45.9	92	70-130		50.0	45.3	91		1	20	
1,1-Dichloroethene	50.0	48.3	97	78-120		50.0	46.5	93		4	20	
cis-1,2-Dichloroethene	50.0	50.8	102	70-125		50.0	49.3	99		3	20	
trans-1,2-Dichloroethene	50.0	49.9	100	70-130		50.0	47.8	96		4	20	
1,2-Dichloropropane	50.0	51.0	102	80-121		50.0	50.7	101		1	20	
cis-1,3-Dichloropropene	50.0	49.4	99	70-130		50.0	48.7	97		2	20	

VB22D11B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22D11B.LCS: 04/11/2022 15:31 [VB22D11B] VB22D11B.LCSD: 04/11/2022 15:58 [VB22D11B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	53.5	107	70-132		50.0	53.0	106		1	20	
Ethylbenzene	50.0	50.8	102	80-120		50.0	49.2	98		4	20	
Ethylene Dibromide	50.0	49.2	98	80-120		50.0	48.5	97		1	20	
2-Hexanone	50.0	53.4	107	70-130		50.0	53.2	106		1	20	
Isopropylbenzene	50.0	52.0	104	75-125		50.0	50.4	101		3	20	
4-Methyl-2-pentanone	50.0	59.4	119	70-130		50.0	59.4	119		0	20	
Methylene Chloride	50.0	45.0	90	70-130		50.0	43.9	88		2	20	
2-Methylnaphthalene	50.0	46.5	93	70-130		50.0	46.0	92		1	20	
MTBE	50.0	51.4	103	70-125		50.0	51.6	103		0	20	
Naphthalene	50.0	49.5	99	70-130		50.0	49.7	99		0	20	
n-Propylbenzene	50.0	51.7	103	70-130		50.0	50.0	100		3	20	
Styrene	50.0	43.7	87	70-130		50.0	42.8	86		1	20	
1,1,1,2-Tetrachloroethane	50.0	50.6	101	80-130		50.0	49.3	99		2	20	
1,1,2,2-Tetrachloroethane	50.0	54.5	109	70-130		50.0	55.0	110		1	20	
Tetrachloroethene	50.0	51.6	103	70-130		50.0	48.3	97		6	20	
Toluene	50.0	51.0	102	80-120		50.0	49.6	99		3	20	
1,2,4-Trichlorobenzene	50.0	46.9	94	70-130		50.0	45.8	92		2	20	
1,1,1-Trichloroethane	50.0	52.7	105	70-130		50.0	51.0	102		3	20	
1,1,2-Trichloroethane	50.0	48.1	96	75-125		50.0	47.2	94		2	20	
Trichloroethene	50.0	46.6	93	71-125		50.0	45.7	91		2	20	
Trichlorofluoromethane	50.0	48.2	96	70-133		50.0	46.4	93		3	20	
1,2,3-Trichloropropane	50.0	46.1	92	75-125		50.0	46.7	93		1	20	
1,2,3-Trimethylbenzene	50.0	48.4	97	70-130		50.0	47.3	95		2	20	
1,2,4-Trimethylbenzene	50.0	51.5	103	75-130		50.0	50.8	102		1	20	
1,3,5-Trimethylbenzene	50.0	51.0	102	75-130		50.0	49.6	99		3	20	
Vinyl Chloride	50.0	53.8	108	74-125		50.0	51.4	103		5	20	
m&p-Xylene	100	103	103	75-130		100	100	100		3	20	
o-Xylene	50.0	50.9	102	80-120		50.0	49.4	99		3	20	
4-Bromofluorobenzene(S)			***105***	***80-120***				***104***				
Dibromofluoromethane(S)			***103***	***80-120***				***103***				
1,2-Dichloroethane-d4(S)			***99***	***80-120***				***97***				
Toluene-d8(S)			***101***	***80-120***				***102***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 1:19 PM, Apr 12, 2022

Fibertec environmental services

Analytical Laboratory

1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe

11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 207003
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Marina Samp
Project Name/ Number: TRW Milford 30046730
Email distribution list: marina.samp@arcadis.com, john.mcinnis@arcadis.com
Quote#
Purchase Order# 30046730.0001Z

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260B	HOLD SAMPLE
4.8.22	1035		FIELDBLANK-040822	GW	3	3	
	1135		GW-16D2-040822	GW	3	3	
			~~EQUIPMENT BLANK-040822~~	~~GW~~	~~3~~	~~3~~	
			TRIP BLANK		3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks:

Received By Lab
APR 08 2022
Initials: DG

Comments:

Sampled/Relinquished By: Stacey Hannola	Date/ Time 4.8.22 1240	Received By: Russ Scott
Relinquished By: Russ Scott	Date/ Time	Received By: [signature] 4/8/22 4:35
Relinquished By: [signature]	Date/ Time 4/8/22 1800	Received By Laboratory: [signature]

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days (48hr) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: 407873
Temperature upon receipt at Lab: 3.4c

Received Ice

Please see back for terms and conditions

Fibertec
environmental
services

Wednesday, April 20, 2022

Fibertec Project Number:	A08019
Project Identification:	TRW Milford (30046730) /30046730
Submittal Date:	04/18/2022

Mr. John McInnis
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. McInnis,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 12:45 PM, Apr 20, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08019
Laboratory Sample Number: A08019-001

Order: A08019
Date: 04/20/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK-041822**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	L-	µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	3. Benzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	4. Bromobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	5. Bromochloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	7. Bromoform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	8. Bromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	9. 2-Butanone	U		µg/L	25	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	10. n-Butylbenzene	U	V+	µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	15. Chlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	16. Chloroethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	17. Chloroform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	18. Chloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	22. Dibromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	35. Ethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
	37. 2-Hexanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08019
Laboratory Sample Number: A08019-001

Order: A08019
Date: 04/20/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-001** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK-041822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
42. MTBE	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
43. Naphthalene	U	V+ L+	µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
45. Styrene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
49. Toluene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/19/22	VB22D19A	04/19/22 13:08	VB22D19A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08019
Laboratory Sample Number: A08019-002

Order: A08019
Date: 04/20/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**EQUIPMENT BLANK-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**11:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-002** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: EQUIPMENT BLANK-041822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
3. Benzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
7. Bromoform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
8. Bromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
9. 2-Butanone	U		µg/L	25	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
10. n-Butylbenzene	U	V+	µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
16. Chloroethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
17. Chloroform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
18. Chloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
37. 2-Hexanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**EQUIPMENT BLANK-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**11:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-002** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: EQUIPMENT BLANK-041822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
42. MTBE	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
43. Naphthalene	U	V+ L+	µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
45. Styrene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
49. Toluene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/19/22	VB22D19A	04/19/22 13:35	VB22D19A	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08019
Laboratory Sample Number: A08019-003

Order: A08019
Date: 04/20/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-041822**

	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
	1. Acetone	U	L-	µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	3. Benzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	4. Bromobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	5. Bromochloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	7. Bromoform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	8. Bromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	9. 2-Butanone	U		µg/L	25	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	10. n-Butylbenzene	U	V+	µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	15. Chlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	16. Chloroethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	17. Chloroform	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	18. Chloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	22. Dibromomethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	27. 1,1-Dichloroethane	**3.0**		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	30. cis-1,2-Dichloroethene	**18**		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	31. trans-1,2-Dichloroethene	**1.3**		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	35. Ethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
	37. 2-Hexanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2-041822**	Chain of Custody:	**207305**
Client Project Name:	**TRW Milford (30046730)**	Sample No:		Collect Date:	**04/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08019-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2-041822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
42. MTBE	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
43. Naphthalene	U	V+ L+	µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
45. Styrene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
49. Toluene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	04/19/22	VB22D19A	04/19/22 14:02	VB22D19A	BRC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-19-8 (TX)

VB22D19A: Method Blank (MB)

EPA 8260D

Run Time: VB22D19A.MB 04/19/2022 11:47 [VB22D19A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VB22D19A: Method Blank (MB)

EPA 8260D

Run Time: VB22D19A.MB 04/19/2022 11:47 [VB22D19A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***99***		***80-120***
Dibromofluoromethane(S)	***101***		***80-120***
1,2-Dichloroethane-d4(S)	***100***		***80-120***
Toluene-d8(S)	***100***		***80-120***

VB22D19A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22D19A.LCS: 04/19/2022 10:27 [VB22D19A] VB22D19A.LCSD: 04/19/2022 10:54 [VB22D19A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	23.4	47	54-140	*	50.0	22.4	45	*	4	20	
Acrylonitrile	50.0	55.1	110	70-130		50.0	56.3	113		3	20	
Benzene	50.0	49.1	98	80-120		50.0	48.2	96		2	20	
Bromobenzene	50.0	50.2	100	75-125		50.0	49.3	99		1	20	
Bromochloromethane	50.0	49.3	99	70-130		50.0	48.7	97		2	20	
Bromodichloromethane	50.0	52.1	104	75-120		50.0	51.3	103		1	20	
Bromoform	50.0	51.1	102	70-130		50.0	51.8	104		2	20	
Bromomethane	50.0	49.3	99	68-135		50.0	47.9	96		3	20	
2-Butanone	50.0	38.2	76	70-148		50.0	39.1	78		3	20	
n-Butylbenzene	50.0	61.4	123	70-133		50.0	57.7	115		7	20	
sec-Butylbenzene	50.0	55.3	111	70-125		50.0	52.8	106		5	20	
tert-Butylbenzene	50.0	54.6	109	70-130		50.0	52.6	105		4	20	
Carbon Disulfide	50.0	43.7	87	70-130		50.0	41.9	84		4	20	
Carbon Tetrachloride	50.0	48.0	96	70-130		50.0	48.2	96		0	20	
Chlorobenzene	50.0	50.5	101	80-120		50.0	49.7	99		2	20	
Chloroethane	50.0	45.4	91	61-130		50.0	44.0	88		3	20	
Chloroform	50.0	48.1	96	80-120		50.0	48.5	97		1	20	
Chloromethane	50.0	51.3	103	67-125		50.0	50.2	100		3	20	
2-Chlorotoluene	50.0	53.2	106	75-125		50.0	51.3	103		3	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	56.4	113	70-130		50.0	56.9	114		1	20	
Dibromochloromethane	50.0	51.4	103	70-130		50.0	51.9	104		1	20	
Dibromomethane	50.0	49.7	99	75-125		50.0	50.3	101		2	20	
1,2-Dichlorobenzene	50.0	53.0	106	70-120		50.0	51.4	103		3	20	
1,3-Dichlorobenzene	50.0	52.6	105	75-125		50.0	51.4	103		2	20	
1,4-Dichlorobenzene	50.0	49.3	99	75-125		50.0	48.1	96		3	20	
Dichlorodifluoromethane	50.0	54.0	108	70-136		50.0	52.4	105		3	20	
1,1-Dichloroethane	50.0	49.9	100	70-130		50.0	49.2	98		2	20	
1,2-Dichloroethane	50.0	47.3	95	70-130		50.0	47.5	95		0	20	
1,1-Dichloroethene	50.0	45.2	90	78-120		50.0	43.5	87		3	20	
cis-1,2-Dichloroethene	50.0	50.3	101	70-125		50.0	50.2	100		1	20	
trans-1,2-Dichloroethene	50.0	48.2	96	70-130		50.0	47.2	94		2	20	
1,2-Dichloropropane	50.0	52.5	105	80-121		50.0	52.1	104		1	20	
cis-1,3-Dichloropropene	50.0	54.6	109	70-130		50.0	53.9	108		1	20	

VB22D19A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22D19A.LCS: 04/19/2022 10:27 [VB22D19A] VB22D19A.LCSD: 04/19/2022 10:54 [VB22D19A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	58.3	117	70-132		50.0	57.7	115		2	20	
Ethylbenzene	50.0	52.2	104	80-120		50.0	51.0	102		2	20	
Ethylene Dibromide	50.0	53.9	108	80-120		50.0	54.1	108		0	20	
2-Hexanone	50.0	39.6	79	70-130		50.0	39.0	78		1	20	
Isopropylbenzene	50.0	54.4	109	75-125		50.0	53.3	107		2	20	
4-Methyl-2-pentanone	50.0	57.3	115	70-130		50.0	58.2	116		1	20	
Methylene Chloride	50.0	42.2	84	70-130		50.0	35.1	70		18	20	
2-Methylnaphthalene	50.0	62.1	124	70-130		50.0	58.1	116		7	20	
MTBE	50.0	52.6	105	70-125		50.0	53.6	107		2	20	
Naphthalene	50.0	68.2	136	70-130	*	50.0	66.9	134	*	1	20	
n-Propylbenzene	50.0	53.9	108	70-130		50.0	52.0	104		4	20	
Styrene	50.0	49.5	99	70-130		50.0	49.1	98		1	20	
1,1,1,2-Tetrachloroethane	50.0	52.6	105	80-130		50.0	52.2	104		1	20	
1,1,2,2-Tetrachloroethane	50.0	61.9	124	70-130		50.0	62.5	125		1	20	
Tetrachloroethene	50.0	50.6	101	70-130		50.0	49.4	99		2	20	
Toluene	50.0	50.2	100	80-120		50.0	49.2	98		2	20	
1,2,4-Trichlorobenzene	50.0	59.2	118	70-130		50.0	57.8	116		2	20	
1,1,1-Trichloroethane	50.0	50.4	101	70-130		50.0	49.4	99		2	20	
1,1,2-Trichloroethane	50.0	52.4	105	75-125		50.0	52.3	105		0	20	
Trichloroethene	50.0	45.6	91	71-125		50.0	44.8	90		1	20	
Trichlorofluoromethane	50.0	51.7	103	70-133		50.0	48.8	98		5	20	
1,2,3-Trichloropropane	50.0	53.5	107	75-125		50.0	53.4	107		0	20	
1,2,3-Trimethylbenzene	50.0	53.1	106	70-130		50.0	51.7	103		3	20	
1,2,4-Trimethylbenzene	50.0	58.0	116	75-130		50.0	56.0	112		4	20	
1,3,5-Trimethylbenzene	50.0	55.3	111	75-130		50.0	53.5	107		4	20	
Vinyl Chloride	50.0	51.3	103	74-125		50.0	49.3	99		4	20	
m&p-Xylene	100	107	107	75-130		100	104	104		3	20	
o-Xylene	50.0	53.6	107	80-120		50.0	52.9	106		1	20	
4-Bromofluorobenzene(S)			***100***	***80-120***				***101***				
Dibromofluoromethane(S)			***99***	***80-120***				***100***				
1,2-Dichloroethane-d4(S)			***104***	***80-120***				***104***				
Toluene-d8(S)			***100***	***80-120***				***100***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 12:52 PM, Apr 20, 2022

Fibertec environmental services

Analytical Laboratory

1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe

11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 207305
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: TRW Milford 30046730
Email distribution list: marina.sampa@arcadis.com, john.mcinnis@arcadis.com
Quote#
Purchase Order# 30046730.0017

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260B	HOLD SAMPLE
4.18	1035		FIELDBLANK_041822	GW	3	3	
	~~1055~~ 1120		EQUIPMENTBLANK-041822	GW	3	3	
	1055		OW-16D2_041822	GW	3	3	
			TRIPBLANK		3	3	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; X EDD

Remarks: 1120 sample time

Received By Lab
APR 18 2022
Initials: EA

Received Onice

Comments:

	Date/ Time	Received By:
Sampled/Relinquished By: Stacey Hannula	4.18.22 12:10	
Relinquished By:	Date/ Time	Received By:
Relinquished By:	Date/ Time 4/18/22 15:15	Received By Laboratory: 4/18/22 1:30

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 48hr 2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A08019
Temperature upon receipt at Lab: 3.1 °C

Please see back for terms and conditions

Fibertec environmental services

Thursday, July 14, 2022

Fibertec Project Number:	A09642
Project Identification:	TRW Milford (30136112) /30136112
Submittal Date:	07/11/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Bailey Welch

By Bailey Welch at 2:53 PM, Jul 14, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-001

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:43**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_071122**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	L-	µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	3. Benzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	7. Bromoform	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	9. 2-Butanone	U		µg/L	25	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	17. Chloroform	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	27. 1,1-Dichloroethane	**3.5**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	30. cis-1,2-Dichloroethene	**18**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-001

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:43**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_071122**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
42. MTBE	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
45. Styrene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
49. Toluene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-002

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:42**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_071122**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	L-	µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	3. Benzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	7. Bromoform	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	9. 2-Butanone	U		µg/L	25	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	17. Chloroform	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	27. 1,1-Dichloroethane	**2.2**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	30. cis-1,2-Dichloroethene	**20**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	31. trans-1,2-Dichloroethene	**1.2**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-002

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:42**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_071122**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
42. MTBE	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
45. Styrene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
49. Toluene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-003

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK _071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-003** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK _071122**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
3. Benzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
7. Bromoform	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
8. Bromomethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
9. 2-Butanone	U		µg/L	25	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
16. Chloroethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
17. Chloroform	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
18. Chloromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
37. 2-Hexanone	U		µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-003

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK _071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-003** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK _071122**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
42. MTBE	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
43. Naphthalene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
45. Styrene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
49. Toluene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-004

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TB005473**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TB005473**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	L-	µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	3. Benzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	4. Bromobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	5. Bromochloromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	7. Bromoform	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	8. Bromomethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	9. 2-Butanone	U		µg/L	25	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	15. Chlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	16. Chloroethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	17. Chloroform	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	18. Chloromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	22. Dibromomethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	35. Ethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
	37. 2-Hexanone	U		µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-004

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TB005473**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TB005473**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
42. MTBE	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
43. Naphthalene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
45. Styrene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
49. Toluene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VM22G12B: Method Blank (MB)

EPA 8260D

Run Time: VM22G12B.MB 07/12/2022 11:43 [VM22G12B]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VM22G12B: Method Blank (MB)

EPA 8260D

Run Time: VM22G12B.MB 07/12/2022 11:43 [VM22G12B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*89*		*80-120*
Dibromofluoromethane(S)	*89*		*80-120*
1,2-Dichloroethane-d4(S)	*114*		*80-120*
Toluene-d8(S)	*94*		*80-120*

VM22G12B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22G12B.LCS: 07/12/2022 10:19 [VM22G12B] VM22G12B.LCSD: 07/12/2022 10:47 [VM22G12B]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Acetone	50.0	25.8	52	54-140	*	50.0	25.8	52	*	0	20	
Acrylonitrile	50.0	46.4	93	70-130		50.0	47.2	94		1	20	
Benzene	50.0	46.3	93	80-120		50.0	45.3	91		2	20	
Bromobenzene	50.0	48.1	96	75-125		50.0	47.6	95		1	20	
Bromochloromethane	50.0	47.6	95	70-130		50.0	46.5	93		2	20	
Bromodichloromethane	50.0	43.2	86	75-120		50.0	42.9	86		0	20	
Bromoform	50.0	48.2	96	70-130		50.0	48.8	98		2	20	
Bromomethane	50.0	54.0	108	68-135		50.0	51.6	103		5	20	
2-Butanone	50.0	36.4	73	70-148		50.0	38.3	77		5	20	
n-Butylbenzene	50.0	53.1	106	70-133		50.0	50.4	101		5	20	
sec-Butylbenzene	50.0	52.2	104	70-125		50.0	49.7	99		5	20	
tert-Butylbenzene	50.0	52.0	104	70-130		50.0	50.1	100		4	20	
Carbon Disulfide	50.0	43.5	87	70-130		50.0	36.6	73		18	20	
Carbon Tetrachloride	50.0	41.8	84	70-130		50.0	40.8	82		2	20	
Chlorobenzene	50.0	50.1	100	80-120		50.0	48.9	98		2	20	
Chloroethane	50.0	57.8	116	61-130		50.0	55.9	112		4	20	
Chloroform	50.0	47.0	94	80-120		50.0	45.9	92		2	20	
Chloromethane	50.0	50.3	101	67-125		50.0	47.5	95		6	20	
2-Chlorotoluene	50.0	48.4	97	75-125		50.0	47.6	95		2	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	47.5	95	70-130		50.0	48.4	97		2	20	
Dibromochloromethane	50.0	43.2	86	70-130		50.0	44.7	89		3	20	
Dibromomethane	50.0	42.8	86	75-125		50.0	42.7	85		1	20	
1,2-Dichlorobenzene	50.0	50.5	101	70-120		50.0	49.8	100		1	20	
1,3-Dichlorobenzene	50.0	50.8	102	75-125		50.0	49.1	98		4	20	
1,4-Dichlorobenzene	50.0	51.0	102	75-125		50.0	49.8	100		2	20	
Dichlorodifluoromethane	50.0	49.2	98	70-136		50.0	45.9	92		6	20	
1,1-Dichloroethane	50.0	47.9	96	70-130		50.0	46.0	92		4	20	
1,2-Dichloroethane	50.0	49.8	100	70-130		50.0	48.9	98		2	20	
1,1-Dichloroethene	50.0	50.3	101	78-120		50.0	43.1	86		16	20	
cis-1,2-Dichloroethene	50.0	48.8	98	70-125		50.0	48.0	96		2	20	
trans-1,2-Dichloroethene	50.0	51.1	102	70-130		50.0	49.4	99		3	20	
1,2-Dichloropropane	50.0	47.4	95	80-121		50.0	46.5	93		2	20	
cis-1,3-Dichloropropene	50.0	41.1	82	70-130		50.0	40.8	82		0	20	

VM22G12B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22G12B.LCS: 07/12/2022 10:19 [VM22G12B] VM22G12B.LCSD: 07/12/2022 10:47 [VM22G12B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	44.4	89	70-132		50.0	44.8	90		1	20	
Ethylbenzene	50.0	51.5	103	80-120		50.0	49.2	98		5	20	
Ethylene Dibromide	50.0	44.2	88	80-120		50.0	45.7	91		3	20	
2-Hexanone	50.0	47.8	96	70-130		50.0	48.2	96		0	20	
Isopropylbenzene	50.0	50.9	102	75-125		50.0	48.5	97		5	20	
4-Methyl-2-pentanone	50.0	53.0	106	70-130		50.0	52.3	105		1	20	
Methylene Chloride	50.0	47.2	94	70-130		50.0	45.2	90		4	20	
2-Methylnaphthalene	50.0	45.9	92	70-130		50.0	46.8	94		2	20	
MTBE	50.0	47.3	95	70-125		50.0	49.8	100		5	20	
Naphthalene	50.0	43.3	87	70-130		50.0	43.3	87		0	20	
n-Propylbenzene	50.0	50.9	102	70-130		50.0	49.0	98		4	20	
Styrene	50.0	43.1	86	70-130		50.0	41.9	84		2	20	
1,1,1,2-Tetrachloroethane	50.0	46.9	94	80-130		50.0	47.2	94		0	20	
1,1,2,2-Tetrachloroethane	50.0	49.6	99	70-130		50.0	50.2	100		1	20	
Tetrachloroethene	50.0	49.8	100	70-130		50.0	49.0	98		2	20	
Toluene	50.0	48.5	97	80-120		50.0	45.3	91		6	20	
1,2,4-Trichlorobenzene	50.0	48.3	97	70-130		50.0	47.0	94		3	20	
1,1,1-Trichloroethane	50.0	43.3	87	70-130		50.0	42.4	85		2	20	
1,1,2-Trichloroethane	50.0	46.2	92	75-125		50.0	48.5	97		5	20	
Trichloroethene	50.0	43.7	87	71-125		50.0	42.4	85		2	20	
Trichlorofluoromethane	50.0	55.3	111	70-133		50.0	54.0	108		3	20	
1,2,3-Trichloropropane	50.0	51.2	102	75-125		50.0	52.1	104		2	20	
1,2,3-Trimethylbenzene	50.0	50.4	101	70-130		50.0	48.8	98		3	20	
1,2,4-Trimethylbenzene	50.0	51.9	104	75-130		50.0	50.2	100		4	20	
1,3,5-Trimethylbenzene	50.0	51.7	103	75-130		50.0	50.1	100		3	20	
Vinyl Chloride	50.0	48.9	98	74-125		50.0	45.2	90		9	20	
m&p-Xylene	100	99.8	100	75-130		100	95.1	95		5	20	
o-Xylene	50.0	49.3	99	80-120		50.0	47.3	95		4	20	
4-Bromofluorobenzene(S)			*98*	*80-120*				*97*				
Dibromofluoromethane(S)			*93*	*80-120*				*93*				
1,2-Dichloroethane-d4(S)			*111*	*80-120*				*110*				
Toluene-d8(S)			*99*	*80-120*				*95*				

VM22G13A: Method Blank (MB)

EPA 8260D

Run Time: VM22G13A.MB 07/13/2022 11:01 [VM22G13A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VM22G13A: Method Blank (MB)

EPA 8260D

Run Time: VM22G13A.MB 07/13/2022 11:01 [VM22G13A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*91*		*80-120*
Dibromofluoromethane(S)	*91*		*80-120*
1,2-Dichloroethane-d4(S)	*113*		*80-120*
Toluene-d8(S)	*94*		*80-120*

VM22G13A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22G13A.LCS: 07/13/2022 09:37 [VM22G13A] VM22G13A.LCSD: 07/13/2022 10:05 [VM22G13A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	25.8	52	54-140	*	50.0	25.6	51	*	2	20	
Acrylonitrile	50.0	48.0	96	70-130		50.0	48.5	97		1	20	
Benzene	50.0	46.4	93	80-120		50.0	47.6	95		2	20	
Bromobenzene	50.0	49.5	99	75-125		50.0	48.6	97		2	20	
Bromochloromethane	50.0	48.8	98	70-130		50.0	48.9	98		0	20	
Bromodichloromethane	50.0	45.0	90	75-120		50.0	45.6	91		1	20	
Bromoform	50.0	50.1	100	70-130		50.0	51.4	103		3	20	
Bromomethane	50.0	53.1	106	68-135		50.0	55.7	111		5	20	
2-Butanone	50.0	37.5	75	70-148		50.0	38.4	77		3	20	
n-Butylbenzene	50.0	55.0	110	70-133		50.0	55.1	110		0	20	
sec-Butylbenzene	50.0	53.5	107	70-125		50.0	53.6	107		0	20	
tert-Butylbenzene	50.0	52.8	106	70-130		50.0	53.1	106		0	20	
Carbon Disulfide	50.0	44.6	89	70-130		50.0	45.2	90		1	20	
Carbon Tetrachloride	50.0	45.1	90	70-130		50.0	45.9	92		2	20	
Chlorobenzene	50.0	50.8	102	80-120		50.0	51.5	103		1	20	
Chloroethane	50.0	58.5	117	61-130		50.0	59.2	118		1	20	
Chloroform	50.0	47.6	95	80-120		50.0	48.2	96		1	20	
Chloromethane	50.0	49.2	98	67-125		50.0	52.3	105		7	20	
2-Chlorotoluene	50.0	49.5	99	75-125		50.0	49.5	99		0	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	49.5	99	70-130		50.0	49.7	99		0	20	
Dibromochloromethane	50.0	45.4	91	70-130		50.0	46.5	93		2	20	
Dibromomethane	50.0	45.8	92	75-125		50.0	45.7	91		1	20	
1,2-Dichlorobenzene	50.0	51.2	102	70-120		50.0	51.1	102		0	20	
1,3-Dichlorobenzene	50.0	51.7	103	75-125		50.0	51.7	103		0	20	
1,4-Dichlorobenzene	50.0	51.8	104	75-125		50.0	51.5	103		1	20	
Dichlorodifluoromethane	50.0	53.2	106	70-136		50.0	55.4	111		5	20	
1,1-Dichloroethane	50.0	48.0	96	70-130		50.0	48.6	97		1	20	
1,2-Dichloroethane	50.0	50.0	100	70-130		50.0	49.9	100		0	20	
1,1-Dichloroethene	50.0	50.9	102	78-120		50.0	51.9	104		2	20	
cis-1,2-Dichloroethene	50.0	49.0	98	70-125		50.0	50.1	100		2	20	
trans-1,2-Dichloroethene	50.0	51.8	104	70-130		50.0	52.6	105		1	20	
1,2-Dichloropropane	50.0	47.8	96	80-121		50.0	48.7	97		1	20	
cis-1,3-Dichloropropene	50.0	42.7	85	70-130		50.0	43.6	87		2	20	

VM22G13A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22G13A.LCS: 07/13/2022 09:37 [VM22G13A] VM22G13A.LCSD: 07/13/2022 10:05 [VM22G13A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	47.0	94	70-132		50.0	47.9	96		2	20	
Ethylbenzene	50.0	51.7	103	80-120		50.0	52.7	105		2	20	
Ethylene Dibromide	50.0	47.3	95	80-120		50.0	48.2	96		1	20	
2-Hexanone	50.0	48.4	97	70-130		50.0	49.4	99		2	20	
Isopropylbenzene	50.0	51.8	104	75-125		50.0	53.1	106		2	20	
4-Methyl-2-pentanone	50.0	53.6	107	70-130		50.0	53.9	108		1	20	
Methylene Chloride	50.0	46.6	93	70-130		50.0	47.3	95		2	20	
2-Methylnaphthalene	50.0	48.0	96	70-130		50.0	46.6	93		3	20	
MTBE	50.0	48.4	97	70-125		50.0	49.9	100		3	20	
Naphthalene	50.0	46.0	92	70-130		50.0	44.3	89		3	20	
n-Propylbenzene	50.0	52.2	104	70-130		50.0	52.2	104		0	20	
Styrene	50.0	44.1	88	70-130		50.0	44.5	89		1	20	
1,1,1,2-Tetrachloroethane	50.0	49.0	98	80-130		50.0	51.0	102		4	20	
1,1,2,2-Tetrachloroethane	50.0	52.6	105	70-130		50.0	52.8	106		1	20	
Tetrachloroethene	50.0	52.4	105	70-130		50.0	53.0	106		1	20	
Toluene	50.0	48.3	97	80-120		50.0	48.6	97		0	20	
1,2,4-Trichlorobenzene	50.0	50.8	102	70-130		50.0	49.4	99		3	20	
1,1,1-Trichloroethane	50.0	44.7	89	70-130		50.0	46.4	93		4	20	
1,1,2-Trichloroethane	50.0	48.4	97	75-125		50.0	49.6	99		2	20	
Trichloroethene	50.0	44.3	89	71-125		50.0	45.9	92		3	20	
Trichlorofluoromethane	50.0	59.1	118	70-133		50.0	60.0	120		2	20	
1,2,3-Trichloropropane	50.0	54.0	108	75-125		50.0	52.0	104		4	20	
1,2,3-Trimethylbenzene	50.0	51.2	102	70-130		50.0	50.8	102		0	20	
1,2,4-Trimethylbenzene	50.0	52.9	106	75-130		50.0	52.6	105		1	20	
1,3,5-Trimethylbenzene	50.0	52.7	105	75-130		50.0	52.9	106		1	20	
Vinyl Chloride	50.0	49.1	98	74-125		50.0	51.6	103		5	20	
m&p-Xylene	100	100	100	75-130		100	102	102		2	20	
o-Xylene	50.0	49.8	100	80-120		50.0	50.5	101		1	20	
4-Bromofluorobenzene(S)			*98*	*80-120*				*99*				
Dibromofluoromethane(S)			*94*	*80-120*				*94*				
1,2-Dichloroethane-d4(S)			*107*	*80-120*				*108*				
Toluene-d8(S)			*98*	*80-120*				*97*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Bailey Welch

By Bailey Welch at 3:12 PM, Jul 14, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Revised

Chain of Custody # 205973
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com
john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260R	HOLD SAMPLE	Remarks:
7.11.22	0943		OW-16D2-071122	GW	3	3		48hr TAT
			~~OW-D~~					
7.11.22	1042		OW-16D2R1_071122	GW	3	3		48hr TAT
7.11.22	1010		FIELD BLANK_071122	GW	3	3		std TAT
~~7-11-22~~			~~Trip Blank~~			1		~~std~~ TAT

PARAMETERS

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
JUL 11 2022
Initials: BP

Comments:
~~Client~~ confirmed via email 7/11/22 -RL

Sampled/Relinquished By: Stacey Hannula	Date/ Time 7.11.22 1225	Received By: Russ Scott
Relinquished By: Russ Scott	Date/ Time	Received By:
Relinquished By:	Date/ Time 7/11/22 14:45	Received By Laboratory: Brandy Powers 7/11/22 12:40

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

____1 bus. day 2 2 bus. days ____3 bus. days ____4 bus. days

1 5-7 bus. days (standard) Other (specify time/date requirement): ____

LAB USE ONLY
Fibertec project number: A09642
Temperature upon receipt at Lab: 5.1 °C

Please see back for terms and conditions

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 205973
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com
john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260B	HOLD SAMPLE	Remarks
7.11.22	0943		OW-16D2-071122	GW	3	3		48hr TAT
			~~OW-D~~					
7.11.22	1042		OW-16D2R1_071122	GW	3	3		48hr TAT
7.11.22	1010		FIELD BLANK_071122	GW	3	3		std TAT

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
JUL 11 2022
Initials: BP

Comments:

Sampled/Relinquished By: Stacey Hannula	Date/ Time 7.11.22 1225	Received By: Kriss Scott
Relinquished By: Kriss Scott	Date/ Time	Received By:
Relinquished By:	Date/ Time 7/11/22 14:45	Received By Laboratory: Brandy Powers 7/11/22 12:40

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day 2 2 bus. days _____3 bus. days _____4 bus. days

1 5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A09642
Temperature upon receipt at Lab: 5.1°C

Please see back for terms and conditions

Fibertec environmental services

Wednesday, August 10, 2022

Fibertec Project Number:	A10163
Project Identification:	TRW Milford (30136112) /30136112
Submittal Date:	08/08/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

By Jacob Sutherlund at 1:59 PM, Aug 10, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-001

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_080822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
27. 1,1-Dichloroethane	**3.6**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
30. cis-1,2-Dichloroethene	**16**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-001

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_080822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**101**	%	80-120	VB	VB22H09A	8/9/2022 17:16	1	VBWAT
Dibromofluoromethane(S)	**96**	%	80-120	VB	VB22H09A	8/9/2022 17:16	1	VBWAT
1,2-Dichloroethane-d4(S)	**101**	%	80-120	VB	VB22H09A	8/9/2022 17:16	1	VBWAT
Toluene-d8(S)	**101**	%	80-120	VB	VB22H09A	8/9/2022 17:16	1	VBWAT

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-002

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:59**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_080822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
27. 1,1-Dichloroethane	**2.2**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
30. cis-1,2-Dichloroethene	**20**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
31. trans-1,2-Dichloroethene	**1.3**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-002

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:59**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_080822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 17:41	1	VBWAT
Dibromofluoromethane(S)	**95**	%	80-120	VB	VB22H09A	8/9/2022 17:41	1	VBWAT
1,2-Dichloroethane-d4(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 17:41	1	VBWAT
Toluene-d8(S)	**98**	%	80-120	VB	VB22H09A	8/9/2022 17:41	1	VBWAT

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-003

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_080822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
30. cis-1,2-Dichloroethene	**11**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-003

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_080822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 18:05	1	VBWAT
Dibromofluoromethane(S)	**95**	%	80-120	VB	VB22H09A	8/9/2022 18:05	1	VBWAT
1,2-Dichloroethane-d4(S)	**99**	%	80-120	VB	VB22H09A	8/9/2022 18:05	1	VBWAT
Toluene-d8(S)	**99**	%	80-120	VB	VB22H09A	8/9/2022 18:05	1	VBWAT

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-004

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-004** **Matrix: Blank: Field**
Method: EPA 0624.1/EPA 8260D **Description: Field Blank_080822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-004

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-004** **Matrix: Blank: Field**
Method: EPA 0624.1/EPA 8260D **Description: Field Blank_080822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**98**	%	80-120	VB	VB22H09A	8/9/2022 12:43	1	VBWAT
Dibromofluoromethane(S)	**95**	%	80-120	VB	VB22H09A	8/9/2022 12:43	1	VBWAT
1,2-Dichloroethane-d4(S)	**102**	%	80-120	VB	VB22H09A	8/9/2022 12:43	1	VBWAT
Toluene-d8(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 12:43	1	VBWAT

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-005

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-005

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**98**	%	80-120	VB	VB22H09A	8/9/2022 13:08	1	VBWAT
Dibromofluoromethane(S)	**94**	%	80-120	VB	VB22H09A	8/9/2022 13:08	1	VBWAT
1,2-Dichloroethane-d4(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 13:08	1	VBWAT
Toluene-d8(S)	**101**	%	80-120	VB	VB22H09A	8/9/2022 13:08	1	VBWAT

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits
D: The sample or extract was analyzed at a DF greater than 1.

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VB22H09A: Method Blank (MB)

EPA 8260D

Run Time: VB22H09A.MB 08/09/2022 12:18 [VB22H09A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VB22H09A: Method Blank (MB)

EPA 8260D

Run Time: VB22H09A.MB 08/09/2022 12:18 [VB22H09A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*100*		*80-120*
Dibromofluoromethane(S)	*96*		*80-120*
1,2-Dichloroethane-d4(S)	*99*		*80-120*
Toluene-d8(S)	*99*		*80-120*

VB22H09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22H09A.LCS: 08/09/2022 11:04 [VB22H09A] VB22H09A.LCSD: 08/09/2022 11:28 [VB22H09A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	22.2	44	40-130		50.0	20.6	41		7	20	
Acrylonitrile	50.0	49.0	98	70-130		50.0	49.5	99		1	20	
Benzene	50.0	48.6	97	80-120		50.0	46.4	93		4	20	
Bromobenzene	50.0	45.7	91	75-125		50.0	45.1	90		1	20	
Bromochloromethane	50.0	50.7	101	70-130		50.0	49.7	99		2	20	
Bromodichloromethane	50.0	56.6	113	75-120		50.0	55.6	111		2	20	
Bromoform	50.0	50.9	102	70-130		50.0	49.9	100		2	20	
Bromomethane	50.0	56.4	113	68-135		50.0	52.9	106		6	20	
2-Butanone	50.0	32.3	65	40-129		50.0	32.7	65		0	20	
n-Butylbenzene	50.0	49.9	100	70-133		50.0	47.6	95		5	20	
sec-Butylbenzene	50.0	51.3	103	70-125		50.0	49.2	98		5	20	
tert-Butylbenzene	50.0	50.0	100	70-130		50.0	48.2	96		4	20	
Carbon Disulfide	50.0	57.5	115	70-130		50.0	55.8	112		3	20	
Carbon Tetrachloride	50.0	57.8	116	70-130		50.0	54.0	108		7	20	
Chlorobenzene	50.0	51.2	102	80-120		50.0	48.9	98		4	20	
Chloroethane	50.0	53.0	106	61-130		50.0	48.5	97		9	20	
Chloroform	50.0	51.5	103	80-120		50.0	49.4	99		4	20	
Chloromethane	50.0	50.5	101	67-125		50.0	46.6	93		8	20	
2-Chlorotoluene	50.0	47.2	94	75-125		50.0	46.6	93		1	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	51.6	103	70-130		50.0	55.3	111		7	20	
Dibromochloromethane	50.0	56.4	113	70-130		50.0	56.2	112		1	20	
Dibromomethane	50.0	51.6	103	75-125		50.0	50.3	101		2	20	
1,2-Dichlorobenzene	50.0	49.2	98	70-120		50.0	49.0	98		0	20	
1,3-Dichlorobenzene	50.0	49.3	99	75-125		50.0	48.7	97		2	20	
1,4-Dichlorobenzene	50.0	47.5	95	75-125		50.0	46.4	93		2	20	
Dichlorodifluoromethane	50.0	60.0	120	70-136		50.0	54.9	110		9	20	
1,1-Dichloroethane	50.0	48.6	97	70-130		50.0	45.6	91		6	20	
1,2-Dichloroethane	50.0	45.0	90	70-130		50.0	44.2	88		2	20	
1,1-Dichloroethene	50.0	42.3	85	78-120		50.0	38.3	77	*	10	20	
cis-1,2-Dichloroethene	50.0	47.3	95	70-125		50.0	45.5	91		4	20	
trans-1,2-Dichloroethene	50.0	46.6	93	70-130		50.0	43.1	86		8	20	
1,2-Dichloropropane	50.0	51.1	102	80-121		50.0	49.0	98		4	20	
cis-1,3-Dichloropropene	50.0	53.4	107	70-130		50.0	53.2	106		1	20	

VB22H09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22H09A.LCS: 08/09/2022 11:04 [VB22H09A] VB22H09A.LCSD: 08/09/2022 11:28 [VB22H09A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	55.4	111	70-132		50.0	53.4	107		4	20	
Ethylbenzene	50.0	53.4	107	80-120		50.0	50.1	100		7	20	
Ethylene Dibromide	50.0	51.5	103	80-120		50.0	51.4	103		0	20	
2-Hexanone	50.0	36.5	73	70-130		50.0	37.0	74		1	20	
Isopropylbenzene	50.0	52.7	105	75-125		50.0	49.7	99		6	20	
4-Methyl-2-pentanone	50.0	52.4	105	70-130		50.0	51.6	103		2	20	
Methylene Chloride	50.0	39.4	79	70-130		50.0	37.9	76		4	20	
2-Methylnaphthalene	50.0	49.1	98	70-130		50.0	51.9	104		6	20	
MTBE	50.0	50.6	101	70-125		50.0	49.2	98		3	20	
Naphthalene	50.0	47.4	95	70-130		50.0	51.3	103		8	20	
n-Propylbenzene	50.0	50.9	102	70-130		50.0	49.8	100		2	20	
Styrene	50.0	49.0	98	70-130		50.0	48.0	96		2	20	
1,1,1,2-Tetrachloroethane	50.0	58.0	116	80-130		50.0	56.3	113		3	20	
1,1,2,2-Tetrachloroethane	50.0	51.2	102	70-130		50.0	51.2	102		0	20	
Tetrachloroethene	50.0	53.3	107	70-130		50.0	50.0	100		7	20	
Toluene	50.0	50.8	102	80-120		50.0	48.7	97		5	20	
1,2,4-Trichlorobenzene	50.0	49.9	100	70-130		50.0	50.8	102		2	20	
1,1,1-Trichloroethane	50.0	57.5	115	70-130		50.0	54.7	109		5	20	
1,1,2-Trichloroethane	50.0	53.2	106	75-125		50.0	51.7	103		3	20	
Trichloroethene	50.0	50.7	101	71-125		50.0	48.6	97		4	20	
Trichlorofluoromethane	50.0	56.7	113	70-133		50.0	53.8	108		5	20	
1,2,3-Trichloropropane	50.0	48.7	97	75-125		50.0	51.6	103		6	20	
1,2,3-Trimethylbenzene	50.0	47.1	94	70-130		50.0	46.5	93		1	20	
1,2,4-Trimethylbenzene	50.0	51.3	103	75-130		50.0	50.6	101		2	20	
1,3,5-Trimethylbenzene	50.0	50.3	101	75-130		50.0	49.7	99		2	20	
Vinyl Chloride	50.0	51.0	102	74-125		50.0	48.2	96		6	20	
m&p-Xylene	100	104	104	75-130		100	99.6	100		4	20	
o-Xylene	50.0	49.4	99	80-120		50.0	47.5	95		4	20	
4-Bromofluorobenzene(S)			*101*	*80-120*				*101*				
Dibromofluoromethane(S)			*103*	*80-120*				*103*				
1,2-Dichloroethane-d4(S)			*101*	*80-120*				*100*				
Toluene-d8(S)			*100*	*80-120*				*100*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

By Jacob Sutherlund at 2:06 PM, Aug 10, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
206299
PAGE ___ of ___

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com
john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260B									HOLD SAMPLE	Remarks:
8.8.22	0910		OW-16D2_080822	GW	3	X										rush TAT
8.8.22	0959		OW-16D2R1_080822	GW	3	X										rush TAT
8.8.22	1125		OW-16D2R2_080822	GW	3	X										rush TAT
8.8.22	1110		FIELDBLANK_080822	~~GW~~	3	X										Std. TAT OK
			TRIP BLANK 2	X	3	X										Std. TAT OK
			pH test kit		1											from OW-16D2R1 sample

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
AUG 08 2022
Initials: JS

Comments:

Sampled/Relinquished By: Stacey Hannula / Stacey Hannula / Arcadis	Date/ Time 8.8.22 1240	Received By: Jesse Scott	
Relinquished By: Jesse Scott	Date/ Time	Received By: Nate Shade	8/8/22 5:25
Relinquished By: Nate Shade	Date/ Time 8/8/22 18:30	Received By Laboratory:	

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days (48hr) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A10163
Temperature upon receipt at Lab: 4.2

Received On Ice

Please see back for terms and conditions

Fibertec environmental services

Tuesday, September 13, 2022

Fibertec Project Number:	A10763
Project Identification:	TRW Milford (30136112) /30136112
Submittal Date:	09/08/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Bailey Welch

By Bailey Welch at 4:59 PM, Sep 13, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-001

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
27. 1,1-Dichloroethane	**3.9**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
30. cis-1,2-Dichloroethene	**21**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
31. trans-1,2-Dichloroethene	**1.8**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-001

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-002

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:07**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_090822**

						Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡	7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	27. 1,1-Dichloroethane	**2.5**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	30. cis-1,2-Dichloroethene	**22**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	31. trans-1,2-Dichloroethene	**1.4**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-002

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:07**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-003

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_090822**

						Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡	7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	30. cis-1,2-Dichloroethene	**12**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-003

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-004

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-004

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-005

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:40**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-005** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK_090822**

						Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡	7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	KYD
	8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-005

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:40**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-005** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-22-14 (TX)

VM22I09A: Method Blank (MB)

EPA 8260D

Run Time: VM22I09A.MB 09/09/2022 11:19 [VM22I09A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50
trans-1,3-Dichloropropene	U		0.50

VM22I09A: Method Blank (MB)

EPA 8260D

Run Time: VM22I09A.MB 09/09/2022 11:19 [VM22I09A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*100*		*80-120*
Dibromofluoromethane(S)	*106*		*80-120*
1,2-Dichloroethane-d4(S)	*101*		*80-120*
Toluene-d8(S)	*102*		*80-120*

VM22I09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22I09A.LCS: 09/09/2022 09:54 [VM22I09A] VM22I09A.LCSD: 09/09/2022 10:22 [VM22I09A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	24.9	50	40-130		50.0	26.4	53		6	20	
Acrylonitrile	50.0	50.4	101	70-130		50.0	52.8	106		5	20	
Benzene	50.0	49.4	99	80-120		50.0	47.9	96		3	20	
Bromobenzene	50.0	45.4	91	75-125		50.0	44.7	89		2	20	
Bromochloromethane	50.0	51.8	104	70-130		50.0	52.4	105		1	20	
Bromodichloromethane	50.0	50.8	102	75-120		50.0	50.5	101		1	20	
Bromomethane	50.0	51.0	102	68-135		50.0	49.4	99		3	20	
2-Butanone	50.0	35.1	70	40-129		50.0	37.3	75		7	20	
n-Butylbenzene	50.0	49.9	100	70-133		50.0	47.6	95		5	20	
sec-Butylbenzene	50.0	48.6	97	70-125		50.0	46.6	93		4	20	
tert-Butylbenzene	50.0	47.9	96	70-130		50.0	46.1	92		4	20	
Carbon Disulfide	50.0	56.7	113	70-130		50.0	55.1	110		3	20	
Carbon Tetrachloride	50.0	50.0	100	70-130		50.0	48.8	98		2	20	
Chlorobenzene	50.0	50.0	100	80-120		50.0	48.7	97		3	20	
Chloroethane	50.0	51.1	102	61-130		50.0	49.6	99		3	20	
Chloroform	50.0	50.5	101	80-120		50.0	50.1	100		1	20	
Chloromethane	50.0	54.8	110	67-125		50.0	54.1	108		2	20	
2-Chlorotoluene	50.0	47.6	95	75-125		50.0	46.1	92		3	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	43.4	87	70-130		50.0	44.9	90		3	20	
Dibromochloromethane	50.0	50.1	100	70-130		50.0	50.2	100		0	20	
Dibromomethane	50.0	47.7	95	75-125		50.0	47.9	96		1	20	
1,2-Dichlorobenzene	50.0	48.8	98	70-120		50.0	48.5	97		1	20	
1,3-Dichlorobenzene	50.0	49.2	98	75-125		50.0	48.0	96		2	20	
1,4-Dichlorobenzene	50.0	48.7	97	75-125		50.0	47.7	95		2	20	
Dichlorodifluoromethane	50.0	58.4	117	70-136		50.0	56.9	114		3	20	
1,1-Dichloroethane	50.0	51.6	103	70-130		50.0	51.2	102		1	20	
1,2-Dichloroethane	50.0	47.4	95	70-130		50.0	47.7	95		0	20	
1,1-Dichloroethene	50.0	47.3	95	78-120		50.0	50.2	100		5	20	
cis-1,2-Dichloroethene	50.0	51.9	104	70-125		50.0	51.4	103		1	20	
trans-1,2-Dichloroethene	50.0	52.2	104	70-130		50.0	51.1	102		2	20	
1,2-Dichloropropane	50.0	51.7	103	80-121		50.0	50.6	101		2	20	
cis-1,3-Dichloropropene	50.0	51.9	104	70-130		50.0	51.6	103		1	20	
trans-1,3-Dichloropropene	50.0	53.3	107	70-132		50.0	53.2	106		1	20	

VM22I09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VM22I09A.LCS: 09/09/2022 09:54 [VM22I09A] VM22I09A.LCSD: 09/09/2022 10:22 [VM22I09A]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Ethylbenzene	50.0	49.1	98	80-120		50.0	47.8	96		2	20	
Ethylene Dibromide	50.0	44.6	89	80-120		50.0	45.2	90		1	20	
2-Hexanone	50.0	36.5	73	70-130		50.0	38.5	77		5	20	
Isopropylbenzene	50.0	49.1	98	75-125		50.0	47.9	96		2	20	
4-Methyl-2-pentanone	50.0	52.0	104	70-130		50.0	54.4	109		5	20	
Methylene Chloride	50.0	51.3	103	70-130		50.0	51.5	103		0	20	
2-Methylnaphthalene	50.0	43.7	87	70-130		50.0	43.3	87		0	20	
MTBE	50.0	55.6	111	70-125		50.0	57.4	115		4	20	
Naphthalene	50.0	46.1	92	70-130		50.0	46.8	94		2	20	
n-Propylbenzene	50.0	49.4	99	70-130		50.0	47.7	95		4	20	
Styrene	50.0	48.5	97	70-130		50.0	47.2	94		3	20	
1,1,1,2-Tetrachloroethane	50.0	50.7	101	80-130		50.0	49.5	99		2	20	
1,1,2,2-Tetrachloroethane	50.0	53.1	106	70-130		50.0	53.8	108		2	20	
Tetrachloroethene	50.0	50.3	101	70-130		50.0	48.2	96		5	20	
Toluene	50.0	50.2	100	80-120		50.0	48.7	97		3	20	
1,2,4-Trichlorobenzene	50.0	48.5	97	70-130		50.0	48.0	96		1	20	
1,1,1-Trichloroethane	50.0	52.1	104	70-130		50.0	51.1	102		2	20	
1,1,2-Trichloroethane	50.0	48.7	97	75-125		50.0	48.9	98		1	20	
Trichloroethene	50.0	45.9	92	71-125		50.0	44.3	89		3	20	
Trichlorofluoromethane	50.0	54.7	109	70-133		50.0	53.6	107		2	20	
1,2,3-Trichloropropane	50.0	46.0	92	75-125		50.0	47.7	95		3	20	
1,2,3-Trimethylbenzene	50.0	48.3	97	70-130		50.0	46.5	93		4	20	
1,2,4-Trimethylbenzene	50.0	51.2	102	75-130		50.0	49.5	99		3	20	
1,3,5-Trimethylbenzene	50.0	48.7	97	75-130		50.0	47.4	95		2	20	
Vinyl Chloride	50.0	51.7	103	74-125		50.0	50.5	101		2	20	
m&p-Xylene	100	99.2	99	75-130		100	95.8	96		3	20	
o-Xylene	50.0	47.6	95	80-120		50.0	46.6	93		2	20	
4-Bromofluorobenzene(S)			*99*	*80-120*				*101*				
Dibromofluoromethane(S)			*103*	*80-120*				*107*				
1,2-Dichloroethane-d4(S)			*98*	*80-120*				*101*				
Toluene-d8(S)			*100*	*80-120*				*101*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Bailey Welch

By Bailey Welch at 5:08 PM, Sep 13, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 212794
PAGE ___ of ___

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com, john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260B	HOLD SAMPLE	Remarks:
9.8.22	0920		OW-16D2_090822	GW	3	X		rush TAT
9.8.22	1007		OW-16D2R1_090822	GW	3	X		rush TAT
9.8.22	1055		OW-16D2R2_090822	GW	3	X		rush TAT
-			TRIPBLANK		3	X		std TAT ok
9.8.22	1040		FIELDBLANK_090822		3	X		std TAT ok

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received On Ice

Received By Lab
SEP 08 2022
Initials: JS

Comments:

Sampled/Relinquished By: Arcadis/Stacey Hannula — Date/ Time: 9.8.22 1:00pm — Received By:
Relinquished By: — Date/ Time: — Received By:
Relinquished By: — Date/ Time: 9/8/22 18:47 — Received By Laboratory: 9/8/22 5:35

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days 48hr _____3 bus. days _____4 bus. days
_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A10763
Temperature upon receipt at Lab: 4.4°C

Please see back for terms and conditions

Fibertec
environmental
services

Tuesday, October 4, 2022

Fibertec Project Number:	A11227 Amended
Project Identification:	TRW Milford (30136112) /30136112
Submittal Date:	10/03/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

Analytical report amended due to a data upload error for sample A11227-001 (OW-16D2_100322). This report replaces the origianl report created 10/4/22 @ 3: 52 PM.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

By Katherine Jones at 5:01 PM, Oct 04, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-001

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:32**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_100322**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡	7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	KYD
	17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	27. 1,1-Dichloroethane	**3.2**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	30. cis-1,2-Dichloroethene	**17**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	31. trans-1,2-Dichloroethene	**1.4**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:32**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-002

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:18**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
27. 1,1-Dichloroethane	**2.1**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
31. trans-1,2-Dichloroethene	**1.1**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-002

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:18**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-003

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**11:07**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
30. cis-1,2-Dichloroethene	**10**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-003

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**11:07**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-004

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Fieldblank_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**13:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-004** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Fieldblank_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Fieldblank_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**13:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-004** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Fieldblank_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-005

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-005

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-22-14 (TX)

Fibertec environmental services

Analytical Laboratory

1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe

11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
205827
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com
john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260B	HOLD SAMPLE	Remarks:
10/3/22	0932		OW-16D2_100322	GW	3	x		48hr TAT
10/3/22	1018		OW-16D2R1_100322	GW	3	x		48hr TAT
10/3/22	1107		OW-16D2R2_100322	GW	3	x		48hr TAT
10/3/22	1100		FIELDBLANK_100322	-	3	x		std TAT
-			TRIP BLANK	-	3	x		std TAT

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
OCT 03 2022
Initials: AW

Comments:

Sampled/Relinquished By: Stacey Hannula/Arcadis	Date/ Time 10/3/22 1204	Received By: Kriss Scott
Relinquished By: Kriss Scott	Date/ Time	Received By: [signature] 10/3/22 1:00
Relinquished By: [signature]	Date/ Time 10/3/22 14:49	Received By Laboratory: [signature]

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A11227

Received On Ice

Temperature upon receipt at Lab: 5.0°C

Please see back for terms and conditions

Attachment 12

Well Profile Analysis Report - Chemical and Biological (OW-16D2)

Date: July 28, 2022

Lab Report No. 22457

John McInnis
Arcadis
28550 Cabot Drive, Suite 500
Novi, Michigan 48377

Project Description: ZF North America Inc. Well OW-16D2; Samples dated: 06/06/2022
Complete Well Profile (1), PO# KH Milford, John McInnis
PN:30036112.H2

Test Description:

The Complete Well Profile analysis is designed for comparative analysis of two samples, typically one static and one pumping sample. The Complete Well Profile utilizes a series of inorganic chemical and microbiological tests to identify fouling and corrosion issues with potential impacts on the operation of the sampled well. The tests include a number of inorganic chemical parameters such as pH, total dissolved solids/conductivity, hardness, alkalinity, oxidation reduction potential (ORP), bicarbonate, carbonates, silica, sodium, potassium, chloride, iron, manganese, phosphate, nitrate, sulfate, and total organic carbon (TOC). Biological assessment is designed to quantify the total bacterial population, identify two dominant populations of bacteria, assess anaerobic conditions, and identify the presence of iron related bacteria and sulfate reducing organisms. Also included are tests for Adenosine triphosphate (ATP), heterotrophic plate count (HPC), and a microscopic evaluation; and in potable systems, total coliform and E. coli coliform presence/absence.

Testing Procedures:

All laboratory testing procedures are performed according to the guidelines set forth in *Standard Methods for the Examination of Water and Wastewater* as established by the American Public Health Association (APHA), American Water Works Association (AWWA), and Water Environment Federation (WEF). Corrosion analyses are performed in accordance with the guidelines as set forth by the National Association of Corrosion Engineers (NACE). In general, these methods are approved by both the Environmental Protection Agency (EPA) and AWWA for the reporting of water and/or wastewater data.

Sample collection and shipment is the responsibility of the customer, performed according to protocol and procedures defined by the laboratory in advance of the sampling event with regards to the specific project and nature of the problem.

Disclaimer:

The data and interpretations presented are based on an evaluation of the samples and submitted data. Conclusions reached in this report are based upon the data available at the time of submittal and the accuracy of the report depends upon the validity of information submitted. Any recommendations presented are based on laboratory and field evaluations of similar fouling occurrences within potable water systems. Further investigative efforts, such as efficiency testing, site inspection, video survey, or other evaluation methods may offer additional insight into the system's condition and the degree of fouling present.

Client: Arcadis
Date: July 28, 2022
Lab Report No. 22457

Re: ZF North America Inc. Well OW-16D2; Samples dated: 06/06/2022
Complete Well Profile (1), PO# KH Milford, John McInnis PN: 30036112.H2

ND - Not Detected NA - Not Applicable * as $CaCO_3$	**Well OW-16D2 Casing**	**Well OW-16D2 Aquifer**	**Detection Limits**
pH Value	7.47	7.59	NA
Phenolphthalein Alkalinity*	ND	ND	4 mg/l
Total Alkalinity*	292	300	4 mg/l
Hydroxide Alkalinity	ND	ND	4 mg/l
Carbonate Alkalinity	ND	ND	4 mg/l
Bicarbonate Alkalinity	292	300	4 mg/l
Total Dissolved Solids	739	721	1.0 mg/l
Conductivity (µm or µS/cm)	1,027	1,002	NA
ORP (mV)	179.1	160.0	NA
Langelier Saturation Index (at 16°C)	+ 0.30	+ 0.40	NA
Total Hardness*	400	384	4 mg/l
Carbonate Hardness	292	300	4 mg/l
Non-Carbonate Hardness	108	84	4 mg/l
Calcium*	328	304	4 mg/l
Magnesium*	72	80	4 mg/l
Sodium (as Na)	72.20	72.40	0.02 mg/l
Potassium (as K)	2.3	2.7	0.1 mg/l
Phosphorus, Reactive (as PO_4^{3-})	0.06	0.06	0.06 mg/l
Chlorides (as Cl)	186.0	196.0	2 mg/l
Nitrate (Nitrogen)	ND	ND	0.3 mg/l
Chlorine (as Cl)	ND	ND	0.02 mg/l
Dissolved Iron (as Fe^{2+})	ND	ND	0.02 mg/l
Suspended Iron (as Fe^{3+})	0.03	0.03	0.02 mg/l
Iron Total (as Fe)	0.03	0.03	0.02 mg/l
Iron (resuspended)	1.23	1.08	0.02 mg/l
Copper (as Cu)	ND	ND	0.04 mg/l
Manganese (as Mn)	1.30	0.30	0.1 mg/l
Sulfate (as SO_4)	44	36	2 mg/l
Silica (as SiO_2)	13.9	12.6	1.0 mg/l
Tannin/Lignin	0.1	0.2	0.1 mg/l
Total Organic Carbon (C)	ND	ND	0.3 mg/l

Biological Analysis:

	Well OW-16D2 Casing	Well OW-16D2 Aquifer	Detection Limit
Plate Count (colonies/ml)	82	438	NA
Anaerobic Growth (%)	<10	50	NA
Sulfate Reducing Bacteria	Negative	Positive	NA
SRB Occurrence	-	Excessive	NA
Fe/Mn Oxidizing Bacteria	Positive	Positive	NA
ATP (cells per ml) Initial	229,000	351,000	NA
ATP (cells per ml) 24 Hour	212,000	277,000	NA
Bacterial Identification	*Pseudomonas stutzeri*	*Bacillus specie*	NA
Bacterial Identification	*Comamonas testosteroni*	*Leptothrix*	NA
Bacterial Identification	*Leptothrix*	-	

Microscopic Evaluation:

Casing: Low visible bacterial activity, low crystalline debris, low plant particulate matter, moderate iron oxide, low iron oxide entrained biomass with very low numbers of *Leptothrix*

Aquifer: Low visible bacterial activity, low crystalline debris, very low plant particulate matter, moderate iron oxide, low iron oxide entrained biomass with very low numbers of *Leptothrix*

Observations and Interpretations:

When received in the lab, both samples were clear with a trace of brown sediment. Chemical analysis performed as part of the complete well profile analysis found only minor variations present in the chemical concentrations between the casing and aquifer samples.

The chemical analysis reported high alkalinity with high hardness, and total dissolved solids (TDS) along with a high associated conductivity value. Each of the samples displayed a slightly alkaline pH value. The analysis also found non-carbonate hardness to make up approximately 30% of the total hardness content. Non-carbonate hardness often occurs as calcium sulfate (the mineral gypsum) which is a harder material that is more difficult to remove from the well environment than calcium carbonate. The oxidation-reduction potential (ORP) was positive and at a level indicating moderately oxidative conditions with a tendency for the oxidation and deposition of available metals within the well system as metallic oxides.

The Langelier Saturation Index (LSI), which is a calculation of the amount of dissolved calcium carbonate in the water and used as an indication of the potential for carbonate scale development as well as corrosion, was slightly positive although very near a zero value

indicating a nearly balanced condition with calcium carbonate at the saturation point. Under these conditions there is a possibility of calcium carbonate scale deposition over time. There is also a possibility for the deposition of other mineral scale unrelated to carbonate scale. Chemicals and compounds found to be present at levels above a desirable groundwater concentration included calcium, sodium, potassium, chlorides, manganese, and resuspended iron. Resuspended iron is iron that has been concentrated by both chemical processes as well as by the metabolic activity of iron related bacteria and a high concentration of resuspended iron is an indication of the likely presence of such bacteria.

Heterotrophic plate counts for both samples were limited with 82 colony forming units noted on the sample representing the casing sample and 438 for the aquifer sample. It should be pointed out that this may not be a true representation of the actual bacterial population since over 95% of all microorganisms do not grow on culture media under laboratory conditions. Adenosine triphosphate (ATP), a measure of the total amount of living material in the sample, had cell counts at levels of concern in both samples at 229,000 cells per milliliter (cpm) in the casing sample and 351,000 cpm in the aquifer sample. This is well above the normal cell density of 20,000 to 60,000 cpm in a typical sample not experiencing biofouling.

The dominant organisms present were species of *Pseudomonas, Comamonas*, and *Bacillus*. All three genus of organisms are common bacteria found throughout the environment. Each is capable of forming large masses of biofilm as a means of protection and nutrient capture which can cause well failure by plugging well screens and formation pore spaces.

Anaerobic growth represented less than 10% of the total microbial growth in the casing sample and 50% in the aquifer sample. Anaerobic conditions arise when the environment becomes depleted of oxygen leading to anoxic conditions. In a well environment this is usually a zone of low or no flow where aerobic organisms die off after consuming the available oxygen allowing anaerobic organisms to take over. In addition to taste and odor problems, anaerobic organisms are prolific producers of polysacride biofilm (slime) which can harbor other anaerobic organisms such as coliforms. The aquifer sample contained a large population of sulfate reducing bacteria and both samples contained evidence of the iron and manganese oxidizing organism *Leptothrix. Leptothrix* is a sheathed filamentous bacterium that can generally be found in different types of aquatic environments with sufficient organic matter. *Leptothrix* bacteria are known to be capable of oxidizing both iron and manganese. Oxidation, resulting from cascading water or rapid recharge of groundwater from surface water, can stimulate the growth and activity of these bacteria. *Leptothrix* are commonly found associated with other iron and manganese oxidizing bacteria such as *Gallionella* and *Crenothrix*.

The microscopic evaluation of both samples found a low level of visible bacterial activity. There were moderate concentrations of iron oxide as such and low iron oxide entrained biofilm. Leptothrix were noted in very low numbers in each sample

Conclusions and Recommendations:

The complete profile analysis found a significant potential for mineral scale buildup over time as indicated by the high concentration of dissolved minerals present including hardness, calcium, and alkalinity. The bacterial assessment as well as the microscopic evaluation found strong evidence indicating that the well is heavily impacted by excessive bacterial growth, particularly by slime forming organisms. This is most likely the primary cause of the limited hydraulic connection between the interior of the monitoring well and the aquifer. To help restore unrestricted flow between the two well rehabilitation involving mechanical brushing, an acid

treatment to dissolve mineral scale followed by disinfection to reduce the bacterial load in the well.

Cleaning should begin with mechanically scrubbing the interior of the well using a surge block or brush. This will help remove loose scale, mineral deposits, and biofilm which can provide a protective environment for microorganisms. Once the entire column has been scoured, bail or pump the disrupted material and any fill from the well, starting at the bottom.

Once clear, a combined chemical and mechanical treatment can continue. Chemical treatment should begin by placing a solution of 8% phosphoric acid combined with 2% dispersion polymer such as Layne's QC-21 or Johnson Screen's NW-310 biodispersant below the static water level and aggressively swabbing or surging it into the producing zones for approximately five minutes per foot of screen. The recommended biodispersants are NSF approved for use in potable wells and are recommended to enhance the activity of the acid in cleaning biomass and extending the efficiency of the acid in attacking mineral scale. The acid and biodispersant solution will aid in breaking down the biofilm that surrounds and protects the organisms, allowing for better penetration of the disinfection solution as well as removing any mineral scale present.

Once the well has been effectively purged of all acid residue and is pumping clear of visible turbidity, disinfection should be carried out utilizing a pH adjusted chlorination at a 300-ppm chlorine level with a targeted pH range of 6.5 to 7.0. The treatment volume of the disinfection solution should be equivalent to 3 times the well and gravel pack volume and evenly distributed throughout the screened zones. This larger volume will flood the borehole with the disinfection solution and increase the effectiveness of treatment. Utilization of a chlorine enhancing chemistry such as Johnson's NW-410 chlorine enhancer or Layne's Oximate for pH control is strongly advised to improve disinfection. The disinfection solution should be surged into the well for approximately two minutes for each foot of screen.

Based on information provided in the well data sheet, the following volumes are necessary for each step of the recommended treatment process:

Rehabilitation		
	NW-120 Phosphoric Acid (75% strength)	2 gallons
	Biodispersant	0.5 gallons
	Potable water for blending	10 gallons
Disinfection		
	Sodium Hypochlorite (12% strength)	0.12 gallons
	Chlorine Enhancer	0.21 gallons
	Potable Water for blending	45 gallons

For acid treatments, mix the chemicals in this order: water, acid, biodispersant. Mix lightly. If, during acid treatment, the pH rises to a level above 3.0, add additional acid and water in small increments to bring the pH back down. No additional dispersant should be needed.

For the chlorine treatment, mix the chemicals in this order: water, chlorine enhancer, check the pH (above 5), add chlorine. Mix lightly. Add the solution evenly throughout the well column and agitate. During disinfection, if the chlorine residual has diminished below 100 ppm, add

additional sodium hypochlorite in small increments to raise it to that level. Allow the solution to remain down-hole, overnight, before evacuation.


No information was available on the history of the well, but if it experiences frequent biofouling, occasional maintenance treatments may help keep it functioning properly for longer periods of time. With a well of this size (2-inch diameter) it may be possible to introduce chlorine or bromine tablets into the well and allow them to settle to the bottom. After allowing them time to settle and dissolve, surge the solution over the length of the screen and pump or bail out. This may not eliminate the need for a more extensive cleaning periodically, but it should inhibit bacterial regrowth.

If you have any questions regarding the analyses or the information presented, please contact our office.

Michael Schnieders, PG, PH-GW
Hydrogeologist

Attachment 13

Photographs of OW-16D2 Well *(Revised-Added a Photograph)*



OW-16D2 joint where sections of the well casing are connected together



OW-16D2 Well Screen

Attachment 14

Summary of Results and Laboratory Analytical Reports – Vertical Aquifer Profile Borings

Table 1
Detected Analytes in Groundwater - Vertical Aquifer Profiling Borings
Village of Milford Central Park
Milford, Michigan

VAP Boring ID:	RDW Criteria	GSI Criteria	VAP-01-01_15_20	VAP-01-02_35_40	VAP-01-03_45_50	VAP-01-04_55_60	VAP-01-05_65_70	VAP-01-06_75_80	VAP-01-07_85_90	VAP-01-08_95_100	VAP-01-09_105_110	VAP-01-10_115_120	VAP-01-11_125_130
Date Completed:			5/16/2022	5/17/2002	5/17/2022	5/17/2022	5/18/2022	5/18/2022	5/18/2022	5/19/2022	5/19/2022	5/19/2022	5/20/2022
Sampling Depth (Ft bgs):			15-20	35-40	45-50	55-60	65-70	75-80	85-90	95-100	105-110	115-120	125-130
1,1-Dichloroethane	880	740	<1.0	<1.0	<1.0	<1.0	<1.0	1.9	2.2	2.3	2.5	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	<1.0	<1.0	1.2	2.1	9.5	21	19	20	18	14	13
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	1.2	1.3	1.4	1.6	1.7	2.7
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	790 (E)	270	<1.0	15	8.5	15	<1.0	1.5	4.7	<1.0	1.5	1.4	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TOTAL CVOCs							**9.5**	**24.1**	**22.5**	**23.7**	**22.1**	**15.7**	**15.7**
TOTAL VOCs							**9.5**	**25.6**	**27.2**	**23.7**	**23.6**	**17.1**	**15.7**

Table 1
Detected Analytes in Groundwater - Vertical Aquifer Profiling Borings
Village of Milford Central Park
Milford, Michigan

VAP Boring ID:	RDW Criteria	GSI Criteria	VAP-02-01_15_20	VAP-02-02_25_30	VAP-02-03_35_40	VAP-02-04_45_50	VAP-02-05_55_60	VAP-02-06_65_70	VAP-02-07_75_80	VAP-02-08_85_90	VAP-02-09_95_100	VAP-02-10_105_110	VAP-02-11_115-120
Date Completed:			5/23/2022	5/23/2022	5/23/2022	5/24/2022	5/24/2022	5/24/2022	5/24/2022	5/24/2022	5/25/2022	5/25/2022	5/25/2022
Sampling Depth (Ft bgs):			15-20	25-30	35-40	45-50	55-60	65-70	75-80	85-90	95-100	105-110	115-120
1,1-Dichloroethane	880	740	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	<1.0	<1.0	<1.0	1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	790 (E)	270	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TOTAL CVOCs						**1.5**							
TOTAL VOCs						**1.5**							

Table 1
Detected Analytes in Groundwater - Vertical Aquifer Profiling Borings
Village of Milford Central Park
Milford, Michigan

VAP Boring ID:	RDW Criteria	GSI Criteria	VAP-03-01_15_20	VAP-03-02_25_30	VAP-03-03_35_40	VAP-03-04_45_50	VAP-03-05_55_60	VAP-03-06_65_70	VAP-03-07_75_80	VAP-03-08_85_90	VAP-03-09_95_100	VAP-03-10_105_110
Date Completed:			5/23/2022	5/23/2022	5/24/2022	5/24/2022	5/24/2022	5/24/2022	5/24/2022	5/25/2022	5/25/2022	5/25/2022
Sampling Depth (Ft bgs):			15-20	25-30	35-40	45-50	55-60	65-70	75-80	85-90	95-100	105-110
1,1-Dichloroethane	880	740	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
cis-1,2-Dichloroethene	70 (A)	620	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
trans-1,2-Dichloroethene	100 (A)	1,500 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Tetrachloroethene	5.0 (A)	60 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Toluene	790 (E)	270	1.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.0
Trichloroethene	5.0 (A)	200 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl chloride	2.0 (A)	13 (X)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
TOTAL CVOCs												
TOTAL VOCs			**1.5**									**1.0**

Notes:
All concentrations are in micrograms per liter (µg/L).
(A) Criterion is the State of Michigan Drinking Water Standard established pursuant to Section 5 of the Safe Drinking Water Act No. 399 of the Public Acts of 1976.
(X) The Groundwater Surface Water Interface (GSI) criterion shown is not protective for surface water that is used as a drinking water source.
(E) Criterion is the aesthetic drinking water value, as required by Section 20120a(5) of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA).

Acronyms and Abbreviations:

EGLE	Michigan Department of Environment, Great Lakes and Energy
ft bgs	feet below ground surface
GSI	Groundwater/Surface Water Interface
ID	Insufficient data to develop criterion
RDW	Residential Drinking Water
VAP	vertical aquifer profile

Fibertec environmental services

Thursday, May 19, 2022

Fibertec Project Number:	A08538
Project Identification:	TRW Milford (30046730) /30046730
Submittal Date:	05/17/2022

Mr. Christian Seidel
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. Seidel,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 12:13 PM, May 19, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-001

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-01_15_20**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/16/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**16:50**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-01_15_20**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
9. 2-Butanone	U		µg/L	25	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-001

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-01_15_20**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/16/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**16:50**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-01_15_20**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
49. Toluene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/18/22	VI22E18A	05/18/22 14:47	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-002

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-02_35_40**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:40**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-02_35_40**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
9. 2-Butanone	U		µg/L	25	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-002

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-02_35_40**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:40**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-02_35_40**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
49. Toluene	**15**		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/18/22	VI22E18A	05/18/22 15:13	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-003

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-03_45_50**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**13:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-03_45_50**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
9. 2-Butanone	U		µg/L	25	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
30. cis-1,2-Dichloroethene	**1.2**		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-003

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-03_45_50**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**13:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-03_45_50**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
49. Toluene	**8.5**		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/18/22	VI22E18A	05/18/22 15:39	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-004

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Pump**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**14:05**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-004** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Pump**

	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
	1. Acetone	U	V+	µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	3. Benzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	7. Bromoform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	8. Bromomethane	U	ICV+	µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-004

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Pump**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**14:05**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-004** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Pump**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
49. Toluene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/18/22	VI22E18A	05/18/22 13:55	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-005

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Screen**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**14:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-005** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Screen**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
9. 2-Butanone	U		µg/L	25	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08538
Laboratory Sample Number: A08538-005

Order: A08538
Date: 05/19/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Screen**	Chain of Custody:	**168193**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**14:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08538-005** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Screen**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
49. Toluene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/18/22	VI22E18A	05/18/22 14:21	VI22E18A	SNC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

ICV+ : Recovery in the associated initial calibration verification sample exceeds the upper control limit. Results may be biased high.

V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VI22E18A: Method Blank (MB)

EPA 8260D

Run Time: VI22E18A.MB 05/18/2022 12:10 [VI22E18A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22E18A: Method Blank (MB)

EPA 8260D

Run Time: VI22E18A.MB 05/18/2022 12:10 [VI22E18A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***94***		***80-120***
Dibromofluoromethane(S)	***95***		***80-120***
1,2-Dichloroethane-d4(S)	***92***		***80-120***
Toluene-d8(S)	***97***		***80-120***

VI22E18A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22E18A.LCS: 05/18/2022 10:52 [VI22E18A] VI22E18A.LCSD: 05/18/2022 11:18 [VI22E18A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	30.9	62	54-140		50.0	30.0	60		3	20	
Acrylonitrile	50.0	47.4	95	70-130		50.0	47.0	94		1	20	
Benzene	50.0	46.4	93	80-120		50.0	45.8	92		1	20	
Bromobenzene	50.0	45.4	91	75-125		50.0	45.6	91		0	20	
Bromochloromethane	50.0	43.6	87	70-130		50.0	42.4	85		2	20	
Bromodichloromethane	50.0	46.1	92	75-120		50.0	46.0	92		0	20	
Bromoform	50.0	51.6	103	70-130		50.0	51.0	102		1	20	
Bromomethane	50.0	60.1	120	68-135		50.0	58.3	117		3	20	
2-Butanone	50.0	41.7	83	70-148		50.0	40.9	82		1	20	
n-Butylbenzene	50.0	56.4	113	70-133		50.0	55.9	112		1	20	
sec-Butylbenzene	50.0	50.9	102	70-125		50.0	50.5	101		1	20	
tert-Butylbenzene	50.0	50.9	102	70-130		50.0	50.7	101		1	20	
Carbon Disulfide	50.0	45.9	92	70-130		50.0	43.6	87		6	20	
Carbon Tetrachloride	50.0	49.1	98	70-130		50.0	47.6	95		3	20	
Chlorobenzene	50.0	48.7	97	80-120		50.0	48.3	97		0	20	
Chloroethane	50.0	46.1	92	61-130		50.0	45.0	90		2	20	
Chloroform	50.0	43.6	87	80-120		50.0	42.7	85		2	20	
Chloromethane	50.0	48.7	97	67-125		50.0	48.4	97		0	20	
2-Chlorotoluene	50.0	47.6	95	75-125		50.0	47.3	95		0	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	47.9	96	70-130		50.0	48.4	97		1	20	
Dibromochloromethane	50.0	46.2	92	70-130		50.0	46.9	94		2	20	
Dibromomethane	50.0	50.7	101	75-125		50.0	51.2	102		1	20	
1,2-Dichlorobenzene	50.0	50.0	100	70-120		50.0	50.7	101		1	20	
1,3-Dichlorobenzene	50.0	51.5	103	75-125		50.0	51.5	103		0	20	
1,4-Dichlorobenzene	50.0	48.6	97	75-125		50.0	48.5	97		0	20	
Dichlorodifluoromethane	50.0	47.6	95	70-136		50.0	44.8	90		5	20	
1,1-Dichloroethane	50.0	44.2	88	70-130		50.0	42.5	85		3	20	
1,2-Dichloroethane	50.0	42.5	85	70-130		50.0	42.5	85		0	20	
1,1-Dichloroethene	50.0	42.9	86	78-120		50.0	41.0	82		5	20	
cis-1,2-Dichloroethene	50.0	42.7	85	70-125		50.0	41.4	83		2	20	
trans-1,2-Dichloroethene	50.0	46.1	92	70-130		50.0	44.2	88		4	20	
1,2-Dichloropropane	50.0	47.2	94	80-121		50.0	46.9	94		0	20	
cis-1,3-Dichloropropene	50.0	47.6	95	70-130		50.0	47.3	95		0	20	

VI22E18A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22E18A.LCS: 05/18/2022 10:52 [VI22E18A] VI22E18A.LCSD: 05/18/2022 11:18 [VI22E18A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	51.6	103	70-132		50.0	51.5	103		0	20	
Ethylbenzene	50.0	49.7	99	80-120		50.0	48.7	97		2	20	
Ethylene Dibromide	50.0	50.1	100	80-120		50.0	49.8	100		0	20	
2-Hexanone	50.0	43.8	88	70-130		50.0	43.3	87		1	20	
Isopropylbenzene	50.0	52.0	104	75-125		50.0	50.8	102		2	20	
4-Methyl-2-pentanone	50.0	50.8	102	70-130		50.0	51.5	103		1	20	
Methylene Chloride	50.0	43.3	87	70-130		50.0	42.2	84		4	20	
2-Methylnaphthalene	50.0	52.3	105	70-130		50.0	51.7	103		2	20	
MTBE	50.0	44.9	90	70-125		50.0	44.5	89		1	20	
Naphthalene	50.0	52.7	105	70-130		50.0	53.1	106		1	20	
n-Propylbenzene	50.0	50.3	101	70-130		50.0	49.9	100		1	20	
Styrene	50.0	46.7	93	70-130		50.0	46.4	93		0	20	
1,1,1,2-Tetrachloroethane	50.0	49.9	100	80-130		50.0	50.2	100		0	20	
1,1,2,2-Tetrachloroethane	50.0	54.0	108	70-130		50.0	54.0	108		0	20	
Tetrachloroethene	50.0	54.1	108	70-130		50.0	52.8	106		2	20	
Toluene	50.0	48.7	97	80-120		50.0	47.8	96		1	20	
1,2,4-Trichlorobenzene	50.0	56.3	113	70-130		50.0	56.3	113		0	20	
1,1,1-Trichloroethane	50.0	46.4	93	70-130		50.0	44.8	90		3	20	
1,1,2-Trichloroethane	50.0	47.5	95	75-125		50.0	47.3	95		0	20	
Trichloroethene	50.0	45.0	90	71-125		50.0	44.4	89		1	20	
Trichlorofluoromethane	50.0	49.8	100	70-133		50.0	48.0	96		4	20	
1,2,3-Trichloropropane	50.0	49.5	99	75-125		50.0	50.2	100		1	20	
1,2,3-Trimethylbenzene	50.0	47.9	96	70-130		50.0	48.5	97		1	20	
1,2,4-Trimethylbenzene	50.0	51.5	103	75-130		50.0	51.6	103		0	20	
1,3,5-Trimethylbenzene	50.0	50.9	102	75-130		50.0	50.8	102		0	20	
Vinyl Chloride	50.0	48.5	97	74-125		50.0	45.5	91		6	20	
m&p-Xylene	100	99.6	100	75-130		100	97.7	98		2	20	
o-Xylene	50.0	50.0	100	80-120		50.0	49.4	99		1	20	
4-Bromofluorobenzene(S)			***99***	***80-120***				***97***				
Dibromofluoromethane(S)			***95***	***80-120***				***94***				
1,2-Dichloroethane-d4(S)			***88***	***80-120***				***88***				
Toluene-d8(S)			***97***	***80-120***				***97***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 12:20 PM, May 19, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertecihs.com

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
168193
PAGE ___ of ___

Client Name: TRW
Contact Person: Christian Seidel
Project Name/ Number: TRW Milford
Email distribution list: John.McInnis@arcadis.com
Quote# 849
Purchase Order#

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260	HOLD SAMPLE	Remarks:
5/16	16:50	1	VAP-01-01_15_20	GW	3	X		~~48hr TAT~~ C.S.
5/17	11:40	2	VAP-01-02_35_40	GW	3	X		48hr TAT
5/17	13:45	3	VAP-01-03_45_50	GW	3	X		48hr TAT
5/17	14:05	4	Equipment pump	GW	3	X		Lab water
5/17	14:10	5	Equipment screen	GW	3	X		Lab water

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: Level 2; Level 3; Level 4; EDD

Received By Lab
MAY 17 2022
Initials: JS

Comments:

	Date/ Time	
Sampled/Relinquished By: Christian Seidel	5/16/2022 18:25	Received By: Arcadis Fridge
Relinquished By: Arcadis Fridge	5/17/2022 6:55	Received By: Christian Seidel
Relinquished By: Christian Seidel	5/17/2022 14:43	Received By Laboratory: Nakeda Shade 5/17/22 2:43

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A08538

Temperature upon receipt at Lab: 4.2°C

Received Online

Please see back for terms and conditions

Nakeda Shade 5/17/22 16:30

Fibertec environmental services

Monday, May 23, 2022

Fibertec Project Number:	A08565 Amended
Project Identification:	TRW Milford (30046730) /30046730
Submittal Date:	05/18/2022

Mr. Christian Seidel
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. Seidel,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

This report has been amended to correct the description on sample -002. This replaces the report issued on May 20th, 2022.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Bailey Welch

By Bailey Welch at 8:11 AM, May 23, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08565
Laboratory Sample Number: A08565-001

Order: A08565
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-04_55_60**	Chain of Custody:	**168192**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**16:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08565-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-04_55_60**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
3. Benzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 11:26	VI22E20A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
7. Bromoform	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
9. 2-Butanone	U		µg/L	25	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
17. Chloroform	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 11:26	VI22E20A	SNC
30. cis-1,2-Dichloroethene	**2.1**		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
37. 2-Hexanone	U	V+	µg/L	50	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08565
Laboratory Sample Number: A08565-001

Order: A08565
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-04_55_60**	Chain of Custody:	**168192**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/17/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**16:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08565-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-04_55_60**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
42. MTBE	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
45. Styrene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
49. Toluene	**15**		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/18/22	VI22E18B	05/19/22 01:16	VI22E18B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-05_65-70**	Chain of Custody:	**168192**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:15**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08565-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-05_65-70**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
3. Benzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 11:52	VI22E20A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
7. Bromoform	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
9. 2-Butanone	U		µg/L	25	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
17. Chloroform	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 11:52	VI22E20A	SNC
30. cis-1,2-Dichloroethene	**9.5**		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
37. 2-Hexanone	U	V+	µg/L	50	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08565
Laboratory Sample Number: A08565-002

Order: A08565
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-05_65-70**	Chain of Custody:	**168192**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:15**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08565-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-05_65-70**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
42. MTBE	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
45. Styrene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
49. Toluene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/18/22	VI22E18B	05/19/22 01:43	VI22E18B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

ICV+ : Recovery in the associated initial calibration verification sample exceeds the upper control limit. Results may be biased high.

V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

NELAP ACCREDITED TNI LABORATORY

Accreditation Number(s):

T104704518-19-8 (TX)

VI22E18B: Method Blank (MB)

EPA 8260D

Run Time: VI22E18B.MB 05/19/2022 00:50 [VI22E18B]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0

VI22E18B: Method Blank (MB)

EPA 8260D

Run Time: VI22E18B.MB 05/19/2022 00:50 [VI22E18B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*95*		*80-120*
Dibromofluoromethane(S)	*94*		*80-120*
1,2-Dichloroethane-d4(S)	*94*		*80-120*
Toluene-d8(S)	*97*		*80-120*

VI22E18B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22E18B.LCS: 05/18/2022 23:31 [VI22E18B] VI22E18B.LCSD: 05/18/2022 23:57 [VI22E18B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	29.0	58	54-140		50.0	28.6	57		2	20	
Acrylonitrile	50.0	43.1	86	70-130		50.0	43.7	87		1	20	
Benzene	50.0	44.8	90	80-120		50.0	43.6	87		3	20	
Bromobenzene	50.0	43.8	88	75-125		50.0	42.0	84		5	20	
Bromodichloromethane	50.0	45.7	91	75-120		50.0	45.1	90		1	20	
Bromoform	50.0	53.4	107	70-130		50.0	52.3	105		2	20	
Bromomethane	50.0	54.9	110	68-135		50.0	52.1	104		6	20	
2-Butanone	50.0	38.7	77	70-148		50.0	37.7	75		3	20	
n-Butylbenzene	50.0	53.3	107	70-133		50.0	51.0	102		5	20	
sec-Butylbenzene	50.0	49.3	99	70-125		50.0	46.9	94		5	20	
tert-Butylbenzene	50.0	50.4	101	70-130		50.0	48.2	96		5	20	
Carbon Disulfide	50.0	40.2	80	70-130		50.0	38.6	77		4	20	
Carbon Tetrachloride	50.0	50.7	101	70-130		50.0	48.7	97		4	20	
Chlorobenzene	50.0	48.0	96	80-120		50.0	47.2	94		2	20	
Chloroethane	50.0	40.7	81	61-130		50.0	40.2	80		1	20	
Chloroform	50.0	42.8	86	80-120		50.0	41.1	82		5	20	
Chloromethane	50.0	42.3	85	67-125		50.0	43.3	87		2	20	
2-Chlorotoluene	50.0	46.2	92	75-125		50.0	44.3	89		3	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	50.1	100	70-130		50.0	48.1	96		4	20	
Dibromochloromethane	50.0	47.8	96	70-130		50.0	47.1	94		2	20	
Dibromomethane	50.0	52.3	105	75-125		50.0	50.8	102		3	20	
1,2-Dichlorobenzene	50.0	50.0	100	70-120		50.0	48.2	96		4	20	
1,3-Dichlorobenzene	50.0	50.9	102	75-125		50.0	48.7	97		5	20	
1,4-Dichlorobenzene	50.0	48.1	96	75-125		50.0	45.8	92		4	20	
Dichlorodifluoromethane	50.0	45.1	90	70-136		50.0	43.0	86		5	20	
1,1-Dichloroethane	50.0	40.7	81	70-130		50.0	39.7	79		3	20	
1,2-Dichloroethane	50.0	42.8	86	70-130		50.0	42.3	85		1	20	
cis-1,2-Dichloroethene	50.0	39.3	79	70-125		50.0	38.6	77		3	20	
trans-1,2-Dichloroethene	50.0	42.3	85	70-130		50.0	41.1	82		4	20	
1,2-Dichloropropane	50.0	44.7	89	80-121		50.0	44.4	89		0	20	
cis-1,3-Dichloropropene	50.0	45.5	91	70-130		50.0	44.6	89		2	20	
trans-1,3-Dichloropropene	50.0	49.9	100	70-132		50.0	49.9	100		0	20	
Ethylbenzene	50.0	48.5	97	80-120		50.0	47.3	95		2	20	

VI22E18B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22E18B.LCS: 05/18/2022 23:31 [VI22E18B] VI22E18B.LCSD: 05/18/2022 23:57 [VI22E18B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Ethylene Dibromide	50.0	49.8	100	80-120		50.0	48.9	98		2	20	
2-Hexanone	50.0	41.6	83	70-130		50.0	41.7	83		0	20	
Isopropylbenzene	50.0	51.1	102	75-125		50.0	49.7	99		3	20	
4-Methyl-2-pentanone	50.0	50.5	101	70-130		50.0	49.2	98		3	20	
Methylene Chloride	50.0	38.8	78	70-130		50.0	38.1	76		3	20	
2-Methylnaphthalene	50.0	52.2	104	70-130		50.0	49.0	98		6	20	
MTBE	50.0	42.4	85	70-125		50.0	42.0	84		1	20	
Naphthalene	50.0	52.9	106	70-130		50.0	51.0	102		4	20	
n-Propylbenzene	50.0	48.3	97	70-130		50.0	46.7	93		4	20	
Styrene	50.0	45.2	90	70-130		50.0	44.8	90		0	20	
1,1,1,2-Tetrachloroethane	50.0	50.7	101	80-130		50.0	48.8	98		3	20	
1,1,2,2-Tetrachloroethane	50.0	52.5	105	70-130		50.0	51.3	103		2	20	
Tetrachloroethene	50.0	54.3	109	70-130		50.0	52.7	105		4	20	
Toluene	50.0	47.3	95	80-120		50.0	46.2	92		3	20	
1,2,4-Trichlorobenzene	50.0	56.0	112	70-130		50.0	53.3	107		5	20	
1,1,1-Trichloroethane	50.0	45.6	91	70-130		50.0	44.1	88		3	20	
1,1,2-Trichloroethane	50.0	47.5	95	75-125		50.0	46.6	93		2	20	
Trichloroethene	50.0	45.6	91	71-125		50.0	43.8	88		3	20	
Trichlorofluoromethane	50.0	48.4	97	70-133		50.0	47.0	94		3	20	
1,2,3-Trichloropropane	50.0	50.4	101	75-125		50.0	48.6	97		4	20	
1,2,3-Trimethylbenzene	50.0	46.7	93	70-130		50.0	45.3	91		2	20	
1,2,4-Trimethylbenzene	50.0	50.5	101	75-130		50.0	48.3	97		4	20	
1,3,5-Trimethylbenzene	50.0	49.6	99	75-130		50.0	47.3	95		4	20	
Vinyl Chloride	50.0	43.9	88	74-125		50.0	42.8	86		2	20	
m&p-Xylene	100	97.2	97	75-130		100	94.8	95		2	20	
o-Xylene	50.0	48.9	98	80-120		50.0	47.7	95		3	20	
4-Bromofluorobenzene(S)			*97*	*80-120*				*98*				
Dibromofluoromethane(S)			*91*	*80-120*				*93*				
1,2-Dichloroethane-d4(S)			*90*	*80-120*				*89*				
Toluene-d8(S)			*97*	*80-120*				*97*				

VI22E20A: Method Blank (MB) — EPA 8260D

Run Time: VI22E20A.MB 05/20/2022 11:00 [VI22E20A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Bromochloromethane	U		1.0
1,1-Dichloroethene	U		1.0
4-Bromofluorobenzene(S)	*93*		*80-120*
Dibromofluoromethane(S)	*101*		*80-120*
1,2-Dichloroethane-d4(S)	*92*		*80-120*
Toluene-d8(S)	*98*		*80-120*

VI22E20A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22E20A.LCS: 05/20/2022 09:42 [VI22E20A] VI22E20A.LCSD: 05/20/2022 10:08 [VI22E20A]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Bromochloromethane	50.0	48.2	96	70-130		50.0	45.7	91		5	20	
1,1-Dichloroethene	50.0	44.4	89	78-120		50.0	42.6	85		5	20	
4-Bromofluorobenzene(S)			*98*	*80-120*				*98*				
Dibromofluoromethane(S)			*97*	*80-120*				*96*				
1,2-Dichloroethane-d4(S)			*87*	*80-120*				*87*				
Toluene-d8(S)			*99*	*80-120*				*99*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Bailey Welch

By Bailey Welch at 3:29 PM, May 20, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertecihs.com

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # **168192**
PAGE ___ of ___

Client Name: TRW
Contact Person: Christian Seidel
Project Name/ Number: TRW Milford
Email distribution list:
Quote#
Purchase Order#

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260	HOLD SAMPLE
5/17	16:20	4	VAP-01-04_55_60	GW	3	X	
5/18	10:15	5	VAP-01-05_~~55_60~~ 65-70 -jfm updated	GW	3	X	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: Level 2; Level 3; Level 4; EDD

Remarks:
48 hr TAT
48 hr TAT small bubbles on VOA

Received By Lab
MAY 18 2022
Initials: TH

Received On Ice

Comments:

Sampled/Relinquished By:	Date/ Time	Received By:
Christian Seidel	5/17/22	Arcadis Bridge
Relinquished By: Arcadis Bridge	Date/ Time 5/18/22	Received By: Chr Seidel
Relinquished By: Chr Seidel	Date/ Time 5/18/22 1340	Received By Laboratory: Debra A. Shade 5/18/22 1:40

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A08565
Temperature upon receipt at Lab: 3.5°C

Please see back for terms and conditions

Debra A. Shade 5/18/22 15:00

Fibertec environmental services

Monday, May 23, 2022

Fibertec Project Number:	A08596
Project Identification:	TRW Milford (30046730) /30046730
Submittal Date:	05/19/2022

Mr. Christian Seidel
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. Seidel,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Bailey Welch

By Bailey Welch at 4:27 PM, May 23, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-001

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-06_75_80**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-06_75_80**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
8. Bromomethane	U	L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
9. 2-Butanone	U		µg/L	25	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
27. 1,1-Dichloroethane	**1.9**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
30. cis-1,2-Dichloroethene	**21**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
31. trans-1,2-Dichloroethene	**1.2**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-001

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-06_75_80**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-06_75_80**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
49. Toluene	**1.5**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20A	05/20/22 17:07	VI22E20A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-002

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-07_85_90**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**17:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-07_85_90**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
8. Bromomethane	U	L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
9. 2-Butanone	U		µg/L	25	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
27. 1,1-Dichloroethane	**2.2**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
31. trans-1,2-Dichloroethene	**1.3**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-002

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-07_85_90**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/18/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**17:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-07_85_90**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
49. Toluene	**4.7**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20A	05/20/22 17:33	VI22E20A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-003

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Flow Valve**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: Equipment Flow Valve**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
8. Bromomethane	U	L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
9. 2-Butanone	U		µg/L	25	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-003

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Flow Valve**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: Equipment Flow Valve**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
49. Toluene	**2.3**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20A	05/20/22 17:59	VI22E20A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-004

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-08_95_100**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-004** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-08_95_100**

	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	8. Bromomethane	U	F+ * L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	18. Chloromethane	U	F+	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	27. 1,1-Dichloroethane	**2.3**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	30. cis-1,2-Dichloroethene	**20**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	31. trans-1,2-Dichloroethene	**1.4**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-004

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-08_95_100**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-004** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-08_95_100**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
‡ 41. 2-Methylnaphthalene	U	*	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
47. 1,1,2,2-Tetrachloroethane	U	F+	µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
49. Toluene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20A	05/20/22 19:44	VI22E20A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-005

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-08_95_100 MS**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-005** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-08_95_100 MS**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
‡ 2. Acrylonitrile	**49**		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
3. Benzene	**49**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
4. Bromobenzene	**46**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
5. Bromochloromethane	**48**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
6. Bromodichloromethane	**47**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
7. Bromoform	**48**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
8. Bromomethane	**47**	L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
9. 2-Butanone	**42**		µg/L	25	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
10. n-Butylbenzene	**53**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
11. sec-Butylbenzene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
12. tert-Butylbenzene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
13. Carbon Disulfide	**48**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
14. Carbon Tetrachloride	**48**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
15. Chlorobenzene	**49**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
16. Chloroethane	**52**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
17. Chloroform	**47**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
18. Chloromethane	**55**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
19. 2-Chlorotoluene	**47**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	**45**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
21. Dibromochloromethane	**46**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
22. Dibromomethane	**48**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
23. 1,2-Dichlorobenzene	**48**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
24. 1,3-Dichlorobenzene	**49**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
25. 1,4-Dichlorobenzene	**46**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
26. Dichlorodifluoromethane	**51**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
27. 1,1-Dichloroethane	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
28. 1,2-Dichloroethane	**43**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
29. 1,1-Dichloroethene	**46**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
30. cis-1,2-Dichloroethene	**65**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
31. trans-1,2-Dichloroethene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
32. 1,2-Dichloropropane	**51**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
33. cis-1,3-Dichloropropene	**47**		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
34. trans-1,3-Dichloropropene	**51**		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
35. Ethylbenzene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
36. Ethylene Dibromide	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-005

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-08_95_100 MS**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-005** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-08_95_100 MS**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
38. Isopropylbenzene	**51**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
39. 4-Methyl-2-pentanone	**53**		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
40. Methylene Chloride	**47**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
‡ 41. 2-Methylnaphthalene	**37**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
42. MTBE	**46**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
43. Naphthalene	**47**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
44. n-Propylbenzene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
45. Styrene	**46**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
46. 1,1,1,2-Tetrachloroethane	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
47. 1,1,2,2-Tetrachloroethane	**56**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
48. Tetrachloroethene	**51**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
49. Toluene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
50. 1,2,4-Trichlorobenzene	**47**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
51. 1,1,1-Trichloroethane	**48**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
‡ 52. 1,1,2-Trichloroethane	**48**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
53. Trichloroethene	**45**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
54. Trichlorofluoromethane	**51**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
55. 1,2,3-Trichloropropane	**49**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
‡ 56. 1,2,3-Trimethylbenzene	**48**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
57. 1,2,4-Trimethylbenzene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
58. 1,3,5-Trimethylbenzene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
59. Vinyl Chloride	**55**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
60. m&p-Xylene	**99**		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
61. o-Xylene	**50**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC
‡ 62. Xylenes	**150**		µg/L	3.0	1.0	05/20/22	VI22E20A	05/20/22 20:10	VI22E20A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-006

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-08_95_100 MSD**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-006** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-08_95_100 MSD**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
‡ 2. Acrylonitrile	**57**		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
3. Benzene	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
4. Bromobenzene	**54**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
5. Bromochloromethane	**54**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
6. Bromodichloromethane	**55**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
7. Bromoform	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
8. Bromomethane	**74**	L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
9. 2-Butanone	**49**		µg/L	25	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
10. n-Butylbenzene	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
11. sec-Butylbenzene	**56**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
12. tert-Butylbenzene	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
13. Carbon Disulfide	**53**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
14. Carbon Tetrachloride	**56**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
15. Chlorobenzene	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
16. Chloroethane	**60**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
17. Chloroform	**54**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
18. Chloromethane	**64**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
19. 2-Chlorotoluene	**55**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	**55**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
21. Dibromochloromethane	**54**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
22. Dibromomethane	**55**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
23. 1,2-Dichlorobenzene	**56**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
24. 1,3-Dichlorobenzene	**56**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
25. 1,4-Dichlorobenzene	**52**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
26. Dichlorodifluoromethane	**56**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
27. 1,1-Dichloroethane	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
28. 1,2-Dichloroethane	**49**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
29. 1,1-Dichloroethene	**53**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
30. cis-1,2-Dichloroethene	**72**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
31. trans-1,2-Dichloroethene	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
32. 1,2-Dichloropropane	**59**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
33. cis-1,3-Dichloropropene	**55**		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
34. trans-1,3-Dichloropropene	**58**		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
35. Ethylbenzene	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
36. Ethylene Dibromide	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-006

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-08_95_100 MSD**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-006** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-08_95_100 MSD**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	**52**		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
38. Isopropylbenzene	**58**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
39. 4-Methyl-2-pentanone	**60**		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
40. Methylene Chloride	**53**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
‡ 41. 2-Methylnaphthalene	**49**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
42. MTBE	**53**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
43. Naphthalene	**57**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
44. n-Propylbenzene	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
45. Styrene	**54**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
46. 1,1,1,2-Tetrachloroethane	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
47. 1,1,2,2-Tetrachloroethane	**66**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
48. Tetrachloroethene	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
49. Toluene	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
50. 1,2,4-Trichlorobenzene	**54**		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
51. 1,1,1-Trichloroethane	**56**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
‡ 52. 1,1,2-Trichloroethane	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
53. Trichloroethene	**51**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
54. Trichlorofluoromethane	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
55. 1,2,3-Trichloropropane	**59**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
‡ 56. 1,2,3-Trimethylbenzene	**55**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
57. 1,2,4-Trimethylbenzene	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
58. 1,3,5-Trimethylbenzene	**57**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
59. Vinyl Chloride	**64**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
60. m&p-Xylene	**110**		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
61. o-Xylene	**58**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC
‡ 62. Xylenes	**170**		µg/L	3.0	1.0	05/20/22	VI22E20A	05/20/22 20:36	VI22E20A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-007

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Duplicate-1**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**6**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-007** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: Duplicate-1**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
8. Bromomethane	U	L+ ICV+	µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
10. n-Butylbenzene	U	V+	µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
27. 1,1-Dichloroethane	**2.4**		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
30. cis-1,2-Dichloroethene	**20**		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
31. trans-1,2-Dichloroethene	**1.5**		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Duplicate-1**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**6**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-007** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: Duplicate-1**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U	V+	µg/L	50	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
49. Toluene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/23/22	VI22E23B	05/23/22 14:53	VI22E23A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-008

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-09_105_110**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**7**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-008** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-09_105_110**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
8. Bromomethane	U	L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
9. 2-Butanone	U		µg/L	25	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
27. 1,1-Dichloroethane	**2.5**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
30. cis-1,2-Dichloroethene	**18**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
31. trans-1,2-Dichloroethene	**1.6**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08596
Laboratory Sample Number: A08596-008

Order: A08596
Date: 05/23/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-09_105_110**	Chain of Custody:	**168191**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**7**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08596-008** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-09_105_110**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
49. Toluene	**1.5**		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20A	05/20/22 18:25	VI22E20A	SNC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

*****	:	Duplicate analysis not within control limits.
F+	:	Recovery from the spiked aliquot exceeds the upper control limit (matrix spike or matrix spike duplicate).
ICV+	:	Recovery in the associated initial calibration verification sample exceeds the upper control limit. Results may be biased high.
L+	:	Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+	:	Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

NELAP ACCREDITED TNI LABORATORY

Accreditation Number(s):

T104704518-19-8 (TX)

VI22E20A: Method Blank (MB)

EPA 8260D

Run Time: VI22E20A.MB 05/20/2022 11:00 [VI22E20A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22E20A: Method Blank (MB)

EPA 8260D

Run Time: VI22E20A.MB 05/20/2022 11:00 [VI22E20A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*93*		*80-120*
Dibromofluoromethane(S)	*101*		*80-120*
1,2-Dichloroethane-d4(S)	*92*		*80-120*
Toluene-d8(S)	*98*		*80-120*

VI22E20A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22E20A.LCS: 05/20/2022 09:42 [VI22E20A] VI22E20A.LCSD: 05/20/2022 10:08 [VI22E20A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	32.2	64	54-140		50.0	33.2	66		3	20	
Acrylonitrile	50.0	51.8	104	70-130		50.0	50.6	101		3	20	
Benzene	50.0	49.1	98	80-120		50.0	47.2	94		4	20	
Bromobenzene	50.0	49.1	98	75-125		50.0	47.9	96		2	20	
Bromochloromethane	50.0	48.2	96	70-130		50.0	45.7	91		5	20	
Bromodichloromethane	50.0	47.2	94	75-120		50.0	45.6	91		3	20	
Bromoform	50.0	49.2	98	70-130		50.0	48.7	97		1	20	
Bromomethane	50.0	72.9	146	68-135	*	50.0	67.6	135		8	20	
2-Butanone	50.0	43.5	87	70-148		50.0	44.6	89		2	20	
n-Butylbenzene	50.0	61.8	124	70-133		50.0	59.8	120		3	20	
sec-Butylbenzene	50.0	54.7	109	70-125		50.0	52.8	106		3	20	
tert-Butylbenzene	50.0	53.2	106	70-130		50.0	51.8	104		2	20	
Carbon Disulfide	50.0	48.6	97	70-130		50.0	46.1	92		5	20	
Carbon Tetrachloride	50.0	46.7	93	70-130		50.0	44.6	89		4	20	
Chlorobenzene	50.0	50.6	101	80-120		50.0	48.8	98		3	20	
Chloroethane	50.0	51.3	103	61-130		50.0	48.3	97		6	20	
Chloroform	50.0	46.7	93	80-120		50.0	43.6	87		7	20	
Chloromethane	50.0	55.8	112	67-125		50.0	54.1	108		4	20	
2-Chlorotoluene	50.0	50.8	102	75-125		50.0	49.2	98		4	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	49.0	98	70-130		50.0	50.5	101		3	20	
Dibromochloromethane	50.0	46.7	93	70-130		50.0	45.3	91		2	20	
Dibromomethane	50.0	49.3	99	75-125		50.0	47.8	96		3	20	
1,2-Dichlorobenzene	50.0	52.2	104	70-120		50.0	51.2	102		2	20	
1,3-Dichlorobenzene	50.0	53.3	107	75-125		50.0	52.0	104		3	20	
1,4-Dichlorobenzene	50.0	50.5	101	75-125		50.0	49.1	98		3	20	
Dichlorodifluoromethane	50.0	50.0	100	70-136		50.0	47.7	95		5	20	
1,1-Dichloroethane	50.0	47.3	95	70-130		50.0	45.5	91		4	20	
1,2-Dichloroethane	50.0	42.4	85	70-130		50.0	41.5	83		2	20	
1,1-Dichloroethene	50.0	44.4	89	78-120		50.0	42.6	85		5	20	
cis-1,2-Dichloroethene	50.0	45.6	91	70-125		50.0	43.9	88		3	20	
trans-1,2-Dichloroethene	50.0	49.0	98	70-130		50.0	47.0	94		4	20	
1,2-Dichloropropane	50.0	51.7	103	80-121		50.0	49.6	99		4	20	
cis-1,3-Dichloropropene	50.0	49.9	100	70-130		50.0	48.4	97		3	20	

VI22E20A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22E20A.LCS: 05/20/2022 09:42 [VI22E20A] VI22E20A.LCSD: 05/20/2022 10:08 [VI22E20A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	53.9	108	70-132		50.0	51.4	103		5	20	
Ethylbenzene	50.0	51.5	103	80-120		50.0	49.8	100		3	20	
Ethylene Dibromide	50.0	51.3	103	80-120		50.0	50.4	101		2	20	
2-Hexanone	50.0	44.7	89	70-130		50.0	45.8	92		3	20	
Isopropylbenzene	50.0	52.5	105	75-125		50.0	51.0	102		3	20	
4-Methyl-2-pentanone	50.0	53.6	107	70-130		50.0	53.9	108		1	20	
Methylene Chloride	50.0	47.2	94	70-130		50.0	45.1	90		4	20	
2-Methylnaphthalene	50.0	51.0	102	70-130		50.0	53.0	106		4	20	
MTBE	50.0	47.0	94	70-125		50.0	45.9	92		2	20	
Naphthalene	50.0	54.0	108	70-130		50.0	55.5	111		3	20	
n-Propylbenzene	50.0	54.7	109	70-130		50.0	52.9	106		3	20	
Styrene	50.0	48.6	97	70-130		50.0	46.2	92		5	20	
1,1,1,2-Tetrachloroethane	50.0	49.9	100	80-130		50.0	48.5	97		3	20	
1,1,2,2-Tetrachloroethane	50.0	58.9	118	70-130		50.0	59.5	119		1	20	
Tetrachloroethene	50.0	52.7	105	70-130		50.0	51.0	102		3	20	
Toluene	50.0	50.7	101	80-120		50.0	48.6	97		4	20	
1,2,4-Trichlorobenzene	50.0	55.6	111	70-130		50.0	55.8	112		1	20	
1,1,1-Trichloroethane	50.0	45.9	92	70-130		50.0	44.7	89		3	20	
1,1,2-Trichloroethane	50.0	49.5	99	75-125		50.0	48.9	98		1	20	
Trichloroethene	50.0	45.3	91	71-125		50.0	43.7	87		4	20	
Trichlorofluoromethane	50.0	48.8	98	70-133		50.0	46.1	92		6	20	
1,2,3-Trichloropropane	50.0	51.2	102	75-125		50.0	52.2	104		2	20	
1,2,3-Trimethylbenzene	50.0	50.8	102	70-130		50.0	49.5	99		3	20	
1,2,4-Trimethylbenzene	50.0	54.7	109	75-130		50.0	53.0	106		3	20	
1,3,5-Trimethylbenzene	50.0	53.6	107	75-130		50.0	52.1	104		3	20	
Vinyl Chloride	50.0	55.0	110	74-125		50.0	52.7	105		5	20	
m&p-Xylene	100	102	102	75-130		100	98.8	99		3	20	
o-Xylene	50.0	51.3	103	80-120		50.0	49.6	99		4	20	
4-Bromofluorobenzene(S)			*98*	*80-120*				*98*				
Dibromofluoromethane(S)			*97*	*80-120*				*96*				
1,2-Dichloroethane-d4(S)			*87*	*80-120*				*87*				
Toluene-d8(S)			*99*	*80-120*				*99*				

VI22E23A: Method Blank (MB)

EPA 8260D

Run Time: VI22E23A.MB 05/23/2022 14:27 [VI22E23A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22E23A: Method Blank (MB)

EPA 8260D

Run Time: VI22E23A.MB 05/23/2022 14:27 [VI22E23A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*94*		*80-120*
Dibromofluoromethane(S)	*101*		*80-120*
1,2-Dichloroethane-d4(S)	*90*		*80-120*
Toluene-d8(S)	*98*		*80-120*

VI22E23A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22E23A.LCS: 05/23/2022 13:09 [VI22E23A] VI22E23A.LCSD: 05/23/2022 13:35 [VI22E23A]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Acetone	50.0	34.5	69	54-140		50.0	33.7	67		3	20	
Acrylonitrile	50.0	53.2	106	70-130		50.0	52.9	106		0	20	
Benzene	50.0	48.9	98	80-120		50.0	47.3	95		3	20	
Bromobenzene	50.0	49.9	100	75-125		50.0	48.0	96		4	20	
Bromochloromethane	50.0	48.7	97	70-130		50.0	47.9	96		1	20	
Bromodichloromethane	50.0	47.0	94	75-120		50.0	45.5	91		3	20	
Bromoform	50.0	50.4	101	70-130		50.0	48.1	96		5	20	
Bromomethane	50.0	71.6	143	68-135	*	50.0	67.8	136	*	5	20	
2-Butanone	50.0	46.3	93	70-148		50.0	45.8	92		1	20	
n-Butylbenzene	50.0	62.1	124	70-133		50.0	57.9	116		7	20	
sec-Butylbenzene	50.0	54.8	110	70-125		50.0	51.2	102		8	20	
tert-Butylbenzene	50.0	53.7	107	70-130		50.0	50.1	100		7	20	
Carbon Disulfide	50.0	48.6	97	70-130		50.0	46.7	93		4	20	
Carbon Tetrachloride	50.0	46.0	92	70-130		50.0	43.7	87		6	20	
Chlorobenzene	50.0	50.7	101	80-120		50.0	48.8	98		3	20	
Chloroethane	50.0	50.1	100	61-130		50.0	48.2	96		4	20	
Chloroform	50.0	46.1	92	80-120		50.0	44.9	90		2	20	
Chloromethane	50.0	56.6	113	67-125		50.0	55.0	110		3	20	
2-Chlorotoluene	50.0	51.5	103	75-125		50.0	48.2	96		7	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	51.6	103	70-130		50.0	48.8	98		5	20	
Dibromochloromethane	50.0	47.2	94	70-130		50.0	45.7	91		3	20	
Dibromomethane	50.0	49.4	99	75-125		50.0	48.1	96		3	20	
1,2-Dichlorobenzene	50.0	52.6	105	70-120		50.0	49.9	100		5	20	
1,3-Dichlorobenzene	50.0	53.9	108	75-125		50.0	50.8	102		6	20	
1,4-Dichlorobenzene	50.0	50.3	101	75-125		50.0	48.1	96		5	20	
Dichlorodifluoromethane	50.0	48.4	97	70-136		50.0	46.5	93		4	20	
1,1-Dichloroethane	50.0	47.6	95	70-130		50.0	46.3	93		2	20	
1,2-Dichloroethane	50.0	42.4	85	70-130		50.0	41.3	83		2	20	
1,1-Dichloroethene	50.0	44.1	88	78-120		50.0	42.9	86		2	20	
cis-1,2-Dichloroethene	50.0	45.8	92	70-125		50.0	44.9	90		2	20	
trans-1,2-Dichloroethene	50.0	49.1	98	70-130		50.0	47.8	96		2	20	
1,2-Dichloropropane	50.0	51.4	103	80-121		50.0	50.2	100		3	20	
cis-1,3-Dichloropropene	50.0	50.7	101	70-130		50.0	48.9	98		3	20	

VI22E23A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22E23A.LCS: 05/23/2022 13:09 [VI22E23A] VI22E23A.LCSD: 05/23/2022 13:35 [VI22E23A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	53.9	108	70-132		50.0	52.3	105		3	20	
Ethylbenzene	50.0	51.3	103	80-120		50.0	49.4	99		4	20	
Ethylene Dibromide	50.0	52.8	106	80-120		50.0	51.4	103		3	20	
2-Hexanone	50.0	46.5	93	70-130		50.0	44.8	90		3	20	
Isopropylbenzene	50.0	52.3	105	75-125		50.0	50.3	101		4	20	
4-Methyl-2-pentanone	50.0	55.4	111	70-130		50.0	53.4	107		4	20	
Methylene Chloride	50.0	47.3	95	70-130		50.0	46.1	92		3	20	
2-Methylnaphthalene	50.0	55.4	111	70-130		50.0	52.7	105		6	20	
MTBE	50.0	47.7	95	70-125		50.0	47.0	94		1	20	
Naphthalene	50.0	56.8	114	70-130		50.0	53.8	108		5	20	
n-Propylbenzene	50.0	55.0	110	70-130		50.0	51.6	103		7	20	
Styrene	50.0	48.2	96	70-130		50.0	46.6	93		3	20	
1,1,1,2-Tetrachloroethane	50.0	49.5	99	80-130		50.0	48.1	96		3	20	
1,1,2,2-Tetrachloroethane	50.0	61.6	123	70-130		50.0	59.4	119		3	20	
Tetrachloroethene	50.0	52.6	105	70-130		50.0	50.0	100		5	20	
Toluene	50.0	50.5	101	80-120		50.0	48.8	98		3	20	
1,2,4-Trichlorobenzene	50.0	57.7	115	70-130		50.0	54.5	109		5	20	
1,1,1-Trichloroethane	50.0	46.4	93	70-130		50.0	44.7	89		4	20	
1,1,2-Trichloroethane	50.0	50.7	101	75-125		50.0	49.4	99		2	20	
Trichloroethene	50.0	45.4	91	71-125		50.0	43.5	87		4	20	
Trichlorofluoromethane	50.0	47.7	95	70-133		50.0	45.9	92		3	20	
1,2,3-Trichloropropane	50.0	54.2	108	75-125		50.0	51.3	103		5	20	
1,2,3-Trimethylbenzene	50.0	51.6	103	70-130		50.0	48.6	97		6	20	
1,2,4-Trimethylbenzene	50.0	54.9	110	75-130		50.0	51.4	103		7	20	
1,3,5-Trimethylbenzene	50.0	54.1	108	75-130		50.0	50.6	101		7	20	
Vinyl Chloride	50.0	55.4	111	74-125		50.0	53.4	107		4	20	
m&p-Xylene	100	102	102	75-130		100	97.8	98		4	20	
o-Xylene	50.0	51.0	102	80-120		50.0	49.2	98		4	20	
4-Bromofluorobenzene(S)			*98*	*80-120*				*99*				
Dibromofluoromethane(S)			*96*	*80-120*				*99*				
1,2-Dichloroethane-d4(S)			*84*	*80-120*				*86*				
Toluene-d8(S)			*99*	*80-120*				*100*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Bailey Welch

By Bailey Welch at 5:06 PM, May 23, 2022

Fibertec environmental services

Matrix Spike Report
Laboratory Project Number: A08596

Order ID: A08596

Date: 05/23/22

A08596-004: Original Sample (OS)/Matrix Spike (MS)/Matrix Spike Duplicate (MSD) — EPA 8260D

Run Time: A08596-004 (OS): 05/20/22 19:44 [VI22E20A] A08596-005 (MS): 05/20/22 20:10 [VI22E20A] A08596-006 (MSD): 05/20/22 20:36 [VI22E20A]

Analyte	Original Result	MS Spike Amount	MS Result	MS Rec.	Rec. Limits	MS Qualifier	MSD Spike Amount	MSD Result	MSD Rec.	MSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	U	50.0	33.3	67	54 - 140		50.0	39.4	79		17	20	
Acrylonitrile	U	50.0	49.2	98	70 - 130		50.0	57.1	114		15	20	
Benzene	U	50.0	49.3	99	80 - 120		50.0	57.2	114		15	20	
Bromobenzene	U	50.0	46.2	92	75 - 125		50.0	53.9	108		15	20	
Bromochloromethane	U	50.0	47.9	96	70 - 130		50.0	54.2	108		12	20	
Bromodichloromethane	U	50.0	47.3	95	75 - 120		50.0	54.5	109		14	20	
Bromoform	U	50.0	48.4	97	70 - 130		50.0	56.7	113		16	20	
Bromomethane	U	50.0	47.4	95	68 - 135		50.0	73.6	147	*	43	20	*
2-Butanone	U	50.0	42.3	85	70 - 148		50.0	48.6	97		14	20	
n-Butylbenzene	U	50.0	52.8	106	70 - 133		50.0	57.3	115		8	20	
sec-Butylbenzene	U	50.0	49.8	100	70 - 125		50.0	56.2	112		12	20	
tert-Butylbenzene	U	50.0	50.2	100	70 - 130		50.0	58.2	116		15	20	
Carbon Disulfide	U	50.0	48.0	96	70 - 130		50.0	53.1	106		10	20	
Carbon Tetrachloride	U	50.0	47.6	95	70 - 130		50.0	55.5	111		15	20	
Chlorobenzene	U	50.0	49.3	99	80 - 120		50.0	56.9	114		14	20	
Chloroethane	U	50.0	52.3	105	61 - 130		50.0	60.4	121		14	20	
Chloroform	U	50.0	46.5	93	80 - 120		50.0	53.7	107		14	20	
Chloromethane	U	50.0	55.5	111	67 - 125		50.0	64.3	129	*	15	20	
2-Chlorotoluene	U	50.0	47.3	95	75 - 125		50.0	55.1	110		15	20	
1,2-Dibromo-3-chloropropane (SIM)	U	50.0	45.4	91	70 - 130		50.0	54.8	110		19	20	
Dibromochloromethane	U	50.0	46.2	92	70 - 130		50.0	53.8	108		15	20	
Dibromomethane	U	50.0	47.7	95	75 - 125		50.0	55.4	111		15	20	
1,2-Dichlorobenzene	U	50.0	48.0	96	70 - 120		50.0	55.8	112		15	20	
1,3-Dichlorobenzene	U	50.0	48.7	97	75 - 125		50.0	55.9	112		14	20	
1,4-Dichlorobenzene	U	50.0	46.0	92	75 - 125		50.0	52.4	105		13	20	
Dichlorodifluoromethane	U	50.0	51.4	103	70 - 136		50.0	56.2	112		9	20	
1,1-Dichloroethane	2.27	50.0	50.1	96	70 - 130		50.0	58.0	111		15	20	
1,2-Dichloroethane	U	50.0	43.1	86	70 - 130		50.0	49.2	98		13	20	
1,1-Dichloroethene	U	50.0	45.5	91	78 - 120		50.0	52.7	105		15	20	
cis-1,2-Dichloroethene	19.7	50.0	64.8	90	70 - 125		50.0	72.3	105		15	20	
trans-1,2-Dichloroethene	1.43	50.0	50.0	97	70 - 130		50.0	56.8	111		13	20	
1,2-Dichloropropane	U	50.0	50.9	102	80 - 121		50.0	59.2	118		15	20	
cis-1,3-Dichloropropene	U	50.0	47.5	95	70 - 130		50.0	54.9	110		14	20	

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

A08596-004: Original Sample (OS)/Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

EPA 8260D

Run Time: A08596-004 (OS): 05/20/22 19:44 [VI22E20A] A08596-005 (MS): 05/20/22 20:10 [VI22E20A] A08596-006 (MSD): 05/20/22 20:36 [VI22E20A]

Analyte	Original Result	MS Spike Amount	MS Result	MS Rec.	Rec. Limits	MS Qualifier	MSD Spike Amount	MSD Result	MSD Rec.	MSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	U	50.0	50.7	101	70 - 132		50.0	58.2	116		14	20	
Ethylbenzene	U	50.0	50.1	100	80 - 120		50.0	57.7	115		14	20	
Ethylene Dibromide	U	50.0	50.0	100	80 - 120		50.0	58.1	116		15	20	
2-Hexanone	U	50.0	44.2	88	70 - 130		50.0	52.0	104		16	20	
Isopropylbenzene	U	50.0	50.9	102	75 - 125		50.0	58.3	117		14	20	
4-Methyl-2-pentanone	U	50.0	52.9	106	70 - 130		50.0	60.0	120		13	20	
Methylene Chloride	U	50.0	46.8	94	70 - 130		50.0	53.5	107		13	20	
2-Methylnaphthalene	U	50.0	36.6	73	70 - 130		50.0	49.1	98		29	20	*
MTBE	U	50.0	46.0	92	70 - 125		50.0	53.5	107		15	20	
Naphthalene	U	50.0	47.2	94	70 - 130		50.0	56.9	114		19	20	
n-Propylbenzene	U	50.0	50.2	100	70 - 130		50.0	57.3	115		13	20	
Styrene	U	50.0	46.2	92	70 - 130		50.0	53.6	107		15	20	
1,1,1,2-Tetrachloroethane	U	50.0	49.9	100	80 - 130		50.0	58.0	116		15	20	
1,1,2,2-Tetrachloroethane	U	50.0	55.5	111	70 - 130		50.0	65.8	132	*	17	20	
Tetrachloroethene	U	50.0	51.0	102	70 - 130		50.0	57.0	114		11	20	
Toluene	U	50.0	50.4	101	80 - 120		50.0	58.1	116		14	20	
1,2,4-Trichlorobenzene	U	50.0	46.5	93	70 - 130		50.0	53.5	107		14	20	
1,1,1-Trichloroethane	U	50.0	48.2	96	70 - 130		50.0	56.4	113		16	20	
1,1,2-Trichloroethane	U	50.0	48.3	97	75 - 125		50.0	56.6	113		16	20	
Trichloroethene	U	50.0	44.8	90	71 - 125		50.0	51.3	103		14	20	
Trichlorofluoromethane	U	50.0	50.9	102	70 - 133		50.0	58.1	116		13	20	
1,2,3-Trichloropropane	U	50.0	48.9	98	75 - 125		50.0	59.1	118		19	20	
1,2,3-Trimethylbenzene	U	50.0	47.7	95	70 - 130		50.0	55.1	110		14	20	
1,2,4-Trimethylbenzene	U	50.0	50.3	101	75 - 130		50.0	57.7	115		14	20	
1,3,5-Trimethylbenzene	U	50.0	50.0	100	75 - 130		50.0	57.2	114		13	20	
Vinyl Chloride	U	50.0	54.9	110	74 - 125		50.0	63.7	127	*	15	20	
m&p-Xylene	U	100	98.9	99	75 - 130		100	114	114		14	20	
o-Xylene	U	50.0	50.0	100	80 - 120		50.0	57.6	115		14	20	

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Anthony Donnelly at 6:04 PM, May 23, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertecihs.com

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
168191
PAGE ___ of ___

Client Name: TRW Milford
Contact Person: Christian Seidel
Project Name/ Number: TRW Milford 30096730
Email distribution list: John.McInnis@arcadis.com
Quote# 849
Purchase Order#

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260	HOLD SAMPLE	Remarks
5/18	14 40	1	VAP-01-06-75_80	GW	3	X		48-hr TAT
5/18	17 45	2	VAP-01-07_85_90	GW	3	X		48 hr TAT
5/19	9 55	3	Equipment Flow Valve	DI	3	X		48 hr TAT
5/19	11 25	4	VAP-01-08_95_100	GW	3	X		48 hr TAT
5/19	11 25	5	MS/MSD-1	GW	3	X		—
5/19	—	6	Duplicate-1	GW	3	X		48 hr TAT
5/19	14 20	7	VAP-01-09_105_110	GW	3	X		48 hr TAT

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: Level 2; Level 3; Level 4; EDD

Comments:

Received By Lab
MAY 19 2022
Initials:

Sampled/Relinquished By: Chr Seidel	Date/ Time 5/18 18:25	Received By: Arcadis Fridge
Relinquished By: Arcadis fridge	Date/ Time 5/19 7:00	Received By: Chr Seidel
Relinquished By: Chr Seidel	Date/ Time 5/19 14:25	Received By Laboratory: Debra L. Shade 5/19/22 2:25

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

Please see back for terms and conditions

Debra L. Shade 5/19/22

LAB USE ONLY

Fibertec project number: A085960

Temperature upon receipt at Lab: 5°C

Received On Ice

1630

Fibertec
environmental
services

Tuesday, May 24, 2022

Fibertec Project Number:	A08623
Project Identification:	TRW Milford (30046730) /30046730
Submittal Date:	05/20/2022

Mr. Christian Seidel
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. Seidel,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 10:14 AM, May 24, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-10_115_120**	Chain of Custody:	**168190**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**17:30**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08623-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-10_115_120**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
30. cis-1,2-Dichloroethene	**14**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
31. trans-1,2-Dichloroethene	**1.7**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08623
Laboratory Sample Number: A08623-001

Order: A08623
Date: 05/24/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-10_115_120**	Chain of Custody:	**168190**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/19/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**17:30**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08623-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-10_115_120**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
49. Toluene	**1.4**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20B	05/21/22 05:21	VI22E20B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-11_125_130**	Chain of Custody:	**168190**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/20/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08623-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-11_125_130**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
30. cis-1,2-Dichloroethene	**13**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
31. trans-1,2-Dichloroethene	**2.7**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-11_125_130**	Chain of Custody:	**168190**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/20/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08623-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-11_125_130**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20B	05/21/22 05:47	VI22E20B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-12_95_100-2**	Chain of Custody:	**168190**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/20/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**13:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08623-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-12_95_100-2**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
27. 1,1-Dichloroethane	**2.3**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
31. trans-1,2-Dichloroethene	**1.5**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08623
Laboratory Sample Number: A08623-003

Order: A08623
Date: 05/24/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-01-12_95_100-2**	Chain of Custody:	**168190**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/20/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**13:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08623-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-01-12_95_100-2**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20B	05/21/22 06:13	VI22E20B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08623
Laboratory Sample Number: A08623-004

Order: A08623
Date: 05/24/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Duplicate 2**	Chain of Custody:	**168190**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/20/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08623-004** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: Duplicate 2**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
27. 1,1-Dichloroethane	**2.4**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
31. trans-1,2-Dichloroethene	**1.5**		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Duplicate 2**	Chain of Custody:	**168190**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/20/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08623-004** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: Duplicate 2**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/20/22	VI22E20B	05/21/22 06:40	VI22E20B	SNC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

ICV+ : Recovery in the associated initial calibration verification sample exceeds the upper control limit. Results may be biased high.
L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-19-8 (TX)

VI22E20B: Method Blank (MB)

EPA 8260D

Run Time: VI22E20B.MB 05/20/2022 23:39 [VI22E20B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22E20B: Method Blank (MB)

EPA 8260D

Run Time: VI22E20B.MB 05/20/2022 23:39 [VI22E20B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***94***		***80-120***
Dibromofluoromethane(S)	***101***		***80-120***
1,2-Dichloroethane-d4(S)	***92***		***80-120***
Toluene-d8(S)	***98***		***80-120***

VI22E20B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22E20B.LCS: 05/20/2022 22:21 [VI22E20B] VI22E20B.LCSD: 05/20/2022 22:47 [VI22E20B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	35.4	71	54-140		50.0	31.7	63		12	20	
Acrylonitrile	50.0	51.4	103	70-130		50.0	46.8	94		9	20	
Benzene	50.0	47.5	95	80-120		50.0	45.0	90		5	20	
Bromobenzene	50.0	49.0	98	75-125		50.0	45.4	91		7	20	
Bromochloromethane	50.0	47.9	96	70-130		50.0	46.0	92		4	20	
Bromodichloromethane	50.0	45.8	92	75-120		50.0	43.4	87		6	20	
Bromoform	50.0	48.1	96	70-130		50.0	45.7	91		5	20	
Bromomethane	50.0	70.1	140	68-135	*	50.0	62.3	125		11	20	
2-Butanone	50.0	44.3	89	70-148		50.0	40.6	81		9	20	
n-Butylbenzene	50.0	56.4	113	70-133		50.0	52.9	106		6	20	
sec-Butylbenzene	50.0	52.0	104	70-125		50.0	48.2	96		8	20	
tert-Butylbenzene	50.0	51.4	103	70-130		50.0	47.5	95		8	20	
Carbon Disulfide	50.0	44.7	89	70-130		50.0	41.7	83		7	20	
Carbon Tetrachloride	50.0	44.5	89	70-130		50.0	41.3	83		7	20	
Chlorobenzene	50.0	48.7	97	80-120		50.0	46.3	93		4	20	
Chloroethane	50.0	49.7	99	61-130		50.0	46.0	92		7	20	
Chloroform	50.0	45.4	91	80-120		50.0	42.6	85		7	20	
Chloromethane	50.0	55.0	110	67-125		50.0	51.4	103		7	20	
2-Chlorotoluene	50.0	49.7	99	75-125		50.0	45.8	92		7	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	49.3	99	70-130		50.0	44.5	89		11	20	
Dibromochloromethane	50.0	46.0	92	70-130		50.0	43.3	87		6	20	
Dibromomethane	50.0	47.8	96	75-125		50.0	45.0	90		6	20	
1,2-Dichlorobenzene	50.0	50.8	102	70-120		50.0	47.4	95		7	20	
1,3-Dichlorobenzene	50.0	51.3	103	75-125		50.0	47.8	96		7	20	
1,4-Dichlorobenzene	50.0	48.8	98	75-125		50.0	45.5	91		7	20	
Dichlorodifluoromethane	50.0	45.9	92	70-136		50.0	43.2	86		7	20	
1,1-Dichloroethane	50.0	47.1	94	70-130		50.0	44.2	88		7	20	
1,2-Dichloroethane	50.0	41.2	82	70-130		50.0	39.5	79		4	20	
1,1-Dichloroethene	50.0	43.1	86	78-120		50.0	39.6	79		8	20	
cis-1,2-Dichloroethene	50.0	44.7	89	70-125		50.0	42.2	84		6	20	
trans-1,2-Dichloroethene	50.0	46.6	93	70-130		50.0	44.4	89		4	20	
1,2-Dichloropropane	50.0	50.0	100	80-121		50.0	47.5	95		5	20	
cis-1,3-Dichloropropene	50.0	47.7	95	70-130		50.0	45.3	91		4	20	

VI22E20B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22E20B.LCS: 05/20/2022 22:21 [VI22E20B] VI22E20B.LCSD: 05/20/2022 22:47 [VI22E20B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	51.0	102	70-132		50.0	48.3	97		5	20	
Ethylbenzene	50.0	49.7	99	80-120		50.0	47.0	94		5	20	
Ethylene Dibromide	50.0	50.7	101	80-120		50.0	47.6	95		6	20	
2-Hexanone	50.0	44.7	89	70-130		50.0	41.7	83		7	20	
Isopropylbenzene	50.0	50.1	100	75-125		50.0	47.5	95		5	20	
4-Methyl-2-pentanone	50.0	53.2	106	70-130		50.0	49.1	98		8	20	
Methylene Chloride	50.0	46.4	93	70-130		50.0	43.8	88		6	20	
2-Methylnaphthalene	50.0	49.7	99	70-130		50.0	44.7	89		11	20	
MTBE	50.0	46.4	93	70-125		50.0	43.8	88		6	20	
Naphthalene	50.0	53.2	106	70-130		50.0	48.9	98		8	20	
n-Propylbenzene	50.0	52.2	104	70-130		50.0	48.7	97		7	20	
Styrene	50.0	46.7	93	70-130		50.0	44.0	88		6	20	
1,1,1,2-Tetrachloroethane	50.0	49.2	98	80-130		50.0	46.3	93		5	20	
1,1,2,2-Tetrachloroethane	50.0	59.5	119	70-130		50.0	54.6	109		9	20	
Tetrachloroethene	50.0	49.2	98	70-130		50.0	46.2	92		6	20	
Toluene	50.0	48.6	97	80-120		50.0	46.1	92		5	20	
1,2,4-Trichlorobenzene	50.0	53.0	106	70-130		50.0	48.9	98		8	20	
1,1,1-Trichloroethane	50.0	45.6	91	70-130		50.0	42.7	85		7	20	
1,1,2-Trichloroethane	50.0	49.1	98	75-125		50.0	46.3	93		5	20	
Trichloroethene	50.0	43.2	86	71-125		50.0	40.6	81		6	20	
Trichlorofluoromethane	50.0	46.8	94	70-133		50.0	43.2	86		9	20	
1,2,3-Trichloropropane	50.0	50.9	102	75-125		50.0	46.5	93		9	20	
1,2,3-Trimethylbenzene	50.0	49.7	99	70-130		50.0	45.8	92		7	20	
1,2,4-Trimethylbenzene	50.0	52.4	105	75-130		50.0	48.8	98		7	20	
1,3,5-Trimethylbenzene	50.0	51.4	103	75-130		50.0	48.0	96		7	20	
Vinyl Chloride	50.0	52.4	105	74-125		50.0	49.3	99		6	20	
m&p-Xylene	100	98.3	98	75-130		100	93.0	93		5	20	
o-Xylene	50.0	49.3	99	80-120		50.0	46.9	94		5	20	
4-Bromofluorobenzene(S)			***97***	***80-120***				***98***				
Dibromofluoromethane(S)			***97***	***80-120***				***96***				
1,2-Dichloroethane-d4(S)			***88***	***80-120***				***87***				
Toluene-d8(S)			***99***	***80-120***				***99***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Sue Ricketts at 10:17 AM, May 24, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertecihs.com

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
168190
PAGE ___ of ___

Client Name: TRW Milford
Contact Person: Christian Seichel
Project Name/ Number: TRW Milford
Email distribution list: John.Molnis@arcadis.com
Quote# 849
Purchase Order#

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260	HOLD SAMPLE	Remarks
~~5/19~~	17:30	1	VAP-01-10_115_120	GW	3	X		48 hr TAT
5/20	10:45	2	VAP-01-11_125_130	GW	3	X		48 hr TAT
5/20	13:20	3	VAP-01-12_95_100-2	GW	3	X		48 hr TAT
5/20		4	Duplicate 2	GW	3	X		48 hr TAT

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: Level 2; Level 3; Level 4; EDD

Received By Lab
MAY 20 2022
Initials: EA

Received On Ice

Comments:

	Date/ Time	
Sampled/Relinquished By: Christian Seichel	5/19	18 30
Relinquished By: Arcadis Fridge	5/20	7 05
Relinquished By: Christian Seichel	5/20	13 33

Received By: Arcadis Fridge
Received By: Christian Seichel
Received By Laboratory: Dalal Shah 5/20/22 1:33

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A08623
Temperature upon receipt at Lab: 4.9°C

Please see back for terms and conditions

Dalal Shah 5/20/22 15:24

Fibertec environmental services

Thursday, June 02, 2022

Fibertec Project Number:	A08693
Project Identification:	TRW Milford (30046730) /30046730
Submittal Date:	05/24/2022

Mr. Christian Seidel
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. Seidel,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 11:02 AM, Jun 02, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-01_15_20**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**12:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-01_15_20**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-01_15_20**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**12:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-01_15_20**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 01:31	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-01_15_20**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**12:40**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-01_15_20**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	HV V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
‡ 2. Acrylonitrile	U	HV	µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
3. Benzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
4. Bromobenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
5. Bromochloromethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
6. Bromodichloromethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
7. Bromoform	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
8. Bromomethane	U	HV V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
9. 2-Butanone	U	HV V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
10. n-Butylbenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
11. sec-Butylbenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
12. tert-Butylbenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
13. Carbon Disulfide	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
14. Carbon Tetrachloride	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
15. Chlorobenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
16. Chloroethane	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
17. Chloroform	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
18. Chloromethane	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
19. 2-Chlorotoluene	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
21. Dibromochloromethane	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
22. Dibromomethane	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
26. Dichlorodifluoromethane	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
27. 1,1-Dichloroethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
28. 1,2-Dichloroethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
29. 1,1-Dichloroethene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
32. 1,2-Dichloropropane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U	HV	µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08693
Laboratory Sample Number: A08693-002

Order: A08693
Date: 06/02/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-01_15_20**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**12:40**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-01_15_20**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
34. trans-1,3-Dichloropropene	U	HV	µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
35. Ethylbenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
36. Ethylene Dibromide	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
37. 2-Hexanone	U	HV	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
38. Isopropylbenzene	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U	HV	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
40. Methylene Chloride	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
42. MTBE	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
43. Naphthalene	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
44. n-Propylbenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
45. Styrene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
48. Tetrachloroethene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
49. Toluene	**1.5**	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U	HV	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
53. Trichloroethene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
54. Trichlorofluoromethane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
59. Vinyl Chloride	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
60. m&p-Xylene	U	HV	µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
61. o-Xylene	U	HV	µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC
‡ 62. Xylenes	U	HV	µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 01:57	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-02_25_30**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:37**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-02_25_30**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-02_25_30**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:37**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-02_25_30**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 02:23	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-02_25_30**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**15:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-004** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-02_25_30**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-02_25_30**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**15:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-004** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-02_25_30**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 02:49	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-03_35_40**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**16:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-005** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-03_35_40**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-03_35_40**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/23/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**16:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-005** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-03_35_40**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 03:15	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-03_35_40**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**7**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:15**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-007** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-03_35_40**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-03_35_40**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**7**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:15**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-007** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-03_35_40**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 03:41	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-04_45_50**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**8**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-008** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-04_45_50**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
30. cis-1,2-Dichloroethene	**1.5**		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-04_45_50**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**8**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-008** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-04_45_50**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 04:07	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-05_55_60**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**9**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:05**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-009** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-05_55_60**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-05_55_60**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**9**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:05**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-009** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-05_55_60**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 04:33	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-04_45_50**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**10**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-010** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-04_45_50**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-04_45_50**	Chain of Custody:	**171066**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**10**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**10:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-010** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-04_45_50**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 05:00	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-05_55_60**	Chain of Custody:	**171064**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**11**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**12:05**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-011** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-05_55_60**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
3. Benzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
7. Bromoform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
17. Chloroform	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-05_55_60**	Chain of Custody:	**171064**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**11**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**12:05**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08693-011** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-05_55_60**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
42. MTBE	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
45. Styrene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
49. Toluene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	05/31/22	VI22E31B	06/01/22 05:26	VI22E31B	SNC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

HV : Per method requirements, the hold time is reduced from 14 days to 7 days when the sample pH is >2. The hold time was exceeded.
ICV+ : Recovery in the associated initial calibration verification sample exceeds the upper control limit. Results may be biased high.
L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

NELAP ACCREDITED TNI LABORATORY

Accreditation Number(s):

T104704518-19-8 (TX)

VI22E31B: Method Blank (MB)

EPA 8260D

Run Time: VI22E31B.MB 05/31/2022 23:19 [VI22E31B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22E31B: Method Blank (MB)

EPA 8260D

Run Time: VI22E31B.MB 05/31/2022 23:19 [VI22E31B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***95***		***80-120***
Dibromofluoromethane(S)	***112***		***80-120***
1,2-Dichloroethane-d4(S)	***92***		***80-120***
Toluene-d8(S)	***99***		***80-120***

VI22E31B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22E31B.LCS: 05/31/2022 22:01 [VI22E31B] VI22E31B.LCSD: 05/31/2022 22:27 [VI22E31B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	42.0	84	54-140		50.0	41.6	83		1	20	
Acrylonitrile	50.0	54.7	109	70-130		50.0	55.4	111		2	20	
Benzene	50.0	47.6	95	80-120		50.0	49.4	99		4	20	
Bromobenzene	50.0	46.7	93	75-125		50.0	48.0	96		3	20	
Bromochloromethane	50.0	49.2	98	70-130		50.0	50.6	101		3	20	
Bromodichloromethane	50.0	45.5	91	75-120		50.0	47.0	94		3	20	
Bromoform	50.0	47.5	95	70-130		50.0	48.0	96		1	20	
Bromomethane	50.0	69.3	139	68-135	*	50.0	71.1	142	*	2	20	
2-Butanone	50.0	47.7	95	70-148		50.0	47.2	94		1	20	
n-Butylbenzene	50.0	56.3	113	70-133		50.0	58.2	116		3	20	
sec-Butylbenzene	50.0	51.3	103	70-125		50.0	53.2	106		3	20	
tert-Butylbenzene	50.0	50.4	101	70-130		50.0	51.8	104		3	20	
Carbon Disulfide	50.0	48.3	97	70-130		50.0	50.3	101		4	20	
Carbon Tetrachloride	50.0	44.6	89	70-130		50.0	46.6	93		4	20	
Chlorobenzene	50.0	47.7	95	80-120		50.0	49.5	99		4	20	
Chloroethane	50.0	51.0	102	61-130		50.0	53.0	106		4	20	
Chloroform	50.0	47.8	96	80-120		50.0	50.4	101		5	20	
Chloromethane	50.0	52.1	104	67-125		50.0	54.6	109		5	20	
2-Chlorotoluene	50.0	48.2	96	75-125		50.0	49.5	99		3	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	46.3	93	70-130		50.0	46.0	92		1	20	
Dibromochloromethane	50.0	44.6	89	70-130		50.0	46.0	92		3	20	
Dibromomethane	50.0	47.6	95	75-125		50.0	48.1	96		1	20	
1,2-Dichlorobenzene	50.0	48.7	97	70-120		50.0	50.2	100		3	20	
1,3-Dichlorobenzene	50.0	50.0	100	75-125		50.0	51.2	102		2	20	
1,4-Dichlorobenzene	50.0	46.3	93	75-125		50.0	48.7	97		4	20	
Dichlorodifluoromethane	50.0	45.1	90	70-136		50.0	47.1	94		4	20	
1,1-Dichloroethane	50.0	48.9	98	70-130		50.0	50.8	102		4	20	
1,2-Dichloroethane	50.0	41.4	83	70-130		50.0	41.8	84		1	20	
1,1-Dichloroethene	50.0	45.3	91	78-120		50.0	47.0	94		3	20	
cis-1,2-Dichloroethene	50.0	46.9	94	70-125		50.0	49.1	98		4	20	
trans-1,2-Dichloroethene	50.0	49.9	100	70-130		50.0	52.5	105		5	20	
1,2-Dichloropropane	50.0	49.5	99	80-121		50.0	51.5	103		4	20	
cis-1,3-Dichloropropene	50.0	46.7	93	70-130		50.0	48.5	97		4	20	

VI22E31B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22E31B.LCS: 05/31/2022 22:01 [VI22E31B] VI22E31B.LCSD: 05/31/2022 22:27 [VI22E31B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	50.6	101	70-132		50.0	51.9	104		3	20	
Ethylbenzene	50.0	48.4	97	80-120		50.0	50.4	101		4	20	
Ethylene Dibromide	50.0	49.2	98	80-120		50.0	50.4	101		3	20	
2-Hexanone	50.0	43.7	87	70-130		50.0	44.2	88		1	20	
Isopropylbenzene	50.0	49.7	99	75-125		50.0	51.7	103		4	20	
4-Methyl-2-pentanone	50.0	53.7	107	70-130		50.0	54.4	109		2	20	
Methylene Chloride	50.0	48.3	97	70-130		50.0	50.2	100		3	20	
2-Methylnaphthalene	50.0	48.0	96	70-130		50.0	47.6	95		1	20	
MTBE	50.0	49.8	100	70-125		50.0	50.5	101		1	20	
Naphthalene	50.0	50.8	102	70-130		50.0	51.2	102		0	20	
n-Propylbenzene	50.0	51.3	103	70-130		50.0	52.8	106		3	20	
Styrene	50.0	45.5	91	70-130		50.0	47.2	94		3	20	
1,1,1,2-Tetrachloroethane	50.0	47.7	95	80-130		50.0	48.5	97		2	20	
1,1,2,2-Tetrachloroethane	50.0	58.0	116	70-130		50.0	58.1	116		0	20	
Tetrachloroethene	50.0	49.1	98	70-130		50.0	50.7	101		3	20	
Toluene	50.0	48.7	97	80-120		50.0	50.7	101		4	20	
1,2,4-Trichlorobenzene	50.0	49.5	99	70-130		50.0	51.4	103		4	20	
1,1,1-Trichloroethane	50.0	48.6	97	70-130		50.0	50.5	101		4	20	
1,1,2-Trichloroethane	50.0	48.0	96	75-125		50.0	49.2	98		2	20	
Trichloroethene	50.0	43.3	87	71-125		50.0	45.1	90		3	20	
Trichlorofluoromethane	50.0	49.4	99	70-133		50.0	51.5	103		4	20	
1,2,3-Trichloropropane	50.0	50.8	102	75-125		50.0	51.3	103		1	20	
1,2,3-Trimethylbenzene	50.0	47.7	95	70-130		50.0	49.2	98		3	20	
1,2,4-Trimethylbenzene	50.0	51.3	103	75-130		50.0	52.7	105		2	20	
1,3,5-Trimethylbenzene	50.0	50.3	101	75-130		50.0	52.6	105		4	20	
Vinyl Chloride	50.0	52.9	106	74-125		50.0	55.5	111		5	20	
m&p-Xylene	100	96.8	97	75-130		100	100	100		3	20	
o-Xylene	50.0	48.5	97	80-120		50.0	50.3	101		4	20	
4-Bromofluorobenzene(S)			***98***	***80-120***				***97***				
Dibromofluoromethane(S)			***106***	***80-120***				***106***				
1,2-Dichloroethane-d4(S)			***86***	***80-120***				***86***				
Toluene-d8(S)			***100***	***80-120***				***100***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

By Sue Ricketts at 11:07 AM, Jun 02, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertecihs.com

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
171066
PAGE ___ of ___

Client Name: TRW
Contact Person: Christian Seidel, John McInnis
Project Name/ Number: 30046730
TRW Milford
Email distribution list: John.McInnis@arcadis.com
Quote# 849
Purchase Order#

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260	HOLD SAMPLE	Remarks
5/23	1235	1	VAP-02-01_15_20	GW	3	X		
	1240	2	VAP-03-01_15_20	GW	3	X		
	1437	3	VAP-02-02_25_30	GW	3	X		
	1520	4	VAP-03-02_25_30	GW	3	X		
	1635	5	VAP-02-03_35_40	GW	3	X		
	1755	6	VAP-03-03_35_40	GW	3	X		Discard; don't run
5/24	915	7	VAP-03-03_35_40	GW	3	X		
	920	8	VAP-02-04_45_50	GW	3	X		
	1105	9	VAP-02-05_55_60	GW	3	X		
	1045	10	VAP-03-04_45_50	GW	3	X		

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: Level 2; Level 3; Level 4; EDD

Received By Lab
MAY 24 2022
Received On Ice
Initials: EA

Comments:

	Date/ Time	Received By:
Sampled/Relinquished By: Chr Seidel	5/23 1840	Arcadis Fridge
Relinquished By: Arcadis Fridge	5/24 700	Received By: Chr Seidel
Relinquished By: Chr Seidel	5/24 1320	Received By Laboratory: Date & Time 5/24/22 1:20

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

X 5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A08693
Temperature upon receipt at Lab: 3.7°C

Please see back for terms and conditions

Date & Time 5/24/22 15:15 EA

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertecihs.com

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
171064
PAGE ___ of ___

Client Name: TRW
Contact Person: Christian Sleidl, John McInnis
Project Name/ Number: 30467 30
TRW Milford
Email distribution list: John.McInnis@arcadis.com
Quote#
Purchase Order#

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260	HOLD SAMPLE
5/24	12°5	11	VAP-03-05_55-60	GW	3	X	

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: Level 2; Level 3; Level 4; EDD

Remarks:

Received By Lab:
MAY 24 2022
Initials: EA

Received On Ice

Comments:

Sampled/Relinquished By: Chg Sleidl — Date/ Time 5/24 13:30 — Received By:
Relinquished By: Dale A. Shade — Date/ Time 5/24/22 15:15 — Received By: Dale A. Shade 5/24/22 1:20
Relinquished By: — Date/ Time — Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

X 5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number:
A08693
Temperature upon receipt at Lab:
3.7°C

Please see back for terms and conditions

Fibertec environmental services

Friday, June 3, 2022

Fibertec Project Number:	A08733
Project Identification:	TRW Milford (30046730) /30046730
Submittal Date:	05/25/2022

Mr. Christian Seidel
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. Seidel,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

By Katherine Jones at 3:34 PM, Jun 03, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-001

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-07_75_80**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**15:50**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-07_75_80**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-001

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-07_75_80**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**1**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**15:50**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-07_75_80**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 04:41	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-002

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-06_65_70**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-06_65_70**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-002

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-06_65_70**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**2**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-06_65_70**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 05:07	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-003

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-06_65_70**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:12**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-06_65_70**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-003

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-06_65_70**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**3**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**14:12**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-06_65_70**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 05:33	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Valve**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**15:30**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-004** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Valve**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-004

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Valve**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**4**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**15:30**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-004** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Valve**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 00:46	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-005

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-07_75_80**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**16:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-005** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-07_75_80**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-005

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-07_75_80**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**5**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**16:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-005** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-07_75_80**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 05:59	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-006

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-08_85_90**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**6**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-006** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-08_85_90**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-006

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-08_85_90**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**6**	Collect Date:	**05/24/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-006** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-08_85_90**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 06:26	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-007

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-09_95_100**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**7**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:15**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-007** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-09_95_100**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	V+	µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	3. Benzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	7. Bromoform	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	8. Bromomethane	U	ICV+	µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-09_95_100**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**7**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:15**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-007** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-09_95_100**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/02/22	VI22F02A	06/02/22 15:54	VI22F02A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-008

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-08_85_90**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**8**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-008** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-08_85_90**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-008

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-08_85_90**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**8**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**09:45**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-008** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-08_85_90**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 07:17	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-009

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-09_95_100**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**9**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-009** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-09_95_100**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-009

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-09_95_100**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**9**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**11:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-009** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-09_95_100**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 07:43	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-010

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Duplicate 3**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**10**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-010** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: Duplicate 3**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-010

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Duplicate 3**	Chain of Custody:	**168189**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**10**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-010** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: Duplicate 3**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/01/22	VI22F01B	06/02/22 08:10	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-10_105_110**	Chain of Custody:	**171065**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**11**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**13:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-011** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-10_105_110**

							Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-011

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-03-10_105_110**	Chain of Custody:	**171065**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**11**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**13:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-011** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-03-10_105_110**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
49. Toluene	**1.0**		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/02/22	VI22F01B	06/02/22 08:36	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-10_105_110**	Chain of Custody:	**171065**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**12**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**13:50**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-012** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-10_105_110**

							Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
8. Bromomethane	U	V+ L+ ICV+	µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08733
Laboratory Sample Number: A08733-012

Order: A08733
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-10_105_110**	Chain of Custody:	**171065**
Client Project Name:	**TRW Milford (30046730)**	Sample No:	**12**	Collect Date:	**05/25/22**
Client Project No:	**30046730**	Sample Matrix:	**Ground Water**	Collect Time:	**13:50**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08733-012** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-10_105_110**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
37. 2-Hexanone	U		µg/L	50	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/02/22	VI22F01B	06/02/22 09:02	VI22F01B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

ICV+ : Recovery in the associated initial calibration verification sample exceeds the upper control limit. Results may be biased high.
L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-19-8 (TX)

VI22F01B: Method Blank (MB)

EPA 8260D

Run Time: VI22F01B.MB 06/01/2022 23:53 [VI22F01B]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22F01B: Method Blank (MB)

EPA 8260D

Run Time: VI22F01B.MB 06/01/2022 23:53 [VI22F01B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*92*		*80-120*
Dibromofluoromethane(S)	*102*		*80-120*
1,2-Dichloroethane-d4(S)	*90*		*80-120*
Toluene-d8(S)	*98*		*80-120*

VI22F01B: Method Blank (MB)

EPA 8260D

Run Time: VI22F01B.MB 06/02/2022 00:20 [VI22F01B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
4-Bromofluorobenzene(S)	*93*		*80-120*
Dibromofluoromethane(S)	*103*		*80-120*
1,2-Dichloroethane-d4(S)	*91*		*80-120*
Toluene-d8(S)	*97*		*80-120*

VI22F01B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22F01B.LCS: 06/01/2022 21:43 [VI22F01B] VI22F01B.LCSD: 06/01/2022 22:09 [VI22F01B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	36.2	72	54-140		50.0	35.2	70		3	20	
Acrylonitrile	50.0	47.8	96	70-130		50.0	47.0	94		2	20	
Benzene	50.0	45.5	91	80-120		50.0	47.8	96		5	20	
Bromobenzene	50.0	44.3	89	75-125		50.0	46.9	94		5	20	
Bromochloromethane	50.0	43.1	86	70-130		50.0	45.1	90		5	20	
Bromodichloromethane	50.0	43.7	87	75-120		50.0	45.2	90		3	20	
Bromoform	50.0	47.5	95	70-130		50.0	47.5	95		0	20	
Bromomethane	50.0	67.1	134	68-135		50.0	71.3	143	*	6	20	
2-Butanone	50.0	40.6	81	70-148		50.0	39.7	79		3	20	
n-Butylbenzene	50.0	52.7	105	70-133		50.0	56.9	114		8	20	
sec-Butylbenzene	50.0	48.5	97	70-125		50.0	52.0	104		7	20	
tert-Butylbenzene	50.0	47.7	95	70-130		50.0	51.7	103		8	20	
Carbon Disulfide	50.0	43.7	87	70-130		50.0	45.9	92		6	20	
Carbon Tetrachloride	50.0	42.5	85	70-130		50.0	45.3	91		7	20	
Chlorobenzene	50.0	46.6	93	80-120		50.0	48.4	97		4	20	
Chloroethane	50.0	47.2	94	61-130		50.0	50.1	100		6	20	
Chloroform	50.0	43.1	86	80-120		50.0	44.7	89		3	20	
Chloromethane	50.0	49.7	99	67-125		50.0	51.8	104		5	20	
2-Chlorotoluene	50.0	45.6	91	75-125		50.0	48.8	98		7	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	44.0	88	70-130		50.0	44.9	90		2	20	
Dibromochloromethane	50.0	43.8	88	70-130		50.0	45.4	91		3	20	
Dibromomethane	50.0	46.8	94	75-125		50.0	47.3	95		1	20	
1,2-Dichlorobenzene	50.0	47.5	95	70-120		50.0	49.6	99		4	20	
1,3-Dichlorobenzene	50.0	48.6	97	75-125		50.0	51.3	103		6	20	
1,4-Dichlorobenzene	50.0	45.9	92	75-125		50.0	47.9	96		4	20	
Dichlorodifluoromethane	50.0	41.9	84	70-136		50.0	44.4	89		6	20	
1,1-Dichloroethane	50.0	43.3	87	70-130		50.0	45.6	91		4	20	
1,2-Dichloroethane	50.0	39.6	79	70-130		50.0	40.0	80		1	20	
1,1-Dichloroethene	50.0	39.5	79	78-120		50.0	42.2	84		6	20	
cis-1,2-Dichloroethene	50.0	41.8	84	70-125		50.0	43.8	88		5	20	
trans-1,2-Dichloroethene	50.0	44.2	88	70-130		50.0	46.0	92		4	20	
1,2-Dichloropropane	50.0	46.4	93	80-121		50.0	48.0	96		3	20	
cis-1,3-Dichloropropene	50.0	44.1	88	70-130		50.0	45.5	91		3	20	

VI22F01B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22F01B.LCS: 06/01/2022 21:43 [VI22F01B] VI22F01B.LCSD: 06/01/2022 22:09 [VI22F01B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	47.7	95	70-132		50.0	48.7	97		2	20	
Ethylbenzene	50.0	47.1	94	80-120		50.0	49.5	99		5	20	
Ethylene Dibromide	50.0	48.4	97	80-120		50.0	49.1	98		1	20	
2-Hexanone	50.0	40.0	80	70-130		50.0	39.9	80		0	20	
Isopropylbenzene	50.0	48.1	96	75-125		50.0	50.8	102		6	20	
4-Methyl-2-pentanone	50.0	48.9	98	70-130		50.0	49.4	99		1	20	
Methylene Chloride	50.0	42.9	86	70-130		50.0	44.2	88		2	20	
2-Methylnaphthalene	50.0	43.4	87	70-130		50.0	45.9	92		6	20	
MTBE	50.0	44.3	89	70-125		50.0	44.9	90		1	20	
Naphthalene	50.0	48.1	96	70-130		50.0	49.6	99		3	20	
n-Propylbenzene	50.0	48.0	96	70-130		50.0	52.0	104		8	20	
Styrene	50.0	44.5	89	70-130		50.0	46.5	93		4	20	
1,1,1,2-Tetrachloroethane	50.0	46.8	94	80-130		50.0	48.6	97		3	20	
1,1,2,2-Tetrachloroethane	50.0	54.0	108	70-130		50.0	56.0	112		4	20	
Tetrachloroethene	50.0	47.5	95	70-130		50.0	50.5	101		6	20	
Toluene	50.0	46.9	94	80-120		50.0	49.0	98		4	20	
1,2,4-Trichlorobenzene	50.0	48.7	97	70-130		50.0	51.0	102		5	20	
1,1,1-Trichloroethane	50.0	43.5	87	70-130		50.0	45.6	91		4	20	
1,1,2-Trichloroethane	50.0	46.8	94	75-125		50.0	47.5	95		1	20	
Trichloroethene	50.0	41.6	83	71-125		50.0	44.1	88		6	20	
Trichlorofluoromethane	50.0	44.1	88	70-133		50.0	47.1	94		7	20	
1,2,3-Trichloropropane	50.0	49.2	98	75-125		50.0	49.7	99		1	20	
1,2,3-Trimethylbenzene	50.0	46.1	92	70-130		50.0	49.1	98		6	20	
1,2,4-Trimethylbenzene	50.0	48.7	97	75-130		50.0	52.0	104		7	20	
1,3,5-Trimethylbenzene	50.0	48.1	96	75-130		50.0	51.5	103		7	20	
Vinyl Chloride	50.0	48.2	96	74-125		50.0	51.8	104		8	20	
m&p-Xylene	100	94.4	94	75-130		100	98.9	99		5	20	
o-Xylene	50.0	47.0	94	80-120		50.0	49.2	98		4	20	
4-Bromofluorobenzene(S)			*98*	*80-120*				*99*				
Dibromofluoromethane(S)			*98*	*80-120*				*97*				
1,2-Dichloroethane-d4(S)			*85*	*80-120*				*85*				
Toluene-d8(S)			*98*	*80-120*				*98*				

VI22F01B: Laboratory Control Sample (LCS)

EPA 8260D

Run Time: VI22F01B.LCS: 06/01/2022 23:01 [VI22F01B]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier
4-Bromofluorobenzene(S)			*95*	*80-120*	
Dibromofluoromethane(S)			*101*	*80-120*	
1,2-Dichloroethane-d4(S)			*90*	*80-120*	
Toluene-d8(S)			*97*	*80-120*	

VI22F02A: Method Blank (MB)

EPA 8260D

Run Time: VI22F02A.MB 06/02/2022 12:51 [VI22F02A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22F02A: Method Blank (MB)

EPA 8260D

Run Time: VI22F02A.MB 06/02/2022 12:51 [VI22F02A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*91*		*80-120*
Dibromofluoromethane(S)	*98*		*80-120*
1,2-Dichloroethane-d4(S)	*88*		*80-120*
Toluene-d8(S)	*97*		*80-120*

VI22F02A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22F02A.LCS: 06/02/2022 11:33 [VI22F02A] VI22F02A.LCSD: 06/02/2022 11:59 [VI22F02A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	32.8	66	54-140		50.0	32.0	64		3	20	
Acrylonitrile	50.0	46.1	92	70-130		50.0	45.3	91		1	20	
Benzene	50.0	46.9	94	80-120		50.0	45.2	90		4	20	
Bromobenzene	50.0	45.9	92	75-125		50.0	44.7	89		3	20	
Bromochloromethane	50.0	43.4	87	70-130		50.0	41.8	84		4	20	
Bromodichloromethane	50.0	44.5	89	75-120		50.0	43.7	87		2	20	
Bromoform	50.0	48.8	98	70-130		50.0	47.8	96		2	20	
Bromomethane	50.0	64.2	128	68-135		50.0	62.5	125		2	20	
2-Butanone	50.0	38.5	77	70-148		50.0	37.5	75		3	20	
n-Butylbenzene	50.0	58.4	117	70-133		50.0	55.8	112		4	20	
sec-Butylbenzene	50.0	52.5	105	70-125		50.0	50.2	100		5	20	
tert-Butylbenzene	50.0	51.3	103	70-130		50.0	48.7	97		6	20	
Carbon Disulfide	50.0	45.3	91	70-130		50.0	43.1	86		6	20	
Carbon Tetrachloride	50.0	45.3	91	70-130		50.0	44.5	89		2	20	
Chlorobenzene	50.0	49.4	99	80-120		50.0	47.6	95		4	20	
Chloroethane	50.0	46.8	94	61-130		50.0	45.2	90		4	20	
Chloroform	50.0	43.2	86	80-120		50.0	41.5	83		4	20	
Chloromethane	50.0	47.2	94	67-125		50.0	46.2	92		2	20	
2-Chlorotoluene	50.0	48.6	97	75-125		50.0	46.5	93		4	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	45.6	91	70-130		50.0	44.4	89		2	20	
Dibromochloromethane	50.0	45.5	91	70-130		50.0	44.9	90		1	20	
Dibromomethane	50.0	47.2	94	75-125		50.0	47.0	94		0	20	
1,2-Dichlorobenzene	50.0	49.8	100	70-120		50.0	48.5	97		3	20	
1,3-Dichlorobenzene	50.0	51.6	103	75-125		50.0	50.1	100		3	20	
1,4-Dichlorobenzene	50.0	48.9	98	75-125		50.0	47.1	94		4	20	
Dichlorodifluoromethane	50.0	45.5	91	70-136		50.0	43.5	87		4	20	
1,1-Dichloroethane	50.0	43.6	87	70-130		50.0	41.7	83		5	20	
1,2-Dichloroethane	50.0	40.1	80	70-130		50.0	39.5	79		1	20	
1,1-Dichloroethene	50.0	40.6	81	78-120		50.0	39.2	78		4	20	
cis-1,2-Dichloroethene	50.0	41.8	84	70-125		50.0	40.2	80		5	20	
trans-1,2-Dichloroethene	50.0	45.2	90	70-130		50.0	43.1	86		5	20	
1,2-Dichloropropane	50.0	46.8	94	80-121		50.0	45.8	92		2	20	
cis-1,3-Dichloropropene	50.0	45.9	92	70-130		50.0	45.4	91		1	20	

VI22F02A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22F02A.LCS: 06/02/2022 11:33 [VI22F02A] VI22F02A.LCSD: 06/02/2022 11:59 [VI22F02A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	49.6	99	70-132		50.0	48.8	98		1	20	
Ethylbenzene	50.0	50.2	100	80-120		50.0	47.8	96		4	20	
Ethylene Dibromide	50.0	49.5	99	80-120		50.0	49.3	99		0	20	
2-Hexanone	50.0	39.2	78	70-130		50.0	38.6	77		1	20	
Isopropylbenzene	50.0	51.5	103	75-125		50.0	49.5	99		4	20	
4-Methyl-2-pentanone	50.0	47.9	96	70-130		50.0	46.6	93		3	20	
Methylene Chloride	50.0	42.2	84	70-130		50.0	40.6	81		4	20	
2-Methylnaphthalene	50.0	45.2	90	70-130		50.0	45.0	90		0	20	
MTBE	50.0	42.9	86	70-125		50.0	42.3	85		1	20	
Naphthalene	50.0	49.6	99	70-130		50.0	49.0	98		1	20	
n-Propylbenzene	50.0	51.9	104	70-130		50.0	49.4	99		5	20	
Styrene	50.0	47.1	94	70-130		50.0	45.3	91		3	20	
1,1,1,2-Tetrachloroethane	50.0	49.0	98	80-130		50.0	47.5	95		3	20	
1,1,2,2-Tetrachloroethane	50.0	55.8	112	70-130		50.0	54.2	108		4	20	
Tetrachloroethene	50.0	53.5	107	70-130		50.0	50.4	101		6	20	
Toluene	50.0	48.7	97	80-120		50.0	46.9	94		3	20	
1,2,4-Trichlorobenzene	50.0	51.7	103	70-130		50.0	51.1	102		1	20	
1,1,1-Trichloroethane	50.0	44.7	89	70-130		50.0	42.8	86		3	20	
1,1,2-Trichloroethane	50.0	48.3	97	75-125		50.0	46.8	94		3	20	
Trichloroethene	50.0	44.5	89	71-125		50.0	42.7	85		5	20	
Trichlorofluoromethane	50.0	46.3	93	70-133		50.0	44.3	89		4	20	
1,2,3-Trichloropropane	50.0	49.2	98	75-125		50.0	47.5	95		3	20	
1,2,3-Trimethylbenzene	50.0	48.8	98	70-130		50.0	47.0	94		4	20	
1,2,4-Trimethylbenzene	50.0	52.2	104	75-130		50.0	50.2	100		4	20	
1,3,5-Trimethylbenzene	50.0	51.7	103	75-130		50.0	49.5	99		4	20	
Vinyl Chloride	50.0	50.0	100	74-125		50.0	47.5	95		5	20	
m&p-Xylene	100	101	101	75-130		100	96.1	96		5	20	
o-Xylene	50.0	49.1	98	80-120		50.0	47.8	96		2	20	
4-Bromofluorobenzene(S)			*95*	*80-120*				*97*				
Dibromofluoromethane(S)			*94*	*80-120*				*94*				
1,2-Dichloroethane-d4(S)			*84*	*80-120*				*84*				
Toluene-d8(S)			*96*	*80-120*				*98*				


Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Katherine Jones at 3:47 PM, Jun 03, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertecihs.com

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
168189
PAGE ___ of ___

Client Name: TRW Milford
Contact Person: John Melunis, Christian Seidel
Project Name/ Number: 30046730 TRW Milford
Email distribution list: John.Melunis@arcadis-us.com
Quote# 849
Purchase Order#

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260	HOLD SAMPLE	Remarks
5/24	15:50	1	VAP-03-07_75_80	GW	3	X		
5/24	14:00	2	VAP-03-06_65_70	GW	3	X		
5/24	14:12	3	VAP-02-06_65_70	GW	3	X		
5/24	15:30	4	Equipment Vac Cor	~~GW~~	3	X		Lab DI Water
5/24	16:20	5	VAP-02-07_75_80	GW	3	X		Lab
5/25	9:20	6	VAP-02-08_85_90	GW	3	X		
5/25	11:15	7	VAP-02-09_85_100	GW	3	X		
5/25	9:45	8	VAP-03-08_85_90	GW	3	X		
5/25	11:35	9	VAP-03-05-95_100	GW	3	X		
5/25		10	Duplicate 3	GW	3	X		

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: Level 2; Level 3; Level 4; EDD

Received By Lab
MAY 25 2022
Received On Ice
Initials: EA

Comments:

Sampled/Relinquished By: Chr Seidel	Date/ Time 5/24 1850	Received By: Arcadis bridge
Relinquished By: Arcadis bridge	Date/ Time 5/25 705	Received By: Chr Seidel
Relinquished By: Chr Seidel	Date/ Time 5/25 1945	Received By Laboratory: Date of Shade 5/25/22 2:45

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A08733

Temperature upon receipt at Lab: 4.3C

Please see back for terms and conditions

Date of Shade 5/25/22 16:00 EA

Fibertec environmental services

Analytical Laboratory

1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Industrial Hygiene Services, Inc.
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0382
email: asbestos@fibertecihs.com

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
171065
PAGE ___ of ___

Client Name: TRW Milford
Contact Person: John Mclnnis, Christian Seidel
Project Name/ Number: 300467.30 TRW Milford
Email distribution list: christian.seidel@arcadis.com, John.Mclnnis@arcadis.com
Quote# 649
Purchase Order#

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: 1 VOC 8260	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	HOLD SAMPLE
5/24	1335	11	VAP 03-10_105_110	GW	3	X											
5/24	1350	12	VAP-02-10_105_110	GW	3	X											

Matrix Code

S	Soil	GW	Ground Water
A	Air	SW	Surface Water
O	Oil	WW	Waste Water
P	Wipe	X	Other: Specify

Deliverables: ☐ Level 2 ☐ Level 3 ☐ Level 4 ☐ EDD

Remarks:

Received By Lab
MAY 25 2022
Initials: EM

Received On Ice

Comments:

Sampled/Relinquished By: C Seidel	Date/ Time 5/25 1445	Received By:
Relinquished By: Deb A. Shade	Date/ Time 5/25/22 16:00	Received By: 5/25/22 2:45
Relinquished By:	Date/ Time	Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A08733

Temperature upon receipt at Lab: 4.3 °C

Please see back for terms and conditions

Fibertec environmental services

Friday, June 3, 2022

Fibertec Project Number:	A08739
Project Identification:	KH Milford /
Submittal Date:	05/26/2022

Mr. Christian Seidel
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Mr. Seidel,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

By Katherine Jones at 4:04 PM, Jun 03, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08739
Laboratory Sample Number: A08739-001

Order: A08739
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-11_115-120**	Chain of Custody:	**202784**
Client Project Name:	**KH Milford**	Sample No:		Collect Date:	**05/25/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**17:15**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08739-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-11_115-120**

							Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
3. Benzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
7. Bromoform	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
9. 2-Butanone	U		µg/L	25	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
17. Chloroform	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08739
Laboratory Sample Number: A08739-001

Order: A08739
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**VAP-02-11_115-120**	Chain of Custody:	**202784**
Client Project Name:	**KH Milford**	Sample No:		Collect Date:	**05/25/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**17:15**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08739-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: VAP-02-11_115-120**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/02/22	VI22F02A	06/02/22 21:35	VI22F02A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08739
Laboratory Sample Number: A08739-002

Order: A08739
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment_Pump**	Chain of Custody:	**202784**
Client Project Name:	**KH Milford**	Sample No:		Collect Date:	**05/25/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**15:50**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08739-002** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment_Pump**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
3. Benzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
7. Bromoform	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
9. 2-Butanone	U		µg/L	25	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
17. Chloroform	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08739
Laboratory Sample Number: A08739-002

Order: A08739
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment_Pump**	Chain of Custody:	**202784**
Client Project Name:	**KH Milford**	Sample No:		Collect Date:	**05/25/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**15:50**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08739-002** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment_Pump**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/02/22	VI22F02A	06/02/22 15:01	VI22F02A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08739
Laboratory Sample Number: A08739-003

Order: A08739
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment_Screen**	Chain of Custody:	**202784**
Client Project Name:	**KH Milford**	Sample No:		Collect Date:	**05/25/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**16:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08739-003** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment_Screen**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
3. Benzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
7. Bromoform	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
8. Bromomethane	U	ICV+	µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
9. 2-Butanone	U		µg/L	25	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
17. Chloroform	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08739
Laboratory Sample Number: A08739-003

Order: A08739
Date: 06/03/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment_Screen**	Chain of Custody:	**202784**
Client Project Name:	**KH Milford**	Sample No:		Collect Date:	**05/25/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**16:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08739-003** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment_Screen**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/02/22	VI22F02A	06/02/22 15:27	VI22F02A	SNC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

ICV+ : Recovery in the associated initial calibration verification sample exceeds the upper control limit. Results may be biased high.

V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VI22F02A: Method Blank (MB)

EPA 8260D

Run Time: VI22F02A.MB 06/02/2022 12:51 [VI22F02A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22F02A: Method Blank (MB)

EPA 8260D

Run Time: VI22F02A.MB 06/02/2022 12:51 [VI22F02A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*91*		*80-120*
Dibromofluoromethane(S)	*98*		*80-120*
1,2-Dichloroethane-d4(S)	*88*		*80-120*
Toluene-d8(S)	*97*		*80-120*

VI22F02A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22F02A.LCS: 06/02/2022 11:33 [VI22F02A] VI22F02A.LCSD: 06/02/2022 11:59 [VI22F02A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	32.8	66	54-140		50.0	32.0	64		3	20	
Acrylonitrile	50.0	46.1	92	70-130		50.0	45.3	91		1	20	
Benzene	50.0	46.9	94	80-120		50.0	45.2	90		4	20	
Bromobenzene	50.0	45.9	92	75-125		50.0	44.7	89		3	20	
Bromochloromethane	50.0	43.4	87	70-130		50.0	41.8	84		4	20	
Bromodichloromethane	50.0	44.5	89	75-120		50.0	43.7	87		2	20	
Bromoform	50.0	48.8	98	70-130		50.0	47.8	96		2	20	
Bromomethane	50.0	64.2	128	68-135		50.0	62.5	125		2	20	
2-Butanone	50.0	38.5	77	70-148		50.0	37.5	75		3	20	
n-Butylbenzene	50.0	58.4	117	70-133		50.0	55.8	112		4	20	
sec-Butylbenzene	50.0	52.5	105	70-125		50.0	50.2	100		5	20	
tert-Butylbenzene	50.0	51.3	103	70-130		50.0	48.7	97		6	20	
Carbon Disulfide	50.0	45.3	91	70-130		50.0	43.1	86		6	20	
Carbon Tetrachloride	50.0	45.3	91	70-130		50.0	44.5	89		2	20	
Chlorobenzene	50.0	49.4	99	80-120		50.0	47.6	95		4	20	
Chloroethane	50.0	46.8	94	61-130		50.0	45.2	90		4	20	
Chloroform	50.0	43.2	86	80-120		50.0	41.5	83		4	20	
Chloromethane	50.0	47.2	94	67-125		50.0	46.2	92		2	20	
2-Chlorotoluene	50.0	48.6	97	75-125		50.0	46.5	93		4	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	45.6	91	70-130		50.0	44.4	89		2	20	
Dibromochloromethane	50.0	45.5	91	70-130		50.0	44.9	90		1	20	
Dibromomethane	50.0	47.2	94	75-125		50.0	47.0	94		0	20	
1,2-Dichlorobenzene	50.0	49.8	100	70-120		50.0	48.5	97		3	20	
1,3-Dichlorobenzene	50.0	51.6	103	75-125		50.0	50.1	100		3	20	
1,4-Dichlorobenzene	50.0	48.9	98	75-125		50.0	47.1	94		4	20	
Dichlorodifluoromethane	50.0	45.5	91	70-136		50.0	43.5	87		4	20	
1,1-Dichloroethane	50.0	43.6	87	70-130		50.0	41.7	83		5	20	
1,2-Dichloroethane	50.0	40.1	80	70-130		50.0	39.5	79		1	20	
1,1-Dichloroethene	50.0	40.6	81	78-120		50.0	39.2	78		4	20	
cis-1,2-Dichloroethene	50.0	41.8	84	70-125		50.0	40.2	80		5	20	
trans-1,2-Dichloroethene	50.0	45.2	90	70-130		50.0	43.1	86		5	20	
1,2-Dichloropropane	50.0	46.8	94	80-121		50.0	45.8	92		2	20	
cis-1,3-Dichloropropene	50.0	45.9	92	70-130		50.0	45.4	91		1	20	

VI22F02A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22F02A.LCS: 06/02/2022 11:33 [VI22F02A] VI22F02A.LCSD: 06/02/2022 11:59 [VI22F02A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	49.6	99	70-132		50.0	48.8	98		1	20	
Ethylbenzene	50.0	50.2	100	80-120		50.0	47.8	96		4	20	
Ethylene Dibromide	50.0	49.5	99	80-120		50.0	49.3	99		0	20	
2-Hexanone	50.0	39.2	78	70-130		50.0	38.6	77		1	20	
Isopropylbenzene	50.0	51.5	103	75-125		50.0	49.5	99		4	20	
4-Methyl-2-pentanone	50.0	47.9	96	70-130		50.0	46.6	93		3	20	
Methylene Chloride	50.0	42.2	84	70-130		50.0	40.6	81		4	20	
2-Methylnaphthalene	50.0	45.2	90	70-130		50.0	45.0	90		0	20	
MTBE	50.0	42.9	86	70-125		50.0	42.3	85		1	20	
Naphthalene	50.0	49.6	99	70-130		50.0	49.0	98		1	20	
n-Propylbenzene	50.0	51.9	104	70-130		50.0	49.4	99		5	20	
Styrene	50.0	47.1	94	70-130		50.0	45.3	91		3	20	
1,1,1,2-Tetrachloroethane	50.0	49.0	98	80-130		50.0	47.5	95		3	20	
1,1,2,2-Tetrachloroethane	50.0	55.8	112	70-130		50.0	54.2	108		4	20	
Tetrachloroethene	50.0	53.5	107	70-130		50.0	50.4	101		6	20	
Toluene	50.0	48.7	97	80-120		50.0	46.9	94		3	20	
1,2,4-Trichlorobenzene	50.0	51.7	103	70-130		50.0	51.1	102		1	20	
1,1,1-Trichloroethane	50.0	44.7	89	70-130		50.0	42.8	86		3	20	
1,1,2-Trichloroethane	50.0	48.3	97	75-125		50.0	46.8	94		3	20	
Trichloroethene	50.0	44.5	89	71-125		50.0	42.7	85		5	20	
Trichlorofluoromethane	50.0	46.3	93	70-133		50.0	44.3	89		4	20	
1,2,3-Trichloropropane	50.0	49.2	98	75-125		50.0	47.5	95		3	20	
1,2,3-Trimethylbenzene	50.0	48.8	98	70-130		50.0	47.0	94		4	20	
1,2,4-Trimethylbenzene	50.0	52.2	104	75-130		50.0	50.2	100		4	20	
1,3,5-Trimethylbenzene	50.0	51.7	103	75-130		50.0	49.5	99		4	20	
Vinyl Chloride	50.0	50.0	100	74-125		50.0	47.5	95		5	20	
m&p-Xylene	100	101	101	75-130		100	96.1	96		5	20	
o-Xylene	50.0	49.1	98	80-120		50.0	47.8	96		2	20	
4-Bromofluorobenzene(S)			*95*	*80-120*				*97*				
Dibromofluoromethane(S)			*94*	*80-120*				*94*				
1,2-Dichloroethane-d4(S)			*84*	*80-120*				*84*				
Toluene-d8(S)			*96*	*80-120*				*98*				


Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:



By Katherine Jones at 4:13 PM, Jun 03, 2022

Fibertec environmental services

Analytical Laboratory

1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe

11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # **202784**

PAGE 1 of 1

Client Name: Arcadis

Contact Person: Christian Seidel

Project Name/ Number: KH Milford

Email distribution list: christian.seidel@arcadis.com, john.mcinnis@arcadis.com

Quote# 849

Purchase Order# 30047630

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOCs 8260	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	PARAMETERS	HOLD SAMPLE
5/25/22	1715		VAP-02-11_115_120	GW	3	X											
"	1550		Equipment-pump	W	"	"											
"	1600		Equipment-screen	W	"	"											

Matrix Code

S	Soil	GW	Ground Water
A	Air	SW	Surface Water
O	Oil	WW	Waste Water
P	Wipe	X	Other: Specify

Deliverables

- [X] Level 2
- [ ] Level 3
- [ ] Level 4
- [ ] EDD

Remarks:

Received By Lab
MAY 26 2022
Initials: EA

Received On Ice

Comments:

Sampled/Relinquished By: Madisyn Olender	Date/ Time 5/26/22 1335	Received By: Dakota Shade 5/26/22 1:35
Relinquished By: Dakota Shade	Date/ Time 5/26/22 1530	Received By:
Relinquished By:	Date/Time	Received By Laboratory:

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day _____2 bus. days _____3 bus. days _____4 bus. days

X 5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A08739

Temperature upon receipt at Lab: 4.3°C

Please see back for terms and conditions

Attachment 15

Laboratory Analytical Reports (June and July 2022)

Revised – Added Lab Reports

Fibertec environmental services

Friday, June 17, 2022

Fibertec Project Number:	A08975
Project Identification:	ZF Active Safety US Inc. (Milford) /
Submittal Date:	06/08/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,



By Sue Ricketts at 9:55 AM, Jun 17, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-001

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_060822**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**09:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_060822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
8. Bromomethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
9. 2-Butanone	U		µg/L	25	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
27. 1,1-Dichloroethane	**3.6**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
31. trans-1,2-Dichloroethene	**1.4**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
37. 2-Hexanone	U		µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_060822**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**09:35**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_060822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 41. 2-Methylnaphthalene	U	V-	µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/13/22	VI22F13B	06/14/22 01:41	VI22F13B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-002

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_060822**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**11:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_060822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
3. Benzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
7. Bromoform	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
8. Bromomethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
9. 2-Butanone	U		µg/L	25	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
16. Chloroethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
17. Chloroform	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
18. Chloromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
27. 1,1-Dichloroethane	**2.5**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
30. cis-1,2-Dichloroethene	**21**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
31. trans-1,2-Dichloroethene	**1.1**		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
37. 2-Hexanone	U		µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_060822**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Ground Water**	Collect Time:	**11:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_060822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 41. 2-Methylnaphthalene	U	V-	µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
42. MTBE	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
43. Naphthalene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
45. Styrene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
49. Toluene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
61. o-Xylene	U		µg/L	1.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/13/22	VI22F13B	06/14/22 02:07	VI22F13B	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-003

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-003** **Matrix: Blank: Field**
Method: EPA 0624.1/EPA 8260D **Description: Field Blank**

	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
	1. Acetone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡	2. Acrylonitrile	U	V+ L+	µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	3. Benzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	5. Bromochloromethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	6. Bromodichloromethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	7. Bromoform	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	9. 2-Butanone	U	V+	µg/L	25	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	13. Carbon Disulfide	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	18. Chloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	33. cis-1,3-Dichloropropene	U	V+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
	34. trans-1,3-Dichloropropene	U	V+ L+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-003** **Matrix: Blank: Field**
Method: EPA 0624.1/EPA 8260D **Description: Field Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
35. Ethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
37. 2-Hexanone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
39. 4-Methyl-2-pentanone	U	V+ L+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
47. 1,1,2,2-Tetrachloroethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/15/22	VM22F15A	06/15/22 12:11	VM22F15A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-004

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**11:12**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-004** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Blank**

	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
	1. Acetone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡	2. Acrylonitrile	U	V+ L+	µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	3. Benzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	5. Bromochloromethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	6. Bromodichloromethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	7. Bromoform	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	9. 2-Butanone	U	V+	µg/L	25	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	13. Carbon Disulfide	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	18. Chloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	33. cis-1,3-Dichloropropene	U	V+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
	34. trans-1,3-Dichloropropene	U	V+ L+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Equipment Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Equipment**	Collect Time:	**11:12**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-004** **Matrix: Blank: Equipment**
Method: EPA 5030C/EPA 8260D **Description: Equipment Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
35. Ethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
37. 2-Hexanone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
39. 4-Methyl-2-pentanone	U	V+ L+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
47. 1,1,2,2-Tetrachloroethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/15/22	VM22F15A	06/15/22 12:39	VM22F15A	SNC

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 2. Acrylonitrile	U	V+ L+	µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
3. Benzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
5. Bromochloromethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
6. Bromodichloromethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
7. Bromoform	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
9. 2-Butanone	U	V+	µg/L	25	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
13. Carbon Disulfide	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
17. Chloroform	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
18. Chloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
33. cis-1,3-Dichloropropene	U	V+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
34. trans-1,3-Dichloropropene	U	V+ L+	µg/L	0.50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A08975
Laboratory Sample Number: A08975-005

Order: A08975
Date: 06/17/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**203194**
Client Project Name:	**ZF Active Safety US Inc. (Milford)**	Sample No:		Collect Date:	**06/08/22**
Client Project No:	**NA**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A08975-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
35. Ethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
37. 2-Hexanone	U	V+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
38. Isopropylbenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
39. 4-Methyl-2-pentanone	U	V+ L+	µg/L	50	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
42. MTBE	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
45. Styrene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
47. 1,1,2,2-Tetrachloroethane	U	V+ L+	µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
49. Toluene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	06/15/22	VM22F15A	06/15/22 13:07	VM22F15A	SNC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V- : Recovery in the associated continuing calibration verification sample (CCV) exceeds the lower control limit. Results may be biased low.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.



Accreditation Number(s):

T104704518-19-8 (TX)

VI22F13B: Method Blank (MB)

EPA 8260D

Run Time: VI22F13B.MB 06/14/2022 00:49 [VI22F13B]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VI22F13B: Method Blank (MB) — EPA 8260D

Run Time: VI22F13B.MB 06/14/2022 00:49 [VI22F13B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***100***		***80-120***
Dibromofluoromethane(S)	***102***		***80-120***
1,2-Dichloroethane-d4(S)	***104***		***80-120***
Toluene-d8(S)	***101***		***80-120***

VI22F13B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VI22F13B.LCS: 06/13/2022 23:31 [VI22F13B] VI22F13B.LCSD: 06/13/2022 23:57 [VI22F13B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	25.7	51	54-140	*	50.0	26.3	53	*	4	20	
Acrylonitrile	50.0	47.4	95	70-130		50.0	47.0	94		1	20	
Benzene	50.0	53.2	106	80-120		50.0	51.3	103		3	20	
Bromobenzene	50.0	47.9	96	75-125		50.0	46.7	93		3	20	
Bromochloromethane	50.0	52.6	105	70-130		50.0	51.6	103		2	20	
Bromodichloromethane	50.0	52.8	106	75-120		50.0	51.6	103		3	20	
Bromoform	50.0	50.4	101	70-130		50.0	49.7	99		2	20	
Bromomethane	50.0	63.5	127	68-135		50.0	61.9	124		2	20	
2-Butanone	50.0	41.2	82	70-148		50.0	42.3	85		4	20	
n-Butylbenzene	50.0	54.4	109	70-133		50.0	52.2	104		5	20	
sec-Butylbenzene	50.0	52.7	105	70-125		50.0	50.7	101		4	20	
tert-Butylbenzene	50.0	53.2	106	70-130		50.0	51.2	102		4	20	
Carbon Disulfide	50.0	48.6	97	70-130		50.0	46.0	92		5	20	
Carbon Tetrachloride	50.0	51.7	103	70-130		50.0	48.9	98		5	20	
Chlorobenzene	50.0	52.5	105	80-120		50.0	50.3	101		4	20	
Chloroethane	50.0	59.5	119	61-130		50.0	56.8	114		4	20	
Chloroform	50.0	52.6	105	80-120		50.0	51.2	102		3	20	
Chloromethane	50.0	59.2	118	67-125		50.0	56.5	113		4	20	
2-Chlorotoluene	50.0	54.8	110	75-125		50.0	52.5	105		5	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	46.9	94	70-130		50.0	46.9	94		0	20	
Dibromochloromethane	50.0	48.7	97	70-130		50.0	48.3	97		0	20	
Dibromomethane	50.0	48.8	98	75-125		50.0	47.8	96		2	20	
1,2-Dichlorobenzene	50.0	52.4	105	70-120		50.0	50.6	101		4	20	
1,3-Dichlorobenzene	50.0	50.2	100	75-125		50.0	48.9	98		2	20	
1,4-Dichlorobenzene	50.0	48.7	97	75-125		50.0	47.2	94		3	20	
Dichlorodifluoromethane	50.0	61.2	122	70-136		50.0	56.8	114		7	20	
1,1-Dichloroethane	50.0	56.9	114	70-130		50.0	54.8	110		4	20	
1,2-Dichloroethane	50.0	48.1	96	70-130		50.0	47.3	95		1	20	
1,1-Dichloroethene	50.0	51.4	103	78-120		50.0	48.5	97		6	20	
cis-1,2-Dichloroethene	50.0	52.9	106	70-125		50.0	51.1	102		4	20	
trans-1,2-Dichloroethene	50.0	51.4	103	70-130		50.0	48.8	98		5	20	
1,2-Dichloropropane	50.0	57.9	116	80-121		50.0	56.1	112		4	20	
cis-1,3-Dichloropropene	50.0	49.9	100	70-130		50.0	48.3	97		3	20	

VI22F13B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VI22F13B.LCS: 06/13/2022 23:31 [VI22F13B] VI22F13B.LCSD: 06/13/2022 23:57 [VI22F13B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	49.9	100	70-132		50.0	49.1	98		2	20	
Ethylbenzene	50.0	52.5	105	80-120		50.0	50.6	101		4	20	
Ethylene Dibromide	50.0	48.7	97	80-120		50.0	47.9	96		1	20	
2-Hexanone	50.0	41.7	83	70-130		50.0	41.2	82		1	20	
Isopropylbenzene	50.0	52.8	106	75-125		50.0	50.4	101		5	20	
4-Methyl-2-pentanone	50.0	54.3	109	70-130		50.0	55.1	110		1	20	
Methylene Chloride	50.0	51.8	104	70-130		50.0	50.6	101		3	20	
2-Methylnaphthalene	50.0	37.2	74	70-130		50.0	38.7	77		4	20	
MTBE	50.0	54.8	110	70-125		50.0	54.3	109		1	20	
Naphthalene	50.0	43.7	87	70-130		50.0	43.8	88		1	20	
n-Propylbenzene	50.0	54.7	109	70-130		50.0	52.3	105		4	20	
Styrene	50.0	44.8	90	70-130		50.0	43.6	87		3	20	
1,1,1,2-Tetrachloroethane	50.0	52.6	105	80-130		50.0	51.3	103		2	20	
1,1,2,2-Tetrachloroethane	50.0	59.0	118	70-130		50.0	58.3	117		1	20	
Tetrachloroethene	50.0	52.9	106	70-130		50.0	49.9	100		6	20	
Toluene	50.0	55.0	110	80-120		50.0	53.0	106		4	20	
1,2,4-Trichlorobenzene	50.0	47.7	95	70-130		50.0	46.4	93		2	20	
1,1,1-Trichloroethane	50.0	56.5	113	70-130		50.0	53.4	107		5	20	
1,1,2-Trichloroethane	50.0	52.6	105	75-125		50.0	51.2	102		3	20	
Trichloroethene	50.0	47.5	95	71-125		50.0	44.8	90		5	20	
Trichlorofluoromethane	50.0	58.7	117	70-133		50.0	54.7	109		7	20	
1,2,3-Trichloropropane	50.0	52.3	105	75-125		50.0	53.0	106		1	20	
1,2,3-Trimethylbenzene	50.0	52.1	104	70-130		50.0	50.3	101		3	20	
1,2,4-Trimethylbenzene	50.0	53.0	106	75-130		50.0	51.4	103		3	20	
1,3,5-Trimethylbenzene	50.0	52.8	106	75-130		50.0	51.1	102		4	20	
Vinyl Chloride	50.0	59.8	120	74-125		50.0	56.5	113		6	20	
m&p-Xylene	100	108	108	75-130		100	104	104		4	20	
o-Xylene	50.0	53.7	107	80-120		50.0	52.2	104		3	20	
4-Bromofluorobenzene(S)			***100***	***80-120***				***101***				
Dibromofluoromethane(S)			***103***	***80-120***				***102***				
1,2-Dichloroethane-d4(S)			***99***	***80-120***				***110***				
Toluene-d8(S)			***102***	***80-120***				***101***				

VM22F15A: Method Blank (MB) — EPA 8260D

Run Time: VM22F15A.MB 06/15/2022 11:43 [VM22F15A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VM22F15A: Method Blank (MB) — EPA 8260D

Run Time: VM22F15A.MB 06/15/2022 11:43 [VM22F15A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	***92***		***80-120***
Dibromofluoromethane(S)	***102***		***80-120***
1,2-Dichloroethane-d4(S)	***97***		***80-120***
Toluene-d8(S)	***99***		***80-120***

VM22F15A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VM22F15A.LCS: 06/15/2022 10:18 [VM22F15A] VM22F15A.LCSD: 06/15/2022 10:46 [VM22F15A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	32.9	66	54-140		50.0	30.4	61		8	20	
Acrylonitrile	50.0	65.4	131	70-130	*	50.0	62.6	125		5	20	
Benzene	50.0	49.5	99	80-120		50.0	48.4	97		2	20	
Bromobenzene	50.0	49.5	99	75-125		50.0	48.1	96		3	20	
Bromochloromethane	50.0	59.5	119	70-130		50.0	57.7	115		3	20	
Bromodichloromethane	50.0	62.2	124	75-120	*	50.0	60.8	122	*	2	20	
Bromoform	50.0	85.6	171	70-130	*	50.0	85.2	170	*	1	20	
Bromomethane	50.0	53.5	107	68-135		50.0	46.5	93		14	20	
2-Butanone	50.0	52.0	104	70-148		50.0	50.8	102		2	20	
n-Butylbenzene	50.0	53.0	106	70-133		50.0	51.0	102		4	20	
sec-Butylbenzene	50.0	52.9	106	70-125		50.0	51.2	102		4	20	
tert-Butylbenzene	50.0	51.5	103	70-130		50.0	50.4	101		2	20	
Carbon Disulfide	50.0	60.2	120	70-130		50.0	59.9	120		0	20	
Carbon Tetrachloride	50.0	54.8	110	70-130		50.0	51.6	103		7	20	
Chlorobenzene	50.0	51.5	103	80-120		50.0	50.6	101		2	20	
Chloroethane	50.0	55.1	110	61-130		50.0	47.0	94		16	20	
Chloroform	50.0	53.8	108	80-120		50.0	52.5	105		3	20	
Chloromethane	50.0	57.5	115	67-125		50.0	59.4	119		3	20	
2-Chlorotoluene	50.0	51.6	103	75-125		50.0	49.8	100		3	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	88.2	176	70-130	*	50.0	86.6	173	*	2	20	
Dibromochloromethane	50.0	65.4	131	70-130	*	50.0	67.1	134	*	2	20	
Dibromomethane	50.0	51.4	103	75-125		50.0	50.7	101		2	20	
1,2-Dichlorobenzene	50.0	51.3	103	70-120		50.0	51.0	102		1	20	
1,3-Dichlorobenzene	50.0	53.0	106	75-125		50.0	52.1	104		2	20	
1,4-Dichlorobenzene	50.0	50.6	101	75-125		50.0	49.6	99		2	20	
Dichlorodifluoromethane	50.0	49.6	99	70-136		50.0	46.8	94		5	20	
1,1-Dichloroethane	50.0	55.6	111	70-130		50.0	53.9	108		3	20	
1,2-Dichloroethane	50.0	46.3	93	70-130		50.0	45.1	90		3	20	
1,1-Dichloroethene	50.0	44.7	89	78-120		50.0	44.7	89		0	20	
cis-1,2-Dichloroethene	50.0	53.7	107	70-125		50.0	51.7	103		4	20	
trans-1,2-Dichloroethene	50.0	47.8	96	70-130		50.0	45.9	92		4	20	
1,2-Dichloropropane	50.0	56.1	112	80-121		50.0	54.6	109		3	20	
cis-1,3-Dichloropropene	50.0	62.8	126	70-130		50.0	62.5	125		1	20	

VM22F15A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VM22F15A.LCS: 06/15/2022 10:18 [VM22F15A] VM22F15A.LCSD: 06/15/2022 10:46 [VM22F15A]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
trans-1,3-Dichloropropene	50.0	69.3	139	70-132	*	50.0	69.0	138	*	1	20	
Ethylbenzene	50.0	52.0	104	80-120		50.0	50.7	101		3	20	
Ethylene Dibromide	50.0	52.1	104	80-120		50.0	52.7	105		1	20	
2-Hexanone	50.0	62.5	125	70-130		50.0	61.3	123		2	20	
Isopropylbenzene	50.0	52.4	105	75-125		50.0	50.7	101		4	20	
4-Methyl-2-pentanone	50.0	84.3	169	70-130	*	50.0	78.4	157	*	7	20	
Methylene Chloride	50.0	55.8	112	70-130		50.0	53.5	107		5	20	
2-Methylnaphthalene	50.0	52.3	105	70-130		50.0	48.6	97		8	20	
MTBE	50.0	51.5	103	70-125		50.0	52.2	104		1	20	
Naphthalene	50.0	48.4	97	70-130		50.0	46.6	93		4	20	
n-Propylbenzene	50.0	53.9	108	70-130		50.0	51.7	103		5	20	
Styrene	50.0	48.0	96	70-130		50.0	46.5	93		3	20	
1,1,1,2-Tetrachloroethane	50.0	63.9	128	80-130		50.0	64.8	130		2	20	
1,1,2,2-Tetrachloroethane	50.0	66.2	132	70-130	*	50.0	66.0	132	*	0	20	
Tetrachloroethene	50.0	47.5	95	70-130		50.0	47.3	95		0	20	
Toluene	50.0	54.0	108	80-120		50.0	51.0	102		6	20	
1,2,4-Trichlorobenzene	50.0	48.7	97	70-130		50.0	46.8	94		3	20	
1,1,1-Trichloroethane	50.0	54.2	108	70-130		50.0	53.4	107		1	20	
1,1,2-Trichloroethane	50.0	51.2	102	75-125		50.0	52.9	106		4	20	
Trichloroethene	50.0	44.5	89	71-125		50.0	44.3	89		0	20	
Trichlorofluoromethane	50.0	51.9	104	70-133		50.0	46.5	93		11	20	
1,2,3-Trichloropropane	50.0	54.4	109	75-125		50.0	53.6	107		2	20	
1,2,3-Trimethylbenzene	50.0	50.8	102	70-130		50.0	50.2	100		2	20	
1,2,4-Trimethylbenzene	50.0	52.1	104	75-130		50.0	50.9	102		2	20	
1,3,5-Trimethylbenzene	50.0	51.6	103	75-130		50.0	49.9	100		3	20	
Vinyl Chloride	50.0	57.1	114	74-125		50.0	52.2	104		9	20	
m&p-Xylene	100	102	102	75-130		100	98.5	98		4	20	
o-Xylene	50.0	51.5	103	80-120		50.0	50.1	100		3	20	
4-Bromofluorobenzene(S)			***99***	***80-120***				***98***				
Dibromofluoromethane(S)			***110***	***80-120***				***108***				
1,2-Dichloroethane-d4(S)			***101***	***80-120***				***99***				
Toluene-d8(S)			***105***	***80-120***				***102***				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Sue Ricketts

By Sue Ricketts at 10:02 AM, Jun 17, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 203194
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: ~~2003~~ 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com; john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112.

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC - 8260P	HOLD SAMPLE	Remarks:
6.8	0935		OW-1602_060822	GW	3	x		48hr TAT
	1100		OW-1601R1_060822	GW	3	x		48hr TAT
	1110		FIELDBLANK	W	3	x		standard TAT
	1112		EQUIPMENT BLANK	W	3	x		standard TAT
↓	—	—	TRIP BLANK	W	3	x		standard TAT

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
JUN 08 2022
Initials: JS

Comments:

Sampled/Relinquished By: Stacey Hannula Arcadis — Date/ Time 6.8.22 1200 — Received By:
Relinquished By: — Date/ Time — Received By:
Relinquished By: — Date/ Time 6/8/22 16:30 — Received By Laboratory: 6/8/22 3:00

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day 2 2 bus. days _____3 bus. days _____4 bus. days
3 5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A08975
Temperature upon receipt at Lab: 3.4°C
Received On Ice

Please see back for terms and conditions

Fibertec environmental services

Thursday, July 14, 2022

Fibertec Project Number:	A09642
Project Identification:	TRW Milford (30136112) /30136112
Submittal Date:	07/11/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Bailey Welch

By Bailey Welch at 2:53 PM, Jul 14, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-001

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:43**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_071122**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
3. Benzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
7. Bromoform	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
8. Bromomethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
9. 2-Butanone	U		µg/L	25	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
16. Chloroethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
17. Chloroform	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
18. Chloromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
27. 1,1-Dichloroethane	**3.5**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
30. cis-1,2-Dichloroethene	**18**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
37. 2-Hexanone	U		µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-001

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:43**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_071122**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
42. MTBE	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
45. Styrene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
49. Toluene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	07/12/22	VM22G12B	07/12/22 14:32	VM22G12B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-002

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:42**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_071122**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U	L-	µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	3. Benzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	7. Bromoform	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	9. 2-Butanone	U		µg/L	25	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	17. Chloroform	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	27. 1,1-Dichloroethane	**2.2**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	30. cis-1,2-Dichloroethene	**20**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	31. trans-1,2-Dichloroethene	**1.2**		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-002

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:42**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_071122**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
42. MTBE	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
43. Naphthalene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
45. Styrene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
49. Toluene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
61. o-Xylene	U		µg/L	1.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	07/12/22	VM22G12B	07/12/22 15:00	VM22G12B	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-003

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK _071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-003** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK _071122**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
3. Benzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
7. Bromoform	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
8. Bromomethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
9. 2-Butanone	U		µg/L	25	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
16. Chloroethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
17. Chloroform	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
18. Chloromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
37. 2-Hexanone	U		µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-003

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK _071122**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-003** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK _071122**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
42. MTBE	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
43. Naphthalene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
45. Styrene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
49. Toluene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	07/13/22	VM22G13A	07/13/22 12:26	VM22G13A	BRC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-004

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TB005473**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TB005473**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U	L-	µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
3. Benzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
4. Bromobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
5. Bromochloromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
6. Bromodichloromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
7. Bromoform	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
8. Bromomethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
9. 2-Butanone	U		µg/L	25	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
10. n-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
13. Carbon Disulfide	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
15. Chlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
16. Chloroethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
17. Chloroform	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
18. Chloromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
21. Dibromochloromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
22. Dibromomethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
35. Ethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
37. 2-Hexanone	U		µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A09642
Laboratory Sample Number: A09642-004

Order: A09642
Date: 07/14/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TB005473**	Chain of Custody:	**205973**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**07/11/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A09642-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TB005473**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
40. Methylene Chloride	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
42. MTBE	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
43. Naphthalene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
44. n-Propylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
45. Styrene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
48. Tetrachloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
49. Toluene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
53. Trichloroethene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
59. Vinyl Chloride	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
60. m&p-Xylene	U		µg/L	2.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
61. o-Xylene	U		µg/L	1.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC
‡ 62. Xylenes	U		µg/L	3.0	1.0	07/13/22	VM22G13A	07/13/22 12:54	VM22G13A	BRC

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VM22G12B: Method Blank (MB)

EPA 8260D

Run Time: VM22G12B.MB 07/12/2022 11:43 [VM22G12B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VM22G12B: Method Blank (MB)

EPA 8260D

Run Time: VM22G12B.MB 07/12/2022 11:43 [VM22G12B]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*89*		*80-120*
Dibromofluoromethane(S)	*89*		*80-120*
1,2-Dichloroethane-d4(S)	*114*		*80-120*
Toluene-d8(S)	*94*		*80-120*

VM22G12B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22G12B.LCS: 07/12/2022 10:19 [VM22G12B] VM22G12B.LCSD: 07/12/2022 10:47 [VM22G12B]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Acetone	50.0	25.8	52	54-140	*	50.0	25.8	52	*	0	20	
Acrylonitrile	50.0	46.4	93	70-130		50.0	47.2	94		1	20	
Benzene	50.0	46.3	93	80-120		50.0	45.3	91		2	20	
Bromobenzene	50.0	48.1	96	75-125		50.0	47.6	95		1	20	
Bromochloromethane	50.0	47.6	95	70-130		50.0	46.5	93		2	20	
Bromodichloromethane	50.0	43.2	86	75-120		50.0	42.9	86		0	20	
Bromoform	50.0	48.2	96	70-130		50.0	48.8	98		2	20	
Bromomethane	50.0	54.0	108	68-135		50.0	51.6	103		5	20	
2-Butanone	50.0	36.4	73	70-148		50.0	38.3	77		5	20	
n-Butylbenzene	50.0	53.1	106	70-133		50.0	50.4	101		5	20	
sec-Butylbenzene	50.0	52.2	104	70-125		50.0	49.7	99		5	20	
tert-Butylbenzene	50.0	52.0	104	70-130		50.0	50.1	100		4	20	
Carbon Disulfide	50.0	43.5	87	70-130		50.0	36.6	73		18	20	
Carbon Tetrachloride	50.0	41.8	84	70-130		50.0	40.8	82		2	20	
Chlorobenzene	50.0	50.1	100	80-120		50.0	48.9	98		2	20	
Chloroethane	50.0	57.8	116	61-130		50.0	55.9	112		4	20	
Chloroform	50.0	47.0	94	80-120		50.0	45.9	92		2	20	
Chloromethane	50.0	50.3	101	67-125		50.0	47.5	95		6	20	
2-Chlorotoluene	50.0	48.4	97	75-125		50.0	47.6	95		2	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	47.5	95	70-130		50.0	48.4	97		2	20	
Dibromochloromethane	50.0	43.2	86	70-130		50.0	44.7	89		3	20	
Dibromomethane	50.0	42.8	86	75-125		50.0	42.7	85		1	20	
1,2-Dichlorobenzene	50.0	50.5	101	70-120		50.0	49.8	100		1	20	
1,3-Dichlorobenzene	50.0	50.8	102	75-125		50.0	49.1	98		4	20	
1,4-Dichlorobenzene	50.0	51.0	102	75-125		50.0	49.8	100		2	20	
Dichlorodifluoromethane	50.0	49.2	98	70-136		50.0	45.9	92		6	20	
1,1-Dichloroethane	50.0	47.9	96	70-130		50.0	46.0	92		4	20	
1,2-Dichloroethane	50.0	49.8	100	70-130		50.0	48.9	98		2	20	
1,1-Dichloroethene	50.0	50.3	101	78-120		50.0	43.1	86		16	20	
cis-1,2-Dichloroethene	50.0	48.8	98	70-125		50.0	48.0	96		2	20	
trans-1,2-Dichloroethene	50.0	51.1	102	70-130		50.0	49.4	99		3	20	
1,2-Dichloropropane	50.0	47.4	95	80-121		50.0	46.5	93		2	20	
cis-1,3-Dichloropropene	50.0	41.1	82	70-130		50.0	40.8	82		0	20	

VM22G12B: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22G12B.LCS: 07/12/2022 10:19 [VM22G12B] VM22G12B.LCSD: 07/12/2022 10:47 [VM22G12B]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	44.4	89	70-132		50.0	44.8	90		1	20	
Ethylbenzene	50.0	51.5	103	80-120		50.0	49.2	98		5	20	
Ethylene Dibromide	50.0	44.2	88	80-120		50.0	45.7	91		3	20	
2-Hexanone	50.0	47.8	96	70-130		50.0	48.2	96		0	20	
Isopropylbenzene	50.0	50.9	102	75-125		50.0	48.5	97		5	20	
4-Methyl-2-pentanone	50.0	53.0	106	70-130		50.0	52.3	105		1	20	
Methylene Chloride	50.0	47.2	94	70-130		50.0	45.2	90		4	20	
2-Methylnaphthalene	50.0	45.9	92	70-130		50.0	46.8	94		2	20	
MTBE	50.0	47.3	95	70-125		50.0	49.8	100		5	20	
Naphthalene	50.0	43.3	87	70-130		50.0	43.3	87		0	20	
n-Propylbenzene	50.0	50.9	102	70-130		50.0	49.0	98		4	20	
Styrene	50.0	43.1	86	70-130		50.0	41.9	84		2	20	
1,1,1,2-Tetrachloroethane	50.0	46.9	94	80-130		50.0	47.2	94		0	20	
1,1,2,2-Tetrachloroethane	50.0	49.6	99	70-130		50.0	50.2	100		1	20	
Tetrachloroethene	50.0	49.8	100	70-130		50.0	49.0	98		2	20	
Toluene	50.0	48.5	97	80-120		50.0	45.3	91		6	20	
1,2,4-Trichlorobenzene	50.0	48.3	97	70-130		50.0	47.0	94		3	20	
1,1,1-Trichloroethane	50.0	43.3	87	70-130		50.0	42.4	85		2	20	
1,1,2-Trichloroethane	50.0	46.2	92	75-125		50.0	48.5	97		5	20	
Trichloroethene	50.0	43.7	87	71-125		50.0	42.4	85		2	20	
Trichlorofluoromethane	50.0	55.3	111	70-133		50.0	54.0	108		3	20	
1,2,3-Trichloropropane	50.0	51.2	102	75-125		50.0	52.1	104		2	20	
1,2,3-Trimethylbenzene	50.0	50.4	101	70-130		50.0	48.8	98		3	20	
1,2,4-Trimethylbenzene	50.0	51.9	104	75-130		50.0	50.2	100		4	20	
1,3,5-Trimethylbenzene	50.0	51.7	103	75-130		50.0	50.1	100		3	20	
Vinyl Chloride	50.0	48.9	98	74-125		50.0	45.2	90		9	20	
m&p-Xylene	100	99.8	100	75-130		100	95.1	95		5	20	
o-Xylene	50.0	49.3	99	80-120		50.0	47.3	95		4	20	
4-Bromofluorobenzene(S)			*98*	*80-120*				*97*				
Dibromofluoromethane(S)			*93*	*80-120*				*93*				
1,2-Dichloroethane-d4(S)			*111*	*80-120*				*110*				
Toluene-d8(S)			*99*	*80-120*				*95*				

VM22G13A: Method Blank (MB)

EPA 8260D

Run Time: VM22G13A.MB 07/13/2022 11:01 [VM22G13A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VM22G13A: Method Blank (MB)

EPA 8260D

Run Time: VM22G13A.MB 07/13/2022 11:01 [VM22G13A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*91*		*80-120*
Dibromofluoromethane(S)	*91*		*80-120*
1,2-Dichloroethane-d4(S)	*113*		*80-120*
Toluene-d8(S)	*94*		*80-120*

VM22G13A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22G13A.LCS: 07/13/2022 09:37 [VM22G13A] VM22G13A.LCSD: 07/13/2022 10:05 [VM22G13A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	25.8	52	54-140	*	50.0	25.6	51	*	2	20	
Acrylonitrile	50.0	48.0	96	70-130		50.0	48.5	97		1	20	
Benzene	50.0	46.4	93	80-120		50.0	47.6	95		2	20	
Bromobenzene	50.0	49.5	99	75-125		50.0	48.6	97		2	20	
Bromochloromethane	50.0	48.8	98	70-130		50.0	48.9	98		0	20	
Bromodichloromethane	50.0	45.0	90	75-120		50.0	45.6	91		1	20	
Bromoform	50.0	50.1	100	70-130		50.0	51.4	103		3	20	
Bromomethane	50.0	53.1	106	68-135		50.0	55.7	111		5	20	
2-Butanone	50.0	37.5	75	70-148		50.0	38.4	77		3	20	
n-Butylbenzene	50.0	55.0	110	70-133		50.0	55.1	110		0	20	
sec-Butylbenzene	50.0	53.5	107	70-125		50.0	53.6	107		0	20	
tert-Butylbenzene	50.0	52.8	106	70-130		50.0	53.1	106		0	20	
Carbon Disulfide	50.0	44.6	89	70-130		50.0	45.2	90		1	20	
Carbon Tetrachloride	50.0	45.1	90	70-130		50.0	45.9	92		2	20	
Chlorobenzene	50.0	50.8	102	80-120		50.0	51.5	103		1	20	
Chloroethane	50.0	58.5	117	61-130		50.0	59.2	118		1	20	
Chloroform	50.0	47.6	95	80-120		50.0	48.2	96		1	20	
Chloromethane	50.0	49.2	98	67-125		50.0	52.3	105		7	20	
2-Chlorotoluene	50.0	49.5	99	75-125		50.0	49.5	99		0	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	49.5	99	70-130		50.0	49.7	99		0	20	
Dibromochloromethane	50.0	45.4	91	70-130		50.0	46.5	93		2	20	
Dibromomethane	50.0	45.8	92	75-125		50.0	45.7	91		1	20	
1,2-Dichlorobenzene	50.0	51.2	102	70-120		50.0	51.1	102		0	20	
1,3-Dichlorobenzene	50.0	51.7	103	75-125		50.0	51.7	103		0	20	
1,4-Dichlorobenzene	50.0	51.8	104	75-125		50.0	51.5	103		1	20	
Dichlorodifluoromethane	50.0	53.2	106	70-136		50.0	55.4	111		5	20	
1,1-Dichloroethane	50.0	48.0	96	70-130		50.0	48.6	97		1	20	
1,2-Dichloroethane	50.0	50.0	100	70-130		50.0	49.9	100		0	20	
1,1-Dichloroethene	50.0	50.9	102	78-120		50.0	51.9	104		2	20	
cis-1,2-Dichloroethene	50.0	49.0	98	70-125		50.0	50.1	100		2	20	
trans-1,2-Dichloroethene	50.0	51.8	104	70-130		50.0	52.6	105		1	20	
1,2-Dichloropropane	50.0	47.8	96	80-121		50.0	48.7	97		1	20	
cis-1,3-Dichloropropene	50.0	42.7	85	70-130		50.0	43.6	87		2	20	

VM22G13A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22G13A.LCS: 07/13/2022 09:37 [VM22G13A] VM22G13A.LCSD: 07/13/2022 10:05 [VM22G13A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	47.0	94	70-132		50.0	47.9	96		2	20	
Ethylbenzene	50.0	51.7	103	80-120		50.0	52.7	105		2	20	
Ethylene Dibromide	50.0	47.3	95	80-120		50.0	48.2	96		1	20	
2-Hexanone	50.0	48.4	97	70-130		50.0	49.4	99		2	20	
Isopropylbenzene	50.0	51.8	104	75-125		50.0	53.1	106		2	20	
4-Methyl-2-pentanone	50.0	53.6	107	70-130		50.0	53.9	108		1	20	
Methylene Chloride	50.0	46.6	93	70-130		50.0	47.3	95		2	20	
2-Methylnaphthalene	50.0	48.0	96	70-130		50.0	46.6	93		3	20	
MTBE	50.0	48.4	97	70-125		50.0	49.9	100		3	20	
Naphthalene	50.0	46.0	92	70-130		50.0	44.3	89		3	20	
n-Propylbenzene	50.0	52.2	104	70-130		50.0	52.2	104		0	20	
Styrene	50.0	44.1	88	70-130		50.0	44.5	89		1	20	
1,1,1,2-Tetrachloroethane	50.0	49.0	98	80-130		50.0	51.0	102		4	20	
1,1,2,2-Tetrachloroethane	50.0	52.6	105	70-130		50.0	52.8	106		1	20	
Tetrachloroethene	50.0	52.4	105	70-130		50.0	53.0	106		1	20	
Toluene	50.0	48.3	97	80-120		50.0	48.6	97		0	20	
1,2,4-Trichlorobenzene	50.0	50.8	102	70-130		50.0	49.4	99		3	20	
1,1,1-Trichloroethane	50.0	44.7	89	70-130		50.0	46.4	93		4	20	
1,1,2-Trichloroethane	50.0	48.4	97	75-125		50.0	49.6	99		2	20	
Trichloroethene	50.0	44.3	89	71-125		50.0	45.9	92		3	20	
Trichlorofluoromethane	50.0	59.1	118	70-133		50.0	60.0	120		2	20	
1,2,3-Trichloropropane	50.0	54.0	108	75-125		50.0	52.0	104		4	20	
1,2,3-Trimethylbenzene	50.0	51.2	102	70-130		50.0	50.8	102		0	20	
1,2,4-Trimethylbenzene	50.0	52.9	106	75-130		50.0	52.6	105		1	20	
1,3,5-Trimethylbenzene	50.0	52.7	105	75-130		50.0	52.9	106		1	20	
Vinyl Chloride	50.0	49.1	98	74-125		50.0	51.6	103		5	20	
m&p-Xylene	100	100	100	75-130		100	102	102		2	20	
o-Xylene	50.0	49.8	100	80-120		50.0	50.5	101		1	20	
4-Bromofluorobenzene(S)			*98*	*80-120*				*99*				
Dibromofluoromethane(S)			*94*	*80-120*				*94*				
1,2-Dichloroethane-d4(S)			*107*	*80-120*				*108*				
Toluene-d8(S)			*98*	*80-120*				*97*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Bailey Welch

By Bailey Welch at 3:12 PM, Jul 14, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Revised

Chain of Custody # 205973
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com
john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260R	HOLD SAMPLE	Remarks:
7.11.22	0943		OW-16D2-071122	GW	3	3		48hr TAT
			~~OW-D~~					
7.11.22	1042		OW-16D2R1_071122	GW	3	3		48hr TAT
7.11.22	1010		FIELD BLANK_071122	GW	3	3		std TAT
~~7-11-22~~			~~Trip Blank~~			1		~~std~~ TAT

PARAMETERS

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
JUL 11 2022
Initials: BP

Comments:
Client confirmed via email 7/11/22 -RL

Sampled/Relinquished By: Stacey Hannula	Date/ Time 7.11.22 1225	Received By: Kriss Scott
Relinquished By: Kriss Scott	Date/ Time	Received By:
Relinquished By:	Date/ Time 7/11/22 14:45	Received By Laboratory: Brandi Powers 7/11/22 12:40

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day 2 2 bus. days _____3 bus. days _____4 bus. days
1 5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A09642
Temperature upon receipt at Lab: 5.1 °C

Please see back for terms and conditions

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
205973
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com
john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260B	HOLD SAMPLE	Remarks
7.11.22	0943		OW-16D2-071122	GW	3	3		48hr TAT
			~~OW-D~~					
7.11.22	1042		OW-16D2R1_071122	GW	3	3		48hr TAT
7.11.22	1010		FIELD BLANK_071122	GW	3	3		std TAT

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
JUL 11 2022
Initials: BP

Comments:

Sampled/Relinquished By: Stacey Hannula	Date/ Time 7.11.22 1225	Received By: Kriss Scott
Relinquished By: Kriss Scott	Date/ Time	Received By:
Relinquished By:	Date/ Time 7/11/22 14:45	Received By Laboratory: Brandy Powers 7/11/22 12:40

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day 2 2 bus. days _____3 bus. days _____4 bus. days

1 5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A09642
Temperature upon receipt at Lab: 5.1°C

Please see back for terms and conditions

Fibertec environmental services

Wednesday, August 10, 2022

Fibertec Project Number:	A10163
Project Identification:	TRW Milford (30136112) /30136112
Submittal Date:	08/08/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

By Jacob Sutherlund at 1:59 PM, Aug 10, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-001

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_080822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
27. 1,1-Dichloroethane	**3.6**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
30. cis-1,2-Dichloroethene	**16**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-001

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_080822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 17:16	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**101**	%	80-120	VB	VB22H09A	8/9/2022 17:16	1	VBWAT
Dibromofluoromethane(S)	**96**	%	80-120	VB	VB22H09A	8/9/2022 17:16	1	VBWAT
1,2-Dichloroethane-d4(S)	**101**	%	80-120	VB	VB22H09A	8/9/2022 17:16	1	VBWAT
Toluene-d8(S)	**101**	%	80-120	VB	VB22H09A	8/9/2022 17:16	1	VBWAT

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-002

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:59**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_080822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
27. 1,1-Dichloroethane	**2.2**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
30. cis-1,2-Dichloroethene	**20**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
31. trans-1,2-Dichloroethene	**1.3**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-002

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:59**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_080822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 17:41	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 17:41	1	VBWAT
Dibromofluoromethane(S)	**95**	%	80-120	VB	VB22H09A	8/9/2022 17:41	1	VBWAT
1,2-Dichloroethane-d4(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 17:41	1	VBWAT
Toluene-d8(S)	**98**	%	80-120	VB	VB22H09A	8/9/2022 17:41	1	VBWAT

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-003

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_080822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
30. cis-1,2-Dichloroethene	**11**		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-003

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**11:25**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_080822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 18:05	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 18:05	1	VBWAT
Dibromofluoromethane(S)	**95**	%	80-120	VB	VB22H09A	8/9/2022 18:05	1	VBWAT
1,2-Dichloroethane-d4(S)	**99**	%	80-120	VB	VB22H09A	8/9/2022 18:05	1	VBWAT
Toluene-d8(S)	**99**	%	80-120	VB	VB22H09A	8/9/2022 18:05	1	VBWAT

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-004

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-004** **Matrix: Blank: Field**
Method: EPA 0624.1/EPA 8260D **Description: Field Blank_080822**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-004

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Field Blank_080822**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**11:10**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-004** **Matrix: Blank: Field**
Method: EPA 0624.1/EPA 8260D **Description: Field Blank_080822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 12:43	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**98**	%	80-120	VB	VB22H09A	8/9/2022 12:43	1	VBWAT
Dibromofluoromethane(S)	**95**	%	80-120	VB	VB22H09A	8/9/2022 12:43	1	VBWAT
1,2-Dichloroethane-d4(S)	**102**	%	80-120	VB	VB22H09A	8/9/2022 12:43	1	VBWAT
Toluene-d8(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 12:43	1	VBWAT

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-005

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
3. Benzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
7. Bromoform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
29. 1,1-Dichloroethene	U	L-	µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10163
Laboratory Sample Number: A10163-005

Order: A10163
Date: 08/10/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**206299**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**08/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10163-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
42. MTBE	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
45. Styrene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
49. Toluene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	08/09/22	VB22H09A	08/09/22 13:08	VB22H09A	SNC

Surrogate Summary			Control Limits	Instrument	Batch	Run Time	Column	Inst. Method
4-Bromofluorobenzene(S)	**98**	%	80-120	VB	VB22H09A	8/9/2022 13:08	1	VBWAT
Dibromofluoromethane(S)	**94**	%	80-120	VB	VB22H09A	8/9/2022 13:08	1	VBWAT
1,2-Dichloroethane-d4(S)	**100**	%	80-120	VB	VB22H09A	8/9/2022 13:08	1	VBWAT
Toluene-d8(S)	**101**	%	80-120	VB	VB22H09A	8/9/2022 13:08	1	VBWAT

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits
D: The sample or extract was analyzed at a DF greater than 1.

Exception Summary:

L- : Recovery in the associated laboratory sample (LCS) exceeds the lower control limit. Results may be biased low.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-19-8 (TX)

VB22H09A: Method Blank (MB)

EPA 8260D

Run Time: VB22H09A.MB 08/09/2022 12:18 [VB22H09A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromoform	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50

VB22H09A: Method Blank (MB)

EPA 8260D

Run Time: VB22H09A.MB 08/09/2022 12:18 [VB22H09A]

Analyte	MB Result	MB Qualifier	MB RDL
	µg/L		µg/L
trans-1,3-Dichloropropene	U		0.50
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*100*		*80-120*
Dibromofluoromethane(S)	*96*		*80-120*
1,2-Dichloroethane-d4(S)	*99*		*80-120*
Toluene-d8(S)	*99*		*80-120*

VB22H09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22H09A.LCS: 08/09/2022 11:04 [VB22H09A] VB22H09A.LCSD: 08/09/2022 11:28 [VB22H09A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	22.2	44	40-130		50.0	20.6	41		7	20	
Acrylonitrile	50.0	49.0	98	70-130		50.0	49.5	99		1	20	
Benzene	50.0	48.6	97	80-120		50.0	46.4	93		4	20	
Bromobenzene	50.0	45.7	91	75-125		50.0	45.1	90		1	20	
Bromochloromethane	50.0	50.7	101	70-130		50.0	49.7	99		2	20	
Bromodichloromethane	50.0	56.6	113	75-120		50.0	55.6	111		2	20	
Bromoform	50.0	50.9	102	70-130		50.0	49.9	100		2	20	
Bromomethane	50.0	56.4	113	68-135		50.0	52.9	106		6	20	
2-Butanone	50.0	32.3	65	40-129		50.0	32.7	65		0	20	
n-Butylbenzene	50.0	49.9	100	70-133		50.0	47.6	95		5	20	
sec-Butylbenzene	50.0	51.3	103	70-125		50.0	49.2	98		5	20	
tert-Butylbenzene	50.0	50.0	100	70-130		50.0	48.2	96		4	20	
Carbon Disulfide	50.0	57.5	115	70-130		50.0	55.8	112		3	20	
Carbon Tetrachloride	50.0	57.8	116	70-130		50.0	54.0	108		7	20	
Chlorobenzene	50.0	51.2	102	80-120		50.0	48.9	98		4	20	
Chloroethane	50.0	53.0	106	61-130		50.0	48.5	97		9	20	
Chloroform	50.0	51.5	103	80-120		50.0	49.4	99		4	20	
Chloromethane	50.0	50.5	101	67-125		50.0	46.6	93		8	20	
2-Chlorotoluene	50.0	47.2	94	75-125		50.0	46.6	93		1	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	51.6	103	70-130		50.0	55.3	111		7	20	
Dibromochloromethane	50.0	56.4	113	70-130		50.0	56.2	112		1	20	
Dibromomethane	50.0	51.6	103	75-125		50.0	50.3	101		2	20	
1,2-Dichlorobenzene	50.0	49.2	98	70-120		50.0	49.0	98		0	20	
1,3-Dichlorobenzene	50.0	49.3	99	75-125		50.0	48.7	97		2	20	
1,4-Dichlorobenzene	50.0	47.5	95	75-125		50.0	46.4	93		2	20	
Dichlorodifluoromethane	50.0	60.0	120	70-136		50.0	54.9	110		9	20	
1,1-Dichloroethane	50.0	48.6	97	70-130		50.0	45.6	91		6	20	
1,2-Dichloroethane	50.0	45.0	90	70-130		50.0	44.2	88		2	20	
1,1-Dichloroethene	50.0	42.3	85	78-120		50.0	38.3	77	*	10	20	
cis-1,2-Dichloroethene	50.0	47.3	95	70-125		50.0	45.5	91		4	20	
trans-1,2-Dichloroethene	50.0	46.6	93	70-130		50.0	43.1	86		8	20	
1,2-Dichloropropane	50.0	51.1	102	80-121		50.0	49.0	98		4	20	
cis-1,3-Dichloropropene	50.0	53.4	107	70-130		50.0	53.2	106		1	20	

VB22H09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VB22H09A.LCS: 08/09/2022 11:04 [VB22H09A] VB22H09A.LCSD: 08/09/2022 11:28 [VB22H09A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
trans-1,3-Dichloropropene	50.0	55.4	111	70-132		50.0	53.4	107		4	20	
Ethylbenzene	50.0	53.4	107	80-120		50.0	50.1	100		7	20	
Ethylene Dibromide	50.0	51.5	103	80-120		50.0	51.4	103		0	20	
2-Hexanone	50.0	36.5	73	70-130		50.0	37.0	74		1	20	
Isopropylbenzene	50.0	52.7	105	75-125		50.0	49.7	99		6	20	
4-Methyl-2-pentanone	50.0	52.4	105	70-130		50.0	51.6	103		2	20	
Methylene Chloride	50.0	39.4	79	70-130		50.0	37.9	76		4	20	
2-Methylnaphthalene	50.0	49.1	98	70-130		50.0	51.9	104		6	20	
MTBE	50.0	50.6	101	70-125		50.0	49.2	98		3	20	
Naphthalene	50.0	47.4	95	70-130		50.0	51.3	103		8	20	
n-Propylbenzene	50.0	50.9	102	70-130		50.0	49.8	100		2	20	
Styrene	50.0	49.0	98	70-130		50.0	48.0	96		2	20	
1,1,1,2-Tetrachloroethane	50.0	58.0	116	80-130		50.0	56.3	113		3	20	
1,1,2,2-Tetrachloroethane	50.0	51.2	102	70-130		50.0	51.2	102		0	20	
Tetrachloroethene	50.0	53.3	107	70-130		50.0	50.0	100		7	20	
Toluene	50.0	50.8	102	80-120		50.0	48.7	97		5	20	
1,2,4-Trichlorobenzene	50.0	49.9	100	70-130		50.0	50.8	102		2	20	
1,1,1-Trichloroethane	50.0	57.5	115	70-130		50.0	54.7	109		5	20	
1,1,2-Trichloroethane	50.0	53.2	106	75-125		50.0	51.7	103		3	20	
Trichloroethene	50.0	50.7	101	71-125		50.0	48.6	97		4	20	
Trichlorofluoromethane	50.0	56.7	113	70-133		50.0	53.8	108		5	20	
1,2,3-Trichloropropane	50.0	48.7	97	75-125		50.0	51.6	103		6	20	
1,2,3-Trimethylbenzene	50.0	47.1	94	70-130		50.0	46.5	93		1	20	
1,2,4-Trimethylbenzene	50.0	51.3	103	75-130		50.0	50.6	101		2	20	
1,3,5-Trimethylbenzene	50.0	50.3	101	75-130		50.0	49.7	99		2	20	
Vinyl Chloride	50.0	51.0	102	74-125		50.0	48.2	96		6	20	
m&p-Xylene	100	104	104	75-130		100	99.6	100		4	20	
o-Xylene	50.0	49.4	99	80-120		50.0	47.5	95		4	20	
4-Bromofluorobenzene(S)			*101*	*80-120*				*101*				
Dibromofluoromethane(S)			*103*	*80-120*				*103*				
1,2-Dichloroethane-d4(S)			*101*	*80-120*				*100*				
Toluene-d8(S)			*100*	*80-120*				*100*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

By Jacob Sutherlund at 2:06 PM, Aug 10, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
206299
PAGE ___ of ___

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com
john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	VOC 8260B									HOLD SAMPLE	Remarks:
8.8.22	0910		OW-16D2_080822	GW	3	X										rush TAT
8.8.22	0959		OW-16D2R1_080822	GW	3	X										rush TAT
8.8.22	1125		OW-16D2R2_080822	GW	3	X										rush TAT
8.8.22	1110		FIELDBLANK_080822	~~GW~~	3	X										Std. TAT OK
			TRIP BLANK 2	X	3	X										Std. TAT OK
			pH test kit		1											from OW-16D2R1 sample

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
AUG 08 2022
Initials: JS

Comments:

Sampled/Relinquished By: Stacey Hannula / Stacey Hannula / Arcadis	Date/ Time 8.8.22 1240	Received By: Jesse Scott	
Relinquished By: Jesse Scott	Date/ Time	Received By: Nate Shade	8/8/22 5:25
Relinquished By: Nate Shade	Date/ Time 8/8/22 18:30	Received By Laboratory:	

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days (48hr) _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A10163
Temperature upon receipt at Lab: 4.2

Received On Ice

Please see back for terms and conditions

Fibertec environmental services

Tuesday, September 13, 2022

Fibertec Project Number:	A10763
Project Identification:	TRW Milford (30136112) /30136112
Submittal Date:	09/08/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

Bailey Welch

By Bailey Welch at 4:59 PM, Sep 13, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-001

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
27. 1,1-Dichloroethane	**3.9**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
30. cis-1,2-Dichloroethene	**21**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
31. trans-1,2-Dichloroethene	**1.8**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-001

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:20**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 13:41	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-002

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:07**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_090822**

						Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡	7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	27. 1,1-Dichloroethane	**2.5**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	30. cis-1,2-Dichloroethene	**22**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	31. trans-1,2-Dichloroethene	**1.4**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-002

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:07**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 14:10	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-003

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_090822**

						Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡	7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	30. cis-1,2-Dichloroethene	**12**		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-003

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:55**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 14:38	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-004

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*
lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-004

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**TRIP BLANK**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-004** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: TRIP BLANK**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 12:16	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-005

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:40**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-005** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK_090822**

						Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	3. Benzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	4. Bromobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	5. Bromochloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	6. Bromodichloromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡	7. Bromoform (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	KYD
	8. Bromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	9. 2-Butanone	U		µg/L	25	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	10. n-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	13. Carbon Disulfide	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	14. Carbon Tetrachloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	15. Chlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	16. Chloroethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	17. Chloroform	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	18. Chloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	21. Dibromochloromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	22. Dibromomethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	35. Ethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
	37. 2-Hexanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A10763
Laboratory Sample Number: A10763-005

Order: A10763
Date: 09/13/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**FIELD BLANK_090822**	Chain of Custody:	**212794**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**09/08/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**10:40**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A10763-005** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: FIELD BLANK_090822**

						Preparation		Analysis		
Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
40. Methylene Chloride	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡ 41. 2-Methylnaphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
42. MTBE	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
43. Naphthalene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
44. n-Propylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
45. Styrene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
46. 1,1,1,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
48. Tetrachloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
49. Toluene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
53. Trichloroethene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
59. Vinyl Chloride	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
60. m&p-Xylene	U		µg/L	2.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
61. o-Xylene	U		µg/L	1.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC
‡ 62. Xylenes	U		µg/L	3.0	1.0	09/09/22	VM22I09A	09/09/22 12:44	VM22I09A	SNC

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-22-14 (TX)

VM22I09A: Method Blank (MB)

EPA 8260D

Run Time: VM22I09A.MB 09/09/2022 11:19 [VM22I09A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Acetone	U		50
Acrylonitrile	U		2.0
Benzene	U		1.0
Bromobenzene	U		1.0
Bromochloromethane	U		1.0
Bromodichloromethane	U		1.0
Bromomethane	U		5.0
2-Butanone	U		25
n-Butylbenzene	U		1.0
sec-Butylbenzene	U		1.0
tert-Butylbenzene	U		1.0
Carbon Disulfide	U		5.0
Carbon Tetrachloride	U		1.0
Chlorobenzene	U		1.0
Chloroethane	U		5.0
Chloroform	U		1.0
Chloromethane	U		5.0
2-Chlorotoluene	U		5.0
1,2-Dibromo-3-chloropropane (SIM)	U		1.0
Dibromochloromethane	U		5.0
Dibromomethane	U		5.0
1,2-Dichlorobenzene	U		1.0
1,3-Dichlorobenzene	U		1.0
1,4-Dichlorobenzene	U		1.0
Dichlorodifluoromethane	U		5.0
1,1-Dichloroethane	U		1.0
1,2-Dichloroethane	U		1.0
1,1-Dichloroethene	U		1.0
cis-1,2-Dichloroethene	U		1.0
trans-1,2-Dichloroethene	U		1.0
1,2-Dichloropropane	U		1.0
cis-1,3-Dichloropropene	U		0.50
trans-1,3-Dichloropropene	U		0.50

VM22I09A: Method Blank (MB)

EPA 8260D

Run Time: VM22I09A.MB 09/09/2022 11:19 [VM22I09A]

Analyte	MB Result µg/L	MB Qualifier	MB RDL µg/L
Ethylbenzene	U		1.0
Ethylene Dibromide	U		1.0
2-Hexanone	U		50
Isopropylbenzene	U		5.0
4-Methyl-2-pentanone	U		50
Methylene Chloride	U		5.0
2-Methylnaphthalene	U		5.0
MTBE	U		5.0
Naphthalene	U		5.0
n-Propylbenzene	U		1.0
Styrene	U		1.0
1,1,1,2-Tetrachloroethane	U		1.0
1,1,2,2-Tetrachloroethane	U		1.0
Tetrachloroethene	U		1.0
Toluene	U		1.0
1,2,4-Trichlorobenzene	U		5.0
1,1,1-Trichloroethane	U		1.0
1,1,2-Trichloroethane	U		1.0
Trichloroethene	U		1.0
Trichlorofluoromethane	U		1.0
1,2,3-Trichloropropane	U		1.0
1,2,3-Trimethylbenzene	U		1.0
1,2,4-Trimethylbenzene	U		1.0
1,3,5-Trimethylbenzene	U		1.0
Vinyl Chloride	U		1.0
m&p-Xylene	U		2.0
o-Xylene	U		1.0
4-Bromofluorobenzene(S)	*100*		*80-120*
Dibromofluoromethane(S)	*106*		*80-120*
1,2-Dichloroethane-d4(S)	*101*		*80-120*
Toluene-d8(S)	*102*		*80-120*

VM22I09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD)

EPA 8260D

Run Time: VM22I09A.LCS: 09/09/2022 09:54 [VM22I09A] VM22I09A.LCSD: 09/09/2022 10:22 [VM22I09A]

Analyte	LCS Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	LCSD Spike Amount	LCSD Result	LCSD Rec.	LCSD Qualifier	RPD	RPD Limits	RPD Qualifier
	µg/L	µg/L	%	%		µg/L	µg/L	%		%	%	
Acetone	50.0	24.9	50	40-130		50.0	26.4	53		6	20	
Acrylonitrile	50.0	50.4	101	70-130		50.0	52.8	106		5	20	
Benzene	50.0	49.4	99	80-120		50.0	47.9	96		3	20	
Bromobenzene	50.0	45.4	91	75-125		50.0	44.7	89		2	20	
Bromochloromethane	50.0	51.8	104	70-130		50.0	52.4	105		1	20	
Bromodichloromethane	50.0	50.8	102	75-120		50.0	50.5	101		1	20	
Bromomethane	50.0	51.0	102	68-135		50.0	49.4	99		3	20	
2-Butanone	50.0	35.1	70	40-129		50.0	37.3	75		7	20	
n-Butylbenzene	50.0	49.9	100	70-133		50.0	47.6	95		5	20	
sec-Butylbenzene	50.0	48.6	97	70-125		50.0	46.6	93		4	20	
tert-Butylbenzene	50.0	47.9	96	70-130		50.0	46.1	92		4	20	
Carbon Disulfide	50.0	56.7	113	70-130		50.0	55.1	110		3	20	
Carbon Tetrachloride	50.0	50.0	100	70-130		50.0	48.8	98		2	20	
Chlorobenzene	50.0	50.0	100	80-120		50.0	48.7	97		3	20	
Chloroethane	50.0	51.1	102	61-130		50.0	49.6	99		3	20	
Chloroform	50.0	50.5	101	80-120		50.0	50.1	100		1	20	
Chloromethane	50.0	54.8	110	67-125		50.0	54.1	108		2	20	
2-Chlorotoluene	50.0	47.6	95	75-125		50.0	46.1	92		3	20	
1,2-Dibromo-3-chloropropane (SIM)	50.0	43.4	87	70-130		50.0	44.9	90		3	20	
Dibromochloromethane	50.0	50.1	100	70-130		50.0	50.2	100		0	20	
Dibromomethane	50.0	47.7	95	75-125		50.0	47.9	96		1	20	
1,2-Dichlorobenzene	50.0	48.8	98	70-120		50.0	48.5	97		1	20	
1,3-Dichlorobenzene	50.0	49.2	98	75-125		50.0	48.0	96		2	20	
1,4-Dichlorobenzene	50.0	48.7	97	75-125		50.0	47.7	95		2	20	
Dichlorodifluoromethane	50.0	58.4	117	70-136		50.0	56.9	114		3	20	
1,1-Dichloroethane	50.0	51.6	103	70-130		50.0	51.2	102		1	20	
1,2-Dichloroethane	50.0	47.4	95	70-130		50.0	47.7	95		0	20	
1,1-Dichloroethene	50.0	47.3	95	78-120		50.0	50.2	100		5	20	
cis-1,2-Dichloroethene	50.0	51.9	104	70-125		50.0	51.4	103		1	20	
trans-1,2-Dichloroethene	50.0	52.2	104	70-130		50.0	51.1	102		2	20	
1,2-Dichloropropane	50.0	51.7	103	80-121		50.0	50.6	101		2	20	
cis-1,3-Dichloropropene	50.0	51.9	104	70-130		50.0	51.6	103		1	20	
trans-1,3-Dichloropropene	50.0	53.3	107	70-132		50.0	53.2	106		1	20	

VM22I09A: Laboratory Control Sample (LCS)/Laboratory Control Sample Duplicate (LCSD) — EPA 8260D

Run Time: VM22I09A.LCS: 09/09/2022 09:54 [VM22I09A] VM22I09A.LCSD: 09/09/2022 10:22 [VM22I09A]

Analyte	LCS Spike Amount µg/L	LCS Result µg/L	LCS Rec. %	Rec. Limits %	LCS Qualifier	LCSD Spike Amount µg/L	LCSD Result µg/L	LCSD Rec. %	LCSD Qualifier	RPD %	RPD Limits %	RPD Qualifier
Ethylbenzene	50.0	49.1	98	80-120		50.0	47.8	96		2	20	
Ethylene Dibromide	50.0	44.6	89	80-120		50.0	45.2	90		1	20	
2-Hexanone	50.0	36.5	73	70-130		50.0	38.5	77		5	20	
Isopropylbenzene	50.0	49.1	98	75-125		50.0	47.9	96		2	20	
4-Methyl-2-pentanone	50.0	52.0	104	70-130		50.0	54.4	109		5	20	
Methylene Chloride	50.0	51.3	103	70-130		50.0	51.5	103		0	20	
2-Methylnaphthalene	50.0	43.7	87	70-130		50.0	43.3	87		0	20	
MTBE	50.0	55.6	111	70-125		50.0	57.4	115		4	20	
Naphthalene	50.0	46.1	92	70-130		50.0	46.8	94		2	20	
n-Propylbenzene	50.0	49.4	99	70-130		50.0	47.7	95		4	20	
Styrene	50.0	48.5	97	70-130		50.0	47.2	94		3	20	
1,1,1,2-Tetrachloroethane	50.0	50.7	101	80-130		50.0	49.5	99		2	20	
1,1,2,2-Tetrachloroethane	50.0	53.1	106	70-130		50.0	53.8	108		2	20	
Tetrachloroethene	50.0	50.3	101	70-130		50.0	48.2	96		5	20	
Toluene	50.0	50.2	100	80-120		50.0	48.7	97		3	20	
1,2,4-Trichlorobenzene	50.0	48.5	97	70-130		50.0	48.0	96		1	20	
1,1,1-Trichloroethane	50.0	52.1	104	70-130		50.0	51.1	102		2	20	
1,1,2-Trichloroethane	50.0	48.7	97	75-125		50.0	48.9	98		1	20	
Trichloroethene	50.0	45.9	92	71-125		50.0	44.3	89		3	20	
Trichlorofluoromethane	50.0	54.7	109	70-133		50.0	53.6	107		2	20	
1,2,3-Trichloropropane	50.0	46.0	92	75-125		50.0	47.7	95		3	20	
1,2,3-Trimethylbenzene	50.0	48.3	97	70-130		50.0	46.5	93		4	20	
1,2,4-Trimethylbenzene	50.0	51.2	102	75-130		50.0	49.5	99		3	20	
1,3,5-Trimethylbenzene	50.0	48.7	97	75-130		50.0	47.4	95		2	20	
Vinyl Chloride	50.0	51.7	103	74-125		50.0	50.5	101		2	20	
m&p-Xylene	100	99.2	99	75-130		100	95.8	96		3	20	
o-Xylene	50.0	47.6	95	80-120		50.0	46.6	93		2	20	
4-Bromofluorobenzene(S)			*99*	*80-120*				*101*				
Dibromofluoromethane(S)			*103*	*80-120*				*107*				
1,2-Dichloroethane-d4(S)			*98*	*80-120*				*101*				
Toluene-d8(S)			*100*	*80-120*				*101*				

Definitions/ Qualifiers:

U: The analyte was not detected at or above the Reporting Limit (RL).
***:** Value reported is outside QC limits

Exception Summary:

Exceptions have been properly noted on reported results or affected samples have been scheduled for reanalysis when appropriate.

Report Generated By:

Bailey Welch

By Bailey Welch at 5:08 PM, Sep 13, 2022

Fibertec environmental services

Analytical Laboratory
1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe
11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody # 212794
PAGE ___ of ___

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com, john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260B	HOLD SAMPLE	Remarks:
9.8.22	0920		OW-16D2_090822	GW	3	X		rush TAT
9.8.22	1007		OW-16D2R1_090822	GW	3	X		rush TAT
9.8.22	1055		OW-16D2R2_090822	GW	3	X		rush TAT
-			TRIPBLANK		3	X		std TAT ok
9.8.22	1040		FIELDBLANK_090822		3	X		std TAT ok

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received On Ice

Received By Lab
SEP 08 2022
Initials: JS

Comments:

Sampled/Relinquished By: Arcadis/Stacey Hannula — Date/ Time: 9.8.22 1:00pm — Received By:
Relinquished By: — Date/ Time: — Received By:
Relinquished By: — Date/ Time: 9/8/22 18:47 — Received By Laboratory: 9/8/22 5:35

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days 48hr _____3 bus. days _____4 bus. days
_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY
Fibertec project number: A10763
Temperature upon receipt at Lab: 4.4°C

Please see back for terms and conditions

Fibertec
environmental
services

Tuesday, October 4, 2022

Fibertec Project Number:	A11227 Amended
Project Identification:	TRW Milford (30136112) /30136112
Submittal Date:	10/03/2022

Ms. Stacey Hannula
Arcadis U.S., Inc. - Novi
28550 Cabot Drive
Suite 500
Novi, MI 48377

Dear Ms. Hannula,

Thank you for selecting Fibertec Environmental Services as your analytical laboratory. The samples you submitted have been analyzed in accordance with NELAC standards and the results compiled in the attached report. Any exceptions to NELAC compliance are noted in the report. These results apply only to those samples submitted. Please note TO-15 samples will be disposed of 7 calendar days after the reporting date. All other samples will be disposed of 30 days after the reporting date.

Analytical report amended due to a data upload error for sample A11227-001 (OW-16D2_100322). This report replaces the origianl report created 10/4/22 @ 3: 52 PM.

If you have any questions regarding these results or if we may be of further assistance to you, please contact me at (517) 699-0345.

Sincerely,

By Katherine Jones at 5:01 PM, Oct 04, 2022

For Daryl P. Strandbergh
Laboratory Director

Enclosures

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-001

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:32**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_100322**

							Preparation		Analysis		
	Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	P. Date	P. Batch	A. Date	A. Batch	Init.
	1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡	2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡	7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	KYD
	17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡	20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	27. 1,1-Dichloroethane	**3.2**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	30. cis-1,2-Dichloroethene	**17**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	31. trans-1,2-Dichloroethene	**1.4**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
	37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**09:32**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-001** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 18:14	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-002

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:18**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
27. 1,1-Dichloroethane	**2.1**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
30. cis-1,2-Dichloroethene	**19**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
31. trans-1,2-Dichloroethene	**1.1**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-002

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R1_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**10:18**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-002** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R1_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 18:39	VB22J03A	ART

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-003

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**11:07**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
30. cis-1,2-Dichloroethene	**10**		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART

1914 Holloway Drive *Holt, MI 48842* *T: (517) 699-0345* *F: (517) 699-0388*
11766 E. Grand River *Brighton, MI 48116* *T: (810) 220-3300* *F: (810) 220-3311*
8660 S. Mackinaw Trail *Cadillac, MI 49601* *T: (231) 775-8368* *F: (231) 775-8584*

lab@fibertec.us

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-003

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**OW-16D2R2_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Ground Water**	Collect Time:	**11:07**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-003** **Matrix: Ground Water**
Method: EPA 5030C/EPA 8260D **Description: OW-16D2R2_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 19:04	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-004

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Fieldblank_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**13:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-004** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Fieldblank_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Fieldblank_100322**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Field**	Collect Time:	**13:00**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-004** **Matrix: Blank: Field**
Method: EPA 5030C/EPA 8260D **Description: Fieldblank_100322**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 17:25	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-005

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
1. Acetone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 2. Acrylonitrile	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
3. Benzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
4. Bromobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
5. Bromochloromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
6. Bromodichloromethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 7. Bromoform (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
8. Bromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
9. 2-Butanone	U		µg/L	25	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
10. n-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
11. sec-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
12. tert-Butylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
13. Carbon Disulfide	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
14. Carbon Tetrachloride	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
15. Chlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
16. Chloroethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
17. Chloroform	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
18. Chloromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
19. 2-Chlorotoluene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 20. 1,2-Dibromo-3-chloropropane (SIM)	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
21. Dibromochloromethane	U	V+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
22. Dibromomethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
23. 1,2-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
24. 1,3-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
25. 1,4-Dichlorobenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
26. Dichlorodifluoromethane	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
27. 1,1-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
28. 1,2-Dichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
29. 1,1-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
30. cis-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
31. trans-1,2-Dichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
32. 1,2-Dichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
33. cis-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
34. trans-1,3-Dichloropropene	U		µg/L	0.50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
35. Ethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
36. Ethylene Dibromide	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
37. 2-Hexanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART

Fibertec environmental services

Analytical Laboratory Report
Laboratory Project Number: A11227
Laboratory Sample Number: A11227-005

Order: A11227
Date: 10/04/22

Client Identification:	**Arcadis U.S., Inc. - Novi**	Sample Description:	**Trip Blank**	Chain of Custody:	**205827**
Client Project Name:	**TRW Milford (30136112)**	Sample No:		Collect Date:	**10/03/22**
Client Project No:	**30136112**	Sample Matrix:	**Blank: Trip**	Collect Time:	**NA**

Sample Comments:

Definitions: Q: Qualifier (see definitions at end of report) NA: Not Applicable ‡: Parameter not included in NELAC Scope of Analysis.

Volatile Organic Compounds (VOCs) by GC/MS **Aliquot ID: A11227-005** **Matrix: Blank: Trip**
Method: EPA 5030C/EPA 8260D **Description: Trip Blank**

Parameter(s)	Result	Q	Units	Reporting Limit	Dilution	Preparation P. Date	Preparation P. Batch	Analysis A. Date	Analysis A. Batch	Init.
38. Isopropylbenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
39. 4-Methyl-2-pentanone	U		µg/L	50	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
40. Methylene Chloride	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 41. 2-Methylnaphthalene	U	V+ L+	µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
42. MTBE	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
43. Naphthalene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
44. n-Propylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
45. Styrene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
46. 1,1,1,2-Tetrachloroethane	U	V+	µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
47. 1,1,2,2-Tetrachloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
48. Tetrachloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
49. Toluene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
50. 1,2,4-Trichlorobenzene	U		µg/L	5.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
51. 1,1,1-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 52. 1,1,2-Trichloroethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
53. Trichloroethene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
54. Trichlorofluoromethane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
55. 1,2,3-Trichloropropane	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 56. 1,2,3-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
57. 1,2,4-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
58. 1,3,5-Trimethylbenzene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
59. Vinyl Chloride	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
60. m&p-Xylene	U		µg/L	2.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
61. o-Xylene	U		µg/L	1.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART
‡ 62. Xylenes	U		µg/L	3.0	1.0	10/03/22	VB22J03A	10/03/22 17:49	VB22J03A	ART

Definitions/ Qualifiers:

A: Spike recovery or precision unusable due to dilution.
B: The analyte was detected in the associated method blank.
E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.
J: The concentration is an estimated value.
M: Modified Method
U: The analyte was not detected at or above the reporting limit.
X: Matrix Interference has resulted in a raised reporting limit or distorted result.
W: Results reported on a wet-weight basis.
***:** Value reported is outside QC limits

Exception Summary:

L+ : Recovery in the associated laboratory sample (LCS) exceeds the upper control limit. Results may be biased high.
V+ : Recovery in the associated continuing calibration verification sample (CCV) exceeds the upper control limit. Results may be biased high.

Analysis Locations:

All analyses performed in Holt.

Accreditation Number(s):

T104704518-22-14 (TX)

Fibertec environmental services

Analytical Laboratory

1914 Holloway Drive
Holt, MI 48842
Phone: 517 699 0345
Fax: 517 699 0388
email: lab@fibertec.us

8660 S. Mackinaw Trail
Cadillac, MI 49601
Phone: 231 775 8368
Fax: 231 775 8584

Geoprobe

11766 E. Grand River Rd.
Brighton, MI 48116
Phone: 810 220 3300
Fax: 810 220 3311

Chain of Custody #
205827
PAGE 1 of 1

Client Name: Arcadis
Contact Person: Stacey Hannula
Project Name/ Number: 30136112 TRW Milford
Email distribution list: stacey.hannula@arcadis.com
john.mcinnis@arcadis.com
Quote#
Purchase Order# 30136112

Date	Time	Sample #	Client Sample Descriptor	MATRIX (SEE RIGHT CORNER FOR CODE)	# OF CONTAINERS	PARAMETERS: VOC 8260B	HOLD SAMPLE	Remarks:
10/3/22	0932		OW-16D2_100322	GW	3	x		48hr TAT
10/3/22	1018		OW-16D2R1_100322	GW	3	x		48hr TAT
10/3/22	1107		OW-16D2R2_100322	GW	3	x		48hr TAT
10/3/22	1100		FIELDBLANK_100322	-	3	x		std TAT
-			TRIP BLANK	-	3	x		std TAT

Matrix Code: S Soil; A Air; O Oil; P Wipe; GW Ground Water; SW Surface Water; WW Waste Water; X Other: Specify

Deliverables: X Level 2; Level 3; Level 4; EDD

Received By Lab
OCT 03 2022
Initials: AW

Comments:

Sampled/Relinquished By: Stacey Hannula/Arcadis	Date/ Time 10/3/22 1204	Received By: Kriss Scott
Relinquished By: Kriss Scott	Date/ Time	Received By: [signature] 10/3/22 1:00
Relinquished By: [signature]	Date/ Time 10/3/22 14:49	Received By Laboratory: [signature]

Turnaround Time ALL RESULTS WILL BE SENT BY THE END OF THE BUSINESS DAY

_____1 bus. day X 2 bus. days _____3 bus. days _____4 bus. days

_____5-7 bus. days (standard) Other (specify time/date requirement): _____

LAB USE ONLY

Fibertec project number: A11227

Received On Ice

Temperature upon receipt at Lab: 5.0°C

Please see back for terms and conditions

Attachment 16

Additional Technical Information (In Response to September 22, 2022 Email from EGLE)

ATTACHMENT 16

Response to EGLE's September 22, 2022 Email: Request for Additional Information Related to the Former Kelsey-Hayes Site, Milford, Technical Summary Report

1) EGLE Technical Comment/Request No. 1:

Monitoring well construction logs for OW-16D2, OW-16D2R1, and OW-16D2R2, including material and date of installation.

ZF Response:

The monitoring well construction logs are attached and include the materials of construction and date of installation. ***See Exhibit A***.

2) EGLE Technical Comment/Recommendation No. 2:

An explanation of why fouling in OW-16D2 is occurring specifically there and not elsewhere and if we can possibly expect seeing future issues with this well, or other wells.

- In the presentation you had expressed this was the only stainless steel well in the network and other wells were PVC. Can you express if, how, or why this is notable? Does the well material, slot size, or other parameters play into tendencies for biological fouling?
- Discuss how biological testing completed two months after initial well redevelopment is important today. We had a good conversation about this yesterday, but I don't want to be recreating that perspective which you had shared.

ZF Response:

As indicated in the well log for Monitoring Well OW-16D2, the material of construction is galvanized steel (casing and screen). None of the other wells were constructed with galvanized steel well materials. Most wells have polyvinyl chloride (PVC) casings and screens except for the two new monitoring wells (OW-16D2R1 and OW-16D2R2) which have PVC casings and stainless-steel screens. Although PVC well screens are acceptable for monitoring wells, stainless steel screens were selected for the two new wells to provide optimal connectivity to the aquifer and long-term performance for monitoring and maintenance. In general, galvanized monitoring wells are not preferred because of their low resistance to chemical attack and corrosion, especially over the course of long-term monitoring programs.

During the initial redevelopment of OW-16D2 conducted on April 1, 2022, most of the water was removed from the well during the process and recovery of groundwater into the well was very slow, at a rate of less than 1 foot per hour. Because this initial surging did not significantly improve the hydraulic connection of the well to the aquifer (i.e., we still observed significant drawdown during low-flow sampling), the purpose of the chemical/biological testing was to assess biological and chemical factors (biofouling, scaling, etc.) for a complete well profile to help determine if there is

scaling and/or bioaccumulation on the well screen. Water Systems Engineering (WSE) performed the chemical/biological testing of two samples collected on June 6, 2022. A camera survey/video of OW-16D2 was also performed to further assess and verify the condition of the well.

*As indicated in the WSE evaluation (see **Attachment 2**), there is significant potential for mineral scale buildup over time as indicated by the high concentration of dissolved minerals present including hardness, calcium, and alkalinity. This was confirmed in the well video as shown below:*



OW-16D2 well screen

The bacterial assessment as well as the microscopic evaluation found strong evidence indicating that the well is heavily impacted by excessive bacterial growth, particularly by slime forming organisms.

*In addition, as presented in the follow-up letter from Mr. Michael Schnieders (WSE), dated September 29, 2022 (See **Exhibit B**), it's believed there may be a breach in the well casing and/or degradation/failure of the grout based on the following:*

- *Oxidative oxidation reduction potential (ORP) of 160 and 179 millivolts (mV) observed in both the June 6, 2022 water samples evaluated by WSE in comparison to the aquifer conditions characterized by the ORP in OW-16D2R1 (-112 to -187 mV, June through September 2022) and OW-16D2R2 (-138 to -145 mV, August and September 2022). Please note: Based on the drawdown observed during the collection of the two June 6, 2022 samples evaluated by WSE (approximately 21 and 25 feet), both samples contain water primarily from within the well and are not indicative of aquifer conditions.*
- *The evidence of corrosion in the well video as shown below.*



OW-16D2 joint where sections of the well casing are connected together

Initial recommendations provided by WSE to help restore unrestricted flow between the interior of the well and the aquifer include well rehabilitation involving mechanical brushing, an acid treatment to dissolve mineral scale followed by disinfection to reduce the bacterial load in the well. However, since the well is constructed with galvanized steel and there are already signs of corrosion and deterioration (observed in the well video), there is a good chance the well would fail during the rehabilitation process or again after rehabilitation. Furthermore, the use of chemicals in a well near the Village of Milford's drinking water wells has been strongly discouraged/denied by EGLE. As indicated above, no other wells in ZF's monitoring network are constructed with galvanized steel materials. The material of construction of most of the other ZF monitoring wells are PVC with no significant drawdown observed during sampling and are therefore believed to be properly functioning.

Because there are now two new properly constructed and performing monitoring wells (OW-16D2R1 and OW-16D2R2) installed adjacent to OW-16D2, and for the reasons discussed above, OW-16D2 is no longer needed and should be abandoned.

3) EGLE Technical Comment/Recommendation No. 3:

Demonstration or proof of why the cis-1,2-DCE (DCE) seen in monitoring OW-16-series will not break down into VC under natural conditions present at the facility.

- A map of DCE concentrations or possibly appending DCE concentrations onto the Figure 1 Site Layout. This could be shown as where DCE is present above criteria, and where it's present below criteria.
- May be helpful to show trend graphs for OW-16D2 and any other nearby wells as was shown for upgradient wells.

ZF Response:

There has been over 25 years of data collected from the off-site monitoring wells in ZF's well network with no detections of vinyl chloride, including the two new properly constructed and performing wells (OW-16D2R1 and OW-16D2R2 located next to OW-16D2. The only exception was the emergence of vinyl chloride between May 2021 and March 2022, and only in OW-16D2 which was determined to be a compromised well and not indicative of actual aquifer conditions, as discussed in the previous correspondence with EGLE. This abundance of data demonstrates that cis-1,2-dichloroethene (cis-1,2-DCE) is stable below drinking water criteria in the aquifer and conditions of the aquifer are not conducive for degradation of this compound to vinyl chloride. In addition, the aquifer is highly prolific with estimated linear groundwater velocities ranging from 1.4 feet per day (downgradient of the former Kelsey-Hayes Site) to 76 feet/day (near the Village of Milford drinking water wells) which provides high pore-water exchange in the aquifer and is therefore not conducive for further degradation to vinyl chloride, as evidenced by over 25 years of monitoring data.

Regarding the comment about vinyl chloride exceedances in OW-16D2 being intermittent, there are temporal variabilities, along with sampling and analytical method variabilities and other factors that result in variability of reported concentrations especially at the part-per-billion level. The reported "exceedances" ranged from 2.3 to 3.5 ug/L vinyl chloride or 1.2 ug/L variance relative to a reporting limit of 1.0 ug/L. However, as the well was determined to be compromised, and low-flow (minimal

drawdown) purging could not be sustained, the analytical results produced from the well in the compromised condition are not suitable for comparison to EGLE Part 201 criteria. More important than the variability of the vinyl chloride concentrations produced from the malfunctioning monitoring well is the fact that since the stagnant water was removed from OW-16D2 during redevelopment, no vinyl chloride detections have been reported during the following 7-month period which has included 20 total samples to date.

Figure 1 Site Layout from the Technical Summary report contains concentrations of cis-1,2-DCE. Cis-1,2-DCE is not above the drinking water criterion (70 ug/L) in any of the wells. The Figure has been updated to show the locations of Monitoring Well OW-16D2R2 and the vertical aquifer profile borings.

Because OW-16D2 has been determined to be a malfunctioning monitoring well and not representative of actual aquifer conditions, Arcadis does not believe that a trend graph of OW-16D2 analytical results is appropriate for evaluation of site conditions. Trend graphs of Observation Wells within and directly downgradient of the Site-related groundwater impacts were presented in the Technical Summary Report (see ***Attachment 1)*** *and show the following:*

1. *No detections of vinyl chloride*
2. *cis-1,2-DCE concentrations stable and far below the drinking water criterion*
3. *decreasing trichloroethene (TCE) concentrations, the presumed parent chlorinated volatile organic compound (CVOC) for dichlorination daughter products such as cis-1,2-DCE*

The Village of Milford's Monitoring Well (MW-03-94) is the closest upgradient well to OW-16D2. A trend graph of this well was received from the Village of Milford's consultant, John Wood Group PLC (Wood). This graph shows no detections of vinyl chloride and decreasing concentrations of cis-1,2-DCE. We have not included the trend graph in this submittal because Arcadis was not given permission from Wood to reproduce the data; however, these data may be requested and reviewed by EGLE if desired.

*While the OW-09 series wells are located outside of the modeled flow-path of groundwater from the former Kelsey-Hayes Site, and in the in proximity to other known sources of CVOC contamination and downgradient of the Former Spiral Industries CVOC release site, a review of concentrations from these wells (****Exhibit C****) similarly shows the following:*

1. *No detections of vinyl chloride*
2. *cis-1,2-DCE concentrations stable and far (order of magnitude) below the drinking water criterion*
3. *decreasing and non-detect TCE concentrations*

*A review of the concentrations from the OW-18 series of wells (****Exhibit C****) shows the following:*

1. *No detections of vinyl chloride or TCE*
2. *cis-1,2-DCE concentrations stable and far below the drinking water criterion*

Collectively these data further reinforce the already sound conclusion that there is no imminent and substantial endangerment to the public water supply due to vinyl chloride.

Exhibit A

Monitoring Well Construction Logs

ARCADIS Design & Consultancy for natural and built assets

Boring No.: VAP-01/OW-16D2R1

Soil Boring Log

Sheet: 1 of 6

Project Name: Former Kelsey-Hayes-Milford
Project Number: 30136112
Project Location: Milford, MI

Date Started: 05/16/2022
Date Completed: 05/20/2022

Logger: Christian Seidel
Editor: C Jeffers
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1–5			60	HA			FILL; Hand Auger to 5 feet.	(0.0-85.0' bgs) 2" PVC Well Casing	
6–10			13	SD	0.0 0.0		FILL; silt and sand; roots; metal; glass; black and gray to dark gray. NOTE: odor.		
11					0.0		FILL; silt and sand; dark gray.		
11–15			53	SD	0.0 0.0 0.0		SAND, very fine to fine; little medium sand; subangular; well sorted; wet; gray. SAND, fine to medium; some coarse sand, subrounded; little granule; little small pebble; trace large pebble, subrounded; well sorted; wet; gray. SAND, very fine to medium, subrounded; well sorted; wet; gray.	(1.0-80.0' bgs) Bentonite	
16–20			50	VAP-01-01_15_20	0.0 0.0		SAND, very fine to medium, subrounded; some small to large pebbles; subrounded; wet; gray. SAND, very fine to medium, subrounded; well sorted; wet; gray.		
21–25			46	SD	0.0 0.0 0.0		SAND, very fine to medium, subrounded; trace medium to large pebbles, subrounded; well sorted; wet; gray. SAND, very fine to coarse, subrounded; little granule, subrounded; little small pebble; trace small to large cobble, subrounded; poorly sorted; wet; gray. SAND, very fine to medium, subrounded; some silt; little granule; little small pebble, subrounded; trace large pebble, subrounded; wet; gray.		

Drilling Co.: Cascade
Driller: Kendall Schultz
Drilling Method: Sonic Drilling
Drilling Fluid: Water
Remarks: Driller indicates that he arrived at a dead stop at 128 feet and is certain that he encountered clay at that depth.

Sampling Method: Sonic Drilling
Sampling Interval: Continuous
Water Level Start (ft. bgs.): 11
Water Level Finish (ft. btoc.):
Converted to Well: ☒ Yes ☐ No
Surface Elev.:
North Coor:
East Coor:

SOIL BORING LOG 2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Boring No.: VAP-01/OW-16D2R1

Soil Boring Log

Project Name: Former Kelsey-Hayes-Milford
Project Number: 30136112
Project Location: Milford, MI

Date Started: 05/16/2022
Date Completed: 05/20/2022

Logger: Christian Seidel
Editor: C Jeffers
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
26			60	SD	0.0		SAND, very fine to medium, subrounded; some silt; little granule; little small pebble, subrounded; trace large pebble, subrounded; wet; gray.		
27					0.0		SAND and SILT, very fine to fine sand, subrounded; trace granule, subrounded; trace small pebble; well sorted; wet; gray.		
28									
29									
30									
31			6	SD	0.0		SAND with SILT, very fine to fine, subrounded; trace granule, subrounded; trace small pebble; well sorted; wet; gray.		
32							SAND, very fine to fine; little coarse, subrounded; trace silt; trace granule, subrounded; trace small to medium cobble; well sorted; wet; gray.		
33									
34									
35									
36			22	VAP-01-02_35_40	0.0			(1.0-80.0' bgs) Bentonite	
37									
38									
39									
40									
41			29	SD	0.0		SAND, fine to medium subrounded; well sorted; wet; gray.		
42					0.0				
43							SAND, fine to medium, subrounded; little coarse to very coarse, subrounded; trace granule; trace small to medium cobbles, subrounded; wet; gray.		
44					0.0				
45									
46			60	VAP-01-03_45_50	0.3		SAND, fine to medium, subrounded; little coarse to very coarse, subrounded; trace granule; trace small cobble, subrounded; wet; gray.		
47					0.0		GRANULE, subrounded; little small to medium pebble, subrounded; little sand, subrounded; trace large pebble, subrounded; trace small cobble, subrounded; wet; gray.		
48					1.1		GRANULE and SAND, very fine to fine, subrounded; some silt; trace small to medium pebble; wet; gray.		
49					0.0		SAND, vine to medium, subrounded; some coarse sand, subrounded; little small to medium pebble; gray; wet.		
50									
51					1.5		SAND, fine to medium; little very fine sand, subrounded; trace silt; trace granule, subrounded; trace small to medium cobble, subrounded; wet; gray.		

Remarks:

SOIL BORING LOG_2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Boring No.: VAP-01/OW-16D2R1

Soil Boring Log

Project Name: Former Kelsey-Hayes-Milford
Project Number: 30136112
Project Location: Milford, MI

Date Started: 05/16/2022
Date Completed: 05/20/2022

Logger: Christian Seidel
Editor: C Jeffers
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
53			60	SD	0.8 0.5 2.9 0.3		SAND, fine to medium, subrounded; well sorted; wet; gray.		
54									
55									
56			60	VAP-01-04_55_60	16.2 1.1 0.2 2.3 10.8		SAND, fine to medium, subrounded; well sorted; wet; gray. SAND, fine to medium; some coarse sand; trace very coarse sand, subrounded; trace small to medium pebble, subrounded; poorly sorted; wet.		
57									
58									
59									
60									
61			18	SD	0.0 0.0 5.2		SAND, fine to medium; some coarse sand; trace very coarse sand, subrounded; trace small to medium pebble, subrounded; poorly sorted; wet. SAND, fine to medium; little very coarse sand; trace coarse sand; trace granule; trace small pebble, subrounded; wet; gray.		
62									
63									
64									
65								(1.0-80.0' bgs) Bentonite	
66			48	VAP-01-05_65_70	NA		SAND, fine to medium; some coarse sand, subrounded; trace granule, subrounded; trace small to medium pebble, subrounded; trace small cobble, subrounded; wet; gray. PEBBLE, small and SAND, fine to medium, subrounded; trace cobble, subrounded; wet; gray. SAND, fine to medium, subrounded, and SILT; some small to medium pebble, subrounded; trace small cobble, subrounded; wet; gray. SAND, fine to medium, subrounded; some silt; little granule, subrounded; trace small to medium pebble, subrounded; trace small cobble, subrounded; wet; gray. PEBBLE, small to medium, subrounded; some sand; little large to very large pebble; trace small cobble, subrounded; wet; gray.		
67									
68									
69									
70									
71			49	SD	0.0 0.0 0.2		SAND, fine to medium, trace coarse, subrounded; well sorted; wet; gray. SAND, very fine to medium; little large to very large pebble, subrounded; trace coarse sand, subrounded; trace granule, subrounded; wet; gray. SAND, very fine, some fine sand, subrounded; some silt, rapid dilatency; trace granule, subrounded; wet; gray.		
72									
73									
74									
75									
76			60	VAP-01-06_75_80	NA		SAND, fine to medium, some very fine sand, little small pebble, subrounded; trace very coarse sand, subrounded; trace granule, subrounded; trace very large pebble; wet; gray. SAND, fine to medium, some very fine sand, some silt; little small pebble, subrounded; trace very coarse sand, subrounded; trace granule, subrounded; trace very large pebble; wet; gray.		
77									
78									

Remarks:

SOIL BORING LOG_2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Boring No.: VAP-01/OW-16D2R1

Soil Boring Log

Project Name: Former Kelsey-Hayes-Milford
Date Started: 05/16/2022
Logger: Christian Seidel
Project Number: 30136112
Date Completed: 05/20/2022
Editor: C Jeffers
Project Location: Milford, MI
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
79							SAND, fine to medium; some very fine sand, little small pebble, subrounded; trace very coarse, subrounded; trace granule, subrounded; trace very large pebble; wet; gray.	(1.0-80.0' bgs) Bentonite	
80									
81					0.2		SAND, very fine to medium; little silt; trace coarse sand, subrounded; trace granule, subrounded; well sorted; wet; gray.	(80.0-82.0' bgs) Choker Sand	
82									
83			30	SD	0.1		PEBBLE, small to medium, subrounded; some coarse to very coarse sand; little granule, subrounded; trace medium sand, subrounded; wet; gray.	(82.0-93.0' bgs) Sand Pack	
84					0.1		PEBBLE, small to medium, subrounded; some coarse to very coarse sand; little granule, subrounded; trace medium sand, subrounded; trace large to very large pebble; wet; gray.		
85									
86							PEBBLE, small to medium; some fine to medium sand, subrounded; little silt; trace large pebble, subrounded; wet; gray.		
87							SAND, medium to coarse; little very coarse sand, subrounded; trace granule, subrounded; trace small pebble, subrounded; trace very large pebble, subrounded; wet; gray.	(85.0-90.0' bgs) 2" Stainless Steel 10 Slot Wire-Wrapped Well Screen	
88			15	VAP-01-07_85_90	0.2				
89									
90									
91					0.2		SAND, fine to medium; some coarse sand; trace very coarse sand, subrounded; well sorted; wet; gray.		
92					0.7				
93			48	SD	0.2				
94					0.5			(93.0-95.0' bgs) Choker Sand	
95									
96					0.2		SAND, fine to medium; little medium to large pebble, subrounded; trace coarse sand, subrounded; trace granule, subrounded; wet; gray.		
97					0.4		SAND, very fine to medium, subrounded; some silt; little medium to large pebble; trace coarse sand, subrounded; trace granule, subrounded; trace very large pebble, subrounded; trace small cobble, subrounded; wet; gray		
98			60	VAP-01-08_95_100	0.2				
99					0.5		SAND, fine to medium; little medium to large pebble, subrounded; trace coarse sand, subrounded; trace granule, subrounded; wet; gray.		
100									
101					0.3		SAND, medium to very coarse, subrounded; trace granule, subrounded; trace small pebble; wet; gray.	(95.0-130.0' bgs) Bentonite	
102					0.4		SAND, fine to coarse; some silt; little very coarse sand, subrounded; little clay; trace small to medium pebble, subrounded; wet; gray.		
103			60	SD	0.1		PEBBLE, small to medium, subrounded; some coarse sand, subrounded; some silt; trace large to very large pebble; subrounded; wet; gray.		
104					0.2		PEBBLE, small to medium, subrounded; some coarse sand, subrounded; some silt; trace very large pebble; subrounded; trace small cobble, subrounded; wet; gray.		
105					0.1		PEBBLE, small to large, subrounded; some medium to coarse sand; little fine sand, subrounded; little silt; wet;		

Remarks:

SOIL BORING LOG_2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Boring No.: VAP-01/OW-16D2R1

Soil Boring Log

Project Name: Former Kelsey-Hayes-Milford
Project Number: 30136112
Project Location: Milford, MI

Date Started: 05/16/2022
Date Completed: 05/20/2022

Logger: Christian Seidel
Editor: C Jeffers
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
106							gray.		
					0.0		SAND, medium to very coarse, subrounded; trace granule, subrounded; trace small pebble; wet; gray.		
107					0.5		SAND, fine to coarse, some silt; little very coarse, subrounded; little clay; trace small to medium pebble, subrounded; wet; gray.		
			58	VAP-01-09_105_110	5.5				
108					0.0		PEBBLE, small to medium, subrounded; some coarse sand, subrounded; some silt; trace large to very large pebble, subrounded; wet; gray.		
109					0.0				
							PEBBLE, small to large, subrounded; some medium to coarse sand; little fine sand, subrounded; little silt; wet; gray.		
110									
111					0.0		SAND, medium to coarse; trace very coarse sand, subrounded; trace small pebble, subrounded; wet; gray.		
112					0.0		SAND and SILT, very fine to medium sand; little very coarse sand, subrounded; little clay; trace small to medium pebble, subrounded; wet; gray.		
			63	SD					
113					0.0		SAND and SILT, very fine to medium sand, subrounded; some small to large pebble, subrounded; little clay; wet; gray.		
114					0.0				
115							PEBBLE, small to large; trace very lare pebble, subrounded; wet; gray.		
116					0.0		SAND, coarse to very coarse, subrounded; some granule, subrounded; little small to medium pebble; trace small cobble, subrounded; wet; gray.		
117					0.0				
			52	VAP-01-10_115_120				(95.0-130.0' bgs) Bentonite	
118					0.0				
119					0.0				
120									
121					0.0		PEBBLE, large to very large; trace small cobble, subrounded; wet; gray.		
122					0.0		GRANULE, subrounded; some coarse to very coarse sand, subrounded; little small to large pebble, subrounded; little silt; trace clay; wet; gray.		
			61	SD					
123							SAND, coarse to very coarse, subrounded; little clay; trace medium sand, subrounded; trace granule, subrounded; trace small to large pebble, subrounded; wet; gray.		
124					0.0				
125									
126							SAND, coarse to very coarse, subrounded; little clay; trace medium sand, subrounded; trace granule, subrounded; tace small to large pebble, subrounded; wet; gray.		
127							SAND, very fine, trace fine sand, subrounded; and SILT, rapid dilantancy; trace medium cobble; wet; gray.		
			60	VAP-01-11_125_130	NA				
128							CLAY, very stiff, non-plastic, no dilatancy; trace small to medium pebble; dry; gray.		
129									
130									
131					4.1		CLAY, very stiff, non-plastic, no dilatancy; trace small to medium pebble; dry; gray.	(130.0-135.0' bgs) Fill	
132					1.0				

Remarks:

SOIL BORING LOG_2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Boring No.: VAP-01/OW-16D2R1

Soil Boring Log

Project Name: Former Kelsey-Hayes-Milford
Project Number: 30136112
Project Location: Milford, MI

Date Started: 05/16/2022
Date Completed: 05/20/2022

Logger: Christian Seidel
Editor: C Jeffers
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
133			60	SD	1.1				
134					0.0		CLAY, hard, non-plastic, no dilatancy; trace small to medium pebble; dry; gray. NOTE: Shows con	(130.0-135.0' bgs) Fill	
135					0.7		CLAY, hard, non-plastic, no dilatancy; trace small to medium pebble; dry; gray.		
136									
137									
138									
139									
140									
141									
142									
143									
144									
145									
146									
147									
148									
149									
150									
151									
152									
153									
154									
155									
156									
157									
158									

Remarks:

SOIL BORING LOG_2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Boring No.: OW-16D2R2

Soil Boring Log

Sheet: 1 of 4

Project Name: Former Kelsey-Hayes-Milford
Project Number: 30136112
Project Location: Milford, MI

Date Started: 07/20/2022
Date Completed: 07/20/2022

Logger: C. Seidel/M. Olender
Editor: C. Jeffers
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
1–5			60	HA			FILL; Hand Auger to 5 feet.	(0.0-1.0' bgs) Filter Pack Sand; (0.0-85.0' bgs) 2" PVC Well Casing	
6–10			13	SD			FILL; silt and sand; roots; metal; glass; black and gray to dark gray. NOTE: odor.		
11			53	SD			FILL; silt and sand; dark gray.		
12							SAND, very fine to fine; little medium sand; subangular; well sorted; wet; gray.		
13–14							SAND, fine to medium; some coarse sand, subrounded; little granule; little small pebble; trace large pebble, subrounded; well sorted; wet; gray.	(1.0-90.0' bgs) Bentonite Chips	
15							SAND, very fine to medium, subrounded; well sorted; wet; gray.		
16			50	SD			SAND, very fine to medium, subrounded; some small to large pebbles; subrounded; wet; gray.		
17–20							SAND, very fine to medium, subrounded; well sorted; wet; gray.		
21			46	SD			SAND, very fine to medium, subrounded; trace medium to large pebbles, subrounded; well sorted; wet; gray.		
22–23							SAND, very fine to coarse, subrounded; little granule, subrounded; little small pebble; trace small to large cobble, subrounded; poorly sorted; wet; gray.		
24–25							SAND, very fine to medium, subrounded; some silt; little granule; little small pebble, subrounded; trace large pebble, subrounded; wet; gray.		
26–27							SAND, very fine to medium, subrounded; some silt; little granule; little small pebble, subrounded; trace large pebble, subrounded; wet; gray.		

Drilling Co.: Cascade
Driller: Kendall Schultz
Drilling Method: Sonic Drilling
Drilling Fluid: Water
Remarks: Lithology is based on OW-16D2R1

Sampling Method: Sonic Drilling
Sampling Interval: Continous
Water Level Start (ft. bgs.): 11
Water Level Finish (ft. btoc.):
Converted to Well: ☒ Yes ☐ No
Surface Elev.:
North Coor:
East Coor:

SOIL BORING LOG 2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Boring No.: OW-16D2R2

Soil Boring Log

Project Name: Former Kelsey-Hayes-Milford
Project Number: 30136112
Project Location: Milford, MI

Date Started: 07/20/2022
Date Completed: 07/20/2022

Logger: C. Seidel/M. Olender
Editor: C. Jeffers
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
28			60	SD			SAND and SILT, very fine to fine sand, subrounded; trace granule, subrounded; trace small pebble; well sorted; wet; gray.	(1.0-90.0' bgs) Bentonite Chips	
29									
30									
31			6	SD			SAND with SILT, very fine to fine, subrounded; trace granule, subrounded; trace small pebble; well sorted; wet; gray.		
32							SAND, very fine to fine; little coarse, subrounded; trace silt; trace granule, subrounded; trace small to medium cobble; well sorted; wet; gray.		
33									
34									
35									
36			22	SD					
37									
38									
39									
40									
41			29	SD			SAND, fine to medium subrounded; well sorted; wet; gray.		
42									
43							SAND, fine to medium, subrounded; little coarse to very coarse, subrounded; trace granule; trace small to medium cobbles, subrounded; wet; gray.		
44									
45									
46			60	SD			SAND, fine to medium, subrounded; little coarse to very coarse, subrounded; trace granule; trace small cobble, subrounded; wet; gray.		
47							GRANULE, subrounded; little small to medium pebble, subrounded; little sand, subrounded; trace large pebble, subrounded; trace small cobble, subrounded; wet; gray.		
48							GRANULE and SAND, very fine to fine, subrounded; some silt; trace small to medium pebble; wet; gray.		
49							SAND, vine to medium, subrounded; some coarse sand, subrounded; little small to medium pebble; gray; wet.		
50									
51			60	SD			SAND, fine to medium; little very fine sand, subrounded; trace silt; trace granule, subrounded; trace small to medium cobble, subrounded; wet; gray.		
52									
53							SAND, fine to medium, subrounded; well sorted; wet; gray.		
54									
55									
							SAND, fine to medium, subrounded; well sorted; wet; gray.		

Remarks:

SOIL BORING LOG_2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Boring No.: OW-16D2R2

Soil Boring Log

Project Name: Former Kelsey-Hayes-Milford
Date Started: 07/20/2022
Logger: C. Seidel/M. Olender
Project Number: 30136112
Date Completed: 07/20/2022
Editor: C. Jeffers
Project Location: Milford, MI
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
57			60	SD			SAND, fine to medium, subrounded; well sorted; wet; gray.	(1.0-90.0' bgs) Bentonite Chips	
58							SAND, fine to medium; some coarse sand; trace very coarse sand, subrounded; trace small to medium pebble, subrounded; poorly sorted; wet.		
59									
60									
61			18	SD			SAND, fine to medium; some coarse sand; trace very coarse sand, subrounded; trace small to medium pebble, subrounded; poorly sorted; wet.		
62									
63							SAND, fine to medium; little very coarse sand; trace coarse sand; trace granule; trace small pebble, subrounded; wet; gray.		
64									
65									
66			48	SD			SAND, fine to medium; some coarse sand, subrounded; trace granule, subrounded; trace small to medium pebble, subrounded; trace small cobble, subrounded; wet; gray.		
67							PEBBLE, small and SAND, fine to medium, subrounded; trace cobble, subrounded; wet; gray.		
68							SAND, fine to medium, subrounded, and SILT; some small to medium pebble, subrounded; trace small cobble, subrounded; wet; gray.		
69							SAND, fine to medium, subrounded; some silt; little granule, subrounded; trace small to medium pebble, subrounded; trace small cobble, subrounded; wet; gray.		
70									
71			49	SD			PEBBLE, small to medium, subrounded; some sand; little large to very large pebble; trace small cobble, subrounded; wet; gray.		
72							SAND, fine to medium, trace coarse, subrounded; well sorted; wet; gray.		
73									
74							SAND, very fine to medium; little large to very large pebble, subrounded; trace coarse sand, subrounded; trace granule, subrounded; wet; gray.		
75							SAND, very fine, some fine sand, subrounded; some silt, rapid dilatency; trace granule, subrounded; wet; gray.		
76			60	SD			SAND, fine to medium, some very fine sand, little small pebble, subrounded; trace very coarse sand, subrounded; trace granule, subrounded; trace very large pebble; wet; gray.		
77									
78							SAND, fine to medium, some very fine sand, some silt; little small pebble, subrounded; trace very coarse sand, subrounded; trace granule, subrounded; trace very large pebble; wet; gray.		
79									
80							SAND, fine to medium; some very fine sand, little small pebble, subrounded; trace very coarse, subrounded; trace granule, subrounded; trace very large pebble; wet; gray.		
81			30	SD			SAND, very fine to medium; little silt; trace coarse sand, subrounded; trace granule, subrounded; well sorted; wet; gray.		
82									
83							PEBBLE, small to medium, subrounded; some coarse to very coarse sand; little granule, subrounded; trace medium sand, subrounded; wet; gray.		
84									

Remarks:

SOIL BORING LOG_2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

ARCADIS Design & Consultancy for natural and built assets

Soil Boring Log

Boring No.: OW-16D2R2

Sheet: 4 of 4

Project Name: Former Kelsey-Hayes-Milford
Project Number: 30136112
Project Location: Milford, MI

Date Started: 07/20/2022
Date Completed: 07/20/2022

Logger: C. Seidel/M. Olender
Editor: C. Jeffers
Weather Conditions: 70 F, Sunny

Depth (feet)	Sample Interval	Blow Counts	Recovery (in.)	Sample ID	PID (ppm)	USCS Class	Description	Construction Details	Well
86			15	SD			PEBBLE, small to medium, subrounded; some coarse to very coarse sand; little granule, subrounded; trace medium sand, subrounded; trace large to very large pebble; wet; gray.	(1.0-90.0' bgs) Bentonite Chips	
87							PEBBLE, small to medium; some fine to medium sand, subrounded; little silt; trace large pebble, subrounded; wet; gray.		
88							SAND, medium to coarse; little very coarse sand, subrounded; trace granule, subrounded; trace small pebble, subrounded; trace very large pebble, subrounded; wet; gray.		
89									
90									
91			48	SD			SAND, fine to medium; some coarse sand; trace very coarse sand, subrounded; well sorted; wet; gray.	(90.0-92.0' bgs) Choker Sand	
92									
93									
94									
95									
96			60	SD			SAND, fine to medium; little medium to large pebble, subrounded; trace coarse sand, subrounded; trace granule, subrounded; wet; gray.	(92.0-103.0' bgs) Sand Pack (95.0-100.0' bgs) 2" Stainless Steel 10 Slot Wire-Wrapped Well Screen (103.0-105.0' bgs) Choker Sand	
97									
98							SAND, very fine to medium, subrounded; some silt; little medium to large pebble; trace coarse sand, subrounded; trace granule, subrounded; trace very large pebble, subrounded; trace small cobble, subrounded; wet; gray		
99							SAND, fine to medium; little medium to large pebble, subrounded; trace coarse sand, subrounded; trace granule, subrounded; wet; gray.		
100									
101			60	SD			SAND, medium to very coarse, subrounded; trace granule, subrounded; trace small pebble; wet; gray.		
102							SAND, fine to coarse; some silt; little very coarse sand, subrounded; little clay; trace small to medium pebble, subrounded; wet; gray.		
103							PEBBLE, small to medium, subrounded; some coarse sand, subrounded; some silt; trace large to very large pebble; subrounded; wet; gray.		
104							PEBBLE, small to medium, subrounded; some coarse sand, subrounded; some silt; trace very large pebble; subrounded; trace small cobble, subrounded; wet; gray.		
105							PEBBLE, small to large, subrounded; some medium to coarse sand; little fine sand, subrounded; little silt; wet; gray.		
106							SAND, medium to very coarse, subrounded; trace granule, subrounded; trace small pebble; wet; gray.		
107									
108									
109									
110									
111									
112									
113									


Remarks:

SOIL BORING LOG_2013 C:\USERS\CJEFFERS\ONEDRIVE - ARCADIS\DESKTOP\TRW_MILFORD_BORING LOGS.GPJ ARCADIS_2013.GDT 9/27/22

Techna Corporation Plymouth, Michigan	**Log of Monitoring Well OW16D/D2**
PROJECT: *Former Lucas Varity Milford Facility*	LOCATION: *101 Oak St., Milford, MI/Village of Milford Park*
PROJECT NO.: *A35T0-213-C02*	SURFACE ELEVATION:
DATE START/FINISH: *11/19/97 - 12/18/97*	INITIAL H2O LEVEL: *8 Feet BGL*
DRILLING METHOD: *4.25 inch ID Hollow Stem Auger*	STATIC H2O ELEV.:
SAMPLING METHOD: *Screened Auger/Temporary well*	TOTAL DEPTH: *129.5 Feet*
DRILLING COMPANY: *Carlo Environmental/Stearns Drilling*	LOGGED BY: *(124)*

DEPTH feet	LAB SAMPLE NO.	BLOWS/0.5 ft.	PID (relative ppm) VALUES	PID (relative ppm) PROFILE 0 200	GRAPHIC LOG	SOIL CLASS	GEOLOGIC DESCRIPTION
0						PT	PEAT
						SM	SAND: fine to coarse, some silt and organic material, little clay, trace gravel, moist, dark brown to black brown in cuttings.
5							saturated 8' BGL.
10	OW16D-						dark brown to light brown 10' BGL Screened auger sample from 10'-15' BGL: low water yield.
15							
20	OW16D-2						SAND-SILT: fine to coarse sand, some silt, saturated, brown in cuttings.
25							
30	OW16D-3						Screened auger sample from 30'-35' BGL: fair water yield.
35							

WELL DIAGRAM



Techna Corporation
Plymouth, Michigan

Log of Monitoring Well OW16D/D2

PROJECT: *Former Lucas Varity Milford Facility*

LOCATION: *101 Oak St., Milford, MI/Village of Milford Park*

DEPTH feet	LAB SAMPLE NO.	BLOWS/0.5 ft.	PID (relative ppm) VALUES	PID (relative ppm) PROFILE 0 200	GRAPHIC LOG	SOIL CLASS	GEOLOGIC DESCRIPTION
40	OW16D-4					SP	SAND: coarse, some gravel, saturated, brown in cuttings.
							Screened auger sample from 40'-45' BGL: good water yield.
45							
50	OW16D-5						Screened auger sample from 50'-55' BGL: very good water yield.
55							
60	OW16D-6						Screened auger sample from 60'-65' BGL: good water yield.
65							
70	OW16D-7						Screened auger sample from 70'-75' BGL: fair water yield.
75							

WELL DIAGRAM

2" dia. Galvanized Steel Casing

Bentonite

Techna Corporation
Plymouth, Michigan


Log of Monitoring Well OW16D/D2

PROJECT: *Former Lucas Varity Milford Facility*

LOCATION: *101 Oak St., Milford, MI/Village of Milford Park*

DEPTH feet	LAB SAMPLE NO.	BLOWS/0.5 ft.	PID (relative ppm) VALUES	PID (relative ppm) PROFILE 0 200	GRAPHIC LOG	SOIL CLASS	GEOLOGIC DESCRIPTION
						SP	
80	OW16D-8					GP	SAND-GRAVEL: saturated. Logged from cuttings and drilling indications.
							Screened auger sample from 80'-85' BGL: good water yield.
85							
90	OW16D-9						Screened auger sample from 90'-95' BGL: excellent water yield.
95							
00	OW16D-10 OW16D2-10						Screened auger sample from 100'-105' BGL: fair water yield (OW16D-10), Temporary well sample from 100'-105' BGL: excellent water yield (OW16D2-10).
105							
110	OW16D2-11						Temporary well sample from 110'-115'BGL: excellent water yield.
115							

WELL DIAGRAM



Techna Corporation
Plymouth, Michigan

Log of Monitoring Well OW16D/D2

PROJECT: *Former Lucas Varity Milford Facility*

LOCATION: *101 Oak St., Milford, MI/Village of Milford Park*

DEPTH feet	LAB SAMPLE NO.	BLOWS/0.5 ft.	PID (relative ppm) VALUES	PID (relative ppm) PROFILE 0 200	GRAPHIC LOG	SOIL CLASS	GEOLOGIC DESCRIPTION	WELL DIAGRAM
120	OW16D2-S2					GP	Temporary well sample from 120'-125' BGL: excellent water yield.	
							Cobbles	
125	OW16D2-S1					CL	CLAY: some silt, trace sand and gravel, medium plasticity, hard, moist, gray brown.	
130							END OF BORING	
							Note: Auger failure during screened-auger vertical profiling activities at OW16D. Approximately 95' of auger remain down hole estimated from 15' to 110' BGL. Offset 21' to east of OW16D to complete vertical profiling activities at OW16D2 using temporary well sampling methods.	
135								
140								
145								
150								
155								

Natural Collapse

Exhibit B

Water Systems Engineering Letter

September 29, 2022

John McInnis
Arcadis
28550 Cabot Drive, Suite 500
Novi, Michigan 48377

Re: WSE Lab Report No. 22457 - ZF North America Inc. Well OW-16D2

Mr. McInnis:

Thank you for sharing the well log, video survey, and additional sampling data for Well OW-16D2.

The behavior of the water chemistry and pumping of the well is unusual to say the least. In looking at several parameters and the operational activity, I suspect the well may be experiencing a breach in the casing and/or the degradation/failure of the grout. Some of the things that lead me to this conclusion include: the oxidative ORP in the well in comparison to the aquifer conditions, the presence of plant particulate in both samples we evaluated, and the evidence of corrosion in the downhole video to include: collar near surface, linear accumulation of corrosion by-products and/or damage, and the mass of build-up just above the screened section. Additionally, the erratic drawdown behavior observed over the past year further indicates some disruption in the borehole or borehole/aquifer interface is occurring.


While the video did not show a specific breach, nor was a specific surface or shallow subsurface microorganism identified, these conditions suggest that issues are occurring or developing that are beyond what we would consider normal fouling or ageing of the well structure. Given the use of galvanized materials in the original well construction, I do not believe that the well could withstand the physical cleaning and reconstruction necessary to address the current concerns, nor would it significantly alter the design to alleviate the potential reoccurrence of the suspected problems.

Best Regards,


Michael Schnieders, PG, PH-GW
Hydrogeologist

Exhibit C


Trend Graphs (OW-9 and OW-18 Series of Wells)


OW-09
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
Drinking Water Criterion
cis-1,2-Dichloroethene
2007
2008
2009
2010
2011


OW-09-ML-A


1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
Drinking Water Criterion
cis-1,2-Dichloroethene


OW-09-ML-B


1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
Drinking Water Criterion
cis-1,2-Dichloroethene
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021

OW-09-ML-C


1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
Drinking Water Criterion
cis-1,2-Dichloroethene
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022

OW-09-ML-D


1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
Drinking Water Criterion
cis-1,2-Dichloroethene

OW-18D

1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride

Concentration (ug/L)

100
90
80
70
60
50
40
30
20
10
0

Drinking Water Criterion
cis-1,2-Dichloroethene

1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022

OW-18-ML-A


1,1-Dichloroethane | cis-1,2-Dichloroethene | Tetrachloroethene | trans-1,2-Dichloroethene | Trichloroethene | Vinyl chloride


Concentration (ug/L)

100
90
80
70
60
50
40
30
20
10
0


Drinking Water Criterion
cis-1,2-Dichloroethene

2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022



OW-18-ML-B
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
Drinking Water Criterion
cis-1,2-Dichloroethene


OW-18-ML-C
1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
Drinking Water Criterion
cis-1,2-Dichloroethene


OW-18-ML-D


1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
Drinking Water Criterion
cis-1,2-Dichloroethene
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022

OW-18-ML-E


1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
Drinking Water Criterion
cis-1,2-Dichloroethene
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022

OW-18-ML-F


1,1-Dichloroethane
cis-1,2-Dichloroethene
Tetrachloroethene
trans-1,2-Dichloroethene
Trichloroethene
Vinyl chloride
Concentration (ug/L)
100
90
80
70
60
50
40
30
20
10
0
Drinking Water Criterion
cis-1,2-Dichloroethene
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022

Arcadis U.S., Inc.
28550 Cabot Drive, Suite 500
Novi
Michigan 48377
Phone: 248 994 2240

www.arcadis.com