


# CITY OF PORT HURON HIGH RISK EROSION AREAS

ST. CLAIR COUNTY



## HIGH RISK EROSION AREAS

THE NUMBER REPRESENTS, IN FEET, THE  
 30 YEAR PROJECTED RECESSION DISTANCE.  
 60' 105'  
 THE NUMBER REPRESENTS, IN FEET, THE  
 60 YEAR PROJECTED RECESSION DISTANCE.

HIGH RISK EROSION AREA  
 (shading alongshore)

THESE AREAS ARE LEGALLY DEFINED BY PART  
 323, OF THE NATURAL RESOURCES AND  
 ENVIRONMENTAL PROTECTION ACT OF 1994,  
 P.A. 451 AS AMENDED, AS BEING GREAT LAKES  
 SHORELAND AREAS DOCUMENTED TO RECEDE  
 AN AVERAGE OF ONE FOOT OR MORE A YEAR.

## SOURCE


STATE OF MICHIGAN PART 323 OF ACT 451  
 RATE MAPS

06-26-98

CITY OF  
PORT HURON

65'  
110' AREA A

65'  
115' AREA B



DEPARTMENT OF ENVIRONMENTAL QUALITY  
 MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
 LAND AND WATER MANAGEMENT DIVISION  
 P.O. BOX 30458  
 LANSING, MI 48909-7958  
 (517) 373-1950

# Parcels in High Risk Erosion Areas of City of Port Huron, St. Clair County

HREAs identified North to South

Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	301	74-06-458-0012-000	1.6	65	110
A1	302	74-06-458-0011-000	1.6	65	110
A1	303	74-06-458-0010-000	1.6	65	110
A1	304	74-06-458-0009-000	1.6	65	110
A1	305	74-06-458-0008-000	1.6	65	110
A1	306	74-06-458-0007-000	1.6	65	110
A1	307	74-06-458-0006-000	1.6	65	110
A1	308	74-06-458-0005-000	1.6	65	110
A1	309	74-06-458-0004-000	1.6	65	110
A1	310	74-06-458-0003-000	1.6	65	110
A1	311	74-06-458-0002-000	1.6	65	110
A1	312	74-06-458-0001-000	1.6	65	110
A1	313	74-06-574-0016-000	1.6	65	110
A1	314	74-06-574-0018-000	1.6	65	110
A1	315	74-06-574-0015-000	1.6	65	110
A1	316	74-06-574-0014-000	1.6	65	110
A1	317	74-06-574-0013-000	1.6	65	110
A1	318	74-06-574-0012-000	1.6	65	110
A1	319	74-06-574-0011-000	1.6	65	110

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of City of Port Huron, St. Clair County

HREAs identified North to South

Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
A1	321	74-06-574-0010-000	1.6	65	110
A1	322	74-06-574-0009-000	1.6	65	110
A1	323	74-06-574-0008-000	1.6	65	110
A1	324	74-06-574-0007-000	1.6	65	110
A1	325	74-06-574-0006-000	1.6	65	110
A1	326	74-06-574-0005-000	1.6	65	110
A1	327	74-06-574-0004-000	1.6	65	110
A1	328	74-06-574-0003-000	1.6	65	110
A1	329	74-06-574-0002-000	1.6	65	110
A1	330	74-06-574-0001-000	1.6	65	110
A1	331	74-06-404-0054-000	1.6	65	110
A1	332	74-06-404-0053-000	1.6	65	110
A1	333	74-06-404-0049-000	1.6	65	110
A1	334	74-06-404-0050-000	1.6	65	110
A1	335	74-06-404-0051-000	1.6	65	110
A1	336	74-06-404-0052-000	1.6	65	110
B1	337	74-06-446-0010-000	1.7	65	115
B1	338	74-06-446-0009-000	1.7	65	115
B1	339	74-06-446-0008-000	1.7	65	115

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of City of Port Huron, St. Clair County

HREAs identified North to South

Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B1	340	74-06-446-0007-000	1.7	65	115
B1	341	74-06-446-0006-000	1.7	65	115
B1	342	74-06-446-0005-000	1.7	65	115
B1	343	74-06-446-0004-000	1.7	65	115
B1	344	74-06-446-0003-000	1.7	65	115
B1	345	74-06-446-0002-000	1.7	65	115
B1	346	74-06-446-0001-000	1.7	65	115
B1	347	74-06-026-1001-013	1.7	65	115
B1	348	74-06-602-0001-100	1.7	65	115
B1	350	74-06-602-0003-000	1.7	65	115
B1	351	74-06-602-0004-000	1.7	65	115
B1	352	74-06-602-0005-000	1.7	65	115
B1	353	74-06-602-0006-000	1.7	65	115
B1	354	74-06-602-0007-000	1.7	65	115
B1	355	74-06-602-0008-000	1.7	65	115
B1	356	74-06-602-0009-000	1.7	65	115
B1	357	74-06-602-0010-000	1.7	65	115
B1	358	74-06-602-0011-000	1.7	65	115
B1	359	74-06-602-0012-000	1.7	65	115

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of City of Port Huron, St. Clair County

HREAs identified North to South

Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B1	360	74-06-602-0013-000	1.7	65	115
B1	361	74-06-602-0014-000	1.7	65	115
B1	362	74-06-602-0015-000	1.7	65	115
B1	363	74-06-602-0016-000	1.7	65	115
B1	364	74-06-602-0017-000	1.7	65	115
B1	365	74-06-602-0018-000	1.7	65	115
B1	366	74-06-602-0019-000	1.7	65	115
B1	367	74-06-602-0020-000	1.7	65	115
B1	368	74-06-602-0021-000	1.7	65	115
B1	369	74-06-602-0022-000	1.7	65	115
B1	370	74-06-602-0023-000	1.7	65	115
B1	371	74-06-602-0024-000	1.7	65	115
B1	372	74-06-602-0025-000	1.7	65	115
B1	373	74-06-602-0026-000	1.7	65	115
B1	374	74-06-602-0027-000	1.7	65	115
B1	375	74-06-602-0028-000	1.7	65	115
B1	376	74-06-602-0029-000	1.7	65	115
B1	377	74-06-602-0030-000	1.7	65	115
B1	378	74-06-602-0031-000	1.7	65	115

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of City of Port Huron, St. Clair County

HREAs identified North to South

Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B1	379	74-06-602-0032-000	1.7	65	115
B1	380	74-06-602-0033-000	1.7	65	115
B1	381	74-06-602-0034-000	1.7	65	115
B1	382	74-06-602-0035-000	1.7	65	115
B1	383	74-06-602-0036-000	1.7	65	115
B1	384	74-06-602-0037-000	1.7	65	115
B1	385	74-06-602-0038-000	1.7	65	115
B1	386	74-06-602-0040-000	1.7	65	115
B1	387	74-06-602-0041-000	1.7	65	115
B1	388	74-06-602-0042-000	1.7	65	115
B1	389	74-06-602-0042-100	1.7	65	115
B1	390	74-06-602-0043-000	1.7	65	115
B1	391	74-06-602-0044-000	1.7	65	115
B1	392	74-06-602-0045-000	1.7	65	115
B1	393	74-06-602-0046-000	1.7	65	115
B1	394	74-06-602-0047-000	1.7	65	115
B1	395	74-06-602-0048-000	1.7	65	115
B1	396	74-06-602-0049-000	1.7	65	115
B1	397	74-06-602-0050-000	1.7	65	115

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**

# Parcels in High Risk Erosion Areas of City of Port Huron, St. Clair County

HREAs identified North to South

Date of Designation: July 10, 1998

HREA*	Sequence No.	Parcel Identification Number	Rate (feet/year)	30 yr PRD*	60 yr PRD*
B1	398	74-06-602-0051-000	1.7	65	115
B1	399	74-06-602-0052-000	1.7	65	115
B1	400	74-06-602-0053-000	1.7	65	115
B1	401	74-06-602-0054-000	1.7	65	115

HREA\* - Some parcels may be in multiple HREAs due to their large size.

30 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for readily moveable structures including those structures 3,500 square feet or less and built on a basement, crawlspace or pilings. Additional restrictions may apply per Administrative Rules 281.21-22.

60 yr PRD\* is the Projected Recession Distance (feet) landward from the Erosion Hazard Line for non-readily moveable structures such as large structures and septic systems.

**Designation runs with the land including subsequent splits. Absence of a property number does not guarantee the property is located outside of an HREA. Contact the Great Lakes Shorelands Unit, Water Resources Division, DEQ in Lansing or the local DEQ field office for assistance.**