## FACILITY NAME:

#### Ryan's Marina

## \*\*SAMPLE\*\* STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

Department of Environmental Quality (DEQ) Water Resources Division (WRD) Storm Water Pollution Prevention Plan (SWPPP) Template Sample SWPPP Revision Date: 4/8/2015

## TABLE OF CONTENTS

- 1.0 General Facility Information
- 2.0 Storm Water Pollution Prevention Team
- 3.0 Site Map
- 4.0 Significant Materials
  - 4.1 Inventory of Exposed Significant Materials
  - 4.2 Description of Industrial Activities & Significant Material Storage Areas
  - 4.3 List of Significant Spills
  - 4.4 Summary of Sampling Data
  - 4.5 Actions Taken to Investigate Illicit Connections
- 5.0 Non-Structural Controls
  - 5.1 Preventative Maintenance Program
  - 5.2 Housekeeping Procedures
  - 5.3 Comprehensive Site Inspection & Visual Assessments of Storm Water Discharges
  - 5.4 Material Handling & Spill Prevention / Clean-Up Procedures
  - 5.5 Soil Erosion & Sedimentation Control Measures
  - 5.6 Employee Training Program
  - 5.7 TMDL Requirements
  - 5.8 List of Significant Materials Still Present
- 6.0 Structural Controls
- 7.0 Non-Storm Water Discharges
- 8.0 Annual Review
- 9.0 Industrial Storm Water Certified Operator Update
- 10.0 Record Keeping
- 11.0 SWPPP Certification
- 12.0 Figure 1 Facility Site Map
- 13.0 Table 1 Significant Material Inventory and Description of Industrial Activity or Significant Material Storage Areas
- 14.0 Visual Assessment Procedures
- 15.0 Table 2 Spill Kit Inventory
- 16.0 Routine Inspection Form
- 17.0 Comprehensive Site Inspection Form
- 18.0 Visual Assessment Report Form
- 19.0 Employee Training Form
- 20.0 Annual SWPPP Review Report Form
- 21.0 DEQ Spill or Release Report

## 1.0 GENERAL FACILITY INFORMATION

#### Facility Information:

- Name of Facility: Ryan's Marina
- Facility Address: 123 Ryan Way, Muskegon, MI 49999
- County: *Muskegon*
- Standard Industrial Classification (SIC) Code: 4493
- Owner or Authorized Representative: Ryan Grant

#### Facility Contact Information:

- Name: *Ryan Grant*
- Title: Owner
- Telephone: 616-250-6134
- Email Address: grantr3@michigan.gov
- Mailing Address: Same as facility address

#### Facility Contact information to be aware of:

The "Facility Contact" was specified in the application. The permittee may replace the facility contact at any time, and shall notify the Department in writing within 10 days after replacement (including the name, address, email address, if available, and telephone number of the new facility contact).

- a) The facility contact shall be (or a duly authorized representative of this person):
  - for a corporation, a principal executive officer of at least the level of vice president, or a designated representative, if the representative is responsible for the overall operation of the facility from which the discharge described in the permit application or other NPDES form originates,
  - for a partnership, a general partner,
  - for a sole proprietorship, the proprietor, or
  - for a municipal, state, or other public facility, either a principal executive officer, the mayor, village president, city or village manager, or other duly authorized employee.
- b) A person is a duly authorized representative only if:
  - the authorization is made in writing to the Department by a person described in paragraph a. of this section; and
  - the authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the facility (a duly authorized representative may thus be either a named individual or any individual occupying a named position).

#### Certified Storm Water Operator Information:

- Name: *Ryan Grant*
- Certification Number & Expiration Date: *i-06490, July 1, 2019*
- Telephone: 616-250-6134
- Email Address: grantr3@michigan.gov
- Is the Certified Operator an employee at the facility: ⊠ Yes □ No
  - If the answer to the above question is "No" then include the Certified Operator's business name and mailing address: NA

#### Permit Information:

- General Permit Number: *MIS310000*
- Certificate of Coverage (COC) or Individual Permit Number: *MIS311111*
- COC or Individual Permit Effective Date of Coverage: 6/19/2012
- Receiving Waters: *Muskegon Lake*
- Required Monitoring: 🗌 Yes 🛛 No
- Identify the Total Daily Maximum Load (TMDL) listed on COC: *Phosphorus*

#### Brief Industrial Activity Description: Full service marina.

If this facility is a seasonal facility describe the seasonal operation and what months the facility will be operating: The full service marina operates April through November annually. The marina is shut down and has very limited staff December through the end of March.

## 2.0 STORM WATER POLLUTION PREVENTION TEAM

The storm water pollution prevention team is responsible for developing, implementing, maintaining, and revising this SWPPP. The members of the team and their primary responsibilities (i.e. implementing, maintaining, record keeping, submitting reports, conducting inspections, employee training, conducting the annual compliance evaluation, testing for non-storm water discharges, signing the required certifications) are as follows:

Name & Title	Responsibility			
Ryan Grant	SWPPP implementation			
Mike Worm, Maintenance Supervisor	Back up storm water program contact			
Space to list additional members and their responsibility if necessary:				
NA				

## 3.0 SITE MAP

Preparing a site map or sketch is the first step in assessing the facility. See the DEQ Industrial Storm Water Certified Operator Training Manual for additional information.

The facility's site map includes all applicable items listed in the permit, which include:

- 1) Buildings and other permanent structures
- 2) Storage or disposal areas for significant materials
- 3) Secondary containment structures and descriptions of what they contain in the primary containment structures
- 4) Storm water discharge points (which include outfalls and points of discharge), numbered or otherwise labeled for reference
- 5) Location of storm water and non-storm water inlets (numbered or otherwise labeled for reference) contributing to each discharge point
- 6) Location of NPDES permitted discharges other than storm water
- 7) Outlines of the drainage areas contributing to each discharge point
- 8) Structural runoff controls or storm water treatment facilities
- 9) Areas of vegetation (with brief description such as lawn, old field, marsh, wooded, etc.)
- 10) Areas of exposed and/or erodible soils and gravel lots
- 11) Impervious surfaces (roofs, asphalt, concrete, etc.)
- 12) Name and location of receiving waters
- 13) Areas of known or suspected impacts on surface waters as designated under Par 201 (Environmental Response) of the NREPA.

## SEE FIGURE 1 FOR FACILITY SITE MAP

## 4.0 SIGNIFICANT MATERIALS

Definition: Significant materials are any material which could degrade or impair water quality, including but not limited to:

- ✓ Raw Materials
- ✓ Fuels
- ✓ Solvents

- ✓ Detergents
- ✓ Plastic pellets
- ✓ Finished materials (i.e. metallic products)
- ✓ Hazardous Substances designated under section 101(14) of Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), see 40 CFR 372.65
- Any chemical the facility is required to report pursuant to section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA)
- Polluting Materials Oil and any material, in solid or liquid form, identified as polluting material under the Part 5 Rules (Rules 324.2001 through 324.2009 of the Michigan Administrative Code)
- ✓ Hazardous Wastes as defined in Part 111 of the Michigan Act
- ✓ Fertilizers
- ✓ Pesticides
- ✓ Waste Products (i.e. ashes, slag, sludge, plant waste, animal waste)

During the significant materials identification phase, all sources of potential storm water contamination need to be identified. Both the inside and outside of the facility must be inventoried to determine the materials and practices that may be sources of contamination to storm water runoff. Note the identification phase must address residual contaminants which may be found on items stored outside.

#### 4.1 Inventory of Exposed Significant Materials

The permit requires a general inventory of significant materials that could enter storm water. For each material listed the SWPPP shall include the ways in which each type of material has been or has reasonable potential to become exposed to storm water (e.g. spillage during handling; leaks from pipes, pumps, or vessels; contact with storage piles, contaminated materials or soils; waste handling and disposal; deposits from dust or overspray; etc.). In addition, the SWPPP must identify the inlet(s) spilled significant materials may enter and the discharge point(s) through which the spilled significant material may be discharged.

### SEE TABLE 1 FOR SIGNIFICANT MATERIAL INVENTORY

#### 4.2 Description of Industrial Activities & Significant Material Storage Areas

The permit requires industrial facilities to evaluate the reasonable potential for contribution of significant materials to storm water runoff from at least the following areas or activities:

- 1) Loading, unloading, and other material handling operations
- 2) Outdoor storage including secondary containment structures
- 3) Outdoor manufacturing or processing activities
- 4) Significant dust or particulate generating processes
- 5) Discharge from vents, stacks, and air emission controls
- 6) On-site waste disposal practices
- 7) Maintenance and cleaning of vehicles, machines, and equipment
- 8) Areas of exposed and/or erodible soils
- 9) Sites of Environmental Contamination listed under Part 201 (Environmental Response) of the NREPA
- 10) Areas of significant material residues
- 11) Areas where animals congregate (wild or domestic) and deposit wastes
- 12) Other areas where storm water may contact significant materials

For each applicable item, the permit requires a written description of the specific activity or storage area. Along with the written description of the activities or storage areas, a description of the significant materials associated with those items must be included.

#### SEE TABLE 1 FOR INDUSTRIAL ACTIVITY AND SIGNIFICANT MATERIAL STORAGE AREA DESCRIPTIONS

#### 4.3 List of Significant Spills

The permit requires a list of significant spills and significant leaks of polluting materials that occurred at areas that are exposed to precipitation or that otherwise discharge to a point source at the facility. The listing shall include spills that occurred over the three years prior to the effective date of a certificate of coverage authorizing discharge under the General Permit. The listing shall include the date, volume, exact location of release, and actions taken to clean up the material and/or prevent exposure to storm water runoff or contamination of surface waters of the state. Any release that occurs after the SWPPP has been developed shall be controlled in accordance with the SWPPP and is cause for the SWPPP to be updated as appropriate within 14 calendar days of obtaining knowledge of the spill or loss. If there have been no spills of polluting materials, state that in this section.

Question: <u>Have there been any significant spills or significant leaks of polluting materials in the last 3 years?</u> ⊠ Yes □ No

• If the answer above is "Yes" then input the applicable information in the table below:

Significant Spills and Significant Leaks of Polluting Materials Table				
Location & DateMaterial & VolumeCorrective Actions Taken				
Fueling area, 7/10/2013	Gasoline, approximately 5 gallons	<ol> <li>Booms deployed, material removed via absorbent pads</li> <li>Hose repaired 7/10/2013</li> </ol>		
Boat maintenance area, 8/2/2014	Antifreeze, 3 gallons	Antifreeze removed from pavement and storm water catch basin on 8/2/2014		

#### 4.4 Summary of Sampling Data

The permit requires a summary of existing storm water discharge sampling data (if available) describing pollutants in storm water discharges associated with industrial activity at the facility. The summary shall be accompanied by a description of the suspected sources of the pollutants detected. (If there is no storm water discharge sampling data, state that in this section.)

Question: Is there any storm water discharge sampling data available?

• If the answer to the above question is "Yes" then summarize the information below and maintain the data with the SWPPP file.

Summary of Sampling Information:	
NA	

#### 4.5 Actions Taken to Investigate Illicit Connections

The permit requires that the SWPPP include a description of the actions taken to identify and eliminate illicit connections to the storm sewer system. All illicit connections to Municipal Separate Storm Sewer Systems (MS4s) or waters of the state should be permanently plugged or re-routed to the sanitary sewer system, in accordance with the authorization from the local Wastewater Treatment Plant. Any discharge from an illicit connection is a violation of the conditions of this permit.

Describe the actions taken to investigate and eliminate any illicit connections to the storm sewer system: All interior floor drains were televised by a plumbing contractor to verify that they were connected to the municipal sanitary system. The municipal Waste Water Treatment Plant staff were contacted and made aware of the connection.

## 5.0 NON-STRUCTURAL CONTROLS

Non-structural controls are practices that are relatively simple, fairly inexpensive, and applicable to a wide variety of industries or activities. Non-structural controls are intended to reduce the amount of pollution getting into the surface waters of the state and are generally implemented to address the problem at the source. They do not require any structural changes to the facility. These are typically everyday types of activities undertaken by employees at the facility. Many facilities may already have nonstructural controls in place for other reasons. The permit requires that the SWPPP shall, at a minimum, include each of the following non-structural controls:

#### 5.1 Preventative Maintenance Program (Routine Inspection Program)

The permit requires written procedures and a schedule for routine preventive maintenance which includes inspection and maintenance of storm water management and control devices (e.g. cleaning of oil/water separators and catch basins) as well as inspecting and testing plant equipment and systems to uncover conditions that could cause breakdowns or failures resulting in discharges of pollutants to surface waters. <u>Generally the focus of this permit requirement is on exterior items.</u> A written report of the inspection and corrective actions shall be maintained on file and shall be retained for three years. See the DEQ Industrial Storm Water Certified Operator Training Manual for additional information.

The Routine Inspection Form is in Section 16.0.

If this requirement is addressed in other facility procedures, reference those procedures here: NA

#### 5.2 Housekeeping Procedures (Routine Inspection Program)

The permit requires that the SWPPP include written procedures and a schedule to implement routine good housekeeping inspections to maintain a clean, orderly facility. Good housekeeping inspections are intended to reduce the potential for significant materials to come in contact with storm water. The routine good housekeeping inspections should be combined with the routine inspection for the preventative maintenance program. <u>Generally the focus of this permit requirement is on exterior areas.</u> A written report of the inspection and corrective actions shall be maintained on file and shall be retained for three years. See the DEQ Industrial Storm Water Certified Operator Training Manual for additional information.

The Routine Inspection Form is in Section 16.0.

If this requirement is addressed in other facility procedures, reference those procedures here: NA

The table below describes the Routine Inspection Program Procedures:

Routine Inspection Program Procedures Table				
Description of Area or Equipment Inspected	Tasks Performed During Inspection	Frequency of Inspection		
Boat maintenance area	<ol> <li>1) Inspect cleanliness of area</li> <li>2) Check spill kit contents</li> </ol>	Weekly		
Equipment storage area	<ol> <li>Inspect cleanliness of area</li> <li>Inspect for proper storage of equipment</li> </ol>	Monthly		
Dumpster area	1) Inspect cleanliness of area	Weekly		
Sewage pump out area	<ol> <li>1) Make sure equipment is in good working condition</li> <li>2) Inspect cleanliness of area</li> <li>3) Check spill kit contents</li> </ol>	Weekly		

Fueling area	<ol> <li>Inspect cleanliness of area</li> <li>Check spill kit contents</li> <li>Make sure equipment is in good working condition</li> </ol>	Weekly
Dry dock areas	Inspect cleanliness of area	Quarterly
General yard areas	Inspect cleanliness of areas	Quarterly
Boat washing areas	Inspect cleanliness of areas	Weekly

#### 5.3 Comprehensive Site Inspection & Visual Assessments of Storm Water Discharges

The permit requires written procedures and a schedule for comprehensive site inspection. The inspections shall include but not be limited to, the areas and equipment identified in the preventive maintenance program and good housekeeping procedures. The inspection shall also include a review of the routine preventive maintenance reports, good housekeeping inspections reports, and any other paperwork associated with the SWPPP. The comprehensive site inspection shall be conducted by the Industrial Storm Water Certified Operator <u>quarterly</u>. At a minimum one inspection shall be performed within each of the following quarters: January – March, April – June, July – September, and October – December.

The permittee may request Department approval of an alternate schedule for comprehensive site inspections. Such a request may be made if the permittee meets the following criteria: the permittee is in full compliance with the permit, the permittee has an acceptable SWPPP, the permittee has installed and/or implemented adequate structural controls at the facility, the permittee has all required inspection reports available at the facility, and the permittee has an Industrial Storm Water Certified Operator at the facility.

A report of the comprehensive site inspection results shall be prepared and retained for three years. The report shall include the following information:

- ✓ Date of the inspection
- ✓ Name(s), title(s), and certification number(s) of the personnel conducting the inspection
- ✓ Precipitation information (i.e. a description of recent rainfall or snow met events)
- ✓ All observations relating to the implementation of control measures
- ✓ Any required revisions to the SWPPP resulting from the inspection
- ✓ A certification stating the facility is in compliance with this permit and the SWPPP, or, if there are instances of noncompliance, they are identified

The Comprehensive Site Inspection Form is in Section 17.0.

<u>Comprehensive site inspection schedule:</u> Inspections are conducted on a quarterly basis per the permit requirements

#### Comprehensive site inspection written procedures:

The Industrial Storm Water Certified Operator will perform the comprehensive site inspections. All areas and items identified in Routine Inspection Procedures Table are included in the comprehensive site inspections. In addition all paper work associated with the routine inspections will be reviewed. The comprehensive site inspection report form will include a compliance certification statement. List any additional details (if necessary) related to the comprehensive site inspection procedures here: **Nothing additional** 

#### Visual Assessments of Storm Water Discharges \*\*CHECK YOUR GENERAL PERMIT FOR APPLICABILITY\*\*

The permit requires written procedures and a schedule for <u>quarterly visual assessments</u> of storm water discharges. The visual assessments shall be conducted by the Industrial Storm Water Certified Operator. At a minimum one visual assessment shall be performed within each of the following quarters: January – March, April – June, July – September, and October – December. If the Department has approved an alternate schedule for the comprehensive site inspection, the visual assessment may likewise be conducted in accordance with the same approved alternate schedule.

Visual assessment training/informational tutorials are available on the DEQ, WRD Industrial Storm Water webpage or by clicking on the following links:

- Part 1: <u>https://www.youtube.com/watch?v=rhXbA1R\_VZk&feature=youtu.be</u>
- Part 2: https://www.youtube.com/watch?v= AdGziksz g&feature=youtu.be
- Part 3: https://www.youtube.com/watch?v=ZiajZM6Avlg&feature=youtu.be

The Visual Assessment Report Form is in Section 18.0.

Visual Assessment schedule:

#### SEE SECTION 14.0 FOR THE VISUAL ASSESSMENT PROCEDURES

#### 5.4 Material Handling & Spill Prevention / Clean-Up Procedures

The permit requires a description of material handling procedures and storage requirements for significant materials. Equipment and procedures for cleaning up spills shall be identified in the SWPPP and made available to the appropriate personnel. The procedures shall identify measures to prevent spilled materials or material residues on the outside of the containers from being discharged into storm water.

The SWPPP may include, by reference, requirements of either a Pollution Incident Prevention Plan (PIPP) prepared in accordance with the Part 5 Rules (Rules 324.2001 through 324.2009 of the Michigan Administrative Code); a Hazardous Waste Contingency Plan (HWCP) prepared in accordance with 40 CFR 264 and 265 Subpart D, as required by Part 111 of the Michigan Act; or a Spill Prevention Control and Countermeasure (SPCC) plan prepared in accordance with 40 CFR 112.

Question: Does the facility have any additional material handling & spill / clean-up procedures on file in addition to the SWPPP? No X Yes

- If the answer is "No" complete the table below
- If the answer is "Yes" then reference the procedures and where they are located here and complete the table below as necessary: *The following plans are available for review: PIPP, Chemical Spill Response Plan, Fuel Spill Response Plan, and Sewage Transfer Spill Response Plan.*

Spills and leaks together are the largest industrial source of storm water pollution. Thus, this SWPPP specifies material handling procedures and storage requirements for significant materials. Equipment and procedures necessary for cleaning up spills and preventing the spilled materials from being discharged have also been identified. All employees have been made aware of the proper procedures. See the DEQ Industrial Storm Water Certified Operator Training Manual for additional information.

The DEQ, WRD Industrial Storm Water program spill report compliance assistance document should be kept with the SWPPP. Download the document from the DEQ, WRD Industrial Storm Water webpage or by clicking on the following link: <u>http://www.michigan.gov/documents/deq/wrd-isw-permit\_info-spill-reporting\_398791\_7.pdf</u>

If material handling and spill prevention / clean-up procedures are not addressed in other facility documents or procedures (referenced above) then the table below needs to be completed:

Material Handling & Spill Prevention / Clean-up Procedures Table			
Potential Spill Area	Material Handling & Storage	Spill Response Procedures &	
	Procedures	Equipment	
Boat maintenance area	Handle materials in a manner that prevents spillage. Refer to company's chemical handling & storage procedures.	Protect storm drain. Notify supervisor if necessary. Clean up spills utilizing the spill kit materials located in the area. Refer to company's chemical spill response plan if needed.	
Dumpster area	Make sure there is no spillage of refuse and that no liquids leak from dumpster.	Protect storm drain. Notify supervisor if necessary. Clean up spilled material utilizing necessary materials.	
Sewage pump out area	Refer to company's sewage transfer procedures.	Refer to company's sewage transfer spill response plan.	
Fueling area	Refer to company's vehicle fueling procedures.	Refer to company's fuel spill response plan.	
Boat washing area	Boat washing is only authorized in designated areas. Wash water drains to sanitary system.	Protect storm drain. Notify supervisor if necessary. Clean up spill utilizing the spill kit materials located in the area.	

#### SEE TABLE 2 FOR SPILL KIT INVENTORY

#### 5.5 Soil Erosion & Sedimentation Control Measures

The permit requires the identification of areas which, due to topography, activities, or other factors, have a high potential for significant soil erosion. Areas commonly prone to soil erosion are: gravel lots, bare earth or gravel at material handling areas around storm water inlets, areas with concentrated storm water runoff into streams or ditches, and access roads over open streams or ditches. Control measures must be implemented in areas prone to soil erosion and sedimentation. More information on soil erosion and sedimentation control may be obtained from the DEQ, Water Resources Division District Office.

If dust suppression is used, the SWPPP shall include a description of dust suppression material used and the actions implemented to prevent an unauthorized discharge.

Question: Is dust suppression material used on site?

• If "Yes" then describe the actions implemented to prevent an unauthorized discharge to the storm sewer system or surface waters of the state:

Question: Are there areas of the site that are prone to soil erosion and/or sedimentation?

• If "Yes" then complete the table below:

Soil Erosion & Sedimentation Control Measures Table			
Areas Prone to Soil Erosion or Sedimentation Control Measures Implemented			
Gravel Lot	Filter fabric is used in the storm water inlets that receive storm water runoff from the area.		
Space to list additional areas of concerns and control measures if necessary: NA			

#### 5.6 Employee Training Program

The permit requires a description of employee training programs have been implemented to inform appropriate personnel at all levels of responsibility of the components and goals of the SWPPP. Recent modifications to the General Permits have included a requirement for <u>annual employee training</u>. An employee training video is available at the DEQ, WRD, Industrial Storm Water webpage or by clicking on the following link: <u>https://www.youtube.com/watch?v=IGqvsztguRA&feature=youtu.be</u>

Employee training will be a major component in ensuring the success of the facility's SWPPP. The more knowledgeable all employees are about the facility's SWPPP and what is expected of them, the greater the chance that the plan will be effective. The following is a description of the employee training programs to be implemented to inform appropriate personnel at all levels of responsibility of the components and goals of the SWPPP (i.e. good housekeeping practices, spill prevention and response procedures, waste minimization practices, informing customers of facility policies, etc.).

The Employee Training Form is in Section 19.0.

Employee Training Frequency: Annual

Employee Training Program Description: New employees have storm water training during orientation and all employees receive annual storm water training.

#### 5.7 TMDL Requirements

The permit requires that if there is a Total Maximum Daily Load (TMDL) established by the Department for the receiving water, which restricts the discharge of any of the identified significant materials or constituents of those materials, then the SWPPP shall identify the level of control for those materials necessary to comply with the TMDL.

The TMDL means the amount of pollutant load a water body, such as a lake or stream, can assimilate and still meet water quality standards. If a receiving water body does not meet the water quality standards for a specific pollutant, the DEQ will establish the appropriate daily maximum load for that pollutant to allow the water body to again meet water quality standards. If a permitted facility is expected to discharge that specific pollutant in its storm water to that water body, the General Permit requires the facility to list actions it will take to meet that TMDL requirement.

The applicable TMDLs will be identified on the Certificate of Coverage (COC).

See the DEQ, WRD, Industrial Storm Water Webpage for additional TMDL information or click this link for the TMDL compliance assistance document: <u>http://www.michigan.gov/documents/deq/wrd-isw-permit-info-tmdl\_398790\_7.pdf</u>

Question: Is there a TMDL Requirement listed on the COC? Xes INO

• If the answer to the above question is "Yes" then complete the table below:

TMDL Pollutant:	Best Management Practices Implemented to reduce the discharge of the TMDL pollutant:		
Phosphorus	Lawn service will use Phosphorus FREE fertilizer		
Space to list additional TMDL pollutants and BMPs implemented onsite if necessary: <b>NA</b>			

#### 5.8 List of Significant Materials Still Present

The permit requires the identification of significant materials expected to be present in storm water discharges following implementation of non-structural preventative measures and source controls. Non-structural controls are used to reduce pollutants at the source before they can get into the storm water runoff. In some cases, these types of controls will not be enough. A list of significant materials expected to be present in storm water discharges after implementation of nonstructural controls must be included in the SWPPP. The materials listed below will be addressed through the use of structural controls. (If there will be no significant materials present after the implementation of non-structural controls, state that in this section.)

Significant Material	Location and Control Measure:	Impacted Inlet(s):	Impacted Discharge Point(s):
Refuse	Dumpster area - Dumpster cover	A	1
Paint solids, heavy metals, suspended solids, debris	Boat washing area - Boat wash pad with drainage to sanitary system	C	2
Sanitary sewage	Sewage pump out area - Drip pans	NA	Direct Discharge
Sediment	Catch Basin D - Filter sack installed	D	3
Space available to add a <b>NA</b>	ddition information if necessary:		

## 6.0 STRUCTURAL CONTROLS

The permit requires that where implementation of non-structural controls does not control storm water discharges in accordance with water quality standards, the SWPPP shall provide a description of the location, function, and design criteria of structural controls for prevention and treatment.

Structural controls may be necessary:

- 1) To prevent uncontaminated storm water from contacting or being contacted by significant materials; or
- 2) If preventive measures are not feasible or are inadequate to keep significant materials at the site from contaminating storm water. Structural controls shall be used to treat, divert, isolate, recycle, reuse, or otherwise manage storm water in a manner that reduces the level of significant materials in the storm water and provides compliance with the Water Quality Standards

Examples of structural controls include the following:

- ✓ Signs and Labels
- ✓ Safety Posts
- ✓ Fences
- ✓ Security Systems
- Temporary and Permanent Coverings
- ✓ Storm Water Conveyances

- ✓ Paving
- ✓ Curbing
- ✓ Drip Pans
- Secondary Containment
- ✓ Catch Basin Inserts
- ✓ Detention and Retention Ponds

- ✓ Diversion Dikes
- ✓ Grading

✓ Vegetative Filters

✓ Oil/Water Separators

These types of controls are physical features that control and prevent storm water pollution. They can range from preventive measures to collection structures to treatment systems. Structural controls will typically require construction of a physical feature or barrier. Below is a description of the structural controls used at the facility. See the DEQ Industrial Storm Water Operator Training Manual for additional details on structural controls.

Question: Are structural control measures used at the facility?

• If answer above is "Yes" then complete the appropriate information in the table below.

Structural Controls Used at the Facility				
Description of structural control(s)	Location of structural control(s)	Significant Materials intended to be managed by the structural control(s)		
Dumpster Cover	Dumpster Area	Refuse		
Boat wash pad w/ drainage to the sanitary system	Boat washing area	Paint solids, heavy metals, suspended solids, debris		
Drip pans	Sewage pump out area	Sanitary sewage		
Filter Sacks	Catch Basin D	Sediment		

## 7.0 NON-STORM WATER DISCHARGES

The permit requires that all discharge locations be evaluated for the presence of non-storm water discharges. Any unauthorized storm water discharges must be eliminated, or covered under another NPDES permit.

Storm water shall be defined to include all of the following non-storm water discharges provided pollution prevention controls for the non-storm water component are identified in the SWPPP.

Question: Is any of the 10 non-storm water discharges listed below applicable to the facility?

• If the answer is "Yes" then complete the appropriate sections of the table below:

Check the Applicable Non Storm Water Discharges at the Facility:	Pollution Prevention Controls Implemented:	Impacted Inlet(s):	Impacted Discharge Point(s):
1. Discharges from fire hydrant flushing			
2. Potable water sources including water line flushing			
<ul> <li>3. Water from fire system testing and fire fighting training without burned materials or chemical fire suppressants</li> </ul>			
4. Irrigation drainage			

$\square$	5.	Lawn watering	No watering after fertilizer application	A & B	1 & 3
	6.	Routine building wash-down			
		that does not use detergents			
		or other compounds			
	7.	Pavement wash waters			
		where contamination by toxic			
		or hazardous materials has			
		not occurred (unless all contamination by toxic or			
		hazardous materials has			
		been removed) and where			
		detergents are not used			
$\Box$	8.	Uncontaminated condensate			
		from air conditioners,			
		coolers, and other			
		compressors and from the			
		outside storage of			
		refrigerated gases or liquids			
$ \Box $	9.	Uncontaminated ground			
		water			
$\square$	10.	Foundation or footing drains	No soil or ground water	A - E	1 - 4
		where flows are not	contamination on site		
		contaminated with process			
		materials such as solvents			

Discharges from fire fighting activities are authorized by the permit, but are exempted from the requirement to be identified in the SWPPP.

## 8.0 ANNUAL REVIEW

The permit requires that the permittee shall review the SWPPP annually after it is developed and maintain written summaries of the reviews. Based on the review, the permittee shall amend the SWPPP as needed to ensure continued compliance with the terms and conditions of the permit. The annual review is to be retained on site for three years and depending on the general permit is required to be submitted to the DEQ district office on or before January 10<sup>th</sup> of each year.

The Annual Review Report Form is in Section 20.0.

Specify the month the Annual SWPPP Review will be performed: **December** 

## 9.0 INDUSTRIAL STORM WATER CERTIFIED OPERATOR UPDATE

The permit requires that if the Industrial Storm Water Certified Operator is changed or an additional Industrial Storm Water Certified Operator is added, the permittee shall provide the name and certification number of the new Industrial Storm Water Certified Operator to the Department. If a facility has multiple Industrial Storm Water Certified Operators, the name and certification number of the Industrial Storm Water Certified Operators, the name and certification number of the Industrial Storm Water Certified Operators, the name and certification number of the Industrial Storm Water Certified Operators shall be included in the SWPPP.

## **10.0 RECORD KEEPING**

The permit requires that the permittee shall maintain records of all SWPPP related inspection and maintenance activities. Records shall also be kept describing incidents such as spills or other discharges that can affect the quality of storm water runoff. All such records shall be retained for three years. The following records are required by the permit:

- ✓ Routine preventive maintenance inspection reports
- ✓ Routine good housekeeping inspection reports
- ✓ Comprehensive site inspection reports
- ✓ Documentation of visual assessments
- ✓ Employee training records
- ✓ Written summaries of the annual SWPPP review
- ✓ Short Term Storm Water Characterization Study data

## **11.0 SWPPP CERTIFICATION**

The permit requires that the SWPPP shall be reviewed and signed by the Certified Storm Water Operator(s) and by either the permittee or an authorized representative in accordance with 40 CFR 122.22. The SWPPP shall be retained on-site at the facility which generates the storm water discharge.

I certify under penalty of law that the storm water drainage system in this SWPPP has been tested or evaluated for the presence of non-storm water discharges either by me, or under my direction and supervision. I certify under penalty of law that this SWPPP has been developed in accordance with the General Permit and with good engineering practices. To the best of my knowledge and belief, the information submitted is true, accurate, and complete. At the time this plan was completed no unauthorized discharges were present. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment for knowing violations.

Permittee or Authorized Representative
Printed Name & Title: Ryan Grant, Owner
Signature & Date:
B-2

Indu	Istrial	Storm	Water	Certified	Operato	r

Printed Name & Certification Number: Ryan Grant, i-06490


Signature & Date:

Rud

3/16/2015

Space to list additional Industrial Storm Water Certified Operators if Necessary				
Printed Name & Certification Number Signature & Date				
NA				

## 12.0 FIGURE 1 – FACILITY SITE MAP (Use separate sheet if necessary)



# TABLE 1 – SIGNIFICANT MATERIAL INVENTORY AND DESCRIPTION OF INDUSTRIAL ACTIVITY OR SIGNIFICANT MATERIAL STORAGE AREAS

**Instructions -** Fill out the applicable areas or activities in the corresponding sections. Add more lines as needed. Once you have described the area or activity, list the significant materials that are associated with the areas or activities, the exposure methods, and evaluate the level of exposure. Once that is completed indicate the inlet(s) and discharge point(s) that would be impacted if significant materials were discharged from the areas or activities described.

Section Listed in General Permit	Storage Areas / Activity Areas	Significant Materials	Exposure Method	Reasonable Potential Evaluation (high,medium,low)	Inlet(s)	Discharge Point(s)
1) Loading, unloading, and other material handling operations	1) Boat maintenance area	Oil, battery acid, diesel fuel, gasoline, and other fluids	Spillage during material handling activities	High	A	1
	2) Fueling area	Gasoline, diesel fuel	Spillage during fueling activities	High	NA	Direct Discharge
2) Outdoor storage including secondary containment	1) Boat storage area	ΝΑ	Outdoor storage	Low	C, D	2, 3
structures	2) Equipment storage area	Grease, hydraulic oil	Outdoor storage	Medium	A, C	1, 2
	3) Rack storage	Rusting of metal	Outdoor storage	Low	D	3
3) Outdoor manufacturing or processing activities	NA					
		Deint dast filosodose dast	Out to an activity of the second	111-1-		
4) Significant dust or particulate generating processes	1) Boat hull sanding	Paint dust, fiberglass dust	Outdoor maintenance activities	High	C, D	2, 3
	1				1	
5) Discharge from vents, stacks, and air emission	NA					
controls						
6) On-site waste disposal practices	1) Dumpster staging area	General refuse	Spillage during loading and unloading	High	A	1
	2) Slip owner sewage pump out	Raw sewage and grey water	Spillage during unloading	High	В	3
	1) Dumpster staging area	General refuse	Spillage during loading and unloading	High	A	1

## 13.0 TABLE 1 CONTINUED

Section Listed in General Permit	Storage Areas / Activity Areas	Significant Materials	Exposure Method	Reasonable Potential Evaluation (high,medium,low)	Inlet(s)	Discharge Point(s)
7) Maintenance and cleaning of vehicles, machines and equipment	1) Boat / vehicle maintenance	Diesel, gasoline, coolant, grease, oil, waste water	Maintenance activities conducted outdoors	High	A	1
	2) Boat washing	Sediment, paint, waste water	Washing activities conducted outdoors	High	С	2
8) Areas of exposed and/or erodible soils	1) Gravel lot	Sediment	Erosion during rain events	Medium	D	3
	NA		1		1	
9) Sites of Environmental Contamination listed under Part 201	NA					
Fall 201						
			1		T	
10) Areas of significant material residues	NA					
					1	
11) Areas where animals congregate (wild or	ΝΑ					
domestic) and deposit wastes						
	1					
12) Other areas where storm water may contact	NA					
significant materials						
					<u> </u>	

## 14.0 VISUAL ASSESSMENT PROCEDURES

- 1. List the discharge point(s) (as indicated on the SWPPP map):
  - a) Is there substantially identical discharge points? Yes No If "Yes" then complete a) and b) below, if "No" go to Number 2.
  - b) Describe the justification for the substantially identical discharge points determination?
  - c) List the schedule for alternating the substantially identical discharge points:
- 2. Describe the monitoring (sampling) location for each discharge point:
- 3. List the Qualified Personnel that will collect the water sample:
- 4. Training for the Qualified Personnel includes viewing the Visual Assessment Webinar and/or the 3 Visual Assessment Tutorials on the DEQ, WRD Industrial Storm Water webpage. Check the appropriate box below:

🗌 Yes

- No, however a copy of the training materials used are included with this procedure.
- 5. List the sampling equipment used for the collecting the water sample(s):
- 6. Complete a) through c) below to describe the storm event information.
  - a) Describe how qualifying storm events are determined (including nature of the event):
  - b) Describe how each discharge point was evaluated to determine when a discharge would begin:
  - c) Describe what would constitute an adverse weather condition that would prevent sample collection:
- 7. Describe how the samples will be collected (Determine the timing sequence for water sample collection from the discharge points):
- 8. Describe the water sampling instructions that the Qualified Personnel will follow:
- 9. Described how observations made by the Qualified Personnel will be documented during the discharge (include nature of the event):
- 10. Describe the sample storage procedures if applicable:
- 11. Describe the procedures the Industrial Storm Water Certified Operator will follow to perform the visual assessment(s) of the water sample(s):

- 12. List the name(s) of the Industrial Storm Water Certified Operator that will be performing the water sample visual assessment(s):
- 13. The DEQ, WRD Visual Assessment Report form should be used to document each water sample visual assessment. Check the appropriate box below:

Yes, the DEQ, WRD Visual Assessment Report form is used.

No, the DEQ, WRD Visual Assessment Report form is not used however the form being used to meet this requirement is included with this procedure.

- 14. Colored Photos shall be used to record the visual assessment(s). If other methods of recording observations will be used describe those methods:
- 15. All visual assessment documentation should be kept with the SWPPP file. If documentation will be kept at an alternate location state that location:
- 16. Describe the follow-up actions that will be taken if unusual characteristics are observed during the visual assessment(s):

List the spill response equipment that will be maintained in each location or locker (refer to MSDSs to determine recommended clean-up methods and supplies):

Person responsible for maintaining this inventory: Ryan Grant

Locker number or location	Absorbents (pads, booms, kitty litter, etc.)	Tools (shovels, brooms, squeegees, etc.)	Personal Protective Equipment (rubber gloves, boots, masks, etc.)	Other Supplies (warning tape, labels, markers, MSDSs, etc.)
Boat Maintenance Area	1 package of pads, 1 50lb bag of absorbent material	1 broom, 1 shovel	1 package of rubber gloves, 4 pairs of safety glasses	Catch basin cover
Sewage pump out area	2-8' booms	1 shovel	1 package of rubber gloves, 4 pairs of safety glasses, 1 package of masks	Catch basin cover, warning tape
Fueling area	2 packages of pads, 2-20' booms		1 package of rubber gloves, 4 pairs of safety glasses	Warning tape
Boat washing area	2 packages of pads, 1 50lb bag of absorbent material	1 broom, 1 squeegee, 1 shovel	1 package of rubber gloves, 4 pairs of safety glasses	Catch basin cover

Label each spill kit with the words "SPILL KIT" and the necessary emergency telephone number(s) or pager number(s) of persons to be contacted in case of a spill or leak that is beyond the training and equipment available on or near each spill locker:

Facility Responsible Person/Phone Number:Ryan Grant, 616-250-6134Spill Response Contractor (if any)/Phone Number:Private Environmental Clean-up Contractor, 616-xxx-xxxDEQ District Office Phone Number:Grand Rapids District Office, 616-356-0500DEQ 24-Hour Emergency Spill Reporting Hot-Line:1-800-292-4706 (PEAS Number)

Stencil the following warning on each spill kit:

## **"WARNING: NEVER HOSE DOWN A SPILL!** CLEAN IT UP PROMPTLY AND DISPOSE OF THE WASTE PROPERLY."

## **16.0 ROUTINE INSPECTION FORM**

Date:	Time:
Inspector I	nformation
Print Name:	Signature:

Areas Inspected	Observation	Corrective Actions Taken
Boat maintenance area		
Equipment storage area		
Dumpster area		
Sewage pump out area		
Fueling area		
Dry dock areas		
General yard areas		
Boat washing areas		

## **17.0 COMPREHENSIVE SITE INSPECTION FORM**

Date: 7/15/2014

Time: 12:00 pm

Print Name: Ryan Grant

Time. 12.00 pi

Certified Operator Information

Signature: Rad

 Precipitation Information

 Check the most appropriate box that represents the weather condition during the inspection:

 Image: Show
 Image: Other, explain:

Compliance Certification Statement Based on the results of this inspection the facility is in compliance with the general permit and the SWPPP: Yes No, explain:

Areas Inspected	Observation	Corrective Actions Taken
Routine Inspection Report Paperwork	All routine inspections and associated paperwork was completed as required	NA
Boat maintenance area	Area is free of contaminants, spill kit needs another package of absorbent pads	Added another package 7/16/2014
Equipment storage area	Area free of debris	NA
Dumpster area	Some spillage around dumpster	Picked up spilled material 7/15/2014
Sewage pump out area	Area is free of contaminants, spill kit contents good	NA
Fueling area	Area is in proper operating condition, no evidence of any contaminants, spill contents good	NA
Dry dock areas	Boat stored in area AA is leaking oil from lower unit	Cleaned up oil, put down absorbent material, contacted boat owner 7/15/2014
General yard areas	Areas look good	NA
Boat washing areas	No washing in several days, area looks good, spill kit contents good	NA

## 18.0 VISUAL ASSESSMENT REPORT FORM

Visual Assessment Sample Information					
Facility Name	cility Name:		COC No. or NPDES Permit No:		
Industrial Stor	m Water Certified	Operato	or Name:		
Name / Title c	f person collectin	g sample	if other than	Cert. Operate	or:
Date of Comprehensive Inspection:       Is this a substitute sample?       No       Yes Explain:					
Discharge Point # / Name: Substantially Identical Discharge Point? No Yes List:					
Description of sample collection location:					
Date / Time Discharge Began: Date / Collect		/ Time Samp ected:	le	Date / Time Sample Examined:	
For rain events - if sample was collected > 30 minutes from start of discharge, provide explanation:					
Snowmelt	Rainfall 🗌 Inches:	If rain ev	ent - previous	s storm ende	d > 72 hours prior to start of this event?

Ob	oservations			
Color: None Yes (describe):	Floating Solids: 🗌 No 🗌 Yes (describe):			
Oil Films / Sheens: None Flecks Globs Sheen Other				
Describe appearance of film/sheen:				
Foam (gently shake sample): No Yes	Suspended Solids: 🗌 No 🗌 Yes (describe):			
Settleable Solids: No Yes (describe):				
Odor: 🗌 None 🗌 Musty 🗌 Sewage 🗌 Sulfur 🗌	Sour 🗌 Hydrocarbons 🗌 Chemical			
Other (describe):				
Turbidity/Clarity: Clear Slightly Cloudy C	Cloudy 🗌 Milky 🗌 Other (describe):			
Picture of sample taken (required): No Yes	Storage location:			
Receiving waters observed? N/A No Ye	es (describe):			

Follow-up:
Based on the visual observation, are there unnatural characteristics in the discharge (cloudiness, color,
sheen, etc.)?
Potential sources of observed unnatural characteristics 🗌 N/A or describe:

Implemented / recommended corrective action(s)  $\Box$  N/A <u>or</u> describe: Scheduled date for correction:

I certify that the above information is correct				
Certified Operator Signature		Date		

#### RETAIN THIS FORM FOR A MINIMUM OF 3 YEARS

## **19.0 EMPLOYEE TRAINING FORM**

Date of	Session:
---------	----------

Trainer In	formation
Print:	Signature:

Topics Covered:

Training Session Information

Attendee Name	Attendee Signature

## 20.0 ANNUAL SWPPP REVIEW REPORT FORM

Facility Information					
Designated Name:	Certificate of Coverage No. or Individual Permit				
	No.:				
Facility Address:	County:				
Facility Contact I	nformation				
Name:	Telephone No.:				
Email Address:	Certification No.:				
Backup Facility Contact Information					
Name: Telephone No.:					
Email Address: Certification No.:					
Industrial Storm Water Certified Operator Information					
Name:	Telephone No.:				
Email Address: Certification No.:					
Space to list additional operators if applicable:					

The SWPPP Checklist on the DEQ, WRD Industrial Storm Water webpage should be used to review the facility's SWPPP and <u>before</u> the following 10 questions are completed.

1.	Facility general information is current and accurate	Yes 🗌	No 🗌	
2.	Site map is current and accurate	Yes 🗌	No 🗌	
3.	Significant material inventory is current and accurate	Yes 🗌	No 🗌	
4.	New exposures, processes and related controls have been documented	Yes 🗌	No 🗌	NA 🗌
	appropriately in the SWPPP			
5.	Spills have been recorded and reported as appropriate	Yes 🗌	No 🗌	NA 🗌
6.	Employee SWPPP training was conducted and documented	Yes 🗌	No 🗌	
7.	Records of routine preventative maintenance and housekeeping inspections	Yes 🗌	No 🗌	
	are available in the SWPPP file			
8.	Comprehensive site inspections have been completed, certified and filed in	Yes 🗌	No 🗌	
	the SWPPP file			
9.	Visual Assessments have been completed and the reports have been filed in	Yes 🗌	No 🗌	NA 🗌
	the SWPPP file			
10	. Corrective actions noted in the inspection reports have been completed	Yes 🗌	No 🗌	
11	. The SWPPP is compliant with the permit and has been reviewed and signed	Yes 🗌	No 🗌	
	by the Certified Storm Water Operator and the permittee or designated			
	representative			
Ad	Iditional Comments:			

I certify that the above information is correct:				
Name:	Signature / Date:			

## SUBMIT THIS FORM TO THE DEQ, WRD DISTRICT OFFICE IDENTIFIED ON YOUR CERTIFICATE OF COVERAGE ON OR BEFORE **JANUARY 10<sup>TH</sup>** OF EACH YEAR

## 21.0 DEQ SPILL OR RELEASE REPORT



MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

#### SPILL OR RELEASE REPORT

NOTE: Some regulations require a specific form to use and procedures to follow when reporting a release. Those forms and procedures MUST be used and followed if reporting under those regulations. This report form is to aid persons reporting releases under regulations that do not require a specific form. This report form is not required to be used. To report a release, some regulations require a facility to call the PEAS Hotline at 800-292-4706, or DEQ District Office that oversees the county where it occurred, and other regulating agencies and provide the following information. A follow-up written report may be required. Keep a copy of this report as documentation that the release was reported. If you prefer to submit this report electronically by FAX or e-mail, contact the regulating agency for the correct telephone number or e-mail address. See the DEQ website on Spill/Release Reporting for more reporting information.

Please print or type all information.								
NAME AND TITLE OF PERSON SUBMITTING WRIT	TEN REPO	RT	TELEPHONE N	UMBER (provide ar	ea code)			
NAME OF BUSINESS			RELEASE LOCATION (provide address if different than business, if known, and give directions to the spill location. Include nearest highway, town, road intersection, etc.)					
STREET ADDRESS								
CITY	STATE	ZIP CODE						
BUSINESS TELEPHONE NUMBER (provide area co	ode)							
SITE IDENTIFICATION NUMBER AND OTHER IDEN	TIFYING NU	JMBERS (if applicable)	COUNTY		TOWNS	HIP		R/RANGE/SECTION known)
RELEASE DATA. Complete all app information regarding the release and					e release.	Provide the b	est av	ailable
DATE & TIME OF DATE & TIME OF RELEASE (if known) DISCOVERY		DURATION OF RELEASE (		TYPE OF INCID Explosion Fire Leaking of Loading/0	n container	U Vehic	le acci	eak or rupture ident
MATERIAL RELEASED (Chemical or trade nam		ATTACHED PAGE.	CAS NUMBER o HAZARDOUS W			ESTIMATED QUANTI RELEASED (indicate e.g. lbs, gals, cu ft or	unit	PHYSICAL STATE RELEASED (indicate if solid, liquid, or gas)
Operator error Unu	ning defic	iencies ther conditions	( <u>-</u>	Coni Raile	oad car	□ Ship □ Tank		Truck Other
Faulty process design Othe				—   <sup>[]</sup> Pipe		Tanker		8 <u></u>
TYPE OF MATERIAL RELEASED Agricultural: manure, pesticide, fertilizer Chemicals Flammable or combustible liquid Hazardous waste Liquid industrial waste Oil/petroleum products or waste Salt Sewage Other Unknown	CAA S CERC EPCF (40 C Michig NREF		FR Part 302) us Substance tegister or permi s polluting mate azardous waste	it Oser			reatme Decont	amination of s or equipment ring
RELEASE REACHED								11.11.11.11.11.11.11.11.11.11.11.11.11.
<ul> <li>Surface waters (include name of river</li> <li>Drain connected to sanitary sewer (in</li> <li>Drain connected to storm sewer (include)</li> <li>Groundwater (indicate if it is a known</li> </ul>	clude nar ude name	me of wastewater treat of drain or water body	it discharges in	to, if known) _			r, in fe	et
<ul> <li>Soils (include type e.g. clay, sand, log</li> <li>Ambient Air</li> <li>Spill contained on impervious surface</li> </ul>								

EXTENT OF INJURIES, IF ANY		WAS ANYONE HOSPITALIZED? Ves NUMBER HOSPITALIZED: NO	TOTAL NUMBER OF INJURIES TREATED ON-SITE:
DESCRIBE THE INCIDENT, THE TYPE OF EQUIPMENT INVOLVED IN THE RELEASE ENVIRONMENTAL DAMAGE CAUSED BY THE RELEASE. IDENTIFY WHO IMMEDIA name, contact person, and telephone number). ALSO IDENTIFY WHO DID FURTHE CHECK HERE IF DESCRIPTION OR ADDITIONAL COMMENTS ARE INCLUDED O	TELY RESPONDED TO THE INCIDENT (own e R CLEANUP ACTIVITIES, IF PERFORMED OR	mployees or contractor — inclu	de cleanup company
ESTIMATED QUANTITY OF ANY RECOVERED MATERIALS AND A DESCRIPTION OF CHECK HERE IF DESCRIPTION OR ADDITIONAL COMMENTS ARE INCLUDED O		(include disposal method if ap	olicable)
ASSESSMENT OF ACTUAL OR POTENTIAL HAZARDS TO HUMAN HEALTH (include regarding medical attention necessary for exposed individuals.)		layed effects, and where approp	oriate, advice
MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY NOTIFIED:	OTHER ENTITIES NOTIFIED:		
INITIAL CONTACT BY: 🗌 Telephone 🗌 Fax 🗌 Email 🗌 Other		C	ate: Time:
DATE/TIME INITIAL CONTACT:	National Response Center (NR	C): 800-424-8802 _	
	US Coast Guard Office:	2	
PEAS: 800-292-4706 Log Number Assigned	Detroit Grand Haven Sau		
DEQ District or Field Office Divisions or Offices Contacted:	US Department of Transportati		
Bay City Jackson Land & Water Management	US Environmental Protection A	274 CODE	
Cadillac Kalamazoo Office Geological Survey	Local Fire Department		
Crystal Falls Lansing Remediation and	Local Police and/or State Polic	e _	
Detroit Newberry Redevelopment	Local Emergency Planning Con		
Gaylord Warren Waste and Hazardous Grand Rapids Wyoming Materials	State Emergency Response Co		
DEQ Office locations are subject to change Water Bureau	via MI SARA Title III Program		
n new meeting of the second	Hazmat Team		
	Local Health Department		
NAME AND TITLE OF PERSON MAKING INITIAL REPORT:	Department of Labor & Econor	171	
	Department of Labor & Econor		
×	Michigan Department of Agricu     Other	iture: 800-405-0101	
DEQ STAFF CONTACTED & PHONE NUMBER:	PERSON CONTACTED & PHON	E NUMBER:	
	1		
DATE WRITTEN REPORT SUBMITTED SIGNATURE OF PERSON SUBM	ITTING WRITTEN REPORT		