

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG91209	12/12/2016	Lead	0				Copper	0							48505
LG87608	11/17/2016	Lead	3				Copper	80						FLINT	48503
LG86700	11/14/2016	Lead				4	Copper				0			FLINT	48506
LG91178	12/12/2016	Lead	3	10	8		Copper	0	70	50				FLINT	48505
LG91192	12/12/2016	Lead	0	0	0		Copper	0	0	0		810	8TH ST	FLINT	48504
LG76882	9/26/2016	Lead				0	Copper				0	2305	ADAMS ST	FLINT	48505
LG85321	11/3/2016	Lead	0	5	4		Copper	0	0	0		906	ADDISON ST	FLINT	48506
LG58840	7/12/2016	Lead				32	Copper				90	2408	ALEXANDER ST	FLINT	48503
LG86549	11/10/2016	Lead	2	1	1		Copper	90	0	0		3605	ALEXANDER ST	FLINT	48504
LG91199	12/12/2016	Lead	0	0	0		Copper	80	0	0		703	ALGONQUIN AVE	FLINT	48504
LG64546	8/4/2016	Lead				0	Copper				0	2609	ALPHA WAY	FLINT	48505
LG60209	7/18/2016	Lead				0	Copper				0	2914	ALPHA WAY	FLINT	48506
LG87354	11/17/2016	Lead				0	Copper				0	2508	ALTOONA ST	FLINT	48507
LG75358	9/21/2016	Lead				6	Copper				0	2508	ALTOONA ST	FLINT	48504
LG60671	7/19/2016	Lead				9	Copper				0	2508	ALTOONA ST	FLINT	48505
LG67924	8/18/2016	Lead				39	Copper				0	2508	ALTOONA ST	FLINT	48507
LG81114	10/10/2016	Lead				0	Copper				0	523	ALVORD AVE	FLINT	48504
LG88701	11/28/2016	Lead	1	1	1		Copper	0	0	0		620	ALVORD AVE	FLINT	48503
LG88688	11/28/2016	Lead	1	3	3		Copper	90	0	0		620	ALVORD AVE	FLINT	48503
LG67858	8/18/2016	Lead				0	Copper				0	627	ALVORD AVE	FLINT	48507
LG87422	11/17/2016	Lead				0	Copper				0	627	ALVORD AVE	FLINT	***
LG60617	7/19/2016	Lead				1	Copper				0	627	ALVORD AVE	FLINT	48504
LG75380	9/21/2016	Lead				2	Copper				0	627	ALVORD AVE	FLINT	48506
LG87447	11/17/2016	Lead				4	Copper				0	631	ALVORD AVE	FLINT	48503
LG60621	7/19/2016	Lead				5	Copper				0	631	ALVORD AVE	FLINT	48502
LG67888	8/18/2016	Lead				6	Copper				0	631	ALVORD AVE	FLINT	48503
LG75297	9/21/2016	Lead				7	Copper				0	631	ALVORD AVE	FLINT	48507
LG60612	7/19/2016	Lead				2	Copper				170	635	ALVORD AVE	FLINT	48507
LG68219	8/19/2016	Lead				2	Copper				0	635	ALVORD AVE	FLINT	48503
LG75284	9/21/2016	Lead				2	Copper				0	635	ALVORD AVE	FLINT	48503
LG87391	11/17/2016	Lead				2	Copper				110	635	ALVORD AVE	FLINT	48502
LG76091	9/22/2016	Lead				0	Copper				0	639	ALVORD AVE	FLINT	48505
LG61197	7/20/2016	Lead				1	Copper				0	639	ALVORD AVE	FLINT	48505
LG68216	8/19/2016	Lead				2	Copper				0	639	ALVORD AVE	FLINT	48507
LG88546	11/23/2016	Lead				2	Copper				0	639	ALVORD AVE	FLINT	48505
LG60638	7/19/2016	Lead				2	Copper				110	651	ALVORD AVE	FLINT	48505
LG67851	8/18/2016	Lead				2	Copper				100	651	ALVORD AVE	FLINT	48506
LG88151	11/21/2016	Lead				2	Copper				0	651	ALVORD AVE	FLINT	48503
LG75290	9/21/2016	Lead				3	Copper				0	651	ALVORD AVE	FLINT	48507
LG60637	7/19/2016	Lead				2	Copper				0	705	ALVORD AVE	FLINT	48504
LG67947	8/18/2016	Lead				2	Copper				0	705	ALVORD AVE	FLINT	48463
LG75293	9/21/2016	Lead				2	Copper				0	705	ALVORD AVE	FLINT	48503
LG88154	11/21/2016	Lead				4	Copper				0	705	ALVORD AVE	FLINT	48506
LG91208	12/12/2016	Lead	0				Copper	0				714	ALVORD AVE	FLINT	48504
LG60630	7/19/2016	Lead				2	Copper				0	717	ALVORD AVE	FLINT	48507
LG75328	9/21/2016	Lead				2	Copper				0	717	ALVORD AVE	FLINT	48506
LG87439	11/17/2016	Lead				2	Copper				0	717	ALVORD AVE	FLINT	48503
LG68443	8/22/2016	Lead				4	Copper				0	717	ALVORD AVE	FLINT	48504
LG60633	7/19/2016	Lead				2	Copper				0	725	ALVORD AVE	FLINT	48504
LG91216	12/12/2016	Lead	0				Copper	0				729	ALVORD AVE	FLINT	48503
LG91201	12/12/2016	Lead	0				Copper	0				734	ALVORD AVE	FLINT	48503
LG60634	7/19/2016	Lead				0	Copper				0	749	ALVORD AVE	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG67933	8/18/2016	Lead				0	Copper				0	749	ALVORD AVE	FLINT	48503
LG75287	9/21/2016	Lead				0	Copper				0	749	ALVORD AVE	FLINT	48503
LG91213	12/12/2016	Lead	0				Copper	0				814	ALVORD AVE	FLINT	48504
LG91202	12/12/2016	Lead	0				Copper	0				817	ALVORD AVE	FLINT	48503
LG91211	12/12/2016	Lead	0				Copper	0				817	ALVORD AVE	FLINT	48504
LG76881	9/26/2016	Lead				4	Copper				0	817	ALVORD AVE	FLINT	48503
LG85326	11/3/2016	Lead	2	2	2		Copper	70	0	0		1201	ALVORD AVE	FLINT	48503
LG85336	11/3/2016	Lead	2	1	1		Copper	0	0	0		1201	ALVORD AVE	FLINT	48504
LG62992	7/28/2016	Lead				3	Copper				0	1201	ALVORD AVE	FLINT	48503
LG69533	8/25/2016	Lead				3	Copper				0	1201	ALVORD AVE	FLINT	48507
LG76877	9/26/2016	Lead				3	Copper				0	1201	ALVORD AVE	FLINT	48503
LG88656	11/28/2016	Lead				0	Copper				0	650	ANN ARBOR	FLINT	48439
LG68477	8/22/2016	Lead				3	Copper				0	818	ANN ARBOR ST	FLINT	48506
LG73836	9/14/2016	Lead				8	Copper				350	123	ANY ST	FLINT	48505
LG73835	9/14/2016	Lead				64	Copper				500	123	ANY ST	FLINT	48504
LG60652	7/19/2016	Lead				4	Copper				0	1713	ARIZONA AVE	FLINT	48504
LG75331	9/21/2016	Lead				6	Copper				0	1713	ARIZONA AVE	FLINT	48503
LG87324	11/17/2016	Lead				7	Copper				0	1713	ARIZONA AVE	FLINT	48507
LG67903	8/18/2016	Lead				24	Copper				0	1713	ARIZONA AVE	FLINT	48505
LG84529	10/31/2016	Lead	0	0	0		Copper	150	190	180		2910	ARIZONA AVE	FLINT	48504
LG70045	8/29/2016	Lead				0	Copper				50	3129	ARIZONA AVE	FLINT	48504
LG83445	10/24/2016	Lead	4	4	4		Copper	120	70	80		3146	ARIZONA AVE	FLINT	48504
LG58354	7/11/2016	Lead				3	Copper				0	3517	ARLENE AVE	FLINT	48457
LG69546	8/25/2016	Lead				7	Copper				160	1505	ARROW LN	FLINT	48505
LG69488	8/25/2016	Lead				10	Copper				0	1505	ARROW LN	FLINT	48504
LG69489	8/25/2016	Lead				10	Copper				0	1505	ARROW LN	FLINT	48503
LG60813	7/20/2016	Lead				88	Copper				100	1505	ARROW LN	FLINT	48503
LG69541	8/25/2016	Lead				225	Copper				60	1505	ARROW LN	FLINT	48503
LG67869	8/18/2016	Lead				348	Copper				90	1505	ARROW LN	FLINT	48505
LG85705	11/7/2016	Lead				0	Copper				0	460	ATHERTON	FLINT	48506
LG84517	10/31/2016	Lead				0	Copper				0	120	ATHERTON RD	FLINT	48505
LG69535	8/25/2016	Lead				0	Copper				140	1214	AVE A	FLINT	48532
LG58839	7/12/2016	Lead				0	Copper				330	2607	AVE A	FLINT	48503
LG66327	8/11/2016	Lead				0	Copper				0	2724	AVE A APT #4	FLINT	48504
LG60780	7/20/2016	Lead				0	Copper				80	1220	AVE B	FLINT	48504
LG67935	8/18/2016	Lead				0	Copper				110	1220	AVE B	FLINT	48532
LG58847	7/12/2016	Lead				4	Copper				150	1402	AVE B	FLINT	48503
LG74851	9/19/2016	Lead				1	Copper				0	1534	AVENUE A	FLINT	48501
LG76248	9/22/2016	Lead				0	Copper				0	1538	AVENUE A	FLINT	48503
LG75345	9/21/2016	Lead				0	Copper				50	1220	AVENUE B	FLINT	***
LG87402	11/17/2016	Lead				0	Copper				50	1220	AVENUE B	FLINT	48503
LG64998	8/8/2016	Lead				2	Copper				80	509	AVON ST	FLINT	48503
LG69561	8/25/2016	Lead				3	Copper				0	610	AVON ST	FLINT	48504
LG91176	12/12/2016	Lead	0	0	0		Copper	0	0	0		810	AVON ST	FLINT	48506
LG57983	7/7/2016	Lead				0	Copper				60	507B	AVON ST	FLINT	48503
LG64999	8/8/2016	Lead				2	Copper				0	507	AVON ST Apt #A	FLINT	***
LG85334	11/3/2016	Lead	0	0	0		Copper	0	0	0		718	AXFORD ST	FLINT	48504
LG88160	11/21/2016	Lead	5	6	6		Copper	80	0	0		2501	BAGLEY	FLINT	48507
LG85314	11/3/2016	Lead	0	0	0		Copper	0	0	0		2212	BAGLEY ST	FLINT	48506
LG88729	11/28/2016	Lead	13	12	12		Copper	60	80	70		2420	BAGLEY ST	FLINT	48507
LG86551	11/10/2016	Lead	4	1	2		Copper	60	0	0		2424	BAGLEY ST	FLINT	48502
LG85363	11/3/2016	Lead				3	Copper				0	2534	BAGLEY ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG64531	8/4/2016	Lead				0	Copper				60	2565	BAGLEY ST	FLINT	48503
LG64535	8/4/2016	Lead				0	Copper				0	2565	BAGLEY ST	FLINT	48503
LG61545	7/21/2016	Lead				0	Copper				70	5602	BALDWIN BLVD	FLINT	48502
LG74868	9/19/2016	Lead				0	Copper				0	5602	BALDWIN BLVD	FLINT	48504
LG79587	10/3/2016	Lead				0	Copper				0	5602	BALDWIN BLVD	FLINT	48504
LG83013	10/20/2016	Lead				0	Copper				0	5602	BALDWIN BLVD	FLINT	48503
LG88144	11/21/2016	Lead				0	Copper				0	5602	BALDWIN BLVD	FLINT	48458
LG68004	8/18/2016	Lead				3	Copper				0	5602	BALDWIN BLVD	FLINT	48503
LG68011	8/18/2016	Lead				10	Copper				70	5602	BALDWIN BLVD	FLINT	48503
LG68005	8/18/2016	Lead				12	Copper				250	5602	BALDWIN BLVD	FLINT	48504
LG61546	7/21/2016	Lead				79	Copper				170	5602	BALDWIN BLVD	FLINT	48504
LG70073	8/29/2016	Lead				0	Copper				0	3601	BALFOUR CT APT 9	FLINT	48506
LG92044	12/15/2016	Lead				0	Copper				50	2113	BALLANGER HWY	FLINT	48504
LG90800	12/8/2016	Lead				0	Copper				60	1006	BALLENGER	FLINT	48505
LG90778	12/8/2016	Lead				0	Copper				0	1059	BALLENGER	FLINT	48505
LG64520	8/4/2016	Lead				0	Copper				0	517	BANGS ST	FLINT	48503
LG57994	7/7/2016	Lead				0	Copper				80	1701	BARBARA DR	FLINT	48503
LG85366	11/3/2016	Lead				0	Copper				70	2010	BARK ST	FLINT	48503
LG61504	7/21/2016	Lead				0	Copper				0	1934	BARKS ST	FLINT	48504
LG89418	12/1/2016	Lead	0	0	0		Copper	0	0	0		1934	BARKS ST	FLINT	48504
LG61940	7/25/2016	Lead				2	Copper				0	1934	BARKS ST	FLINT	48505
LG62983	7/28/2016	Lead				2	Copper				0	1934	BARKS ST	FLINT	48506
LG63366	8/1/2016	Lead				0	Copper				60	2010	BARKS ST	FLINT	48505
LG69504	8/25/2016	Lead				0	Copper				70	2010	BARKS ST	FLINT	48505
LG76253	9/22/2016	Lead				0	Copper				0	2010	BARKS ST	FLINT	48503
LG91163	12/12/2016	Lead				0	Copper				80	2010	BARKS ST	FLINT	48529
LG83432	10/24/2016	Lead				0	Copper				0	2042	BARKS ST	FLINT	48503
LG67969	8/18/2016	Lead				1	Copper				0	1026	BARLOW AVE	FLINT	48507
LG61540	7/21/2016	Lead				0	Copper				0	818	BARNES AVE	FLINT	48504
LG82137	10/17/2016	Lead				0	Copper				0	1417	BARNEY AVE	FLINT	48503
LG59589	7/14/2016	Lead				0	Copper				0	905	BARRIE AVE	FLINT	48506
LG70050	8/29/2016	Lead				6	Copper				0	1125	BARRIE AVE	FLINT	48506
LG83437	10/24/2016	Lead	0	0	0		Copper	0	0	0		1122	BARRINGTON DR	FLINT	48503
LG85313	11/3/2016	Lead	0	0	0		Copper	0	0	0		1122	BARRINGTON DR	FLINT	48503
LG90819	12/8/2016	Lead	0	0	0		Copper	0	0	0		1142	BARRINGTON DRIVE	FLINT	***
LG71376	9/6/2016	Lead				0	Copper				0	1421	BARRYWOOD LN	FLINT	48507
LG62996	7/28/2016	Lead				15	Copper				0	2005	BARTH ST	FLINT	48504
LG61547	7/21/2016	Lead				4	Copper				60	2315	BARTH ST	FLINT	48532
LG58067	7/7/2016	Lead				0	Copper				0	2944	BARTH ST	FLINT	48504
LG85337	11/3/2016	Lead	0	0	0		Copper	130	150	150		3102	BARTH ST	FLINT	48507
LG61925	7/25/2016	Lead				0	Copper				80	3220	BARTH ST	FLINT	***
LG61934	7/25/2016	Lead				2	Copper				0	3220	BARTH ST	FLINT	48503
LG58022	7/7/2016	Lead				0	Copper				0	200	BARTON ST	FLINT	48507
LG70057	8/29/2016	Lead				0	Copper				60	2426	BASSETT PL	FLINT	48503
LG84133	10/27/2016	Lead	0	0	0		Copper	50	50	50		2426	BASSETT PL	FLINT	48507
LG58065	7/7/2016	Lead				0	Copper				210	930	BEACH ST	FLINT	48507
LG58063	7/7/2016	Lead				14	Copper				780	930	BEACH ST	FLINT	48503
LG71021	9/1/2016	Lead				0	Copper				0	1505	BEACH ST	FLINT	48505
LG72818	9/12/2016	Lead				10	Copper				0	926	BEARD	FLINT	48503
LG85702	11/7/2016	Lead				6	Copper				0	926	BEARD ST	FLINT	48503
LG68002	8/18/2016	Lead				12	Copper				0	926	BEARD ST	FLINT	48503
LG81108	10/10/2016	Lead				18	Copper				0	926	BEARD ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG61947	7/25/2016	Lead				44	Copper				0	926	BEARD ST	FLINT	48502
LG57986	7/7/2016	Lead				5	Copper				0	1320	BEARD ST	FLINT	48504
LG60221	7/18/2016	Lead				16	Copper				110	3714	BEECHER RD	FLINT	48506
LG72162	9/8/2016	Lead				160	Copper				80	3714	BEECHER RD	FLINT	48504
LG59571	7/14/2016	Lead				0	Copper				150	3220	BEECHWOOD AVE	FLINT	48505
LG59580	7/14/2016	Lead				2	Copper				100	3220	BEECHWOOD AVE	FLINT	48503
LG86554	11/10/2016	Lead	0	0	0		Copper	0	0	0		3713	BEECHWOOD AVE	FLINT	48505
LG66709	8/15/2016	Lead				0	Copper				0	3814	BEECHWOOD AVE	FLINT	48503
LG84141	10/27/2016	Lead	0	0	0		Copper	0	0	0		3814	BEECHWOOD AVE	FLINT	***
LG59568	7/14/2016	Lead				0	Copper				0	2011	BEEKMAN CT	FLINT	48507
LG89869	12/5/2016	Lead	0	0	0		Copper	50	0	0		1502	BEGOLE ST	FLINT	48504
LG78672	9/29/2016	Lead				11	Copper				0	2326	BEGOLE ST	FLINT	48503
LG69528	8/25/2016	Lead				25	Copper				70	2326	BEGOLE ST	FLINT	48507
LG63349	8/1/2016	Lead				11	Copper				0	2701	BEGOLE ST	FLINT	48420
LG87380	11/17/2016	Lead				1	Copper				0	2721	BEGOLE ST	FLINT	48504
LG67846	8/18/2016	Lead				2	Copper				0	2721	BEGOLE ST	FLINT	48504
LG60797	7/20/2016	Lead				43	Copper				250	2721	BEGOLE ST	FLINT	48507
LG75360	9/21/2016	Lead				67	Copper				210	2721	BEGOLE ST	FLINT	48505
LG81790	10/13/2016	Lead				0	Copper				0	2722	BEGOLE ST	FLINT	48504
LG89423	12/1/2016	Lead	0	0	0		Copper	50	0	0		2722	BEGOLE ST	FLINT	48507
LG89425	12/1/2016	Lead	0	0	0		Copper	0	0	0		2722	BEGOLE ST	FLINT	48507
LG64542	8/4/2016	Lead				1	Copper				0	2812	BEGOLE ST	FLINT	48505
LG69558	8/25/2016	Lead				0	Copper				0	1309	BELLCREEK DR	FLINT	48507
LG78684	9/29/2016	Lead				0	Copper				0	1328	BELLCREEK DR	FLINT	48503
LG84137	10/27/2016	Lead	1	0	0		Copper	50	0	0		1328	BELLCREEK DR	FLINT	48504
LG57977	7/7/2016	Lead				5	Copper				0	1328	BELLCREEK DR	FLINT	48503
LG58834	7/12/2016	Lead				0	Copper				0	1329	BELLCREEK DR	FLINT	48505
LG58030	7/7/2016	Lead				4	Copper				80	1430	BELLE AVE	FLINT	48504
LG61508	7/21/2016	Lead				23	Copper				0	1738	BELLE AVE	FLINT	48505
LG84124	10/27/2016	Lead	0	0	0		Copper	0	0	0		6609	BELLTREE LN	FLINT	48505
LG57993	7/7/2016	Lead				2	Copper				0	812	BELMONT AVE	FLINT	48504
LG61513	7/21/2016	Lead				2	Copper				0	812	BELMONT AVE	FLINT	48504
LG61507	7/21/2016	Lead				3	Copper				0	812	BELMONT AVE	FLINT	48504
LG81793	10/13/2016	Lead				2	Copper				60	1525	BENNETT AVE	FLINT	48503
LG66710	8/15/2016	Lead				2	Copper				0	3135	BENNETT AVE	FLINT	48506
LG58869	7/12/2016	Lead				3	Copper				60	3135	BENNETT AVE	FLINT	48504
LG63012	7/28/2016	Lead				4	Copper				60	3135	BENNETT AVE	FLINT	48503
LG90828	12/8/2016	Lead	3	7	6		Copper	80	50	60		3135	BENNETT AVE	FLINT	48503
LG61493	7/21/2016	Lead				0	Copper				130	3312	BENNETT AVE	FLINT	48506
LG84530	10/31/2016	Lead	0	0	0		Copper	60	0	0		3312	BENNETT AVE	FLINT	48507
LG72828	9/12/2016	Lead				2	Copper				0	2327	BERKLEY ST	FLINT	48507
LG72833	9/12/2016	Lead				3	Copper				0	2327	BERKLEY ST	FLINT	48503
LG65016	8/8/2016	Lead				2	Copper				0	2509	BERKLEY ST	FLINT	48503
LG72794	9/12/2016	Lead				0	Copper				270	2722	BERKLEY ST	FLINT	48503
LG72797	9/12/2016	Lead				0	Copper				80	2722	BERKLEY ST	FLINT	48503
LG88161	11/21/2016	Lead	0	0	0		Copper	0	0	0		2821	BERKLEY ST	FLINT	48503
LG72816	9/12/2016	Lead				0	Copper				0	1409	BERRYWOOD LN	FLINT	48503
LG66708	8/15/2016	Lead				1	Copper				0	1418	BERRYWOOD LN	FLINT	48505
LG58864	7/12/2016	Lead				0	Copper				0	1522	BERRYWOOD LN	FLINT	48505
LG58024	7/7/2016	Lead				0	Copper				0	3036	BERTHA AVE	FLINT	48507
LG71367	9/6/2016	Lead				0	Copper				0	2420	BETA LN	FLINT	48504
LG89414	12/1/2016	Lead	0	0	0		Copper	0	0	0		2461	BEVERLY BLVD	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG67890	8/18/2016	Lead				0	Copper				0	4401	BILLINGS ST	FLINT	48503
LG60619	7/19/2016	Lead				1	Copper				60	4401	BILLINGS ST	FLINT	48503
LG75310	9/21/2016	Lead				1	Copper				60	4401	BILLINGS ST	FLINT	48503
LG87415	11/17/2016	Lead				1	Copper				60	4401	BILLINGS ST	FLINT	48503
LG59584	7/14/2016	Lead				0	Copper				0	4701	BIRCHCREST DR	FLINT	48503
LG69560	8/25/2016	Lead				0	Copper				70	1402	BLACKBERRY LN	FLINT	48503
LG87682	11/17/2016	Lead	3	3	3		Copper	240	170	190		1408	BLACKBERRY LN	FLINT	48503
LG78675	9/29/2016	Lead				6	Copper				180	1408	BLACKBERRY LN	FLINT	48504
LG66775	8/15/2016	Lead				0	Copper				310	3901	BLACKINGTON AVE	FLINT	48504
LG69529	8/25/2016	Lead				0	Copper				60	3931	BLACKINGTON AVE	FLINT	48504
LG66712	8/15/2016	Lead				2	Copper				0	4006	BLACKINGTON AVE	FLINT	48502
LG88676	11/28/2016	Lead	1	1	1		Copper	60	0	0		1310	BLANCHARD	FLINT	48504
LG74839	9/19/2016	Lead				1	Copper				0	702	BLANCHARD AVE	FLINT	48503
LG74846	9/19/2016	Lead				5	Copper				0	702	BLANCHARD AVE	FLINT	48439
LG64561	8/4/2016	Lead				2	Copper				0	801	BLANCHARD AVE	FLINT	48503
LG71355	9/6/2016	Lead				4	Copper				80	901	BLANCHARD AVE	FLINT	48505
LG59575	7/14/2016	Lead				2	Copper				80	914	BLANCHARD AVE	FLINT	48507
LG71370	9/6/2016	Lead				0	Copper				0	1025	BLANCHARD AVE	FLINT	48503
LG60779	7/20/2016	Lead				1	Copper				0	1206	BLANCHARD AVE	FLINT	48504
LG87429	11/17/2016	Lead				3	Copper				60	1206	BLANCHARD AVE	FLINT	48502
LG75383	9/21/2016	Lead				7	Copper				70	1206	BLANCHARD AVE	FLINT	48507
LG74240	9/15/2016	Lead				0	Copper				0	1213	BLANCHARD AVE	FLINT	48507
LG78665	9/29/2016	Lead				0	Copper				60	1213	BLANCHARD AVE	FLINT	48503
LG69551	8/25/2016	Lead				2	Copper				0	1213	BLANCHARD AVE	FLINT	48507
LG86532	11/10/2016	Lead	1	2	2		Copper	0	0	0		1213	BLANCHARD AVE	FLINT	48502
LG82140	10/17/2016	Lead				4	Copper				0	1305	BLANCHARD AVE	FLINT	48504
LG88673	11/28/2016	Lead	0	0	0		Copper	0	0	0		1310	BLANCHARD AVE	FLINT	48503
LG88697	11/28/2016	Lead	2	3	3		Copper	0	0	0		1318	BLANCHARD AVE	FLINT	48504
LG88694	11/28/2016	Lead	5	6	6		Copper	90	0	0		1318	BLANCHARD AVE	FLINT	48505
LG85324	11/3/2016	Lead	6	7	7		Copper	0	0	0		1318	BLANCHARD AVE	FLINT	48504
LG85331	11/3/2016	Lead	32	13	18		Copper	90	50	60		1318	BLANCHARD AVE	FLINT	48504
LG81782	10/13/2016	Lead				0	Copper				50	1406	BLUEBERRY LN	FLINT	48507
LG87382	11/17/2016	Lead				3	Copper				90	1410	BLUEBERRY LN	FLINT	48503
LG79583	10/3/2016	Lead				4	Copper				90	1410	BLUEBERRY LN	FLINT	48507
LG60610	7/19/2016	Lead				5	Copper				70	1410	BLUEBERRY LN	FLINT	48437
LG75385	9/21/2016	Lead				5	Copper				70	1410	BLUEBERRY LN	FLINT	48503
LG67847	8/18/2016	Lead				11	Copper				80	1410	BLUEBERRY LN	FLINT	48503
LG76233	9/22/2016	Lead				0	Copper				50	936	BRADLEY AVE	FLINT	48503
LG76255	9/22/2016	Lead				2	Copper				60	1517	BRADLEY AVE	FLINT	48503
LG85713	11/7/2016	Lead	2	0	0		Copper	0	0	0		1529	BRADLEY AVE	FLINT	48507
LG78674	9/29/2016	Lead				1	Copper				60	1537	BRADLEY AVE	FLINT	48503
LG64533	8/4/2016	Lead				0	Copper				0	4901	BRANCH RD	FLINT	48505
LG58865	7/12/2016	Lead				0	Copper				0	5805	BRANCH RD	FLINT	48507
LG80752	10/6/2016	Lead				1	Copper				0	5809	BRANCH RD	FLINT	48504
LG80758	10/6/2016	Lead				9	Copper				70	5809	BRANCH RD	FLINT	48503
LG84522	10/31/2016	Lead				0	Copper				0	G-3376	BRANCH RD	FLINT	48503
LG71332	9/6/2016	Lead				0	Copper				0	G-3426	BRANCH RD	FLINT	48502
LG85537	11/10/2016	Lead	0	0	0		Copper	50	0	0		G-3426	BRANCH RD	FLINT	48506
LG88709	11/28/2016	Lead	0	0	0		Copper	130	80	90		3510	BRANDON	FLINT	48503
LG83438	10/24/2016	Lead	0	0	0		Copper	0	0	0		2709	BRANDON ST	FLINT	48507
LG71358	9/6/2016	Lead				0	Copper				60	2769	BRANDON ST	FLINT	48503
LG70059	8/29/2016	Lead				0	Copper				0	2837	BRANDON ST	FLINT	48506

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG70069	8/29/2016	Lead				6	Copper				0	2837	BRANDON ST	FLINT	48507
LG79602	10/3/2016	Lead				0	Copper				100	2913	BRANDON ST	FLINT	48507
LG83423	10/24/2016	Lead				0	Copper				0	3010	BRANDON ST	FLINT	48503
LG83026	10/20/2016	Lead				0	Copper				90	3510	BRANDON ST	FLINT	48503
LG83443	10/24/2016	Lead	0	0	0		Copper	90	70	80		3510	BRANDON ST	FLINT	48505
LG84136	10/27/2016	Lead	3	3	3		Copper	80	70	70		3510	BRANDON ST	FLINT	48507
LG70040	8/29/2016	Lead				0	Copper				0	6497	BRAY RD	FLINT	48507
LG80753	10/6/2016	Lead				0	Copper				0	3318	BRENTWOOD DR	FLINT	48504
LG61517	7/21/2016	Lead				0	Copper				60	2125	BRIAR HILL RD	FLINT	48505
LG61516	7/21/2016	Lead				25	Copper				1,440	2125	BRIAR HILL RD	FLINT	48507
LG91188	12/12/2016	Lead	0	0	0		Copper	50	0	0		1802	BRIARWOOD DR	FLINT	48504
LG72790	9/12/2016	Lead				0	Copper				70	3125	BRIARWOOD DR	FLINT	48503
LG86697	11/14/2016	Lead				0	Copper				160	3402	BRIARWOOD DR	FLINT	48503
LG58867	7/12/2016	Lead				3	Copper				80	1437	BROADWAY BLVD	FLINT	48504
LG88129	11/21/2016	Lead				43	Copper				60	1437	BROADWAY BLVD	FLINT	48507
LG76884	9/26/2016	Lead				190	Copper				140	1437	BROADWAY BLVD	FLINT	48505
LG86547	11/10/2016	Lead	0	0	0		Copper	60	0	0		906	BROOKHOLLOW CT APT 2B	FLINT	48504
LG81787	10/13/2016	Lead				0	Copper				60	902	BROOKHOLLOW DR APT 1F	FLINT	48504
LG60778	7/20/2016	Lead				0	Copper				0	1626	BROOKSIDE DR	FLINT	48503
LG67864	8/18/2016	Lead				0	Copper				0	1626	BROOKSIDE DR	FLINT	48503
LG75392	9/21/2016	Lead				0	Copper				0	1626	BROOKSIDE DR	FLINT	48507
LG87326	11/17/2016	Lead				0	Copper				0	1626	BROOKSIDE DR	FLINT	48503
LG74858	9/19/2016	Lead				0	Copper				60	2015	BROOKSIDE DR	FLINT	48503
LG87437	11/17/2016	Lead				1	Copper				100	2317	BROOKSIDE DR	FLINT	48503
LG60681	7/19/2016	Lead				12	Copper				130	2317	BROOKSIDE DR	FLINT	48503
LG67910	8/18/2016	Lead				20	Copper				100	2317	BROOKSIDE DR	FLINT	48504
LG84172	10/27/2016	Lead				0	Copper				140	2321	BROOKSIDE DR	FLINT	48503
LG87681	11/17/2016	Lead	3	0	0		Copper	0	0	0		2513	BROOKSIDE DR	FLINT	48503
LG70074	8/29/2016	Lead				0	Copper				0	2615	BROOKSIDE DR	FLINT	48505
LG88163	11/21/2016	Lead	0	0	0		Copper	110	60	70		1768	BROOKSIDE DRIVE	FLINT	48506
LG89881	12/5/2016	Lead	2				Copper	0				2209	BROWN ST	FLINT	48504
LG71024	9/1/2016	Lead				0	Copper				0	3401	BROWN ST	FLINT	48506
LG59592	7/14/2016	Lead				1	Copper				0	3406	BROWN ST	FLINT	48504
LG63354	8/1/2016	Lead				0	Copper				0	3925	BROWN ST	FLINT	48507
LG63355	8/1/2016	Lead				0	Copper				0	3925	BROWN ST	FLINT	48504
LG89429	12/1/2016	Lead	0				Copper	0				2419	BROWNELL BLVD	FLINT	48503
LG67993	8/18/2016	Lead				5	Copper				0	2619	BROWNELL BLVD	FLINT	48507
LG64556	8/4/2016	Lead				0	Copper				0	3505	BROWNELL BLVD	FLINT	***
LG64560	8/4/2016	Lead				0	Copper				0	3505	BROWNELL BLVD	FLINT	***
LG89404	12/1/2016	Lead				0	Copper				0	3602	BROWNELL BLVD	FLINT	48507
LG63002	7/28/2016	Lead				0	Copper				0	4213	BROWNELL BLVD	FLINT	48503
LG81795	10/13/2016	Lead				0	Copper				0	4226	BROWNELL BLVD	FLINT	48503
LG81796	10/13/2016	Lead				0	Copper				0	4226	BROWNELL BLVD	FLINT	48503
LG66705	8/15/2016	Lead				0	Copper				0	4230	BROWNELL BLVD	FLINT	48505
LG66704	8/15/2016	Lead				1	Copper				0	4230	BROWNELL BLVD	FLINT	48507
LG70078	8/29/2016	Lead				1	Copper				50	354	BROWNING AVE	FLINT	48504
LG86558	11/10/2016	Lead	0	0	0		Copper	60	0	0		143	BRUCE ST	FLINT	48503
LG67997	8/18/2016	Lead				0	Copper				0	4009	BRUNSWICK AVE	FLINT	48506
LG70070	8/29/2016	Lead				5	Copper				0	4206	BRUNSWICK AVE	FLINT	48506
LG71328	9/6/2016	Lead				0	Copper				0	4209	BRUNSWICK AVE	FLINT	48505
LG69531	8/25/2016	Lead				0	Copper				0	3201	BRYN MAWR PL	FLINT	48503
LG69526	8/25/2016	Lead				3	Copper				0	3201	BRYN MAWR PL	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG89835	12/5/2016	Lead				0	Copper				0	515	BUCKHAM ALLEY	FLINT	48503
LG83421	10/24/2016	Lead				1	Copper				230	515	BUCKHAM ALLEY	FLINT	48505
LG82126	10/17/2016	Lead				0	Copper				0	522	BUCKHAM ALLEY	FLINT	48504
LG74844	9/19/2016	Lead				1	Copper				0	415	BUCKINGHAM AVE	FLINT	48503
LG57974	7/7/2016	Lead				0	Copper				0	540	BUCKINGHAM AVE	FLINT	48503
LG74248	9/15/2016	Lead				0	Copper				0	905	BUCKINGHAM AVE	FLINT	48503
LG86530	11/10/2016	Lead	0	0	0		Copper	0	0	0		905	BUCKINGHAM AVE	FLINT	48504
LG61615	7/21/2016	Lead				0	Copper				0	3318	BUICK ST	FLINT	48506
LG72151	9/8/2016	Lead				1	Copper				60	3402	BUICK ST	FLINT	48503
LG72163	9/8/2016	Lead				60	Copper				50	3402	BUICK ST	FLINT	48503
LG74216	9/15/2016	Lead				0	Copper				0	3215	BURGESS ST	FLINT	48503
LG91165	12/12/2016	Lead				3	Copper				0	3722	BURGESS ST	FLINT	48507
LG91164	12/12/2016	Lead				5	Copper				70	3722	BURGESS ST	FLINT	48507
LG58877	7/12/2016	Lead				8	Copper				70	3722	BURGESS ST	FLINT	48503
LG62986	7/28/2016	Lead				9	Copper				0	3722	BURGESS ST	FLINT	48504
LG58875	7/12/2016	Lead				11	Copper				0	3722	BURGESS ST	FLINT	48503
LG62984	7/28/2016	Lead				14	Copper				110	3722	BURGESS ST	FLINT	48503
LG91166	12/12/2016	Lead				19	Copper				110	3722	BURGESS ST	FLINT	48503
LG88679	11/28/2016	Lead	2	0	0		Copper	60	50	50		3901	BURGESS ST	FLINT	48504
LG89856	12/5/2016	Lead	0	0	0		Copper	0	0	0		1110	BURLINGTON	FLINT	48503
LG84543	10/31/2016	Lead	2	0	0		Copper	0	0	0		1130	BURLINGTON DR	FLINT	48506
LG62985	7/28/2016	Lead				6	Copper				0	429	BURROUGHS AVE	FLINT	48503
LG59567	7/14/2016	Lead				0	Copper				60	514	BURROUGHS AVE	FLINT	48503
LG68452	8/22/2016	Lead				0	Copper				0	544	BURROUGHS AVE	FLINT	48505
LG68462	8/22/2016	Lead				0	Copper				0	544	BURROUGHS AVE	FLINT	48507
LG61487	7/21/2016	Lead				0	Copper				0	2037	CADILLAC ST	FLINT	48504
LG69556	8/25/2016	Lead				0	Copper				0	2037	CADILLAC ST	FLINT	48503
LG83436	10/24/2016	Lead	0	0	0		Copper	0	0	0		2100	CADILLAC ST	FLINT	48503
LG72831	9/12/2016	Lead				0	Copper				70	2107	CALUMET ST	FLINT	48504
LG76251	9/22/2016	Lead				0	Copper				70	2107	CALUMET ST	FLINT	48503
LG75315	9/21/2016	Lead				2	Copper				0	2319	CALUMET ST	FLINT	48503
LG87400	11/17/2016	Lead				3	Copper				0	2319	CALUMET ST	FLINT	48504
LG60655	7/19/2016	Lead				4	Copper				0	2319	CALUMET ST	FLINT	48505
LG67871	8/18/2016	Lead				13	Copper				0	2319	CALUMET ST	FLINT	48503
LG87692	11/17/2016	Lead	0	0	0		Copper	0	0	0		2413	CALUMET ST	FLINT	48504
LG58049	7/7/2016	Lead				6	Copper				70	1926	CAMBRIDGE AVE	FLINT	48503
LG90810	12/8/2016	Lead	2	3	3		Copper	80	0	0		1918	CAMBRIDGE AVENUE	FLINT	48505
LG89882	12/5/2016	Lead	0				Copper	0				621	CAMPBELL ST	FLINT	48506
LG91215	12/12/2016	Lead	0				Copper	0				621	CAMPBELL ST	FLINT	48505
LG91210	12/12/2016	Lead	0				Copper	0				624	CAMPBELL ST	FLINT	48504
LG91218	12/12/2016	Lead	0				Copper	0				624	CAMPBELL ST	FLINT	48504
LG91217	12/12/2016	Lead	0				Copper	0				644	CAMPBELL ST	FLINT	48503
LG82145	10/17/2016	Lead				1	Copper				0	718	CAMPBELL ST	FLINT	48503
LG87793	11/18/2016	Lead				0	Copper				80	734	CAMPBELL ST	FLINT	48504
LG67934	8/18/2016	Lead				1	Copper				70	734	CAMPBELL ST	FLINT	48503
LG60611	7/19/2016	Lead				3	Copper				0	734	CAMPBELL ST	FLINT	48505
LG89884	12/5/2016	Lead	0				Copper	0				805	CAMPBELL ST	FLINT	48503
LG89880	12/5/2016	Lead	0				Copper	0				806	CAMPBELL ST	FLINT	48505
LG91214	12/12/2016	Lead	0				Copper	0				924	CAMPBELL ST	FLINT	48503
LG91219	12/12/2016	Lead	0				Copper	50				1023	CAMPBELL ST	FLINT	48505
LG59596	7/14/2016	Lead				3	Copper				60	822	CAMPBELL ST APT 2	FLINT	48503
LG70038	8/29/2016	Lead				12	Copper				60	2002	CANNIFF ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG74239	9/15/2016	Lead				0	Copper				0	4901	CANTERBURY LN	FLINT	48507
LG74234	9/15/2016	Lead				0	Copper				0	502	CAPO ST	FLINT	48503
LG87616	11/17/2016	Lead	0				Copper	0				0	CARMAN PARK	FLINT	48503
LG89890	12/5/2016	Lead	3				Copper	0				0	CARMAN PARK	FLINT	48503
LG89891	12/5/2016	Lead	27				Copper	60				0	CARMAN PARK	FLINT	48505
LG88117	11/21/2016	Lead	848				Copper	460				0	CARMAN PARK	FLINT	48506
LG87607	11/17/2016	Lead	0				Copper	0					CARMAN PARK	FLINT	48507
LG74247	9/15/2016	Lead				1	Copper				60	1709	CARMANBROOK PKWY	FLINT	48503
LG71001	9/1/2016	Lead				0	Copper				60	1717	CARMANBROOK PKWY	FLINT	48502
LG87698	11/17/2016	Lead	13	6	8		Copper	230	190	200		1747	CARMANBROOK PKWY	FLINT	48505
LG90833	12/8/2016	Lead	15	4	7		Copper	190	180	180		1747	CARMANBROOK PKWY	FLINT	48504
LG77515	9/27/2016	Lead				0	Copper				0	1802	CARMANBROOK PKWY	FLINT	48504
LG77516	9/27/2016	Lead				0	Copper				0	1802	CARMANBROOK PKWY	FLINT	48504
LG61092	7/20/2016	Lead				0	Copper				0	1802	CARMANBROOK PKWY	FLINT	48502
LG61094	7/20/2016	Lead				0	Copper				0	1802	CARMANBROOK PKWY	FLINT	48507
LG61095	7/20/2016	Lead				0	Copper				0	1802	CARMANBROOK PKWY	FLINT	48502
LG77513	9/27/2016	Lead				0	Copper				0	1802	CARMANBROOK PKWY	FLINT	48503
LG77514	9/27/2016	Lead				7	Copper				70	1802	CARMANBROOK PKWY	FLINT	48507
LG66293	8/11/2016	Lead				0	Copper				90	1911	CARMANBROOK PKWY	FLINT	48504
LG74861	9/19/2016	Lead				0	Copper				60	1923	CARMANBROOK PKWY	FLINT	48507
LG58876	7/12/2016	Lead				3	Copper				560	4333	CARMANWOOD DR	FLINT	48504
LG83088	10/20/2016	Lead	0	0	0		Copper	50	0	0		1010	CARSON ST	FLINT	48503
LG87589	11/17/2016	Lead	0				Copper	180					CARTER ELEMENTARY	MOUNTROSE	48507
LG87590	11/17/2016	Lead	0				Copper	160					CARTER ELEMENTARY	MOUNTROSE	48503
LG87602	11/17/2016	Lead	0				Copper	180					CARTER ELEMENTARY	FLINT	48503
LG61550	7/21/2016	Lead				2	Copper				110	1912	CARTIER ST	FLINT	48503
LG69542	8/25/2016	Lead				4	Copper				0	1915	CARTIER ST	FLINT	***
LG69543	8/25/2016	Lead				18	Copper				0	1915	CARTIER ST	FLINT	48503
LG78688	9/29/2016	Lead				2	Copper				0	2008	CARTIER ST	FLINT	48503
LG86526	11/10/2016	Lead	2	2	2		Copper	170	0	0		2111	CARTIER ST	FLINT	48504
LG70064	8/29/2016	Lead				0	Copper				0	4256	CASCADE CT	FLINT	***
LG70071	8/29/2016	Lead				0	Copper				0	4256	CASCADE CT	FLINT	48504
LG82127	10/17/2016	Lead				6	Copper				0	3422	CASSIUS ST	FLINT	48507
LG58017	7/7/2016	Lead				0	Copper				0	3605	CASSIUS ST	FLINT	48503
LG67909	8/18/2016	Lead				0	Copper				70	519	CHALMERS ST	FLINT	48507
LG75403	9/21/2016	Lead				19	Copper				100	519	CHALMERS ST	FLINT	48507
LG60656	7/19/2016	Lead				42	Copper				110	519	CHALMERS ST	FLINT	48503
LG87371	11/17/2016	Lead				89	Copper				110	519	CHALMERS ST	FLINT	48505
LG86536	11/10/2016	Lead	100	1	26		Copper	320	0	80		607	CHALMERS ST	FLINT	48507
LG85711	11/7/2016	Lead	1	0	0		Copper	70	0	0		519	CHANDLER AVE	FLINT	48503
LG67954	8/18/2016	Lead				0	Copper				50	606	CHANDLER AVE	FLINT	48457
LG85725	11/7/2016	Lead	2	1	1		Copper	80	60	60		606	CHANDLER AVE	FLINT	48504
LG57981	7/7/2016	Lead				1	Copper				0	512	CHASE ST	FLINT	48504
LG61521	7/21/2016	Lead				0	Copper				0	2048	CHELAN ST	FLINT	48503
LG69519	8/25/2016	Lead				0	Copper				0	1702	CHELSEA CIR	FLINT	***
LG72808	9/12/2016	Lead				3	Copper				130	1706	CHELSEA CIRLCE	FLINT	48507
LG88167	11/21/2016	Lead	0	0	0		Copper	120	80	90		3118	CHEROKEE AVE	FLINT	48504
LG88669	11/28/2016	Lead	0	0	0		Copper	110	0	0		3118	CHEROKEE AVE	FLINT	48504
LG58052	7/7/2016	Lead				0	Copper				280	3347	CHEYENNE AVE	BURTON	48504
LG64564	8/4/2016	Lead				0	Copper				80	4310	CHEYENNE AVE	FLINT	48507
LG67998	8/18/2016	Lead				0	Copper				0	4319	CHEYENNE AVE	FLINT	48502
LG70076	8/29/2016	Lead				32	Copper				0	4319	CHEYENNE AVE	FLINT	48506

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG83441	10/24/2016	Lead	1	0	0		Copper	0	0	0		2440	CHICAGO BLVD	FLINT	48504
LG84144	10/27/2016	Lead	1	0	0		Copper	0	0	0		2440	CHICAGO BLVD	FLINT	48504
LG71357	9/6/2016	Lead				3	Copper				0	3405	CHICAGO BLVD	FLINT	48504
LG60605	7/19/2016	Lead				0	Copper				90	3514	CHICAGO BLVD	FLINT	48502
LG76097	9/22/2016	Lead				3	Copper				160	3514	CHICAGO BLVD	FLINT	48529
LG87393	11/17/2016	Lead				14	Copper				170	3514	CHICAGO BLVD	FLINT	48504
LG63358	8/1/2016	Lead				0	Copper				60	901	CHIPPEWA ST	FLINT	48504
LG87368	11/17/2016	Lead				4	Copper				0	702	CHURCH ST	FLINT	48505
LG75348	9/21/2016	Lead				5	Copper				0	702	CHURCH ST	FLINT	48503
LG61198	7/20/2016	Lead				8	Copper				0	702	CHURCH ST	FLINT	48503
LG67872	8/18/2016	Lead				9	Copper				0	702	CHURCH ST	FLINT	48503
LG58841	7/12/2016	Lead				0	Copper				0	914	CHURCH ST	FLINT	48503
LG61523	7/21/2016	Lead				0	Copper				0	914	CHURCH ST	FLINT	48506
LG61944	7/25/2016	Lead				0	Copper				0	914	CHURCH ST	FLINT	48503
LG64517	8/4/2016	Lead				0	Copper				0	914	CHURCH ST	FLINT	48503
LG66320	8/11/2016	Lead				0	Copper				130	914	CHURCH ST	FLINT	48507
LG67963	8/18/2016	Lead				0	Copper				0	914	CHURCH ST	FLINT	48503
LG69502	8/25/2016	Lead				0	Copper				100	914	CHURCH ST	FLINT	48529
LG71352	9/6/2016	Lead				0	Copper				70	914	CHURCH ST	FLINT	48503
LG74835	9/19/2016	Lead				0	Copper				0	914	CHURCH ST	FLINT	48502
LG79597	10/3/2016	Lead				0	Copper				0	914	CHURCH ST	FLINT	48504
LG85361	11/3/2016	Lead				0	Copper				0	914	CHURCH ST	FLINT	48505
LG72840	9/12/2016	Lead				2	Copper				80	914	CHURCH ST	FLINT	48503
LG76896	9/26/2016	Lead				0	Copper				0	2024	CHURCH ST	FLINT	48507
LG76899	9/26/2016	Lead				0	Copper				0	2024	CHURCH ST	FLINT	48503
LG76900	9/26/2016	Lead				0	Copper				0	2024	CHURCH ST	FLINT	48532
LG76898	9/26/2016	Lead				2	Copper				0	2024	CHURCH ST	FLINT	48505
LG76893	9/26/2016	Lead				0	Copper				0	2038	CHURCH ST	FLINT	48503
LG76894	9/26/2016	Lead				0	Copper				0	2038	CHURCH ST	FLINT	48503
LG76895	9/26/2016	Lead				0	Copper				0	2038	CHURCH ST	FLINT	48503
LG76897	9/26/2016	Lead				9	Copper				0	2038	CHURCH ST	FLINT	48503
LG58039	7/7/2016	Lead				184	Copper				1,710	2038	CHURCH ST	FLINT	48507
LG75302	9/21/2016	Lead				5	Copper				0	2041	CHURCH ST	FLINT	48503
LG67917	8/18/2016	Lead				7	Copper				0	2041	CHURCH ST	FLINT	48430
LG60781	7/20/2016	Lead				8	Copper				0	2041	CHURCH ST	FLINT	48503
LG87420	11/17/2016	Lead				15	Copper				0	2041	CHURCH ST	FLINT	48504
LG66715	8/15/2016	Lead				0	Copper				0	2514	CHURCHILL AVE	FLINT	48507
LG83089	10/20/2016	Lead	3	2	2		Copper	100	0	0		3506	CHURCHILL AVE	FLINT	48503
LG57970	7/7/2016	Lead				0	Copper				350	2821	CIRCLE DR	FLINT	48507
LG57973	7/7/2016	Lead				0	Copper				110	2821	CIRCLE DR	FLINT	48506
LG84519	10/31/2016	Lead				1	Copper				0	2822	CIRCLE DR	FLINT	48506
LG84523	10/31/2016	Lead				1	Copper				70	2822	CIRCLE DR	FLINT	48507
LG69559	8/25/2016	Lead				2	Copper				70	2822	CIRCLE DR	FLINT	48503
LG76889	9/26/2016	Lead				5	Copper				0	3617	CIRCLE DR	FLINT	48503
LG59582	7/14/2016	Lead				0	Copper				0	4007	CIRCLE DR	FLINT	48504
LG61612	7/21/2016	Lead				2	Copper				80	4024	CIRCLE DR	FLINT	48504
LG75280	9/21/2016	Lead				9	Copper				100	4024	CIRCLE DR	FLINT	48505
LG88149	11/21/2016	Lead				12	Copper				0	4024	CIRCLE DR	FLINT	48503
LG76885	9/26/2016	Lead				9	Copper				60	4310	CIRCLE DR	FLINT	48507
LG89415	12/1/2016	Lead	0	0	0		Copper	0	0	0		3910	CIRCLE DR APT #2	FLINT	48505
LG89413	12/1/2016	Lead	1	0	0		Copper	60	0	0		3910	CIRCLE DR APT 1	FLINT	48504
LG67887	8/18/2016	Lead				0	Copper				0	3513	CLAIRMONT ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG60600	7/19/2016	Lead				2	Copper				50	3513	CLAIRMONT ST	FLINT	48505
LG87424	11/17/2016	Lead				2	Copper				0	3513	CLAIRMONT ST	FLINT	48507
LG75371	9/21/2016	Lead				3	Copper				0	3513	CLAIRMONT ST	FLINT	48507
LG66310	8/11/2016	Lead				14	Copper				80	1913	CLEMENT ST	FLINT	48504
LG60667	7/19/2016	Lead				4	Copper				0	2706	CLEMENT ST	FLINT	48504
LG75338	9/21/2016	Lead				6	Copper				0	2706	CLEMENT ST	FLINT	48504
LG87355	11/17/2016	Lead				8	Copper				60	2706	CLEMENT ST	FLINT	48503
LG67838	8/18/2016	Lead				9	Copper				0	2706	CLEMENT ST	FLINT	48504
LG60668	7/19/2016	Lead				0	Copper				0	2808	CLEMENT ST	FLINT	48503
LG87399	11/17/2016	Lead				0	Copper				0	2808	CLEMENT ST	FLINT	48505
LG68449	8/22/2016	Lead				2	Copper				0	2808	CLEMENT ST	FLINT	48507
LG75340	9/21/2016	Lead				2	Copper				0	2808	CLEMENT ST	FLINT	48506
LG60666	7/19/2016	Lead				2	Copper				0	2811	CLEMENT ST	FLINT	48503
LG67842	8/18/2016	Lead				4	Copper				0	2811	CLEMENT ST	FLINT	48504
LG76106	9/22/2016	Lead				4	Copper				0	2811	CLEMENT ST	FLINT	48502
LG76102	9/22/2016	Lead				2	Copper				0	2812	CLEMENT ST	FLINT	48502
LG68220	8/19/2016	Lead				3	Copper				0	2812	CLEMENT ST	FLINT	48507
LG61204	7/20/2016	Lead				4	Copper				70	2812	CLEMENT ST	FLINT	48507
LG60669	7/19/2016	Lead				0	Copper				90	2816	CLEMENT ST	FLINT	48507
LG87361	11/17/2016	Lead				0	Copper				0	2816	CLEMENT ST	FLINT	48503
LG67837	8/18/2016	Lead				3	Copper				60	2816	CLEMENT ST	FLINT	48503
LG75367	9/21/2016	Lead				3	Copper				70	2816	CLEMENT ST	FLINT	48503
LG87789	11/18/2016	Lead				10	Copper				0	2819	CLEMENT ST	FLINT	48504
LG75363	9/21/2016	Lead				12	Copper				0	2819	CLEMENT ST	FLINT	48504
LG60665	7/19/2016	Lead				14	Copper				0	2819	CLEMENT ST	FLINT	48503
LG87352	11/17/2016	Lead				0	Copper				0	2820	CLEMENT ST	FLINT	48503
LG61199	7/20/2016	Lead				2	Copper				0	2820	CLEMENT ST	FLINT	48506
LG67836	8/18/2016	Lead				4	Copper				0	2820	CLEMENT ST	FLINT	48504
LG75341	9/21/2016	Lead				39	Copper				0	2820	CLEMENT ST	FLINT	48507
LG88152	11/21/2016	Lead				1	Copper				0	2832	CLEMENT ST	FLINT	48503
LG60664	7/19/2016	Lead				2	Copper				0	2832	CLEMENT ST	FLINT	48507
LG75339	9/21/2016	Lead				3	Copper				0	2832	CLEMENT ST	FLINT	48503
LG67923	8/18/2016	Lead				4	Copper				0	2832	CLEMENT ST	FLINT	48504
LG60607	7/19/2016	Lead				2	Copper				50	2840	CLEMENT ST	FLINT	48507
LG75372	9/21/2016	Lead				2	Copper				0	2840	CLEMENT ST	FLINT	48504
LG67841	8/18/2016	Lead				3	Copper				50	2840	CLEMENT ST	FLINT	48505
LG87353	11/17/2016	Lead				4	Copper				0	2840	CLEMENT ST	FLINT	48503
LG64572	8/4/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48439
LG64578	8/4/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48503
LG64579	8/4/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48505
LG72134	9/8/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48503
LG72137	9/8/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48502
LG72147	9/8/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48503
LG81090	10/10/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48503
LG81091	10/10/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48507
LG81092	10/10/2016	Lead				0	Copper				0	2931	CLEMENT ST	FLINT	48504
LG88155	11/21/2016	Lead	0	1	0		Copper	50	60	60		3106	CLEMENT ST	FLINT	48503
LG89866	12/5/2016	Lead	2	2	2		Copper	0	0	0		1227	CLEVELAND AVE	FLINT	48503
LG89851	12/5/2016	Lead	6	2	3		Copper	0	0	0		1227	CLEVELAND AVE	FLINT	48503
LG59579	7/14/2016	Lead				0	Copper				0	612	CLINTON ST	FLINT	48503
LG78666	9/29/2016	Lead				1	Copper				120	721	CLINTON ST	FLINT	48505
LG67975	8/18/2016	Lead				0	Copper				0	722	CLINTON ST	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG87419	11/17/2016	Lead				1	Copper				0	733	CLINTON ST	FLINT	48504
LG61193	7/20/2016	Lead				2	Copper				60	733	CLINTON ST	FLINT	48503
LG67882	8/18/2016	Lead				2	Copper				0	733	CLINTON ST	FLINT	48505
LG75295	9/21/2016	Lead				2	Copper				0	733	CLINTON ST	FLINT	48506
LG87795	11/18/2016	Lead				4	Copper				0	737	CLINTON ST	FLINT	48504
LG67916	8/18/2016	Lead				5	Copper				0	737	CLINTON ST	FLINT	48503
LG60609	7/19/2016	Lead				6	Copper				0	737	CLINTON ST	FLINT	48504
LG75292	9/21/2016	Lead				10	Copper				0	737	CLINTON ST	FLINT	48504
LG67925	8/18/2016	Lead				4	Copper				0	741	CLINTON ST	FLINT	48507
LG87346	11/17/2016	Lead				4	Copper				0	741	CLINTON ST	FLINT	48507
LG60662	7/19/2016	Lead				6	Copper				0	741	CLINTON ST	FLINT	48506
LG75285	9/21/2016	Lead				6	Copper				0	741	CLINTON ST	FLINT	48503
LG87425	11/17/2016	Lead				3	Copper				50	745	CLINTON ST	FLINT	48503
LG76100	9/22/2016	Lead				4	Copper				0	745	CLINTON ST	FLINT	48503
LG61194	7/20/2016	Lead				6	Copper				0	745	CLINTON ST	FLINT	48507
LG87621	11/17/2016	Lead	0				Copper	110					CLIO EARLY ELEMENTARY	CLIO	48532
LG89426	12/1/2016	Lead	0	0	0		Copper	0	0	0		6500	CLIO RD	FLINT	48507
LG89853	12/5/2016	Lead	0	0	0		Copper	90	60	70		320	CLOVERDALE PEACE	FLINT	48505
LG84159	10/27/2016	Lead				0	Copper				0	4406	CLOVERLAWN DR	FLINT	48503
LG59623	7/14/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48507
LG59628	7/14/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48507
LG59631	7/14/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48507
LG64991	8/8/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48503
LG64992	8/8/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48504
LG64993	8/8/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48504
LG72135	9/8/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48505
LG72138	9/8/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48504
LG72141	9/8/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48503
LG81093	10/10/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48505
LG81094	10/10/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48503
LG81095	10/10/2016	Lead				0	Copper				0	4701	CLOVERLAWN DR	FLINT	48507
LG84154	10/27/2016	Lead	0	0	0		Copper	0	0	0		5605	CLOVERLAWN DR	FLINT	48503
LG58044	7/7/2016	Lead				0	Copper				0	5606	CLOVERLAWN DR	FLINT	48503
LG81780	10/13/2016	Lead				12	Copper				130	1930	COLCHESTER RD	FLINT	48503
LG81772	10/13/2016	Lead				0	Copper				0	1940	COLCHESTER RD	FLINT	48503
LG71025	9/1/2016	Lead				8	Copper				0	1940	COLCHESTER RD	FLINT	48504
LG58037	7/7/2016	Lead				0	Copper				0	6606	COLONIAL DR	FLINT	48503
LG83083	10/20/2016	Lead	0	0	0		Copper	90	70	80		6626	COLONIAL DR	FLINT	48504
LG83092	10/20/2016	Lead	0	0	0		Copper	110	110	110		6626	COLONIAL DR	FLINT	48503
LG83094	10/20/2016	Lead	0	0	0		Copper	0	0	0		6626	COLONIAL DR	FLINT	48504
LG86704	11/14/2016	Lead	0	0	0		Copper	110	0	0		2905	COLORADO AVE	FLINT	48506
LG58027	7/7/2016	Lead				0	Copper				0	3201	COLORADO AVE	FLINT	48503
LG88680	11/28/2016	Lead	0	0	0		Copper	130	60	80		706	COLUMBIA LN	FLINT	48504
LG65014	8/8/2016	Lead				1	Copper				120	2821	COMANCHE AVE	FLINT	48503
LG57989	7/7/2016	Lead				0	Copper				60	2833	COMANCHE AVE	FLINT	48503
LG66317	8/11/2016	Lead				0	Copper				0	2917	COMANCHE AVE	FLINT	48502
LG85325	11/3/2016	Lead	0	0	0		Copper	0	0	0		2917	COMANCHE AVE	FLINT	48503
LG83447	10/24/2016	Lead	2	0	0		Copper	70	60	60		3013	COMANCHE AVE	FLINT	48503
LG76887	9/26/2016	Lead				0	Copper				0	3119	COMANCHE AVE	FLINT	48532
LG62973	7/28/2016	Lead				2	Copper				0	3306	COMANCHE AVE	FLINT	48507
LG61509	7/21/2016	Lead				0	Copper				0	3505	COMANCHE AVE	FLINT	48506
LG85329	11/3/2016	Lead	0	0	0		Copper	0	0	0		3505	COMANCHE AVE	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG87695	11/17/2016	Lead	0	0	0		Copper	0	0	0		3505	COMANCHE AVE	FLINT	48503
LG61542	7/21/2016	Lead				1	Copper				0	3505	COMANCHE AVE	FLINT	48503
LG59572	7/14/2016	Lead				0	Copper				0	3602	COMANCHE AVE	FLINT	48504
LG58357	7/11/2016	Lead				0	Copper				0	3709	COMANCHE AVE	FLINT	48505
LG64566	8/4/2016	Lead				0	Copper				0	3709	COMANCHE AVE	FLINT	48507
LG64569	8/4/2016	Lead				3	Copper				60	3709	COMANCHE AVE	FLINT	48503
LG58356	7/11/2016	Lead				4	Copper				90	3709	COMANCHE AVE	FLINT	48503
LG88654	11/28/2016	Lead				0	Copper				0	440	COMMON WEALTH	FLINT	48505
LG91160	12/12/2016	Lead				0	Copper				0	134	COMMONWEALTH AVE	FLINT	48505
LG58056	7/7/2016	Lead				0	Copper				200	151	COMMONWEALTH AVE	FLINT	48504
LG89845	12/5/2016	Lead	0	0	0		Copper	210	160	170		151	COMMONWEALTH AVE	FLINT	48507
LG88708	11/28/2016	Lead	1	0	0		Copper	120	120	120		601	COMMONWEALTH AVE	FLINT	48505
LG88737	11/28/2016	Lead	0	0	0		Copper	70	0	0		626	COMMONWEALTH AVE	FLINT	48503
LG78678	9/29/2016	Lead				1	Copper				60	2010	CONCORD	FLINT	48507
LG88666	11/28/2016	Lead				2	Copper				0	2925	CONCORD	FLINT	48529
LG67956	8/18/2016	Lead				4	Copper				60	2017	CONCORD ST	FLINT	48504
LG75404	9/21/2016	Lead				0	Copper				0	2701	CONCORD ST	FLINT	48505
LG83434	10/24/2016	Lead				0	Copper				0	2701	CONCORD ST	FLINT	48504
LG74838	9/19/2016	Lead				0	Copper				0	2714	CONCORD ST	FLINT	48505
LG85712	11/7/2016	Lead	1	1	1		Copper	0	0	0		2717	CONCORD ST	FLINT	48507
LG67844	8/18/2016	Lead				3	Copper				50	2816	CONCORD ST	FLINT	48504
LG75337	9/21/2016	Lead				4	Copper				0	2816	CONCORD ST	FLINT	48503
LG87337	11/17/2016	Lead				6	Copper				0	2816	CONCORD ST	FLINT	48503
LG60601	7/19/2016	Lead				11	Copper				0	2816	CONCORD ST	FLINT	48503
LG60599	7/19/2016	Lead				3	Copper				0	2823	CONCORD ST	FLINT	48438
LG67927	8/18/2016	Lead				4	Copper				0	2823	CONCORD ST	FLINT	48505
LG75365	9/21/2016	Lead				5	Copper				0	2823	CONCORD ST	FLINT	48505
LG87358	11/17/2016	Lead				5	Copper				0	2823	CONCORD ST	FLINT	48503
LG75364	9/21/2016	Lead				3	Copper				0	2824	CONCORD ST	FLINT	48504
LG87347	11/17/2016	Lead				5	Copper				70	2824	CONCORD ST	FLINT	48504
LG60675	7/19/2016	Lead				7	Copper				110	2824	CONCORD ST	FLINT	48504
LG68446	8/22/2016	Lead				10	Copper				80	2824	CONCORD ST	FLINT	***
LG87348	11/17/2016	Lead				2	Copper				0	2827	CONCORD ST	FLINT	48506
LG68214	8/19/2016	Lead				4	Copper				0	2827	CONCORD ST	FLINT	48507
LG60674	7/19/2016	Lead				6	Copper				0	2827	CONCORD ST	FLINT	48504
LG75334	9/21/2016	Lead				8	Copper				0	2827	CONCORD ST	FLINT	48507
LG60670	7/19/2016	Lead				3	Copper				0	2843	CONCORD ST	FLINT	48503
LG87323	11/17/2016	Lead				3	Copper				0	2843	CONCORD ST	FLINT	48503
LG75342	9/21/2016	Lead				8	Copper				0	2843	CONCORD ST	FLINT	48504
LG67843	8/18/2016	Lead				2,169	Copper				0	2843	CONCORD ST	FLINT	48502
LG61088	7/20/2016	Lead				0	Copper				60	2954	CONCORD ST	FLINT	48504
LG61089	7/20/2016	Lead				0	Copper				0	2954	CONCORD ST	FLINT	48506
LG61090	7/20/2016	Lead				0	Copper				0	2954	CONCORD ST	FLINT	***
LG61091	7/20/2016	Lead				0	Copper				0	2954	CONCORD ST	FLINT	48505
LG77509	9/27/2016	Lead				0	Copper				0	2954	CONCORD ST	FLINT	48504
LG77510	9/27/2016	Lead				0	Copper				0	2954	CONCORD ST	FLINT	48504
LG77511	9/27/2016	Lead				0	Copper				0	2954	CONCORD ST	FLINT	48503
LG77512	9/27/2016	Lead				0	Copper				0	2954	CONCORD ST	FLINT	48503
LG60798	7/20/2016	Lead				4	Copper				100	3421	CONCORD ST	FLINT	48505
LG76083	9/22/2016	Lead				7	Copper				80	3421	CONCORD ST	FLINT	48504
LG87369	11/17/2016	Lead				7	Copper				90	3421	CONCORD ST	FLINT	48504
LG67936	8/18/2016	Lead				12	Copper				90	3421	CONCORD ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG88141	11/21/2016	Lead				0	Copper				0	2701	CONCORD STREET	FLINT	48503
LG57984	7/7/2016	Lead				0	Copper				0	2145	CONNELL ST	BURTON	48503
LG89430	12/1/2016	Lead	0				Copper	0				2801	COOK ST	FLINT	48504
LG85372	11/3/2016	Lead				0	Copper				0	555	COPEMAN BLVD	FLINT	48505
LG85364	11/3/2016	Lead				8	Copper				0	555	COPEMAN BLVD	FLINT	48503
LG85365	11/3/2016	Lead				21	Copper				130	555	COPEMAN BLVD	FLINT	48503
LG72846	9/12/2016	Lead				5	Copper				0	612	COPEMAN BLVD	FLINT	48505-4141
LG72161	9/8/2016	Lead				9	Copper				100	1325	COPEMAN BLVD	FLINT	48505
LG88168	11/21/2016	Lead	12	13	13		Copper	190	140	150		1325	COPEMAN BLVD	FLINT	48507
LG69547	8/25/2016	Lead				3	Copper				0	1417	COPEMAN BLVD	FLINT	48505
LG87338	11/17/2016	Lead				3	Copper				0	1915	COPEMAN BLVD	FLINT	48504
LG75361	9/21/2016	Lead				4	Copper				0	1915	COPEMAN BLVD	FLINT	48502
LG60794	7/20/2016	Lead				5	Copper				0	1915	COPEMAN BLVD	FLINT	48503
LG67941	8/18/2016	Lead				6	Copper				0	1915	COPEMAN BLVD	FLINT	48507
LG91203	12/12/2016	Lead	0				Copper	0				1928	COPEMAN BLVD	FLINT	48505
LG91212	12/12/2016	Lead	0				Copper	0				2007	COPEMAN BLVD	FLINT	48504
LG69484	8/25/2016	Lead				2	Copper				80	2026	COPEMAN BLVD	FLINT	48503
LG61205	7/20/2016	Lead				4	Copper				0	2302	COPEMAN BLVD	FLINT	48506
LG91204	12/12/2016	Lead	0				Copper	0				2320	COPEMAN BLVD	FLINT	48430
LG61485	7/21/2016	Lead				11	Copper				0	2320	COPEMAN BLVD	FLINT	48507
LG60645	7/19/2016	Lead				0	Copper				70	2326	COPEMAN BLVD	FLINT	48503
LG67885	8/18/2016	Lead				0	Copper				80	2326	COPEMAN BLVD	FLINT	48503
LG75366	9/21/2016	Lead				0	Copper				70	2326	COPEMAN BLVD	FLINT	48507
LG87418	11/17/2016	Lead				1	Copper				80	2326	COPEMAN BLVD	FLINT	48505
LG87430	11/17/2016	Lead				0	Copper				0	2332	COPEMAN BLVD	FLINT	48503
LG89879	12/5/2016	Lead	0				Copper	0				2332	COPEMAN BLVD	FLINT	48504
LG75377	9/21/2016	Lead				1	Copper				100	2332	COPEMAN BLVD	FLINT	48504
LG60649	7/19/2016	Lead				2	Copper				0	2332	COPEMAN BLVD	FLINT	48532
LG67946	8/18/2016	Lead				3	Copper				70	2332	COPEMAN BLVD	FLINT	48504
LG91207	12/12/2016	Lead	6				Copper	0				2332	COPEMAN BLVD	FLINT	48532
LG68223	8/19/2016	Lead				0	Copper				0	2355	COPEMAN BLVD	FLINT	48505
LG67839	8/18/2016	Lead				1	Copper				0	2402	COPEMAN BLVD	FLINT	48503
LG87408	11/17/2016	Lead				1	Copper				0	2402	COPEMAN BLVD	FLINT	48503
LG76103	9/22/2016	Lead				2	Copper				0	2402	COPEMAN BLVD	FLINT	48507
LG90798	12/8/2016	Lead				0	Copper				0	3110	CORUNNA	FLINT	48503
LG90787	12/8/2016	Lead				0	Copper				0	3410	CORUNNA	FLINT	48503
LG90782	12/8/2016	Lead				0	Copper				0	4014	CORUNNA	FLINT	48504
LG90785	12/8/2016	Lead				0	Copper				0	4018	CORUNNA	FLINT	48505
LG90779	12/8/2016	Lead				0	Copper				0	6303	CORUNNA	FLINT	48504
LG74854	9/19/2016	Lead				0	Copper				60	2317	CORUNNA RD	FLINT	48504
LG92035	12/15/2016	Lead				0	Copper				0	3019	CORUNNA RD	FLINT	48503
LG92036	12/15/2016	Lead				0	Copper				0	3309	CORUNNA RD	FLINT	48503
LG92042	12/15/2016	Lead				0	Copper				70	3625	CORUNNA RD	FLINT	48507
LG92043	12/15/2016	Lead				0	Copper				0	3801	CORUNNA RD	FLINT	48503
LG92045	12/15/2016	Lead				0	Copper				0	3833	CORUNNA RD	FLINT	48503
LG70062	8/29/2016	Lead				7	Copper				70	905	COTTAGE GROVE AVE	FLINT	48502
LG89408	12/1/2016	Lead				0	Copper				0	401	COURT ST	FLINT	48503
LG83039	10/20/2016	Lead				2	Copper				60	401	COURT ST	FLINT	48503
LG90799	12/8/2016	Lead				0	Copper				0	2310	COURT ST	FLINT	48503
LG76879	9/26/2016	Lead				5	Copper				0	2920	COURT ST	FLINT	48507
LG67908	8/18/2016	Lead				6	Copper				50	2520E	COURT ST	FLINT	48503
LG87700	11/17/2016	Lead	3	0	0		Copper	70	0	0		3702	CRAIG DR	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG58029	7/7/2016	Lead				12	Copper				0	3702	CRAIG DR	FLINT	48502
LG70049	8/29/2016	Lead				0	Copper				120	3722	CRAIG DR	FLINT	48506
LG70058	8/29/2016	Lead				1	Copper				90	112	CRAIGHTON CT	FLINT	48504
LG86548	11/10/2016	Lead	1	0	0		Copper	110	90	100		112	CRAIGHTON CT	FLINT	48529
LG86531	11/10/2016	Lead	0	0	0		Copper	0	0	0		124	CRAIGHTON CT	FLINT	48507
LG83044	10/20/2016	Lead				0	Copper				170	3202	CRANBROOK CIR	FLINT	48503
LG89857	12/5/2016	Lead	2	0	0		Copper	130	0	0		6524	CRANWOOD DR	FLINT	48507
LG70063	8/29/2016	Lead				0	Copper				0	6714	CRANWOOD DR	FLINT	48503
LG61528	7/21/2016	Lead				0	Copper				0	416	CRAPO ST	FLINT	48503
LG74229	9/15/2016	Lead				5	Copper				0	502	CRAPO ST	FLINT	48503
LG86540	11/10/2016	Lead	0	0	0		Copper	0	0	0		424	CRAPO ST APT #1	FLINT	48502
LG86718	11/14/2016	Lead	1	0	0		Copper	0	0	0		424	CRAPO ST APT #2	FLINT	48507
LG86709	11/14/2016	Lead	0	0	0		Copper	130	60	80		424	CRAPO ST APT #3	FLINT	48504
LG86721	11/14/2016	Lead	2	1	1		Copper	160	340	300		424	CRAPO ST APT #4	FLINT	48506
LG60624	7/19/2016	Lead				1	Copper				90	616	CRAWFORD ST	FLINT	48504
LG67856	8/18/2016	Lead				1	Copper				0	616	CRAWFORD ST	FLINT	48503
LG75303	9/21/2016	Lead				1	Copper				100	616	CRAWFORD ST	FLINT	48503
LG87431	11/17/2016	Lead				1	Copper				0	616	CRAWFORD ST	FLINT	48504
LG75286	9/21/2016	Lead				0	Copper				0	620	CRAWFORD ST	FLINT	48503
LG87427	11/17/2016	Lead				0	Copper				0	620	CRAWFORD ST	FLINT	48504
LG60618	7/19/2016	Lead				1	Copper				0	620	CRAWFORD ST	FLINT	48503
LG67932	8/18/2016	Lead				1	Copper				0	620	CRAWFORD ST	FLINT	48504
LG76085	9/22/2016	Lead				0	Copper				0	632	CRAWFORD ST	FLINT	48503
LG61196	7/20/2016	Lead				1	Copper				70	632	CRAWFORD ST	FLINT	48506
LG67849	8/18/2016	Lead				1	Copper				0	632	CRAWFORD ST	FLINT	48506
LG87436	11/17/2016	Lead				2	Copper				0	632	CRAWFORD ST	FLINT	48505
LG75300	9/21/2016	Lead				3	Copper				0	636	CRAWFORD ST	FLINT	48505
LG87446	11/17/2016	Lead				3	Copper				0	636	CRAWFORD ST	FLINT	48503
LG67852	8/18/2016	Lead				4	Copper				0	636	CRAWFORD ST	FLINT	48507
LG60622	7/19/2016	Lead				5	Copper				0	636	CRAWFORD ST	FLINT	48503
LG91205	12/12/2016	Lead	0				Copper	0				644	CRAWFORD ST	FLINT	48503
LG61614	7/21/2016	Lead				2	Copper				0	652	CRAWFORD ST	FLINT	48504
LG87403	11/17/2016	Lead				2	Copper				0	652	CRAWFORD ST	FLINT	48507
LG76081	9/22/2016	Lead				3	Copper				0	652	CRAWFORD ST	FLINT	48503
LG67850	8/18/2016	Lead				5	Copper				0	652	CRAWFORD ST	FLINT	48505
LG75299	9/21/2016	Lead				0	Copper				0	702	CRAWFORD ST	FLINT	48503
LG61200	7/20/2016	Lead				1	Copper				0	702	CRAWFORD ST	FLINT	48503
LG87790	11/18/2016	Lead				1	Copper				0	702	CRAWFORD ST	FLINT	48504
LG76330	9/22/2016	Lead				1	Copper				0	750	CRAWFORD ST	FLINT	48504
LG87426	11/17/2016	Lead				1	Copper				0	750	CRAWFORD ST	FLINT	48505
LG68213	8/19/2016	Lead				4	Copper				0	750	CRAWFORD ST	FLINT	48504
LG61611	7/21/2016	Lead				5	Copper				0	750	CRAWFORD ST	FLINT	48505
LG71336	9/6/2016	Lead				0	Copper				0	802	CRAWFORD ST	FLINT	48504
LG71011	9/1/2016	Lead				0	Copper				0	924	CRAWFORD ST	FLINT	48503
LG69530	8/25/2016	Lead				3	Copper				0	1301	CRAWFORD ST	FLINT	48504
LG90834	12/8/2016	Lead	0				Copper	0				1313	CRAWFORD ST	FLINT	48505
LG75311	9/21/2016	Lead				0	Copper				0	1610	CRESCENT DR	FLINT	48503
LG60788	7/20/2016	Lead				2	Copper				60	1610	CRESCENT DR	FLINT	48503
LG67940	8/18/2016	Lead				2	Copper				110	1610	CRESCENT DR	FLINT	48504
LG63045	7/28/2016	Lead				2	Copper				230	1725	CRESCENT DR	FLINT	48504
LG59603	7/14/2016	Lead				66	Copper				210	2413	CREST CT #311	FLINT	48503
LG59604	7/14/2016	Lead				1	Copper				0	2417	CREST CT UNIT 313	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG69548	8/25/2016	Lead				12	Copper				120	1427	CRESTBROOK LN	FLINT	48423
LG88691	11/28/2016	Lead	0	0	0		Copper	60	0	0		1617	CRESTBROOK LN	FLINT	48503
LG70075	8/29/2016	Lead				0	Copper				0	1717	CRESTBROOK LN	FLINT	48507
LG67964	8/18/2016	Lead				0	Copper				0	1805	CRESTBROOK LN	FLINT	48503
LG76870	9/26/2016	Lead				1	Copper				0	1813	CRESTBROOK LN	FLINT	48505
LG69505	8/25/2016	Lead				0	Copper				0	2004	CRESTBROOK LN	FLINT	48506
LG69510	8/25/2016	Lead				0	Copper				0	2004	CRESTBROOK LN	FLINT	48503
LG69545	8/25/2016	Lead				0	Copper				0	2004	CRESTBROOK LN	FLINT	***
LG58004	7/7/2016	Lead				0	Copper				50	2310	CRESTBROOK LN	FLINT	48505
LG61192	7/20/2016	Lead				0	Copper				0	4705	CRESTBROOK LN	FLINT	48503
LG67945	8/18/2016	Lead				0	Copper				0	4705	CRESTBROOK LN	FLINT	48504
LG76090	9/22/2016	Lead				0	Copper				50	4705	CRESTBROOK LN	FLINT	48507
LG87441	11/17/2016	Lead				0	Copper				60	4705	CRESTBROOK LN	FLINT	48503
LG68212	8/19/2016	Lead				0	Copper				0	4706	CRESTBROOK LN	FLINT	48503
LG87385	11/17/2016	Lead				0	Copper				130	4706	CRESTBROOK LN	FLINT	48507
LG76329	9/22/2016	Lead				2	Copper				240	4706	CRESTBROOK LN	FLINT	48504
LG60616	7/19/2016	Lead				3	Copper				350	4706	CRESTBROOK LN	FLINT	48507
LG60620	7/19/2016	Lead				0	Copper				90	4709	CRESTBROOK LN	FLINT	48504
LG75389	9/21/2016	Lead				0	Copper				100	4709	CRESTBROOK LN	FLINT	48504
LG84535	10/31/2016	Lead	0	0	0		Copper	60	70	70		4709	CRESTBROOK LN	FLINT	48504
LG85316	11/3/2016	Lead	0	0	0		Copper	60	70	70		4709	CRESTBROOK LN	FLINT	48506
LG67854	8/18/2016	Lead				1	Copper				60	4709	CRESTBROOK LN	FLINT	48505
LG87383	11/17/2016	Lead				1	Copper				50	4709	CRESTBROOK LN	FLINT	48505
LG60627	7/19/2016	Lead				7	Copper				110	4710	CRESTBROOK LN	FLINT	48503
LG67930	8/18/2016	Lead				7	Copper				90	4710	CRESTBROOK LN	FLINT	48507
LG75387	9/21/2016	Lead				7	Copper				120	4710	CRESTBROOK LN	FLINT	48503
LG87364	11/17/2016	Lead				246	Copper				1,520	4710	CRESTBROOK LN	FLINT	48505
LG64552	8/4/2016	Lead				2	Copper				0	2809	CRESTWOOD DR	FLINT	48504
LG86553	11/10/2016	Lead	0	3	2		Copper	260	130	160		2910	CRESTWOOD DR	FLINT	48503
LG81791	10/13/2016	Lead				2	Copper				70	1607	CROMWELL AVE	FLINT	48503
LG64518	8/4/2016	Lead				1	Copper				50	2031	CROOKED LN	FLINT	48504
LG85360	11/3/2016	Lead				0	Copper				0	2414	CUMING AVE	FLINT	48504
LG71321	9/6/2016	Lead				1	Copper				0	2710	CUMINGS AVE	FLINT	48503
LG63345	8/1/2016	Lead				9	Copper				90	4218	CUSTER AVE	FLINT	48506
LG81112	10/10/2016	Lead				0	Copper				0	4225	CUSTER AVE	FLINT	48430
LG61501	7/21/2016	Lead				8	Copper				0	4249	CUSTER AVE	FLINT	48504
LG69523	8/25/2016	Lead				7	Copper				130	4321	CUSTER AVE	FLINT	48504
LG69512	8/25/2016	Lead				44	Copper				450	4321	CUSTER AVE	FLINT	48502
LG74862	9/19/2016	Lead				146	Copper				390	525	D LYNCH AVE	FLINT	48507
LG89428	12/1/2016	Lead	0				Copper	0				1444	DAKOTA AVE	FLINT	48504
LG86539	11/10/2016	Lead	0	2	2		Copper	0	0	0		1619	DAKOTA AVE	FLINT	48507
LG87696	11/17/2016	Lead	0	3	2		Copper	0	0	0		1619	DAKOTA AVE	FLINT	48504
LG72806	9/12/2016	Lead				51	Copper				570	1825	DAKOTA AVE	FLINT	48504
LG72799	9/12/2016	Lead				145	Copper				1,510	1825	DAKOTA AVE	FLINT	48504
LG70060	8/29/2016	Lead				231	Copper				2,330	1825	DAKOTA AVE	FLINT	48503
LG72815	9/12/2016	Lead				363	Copper				3,380	1825	DAKOTA AVE	FLINT	48507
LG84539	10/31/2016	Lead	0	0	0		Copper	0	0	0		2205	DAKOTA AVE	FLINT	48507
LG64550	8/4/2016	Lead				0	Copper				0	914	DAMON ST	FLINT	48503
LG88685	11/28/2016	Lead	1	0	0		Copper	0	0	0		6810	DANA LANE	FLINT	48503
LG88702	11/28/2016	Lead	0	0	0		Copper	0	0	0		6810	DANA LN	FLINT	48504
LG85330	11/3/2016	Lead	0	0	0		Copper	70	0	0		6505	DARYLL DR	FLINT	48507
LG72166	9/8/2016	Lead				23	Copper				400	6517	DARYLL DR	FLINT	48505

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG63353	8/1/2016	Lead				0	Copper				0	6606	DARYLL DR	FLINT	48503
LG70081	8/29/2016	Lead				0	Copper				0	6910	DARYLL DR	FLINT	48503
LG84142	10/27/2016	Lead	2	0	0		Copper	0	0	0		2535	DAVISON RD	FLINT	48505
LG61511	7/21/2016	Lead				2	Copper				70	3301	DAVISON RD	FLINT	48504
LG61483	7/21/2016	Lead				0	Copper				130	3322	DAVISON RD	FLINT	***
LG64570	8/4/2016	Lead				216	Copper				3,570	3509	DAVISON RD	FLINT	48503
LG64543	8/4/2016	Lead				212	Copper				360	3513	DAVISON RD	FLINT	48507
LG87587	11/17/2016	Lead	0				Copper	50					DAYSTAR CHILDCARE CENTER	FLINT	48505
LG87588	11/17/2016	Lead	0				Copper	110					DAYSTAR CHILDCARE CENTER	FLINT	48504
LG64540	8/4/2016	Lead				0	Copper				80	3401	DEARBORN ST	FLINT	48506
LG61943	7/25/2016	Lead				0	Copper				50	3501	DEARBORN ST	FLINT	48504
LG71010	9/1/2016	Lead				1	Copper				60	3507	DEARBORN ST	FLINT	48504
LG68012	8/18/2016	Lead				31	Copper				140	3507	DEARBORN ST	FLINT	48503
LG63365	8/1/2016	Lead				0	Copper				450	1333	DEER CREEK TRL	GRAND BLANC	48504
LG65009	8/8/2016	Lead				0	Copper				250	1333	DEER CREEK TRL	GRAND BLANC	48503
LG63363	8/1/2016	Lead				1	Copper				250	1333	DEER CREEK TRL	GRAND BLANC	48505
LG63362	8/1/2016	Lead				2	Copper				720	1333	DEER CREEK TRL	GRAND BLANC	48503
LG76256	9/22/2016	Lead				2	Copper				0	1505	DELAWARE AVE	FLINT	48504
LG59588	7/14/2016	Lead				4	Copper				0	1642	DELAWARE AVE	FLINT	48507
LG89871	12/5/2016	Lead	0	0	0		Copper	0	60	0		3734	DELAWARE AVE	FLINT	48503
LG88653	11/28/2016	Lead				0	Copper				0	430	DELL AVE	FLINT	48503
LG88682	11/28/2016	Lead	0	0	0		Copper	0	0	0		535	DELL AVE	FLINT	48503
LG78679	9/29/2016	Lead				0	Copper				0	1014	DELL AVE	FLINT	48507
LG68461	8/22/2016	Lead				0	Copper				0	2410	DEVON LN	FLINT	48504
LG70032	8/29/2016	Lead				0	Copper				0	2410	DEVON LN	FLINT	***
LG59625	7/14/2016	Lead				0	Copper				0	717	DICKINSON ST	FLINT	48505
LG64574	8/4/2016	Lead				0	Copper				0	717	DICKINSON ST	FLINT	48505
LG64575	8/4/2016	Lead				0	Copper				0	717	DICKINSON ST	FLINT	48504
LG81085	10/10/2016	Lead				0	Copper				0	717	DICKINSON ST	FLINT	48503
LG72133	9/8/2016	Lead				2	Copper				0	717	DICKINSON ST	FLINT	48503
LG81086	10/10/2016	Lead				2	Copper				0	717	DICKINSON ST	FLINT	48507
LG59626	7/14/2016	Lead				3	Copper				0	717	DICKINSON ST	FLINT	48506
LG81084	10/10/2016	Lead				3	Copper				0	717	DICKINSON ST	FLINT	48504
LG64573	8/4/2016	Lead				4	Copper				0	717	DICKINSON ST	FLINT	48506
LG59633	7/14/2016	Lead				5	Copper				0	717	DICKINSON ST	FLINT	48503
LG72144	9/8/2016	Lead				25	Copper				0	717	DICKINSON ST	FLINT	48507
LG72146	9/8/2016	Lead				52	Copper				0	717	DICKINSON ST	FLINT	48504
LG70037	8/29/2016	Lead				3	Copper				100	833	DICKINSON ST	FLINT	48507
LG66292	8/11/2016	Lead				0	Copper				0	3742	DOLPHAINE LN	FLINT	48503
LG66706	8/15/2016	Lead				0	Copper				0	3746	DOLPHAINE LN	FLINT	48503
LG63356	8/1/2016	Lead				1	Copper				0	1712	DONALD ST	FLINT	48507
LG86515	11/10/2016	Lead				1	Copper				0	2175	DORT HWY	FLINT	48503
LG88126	11/21/2016	Lead				0	Copper				0	2320	DORT HWY	FLINT	48504
LG86701	11/14/2016	Lead				0	Copper				50	2341	DORT HWY	FLINT	48503
LG88128	11/21/2016	Lead				0	Copper				460	2525	DORT HWY	FLINT	48504
LG86520	11/10/2016	Lead				0	Copper				60	2802	DORT HWY	FLINT	48504
LG84520	10/31/2016	Lead				0	Copper				0	3335	DORT HWY	FLINT	48503
LG84512	10/31/2016	Lead				0	Copper				70	3336	DORT HWY	FLINT	48507
LG89403	12/1/2016	Lead				0	Copper				50	3539	DORT HWY	FLINT	48503
LG84524	10/31/2016	Lead				0	Copper				0	3559	DORT HWY	FLINT	48503
LG89401	12/1/2016	Lead				0	Copper				0	3600	DORT HWY	FLINT	48504
LG84525	10/31/2016	Lead				0	Copper				0	3625	DORT HWY	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG60657	7/19/2016	Lead				0	Copper				0	3602	DOUGLAS AVE	FLINT	48504
LG67891	8/18/2016	Lead				0	Copper				0	3602	DOUGLAS AVE	FLINT	48505
LG75390	9/21/2016	Lead				0	Copper				0	3602	DOUGLAS AVE	FLINT	48507
LG87448	11/17/2016	Lead				0	Copper				0	3602	DOUGLAS AVE	FLINT	48504
LG89867	12/5/2016	Lead	0	0	0		Copper	0	0	0		914	DOWNEY ST	FLINT	48502
LG59607	7/14/2016	Lead				0	Copper				0	2102	DUNN CT UNIT #10	FLINT	48504
LG88655	11/28/2016	Lead				0	Copper				0	806	DUPONT	FLINT	48507
LG74849	9/19/2016	Lead				5	Copper				0	907	DUPONT ST	FLINT	48503
LG85312	11/3/2016	Lead	0	0	0		Copper	0	0	0		2710	DUPONT ST	FLINT	48506
LG58072	7/7/2016	Lead				7	Copper				60	3220	DUPONT ST	FLINT	48503
LG64995	8/8/2016	Lead				0	Copper				0	5501	DUPONT ST	FLINT	48504
LG85731	11/7/2016	Lead	1	0	0		Copper	0	0	0		6905	DUPONT ST	FLINT	48503
LG72153	9/8/2016	Lead				2	Copper				0	1114	DURAND ST	FLINT	48504
LG72807	9/12/2016	Lead				2	Copper				0	1615	DURAND ST	FLINT	48503
LG90807	12/8/2016	Lead				0	Copper				50	2008	DWIGHT AVE	FLINT	48503
LG81116	10/10/2016	Lead				0	Copper				0	2030	DWIGHT AVE	FLINT	48507
LG58060	7/7/2016	Lead				1	Copper				0	2030	DWIGHT AVE	FLINT	***
LG81115	10/10/2016	Lead				3	Copper				0	2030	DWIGHT AVE	FLINT	48503
LG58070	7/7/2016	Lead				65	Copper				90	2030	DWIGHT AVE	FLINT	48507
LG83031	10/20/2016	Lead				0	Copper				0	412	E 1ST ST	FLINT	48506
LG71338	9/6/2016	Lead				0	Copper				0	607	E 2ND AVE APT 514	FLINT	48506
LG83060	10/20/2016	Lead				0	Copper				120	808	E 2ND ST	FLINT	48507
LG83061	10/20/2016	Lead				0	Copper				160	808	E 2ND ST	FLINT	48504
LG83054	10/20/2016	Lead				5	Copper				0	808	E 2ND ST	FLINT	48507
LG83056	10/20/2016	Lead				32	Copper				570	808	E 2ND ST	FLINT	48506
LG83059	10/20/2016	Lead				45	Copper				170	808	E 2ND ST	FLINT	48502
LG91180	12/12/2016	Lead	2	2	2		Copper	70	60	60		2020	E 2ND ST	FLINT	48507
LG85699	11/7/2016	Lead				0	Copper				0	2101	E 2ND ST	FLINT	48507
LG90814	12/8/2016	Lead	0	0	0		Copper	0	0	0		416	E 4TH ST APT 2	FLINT	48503
LG92051	12/15/2016	Lead				0	Copper				70	855	E 5TH AVE	FLINT	48504
LG85351	11/3/2016	Lead				0	Copper				100	814	E 7TH ST	FLINT	48507
LG63017	7/28/2016	Lead				0	Copper				0	309	E ALMA AVE	FLINT	48502
LG58033	7/7/2016	Lead				16	Copper				120	120	E ATHERTON RD	FLINT	48503
LG82138	10/17/2016	Lead				5	Copper				280	348	E ATHERTON RD	FLINT	48503
LG66324	8/11/2016	Lead				19	Copper				340	348	E ATHERTON RD	FLINT	48507
LG84125	10/27/2016	Lead	3	8	7		Copper	60	0	0		440	E ATHERTON RD	FLINT	48504
LG87796	11/18/2016	Lead				6	Copper				0	546	E ATHERTON RD	FLINT	48503
LG76092	9/22/2016	Lead				7	Copper				0	546	E ATHERTON RD	FLINT	48503
LG60632	7/19/2016	Lead				13	Copper				0	546	E ATHERTON RD	FLINT	48505
LG67922	8/18/2016	Lead				16	Copper				0	546	E ATHERTON RD	FLINT	48506
LG87449	11/17/2016	Lead				5	Copper				0	616	E ATHERTON RD	FLINT	48502
LG67861	8/18/2016	Lead				8	Copper				80	616	E ATHERTON RD	FLINT	48503
LG60661	7/19/2016	Lead				13	Copper				100	616	E ATHERTON RD	FLINT	48423
LG75281	9/21/2016	Lead				27	Copper				0	616	E ATHERTON RD	FLINT	48504
LG68478	8/22/2016	Lead				0	Copper				0	1547	E ATHERTON RD	FLINT	48504
LG68480	8/22/2016	Lead				0	Copper				0	1547	E ATHERTON RD	FLINT	48507
LG87678	11/17/2016	Lead				0	Copper				70	1511	E ATHERTON ST	FLINT	48504
LG61486	7/21/2016	Lead				0	Copper				0	110	E BALTIMORE BLVD	FLINT	48504
LG69522	8/25/2016	Lead				0	Copper				80	136	E BALTIMORE BLVD	FLINT	48507
LG69496	8/25/2016	Lead				2	Copper				0	136	E BALTIMORE BLVD	FLINT	48504
LG61936	7/25/2016	Lead				0	Copper				60	633	E BALTIMORE BLVD	FLINT	48504
LG61932	7/25/2016	Lead				1	Copper				60	633	E BALTIMORE BLVD	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG58005	7/7/2016	Lead				2	Copper				60	633	E BALTIMORE BLVD	FLINT	48503
LG57975	7/7/2016	Lead				12	Copper				280	633	E BALTIMORE BLVD	FLINT	48506
LG81792	10/13/2016	Lead				61	Copper				220	641	E BALTIMORE BLVD	FLINT	48504
LG76236	9/22/2016	Lead				12	Copper				0	805	E BALTIMORE BLVD	FLINT	48503
LG76241	9/22/2016	Lead				49	Copper				0	805	E BALTIMORE BLVD	FLINT	48507
LG72834	9/12/2016	Lead				0	Copper				0	1077	E BALTIMORE BLVD	FLINT	48439
LG72841	9/12/2016	Lead				0	Copper				0	1077	E BALTIMORE BLVD	FLINT	48504
LG67974	8/18/2016	Lead				0	Copper				0	418	E BISHOP AVE	FLINT	48503
LG76252	9/22/2016	Lead				2	Copper				0	614	E BISHOP AVE	FLINT	48504
LG66308	8/11/2016	Lead				0	Copper				0	618	E BISHOP AVE	FLINT	48503
LG66315	8/11/2016	Lead				0	Copper				80	618	E BISHOP AVE	FLINT	48507
LG76866	9/26/2016	Lead				0	Copper				0	618	E BISHOP AVE	FLINT	48507
LG76867	9/26/2016	Lead				0	Copper				60	618	E BISHOP AVE	FLINT	48507
LG76873	9/26/2016	Lead				0	Copper				70	618	E BISHOP AVE	FLINT	48507
LG85724	11/7/2016	Lead	0	0	0		Copper	0	0	0		618	E BISHOP AVE	FLINT	48502
LG85728	11/7/2016	Lead	0	0	0		Copper	0	0	0		618	E BISHOP AVE	FLINT	48504
LG76865	9/26/2016	Lead				4	Copper				100	618	E BISHOP AVE	FLINT	48503
LG90812	12/8/2016	Lead	33	16	20		Copper	170	0	0		618	E BISHOP AVE	FLINT	48503
LG76886	9/26/2016	Lead				0	Copper				100	638	E BISHOP AVE	FLINT	48532
LG58829	7/12/2016	Lead				0	Copper				0	5136	E BOULEVARD DR	FLINT	48503
LG71022	9/1/2016	Lead				5	Copper				0	734	E BUNDY AVE	FLINT	48507
LG86561	11/10/2016	Lead	0	0	0		Copper	0	0	0		1069	E BUNDY AVE	FLINT	48503
LG88726	11/28/2016	Lead				0	Copper				0	1190	E CARPENTER	FLINT	48503
LG71014	9/1/2016	Lead				0	Copper				0	322	E CARPENTER RD	FLINT	48502
LG71016	9/1/2016	Lead				0	Copper				0	322	E CARPENTER RD	FLINT	48503
LG74243	9/15/2016	Lead				1	Copper				0	414	E CARPENTER RD	FLINT	48504
LG67999	8/18/2016	Lead				136	Copper				430	414	E CARPENTER RD	FLINT	48507
LG88703	11/28/2016	Lead	0	0	0		Copper	0	110	80		1910	E CARPENTER RD	FLINT	48504
LG89422	12/1/2016	Lead	0	0	0		Copper	140	60	80		1910	E CARPENTER RD	FLINT	48504
LG89424	12/1/2016	Lead	0	0	0		Copper	0	0	0		1910	E CARPENTER RD	FLINT	48458
LG88663	11/28/2016	Lead				2	Copper				0	703	E COURT ST	FLINT	***
LG74870	9/19/2016	Lead				0	Copper				0	902	E COURT ST	FLINT	48507
LG83024	10/20/2016	Lead				0	Copper				0	902	E COURT ST	FLINT	48504
LG88136	11/21/2016	Lead				0	Copper				0	902	E COURT ST	FLINT	48506
LG84513	10/31/2016	Lead				5	Copper				0	915	E COURT ST	FLINT	48504
LG72836	9/12/2016	Lead				0	Copper				0	1302	E COURT ST	FLINT	48504
LG64565	8/4/2016	Lead				0	Copper				0	1500	E COURT ST	FLINT	48504
LG66697	8/15/2016	Lead				2	Copper				0	1701	E COURT ST	FLINT	48504
LG67953	8/18/2016	Lead				8	Copper				0	1701	E COURT ST	FLINT	48503
LG71009	9/1/2016	Lead				13	Copper				0	2026	E COURT ST	FLINT	48502
LG67960	8/18/2016	Lead				130	Copper				300	2026	E COURT ST	FLINT	48507
LG61190	7/20/2016	Lead				23	Copper				100	2030	E COURT ST	FLINT	48505
LG87344	11/17/2016	Lead				50	Copper				370	2030	E COURT ST	FLINT	48504
LG76087	9/22/2016	Lead				60	Copper				270	2030	E COURT ST	FLINT	48503
LG67902	8/18/2016	Lead				114	Copper				360	2030	E COURT ST	FLINT	48504
LG67899	8/18/2016	Lead				7	Copper				70	2406	E COURT ST	FLINT	48507
LG75354	9/21/2016	Lead				7	Copper				0	2406	E COURT ST	FLINT	48503
LG87331	11/17/2016	Lead				8	Copper				0	2406	E COURT ST	FLINT	48504
LG60687	7/19/2016	Lead				12	Copper				0	2406	E COURT ST	FLINT	48507
LG57988	7/7/2016	Lead				0	Copper				0	2505	E COURT ST	FLINT	48504
LG64554	8/4/2016	Lead				0	Copper				0	2505	E COURT ST	FLINT	48503
LG80756	10/6/2016	Lead				0	Copper				0	2505	E COURT ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG85359	11/3/2016	Lead				0	Copper				0	2505	E COURT ST	FLINT	48503
LG89855	12/5/2016	Lead	0	0	0		Copper	0	0	0		2505	E COURT ST	FLINT	48503
LG71369	9/6/2016	Lead				1	Copper				0	2505	E COURT ST	FLINT	48503
LG60685	7/19/2016	Lead				5	Copper				0	2520	E COURT ST	FLINT	48504
LG87432	11/17/2016	Lead				6	Copper				90	2520	E COURT ST	FLINT	48507
LG75352	9/21/2016	Lead				41	Copper				90	2520	E COURT ST	FLINT	48506
LG60663	7/19/2016	Lead				2	Copper				220	2525	E COURT ST	FLINT	48503
LG67939	8/18/2016	Lead				2	Copper				130	2525	E COURT ST	FLINT	48507
LG75321	9/21/2016	Lead				2	Copper				160	2525	E COURT ST	FLINT	48503
LG87379	11/17/2016	Lead				3	Copper				190	2525	E COURT ST	FLINT	48504
LG61530	7/21/2016	Lead				3	Copper				150	2610	E COURT ST	FLINT	48503
LG63037	7/28/2016	Lead				4	Copper				320	2610	E COURT ST	FLINT	48503
LG61544	7/21/2016	Lead				43	Copper				0	2613	E COURT ST	FLINT	48503
LG59615	7/14/2016	Lead				24	Copper				130	902	E COURT ST - RICHERT MANOR LOBBY	FLINT	48505
LG87697	11/17/2016	Lead	0	0	0		Copper	0	60	0		915	E COURT ST APT #302	FLINT	48503
LG61527	7/21/2016	Lead				0	Copper				0	405	E DARTMOUTH ST	FLINT	48507
LG88684	11/28/2016	Lead	0	0	0		Copper	0	0	0		434	E DEWEY ST	FLINT	48504
LG88707	11/28/2016	Lead	0	0	0		Copper	0	0	0		906	E EDMUND	FLINT	48507
LG58866	7/12/2016	Lead				5	Copper				0	162	E ELDRIDGE AVE	FLINT	48503
LG66692	8/15/2016	Lead				0	Copper				0	506	E ELDRIDGE AVE	FLINT	48504
LG63344	8/1/2016	Lead				0	Copper				90	517	E FIFTH AVE	FLINT	48503
LG76226	9/22/2016	Lead				1	Copper				0	333	E FOSS AVE	FLINT	48503
LG88687	11/28/2016	Lead	0	0	0		Copper	0	0	0		502	E FOSS AVE	FLINT	48504
LG83416	10/24/2016	Lead				26	Copper				110	922	E FOSS AVE	FLINT	48507
LG70998	9/1/2016	Lead				27	Copper				130	922	E FOSS AVE	FLINT	48532
LG66698	8/15/2016	Lead				0	Copper				0	1062	E FOSS AVE	FLINT	48507
LG66693	8/15/2016	Lead				2	Copper				0	1062	E FOSS AVE	FLINT	48504
LG67982	8/18/2016	Lead				0	Copper				0	509	E GILLESPIE AVE	FLINT	48507
LG60614	7/19/2016	Lead				0	Copper				100	610	E GRACELAWN AVE	FLINT	48503
LG75329	9/21/2016	Lead				0	Copper				0	610	E GRACELAWN AVE	FLINT	48503
LG67829	8/18/2016	Lead				1	Copper				0	610	E GRACELAWN AVE	FLINT	48503
LG87434	11/17/2016	Lead				6	Copper				140	610	E GRACELAWN AVE	FLINT	48504
LG84129	10/27/2016	Lead	2	6	5		Copper	170	440	370		1213	E GRACELAWN AVE	FLINT	48504
LG61495	7/21/2016	Lead				1	Copper				0	1445	E HAMILTON AVE	FLINT	48503
LG70079	8/29/2016	Lead				0	Copper				0	1810	E HAMILTON ST	FLINT	48504
LG58854	7/12/2016	Lead				2	Copper				0	3727	E HAMPTON DR	FLINT	48505
LG89850	12/5/2016	Lead	2	0	0		Copper	0	0	0		509	E HARRIET ST	FLINT	48503
LG60615	7/19/2016	Lead				0	Copper				0	258	E HOBSON AVE	FLINT	48503
LG68444	8/22/2016	Lead				0	Copper				0	258	E HOBSON AVE	FLINT	48503
LG75335	9/21/2016	Lead				0	Copper				0	258	E HOBSON AVE	FLINT	48507
LG87417	11/17/2016	Lead				0	Copper				0	258	E HOBSON AVE	FLINT	48505
LG66305	8/11/2016	Lead				4	Copper				0	502	E HOLBROOK AVE	FLINT	48507
LG89858	12/5/2016	Lead	0	0	0		Copper	0	0	0		1014	E HOLBROOK AVE	FLINT	48506
LG63359	8/1/2016	Lead				2	Copper				0	147	E HOME AVE	FLINT	48507
LG61500	7/21/2016	Lead				0	Copper				0	150	E HOME AVE	FLINT	48503
LG60809	7/20/2016	Lead				1	Copper				0	230	E JACKSON AVE	FLINT	48503
LG60810	7/20/2016	Lead				0	Copper				0	630	E JAMIESON ST	FLINT	48503
LG68441	8/22/2016	Lead				1	Copper				0	630	E JAMIESON ST	FLINT	48503
LG83047	10/20/2016	Lead				0	Copper				0	327	E KEARSLEY ST	FLINT	48504
LG71341	9/6/2016	Lead				0	Copper				0	908	E KEARSLEY ST	FLINT	48503
LG71339	9/6/2016	Lead				0	Copper				0	912	E KEARSLEY ST	FLINT	48504
LG91167	12/12/2016	Lead	1	0	0		Copper	130	0	0		1239	E KURTZ AVE	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG60628	7/19/2016	Lead				0	Copper				0	214	E LIVINGSTON DR	FLINT	48504
LG67886	8/18/2016	Lead				0	Copper				0	214	E LIVINGSTON DR	FLINT	48506
LG75296	9/21/2016	Lead				0	Copper				0	214	E LIVINGSTON DR	FLINT	48503
LG87360	11/17/2016	Lead				22	Copper				0	214	E LIVINGSTON DR	FLINT	48503
LG84145	10/27/2016	Lead	2	0	0		Copper	110	0	0		725	E LORADO AVE	FLINT	48503
LG60648	7/19/2016	Lead				0	Copper				0	715	E LYNDON AVE	FLINT	48506
LG67825	8/18/2016	Lead				0	Copper				0	715	E LYNDON AVE	FLINT	48504
LG75399	9/21/2016	Lead				0	Copper				0	715	E LYNDON AVE	FLINT	48504
LG87330	11/17/2016	Lead				0	Copper				0	715	E LYNDON AVE	FLINT	48504
LG84161	10/27/2016	Lead				8	Copper				120	605	E MARENGO	FLINT	48504
LG87676	11/17/2016	Lead				0	Copper				0	406	E MARENGO AVE	FLINT	48503
LG63036	7/28/2016	Lead				2	Copper				0	506	E MARENGO AVE	FLINT	48503
LG84162	10/27/2016	Lead				0	Copper				0	602	E MARENGO AVE	FLINT	48506
LG86720	11/14/2016	Lead	0	0	0		Copper	80	90	90		1059	E MARENGO AVE	FLINT	48503
LG87414	11/17/2016	Lead				0	Copper				0	617	E MCCLELLAN ST	FLINT	48504
LG75333	9/21/2016	Lead				1	Copper				0	617	E MCCLELLAN ST	FLINT	48503
LG67833	8/18/2016	Lead				2	Copper				0	617	E MCCLELLAN ST	FLINT	48504
LG60807	7/20/2016	Lead				5	Copper				0	617	E MCCLELLAN ST	FLINT	48504
LG83435	10/24/2016	Lead	0	0	0		Copper	0	0	0		355	E MOORE ST	FLINT	48505
LG91196	12/12/2016	Lead	1	1	1		Copper	0	0	0		5390	E MT MORRIS RD	FLINT	48503
LG61860	7/22/2016	Lead				0	Copper				120	911	E MYRTLE AVE	FLINT	48505
LG75391	9/21/2016	Lead				0	Copper				110	911	E MYRTLE AVE	FLINT	48503
LG67893	8/18/2016	Lead				3	Copper				0	911	E MYRTLE AVE	FLINT	48503
LG87407	11/17/2016	Lead				8	Copper				90	911	E MYRTLE AVE	FLINT	48504
LG84528	10/31/2016	Lead	0	0	0		Copper	0	0	0		133	E OAKLEY ST	FLINT	48506
LG71008	9/1/2016	Lead				0	Copper				0	346	E PARKWAY AVE	FLINT	48503
LG85697	11/7/2016	Lead				1	Copper				0	826	E PASADENA AVENUE	FLINT	48507
LG85722	11/7/2016	Lead	5	0	1		Copper	140	0	0		201	E PHILADELPHIA BLVD	FLINT	48505
LG85310	11/3/2016	Lead	35	56	51		Copper	440	690	630		201	E PHILADELPHIA BLVD	FLINT	48503
LG82142	10/17/2016	Lead				0	Copper				0	413	E PHILADELPHIA BLVD	FLINT	48503
LG69499	8/25/2016	Lead				0	Copper				0	606	E PHILADELPHIA BLVD	FLINT	48503
LG69518	8/25/2016	Lead				1	Copper				0	606	E PHILADELPHIA BLVD	FLINT	48505
LG61933	7/25/2016	Lead				0	Copper				0	435	E PIERSON RD	FLINT	48505
LG69497	8/25/2016	Lead				0	Copper				0	909	E PIERSON RD	FLINT	48503
LG80747	10/6/2016	Lead				0	Copper				0	121	E PIPER AVE	FLINT	48503
LG84166	10/27/2016	Lead				1	Copper				0	301	E PIPER AVE	FLINT	48507
LG65002	8/8/2016	Lead				0	Copper				0	132	E PULASKI AVE	FLINT	48505
LG61496	7/21/2016	Lead				0	Copper				0	514	E PULASKI AVE	FLINT	48503
LG61497	7/21/2016	Lead				7	Copper				170	514	E PULASKI AVE	FLINT	48503
LG58836	7/12/2016	Lead				0	Copper				0	1122	E ROSEDALE AVE	FLINT	48503
LG62971	7/28/2016	Lead				0	Copper				0	430	E RUTH AVE	FLINT	48505
LG62982	7/28/2016	Lead				0	Copper				0	430	E RUTH AVE	FLINT	48503
LG88652	11/28/2016	Lead				0	Copper				0	1187	E RUTH AVE	FLINT	48506
LG88651	11/28/2016	Lead				0	Copper				0	1454	E RUTH AVE	FLINT	48505
LG81100	10/10/2016	Lead				0	Copper				0	1021	E SCOTTHOOK AVE #107 LOT 134	BURTON	48504
LG61536	7/21/2016	Lead				0	Copper				0	722	E SECOND ST	FLINT	48507
LG76876	9/26/2016	Lead				0	Copper				0	2301	E SECOND ST	FLINT	48507
LG81784	10/13/2016	Lead				14	Copper				100	200	E SHERMAN AVE	FLINT	48503
LG85322	11/3/2016	Lead	5	2	3		Copper	90	0	0		902	E SIXTH ST	FLINT	48504
LG59616	7/14/2016	Lead				5	Copper				130	219	E STEWART AVE	FLINT	48503
LG58062	7/7/2016	Lead				2	Copper				110	309	E STEWART AVE	FLINT	48503
LG86546	11/10/2016	Lead	1	2	2		Copper	120	160	150		309	E STEWART AVE	FLINT	48502

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG63347	8/1/2016	Lead				0	Copper				70	735	E STEWART AVE	FLINT	48505
LG92050	12/15/2016	Lead				0	Copper				0	735	E STEWART AVE	FLINT	48502
LG75301	9/21/2016	Lead				3	Copper				60	808	E THIRD ST	FLINT	48503
LG60770	7/20/2016	Lead				4	Copper				130	808	E THIRD ST	FLINT	48503
LG67918	8/18/2016	Lead				4	Copper				70	808	E THIRD ST	FLINT	48503
LG87404	11/17/2016	Lead				4	Copper				50	808	E THIRD ST	FLINT	48502
LG58034	7/7/2016	Lead				2	Copper				70	110	E VAN WAGONER AVE	FLINT	48507
LG84534	10/31/2016	Lead	0	0	0		Copper	0	0	0		411	E WARREN ST	FLINT	48507
LG58061	7/7/2016	Lead				2	Copper				0	1806	E WEBSTER RD LOT 218	FLINT	48504
LG57978	7/7/2016	Lead				0	Copper				0	1806	E WEBSTER RD LOT 229	FLINT	48502
LG79598	10/3/2016	Lead				2	Copper				0	118	E WELLINGTON AVE	FLINT	48502
LG76868	9/26/2016	Lead				18	Copper				350	829	E WELLINGTON AVE	FLINT	48503
LG75304	9/21/2016	Lead				2	Copper				0	833	E WELLINGTON AVE	FLINT	48507
LG60774	7/20/2016	Lead				4	Copper				0	833	E WELLINGTON AVE	FLINT	48503
LG67912	8/18/2016	Lead				11	Copper				0	833	E WELLINGTON AVE	FLINT	48502
LG87397	11/17/2016	Lead				34	Copper				50	833	E WELLINGTON AVE	FLINT	48503
LG61548	7/21/2016	Lead				0	Copper				0	929	E WELLINGTON AVE	FLINT	48503
LG86557	11/10/2016	Lead	0	0	0		Copper	0	0	0		929	E YORK AVE	FLINT	48503
LG85701	11/7/2016	Lead				0	Copper				70	618	EAST BISHOP AVE	FLINT	48504
LG90815	12/8/2016	Lead	0	0	0		Copper	0	0	0		618	EAST BISHOP AVE	FLINT	48503
LG90829	12/8/2016	Lead	0	0	0		Copper	80	0	0		618	EAST BISHOP AVE	FLINT	48504
LG90830	12/8/2016	Lead	0	0	0		Copper	50	0	0		618	EAST BISHOP AVE	FLINT	48503
LG90832	12/8/2016	Lead	74	6	23		Copper	380	80	150		618	EAST BISHOP AVE	FLINT	48503
LG90809	12/8/2016	Lead	673	35	194		Copper	410	0	100		204	EAST PATERSON STREET	FLINT	48507
LG88173	11/21/2016	Lead	2	0	0		Copper	60	0	0		201	EAST PHILADELPHIA BLVD	FLINT	48504
LG69509	8/25/2016	Lead				0	Copper				0	819	EAST ST	FLINT	48504
LG66328	8/11/2016	Lead				0	Copper				0	1932	ECKLEY AVE	FLINT	48506
LG66329	8/11/2016	Lead				0	Copper				0	1932	ECKLEY AVE	FLINT	48506
LG88127	11/21/2016	Lead				0	Copper				0	1932	ECKLEY AVE	FLINT	48507
LG88130	11/21/2016	Lead				0	Copper				0	1932	ECKLEY AVE	FLINT	48506
LG86519	11/10/2016	Lead				0	Copper				0	2020	ECKLEY AVENUE	FLINT	48502
LG59617	7/14/2016	Lead				2	Copper				70	5701	EDGAR HOLT DR	FLINT	48502
LG59620	7/14/2016	Lead				0	Copper				0	5836	EDGAR HOLT DR	FLINT	48504
LG85714	11/7/2016	Lead	2	2	2		Copper	0	0	0		1124	EDITH AVE	FLINT	48506
LG85715	11/7/2016	Lead	3	3	3		Copper	0	0	0		1124	EDITH AVE	FLINT	48503
LG59591	7/14/2016	Lead				9	Copper				0	1141	EDITH AVE	FLINT	48504
LG85319	11/3/2016	Lead	8	13	12		Copper	70	70	70		222	EDMUND ST	FLINT	48507
LG84542	10/31/2016	Lead	0	0	0		Copper	80	0	0		618	EDMUND ST	FLINT	48505
LG90831	12/8/2016	Lead	0	0	0		Copper	0	0	0		618	EDMUND ST	FLINT	48507
LG88690	11/28/2016	Lead	2	0	0		Copper	100	0	0		618	EDMUND ST	FLINT	48503
LG88696	11/28/2016	Lead	1	1	1		Copper	60	0	0		622	EDMUND ST	FLINT	48504
LG84537	10/31/2016	Lead	1	2	2		Copper	60	0	0		622	EDMUND ST	FLINT	48507
LG90826	12/8/2016	Lead	0	2	2		Copper	0	0	0		622	EDMUND ST	FLINT	48504
LG63369	8/1/2016	Lead				2	Copper				0	5718	EDWARDS AVE	FLINT	48502
LG91186	12/12/2016	Lead	0	0	0		Copper	0	0	0		5909	EDWARDS AVE	FLINT	***
LG86521	11/10/2016	Lead				0	Copper				0	1110	ELDON BAKER DR	FLINT	48504
LG83427	10/24/2016	Lead				0	Copper				0	1221	ELDORADO DR	FLINT	48504
LG80743	10/6/2016	Lead				3	Copper				60	1314	ELDORADO DR	FLINT	48502
LG60710	7/19/2016	Lead				0	Copper				0	1417	ELDORADO DR	FLINT	48505
LG87619	11/17/2016	Lead	0				Copper	0					ELLEN STREET CAMPUS	FENTON	48503
LG71333	9/6/2016	Lead				0	Copper				0	3306	EMERSON ST	FLINT	48504
LG58021	7/7/2016	Lead				0	Copper				0	2710	EPSILON TRL	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG71319	9/6/2016	Lead				0	Copper				0	3462	EVERGREEN PKWY	FLINT	48502
LG71344	9/6/2016	Lead				0	Copper				0	3462	EVERGREEN PKWY	FLINT	48503
LG86528	11/10/2016	Lead	0	0	0		Copper	0	0	0		3462	EVERGREEN PKWY	FLINT	48507
LG88730	11/28/2016	Lead	0	0	0		Copper	0	0	0		3714	EVERGREEN PKWY	FLINT	48507
LG81102	10/10/2016	Lead				0	Copper				0	1042	FAIRFAX ST	FLINT	48506
LG64562	8/4/2016	Lead				1	Copper				140	1133	FAIRFAX ST	FLINT	48507
LG69915	8/26/2016	Lead				0	Copper				0	131	FAIRVIEW ST	HANOVER	48505
LG71364	9/6/2016	Lead				0	Copper				50	702	FATHER DUKETTE BLVD #618	FLINT	48503
LG74856	9/19/2016	Lead				0	Copper				0	702	FATHER DUKETTE BLVD APT 618	FLINT	48505
LG87679	11/17/2016	Lead				0	Copper				80	1601	FAY PL	FLINT	48506
LG84526	10/31/2016	Lead	0	0	0		Copper	100	100	100		1915	FENMORE DR	FLINT	48504
LG91152	12/12/2016	Lead				0	Copper				0	3822	FENTON	FLINT	48503
LG91153	12/12/2016	Lead				0	Copper				0	4001	FENTON	FLINT	48507
LG87617	11/17/2016	Lead	0				Copper	0					FENTON HEAD START	FENTON	48504
LG87609	11/17/2016	Lead	0				Copper	0					FENTON RAINBOW 2	FENTON	48504
LG72793	9/12/2016	Lead				3	Copper				0	2112	FENTON RD	FLINT	48503
LG72792	9/12/2016	Lead				5	Copper				0	2112	FENTON RD	FLINT	48503
LG91154	12/12/2016	Lead				0	Copper				0	3102	FENTON RD	FLINT	48505
LG91156	12/12/2016	Lead				2	Copper				110	3504	FENTON RD	FLINT	48504
LG92053	12/15/2016	Lead				0	Copper				0	3616	FENTON RD	FLINT	48505
LG91155	12/12/2016	Lead				4	Copper				60	4103	FENTON RD	FLINT	48504
LG91158	12/12/2016	Lead				0	Copper				0	4402	FENTON RD	FLINT	48502
LG91151	12/12/2016	Lead				0	Copper				0	4501	FENTON RD	FLINT	48507
LG92040	12/15/2016	Lead				0	Copper				0	4831	FENTON RD	FLINT	48503
LG79607	10/3/2016	Lead				2	Copper				430	4841	FENTON RD	FLINT	48503
LG91162	12/12/2016	Lead				0	Copper				110	4903	FENTON RD	FLINT	48503
LG58838	7/12/2016	Lead				0	Copper				0	5322	FENTON RD	FLINT	48503
LG72164	9/8/2016	Lead				8	Copper				170	311	FERNDAL PL	FLINT	48504
LG91171	12/12/2016	Lead	47	2	13		Copper	280	0	70		2042	FERRIS AVE	FLINT	48502
LG84147	10/27/2016	Lead	0	0	0		Copper	80	0	0		2809	FIELDING ST	FLINT	48507
LG83426	10/24/2016	Lead				0	Copper				0	300	FIRST ST	FLINT	48503
LG63029	7/28/2016	Lead				0	Copper				0	811	FISK DR	FLINT	48504
LG64555	8/4/2016	Lead				23	Copper				0	4103	FLEMING RD	FLINT	48505
LG60608	7/19/2016	Lead				0	Copper				0	5410	FLEMING RD	FLINT	48503
LG67823	8/18/2016	Lead				0	Copper				0	5410	FLEMING RD	FLINT	48507
LG75395	9/21/2016	Lead				0	Copper				0	5410	FLEMING RD	FLINT	48506
LG87413	11/17/2016	Lead				0	Copper				0	5410	FLEMING RD	FLINT	48503
LG67987	8/18/2016	Lead				2	Copper				0	6618	FLEMING RD	FLINT	48506
LG88162	11/21/2016	Lead	0	0	0		Copper	0	0	0		5418	FLEMING ROAD	FLINT	48503
LG64553	8/4/2016	Lead				0	Copper				0	2300	FLUSHING RD	FLINT	48529
LG89859	12/5/2016	Lead	0	0	0		Copper	70	60	60		2539	FLUSHING RD	FLINT	48503
LG88674	11/28/2016	Lead	0	0	0		Copper	0	0	0		1459	FOREST HILL AVE	FLINT	48504
LG85317	11/3/2016	Lead	0	0	0		Copper	0	0	0		1310	FOREST HILL AVE	FLINT	48503
LG86533	11/10/2016	Lead	2	1	1		Copper	70	110	100		1370	FOREST HILL AVE	FLINT	48503
LG86538	11/10/2016	Lead	3	0	0		Copper	210	0	50		1370	FOREST HILL AVE	FLINT	48506
LG88668	11/28/2016	Lead	0	0	0		Copper	0	0	0		1459	FOREST HILL AVE	FLINT	48504
LG84531	10/31/2016	Lead	23	3	8		Copper	250	0	60		3213	FOREST HILL AVE	FLINT	48505
LG58859	7/12/2016	Lead				1	Copper				0	3221	FOREST HILL AVE	FLINT	48506
LG59611	7/14/2016	Lead				0	Copper				0	2221	FOX CIR UNIT #078	FLINT	48503
LG59613	7/14/2016	Lead				40	Copper				460	2224	FOX CIR UNIT #203	FLINT	48507
LG59614	7/14/2016	Lead				13	Copper				150	2421	FOX CIR UNIT #266	FLINT	48504
LG59612	7/14/2016	Lead				2	Copper				90	2210	FOX CIR UNIT #91	FLINT	48502

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG59585	7/14/2016	Lead				48	Copper				100	701	FRANK ST	FLINT	48532
LG83053	10/20/2016	Lead				2	Copper				100	718	FRANK ST	FLINT	48504
LG89860	12/5/2016	Lead	0	0	0		Copper	0	0	0		4033	FRASER ST	FLINT	48504
LG74866	9/19/2016	Lead				0	Copper				0	647	FREEMAN AVE	FLINT	48503
LG83015	10/20/2016	Lead				0	Copper				0	647	FREEMAN AVE	FLINT	48503
LG58857	7/12/2016	Lead				33	Copper				0	647	FREEMAN AVE	FLINT	48503
LG63042	7/28/2016	Lead				13	Copper				100	648	FREEMAN AVE	FLINT	48505
LG64530	8/4/2016	Lead				1	Copper				0	659	FREEMAN AVE	FLINT	48503
LG72825	9/12/2016	Lead				3	Copper				0	734	FREEMAN AVE	FLINT	48504
LG61531	7/21/2016	Lead				1	Copper				0	745	FREEMAN AVE	FLINT	48507
LG88138	11/21/2016	Lead				0	Copper				0	647	FREEMANE AVE	FLINT	48503
LG72168	9/8/2016	Lead				0	Copper				70	913	FREMONT ST	FLINT	48507
LG72169	9/8/2016	Lead				0	Copper				100	913	FREMONT ST	FLINT	48503
LG91200	12/12/2016	Lead	0	0	0		Copper	70	0	0		913	FREMONT ST	FLINT	48504
LG91177	12/12/2016	Lead	3	2	2		Copper	260	160	180		913	FREMONT ST	FLINT	48507
LG91179	12/12/2016	Lead	3	0	0		Copper	90	0	0		913	FREMONT ST	FLINT	48505
LG62989	7/28/2016	Lead				3	Copper				110	968	GAINEY AVE	FLINT	48503
LG69493	8/25/2016	Lead				3	Copper				120	968	GAINEY AVE	FLINT	48503
LG89833	12/5/2016	Lead				3	Copper				0	1517	GAINEY AVE	FLINT	48504
LG60204	7/18/2016	Lead				2	Copper				0	1520	GAINEY AVE	FLINT	48503
LG70052	8/29/2016	Lead				1	Copper				50	2822	GAMMA LN	FLINT	48506
LG59609	7/14/2016	Lead				43	Copper				90	801	GARDENVIEW DR APT #105	FLINT	48503
LG59606	7/14/2016	Lead				5	Copper				170	801	GARDENVIEW DR APT #129	FLINT	48504
LG59605	7/14/2016	Lead				19	Copper				130	801	GARDENVIEW DR APT #134	FLINT	48504
LG90786	12/8/2016	Lead				0	Copper				0	725	GARLAND	FLINT	48507
LG89405	12/1/2016	Lead				0	Copper				0	503	GARLAND ST	FLINT	48505
LG89402	12/1/2016	Lead				0	Copper				0	605	GARLAND ST	FLINT	48532
LG69557	8/25/2016	Lead				0	Copper				0	1534	GARLAND ST	FLINT	48503
LG59590	7/14/2016	Lead				4	Copper				100	2909	GIBSON ST	FLINT	48504
LG57980	7/7/2016	Lead				0	Copper				0	2020	GILMARTIN ST	FLINT	48504
LG57990	7/7/2016	Lead				0	Copper				0	2020	GILMARTIN ST	FLINT	48506
LG64548	8/4/2016	Lead				3	Copper				0	1033	GLADWIN ST	FLINT	48503
LG87406	11/17/2016	Lead				1	Copper				0	1920	GLENDALE AVE	FLINT	48503
LG67942	8/18/2016	Lead				2	Copper				0	1920	GLENDALE AVE	FLINT	48504
LG60653	7/19/2016	Lead				3	Copper				0	1920	GLENDALE AVE	FLINT	48504
LG76095	9/22/2016	Lead				4	Copper				0	1920	GLENDALE AVE	FLINT	48505
LG81099	10/10/2016	Lead				2	Copper				0	3724	GLOUCESTER ST	FLINT	48503
LG68457	8/22/2016	Lead				0	Copper				0	3742	GLOUCESTER ST	FLINT	48504
LG76244	9/22/2016	Lead				0	Copper				0	3840	GLOUCESTER ST	FLINT	48504
LG76245	9/22/2016	Lead				0	Copper				0	3840	GLOUCESTER ST	FLINT	48503
LG66314	8/11/2016	Lead				0	Copper				0	2015	GOLD AVE	FLINT	48503
LG86714	11/14/2016	Lead	2	3	3		Copper	60	0	0		2019	GOLD AVE	FLINT	48423
LG80754	10/6/2016	Lead				0	Copper				0	2712	GOLFSIDE LN	FLINT	48505
LG71346	9/6/2016	Lead				0	Copper				70	2749	GOLFSIDE LN	FLINT	48502
LG83046	10/20/2016	Lead				6	Copper				0	2016	GOODRICH AVE	FLINT	48505
LG63364	8/1/2016	Lead				5	Copper				60	613	GRACE ST	FLINT	48502
LG87610	11/17/2016	Lead	1				Copper	190					GRAND BLANC ACADEMY	GRAND BLANC	48503
LG90783	12/8/2016	Lead				0	Copper				0	101	GRAND TRAVERSE	FLINT	48503
LG90780	12/8/2016	Lead				0	Copper				0	328	GRAND TRAVERSE	FLINT	48505
LG85700	11/7/2016	Lead				0	Copper				0	2545	GRAND TRAVERSE	FLINT	48503
LG89410	12/1/2016	Lead				0	Copper				0	601	GRAND TRAVERSE ST	FLINT	48504
LG85335	11/3/2016	Lead	0	0	0		Copper	0	0	0		1225	GRANDY ST	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG86529	11/10/2016	Lead	2	0	0		Copper	0	0	0		3622	GRATIOT	FLINT	0
LG88705	11/28/2016	Lead	2	0	0		Copper	0	0	0		3622	GRATIOT	FLINT	48503
LG59576	7/14/2016	Lead				0	Copper				180	3314	GRATIOT AVE	FLINT	48506
LG64544	8/4/2016	Lead				5	Copper				0	3410	GRATIOT AVE	FLINT	48503
LG70048	8/29/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48507
LG72148	9/8/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48507
LG72152	9/8/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48506
LG74874	9/19/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48504
LG76235	9/22/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48507
LG78682	9/29/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48503
LG80762	10/6/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48503
LG81781	10/13/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48503
LG83017	10/20/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48504
LG83055	10/20/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48504
LG88143	11/21/2016	Lead				0	Copper				0	3622	GRATIOT AVE	FLINT	48504
LG89870	12/5/2016	Lead	0	0	0		Copper	0	0	0		3622	GRATIOT AVE	FLINT	48504
LG90822	12/8/2016	Lead	0	0	0		Copper	0	0	0		3622	GRATIOT AVE	FLINT	48505
LG85327	11/3/2016	Lead	2	0	0		Copper	0	0	0		3622	GRATIOT AVE	FLINT	48507
LG70035	8/29/2016	Lead				4	Copper				0	3622	GRATIOT AVE	FLINT	48457
LG69520	8/25/2016	Lead				5	Copper				90	3622	GRATIOT AVE	FLINT	48506
LG64522	8/4/2016	Lead				36	Copper				380	3622	GRATIOT AVE	FLINT	48341
LG60216	7/18/2016	Lead				168	Copper				70	3622	GRATIOT AVE	FLINT	48507
LG88735	11/28/2016	Lead	0	0	0		Copper	100	90	90		3714	GRATIOT AVE	FLINT	48507
LG74841	9/19/2016	Lead				1	Copper				0	3714	GRATIOT AVE	FLINT	48507
LG60804	7/20/2016	Lead				0	Copper				0	139	GREEN ST	FLINT	48505
LG67811	8/18/2016	Lead				0	Copper				0	139	GREEN ST	FLINT	48505
LG75327	9/21/2016	Lead				0	Copper				0	139	GREEN ST	FLINT	48505
LG87438	11/17/2016	Lead				0	Copper				0	139	GREEN ST	FLINT	48503
LG87409	11/17/2016	Lead				1	Copper				0	210	GREEN ST	FLINT	48503
LG67824	8/18/2016	Lead				3	Copper				50	210	GREEN ST	FLINT	48507
LG75330	9/21/2016	Lead				3	Copper				0	210	GREEN ST	FLINT	48507
LG65010	8/8/2016	Lead				0	Copper				0	1809	GREENBRIAR LN	FLINT	48503
LG58051	7/7/2016	Lead				0	Copper				60	1722	GREENBROOK LN	FLINT	48506
LG72838	9/12/2016	Lead				0	Copper				60	3712	GREENBROOK LN	FLINT	48506
LG72159	9/8/2016	Lead				0	Copper				60	4002	GREENBROOK LN	FLINT	48507
LG81101	10/10/2016	Lead				0	Copper				60	4006	GREENBROOK LN	FLINT	48504
LG81103	10/10/2016	Lead				0	Copper				0	4006	GREENBROOK LN	FLINT	48504
LG76888	9/26/2016	Lead				0	Copper				0	4322	GREENBROOK LN	FLINT	48504
LG76871	9/26/2016	Lead				0	Copper				60	4322	GREENBROOK LN	FLINT	***
LG81106	10/10/2016	Lead				0	Copper				0	4322	GREENBROOK LN	FLINT	48504
LG81107	10/10/2016	Lead				0	Copper				0	4322	GREENBROOK LN	FLINT	48532
LG66306	8/11/2016	Lead				0	Copper				50	4418	GREENBROOK LN	FLINT	48505
LG78677	9/29/2016	Lead				8	Copper				50	4418	GREENBROOK LN	FLINT	48504
LG90032	12/6/2016	Lead	3				Copper	420				27725	GREENFIELD	SOUTHFIELD	48503
LG64523	8/4/2016	Lead				1	Copper				0	519	GREENFIELD AVE	FLINT	48503
LG64527	8/4/2016	Lead				2	Copper				0	519	GREENFIELD AVE	FLINT	48507
LG69536	8/25/2016	Lead				2	Copper				50	519	GREENFIELD AVE	FLINT	48507
LG69555	8/25/2016	Lead				4	Copper				0	519	GREENFIELD AVE	FLINT	48503
LG91185	12/12/2016	Lead	5	3	3		Copper	0	0	0		519	GREENFIELD AVE	FLINT	48503
LG91187	12/12/2016	Lead	14	27	24		Copper	0	50	0		519	GREENFIELD AVE	FLINT	48503
LG88169	11/21/2016	Lead	4	4	4		Copper	50	0	0		519	GREENFIELD AVENUE	FLINT	48503
LG88172	11/21/2016	Lead	7	4	5		Copper	0	0	0		519	GREENFIELD AVENUE	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG68459	8/22/2016	Lead				0	Copper				0	4410	GREENLAWN DR	FLINT	48505
LG64559	8/4/2016	Lead				9	Copper				0	1701	GREENWAY AVE	FLINT	48503
LG87613	11/17/2016	Lead	0				Copper	90					HAAS ELEMENTARY	GENESEE	48504
LG87623	11/17/2016	Lead	0				Copper	0					HAAS ELEMENTARY	GENESEE	48503
LG60212	7/18/2016	Lead				3	Copper				670	1902	HAMMERBERG RD	FLINT	48507
LG87686	11/17/2016	Lead	0	0	0		Copper	80	50	60		3900	HAMMERBERG RD #317	FLINT	48507
LG61491	7/21/2016	Lead				4	Copper				740	1902	HAMMERBURG RD	FLINT	48505
LG67980	8/18/2016	Lead				0	Copper				60	1830	HAMPDEN RD	FLINT	48505
LG86719	11/14/2016	Lead	2	1	1		Copper	90	80	80		1920	HAMPDEN RD	FLINT	48506
LG67971	8/18/2016	Lead				0	Copper				0	2845	HAMPSTEAD DR	FLINT	48504
LG89842	12/5/2016	Lead				0	Copper				0	1522	HARRISON ST	FLINT	48506
LG71347	9/6/2016	Lead				0	Copper				80	3110	HAWTHORNE DR	FLINT	48503
LG81773	10/13/2016	Lead				0	Copper				0	3202	HAWTHORNE DR	FLINT	48504
LG81774	10/13/2016	Lead				1	Copper				110	3202	HAWTHORNE DR	FLINT	48507
LG81778	10/13/2016	Lead				11	Copper				210	3202	HAWTHORNE DR	FLINT	48504
LG84140	10/27/2016	Lead	0	0	0		Copper	80	70	70		3301	HAWTHORNE DR	FLINT	48505
LG76246	9/22/2016	Lead				6	Copper				0	3302	HAWTHORNE DR	FLINT	48507
LG62990	7/28/2016	Lead				57	Copper				70	3302	HAWTHORNE DR	FLINT	48505
LG66307	8/11/2016	Lead				2	Copper				120	3312	HAWTHORNE DR	FLINT	48504
LG66312	8/11/2016	Lead				4	Copper				320	3312	HAWTHORNE DR	FLINT	48505
LG66316	8/11/2016	Lead				0	Copper				160	3411	HAWTHORNE DR	FLINT	48503
LG70055	8/29/2016	Lead				4	Copper				150	3411	HAWTHORNE DR	FLINT	48506
LG68467	8/22/2016	Lead				49	Copper				0	3420	HAWTHORNE DR	FLINT	48502
LG65004	8/8/2016	Lead				2	Copper				90	3430	HAWTHORNE DR	FLINT	48503
LG58871	7/12/2016	Lead				0	Copper				80	3441	HAWTHORNE DR	FLINT	48507
LG76890	9/26/2016	Lead				3	Copper				210	3450	HAWTHORNE DR	FLINT	48503
LG76880	9/26/2016	Lead				14	Copper				120	3450	HAWTHORNE DR	FLINT	48504
LG58066	7/7/2016	Lead				0	Copper				0	3501	HAWTHORNE DR	FLINT	48503
LG63361	8/1/2016	Lead				1	Copper				100	3501	HAWTHORNE DR	FLINT	48503
LG58071	7/7/2016	Lead				2	Copper				90	3501	HAWTHORNE DR	FLINT	48507
LG86550	11/10/2016	Lead	2	0	0		Copper	240	50	100		3501	HAWTHORNE DR	FLINT	48430
LG89421	12/1/2016	Lead	4	0	1		Copper	280	100	150		3501	HAWTHORNE DR	FLINT	48503
LG80751	10/6/2016	Lead				7	Copper				170	3501	HAWTHORNE DR	FLINT	48503
LG58058	7/7/2016	Lead				4	Copper				0	721	HAZELTON ST	FLINT	48503
LG67813	8/18/2016	Lead				0	Copper				70	3029	HELBER ST	FLINT	48503
LG75379	9/21/2016	Lead				0	Copper				60	3029	HELBER ST	FLINT	48505
LG87349	11/17/2016	Lead				0	Copper				0	3029	HELBER ST	FLINT	48507
LG60801	7/20/2016	Lead				1	Copper				50	3029	HELBER ST	FLINT	48503
LG92057	12/15/2016	Lead				2	Copper				0	1940	HEMPHILL RD	FLINT	48503
LG58006	7/7/2016	Lead				2	Copper				0	2964	HENRY ST	FLINT	48504
LG67988	8/18/2016	Lead				0	Copper				0	3001	HENRY ST	FLINT	48503
LG66318	8/11/2016	Lead				0	Copper				0	3002	HENRY ST	FLINT	48507
LG58018	7/7/2016	Lead				2	Copper				180	3613	HERRICK ST	FLINT	48503
LG70065	8/29/2016	Lead				0	Copper				0	3617	HERRICK ST	FLINT	48507
LG87703	11/17/2016	Lead	0	0	0		Copper	60	0	0		3617	HERRICK ST	FLINT	48503
LG80759	10/6/2016	Lead				3	Copper				60	3617	HERRICK ST	FLINT	48504
LG62994	7/28/2016	Lead				5	Copper				70	3617	HERRICK ST	FLINT	48503
LG71002	9/1/2016	Lead				0	Copper				0	3810	HERRICK ST	FLINT	48502
LG85729	11/7/2016	Lead	12	3	5		Copper	130	0	0		3810	HERRICK ST	FLINT	48503
LG68001	8/18/2016	Lead				0	Copper				0	2721	HILLCREST AVE	FLINT	48505
LG68008	8/18/2016	Lead				2	Copper				0	2721	HILLCREST AVE	FLINT	48503
LG71007	9/1/2016	Lead				6	Copper				0	2721	HILLCREST AVE	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG59599	7/14/2016	Lead				0	Copper				0	2915	HILLCREST AVE	FLINT	48503
LG74244	9/15/2016	Lead				1	Copper				0	6514	HILLCREST DR	FLINT	48506
LG68010	8/18/2016	Lead				0	Copper				0	2002	HILLS ST	FLINT	48503
LG88671	11/28/2016	Lead	2	2	2		Copper	110	120	120		2020	HILLS ST	FLINT	48532
LG88672	11/28/2016	Lead	3	2	2		Copper	60	50	50		2020	HILLS ST	FLINT	48532
LG61942	7/25/2016	Lead				595	Copper				440	2020	HILLS ST	FLINT	48506
LG66301	8/11/2016	Lead				1	Copper				0	2025	HILLS ST	FLINT	48507
LG59565	7/14/2016	Lead				0	Copper				0	2032	HILLS ST	FLINT	48504
LG59624	7/14/2016	Lead				0	Copper				0	2125	HILLS ST	FLINT	48504
LG59632	7/14/2016	Lead				0	Copper				0	2125	HILLS ST	FLINT	48503
LG64582	8/4/2016	Lead				0	Copper				0	2125	HILLS ST	FLINT	48504
LG72140	9/8/2016	Lead				0	Copper				0	2125	HILLS ST	FLINT	48507
LG72145	9/8/2016	Lead				0	Copper				0	2125	HILLS ST	FLINT	48507
LG81087	10/10/2016	Lead				0	Copper				0	2125	HILLS ST	FLINT	48504
LG81089	10/10/2016	Lead				0	Copper				0	2125	HILLS ST	FLINT	48502
LG64581	8/4/2016	Lead				5	Copper				0	2125	HILLS ST	FLINT	48506
LG59627	7/14/2016	Lead				6	Copper				0	2125	HILLS ST	FLINT	48503
LG81088	10/10/2016	Lead				6	Copper				0	2125	HILLS ST	FLINT	48503
LG72143	9/8/2016	Lead				41	Copper				70	2125	HILLS ST	FLINT	48504
LG84544	10/31/2016	Lead	0	0	0		Copper	60	0	0		2207	HILLS ST	FLINT	48507
LG84516	10/31/2016	Lead				0	Copper				310	2219	HILLS ST	FLINT	48506
LG60679	7/19/2016	Lead				5	Copper				130	2401	HILLS ST	FLINT	48506
LG87433	11/17/2016	Lead				7	Copper				140	2401	HILLS ST	FLINT	48507
LG75312	9/21/2016	Lead				16	Copper				130	2401	HILLS ST	FLINT	48504
LG67873	8/18/2016	Lead				22	Copper				180	2401	HILLS ST	FLINT	48505
LG74865	9/19/2016	Lead				0	Copper				0	2409	HILLS ST	FLINT	48506
LG83023	10/20/2016	Lead				0	Copper				0	2409	HILLS ST	FLINT	48505
LG72820	9/12/2016	Lead				0	Copper				0	2409	HILLS ST	FLINT	48506
LG72823	9/12/2016	Lead				0	Copper				360	2409	HILLS ST	FLINT	48502
LG72829	9/12/2016	Lead				0	Copper				0	2409	HILLS ST	FLINT	48504
LG57969	7/7/2016	Lead				2	Copper				0	2409	HILLS ST	FLINT	48502
LG57992	7/7/2016	Lead				18	Copper				50	2409	HILLS ST	FLINT	48506
LG76331	9/22/2016	Lead				0	Copper				0	2410	HILLS ST	FLINT	48503
LG67883	8/18/2016	Lead				69	Copper				110	2410	HILLS ST	FLINT	48503
LG61490	7/21/2016	Lead				0	Copper				310	2418	HILLS ST	FLINT	48504
LG88736	11/28/2016	Lead	0	0	0		Copper	90	0	0		2418	HILLS ST	FLINT	48503
LG76086	9/22/2016	Lead				3	Copper				150	2501	HILLS ST	FLINT	48506
LG88150	11/21/2016	Lead				3	Copper				80	2501	HILLS ST	FLINT	48503
LG60683	7/19/2016	Lead				12	Copper				60	2501	HILLS ST	FLINT	48503
LG68447	8/22/2016	Lead				14	Copper				0	2501	HILLS ST	FLINT	48504
LG64580	8/4/2016	Lead				0	Copper				0	2515	HILLS ST	FLINT	48505
LG88145	11/21/2016	Lead				0	Copper				0	2409	HILLS STREET	FLINT	48503
LG64997	8/8/2016	Lead				0	Copper				0	217	HILLVIEW TER	FENTON	48505
LG60203	7/18/2016	Lead				6	Copper				0	2225	HOFF ST	FLINT	48505
LG67938	8/18/2016	Lead				0	Copper				0	3402	HOGARTH AVE	FLINT	48507
LG75396	9/21/2016	Lead				0	Copper				0	3402	HOGARTH AVE	FLINT	48506
LG60602	7/19/2016	Lead				9	Copper				0	3402	HOGARTH AVE	FLINT	48504
LG88148	11/21/2016	Lead				295	Copper				0	3402	HOGARTH AVE	FLINT	48507
LG75400	9/21/2016	Lead				0	Copper				0	3414	HOGARTH AVE	FLINT	48507
LG87421	11/17/2016	Lead				0	Copper				0	3414	HOGARTH AVE	FLINT	48507
LG67884	8/18/2016	Lead				1	Copper				0	3414	HOGARTH AVE	FLINT	48502
LG60606	7/19/2016	Lead				2	Copper				0	3414	HOGARTH AVE	FLINT	48502

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG60643	7/19/2016	Lead				7	Copper				80	3513	HOGARTH AVE	FLINT	48503
LG75370	9/21/2016	Lead				8	Copper				80	3513	HOGARTH AVE	FLINT	48502
LG67937	8/18/2016	Lead				9	Copper				80	3513	HOGARTH AVE	FLINT	48503
LG87423	11/17/2016	Lead				14	Copper				110	3513	HOGARTH AVE	FLINT	48507
LG74864	9/19/2016	Lead				0	Copper				0	3622	HOGARTH AVE	FLINT	48505
LG83014	10/20/2016	Lead				0	Copper				0	3622	HOGARTH AVE	FLINT	48505
LG88547	11/23/2016	Lead				0	Copper				0	3622	HOGARTH AVE	FLINT	48504
LG62972	7/28/2016	Lead				1	Copper				210	3909	HOGARTH AVE	FLINT	48505
LG66300	8/11/2016	Lead				0	Copper				0	3115	HOLLY AVE	FLINT	48505
LG72788	9/12/2016	Lead				0	Copper				50	3217	HOLLY AVE	FLINT	48503
LG61499	7/21/2016	Lead				0	Copper				0	3239	HOLLY AVE	FLINT	48507
LG70041	8/29/2016	Lead				0	Copper				0	3514	HOLLY AVE	FLINT	48507
LG66322	8/11/2016	Lead				0	Copper				70	3525	HOLLY AVE	FLINT	48503
LG87675	11/17/2016	Lead				2	Copper				80	3614	HOLLY AVE	FLINT	48503
LG67967	8/18/2016	Lead				0	Copper				0	3722	HOLLY AVE	FLINT	48503
LG91159	12/12/2016	Lead				0	Copper				0	3813	HOLLY AVE	FLINT	48504
LG83097	10/20/2016	Lead	0	0	0		Copper	0	0	0		3829	HOLLY AVE	FLINT	48502
LG69492	8/25/2016	Lead				65	Copper				0	3829	HOLLY AVE	FLINT	48504
LG68454	8/22/2016	Lead				0	Copper				0	3841	HOLLY AVE	FLINT	48505
LG68475	8/22/2016	Lead				0	Copper				0	3841	HOLLY AVE	FLINT	48503
LG69490	8/25/2016	Lead				3	Copper				0	3205	HOLLY AVE APT 2	FLINT	48503
LG87593	11/17/2016	Lead	0				Copper	60					HONEY BEE PALACE	FLINT	48505
LG58844	7/12/2016	Lead				0	Copper				0	1845	HOSLER ST	FLINT	48502
LG71365	9/6/2016	Lead				3	Copper				0	1925	HOSLER ST	FLINT	48506
LG89843	12/5/2016	Lead				7	Copper				210	2121	HOWARD AVE	FLINT	48505
LG72812	9/12/2016	Lead				14	Copper				100	711	HUBBARD AVE	FLINT	48503
LG88733	11/28/2016	Lead	2	0	0		Copper	0	0	0		916	HUBBARD AVE	FLINT	48503
LG85706	11/7/2016	Lead	0	0	0		Copper	60	0	0		4402	HUCKLEBERRY LN	FLINT	48505
LG68470	8/22/2016	Lead				0	Copper				100	4413	HUCKLEBERRY LN	FLINT	48503
LG81110	10/10/2016	Lead				3	Copper				60	1522	HUGHES AVE	FLINT	48505
LG60646	7/19/2016	Lead				0	Copper				0	1626	HUGHES AVE	FLINT	48504
LG67874	8/18/2016	Lead				0	Copper				0	1626	HUGHES AVE	FLINT	48503
LG75319	9/21/2016	Lead				0	Copper				60	1626	HUGHES AVE	FLINT	48504
LG87450	11/17/2016	Lead				0	Copper				0	1626	HUGHES AVE	FLINT	48503
LG91191	12/12/2016	Lead	0	0	0		Copper	140	340	290		612	HURON ST	FLINT	48505
LG84536	10/31/2016	Lead	1	1	1		Copper	120	60	70		936	HURON ST	FLINT	48504
LG83439	10/24/2016	Lead	0	0	0		Copper	130	0	0		1215	HURON ST	FLINT	48504
LG88732	11/28/2016	Lead	0	0	0		Copper	0	0	0		1219	HURON ST	FLINT	48506
LG88706	11/28/2016	Lead	1	0	0		Copper	60	0	0		1316	IDA AVE	FLINT	48503
LG90804	12/8/2016	Lead				0	Copper				0	1401	IDA AVE	FLINT	48506
LG71368	9/6/2016	Lead				0	Copper				0	1609	ILLINOIS AVE	FLINT	48503
LG71375	9/6/2016	Lead				3	Copper				0	1609	ILLINOIS AVE	FLINT	48507
LG63351	8/1/2016	Lead				152	Copper				640	1725	ILLINOIS AVE	FLINT	0
LG84152	10/27/2016	Lead	0	0	0		Copper	130	210	190		1637	INDIANA AVE	FLINT	48503
LG86544	11/10/2016	Lead	1	0	0		Copper	0	160	120		1652	INDIANA AVE	FLINT	48505
LG72830	9/12/2016	Lead				0	Copper				120	516	INGLESIDE AVE	FLINT	48507
LG70043	8/29/2016	Lead				0	Copper				0	652	INGLESIDE AVE	FLINT	48503
LG74845	9/19/2016	Lead				4	Copper				0	1016	INGLESIDE AVE	FLINT	48504
LG90824	12/8/2016	Lead	6	2	3		Copper	60	0	0		1016	INGLESIDE AVE	FLINT	48504
LG74871	9/19/2016	Lead				0	Copper				0	1221	INGLESIDE AVE	FLINT	48507
LG83018	10/20/2016	Lead				0	Copper				0	1221	INGLESIDE AVE	FLINT	48503
LG88146	11/21/2016	Lead				0	Copper				0	1221	INGLESIDE AVE	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG69552	8/25/2016	Lead				20	Copper				0	1221	INGLESIDE AVE	FLINT	48504
LG69553	8/25/2016	Lead				54	Copper				1050	1221	INGLESIDE AVE	FLINT	
LG85318	11/3/2016	Lead	128	29	54		Copper	2150	460	880		1221	INGLESIDE AVE	FLINT	48507
LG84521	10/31/2016	Lead				0	Copper				390		INSIGHT HEALTH AND FITNESS CENTER	FLINT	48503
LG91194	12/12/2016	Lead	10	3	5		Copper	180	0	0		3008	IROQUOIS AVE	FLINT	48504
LG84518	10/31/2016	Lead				2,800	Copper				860	3008	IROQUOIS AVE	FLINT	48502
LG58355	7/11/2016	Lead				3,962	Copper				2,060	3213	IROQUOIS AVE	FLINT	48502
LG88699	11/28/2016	Lead	0	0	0		Copper	60	0	0		3008	IROQUOIS AVENUE	FLINT	48504
LG89868	12/5/2016	Lead	0	0	0		Copper	0	0	0		3725	IVANHOE AVE	FLINT	48504
LG72832	9/12/2016	Lead				28	Copper				260	1917	JARVIS ST	FLINT	48503
LG59610	7/14/2016	Lead				7	Copper				0	2648	JODY CT	FLINT	48504
LG72817	9/12/2016	Lead				3	Copper				120	980	JOHNSON AVE	FLINT	48503
LG75369	9/21/2016	Lead				21	Copper				150	2305	JOILET ST	FLINT	48507
LG88731	11/28/2016	Lead	2	1	1		Copper	0	0	0		2241	JOLIET ST	FLINT	48503
LG60604	7/19/2016	Lead				0	Copper				140	2305	JOLIET ST	FLINT	48503
LG67822	8/18/2016	Lead				3	Copper				130	2305	JOLIET ST	FLINT	48504
LG87372	11/17/2016	Lead				9	Copper				110	2305	JOLIET ST	FLINT	48504
LG58880	7/12/2016	Lead				0	Copper				60	5610	JUNIPER LN	FLINT	48503
LG88681	11/28/2016	Lead	1	0	0		Copper	0	110	80		1627	KANSAS AVE	FLINT	48505
LG60678	7/19/2016	Lead				0	Copper				50	1810	KANSAS AVE	FLINT	48503
LG67905	8/18/2016	Lead				0	Copper				0	1810	KANSAS AVE	FLINT	48504
LG75347	9/21/2016	Lead				0	Copper				0	1810	KANSAS AVE	FLINT	48504
LG87359	11/17/2016	Lead				0	Copper				190	1810	KANSAS AVE	FLINT	48507
LG84139	10/27/2016	Lead	0	0	0		Copper	0	0	0		2002	KANSAS AVE	FLINT	48502
LG90802	12/8/2016	Lead				0	Copper				90	817	KEARSLEY	FLINT	48503
LG67879	8/18/2016	Lead				3	Copper				50	1297	KEARSLEY PARK BLVD	FLINT	48504
LG75325	9/21/2016	Lead				4	Copper				70	1297	KEARSLEY PARK BLVD	FLINT	48503
LG85721	11/7/2016	Lead	4	2	3		Copper	90	60	70		1297	KEARSLEY PARK BLVD	FLINT	48503
LG87351	11/17/2016	Lead				4	Copper				70	1297	KEARSLEY PARK BLVD	FLINT	48507
LG60773	7/20/2016	Lead				5	Copper				60	1297	KEARSLEY PARK BLVD	FLINT	48506
LG85328	11/3/2016	Lead	0	0	0		Copper	60	0	0		1701	KEARSLEY PARK BLVD	FLINT	48505
LG83035	10/20/2016	Lead				0	Copper				370	1120	KEARSLEY ST	FLINT	48506
LG89876	12/5/2016	Lead	358	228	261		Copper	0	0	0		2413	KELLAR	FLINT	48504
LG89431	12/1/2016	Lead	0				Copper	0				2408	KELLAR AVE	FLINT	48503
LG74222	9/15/2016	Lead				0	Copper				0	2810	KELLAR AVE	FLINT	48503
LG87694	11/17/2016	Lead	0	0	0		Copper	0	0	0		3411	KELLAR AVENUE	FLINT	48507
LG89883	12/5/2016	Lead	0				Copper	0				2413	KELLAR RD	FLINT	48506
LG68464	8/22/2016	Lead				2	Copper				0	716	KENSINGTON AVE	FLINT	48504
LG69521	8/25/2016	Lead				2	Copper				0	719	KENSINGTON AVE	FLINT	48505
LG79608	10/3/2016	Lead				2	Copper				0	719	KENSINGTON AVE	FLINT	48504
LG83048	10/20/2016	Lead				20	Copper				130	719	KENSINGTON AVE	FLINT	48504
LG76257	9/22/2016	Lead				4	Copper				120	927	KENSINGTON AVE	FLINT	48504
LG80763	10/6/2016	Lead				20	Copper				0	1006	KENSINGTON AVE	FLINT	48504
LG58003	7/7/2016	Lead				2	Copper				0	1017	KENSINGTON AVE	FLINT	48504
LG67965	8/18/2016	Lead				3	Copper				0	3451	KENT ST	FLINT	48506
LG58856	7/12/2016	Lead				2	Copper				200	3622	KENT ST	FLINT	48506
LG78681	9/29/2016	Lead				2	Copper				0	2201	KENTUCKY AVE	FLINT	48504
LG90811	12/8/2016	Lead	0	0	0		Copper	0	0	0		2417	KENTUCKY AVE	FLINT	48504
LG74857	9/19/2016	Lead				0	Copper				0	3213	KEYES ST	FLINT	48507
LG72802	9/12/2016	Lead				0	Copper				0	3119	KIRKWOOD LN	FLINT	48503
LG72804	9/12/2016	Lead				0	Copper				0	3119	KIRKWOOD LN	FLINT	48503
LG72813	9/12/2016	Lead				0	Copper				0	3119	KIRKWOOD LN	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG76864	9/26/2016	Lead				0	Copper				0	3119	KIRKWOOD LN	FLINT	48503
LG80765	10/6/2016	Lead				0	Copper				90	3119	KIRKWOOD LN	FLINT	48505
LG79591	10/3/2016	Lead				1	Copper				160	3119	KIRKWOOD LN	FLINT	48507
LG72801	9/12/2016	Lead				108	Copper				120	3119	KIRKWOOD LN	FLINT	48505
LG85320	11/3/2016	Lead	0	0	0		Copper	0	0	0		3358	KISSNER AVE	FLINT	48502
LG83027	10/20/2016	Lead				4	Copper				0	2005	KNAPMAN ST	FLINT	48504
LG61949	7/25/2016	Lead				5	Copper				0	952	KNAPP AVE	FLINT	48503
LG61945	7/25/2016	Lead				29	Copper				0	952	KNAPP AVE	FLINT	48503
LG84541	10/31/2016	Lead	0	0	0		Copper	0	0	0		1606	KNAPP AVE	FLINT	48506
LG58073	7/7/2016	Lead				19	Copper				100	1114	KNIGHT AVE	FLINT	48507
LG70995	9/1/2016	Lead				5	Copper				120	1202	KNIGHT AVE	FLINT	48503
LG66294	8/11/2016	Lead				0	Copper				0	1506	KNIGHT AVE	FLINT	48532
LG66297	8/11/2016	Lead				0	Copper				0	1506	KNIGHT AVE	FLINT	48503
LG74834	9/19/2016	Lead				0	Copper				0	1506	KNIGHT AVE	FLINT	48504
LG74840	9/19/2016	Lead				0	Copper				0	1506	KNIGHT AVE	FLINT	48507
LG74843	9/19/2016	Lead				0	Copper				0	1506	KNIGHT AVE	FLINT	48507
LG86713	11/14/2016	Lead	0	0	0		Copper	0	50	0		1506	KNIGHT AVE	FLINT	48507
LG86716	11/14/2016	Lead	0	0	0		Copper	0	0	0		1506	KNIGHT AVE	FLINT	48504
LG57976	7/7/2016	Lead				1	Copper				0	1506	KNIGHT AVE	FLINT	48505
LG66302	8/11/2016	Lead				1	Copper				0	1506	KNIGHT AVE	FLINT	48503
LG74836	9/19/2016	Lead				2	Copper				0	1506	KNIGHT AVE	FLINT	48503
LG58025	7/7/2016	Lead				7	Copper				0	1506	KNIGHT AVE	FLINT	***
LG66291	8/11/2016	Lead				11	Copper				0	1506	KNIGHT AVE	FLINT	48502
LG76238	9/22/2016	Lead				0	Copper				0	606	LAFAYETTE ST	FLINT	48504
LG61498	7/21/2016	Lead				2	Copper				60	1010	LAFAYETTE ST	FLINT	48507
LG85358	11/3/2016	Lead				1	Copper				0	3100	LAKE WOOD	FLINT	48503
LG87396	11/17/2016	Lead				6	Copper				160	2650	LAKEWOOD CT	FLINT	48504
LG76099	9/22/2016	Lead				8	Copper				210	2650	LAKEWOOD CT	FLINT	48507
LG68211	8/19/2016	Lead				10	Copper				250	2650	LAKEWOOD CT	FLINT	48507
LG60782	7/20/2016	Lead				0	Copper				0	2701	LAKEWOOD DR	FLINT	48503
LG67920	8/18/2016	Lead				0	Copper				90	2701	LAKEWOOD DR	FLINT	48502
LG87367	11/17/2016	Lead				0	Copper				80	2701	LAKEWOOD DR	FLINT	48504
LG60786	7/20/2016	Lead				0	Copper				0	2710	LAKEWOOD DR	FLINT	48504
LG67892	8/18/2016	Lead				0	Copper				100	2710	LAKEWOOD DR	FLINT	48505
LG75322	9/21/2016	Lead				0	Copper				50	2710	LAKEWOOD DR	FLINT	48503
LG87445	11/17/2016	Lead				0	Copper				90	2710	LAKEWOOD DR	FLINT	48507
LG71012	9/1/2016	Lead				0	Copper				0	3100	LAKEWOOD DR	FLINT	48507
LG89400	12/1/2016	Lead				0	Copper				0	3100	LAKEWOOD DR	FLINT	48504
LG75343	9/21/2016	Lead				3	Copper				60	2619	LONDON ST	FLINT	48503
LG60647	7/19/2016	Lead				5	Copper				0	2619	LONDON ST	FLINT	48503
LG87416	11/17/2016	Lead				6	Copper				60	2619	LONDON ST	FLINT	48505
LG67832	8/18/2016	Lead				8	Copper				0	2619	LONDON ST	FLINT	48504
LG83082	10/20/2016	Lead	32	5	12		Copper	0	0	0		1109	LAPEER RD	FLINT	48507
LG72811	9/12/2016	Lead				0	Copper				0	3509	LARCHMONT ST	FLINT	48506
LG72824	9/12/2016	Lead				0	Copper				0	3621	LARCHMONT ST	FLINT	48505
LG61206	7/20/2016	Lead				1	Copper				0	3701	LARCHMONT ST	FLINT	48506
LG75368	9/21/2016	Lead				3	Copper				50	3701	LARCHMONT ST	FLINT	48503
LG87794	11/18/2016	Lead				3	Copper				0	3701	LARCHMONT ST	FLINT	48507
LG83424	10/24/2016	Lead				0	Copper				0	1717	LAUREL OAK DR	FLINT	48507
LG57979	7/7/2016	Lead				0	Copper				70	1953	LAUREL OAK DR	FLINT	48502
LG74242	9/15/2016	Lead				0	Copper				210	1953	LAUREL OAK DR	FLINT	48507
LG76230	9/22/2016	Lead				0	Copper				120	1953	LAUREL OAK DR	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG67984	8/18/2016	Lead				32	Copper				110	2525	LAWNDALE AVE	FLINT	48507
LG74872	9/19/2016	Lead				0	Copper				0	2646	LAWNDALE AVE	FLINT	48507
LG83022	10/20/2016	Lead				0	Copper				0	2646	LAWNDALE AVE	FLINT	48507
LG88139	11/21/2016	Lead				0	Copper				0	2646	LAWNDALE AVE	FLINT	48507
LG58863	7/12/2016	Lead				1	Copper				0	2646	LAWNDALE AVE	FLINT	48507
LG58853	7/12/2016	Lead				48	Copper				0	2646	LAWNDALE AVE	FLINT	48503
LG91181	12/12/2016	Lead	0	0	0		Copper	0	0	0		3709	LAWNDALE AVE	FLINT	48504
LG91182	12/12/2016	Lead	0	0	0		Copper	60	0	0		3709	LAWNDALE AVE	FLINT	48503
LG72850	9/12/2016	Lead				17	Copper				0	3710	LAWNDALE AVE	FLINT	48504
LG58035	7/7/2016	Lead				0	Copper				0	763	LEITH ST	FLINT	48503
LG63346	8/1/2016	Lead				255	Copper				580	1521	LEITH ST	FLINT	48506
LG90821	12/8/2016	Lead	1	0	0		Copper	0	0	0		1533	LEITH ST	FLINT	48504
LG60658	7/19/2016	Lead				1	Copper				80	2309	LEITH ST	FLINT	48507
LG87332	11/17/2016	Lead				1	Copper				60	2309	LEITH ST	FLINT	48505
LG67907	8/18/2016	Lead				2	Copper				60	2309	LEITH ST	FLINT	48505
LG75397	9/21/2016	Lead				2	Copper				60	2309	LEITH ST	FLINT	48509
LG83420	10/24/2016	Lead				2	Copper				0	3131	LEITH ST	FLINT	48507
LG69508	8/25/2016	Lead				0	Copper				0	3213	LEITH ST	FLINT	48507
LG88725	11/28/2016	Lead				0	Copper				0	3414	LEITH ST	FLINT	48503
LG60654	7/19/2016	Lead				0	Copper				70	3827	LEITH ST	FLINT	48503
LG67904	8/18/2016	Lead				0	Copper				60	3827	LEITH ST	FLINT	48504
LG74833	9/19/2016	Lead				0	Copper				50	3827	LEITH ST	FLINT	48532
LG87334	11/17/2016	Lead				0	Copper				60	3827	LEITH ST	FLINT	48502
LG89886	12/5/2016	Lead	0				Copper	0				940	LELAND	FLINT	48503
LG91183	12/12/2016	Lead	3	6	5		Copper	100	0	0		611	LELAND ST	FLINT	48506
LG89887	12/5/2016	Lead	0				Copper	0				713	LELAND ST	FLINT	48507
LG75386	9/21/2016	Lead				0	Copper				0	734	LELAND ST	FLINT	48503
LG67931	8/18/2016	Lead				3	Copper				0	734	LELAND ST	FLINT	48507
LG60626	7/19/2016	Lead				5	Copper				0	734	LELAND ST	FLINT	48503
LG89878	12/5/2016	Lead	0				Copper	0				940	LELAND ST	FLINT	48503
LG89885	12/5/2016	Lead	0				Copper	0				944	LELAND ST	FLINT	48503
LG89852	12/5/2016	Lead	12	15	14		Copper	0	0	0		1023	LELAND ST	FLINT	48507
LG58043	7/7/2016	Lead				0	Copper				0	5622	LESLIE DR	FLINT	48505
LG89849	12/5/2016	Lead	7	7	7		Copper	60	0	0		2517	LESTER CT	FLINT	48507
LG89844	12/5/2016	Lead	0	0	0		Copper	0	0	0		2509	LESTER ST	FLINT	48505
LG81111	10/10/2016	Lead				0	Copper				60	625	LETA AVE	FLINT	48504
LG60213	7/18/2016	Lead				0	Copper				110	626	LETA AVE	FLINT	48532
LG87690	11/17/2016	Lead	4	0	1		Copper	100	0	0		1706	LEVERN ST	FLINT	48507
LG57991	7/7/2016	Lead				0	Copper				0	2212	LEWIS ST	FLINT	48504
LG74230	9/15/2016	Lead				1	Copper				0	1215	LILLIAN DR	FLINT	48503
LG67968	8/18/2016	Lead				0	Copper				0	648	LINCOLN AVE	FLINT	48430
LG66311	8/11/2016	Lead				0	Copper				0	724	LINCOLN AVE	FLINT	48504
LG63027	7/28/2016	Lead				0	Copper				0	814	LINCOLN AVE	FLINT	48503
LG67986	8/18/2016	Lead				2	Copper				0	916	LINCOLN AVE	FLINT	48503
LG67991	8/18/2016	Lead				2	Copper				0	916	LINCOLN AVE	FLINT	48507
LG66323	8/11/2016	Lead				2	Copper				0	1015	LINCOLN AVE	FLINT	48503
LG84169	10/27/2016	Lead				6	Copper				0	1015	LINCOLN AVE	FLINT	48504
LG72803	9/12/2016	Lead				18	Copper				140	1015	LINCOLN AVE	FLINT	48503
LG71325	9/6/2016	Lead				2	Copper				60	1601	LINCOLN AVE	FLINT	48503
LG71331	9/6/2016	Lead				0	Copper				0	1623	LINCOLN AVE	FLINT	48506
LG66287	8/11/2016	Lead				0	Copper				170	1625	LINCOLN AVE	FLINT	48430
LG71345	9/6/2016	Lead				2	Copper				0	1618	LINWOOD AVE	FLINT	***

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG76082	9/22/2016	Lead				2	Copper				240	1108	LIPPINCOTT BLVD	FLINT	48503
LG68221	8/19/2016	Lead				4	Copper				290	1108	LIPPINCOTT BLVD	FLINT	48504
LG76089	9/22/2016	Lead				4	Copper				0	1112	LIPPINCOTT BLVD	FLINT	48504
LG68448	8/22/2016	Lead				90	Copper				210	1112	LIPPINCOTT BLVD	FLINT	48503
LG61610	7/21/2016	Lead				106	Copper				120	1112	LIPPINCOTT BLVD	FLINT	48504
LG84170	10/27/2016	Lead				0	Copper				0	2727	LIPPINCOTT BLVD	FLINT	48503
LG87612	11/17/2016	Lead	0				Copper	110					LITTLE PEOPLES PLAYHOUSE	FLUSHING	48504
LG58878	7/12/2016	Lead				110	Copper				0	772	LOMITA AVE	FLINT	48458
LG69506	8/25/2016	Lead				0	Copper				0	3736	LORRAINE AVE	FLINT	48507
LG85730	11/7/2016	Lead	0	0	0		Copper	0	0	0		3740	LORRAINE AVE	FLINT	48504
LG61503	7/21/2016	Lead				1	Copper				0	3802	LORRAINE AVE	FLINT	48503
LG63352	8/1/2016	Lead				2	Copper				80	575	LOUISA ST	FLINT	48506
LG90816	12/8/2016	Lead	0	0	0		Copper	0	0	0		1606	LOYOLA	FLINT	48504
LG90827	12/8/2016	Lead	0	0	0		Copper	90	90	90		1602	LOYOLA DR	FLINT	48506
LG85352	11/3/2016	Lead				0	Copper				160	701	LOYOLA LANE	FLINT	48503
LG85717	11/7/2016	Lead	0	0	0		Copper	0	0	0		3801	LUANNOR AVE	FLINT	48507
LG88670	11/28/2016	Lead	10	7	8		Copper	220	70	110		2216	LYMAN ST	FLINT	48503
LG87705	11/17/2016	Lead	1	0	0		Copper	60	0	0		1809	LYNBROOK DR	FLINT	48506
LG67973	8/18/2016	Lead				5	Copper				70	1925	LYNBROOK DR	FLINT	48423
LG65008	8/8/2016	Lead				0	Copper				0	1929	LYNBROOK DR	FLINT	48505
LG60629	7/19/2016	Lead				1	Copper				80	4709	LYNBROOK DR	FLINT	48505
LG67857	8/18/2016	Lead				1	Copper				70	4709	LYNBROOK DR	FLINT	48504
LG75279	9/21/2016	Lead				1	Copper				60	4709	LYNBROOK DR	FLINT	48506
LG64524	8/4/2016	Lead				0	Copper				0	334	LYNDON AVE	FLINT	48503
LG86711	11/14/2016	Lead	0	0	0		Copper	0	70	50		3434	LYNN ST	FLINT	48502
LG71366	9/6/2016	Lead				0	Copper				0	3607	LYNN ST	FLINT	48507
LG71356	9/6/2016	Lead				2	Copper				0	3607	LYNN ST	FLINT	48505
LG88166	11/21/2016	Lead	1	1	1		Copper	0	0	0		814	LYON ST	FLINT	48503
LG60215	7/18/2016	Lead				2	Copper				0	814	LYON ST	FLINT	48507
LG63034	7/28/2016	Lead				3	Copper				70	2610	M L KING AVE	FLINT	48503
LG63033	7/28/2016	Lead				7	Copper				330	2610	M L KING AVE	FLINT	48503
LG63032	7/28/2016	Lead				36	Copper				170	2610	M L KING AVE	FLINT	48504
LG61926	7/25/2016	Lead				2	Copper				0	1601	MABEL AVE	FLINT	48507
LG61927	7/25/2016	Lead				29	Copper				0	1605	MABEL AVE	FLINT	48503
LG66309	8/11/2016	Lead				0	Copper				70	525	MACDONALD AVE	FLINT	48507
LG61484	7/21/2016	Lead				0	Copper				0	813	MACDONALD AVE	FLINT	48503
LG71330	9/6/2016	Lead				0	Copper				0	906	MACDONALD AVE	FLINT	48505
LG63019	7/28/2016	Lead				0	Copper				110	1018	MACDONALD AVE	FLINT	48504
LG70056	8/29/2016	Lead				2	Copper				0	1141	MACKIN RD	FLINT	48505
LG74250	9/15/2016	Lead				1	Copper				0	3010	MACKIN RD	FLINT	48503
LG65015	8/8/2016	Lead				0	Copper				0	3126	MACKIN RD	FLINT	48503
LG91168	12/12/2016	Lead	0	0	0		Copper	70	60	60		3506	MACKIN RD	FLINT	48503
LG91170	12/12/2016	Lead	0	0	0		Copper	60	0	0		3506	MACKIN RD	FLINT	48503
LG87620	11/17/2016	Lead	0				Copper	200					MADISON ACADEMY	DAVISON	48504
LG58837	7/12/2016	Lead				0	Copper				0	4609	MAINES ST	FLINT	48502
LG81771	10/13/2016	Lead				1	Copper				0	833	MAJOR ST	FLINT	48504
LG70994	9/1/2016	Lead				1	Copper				60	842	MAJOR ST	FLINT	48503
LG70993	9/1/2016	Lead				2	Copper				70	842	MAJOR ST	FLINT	48503
LG75393	9/21/2016	Lead				13	Copper				60	2835	MALLER ST	FLINT	48503
LG60795	7/20/2016	Lead				1	Copper				160	2808	MALLERY ST	FLINT	48503
LG87356	11/17/2016	Lead				1	Copper				60	2808	MALLERY ST	FLINT	48503
LG67835	8/18/2016	Lead				2	Copper				60	2808	MALLERY ST	FLINT	48506

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG75376	9/21/2016	Lead				5	Copper				80	2808	MALLERY ST	FLINT	48504
LG60800	7/20/2016	Lead				3	Copper				0	2812	MALLERY ST	FLINT	48503
LG68440	8/22/2016	Lead				3	Copper				0	2812	MALLERY ST	FLINT	48504
LG87792	11/18/2016	Lead				3	Copper				0	2812	MALLERY ST	FLINT	48503
LG67955	8/18/2016	Lead				4	Copper				0	2819	MALLERY ST	FLINT	48503
LG60799	7/20/2016	Lead				2	Copper				0	2820	MALLERY ST	FLINT	48507
LG76096	9/22/2016	Lead				3	Copper				0	2820	MALLERY ST	FLINT	***
LG88147	11/21/2016	Lead				4	Copper				0	2820	MALLERY ST	FLINT	48503
LG87378	11/17/2016	Lead				0	Copper				0	2823	MALLERY ST	FLINT	48507
LG67944	8/18/2016	Lead				2	Copper				0	2823	MALLERY ST	FLINT	48507
LG76101	9/22/2016	Lead				6	Copper				0	2823	MALLERY ST	FLINT	48507
LG60803	7/20/2016	Lead				19	Copper				0	2823	MALLERY ST	FLINT	48503
LG87688	11/17/2016	Lead	0	0	0		Copper	0	0	0		2824	MALLERY ST	FLINT	48503
LG87398	11/17/2016	Lead				1	Copper				0	2824	MALLERY ST	FLINT	48506
LG76098	9/22/2016	Lead				2	Copper				0	2824	MALLERY ST	FLINT	48503
LG67880	8/18/2016	Lead				3	Copper				0	2824	MALLERY ST	FLINT	48504
LG60793	7/20/2016	Lead				6	Copper				0	2824	MALLERY ST	FLINT	48503
LG87387	11/17/2016	Lead				4	Copper				0	2831	MALLERY ST	FLINT	48504
LG60802	7/20/2016	Lead				8	Copper				0	2831	MALLERY ST	FLINT	48507
LG76104	9/22/2016	Lead				8	Copper				0	2831	MALLERY ST	FLINT	48507
LG67894	8/18/2016	Lead				14	Copper				0	2831	MALLERY ST	FLINT	48504
LG87374	11/17/2016	Lead				5	Copper				60	2835	MALLERY ST	FLINT	48503
LG67878	8/18/2016	Lead				19	Copper				60	2835	MALLERY ST	FLINT	
LG60796	7/20/2016	Lead				110	Copper				0	2835	MALLERY ST	FLINT	48507
LG88170	11/21/2016	Lead	0	0	0		Copper	70	60	60		2960	MALLERY ST	FLINT	48503
LG69540	8/25/2016	Lead				2	Copper				190	1322	MANN AVE	FLINT	48504
LG86710	11/14/2016	Lead	0	0	0		Copper	0	0	0		2714	MANSFIELD AVE	FLINT	48506
LG63342	8/1/2016	Lead				185	Copper				440	1513	MAPLEWOOD AVE	FLINT	48507
LG74236	9/15/2016	Lead				2	Copper				60	2113	MAPLEWOOD AVE	FLINT	48505
LG59577	7/14/2016	Lead				0	Copper				0	2608	MAPLEWOOD AVE	FLINT	48503
LG88662	11/28/2016	Lead				0	Copper				0	3173	MARHAROSE CT	FLINT	48503
LG76228	9/22/2016	Lead				1	Copper				0	5313	MARJA ST	FLINT	48502
LG76227	9/22/2016	Lead				2	Copper				0	5313	MARJA ST	FLINT	48430
LG76239	9/22/2016	Lead				3	Copper				60	5313	MARJA ST	FLINT	48507
LG59594	7/14/2016	Lead				0	Copper				0	5717	MARJA ST	FLINT	48503
LG58848	7/12/2016	Lead				0	Copper				0	5728	MARJA ST	FLINT	48503
LG69544	8/25/2016	Lead				2	Copper				60	1234	MARKHAM ST	FLINT	48503
LG59593	7/14/2016	Lead				0	Copper				70	1825	MARLOWE DR	FLINT	48505
LG87673	11/17/2016	Lead				1	Copper				110	5601	MARLOWE DR	FLINT	48503
LG85333	11/3/2016	Lead	3	5	4		Copper	90	60	70		416	MARQUETTE ST	FLINT	48503
LG63020	7/28/2016	Lead				11	Copper				0	416	MARQUETTE ST	FLINT	48507
LG79584	10/3/2016	Lead				14	Copper				0	701	MARQUETTE ST	FLINT	48504
LG85356	11/3/2016	Lead				2	Copper				0	505	MARY ST	FLINT	48503
LG72837	9/12/2016	Lead				0	Copper				0	1429	MARYLAND AVE	FLINT	48503
LG70067	8/29/2016	Lead				2	Copper				0	1433	MARYLAND AVE	FLINT	48503
LG89427	12/1/2016	Lead	0				Copper	0				1538	MARYLAND AVE	FLINT	48503
LG87680	11/17/2016	Lead				0	Copper				0	2302	MARYLAND AVE	FLINT	48504
LG81776	10/13/2016	Lead				0	Copper				0	2425	MARYLAND AVE	FLINT	48506
LG81777	10/13/2016	Lead				0	Copper				0	2501	MARYLAND AVE	FLINT	48504
LG70042	8/29/2016	Lead				0	Copper				0	3155	MARYLAND AVE	FLINT	48504
LG89416	12/1/2016	Lead	3	1	2		Copper	0	0	0		1417	MASON ST	FLINT	48503
LG83019	10/20/2016	Lead				0	Copper				0	2711	MASON ST	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG74873	9/19/2016	Lead				1	Copper				0	2711	MASON ST	FLINT	48503
LG61526	7/21/2016	Lead				19	Copper				160	2715	MASON ST	FLINT	48503
LG67831	8/18/2016	Lead				8	Copper				0	3168	MASON ST	FLINT	48503
LG87411	11/17/2016	Lead				2	Copper				0	3618	MASON ST	FLINT	48503
LG75324	9/21/2016	Lead				3	Copper				0	3618	MASON ST	FLINT	48507
LG60816	7/20/2016	Lead				16	Copper				0	3618	MASON ST	FLINT	48504
LG60805	7/20/2016	Lead				2	Copper				0	3717	MASON ST	FLINT	48507
LG75314	9/21/2016	Lead				8	Copper				0	3717	MASON ST	FLINT	48504
LG87328	11/17/2016	Lead				9	Copper				0	3717	MASON ST	FLINT	48505
LG67828	8/18/2016	Lead				30	Copper				0	3717	MASON ST	FLINT	48506
LG61533	7/21/2016	Lead				0	Copper				0	601	MAXINE ST	FLINT	48504
LG61537	7/21/2016	Lead				0	Copper				0	601	MAXINE ST	FLINT	48503
LG61532	7/21/2016	Lead				1	Copper				0	601	MAXINE ST	FLINT	48505
LG57971	7/7/2016	Lead				1	Copper				0	807	MAXINE ST	FLINT	48504
LG64568	8/4/2016	Lead				2	Copper				0	914	MAXINE ST	FLINT	48505
LG84540	10/31/2016	Lead	2	1	1		Copper	0	0	0		914	MAXINE ST	FLINT	48504
LG59570	7/14/2016	Lead				1	Copper				0	923	MAXINE ST	FLINT	48504
LG74853	9/19/2016	Lead				0	Copper				0	1014	MAXINE ST	FLINT	48507
LG72165	9/8/2016	Lead				0	Copper				0	1015	MAXINE ST	FLINT	48503
LG60808	7/20/2016	Lead				0	Copper				60	1026	MAXINE ST	FLINT	48503
LG67921	8/18/2016	Lead				0	Copper				60	1026	MAXINE ST	FLINT	48507
LG87327	11/17/2016	Lead				0	Copper				50	1026	MAXINE ST	FLINT	48507
LG75282	9/21/2016	Lead				5	Copper				90	1026	MAXINE ST	FLINT	48504
LG84130	10/27/2016	Lead	0	0	0		Copper	160	100	120		1217	MAXINE ST	FLINT	48502
LG84131	10/27/2016	Lead	0	0	0		Copper	0	0	0		1217	MAXINE ST	FLINT	48505
LG88657	11/28/2016	Lead				0	Copper				0	1809	MCCLELLAN	FLINT	48503
LG62974	7/28/2016	Lead				0	Copper				0	537	MCKEIGHAN AVE	FLINT	48503
LG57972	7/7/2016	Lead				0	Copper				0	541	MCKEIGHAN AVE	FLINT	48507
LG58860	7/12/2016	Lead				0	Copper				0	1021	MCKEIGHAN AVE	FLINT	48505
LG89411	12/1/2016	Lead	2	0	0		Copper	140	110	120		628	MCKINLEY AVE	FLINT	48504
LG63044	7/28/2016	Lead				2	Copper				100	818	MCKINLEY AVE	FLINT	48507
LG72158	9/8/2016	Lead				0	Copper				110	1854	MCPHAIL ST	FLINT	48503
LG74235	9/15/2016	Lead				5	Copper				0	435	MEADE ST	FLINT	48503
LG69513	8/25/2016	Lead				0	Copper				250	3331	MENOMINEE AVE	BURTON	48507
LG69517	8/25/2016	Lead				0	Copper				240	3331	MENOMINEE AVE	FLINT	48507
LG83418	10/24/2016	Lead				0	Copper				260	3331	MENOMINEE AVE	BURTON	48507
LG83419	10/24/2016	Lead				0	Copper				210	3331	MENOMINEE AVE	BURTON	48503
LG83417	10/24/2016	Lead				1	Copper				550	3331	MENOMINEE AVE	BURTON	48505
LG69516	8/25/2016	Lead				5	Copper				420	3331	MENOMINEE AVE	BURTON	48505
LG59598	7/14/2016	Lead				0	Copper				290	3331	MENOMINEE ST	BURTON	48505
LG59600	7/14/2016	Lead				0	Copper				260	3331	MENOMINEE ST	BURTON	48507
LG59601	7/14/2016	Lead				0	Copper				210	3331	MENOMINEE ST	FLINT	48507
LG58054	7/7/2016	Lead				0	Copper				170	3348	MENOMINEE ST	BURTON	48506
LG86559	11/10/2016	Lead	0	0	0		Copper	0	0	0		4121	MENTON ST	FLINT	48506
LG57985	7/7/2016	Lead				68	Copper				0	948	MIDDLETON ST	FLINT	48503
LG77504	9/27/2016	Lead				0	Copper				0	1515	MILBOURNE AVE	FLINT	48504
LG61083	7/20/2016	Lead				1	Copper				0	1515	MILBOURNE AVE	FLINT	48504
LG77503	9/27/2016	Lead				2	Copper				0	1515	MILBOURNE AVE	FLINT	48503
LG61081	7/20/2016	Lead				3	Copper				0	1515	MILBOURNE AVE	FLINT	48503
LG77502	9/27/2016	Lead				3	Copper				60	1515	MILBOURNE AVE	FLINT	48505
LG81799	10/13/2016	Lead				3	Copper				0	1515	MILBOURNE AVE	FLINT	48504
LG61082	7/20/2016	Lead				5	Copper				0	1515	MILBOURNE AVE	FLINT	48505

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG61080	7/20/2016	Lead				6	Copper				0	1515	MILBOURNE AVE	FLINT	48504
LG77501	9/27/2016	Lead				69	Copper				0	1515	MILBOURNE AVE	FLINT	48504
LG64549	8/4/2016	Lead				0	Copper				0	3919	MILBOURNE AVE	FLINT	48504
LG83045	10/20/2016	Lead				0	Copper				0	400	MILL ST	FLINT	48430
LG83050	10/20/2016	Lead				0	Copper				0	400	MILL ST	FLINT	48505
LG64547	8/4/2016	Lead				0	Copper				0	917	MILLBROOK DR APT D	FLINT	48505
LG82134	10/17/2016	Lead				0	Copper				0	1929	MILLER RD	FLINT	48503
LG82141	10/17/2016	Lead				6	Copper				60	1929	MILLER RD	FLINT	48507
LG63047	7/28/2016	Lead				0	Copper				0	2101	MILLER RD	FLINT	48504
LG63040	7/28/2016	Lead				3	Copper				0	2101	MILLER RD	FLINT	48506
LG63041	7/28/2016	Lead				8	Copper				0	2101	MILLER RD	FLINT	48506
LG69538	8/25/2016	Lead				0	Copper				0	2840	MILLER RD	FLINT	48507
LG58831	7/12/2016	Lead				2	Copper				0	2840	MILLER RD	FLINT	48504
LG69527	8/25/2016	Lead				4	Copper				100	2840	MILLER RD	FLINT	48504
LG63025	7/28/2016	Lead				11	Copper				170	3102	MILLER RD	FLINT	48504
LG71004	9/1/2016	Lead				5	Copper				150	3109	MILLER RD	FLINT	48504
LG58010	7/7/2016	Lead				9	Copper				200	3232	MILLER RD	FLINT	48505
LG58008	7/7/2016	Lead				18	Copper				240	3232	MILLER RD	FLINT	48502
LG66707	8/15/2016	Lead				0	Copper				70	3601	MILLER RD	FLINT	48504
LG64541	8/4/2016	Lead				0	Copper				0	2756	MILLIKEN CT	FLINT	48506
LG57995	7/7/2016	Lead				2	Copper				0	5330	MILLWOOD DR	FLINT	48504
LG64534	8/4/2016	Lead				0	Copper				0	4513	MILTON DR	FLINT	48503
LG64538	8/4/2016	Lead				1	Copper				0	4513	MILTON DR	FLINT	48505
LG88661	11/28/2016	Lead				0	Copper				0	1648	MISSOURI AVE	FLINT	48503
LG65011	8/8/2016	Lead				3	Copper				0	1713	MISSOURI AVE	FLINT	48503
LG58833	7/12/2016	Lead				0	Copper				0	2438	MISSOURI AVE	FLINT	48507
LG58855	7/12/2016	Lead				0	Copper				100	1442	MITSON BLVD	FLINT	48503
LG89834	12/5/2016	Lead				0	Copper				0	613	MLK	FLINT	48505
LG90784	12/8/2016	Lead				1	Copper				0	3318	MLK AVE	FLINT	48507
LG85339	11/3/2016	Lead	0	0	0		Copper	0	0	0		1217	MOHAWK AVE	FLINT	48504
LG78683	9/29/2016	Lead				0	Copper				0	611	MONROE ST	FLINT	48507
LG84126	10/27/2016	Lead	4	6	6		Copper	120	60	70		631	MONROE ST	FLINT	48504
LG60224	7/18/2016	Lead				0	Copper				0	1541	MONTANA AVE	FLINT	48504
LG59574	7/14/2016	Lead				0	Copper				0	2926	MONTANA AVE	FLINT	48503
LG84167	10/27/2016	Lead				0	Copper				0	3102	MONTANA AVE	FLINT	48504
LG61543	7/21/2016	Lead				0	Copper				0	3146	MONTANA AVE	FLINT	48504
LG84150	10/27/2016	Lead	2	0	0		Copper	120	80	90		1656	MONTANA AVE APT 122	FLINT	48504
LG61551	7/21/2016	Lead				0	Copper				0	1810	MONTCLAIR AVE	FLINT	48503
LG71329	9/6/2016	Lead				0	Copper				0	1810	MONTCLAIR AVE	FLINT	48503
LG87370	11/17/2016	Lead				0	Copper				0	1907	MONTCLAIR AVE	FLINT	48505
LG60676	7/19/2016	Lead				2	Copper				0	1907	MONTCLAIR AVE	FLINT	48502
LG67900	8/18/2016	Lead				2	Copper				0	1907	MONTCLAIR AVE	FLINT	48505
LG75349	9/21/2016	Lead				2	Copper				0	1907	MONTCLAIR AVE	FLINT	48504
LG76872	9/26/2016	Lead				5	Copper				0	1809	MONTCLAIR AVE 4	FLINT	48507
LG82139	10/17/2016	Lead				2	Copper				0	1901	MONTEITH ST	FLINT	48503
LG69507	8/25/2016	Lead				10	Copper				0	1909	MONTEITH ST	FLINT	48505
LG78676	9/29/2016	Lead				10	Copper				0	1909	MONTEITH ST	FLINT	48507
LG84168	10/27/2016	Lead				10	Copper				0	1909	MONTEITH ST	FLINT	48503
LG58020	7/7/2016	Lead				11	Copper				0	1909	MONTEITH ST	FLINT	48504
LG74233	9/15/2016	Lead				13	Copper				0	1909	MONTEITH ST	FLINT	48507
LG61539	7/21/2016	Lead				16	Copper				0	1909	MONTEITH ST	FLINT	48506
LG64529	8/4/2016	Lead				17	Copper				0	1909	MONTEITH ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG82146	10/17/2016	Lead				5	Copper				0	2002	MONTEITH ST	FLINT	48506
LG85716	11/7/2016	Lead	1	1	1		Copper	0	0	0		2014	MONTEITH ST	FLINT	48503
LG71351	9/6/2016	Lead				5	Copper				0	2025	MONTEITH ST	FLINT	48506
LG63011	7/28/2016	Lead				2	Copper				80	609	MORLEY AVE	FLINT	48503
LG89417	12/1/2016	Lead	5	3	3		Copper	0	0	0		613	MORLEY AVE	FLINT	48507
LG59619	7/14/2016	Lead				0	Copper				0	2257	MORNINGSIDE DR	FLINT	48506
LG64557	8/4/2016	Lead				0	Copper				0	2110	MOUNTAIN AVE	FLINT	48504
LG84148	10/27/2016	Lead	0	0	0		Copper	0	0	0		2302	MOUNTAIN AVE	FLINT	48505
LG85332	11/3/2016	Lead	1	0	0		Copper	50	0	0		2406	MOUNTAIN AVE	FLINT	48507
LG64567	8/4/2016	Lead				0	Copper				50	2414	MOUNTAIN AVE	FLINT	48507
LG87341	11/17/2016	Lead				2	Copper				80	2510	MOUNTAIN AVE	FLINT	48506
LG67897	8/18/2016	Lead				7	Copper				80	2510	MOUNTAIN AVE	FLINT	48502
LG61202	7/20/2016	Lead				35	Copper				0	2610	MOUNTAIN AVE	FLINT	48504
LG87797	11/18/2016	Lead				7	Copper				0	2614	MOUNTAIN AVE	FLINT	48503
LG75355	9/21/2016	Lead				9	Copper				0	2614	MOUNTAIN AVE	FLINT	48505
LG67898	8/18/2016	Lead				11	Copper				0	2614	MOUNTAIN AVE	FLINT	48504
LG60677	7/19/2016	Lead				12	Copper				0	2614	MOUNTAIN AVE	FLINT	48503
LG60682	7/19/2016	Lead				0	Copper				0	2622	MOUNTAIN AVE	FLINT	48503
LG75320	9/21/2016	Lead				0	Copper				120	2622	MOUNTAIN AVE	FLINT	48504
LG67901	8/18/2016	Lead				1	Copper				80	2622	MOUNTAIN AVE	FLINT	48507
LG87335	11/17/2016	Lead				2	Copper				0	2622	MOUNTAIN AVE	FLINT	48503
LG74220	9/15/2016	Lead				0	Copper				0	1901	MOUNTCLAIR AVE	FLINT	48503
LG87410	11/17/2016	Lead				4	Copper				0	2233	MT ELLIOTT AVE	FLINT	48504
LG90817	12/8/2016	Lead	1	0	0		Copper	0	0	0		2233	MT ELLIOTT	FLINT	48507
LG75323	9/21/2016	Lead				2	Copper				0	2233	MT ELLIOTT AVE	FLINT	48532
LG71324	9/6/2016	Lead				4	Copper				0	2233	MT ELLIOTT AVE	FLINT	48504
LG72847	9/12/2016	Lead				5	Copper				0	2233	MT ELLIOTT AVE	FLINT	48503
LG60815	7/20/2016	Lead				5	Copper				0	2233	MT ELLIOTT AVE	FLINT	48503
LG67834	8/18/2016	Lead				7	Copper				0	2233	MT ELLIOTT AVE	FLINT	48503
LG61489	7/21/2016	Lead				0	Copper				0	2525	MT ELLIOTT AVE	FLINT	48503
LG87614	11/17/2016	Lead	0				Copper	220					MT MORRIS UNIT 5	MT MORRIS	48532
LG81788	10/13/2016	Lead				0	Copper				160	1413	MULBERRY LN	FLINT	48504
LG81789	10/13/2016	Lead				0	Copper				220	1413	MULBERRY LN	FLINT	48505
LG74847	9/19/2016	Lead				0	Copper				0	1522	MULBERRY LN	FLINT	48504
LG58068	7/7/2016	Lead				0	Copper				0	1301	MUNSON ST	FLINT	49008
LG88171	11/21/2016	Lead	2	4	4		Copper	0	0	0		2057	N AVERILL	FLINT	48503
LG66695	8/15/2016	Lead				4	Copper				50	2107	N AVERILL AVE	FLINT	48504
LG61505	7/21/2016	Lead				21	Copper				90	2107	N AVERILL AVE	FLINT	48507
LG59566	7/14/2016	Lead				0	Copper				0	2807	N AVERILL AVE	FLINT	48503
LG58846	7/12/2016	Lead				0	Copper				100	3214	N AVERILL AVE	FLINT	48507
LG58835	7/12/2016	Lead				0	Copper				0	3710	N AVERILL AVE	FLINT	48504
LG79595	10/3/2016	Lead				0	Copper				0	1314	N BALLENGER HWY	FLINT	48503
LG60672	7/19/2016	Lead				0	Copper				100	1351	N BALLENGER HWY	FLINT	48507
LG67926	8/18/2016	Lead				0	Copper				100	1351	N BALLENGER HWY	FLINT	***
LG76107	9/22/2016	Lead				0	Copper				0	1351	N BALLENGER HWY	FLINT	48504
LG87350	11/17/2016	Lead				2	Copper				130	1351	N BALLENGER HWY	FLINT	48503
LG59621	7/14/2016	Lead				4	Copper				0	2001	N CENTER RD APT #107	FLINT	48503
LG88700	11/28/2016	Lead	0	0	0		Copper	0	0	0		2801	N CHEVROLET	FLINT	48505
LG61514	7/21/2016	Lead				5	Copper				0	1045	N CHEVROLET AVE	FLINT	48503
LG85338	11/3/2016	Lead	13	10	11		Copper	0	0	0		1053	N CHEVROLET AVE	FLINT	48504
LG66319	8/11/2016	Lead				21	Copper				0	1053	N CHEVROLET AVE	FLINT	48506
LG58040	7/7/2016	Lead				4	Copper				0	1460	N CHEVROLET AVE	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG61482	7/21/2016	Lead				0	Copper				0	2113	N CHEVROLET AVE	FLINT	48503
LG86707	11/14/2016	Lead	0	0	0		Copper	0	0	0		2113	N CHEVROLET AVE	FLINT	48507
LG58873	7/12/2016	Lead				0	Copper				0	2117	N CHEVROLET AVE	FLINT	48505
LG72821	9/12/2016	Lead				36	Copper				0	2117	N CHEVROLET AVE	FLINT	48507
LG58872	7/12/2016	Lead				7	Copper				0	2525	N CHEVROLET AVE	FLINT	48504
LG66303	8/11/2016	Lead				3	Copper				0	2529	N CHEVROLET AVE	FLINT	48505
LG68455	8/22/2016	Lead				1	Copper				0	2539	N CHEVROLET AVE	FLINT	48503
LG71334	9/6/2016	Lead				2	Copper				0	2539	N CHEVROLET AVE	FLINT	48504
LG79603	10/3/2016	Lead				21	Copper				0	2602	N CHEVROLET AVE	FLINT	48503
LG62995	7/28/2016	Lead				9	Copper				0	2726	N CHEVROLET AVE	FLINT	48507
LG62981	7/28/2016	Lead				3	Copper				0	2020	N DEXTER ST	FLINT	48507
LG61941	7/25/2016	Lead				0	Copper				0	2010	N DORT HWY	FLINT	48503
LG67979	8/18/2016	Lead				0	Copper				50	2010	N DORT HWY	FLINT	48504
LG85696	11/7/2016	Lead				0	Copper				70	2010	N DORT HWY	FLINT	48506
LG86517	11/10/2016	Lead				23	Copper				250	2010	N DORT HWY	FLINT	48505
LG67983	8/18/2016	Lead				41	Copper				130	2010	N DORT HWY	FLINT	48532
LG65003	8/8/2016	Lead				188	Copper				150	2010	N DORT HWY	FLINT	48503
LG79600	10/3/2016	Lead				0	Copper				0	2200	N DORT HWY	FLINT	48503
LG79601	10/3/2016	Lead				0	Copper				100	2200	N DORT HWY	FLINT	48503
LG79604	10/3/2016	Lead				0	Copper				50	2200	N DORT HWY	FLINT	48503
LG79609	10/3/2016	Lead				0	Copper				0	2200	N DORT HWY	FLINT	48507
LG86522	11/10/2016	Lead	0	0	0		Copper	60	70	70		2702	N DORT HWY	FLINT	48506
LG86523	11/10/2016	Lead	0	0	0		Copper	290	280	280		2702	N DORT HWY	FLINT	48503
LG86527	11/10/2016	Lead	0	0	0		Copper	130	190	170		2702	N DORT HWY	FLINT	48504
LG86524	11/10/2016	Lead	2	0	0		Copper	80	130	120		2702	N DORT HWY	FLINT	48503
LG92047	12/15/2016	Lead				0	Copper				0	4020	N DORT HWY	FLINT	48505
LG85723	11/7/2016	Lead	0	0	0		Copper	80	50	60		3401	N DORT HWY APT 1	FLINT	48504
LG62998	7/28/2016	Lead				0	Copper				0	3085	N GENESEE RD APT 217	FLINT	48504
LG74863	9/19/2016	Lead				0	Copper				0	601	N GRAND TRAVERSE ST	FLINT	48504
LG61096	7/20/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61097	7/20/2016	Lead				0	Copper				80	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61098	7/20/2016	Lead				0	Copper				130	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61099	7/20/2016	Lead				0	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48506
LG61101	7/20/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48504
LG61102	7/20/2016	Lead				0	Copper				70	1201	N GRAND TRAVERSE ST	FLINT	48502
LG61103	7/20/2016	Lead				0	Copper				120	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61104	7/20/2016	Lead				0	Copper				130	1201	N GRAND TRAVERSE ST	FLINT	48502
LG61105	7/20/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48507
LG61106	7/20/2016	Lead				0	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61107	7/20/2016	Lead				0	Copper				50	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61108	7/20/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48504
LG61109	7/20/2016	Lead				0	Copper				130	1201	N GRAND TRAVERSE ST	FLINT	***
LG61110	7/20/2016	Lead				0	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61111	7/20/2016	Lead				0	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48507
LG61112	7/20/2016	Lead				0	Copper				100	1201	N GRAND TRAVERSE ST	FLINT	48504
LG61113	7/20/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61114	7/20/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48504
LG61115	7/20/2016	Lead				0	Copper				120	1201	N GRAND TRAVERSE ST	FLINT	48506
LG61116	7/20/2016	Lead				0	Copper				230	1201	N GRAND TRAVERSE ST	FLINT	48506
LG61117	7/20/2016	Lead				0	Copper				150	1201	N GRAND TRAVERSE ST	FLINT	48504
LG61118	7/20/2016	Lead				0	Copper				80	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61119	7/20/2016	Lead				0	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG61120	7/20/2016	Lead				0	Copper				150	1201	N GRAND TRAVERSE ST	FLINT	48507
LG61121	7/20/2016	Lead				0	Copper				170	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61122	7/20/2016	Lead				0	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61123	7/20/2016	Lead				0	Copper				80	1201	N GRAND TRAVERSE ST	FLINT	48506
LG61124	7/20/2016	Lead				0	Copper				80	1201	N GRAND TRAVERSE ST	FLINT	48507
LG61125	7/20/2016	Lead				0	Copper				400	1201	N GRAND TRAVERSE ST	FLINT	48504
LG61126	7/20/2016	Lead				0	Copper				130	1201	N GRAND TRAVERSE ST	FLINT	48507
LG61127	7/20/2016	Lead				0	Copper				100	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61128	7/20/2016	Lead				0	Copper				70	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61130	7/20/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61131	7/20/2016	Lead				0	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61132	7/20/2016	Lead				0	Copper				80	1201	N GRAND TRAVERSE ST	FLINT	48506
LG61133	7/20/2016	Lead				0	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48506
LG61134	7/20/2016	Lead				0	Copper				190	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61135	7/20/2016	Lead				0	Copper				170	1201	N GRAND TRAVERSE ST	FLINT	48504
LG61136	7/20/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61139	7/20/2016	Lead				0	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61141	7/20/2016	Lead				0	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61143	7/20/2016	Lead				0	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61144	7/20/2016	Lead				0	Copper				140	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61148	7/20/2016	Lead				0	Copper				250	1201	N GRAND TRAVERSE ST	FLINT	48507
LG61150	7/20/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77517	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48505
LG77518	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	***
LG77519	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48507
LG77520	9/27/2016	Lead				0	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48506
LG77521	9/27/2016	Lead				0	Copper				80	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77522	9/27/2016	Lead				0	Copper				100	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77523	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77524	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48502
LG77525	9/27/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77526	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77527	9/27/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77528	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48504
LG77529	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77530	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77531	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48507
LG77532	9/27/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48505
LG77533	9/27/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77534	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77535	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77536	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48506
LG77537	9/27/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48504
LG77538	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48507
LG77539	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48506
LG77540	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77541	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77542	9/27/2016	Lead				0	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77543	9/27/2016	Lead				0	Copper				70	1201	N GRAND TRAVERSE ST	FLINT	48504
LG77544	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48507
LG77545	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48505
LG77546	9/27/2016	Lead				0	Copper				80	1201	N GRAND TRAVERSE ST	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG77547	9/27/2016	Lead				0	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48507
LG77548	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77549	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77551	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48505
LG77552	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77553	9/27/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48507
LG77554	9/27/2016	Lead				0	Copper				60	1201	N GRAND TRAVERSE ST	FLINT	48507
LG77555	9/27/2016	Lead				0	Copper				150	1201	N GRAND TRAVERSE ST	FLINT	48439
LG77556	9/27/2016	Lead				0	Copper				70	1201	N GRAND TRAVERSE ST	FLINT	48504
LG77557	9/27/2016	Lead				0	Copper				190	1201	N GRAND TRAVERSE ST	FLINT	48506
LG77566	9/27/2016	Lead				0	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77571	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48529
LG77572	9/27/2016	Lead				0	Copper				0	1201	N GRAND TRAVERSE ST	FLINT	48503
LG61140	7/20/2016	Lead				1	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61142	7/20/2016	Lead				1	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48506
LG77550	9/27/2016	Lead				1	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48532
LG77562	9/27/2016	Lead				1	Copper				90	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61129	7/20/2016	Lead				2	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61137	7/20/2016	Lead				2	Copper				260	1201	N GRAND TRAVERSE ST	FLINT	48505
LG61146	7/20/2016	Lead				2	Copper				270	1201	N GRAND TRAVERSE ST	FLINT	48506
LG61147	7/20/2016	Lead				2	Copper				320	1201	N GRAND TRAVERSE ST	FLINT	48504
LG61151	7/20/2016	Lead				2	Copper				100	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77564	9/27/2016	Lead				2	Copper				140	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77568	9/27/2016	Lead				2	Copper				100	1201	N GRAND TRAVERSE ST	FLINT	48507
LG61138	7/20/2016	Lead				3	Copper				270	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77563	9/27/2016	Lead				4	Copper				120	1201	N GRAND TRAVERSE ST	FLINT	48505
LG77569	9/27/2016	Lead				4	Copper				140	1201	N GRAND TRAVERSE ST	FLINT	48506
LG61145	7/20/2016	Lead				5	Copper				330	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77558	9/27/2016	Lead				5	Copper				290	1201	N GRAND TRAVERSE ST	FLINT	48504
LG77559	9/27/2016	Lead				5	Copper				300	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77560	9/27/2016	Lead				5	Copper				110	1201	N GRAND TRAVERSE ST	FLINT	48504
LG77561	9/27/2016	Lead				5	Copper				140	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77565	9/27/2016	Lead				6	Copper				120	1201	N GRAND TRAVERSE ST	FLINT	48504
LG77567	9/27/2016	Lead				8	Copper				170	1201	N GRAND TRAVERSE ST	FLINT	48503
LG77570	9/27/2016	Lead				10	Copper				190	1201	N GRAND TRAVERSE ST	FLINT	48502
LG61149	7/20/2016	Lead				169	Copper				1250	1201	N GRAND TRAVERSE ST	FLINT	48507
LG83042	10/20/2016	Lead				0	Copper				0	509	N HARRISON ST	FLINT	48503
LG60641	7/19/2016	Lead				6	Copper				0	8274	N PORT	GRAND BLANC	48503
LG64545	8/4/2016	Lead				0	Copper				120	2400	N SAGINAW ST	FLINT	48504
LG82131	10/17/2016	Lead				4	Copper				0	4907	N SAGINAW ST	FLINT	48504
LG90031	12/6/2016	Lead	6				Copper	310				1200	N TELEGRAPH BLDG 34E	PONTIAC	48507
LG74238	9/15/2016	Lead				4	Copper				0	2311	N VERNON	FLINT	48504
LG84160	10/27/2016	Lead				2	Copper				0	2429	N VERNON AVE	FLINT	48507
LG84164	10/27/2016	Lead				3	Copper				0	2433	N VERNON AVE	FLINT	48529
LG63000	7/28/2016	Lead				5	Copper				0	1406	N VIRGINIA AVE	FLINT	48504
LG83096	10/20/2016	Lead	0	0	0		Copper	90	80	80		5199	NASH DR	FLINT	48504
LG67826	8/18/2016	Lead				2	Copper				50	2961	NATHAN AVE	FLINT	48507
LG75344	9/21/2016	Lead				3	Copper				60	2961	NATHAN AVE	FLINT	48504
LG60659	7/19/2016	Lead				15	Copper				90	2961	NATHAN AVE	FLINT	48505
LG86729	11/14/2016	Lead				6	Copper				430	6255	NEFF RD	FLINT	48504
LG88118	11/21/2016	Lead	0				Copper	0				6236	NEFF RD DAILEY	MT MORRIS	48503
LG60220	7/18/2016	Lead				0	Copper				100	1010	NELSON ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG60784	7/20/2016	Lead				0	Copper				0	1109	NELSON ST	FLINT	48507
LG67821	8/18/2016	Lead				0	Copper				0	1109	NELSON ST	FLINT	48506
LG75351	9/21/2016	Lead				0	Copper				0	1109	NELSON ST	FLINT	48503
LG87365	11/17/2016	Lead				0	Copper				0	1109	NELSON ST	FLINT	48504
LG87443	11/17/2016	Lead				9	Copper				0	1209	NEUBERT AVE	FLINT	48506
LG76088	9/22/2016	Lead				13	Copper				0	1209	NEUBERT AVE	FLINT	48503
LG68439	8/22/2016	Lead				14	Copper				0	1209	NEUBERT AVE	FLINT	48507
LG60625	7/19/2016	Lead				18	Copper				0	1209	NEUBERT AVE	FLINT	48504
LG91169	12/12/2016	Lead	0	0	0		Copper	0	0	0		1317	NEUBERT AVE	FLINT	48506
LG87625	11/17/2016	Lead	0				Copper	100					NEW STANDARD ACADEMY	FLINT	48503
LG74859	9/19/2016	Lead				0	Copper				0	2256	NOLEN DR	FLINT	48504
LG70054	8/29/2016	Lead				3	Copper				60	2436	NOLEN DR	FLINT	48503
LG77040	9/27/2016	Lead				0	Copper				70	2602	NOLEN DR	FLINT	48507
LG60673	7/19/2016	Lead				2	Copper				130	2602	NOLEN DR	FLINT	48504
LG87373	11/17/2016	Lead				2	Copper				100	2602	NOLEN DR	FLINT	48503
LG84151	10/27/2016	Lead	0	6	5		Copper	60	180	150		2602	NOLEN DR	FLINT	48503
LG67845	8/18/2016	Lead				16	Copper				60	2602	NOLEN DR	FLINT	48503
LG87377	11/17/2016	Lead				0	Copper				0	2411	NORBERT ST	FLINT	48503
LG60596	7/19/2016	Lead				1	Copper				0	2411	NORBERT ST	FLINT	48503
LG67812	8/18/2016	Lead				1	Copper				0	2411	NORBERT ST	FLINT	48503
LG75373	9/21/2016	Lead				1	Copper				0	2411	NORBERT ST	FLINT	48503
LG91175	12/12/2016	Lead	0	0	0		Copper	0	0	0		2416	NORBERT ST	FLINT	48503
LG90806	12/8/2016	Lead				2	Copper				0	2436	NORBERT ST	FLINT	48503
LG88704	11/28/2016	Lead	5	5	5		Copper	60	0	0		2441	NORBERT ST	FLINT	48503
LG88158	11/21/2016	Lead	2	4	4		Copper	90	0	0		2526	NORBERT ST	FLINT	48503
LG63043	7/28/2016	Lead				133	Copper				230	2526	NORBERT ST	FLINT	48504
LG79590	10/3/2016	Lead				2	Copper				0	2810	NORBERT ST	FLINT	48504
LG83086	10/20/2016	Lead	2	23	18		Copper	70	190	160		2810	NORBERT ST	FLINT	48505
LG88677	11/28/2016	Lead	11	3	5		Copper	160	0	0		3110	NORWOOD DR	FLINT	48506
LG76249	9/22/2016	Lead				0	Copper				0	3623	NORWOOD DR	FLINT	48503
LG71023	9/1/2016	Lead				1	Copper				0	3623	NORWOOD DR	FLINT	48504
LG88165	11/21/2016	Lead	1	0	0		Copper	0	0	0		3623	NORWOOD DR	FLINT	48503
LG60225	7/18/2016	Lead				2	Copper				60	3623	NORWOOD DR	FLINT	48503
LG83091	10/20/2016	Lead	0	0	0		Copper	0	0	0		1827	OAK BROOK CIR	FLINT	48507
LG61946	7/25/2016	Lead				2	Copper				50	1829	OAK BROOK CIR	FLINT	48503
LG88649	11/28/2016	Lead				0	Copper				0	1210	OAK ST	FLINT	48506
LG88659	11/28/2016	Lead				0	Copper				0	1210	OAK ST	FLINT	48503
LG69485	8/25/2016	Lead				2	Copper				120	1831	OAKBROOK CIR	FLINT	48507
LG64996	8/8/2016	Lead				2	Copper				80	1835	OAKBROOK CIR	FLINT	48502
LG62993	7/28/2016	Lead				6	Copper				60	601	ODETTE ST	FLINT	48437
LG57248	7/5/2016	Lead				2	Copper				0	605	ODETTE ST	FLINT	48503
LG72791	9/12/2016	Lead				2	Copper				0	605	ODETTE ST	FLINT	48506
LG72796	9/12/2016	Lead				2	Copper				0	605	ODETTE ST	FLINT	48502
LG86541	11/10/2016	Lead	6	5	5		Copper	110	120	120		605	ODETTE ST	FLINT	48504
LG79593	10/3/2016	Lead				19	Copper				160	605	ODETTE ST	FLINT	48503
LG88664	11/28/2016	Lead				4	Copper				340	4001	OGEMA	FLINT	48504
LG84515	10/31/2016	Lead				4	Copper				440	4001	OGEMA AVE	FLINT	48504
LG88153	11/21/2016	Lead				0	Copper				0	4208	OGEMA AVE	FLINT	48503
LG75326	9/21/2016	Lead				1	Copper				0	4208	OGEMA AVE	FLINT	48506
LG60769	7/20/2016	Lead				2	Copper				120	4208	OGEMA AVE	FLINT	48503
LG67870	8/18/2016	Lead				27	Copper				80	4208	OGEMA AVE	FLINT	48503
LG60771	7/20/2016	Lead				2	Copper				0	4214	OGEMA AVE	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG75298	9/21/2016	Lead				2	Copper				0	4214	OGEA AVE	FLINT	48503
LG87451	11/17/2016	Lead				2	Copper				0	4214	OGEA AVE	FLINT	48507
LG67913	8/18/2016	Lead				3	Copper				0	4214	OGEA AVE	FLINT	48503
LG87452	11/17/2016	Lead				0	Copper				0	4218	OGEA AVE	FLINT	48507
LG60775	7/20/2016	Lead				1	Copper				0	4218	OGEA AVE	FLINT	48505
LG67875	8/18/2016	Lead				1	Copper				0	4218	OGEA AVE	FLINT	48505
LG75289	9/21/2016	Lead				1	Copper				0	4218	OGEA AVE	FLINT	48504
LG67862	8/18/2016	Lead				0	Copper				0	4302	OGEA AVE	FLINT	48504
LG75309	9/21/2016	Lead				0	Copper				0	4302	OGEA AVE	FLINT	48503
LG87386	11/17/2016	Lead				0	Copper				0	4302	OGEA AVE	FLINT	48503
LG60768	7/20/2016	Lead				1	Copper				0	4302	OGEA AVE	FLINT	48503
LG71373	9/6/2016	Lead				0	Copper				0	4507	OGEA AVE	FLINT	48503
LG89875	12/5/2016	Lead	0	0	0		Copper	0	0	0		4515	OGEA AVE	FLINT	48505
LG69532	8/25/2016	Lead				0	Copper				0	1621	OHIO AVE	FLINT	48507
LG61552	7/21/2016	Lead				0	Copper				50	1634	OKLAHOMA AVE	FLINT	48503
LG61554	7/21/2016	Lead				340	Copper				130	1634	OKLAHOMA AVE	FLINT	48505
LG88728	11/28/2016	Lead	0				Copper	0				2210	OKLAHOMA AVE	FLINT	48504
LG70997	9/1/2016	Lead				3	Copper				0	2302	OKLAHOMA AVE	FLINT	48503
LG71000	9/1/2016	Lead				3	Copper				0	2302	OKLAHOMA AVE	FLINT	48506
LG64532	8/4/2016	Lead				0	Copper				0	3088	OLD FARM RD	FLINT	48503
LG87689	11/17/2016	Lead	0	0	0		Copper	0	0	0		3132	OLEARY RD	FLINT	48505
LG87392	11/17/2016	Lead				1	Copper				60	202	OLIVER ST	FLINT	48504
LG75294	9/21/2016	Lead				2	Copper				50	202	OLIVER ST	FLINT	48504
LG67867	8/18/2016	Lead				3	Copper				70	202	OLIVER ST	FLINT	48503
LG60631	7/19/2016	Lead				4	Copper				60	202	OLIVER ST	FLINT	48505
LG79588	10/3/2016	Lead				0	Copper				0	6725	ORANGE LN	FLINT	48504
LG58055	7/7/2016	Lead				0	Copper				80	2528	ORCHARD LN	FLINT	48504
LG83098	10/20/2016	Lead	0	0	0		Copper	70	60	60		2528	ORCHARD LN	FLINT	48502
LG80757	10/6/2016	Lead				3	Copper				0	2540	ORCHARD LN	FLINT	48503
LG72787	9/12/2016	Lead				2	Copper				0	1807	OREN AVE	FLINT	48507
LG84165	10/27/2016	Lead				152	Copper				870	1807	OREN AVE	FLINT	48507
LG68014	8/18/2016	Lead				0	Copper				0	1122	OSSINGTON AVE	FLINT	48507
LG88159	11/21/2016	Lead	0	0	0		Copper	270	130	160		1702	OVERHILL DR	FLINT	48503
LG80746	10/6/2016	Lead				3	Copper				120	1724	OVERHILL DR	FLINT	48507
LG76875	9/26/2016	Lead				0	Copper				100	1847	OWEN ST	FLINT	48503
LG71374	9/6/2016	Lead				1	Copper				0	2011	OXFORD LN	FLINT	48503
LG78669	9/29/2016	Lead				0	Copper				160	2022	OXFORD LN	FLINT	48507
LG69550	8/25/2016	Lead				0	Copper				0	2013	OXLEY DR	FLINT	48504
LG68473	8/22/2016	Lead				0	Copper				0	6505	OXLEY DR	FLINT	48503
LG88036	11/21/2016	Lead	0				Copper	70				6602	OXLEY DR	FLINT	48503
LG88037	11/21/2016	Lead	0				Copper	60				6602	OXLEY DR	FLINT	48504
LG88038	11/21/2016	Lead	0				Copper	360				6602	OXLEY DR	FLINT	48506
LG88039	11/21/2016	Lead	0				Copper	70				6602	OXLEY DR	FLINT	48503
LG88040	11/21/2016	Lead	0				Copper	480				6602	OXLEY DR	FLINT	48504
LG88041	11/21/2016	Lead	0				Copper	330				6602	OXLEY DR	FLINT	48503
LG88042	11/21/2016	Lead	0				Copper	350				6602	OXLEY DR	FLINT	48504
LG88043	11/21/2016	Lead	0				Copper	390				6602	OXLEY DR	FLINT	48503
LG88044	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48503
LG88046	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48503
LG88047	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48504
LG88048	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48507
LG88049	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG88050	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48505
LG88051	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48504
LG88052	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48507
LG88053	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48502
LG88054	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48504
LG88055	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48507
LG88056	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48506
LG88057	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48506
LG88058	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48503
LG88059	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48504
LG88060	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48505
LG88061	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48503
LG88062	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48503
LG88063	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48507
LG88065	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48507
LG88066	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48532
LG88068	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48504
LG88069	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48506
LG88070	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48503
LG88071	11/21/2016	Lead	0				Copper	0				6602	OXLEY DR	FLINT	48503
LG88064	11/21/2016	Lead	1				Copper	0				6602	OXLEY DR	FLINT	48506
LG88067	11/21/2016	Lead	1				Copper	0				6602	OXLEY DR	FLINT	48505
LG88045	11/21/2016	Lead	3				Copper	0				6602	OXLEY DR	FLINT	48503
LG90825	12/8/2016	Lead	2	0	0		Copper	0	0	0		811	PADDINGTON AVE	FLINT	48506
LG68469	8/22/2016	Lead				3	Copper				0	847	PADDINGTON AVE	FLINT	48503
LG61948	7/25/2016	Lead				3	Copper				0	2530	PADUCAH ST	FLINT	48502
LG65005	8/8/2016	Lead				2	Copper				0	516	PAGE ST	FLINT	48503
LG61930	7/25/2016	Lead				3	Copper				0	608	PAGE ST	FLINT	48504
LG71372	9/6/2016	Lead				0	Copper				60	1918	PARK FOREST DR	FLINT	48507
LG91197	12/12/2016	Lead	0	0	0		Copper	0	100	80		3850	PARK FOREST DR	FLINT	48503
LG60206	7/18/2016	Lead				0	Copper				90	4010	PARK FOREST DR	FLINT	48505
LG60211	7/18/2016	Lead				0	Copper				0	4010	PARK FOREST DR	FLINT	48502
LG84138	10/27/2016	Lead	3	0	0		Copper	70	0	0		4110	PARK FOREST DR	FLINT	48506
LG76869	9/26/2016	Lead				0	Copper				0	4228	PARK FOREST DR	FLINT	48503
LG90823	12/8/2016	Lead	0	0	0		Copper	0	0	0		1601	PARK ST	FLINT	48503
LG60791	7/20/2016	Lead				0	Copper				0	1606	PARK ST	FLINT	48506
LG67868	8/18/2016	Lead				0	Copper				0	1606	PARK ST	FLINT	48503
LG75353	9/21/2016	Lead				0	Copper				0	1606	PARK ST	FLINT	48504
LG87444	11/17/2016	Lead				4	Copper				0	1613	PARK ST	FLINT	48506
LG75288	9/21/2016	Lead				8	Copper				80	1613	PARK ST	FLINT	48504
LG61859	7/22/2016	Lead				10	Copper				90	1613	PARK ST	FLINT	48504
LG67865	8/18/2016	Lead				17	Copper				170	1613	PARK ST	FLINT	48503
LG75308	9/21/2016	Lead				0	Copper				0	1614	PARK ST	FLINT	48504
LG60789	7/20/2016	Lead				2	Copper				0	1614	PARK ST	FLINT	48506
LG67863	8/18/2016	Lead				2	Copper				0	1614	PARK ST	FLINT	***
LG87342	11/17/2016	Lead				2	Copper				0	1614	PARK ST	FLINT	48507
LG67860	8/18/2016	Lead				2	Copper				60	1617	PARK ST	FLINT	48502
LG75283	9/21/2016	Lead				2	Copper				50	1617	PARK ST	FLINT	48505
LG87381	11/17/2016	Lead				2	Copper				0	1617	PARK ST	FLINT	48503
LG67914	8/18/2016	Lead				0	Copper				0	1704	PARK ST	FLINT	48504
LG75306	9/21/2016	Lead				1	Copper				0	1704	PARK ST	FLINT	48507
LG60785	7/20/2016	Lead				2	Copper				0	1704	PARK ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG87440	11/17/2016	Lead				2	Copper				0	1704	PARK ST	FLINT	48507
LG60790	7/20/2016	Lead				1	Copper				0	1712	PARK ST	FLINT	48504
LG67919	8/18/2016	Lead				1	Copper				0	1712	PARK ST	FLINT	48503
LG60783	7/20/2016	Lead				1	Copper				70	1713	PARK ST	FLINT	48506
LG67915	8/18/2016	Lead				1	Copper				70	1713	PARK ST	FLINT	48507
LG75307	9/21/2016	Lead				1	Copper				70	1713	PARK ST	FLINT	48504
LG87345	11/17/2016	Lead				4	Copper				100	1713	PARK ST	FLINT	***
LG69494	8/25/2016	Lead				12	Copper				1160	3410	PARKSIDE DR	FLINT	48505
LG83448	10/24/2016	Lead	0	0	0		Copper	110	150	140		632	PARTRIDGE ST	FLINT	48503
LG84128	10/27/2016	Lead	1	2	2		Copper	0	0	0		633	PARTRIDGE ST	FLINT	48503
LG83444	10/24/2016	Lead	1	2	2		Copper	70	0	0		640	PARTRIDGE ST	FLINT	48502
LG89861	12/5/2016	Lead	0	0	0		Copper	0	0	0		3641	PENBROOK LN APT 4	FLINT	48503
LG86555	11/10/2016	Lead	3	5	4		Copper	150	120	130		3214	PENCOMBE PL APP 72C	FLINT	48503
LG86552	11/10/2016	Lead	41	0	10		Copper	380	0	90		3110	PENCOMBE PL APT 21C	FLINT	48532
LG82130	10/17/2016	Lead				2	Copper				80	1625	PENNSYLVANIA AVE	FLINT	48503
LG91161	12/12/2016	Lead				0	Copper				0	2305	PENNSYLVANIA AVE	FLINT	48505
LG61524	7/21/2016	Lead				2	Copper				0	2312	PENNSYLVANIA AVE APT A	FLINT	48503
LG76259	9/22/2016	Lead				0	Copper				0	1005	PERSHING ST	FLINT	48505
LG72810	9/12/2016	Lead				0	Copper				0	1214	PERSHING ST	FLINT	48502
LG67985	8/18/2016	Lead				4	Copper				50	1105	PETTIBONE AVE	FLINT	48504
LG60623	7/19/2016	Lead				0	Copper				70	1202	PETTIBONE AVE	FLINT	48504
LG67853	8/18/2016	Lead				0	Copper				0	1202	PETTIBONE AVE	FLINT	48503
LG58849	7/12/2016	Lead				4	Copper				0	1329	PETTIBONE AVE	FLINT	48505
LG72167	9/8/2016	Lead				3	Copper				0	1601	PETTIBONE AVE	FLINT	48505
LG72844	9/12/2016	Lead				2	Copper				80	2630	PEWANAGA PL	FLINT	48505
LG87601	11/17/2016	Lead	0				Copper	0					PEYTON LEARNING PLACE	CLIO	48503
LG67989	8/18/2016	Lead				0	Copper				0	4372	PHEASANT DR	FLINT	48507
LG67996	8/18/2016	Lead				0	Copper				0	4372	PHEASANT DR	FLINT	48503
LG89420	12/1/2016	Lead	0	0	0		Copper	0	0	0		502	PHILADELPHIA BLVD	FLINT	48504
LG58870	7/12/2016	Lead				0	Copper				0	2106	PIERCE ST	FLINT	48503
LG84538	10/31/2016	Lead	3	3	3		Copper	50	60	60		2106	PIERCE ST	FLINT	48505
LG64521	8/4/2016	Lead				5	Copper				70	2106	PIERCE ST	FLINT	48504
LG58868	7/12/2016	Lead				7	Copper				60	2106	PIERCE ST	FLINT	48507
LG64563	8/4/2016	Lead				1	Copper				0	2201	PIERCE ST	FLINT	48503
LG61553	7/21/2016	Lead				0	Copper				130	2313	PIERCE ST	FLINT	48504
LG71371	9/6/2016	Lead				0	Copper				110	2313	PIERCE ST	FLINT	48507
LG61512	7/21/2016	Lead				2	Copper				0	2313	PIERCE ST	FLINT	48506
LG85719	11/7/2016	Lead	2	2	2		Copper	100	0	0		2313	PIERCE ST	FLINT	48503
LG61515	7/21/2016	Lead				2	Copper				70	2318	PIERCE ST	FLINT	48505
LG66703	8/15/2016	Lead				0	Copper				0	2406	PIERCE ST	FLINT	48505
LG66702	8/15/2016	Lead				1	Copper				80	2406	PIERCE ST	FLINT	48503
LG66699	8/15/2016	Lead				2	Copper				60	2406	PIERCE ST	FLINT	48503
LG66694	8/15/2016	Lead				22	Copper				200	2406	PIERCE ST	FLINT	48503
LG75317	9/21/2016	Lead				2	Copper				0	2413	PIERCE ST	FLINT	48503
LG60686	7/19/2016	Lead				3	Copper				0	2413	PIERCE ST	FLINT	48502
LG87428	11/17/2016	Lead				3	Copper				0	2413	PIERCE ST	FLINT	48507
LG60684	7/19/2016	Lead				0	Copper				100	2414	PIERCE ST	FLINT	48505
LG68450	8/22/2016	Lead				0	Copper				0	2414	PIERCE ST	FLINT	48503
LG87389	11/17/2016	Lead				59	Copper				480	2414	PIERCE ST	FLINT	48504
LG84146	10/27/2016	Lead	0	2	2		Copper	0	0	0		2402	PIERLE	FLINT	48504
LG61950	7/25/2016	Lead				10	Copper				0	729	PIERSON ST	FLINT	48503
LG92038	12/15/2016	Lead				5	Copper				0	1121	PINEHURST AVE	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG88683	11/28/2016	Lead	1	0	0		Copper	80	60	60		1309	PINEHURST AVE	FLINT	48506
LG87622	11/17/2016	Lead	0				Copper	60					PINEHURST ELEM HEAD START	MT MORRIS	48503
LG64519	8/4/2016	Lead				0	Copper				100	817	PINGREE AVE	FLINT	48502
LG67896	8/18/2016	Lead				3	Copper				0	1523	PINGREE AVE	FLINT	48507
LG62988	7/28/2016	Lead				0	Copper				0	1613	PINGREE AVE	FLINT	48506
LG66290	8/11/2016	Lead				0	Copper				70	1613	PINGREE AVE	FLINT	48503
LG83099	10/20/2016	Lead	40	4	13		Copper	70	0	0		3542	PINGREE AVE	FLINT	48506
LG68458	8/22/2016	Lead				0	Copper				0	3618	PINGREE AVE	FLINT	48503
LG71015	9/1/2016	Lead				0	Copper				0	3618	PINGREE AVE	FLINT	48503
LG58038	7/7/2016	Lead				10	Copper				100	201	PIPER AVE	FLINT	48505
LG62979	7/28/2016	Lead				0	Copper				0	3838	PITKIN AVE	FLINT	48503
LG66313	8/11/2016	Lead				0	Copper				0	2409	PLAINFIELD AVE	FLINT	48503
LG61928	7/25/2016	Lead				0	Copper				0	2802	PLAINFIELD AVE	FLINT	48504
LG87357	11/17/2016	Lead				5	Copper				80	1629	PONTIAC ST	FLINT	48503
LG60811	7/20/2016	Lead				9	Copper				90	1629	PONTIAC ST	FLINT	48503
LG75350	9/21/2016	Lead				12	Copper				80	1629	PONTIAC ST	FLINT	48507
LG68442	8/22/2016	Lead				15	Copper				130	1629	PONTIAC ST	FLINT	48503
LG63367	8/1/2016	Lead				3	Copper				90	1465	POPLAR ST	FLINT	48503
LG87611	11/17/2016	Lead	0				Copper	80					POSITIVE START CDC	FENTON	48507
LG72154	9/8/2016	Lead				192	Copper				400	2630	PROCTOR AVE	FLINT	48507
LG90813	12/8/2016	Lead	118	479	389		Copper	180	870	700		2630	PROCTOR AVE	FLINT	48505
LG64537	8/4/2016	Lead				44	Copper				240	2630	PROCTOR ST	FLINT	48502
LG81109	10/10/2016	Lead				84	Copper				460	2630	PROCTOR ST	FLINT	48507
LG57982	7/7/2016	Lead				130	Copper				630	2630	PROCTOR ST	FLINT	48504
LG85698	11/7/2016	Lead				185	Copper				290	2630	PROCTOR ST	FLINT	48503
LG70034	8/29/2016	Lead				6	Copper				60	719	PROSPECT ST	FLINT	48504
LG88174	11/21/2016	Lead	0	0	0		Copper	100	100	100		2505	PROSPECT ST	FLINT	48507
LG59583	7/14/2016	Lead				0	Copper				70	2701	PROSPECT ST	FLINT	48505
LG70080	8/29/2016	Lead				0	Copper				0	2701	PROSPECT ST	FLINT	48507
LG74221	9/15/2016	Lead				0	Copper				0	2701	PROSPECT ST	FLINT	48507
LG83431	10/24/2016	Lead				10	Copper				70	2701	PROSPECT ST	FLINT	48503
LG71323	9/6/2016	Lead				18	Copper				70	2701	PROSPECT ST	FLINT	48504
LG58832	7/12/2016	Lead				0	Copper				0	3536	PROVIDENCE ST	FLINT	48503
LG83057	10/20/2016	Lead				0	Copper				0	3536	PROVIDENCE ST	FLINT	48507
LG69498	8/25/2016	Lead				1	Copper				0	4005	RACE ST	FLINT	48503
LG69503	8/25/2016	Lead				1	Copper				0	4005	RACE ST	FLINT	48505
LG76874	9/26/2016	Lead				1	Copper				140	3702	RALPH ST	FLINT	48503
LG65000	8/8/2016	Lead				0	Copper				0	3115	RASKOB ST	FLINT	48503
LG58026	7/7/2016	Lead				6	Copper				170	3115	RASKOB ST	FLINT	48503
LG88686	11/28/2016	Lead	6	32	26		Copper	150	390	330		3115	RASKOB ST	FLINT	48507
LG57968	7/7/2016	Lead				0	Copper				0	3119	RASKOB ST	FLINT	48504
LG65001	8/8/2016	Lead				0	Copper				0	3119	RASKOB ST	FLINT	48507
LG88692	11/28/2016	Lead	0	0	0		Copper	0	80	60		3119	RASKOB ST	FLINT	48506
LG84163	10/27/2016	Lead				1	Copper				80	3132	RASKOB ST	FLINT	48503
LG60228	7/18/2016	Lead				0	Copper				140	1502	RASPBERRY LN	FLINT	48504
LG60210	7/18/2016	Lead				1	Copper				70	1502	RASPBERRY LN	FLINT	48506
LG60231	7/18/2016	Lead				1	Copper				100	1502	RASPBERRY LN	FLINT	48507
LG60223	7/18/2016	Lead				181	Copper				920	1502	RASPBERRY LN	FLINT	48507
LG71377	9/6/2016	Lead				0	Copper				0	1514	RASPBERRY LN	FLINT	48503
LG61520	7/21/2016	Lead				0	Copper				200	3030	RAYWOOD ST	FLINT	48532
LG68006	8/18/2016	Lead				0	Copper				0	4226	RED ARROW RD	FLINT	48504
LG80764	10/6/2016	Lead				0	Copper				0	4329	RED ARROW RD	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG74852	9/19/2016	Lead				18	Copper				290	4418	RED ARROW RD	FLINT	48503
LG63028	7/28/2016	Lead				0	Copper				80	4430	RED ARROW RD	FLINT	48507
LG87615	11/17/2016	Lead	0				Copper	0					REID (GOODRICH)	FLINT	48506
LG84158	10/27/2016	Lead				0	Copper				0	930	REMINGTON AVE	FLINT	48507
LG72805	9/12/2016	Lead				0	Copper				200	1015	REMINGTON AVE	FLINT	48505
LG64994	8/8/2016	Lead				0	Copper				0	1191	REX AVE	FLINT	48503
LG88551	11/23/2016	Lead	0	0	0		Copper	0	0	0		3922	REYNOLDS ST	FLINT	48507
LG61549	7/21/2016	Lead				2	Copper				0	4025	REYNOLDS ST	FLINT	48505
LG87624	11/17/2016	Lead	0				Copper	0					RICHFIELD PRESCHOOL PRE-K	FLINT	48507
LG92056	12/15/2016	Lead				0	Copper				80	2808	RICHFIELD RD	FLINT	48504
LG92055	12/15/2016	Lead				0	Copper				100	3002	RICHFIELD RD	FLINT	48503
LG92058	12/15/2016	Lead				0	Copper				0	3538	RICHFIELD RD	FLINT	48507
LG88658	11/28/2016	Lead				0	Copper				0	1513	RIDGELAWN	FLINT	48507
LG89872	12/5/2016	Lead	0	2	2		Copper	0	0	0		3714	RISEDORPH	FLINT	48507
LG59595	7/14/2016	Lead				0	Copper				0	3709	RISEDORPH AVE	FLINT	48505
LG63038	7/28/2016	Lead				0	Copper				0	3729	RISEDORPH AVE	FLINT	48503
LG62999	7/28/2016	Lead				2	Copper				0	3729	RISEDORPH AVE	FLINT	48506
LG61535	7/21/2016	Lead				0	Copper				0	4171	RISEDORPH ST	FLINT	48505
LG83043	10/20/2016	Lead				0	Copper				0	1	RIVERFRONT PLZ	FLINT	48506
LG83049	10/20/2016	Lead				0	Copper				0	1	RIVERFRONT PLZ	FLINT	48503
LG63001	7/28/2016	Lead				1	Copper				0	311	ROBBIE LN	FLINT	48505
LG89406	12/1/2016	Lead				0	Copper				0	1174	ROBERT T LONGWAY BLVD	FLINT	48503
LG71340	9/6/2016	Lead				0	Copper				0	3605	ROBIN ST	FLINT	48505
LG61939	7/25/2016	Lead				0	Copper				0	1813	ROCKCREEK LN	FLINT	48503
LG85355	11/3/2016	Lead				0	Copper				70	1813	ROCKCREEK LN	FLINT	48504
LG85357	11/3/2016	Lead				0	Copper				90	1813	ROCKCREEK LN	FLINT	48507
LG85362	11/3/2016	Lead				2	Copper				0	1813	ROCKCREEK LN	FLINT	48507
LG61938	7/25/2016	Lead				30	Copper				100	1813	ROCKCREEK LN	FLINT	48503
LG71314	9/6/2016	Lead				0	Copper				60	1818	ROCKCREEK LN	FLINT	48504
LG58830	7/12/2016	Lead				2	Copper				70	1818	ROCKCREEK LN	FLINT	48507
LG67966	8/18/2016	Lead				0	Copper				0	621	ROOME CT	FLINT	48502
LG74232	9/15/2016	Lead				13	Copper				60	3136	ROSEDORPH AVE	FLINT	48504
LG89865	12/5/2016	Lead	0	0	0		Copper	0	0	0		1821	ROSELAWN DR	FLINT	48506
LG90791	12/8/2016	Lead				0	Copper				70	401	S BALLENGER	FLINT	48503
LG90789	12/8/2016	Lead				0	Copper				0	402	S BALLENGER	FLINT	48507
LG58074	7/7/2016	Lead				3	Copper				0	1602	S BALLENGER HWY	FLINT	48507
LG59578	7/14/2016	Lead				0	Copper				0	2211	S DORT HWY	FLINT	48503
LG60218	7/18/2016	Lead				0	Copper				0	2330	S DORT HWY	FLINT	48503
LG60227	7/18/2016	Lead				2	Copper				60	2330	S DORT HWY	FLINT	48529
LG60226	7/18/2016	Lead				3	Copper				90	2330	S DORT HWY	FLINT	48507
LG60229	7/18/2016	Lead				3	Copper				90	2330	S DORT HWY	FLINT	48504
LG92041	12/15/2016	Lead				0	Copper				0	2401	S DORT HWY	FLINT	48503
LG85703	11/7/2016	Lead				9	Copper				570	2402	S DORT HWY	FLINT	48503
LG70047	8/29/2016	Lead				0	Copper				100	307	S FRANKLIN AVE	FLINT	48502
LG89874	12/5/2016	Lead	4	3	3		Copper	0	0	0		311	S FRANKLIN AVE	FLINT	48504
LG61613	7/21/2016	Lead				0	Copper				0	426	S FRANKLIN AVE	FLINT	48506
LG68215	8/19/2016	Lead				0	Copper				0	426	S FRANKLIN AVE	FLINT	48507
LG76084	9/22/2016	Lead				2	Copper				60	426	S FRANKLIN AVE	FLINT	48507
LG78671	9/29/2016	Lead				0	Copper				0	502	S FRANKLIN AVE	FLINT	48503
LG76234	9/22/2016	Lead				4	Copper				0	526	S FRANKLIN AVE	FLINT	48504
LG71313	9/6/2016	Lead				3	Copper				60	901	S FRANKLIN AVE	FLINT	48507
LG58031	7/7/2016	Lead				0	Copper				0	928	S FRANKLIN AVE	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG58007	7/7/2016	Lead				4	Copper				0	928	S FRANKLIN AVE	FLINT	48507
LG79612	10/3/2016	Lead				1	Copper				0	1001	S FRANKLIN AVE	FLINT	48503
LG79610	10/3/2016	Lead				2	Copper				170	1021	S FRANKLIN AVE	FLINT	48507
LG91174	12/12/2016	Lead	2	2	2		Copper	160	70	90		1021	S FRANKLIN AVE	FLINT	48503
LG71318	9/6/2016	Lead				4	Copper				0	1134	S FRANKLIN AVE	FLINT	48504
LG71322	9/6/2016	Lead				12	Copper				0	1134	S FRANKLIN AVE	FLINT	48507
LG87375	11/17/2016	Lead				0	Copper				0	426	S FRANKLIN AVE	FLINT	48506
LG85368	11/3/2016	Lead				0	Copper				210	512	S GRAND TRAVERSE	FLINT	48502
LG88678	11/28/2016	Lead	3	2	2		Copper	220	200	210		2540	S GRAND TRAVERSE	FLINT	48503
LG58858	7/12/2016	Lead				0	Copper				0	512	S GRAND TRAVERSE ST	FLINT	48503
LG61538	7/21/2016	Lead				0	Copper				0	512	S GRAND TRAVERSE ST	FLINT	48507
LG61951	7/25/2016	Lead				0	Copper				60	512	S GRAND TRAVERSE ST	FLINT	48507
LG64525	8/4/2016	Lead				0	Copper				50	512	S GRAND TRAVERSE ST	FLINT	48507
LG66325	8/11/2016	Lead				0	Copper				330	512	S GRAND TRAVERSE ST	FLINT	48502
LG69501	8/25/2016	Lead				0	Copper				200	512	S GRAND TRAVERSE ST	FLINT	48506
LG71353	9/6/2016	Lead				0	Copper				290	512	S GRAND TRAVERSE ST	FLINT	48504
LG72839	9/12/2016	Lead				1	Copper				70	512	S GRAND TRAVERSE ST	FLINT	48532
LG67978	8/18/2016	Lead				2	Copper				70	512	S GRAND TRAVERSE ST	FLINT	48503
LG74837	9/19/2016	Lead				2	Copper				0	512	S GRAND TRAVERSE ST	FLINT	48505
LG79596	10/3/2016	Lead				2	Copper				60	512	S GRAND TRAVERSE ST	FLINT	48502
LG71006	9/1/2016	Lead				10	Copper				140	2540	S GRAND TRAVERSE ST	FLINT	48504
LG89407	12/1/2016	Lead				15	Copper				80	2540	S GRAND TRAVERSE ST	FLINT	48507
LG71003	9/1/2016	Lead				7	Copper				220	2906	S GRAND TRAVERSE ST	FLINT	48505
LG71316	9/6/2016	Lead				0	Copper				0	4012	S GRAND TRAVERSE ST	FLINT	48506
LG58879	7/12/2016	Lead				2	Copper				0	4012	S GRAND TRAVERSE ST	FLINT	48507
LG89877	12/5/2016	Lead	0	0	0		Copper	110	110	110		520	S LYNCH	FLINT	48505
LG72826	9/12/2016	Lead				0	Copper				0	412	S LYNCH ST	FLINT	48503
LG58057	7/7/2016	Lead				1	Copper				110	520	S LYNCH ST	FLINT	48504-7066
LG66696	8/15/2016	Lead				1	Copper				90	520	S LYNCH ST	FLINT	48505
LG63031	7/28/2016	Lead				1	Copper				0	525	S LYNCH ST	FLINT	48503
LG69500	8/25/2016	Lead				1	Copper				0	525	S LYNCH ST	FLINT	48514
LG78664	9/29/2016	Lead				4	Copper				90	605	S LYNCH ST	FLINT	48504
LG86556	11/10/2016	Lead	0	0	0		Copper	0	0	0		614	S LYNCH ST	FLINT	48505
LG69514	8/25/2016	Lead				2	Copper				90	614	S LYNCH ST	FLINT	48504
LG76229	9/22/2016	Lead				2	Copper				70	614	S LYNCH ST	FLINT	48502
LG86543	11/10/2016	Lead	3	1	2		Copper	0	0	0		614	S LYNCH ST	FLINT	48503
LG61525	7/21/2016	Lead				1	Copper				0	425	S MEADE ST	FLINT	48505
LG58850	7/12/2016	Lead				0	Copper				0	618	S MEADE ST	FLINT	48507
LG83029	10/20/2016	Lead				0	Copper				0	303	S SAGINAW ST	FLINT	48503
LG83037	10/20/2016	Lead				0	Copper				0	303	S SAGINAW ST	FLINT	48506
LG83041	10/20/2016	Lead				0	Copper				0	303	S SAGINAW ST	FLINT	48507
LG83051	10/20/2016	Lead				0	Copper				0	303	S SAGINAW ST	FLINT	48506
LG82128	10/17/2016	Lead				0	Copper				0	444	S SAGINAW ST	FLINT	48506
LG82132	10/17/2016	Lead				0	Copper				300	500	S SAGINAW ST	FLINT	48504
LG83030	10/20/2016	Lead				0	Copper				0	555	S SAGINAW ST	FLINT	48507
LG83422	10/24/2016	Lead				0	Copper				0	555	S SAGINAW ST	FLINT	48503
LG83034	10/20/2016	Lead				0	Copper				80	746	S SAGINAW ST	FLINT	48505
LG82133	10/17/2016	Lead				0	Copper				0	755	S SAGINAW ST	FLINT	48507
LG82129	10/17/2016	Lead				0	Copper				0	800	S SAGINAW ST	FLINT	48507
LG83033	10/20/2016	Lead				0	Copper				0	836	S SAGINAW ST	FLINT	48504
LG63007	7/28/2016	Lead				0	Copper				50	1002	S SAGINAW ST	FLINT	48503
LG63010	7/28/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48507

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG66295	8/11/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG66298	8/11/2016	Lead				0	Copper				90	1002	S SAGINAW ST	FLINT	48529
LG66299	8/11/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG66304	8/11/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48507
LG68015	8/18/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48430
LG68017	8/18/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG68018	8/18/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48504
LG71359	9/6/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48502
LG71362	9/6/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48507
LG71363	9/6/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48506
LG88131	11/21/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48502
LG88132	11/21/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48506
LG88133	11/21/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48506
LG88135	11/21/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG92060	12/15/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG92061	12/15/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48504
LG92062	12/15/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48504
LG92063	12/15/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48506
LG92064	12/15/2016	Lead				0	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG63009	7/28/2016	Lead				1	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG66296	8/11/2016	Lead				1	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG68016	8/18/2016	Lead				1	Copper				80	1002	S SAGINAW ST	FLINT	48507
LG68019	8/18/2016	Lead				1	Copper				0	1002	S SAGINAW ST	FLINT	48503
LG88134	11/21/2016	Lead				1	Copper				0	1002	S SAGINAW ST	FLINT	48507
LG71361	9/6/2016	Lead				3	Copper				0	1002	S SAGINAW ST	FLINT	48504-3357
LG84157	10/27/2016	Lead				8	Copper				60	1002	S SAGINAW ST	FLINT	48505
LG63014	7/28/2016	Lead				14	Copper				80	1002	S SAGINAW ST	FLINT	48504
LG81770	10/13/2016	Lead				44	Copper				200	1002	S SAGINAW ST	FLINT	48502
LG71360	9/6/2016	Lead				53	Copper				210	1002	S SAGINAW ST	FLINT	48503
LG78690	9/29/2016	Lead				94	Copper				180	1002	S SAGINAW ST	FLINT	48507
LG90790	12/8/2016	Lead				1	Copper				100	4509	S SAGINAW ST	FLINT	48503
LG89848	12/5/2016	Lead	0	0	0		Copper	260	290	280		3725	S SAGINAW ST SUITE 105	FLINT	48504
LG68460	8/22/2016	Lead				0	Copper				0	630	S SAGINAW/ BREAK ROOM	FLINT	48507
LG68456	8/22/2016	Lead				0	Copper				0	630	S SAGINAW/ CD SINK	FLINT	48506
LG57997	7/7/2016	Lead				0	Copper				0	307	S VERNON AVE	FLINT	48503
LG81113	10/10/2016	Lead				0	Copper				0	609	S VERNON AVE	FLINT	48506
LG91172	12/12/2016	Lead	0	0	0		Copper	70	0	0		108	SAGEBRUSH DR	FLINT	48507
LG85353	11/3/2016	Lead				0	Copper				0	3205	SAGINAW	FLINT	48507
LG85704	11/7/2016	Lead				0	Copper				0	3805	SAGINAW	FLINT	48506
LG86518	11/10/2016	Lead				0	Copper				0	4041	SAGINAW	FLINT	48503
LG83428	10/24/2016	Lead				0	Copper				0	340	SAGINAW ST	FLINT	48502
LG83028	10/20/2016	Lead				0	Copper				0	432	SAGINAW ST	FLINT	48504
LG84171	10/27/2016	Lead				3	Copper				0	448	SAGINAW ST	FLINT	48506
LG83040	10/20/2016	Lead				0	Copper				0	531	SAGINAW ST	FLINT	48506
LG83425	10/24/2016	Lead				0	Copper				80	635	SAGINAW ST	FLINT	48504
LG83032	10/20/2016	Lead				0	Copper				0	711	SAGINAW ST	FLINT	48503
LG90794	12/8/2016	Lead				0	Copper				100	746	SAGINAW ST	FLINT	48505
LG90795	12/8/2016	Lead				0	Copper				60	746	SAGINAW ST	FLINT	48503
LG90797	12/8/2016	Lead				0	Copper				100	746	SAGINAW ST	FLINT	48504
LG90796	12/8/2016	Lead				2	Copper				100	746	SAGINAW ST	FLINT	48503
LG90788	12/8/2016	Lead				14	Copper				170	746	SAGINAW ST	FLINT	48507
LG90792	12/8/2016	Lead				54	Copper				240	746	SAGINAW ST	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG90793	12/8/2016	Lead				2,069	Copper				250	746	SAGINAW ST	FLINT	48502
LG63008	7/28/2016	Lead				0	Copper				0	1002	SAGINAW ST	FLINT	48503
LG89892	12/5/2016	Lead	4				Copper	50				1040	SAGINAW ST	FLINT	48532
LG89893	12/5/2016	Lead	176				Copper	90				1040	SAGINAW ST	FLINT	48507
LG86698	11/14/2016	Lead				0	Copper				0	1410	SAGINAW ST	FLINT	48507
LG85354	11/3/2016	Lead				0	Copper				0	1621	SAGINAW ST	FLINT	48503
LG87677	11/17/2016	Lead				0	Copper				0	1714	SAGINAW ST	FLINT	48507
LG91157	12/12/2016	Lead				0	Copper				0	2408	SAGINAW ST	FLINT	48503
LG84514	10/31/2016	Lead				0	Copper				160	2820	SAGINAW ST	FLINT	48505
LG92039	12/15/2016	Lead				0	Copper				0	3010	SAGINAW ST	FLINT	48503
LG92046	12/15/2016	Lead				2	Copper				0	4108	SAGINAW ST	FLINT	48505
LG92052	12/15/2016	Lead				0	Copper				0	4414	SAGINAW ST	FLINT	48504
LG92054	12/15/2016	Lead				0	Copper				0	4601	SAGINAW ST	FLINT	48503
LG92049	12/15/2016	Lead				0	Copper				130	5201	SAGINAW ST	FLINT	48507
LG92037	12/15/2016	Lead				0	Copper				160	7022	SAGINAW ST	FLINT	48504
LG74224	9/15/2016	Lead				0	Copper				220	615	SAINT CLAIR ST	FLINT	48507
LG89412	12/1/2016	Lead	0	0	0		Copper	110	0	0		955	SALISBURY AVE	FLINT	48503
LG89409	12/1/2016	Lead				0	Copper				0	975	SALISBURY AVE	FLINT	48505
LG89863	12/5/2016	Lead	0	0	0		Copper	0	0	0		975	SALISBURY AVE	FLINT	48451
LG87691	11/17/2016	Lead	1	1	1		Copper	50	60	60		3201	SALISHAN CIR	FLINT	48503
LG58013	7/7/2016	Lead				4	Copper				50	5808	SALLY CT	FLINT	48503
LG60613	7/19/2016	Lead				0	Copper				0	5915	SALLY CT	FLINT	48503
LG67830	8/18/2016	Lead				0	Copper				0	5915	SALLY CT	FLINT	48507
LG75394	9/21/2016	Lead				0	Copper				0	5915	SALLY CT	FLINT	48507
LG87333	11/17/2016	Lead				0	Copper				0	5915	SALLY CT	FLINT	48503
LG74217	9/15/2016	Lead				0	Copper				0	6501	SALLY CT	FLINT	48505
LG80749	10/6/2016	Lead				0	Copper				0	6501	SALLY CT	FLINT	48506
LG58053	7/7/2016	Lead				0	Copper				0	6802	SALLY CT	FLINT	48504
LG74223	9/15/2016	Lead				591	Copper				1,730	6914	SALLY CT	FLINT	48506
LG70036	8/29/2016	Lead				0	Copper				90	1242	SAN JUAN DR	FLINT	48504
LG57998	7/7/2016	Lead				0	Copper				0	2002	SANTA BARBARA DR	FLINT	48504
LG91193	12/12/2016	Lead	110	25	46		Copper	210	0	50		2114	SANTA BARBARA DR	FLINT	48505
LG86703	11/14/2016	Lead	0	0	0		Copper	60	0	0		3402	SANTA CLARA CT	FLINT	48507
LG58047	7/7/2016	Lead				1	Copper				70	921	SCOTT ST	FLINT	48502
LG58048	7/7/2016	Lead				32	Copper				310	929	SCOTT ST	FLINT	48507
LG89419	12/1/2016	Lead	2	2	2		Copper	0	0	0		1624	SEMINOLE ST	FLINT	48504
LG88698	11/28/2016	Lead	4	1	2		Copper	140	160	150		1801	SENECA ST	FLINT	48504
LG88695	11/28/2016	Lead	7	1	3		Copper	150	160	160		1801	SENECA ST	FLINT	48504
LG87684	11/17/2016	Lead	7	8	8		Copper	90	0	0		2422	SENECA ST	FLINT	48503
LG76237	9/22/2016	Lead				21	Copper				50	2422	SENECA ST	FLINT	48503
LG71327	9/6/2016	Lead				39	Copper				70	2422	SENECA ST	FLINT	48503
LG91206	12/12/2016	Lead	0				Copper	0				2441	SENECA ST	FLINT	48505
LG72814	9/12/2016	Lead				2	Copper				120	3902	SENECA ST	FLINT	48503
LG70053	8/29/2016	Lead				2	Copper				0	1835	SEYMOUR ST	FLINT	48507
LG85311	11/3/2016	Lead	0	0	0		Copper	0	0	0		5437	SHAMROCK LN	FLINT	***
LG72789	9/12/2016	Lead				3	Copper				70	326	SHEFFIELD AVE	FLINT	48504
LG84134	10/27/2016	Lead	0	0	0		Copper	0	0	0		321	SHEFFIELD AVE APT272 A	FLINT	48505
LG91189	12/12/2016	Lead	0	0	0		Copper	80	0	0		3706	SHERRY DR	FLINT	48505
LG92059	12/15/2016	Lead				80	Copper				160	716	SIMCOE AVE	FLINT	48504
LG88660	11/28/2016	Lead				0	Copper				0	1014	SIMCOE AVE	FLINT	48502
LG83087	10/20/2016	Lead	0	0	0		Copper	0	0	0		1017	SIMCOE AVE	FLINT	48507
LG70999	9/1/2016	Lead				0	Copper				420	1018	SIMCOE AVE	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG80766	10/6/2016	Lead				0	Copper				360	1018	SIMCOE AVE	FLINT	48504
LG70068	8/29/2016	Lead				1	Copper				0	1134	SIMCOE AVE	FLINT	48503
LG71018	9/1/2016	Lead				2	Copper				80	2119	SLOAN ST	FLINT	48504
LG87401	11/17/2016	Lead				2	Copper				0	2405	SLOAN ST	FLINT	48503
LG75357	9/21/2016	Lead				3	Copper				0	2405	SLOAN ST	FLINT	48503
LG67840	8/18/2016	Lead				9	Copper				0	2405	SLOAN ST	FLINT	48503
LG60603	7/19/2016	Lead				10	Copper				0	2405	SLOAN ST	FLINT	48504
LG90818	12/8/2016	Lead	0	0	0		Copper	180	90	110		1215	SOMERSET LN	FLINT	48506
LG67819	8/18/2016	Lead				4	Copper				0	1117	SOUTH DR	FLINT	48507
LG75318	9/21/2016	Lead				6	Copper				0	1117	SOUTH DR	FLINT	48503
LG60787	7/20/2016	Lead				8	Copper				0	1117	SOUTH DR	FLINT	48504
LG87791	11/18/2016	Lead				17	Copper				50	1117	SOUTH DR	FLINT	
LG87626	11/17/2016	Lead	2				Copper	310					SOUTHERN LAKES HEADSTART	FENTON	48505
LG84153	10/27/2016	Lead	0	1	0		Copper	90	60	70		416	SPENCER ST	FLINT	48507
LG66711	8/15/2016	Lead				0	Copper				0	626	SPENCER ST	FLINT	48503
LG72827	9/12/2016	Lead				7	Copper				0	717	ST CLAIR	FLINT	48439
LG67977	8/18/2016	Lead				3	Copper				70	717	ST CLAIR ST	FLINT	48504
LG87604	11/17/2016	Lead	0				Copper	960					ST JOHN PRESCHOOL	DAVISON	48506
LG87605	11/17/2016	Lead	0				Copper	420					ST JOHN PRESCHOOL	DAVISON	48503
LG87603	11/17/2016	Lead	0				Copper	540					ST JOHNS PRESCHOOLS	DAVISON	48503
LG61494	7/21/2016	Lead				1	Copper				100	1910	STARKWEATHER ST	FLINT	48505
LG59618	7/14/2016	Lead				0	Copper				50	2101	STEDRON APT #141	FLINT	48504
LG58851	7/12/2016	Lead				9	Copper				100	3606	STERLING ST	FLINT	48504
LG69491	8/25/2016	Lead				0	Copper				0	3613	STERLING ST	FLINT	48506
LG69487	8/25/2016	Lead				5	Copper				60	3613	STERLING ST	FLINT	48506
LG88142	11/21/2016	Lead				0	Copper				0	624	STEVENSON ST	FLINT	48503
LG74869	9/19/2016	Lead				1	Copper				0	624	STEVENSON ST	FLINT	48506
LG83016	10/20/2016	Lead				1	Copper				0	624	STEVENSON ST	FLINT	48506
LG58001	7/7/2016	Lead				4	Copper				0	624	STEVENSON ST	FLINT	48503
LG58874	7/12/2016	Lead				7	Copper				0	624	STEVENSON ST	FLINT	48505
LG74860	9/19/2016	Lead				10	Copper				0	624	STEVENSON ST	FLINT	48529
LG57987	7/7/2016	Lead				12	Copper				0	624	STEVENSON ST	FLINT	48505
LG64551	8/4/2016	Lead				25	Copper				0	624	STEVENSON ST	FLINT	48507
LG72800	9/12/2016	Lead				7	Copper				0	2849	STEVENSON ST	FLINT	48507
LG88157	11/21/2016	Lead	0	0	0		Copper	0	120	90		118	STOCKDALE	FLINT	48505
LG58059	7/7/2016	Lead				1	Copper				390	118	STOCKDALE ST	FLINT	48504
LG87699	11/17/2016	Lead	20	4	8		Copper	80	0	0		962	STOCKER AVE	FLINT	48507
LG82135	10/17/2016	Lead				1	Copper				0	967	STOCKER AVE	FLINT	48503
LG88665	11/28/2016	Lead				0	Copper				0	1100	STOCKTON	FLINT	48503
LG71342	9/6/2016	Lead				3	Copper				0	1036	STOCKTON ST	FLINT	48505
LG59629	7/14/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48505
LG59630	7/14/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48503
LG64576	8/4/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48503
LG64577	8/4/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48507
LG64583	8/4/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48502
LG72139	9/8/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48506
LG72142	9/8/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48507
LG81081	10/10/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48507
LG81082	10/10/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48507
LG81083	10/10/2016	Lead				0	Copper				0	1517	STOCKTON ST	FLINT	48503
LG72136	9/8/2016	Lead				4	Copper				0	1517	STOCKTON ST	FLINT	48507
LG59622	7/14/2016	Lead				14	Copper				0	1517	STOCKTON ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG61929	7/25/2016	Lead				0	Copper				0	1025	STOCKTON ST APT 2	FLINT	48506
LG76878	9/26/2016	Lead				9	Copper				0	1413	STONE ST	FLINT	48506
LG60208	7/18/2016	Lead				4	Copper				0	1414	STONE ST	FLINT	48507
LG61935	7/25/2016	Lead				5	Copper				0	1414	STONE ST	FLINT	48503
LG63343	8/1/2016	Lead				0	Copper				120	6488	STONEBROOK LN	FLUSHING	48503
LG84132	10/27/2016	Lead	0	0	0		Copper	50	0	0		2006	STONEY BROOK CT	FLINT	48505
LG84143	10/27/2016	Lead	5	1	2		Copper	140	0	0		2006	STONEY BROOK CT	FLINT	48501
LG63030	7/28/2016	Lead				2	Copper				100	2007	STONEY BROOK CT	FLINT	48504
LG67981	8/18/2016	Lead				0	Copper				50	5706	SUBURBAN CT	FLINT	48506
LG67992	8/18/2016	Lead				0	Copper				50	5706	SUBURBAN CT	FLINT	48505
LG85367	11/3/2016	Lead				0	Copper				70	5706	SUBURBAN CT	FLINT	48507
LG85371	11/3/2016	Lead				0	Copper				60	5706	SUBURBAN CT	FLINT	48507
LG91195	12/12/2016	Lead	0	0	0		Copper	160	60	80		5706	SUBURBAN CT	FLINT	48504
LG91198	12/12/2016	Lead	0	0	0		Copper	140	0	0		5706	SUBURBAN CT	FLINT	48504
LG59597	7/14/2016	Lead				0	Copper				340	4264	SUGAR MAPLE RUN	FLINT	48503
LG65006	8/8/2016	Lead				0	Copper				100	4264	SUGAR MAPLE RUN	FLINT	48502
LG82143	10/17/2016	Lead				0	Copper				0	4264	SUGAR MAPLE RUN	FLINT	48504
LG58862	7/12/2016	Lead				3	Copper				0	1201	SUNCREST DR	FLINT	48505
LG58036	7/7/2016	Lead				2	Copper				0	2206	SUNCREST DR	FLINT	48505
LG61522	7/21/2016	Lead				0	Copper				0	9167	SUNCREST DR	FLINT	48503
LG63026	7/28/2016	Lead				4	Copper				0	9167	SUNCREST DR	FLINT	48504
LG59581	7/14/2016	Lead				0	Copper				0	3759	SUNSET DR	FLINT	48507
LG63357	8/1/2016	Lead				2	Copper				80	5210	SUSAN ST	FLINT	48503
LG58046	7/7/2016	Lead				0	Copper				110	6009	SUSAN ST	FLINT	48503
LG62987	7/28/2016	Lead				2	Copper				0	2718	SWAYZE ST	FLINT	48504
LG57967	7/7/2016	Lead				3	Copper				0	2721	SWAYZE ST	FLINT	48504
LG83090	10/20/2016	Lead	0	0	0		Copper	0	0	0		2721	SWAYZEST ST	FLINT	48503
LG67970	8/18/2016	Lead				10	Copper				0	1434	TACOMA ST	FLINT	48506
LG86706	11/14/2016	Lead	1	0	0		Copper	0	0	0		1844	TEBO ST	FLINT	48505
LG63018	7/28/2016	Lead				0	Copper				0	1901	TEBO ST	FLINT	48504
LG83084	10/20/2016	Lead	0	0	0		Copper	0	0	0		1901	TEBO ST	FLINT	48503
LG89854	12/5/2016	Lead	145	16	48		Copper	790	160	320		422	TENNYSON AVE	FLINT	48504
LG70051	8/29/2016	Lead				32	Copper				60	411	TENTH AVE	FLINT	48507
LG63023	7/28/2016	Lead				0	Copper				0	2715	TERRACE DR	FLINT	48532
LG88156	11/21/2016	Lead	10	0	2		Copper	130	0	0		1923	THOM ST	FLINT	48504
LG57249	7/5/2016	Lead				0	Copper				0	2922	THOM ST	FLINT	48503
LG61931	7/25/2016	Lead				0	Copper				0	3114	THOM ST	FLINT	48505
LG69511	8/25/2016	Lead				0	Copper				0	2464	THOMAS ST	FLINT	48503
LG63348	8/1/2016	Lead				0	Copper				60	2472	THOMAS ST	FLINT	48504
LG61189	7/20/2016	Lead				0	Copper				0	2513	THOMAS ST	FLINT	48532
LG61195	7/20/2016	Lead				0	Copper				0	2521	THOMAS ST	FLINT	48507
LG87788	11/18/2016	Lead				0	Copper				0	2521	THOMAS ST	FLINT	48503
LG67818	8/18/2016	Lead				7	Copper				0	2521	THOMAS ST	FLINT	48503
LG75356	9/21/2016	Lead				8	Copper				0	2521	THOMAS ST	FLINT	48506
LG74855	9/19/2016	Lead				2	Copper				0	2533	THOMAS ST	FLINT	48503
LG58861	7/12/2016	Lead				0	Copper				0	2560	THOMAS ST	FLINT	48503
LG84149	10/27/2016	Lead	1	0	0		Copper	70	0	0		2578	THOMAS ST	FLINT	48506
LG71337	9/6/2016	Lead				0	Copper				0	423	THOMSON ST	FLINT	48506
LG71343	9/6/2016	Lead				2	Copper				0	423	THOMSON ST	FLINT	48504
LG67859	8/18/2016	Lead				0	Copper				0	617	THOMSON ST	FLINT	48504
LG60772	7/20/2016	Lead				3	Copper				80	617	THOMSON ST	FLINT	48503
LG75382	9/21/2016	Lead				68	Copper				50	617	THOMSON ST	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG87395	11/17/2016	Lead				5.986	Copper				780	617	THOMSON ST	FLINT	48502
LG86534	11/10/2016	Lead	1	0	0		Copper	0	0	0		609	THOMSON ST APT 1	FLINT	48505
LG58011	7/7/2016	Lead				107	Copper				340	1822	TIMBERLANE DR	FLINT	48505
LG88675	11/28/2016	Lead	2	0	0		Copper	180	90	110		2030	TORRANCE ST	FLINT	48503
LG79592	10/3/2016	Lead				4	Copper				0	1835	TOWER ST	FLINT	48503
LG59608	7/14/2016	Lead				0	Copper				0	2608	TROUT DR UNIT #334	FLINT	48504
LG68000	8/18/2016	Lead				0	Copper				0	4109	TRUMBALL AVE	FLINT	48503
LG91173	12/12/2016	Lead	0	0	0		Copper	0	0	0		4311	TRUMBULL AVE	FLINT	48430
LG60205	7/18/2016	Lead				1	Copper				50	1817	TUSCOLA ST	FLINT	48504
LG61529	7/21/2016	Lead				0	Copper				0	4101	TUXEDO AVE	FLINT	48503
LG59573	7/14/2016	Lead				0	Copper				0	4122	TUXEDO AVE	FLINT	48503
LG81096	10/10/2016	Lead				0	Copper				0	2532	TYRONE ST	FLINT	48507
LG61488	7/21/2016	Lead				6	Copper				140	2568	TYRONE ST	FLINT	48506
LG90803	12/8/2016	Lead				0	Copper				300	1518	UNIVERSITY	FLINT	48503
LG69537	8/25/2016	Lead				0	Copper				0	1312	UNIVERSITY AVE	FLINT	48505
LG62975	7/28/2016	Lead				0	Copper				0	1602	UNIVERSITY AVE	FLINT	48532
LG62977	7/28/2016	Lead				0	Copper				0	1602	UNIVERSITY AVE	FLINT	48503
LG71348	9/6/2016	Lead				0	Copper				0	1602	UNIVERSITY AVE	FLINT	48503
LG71349	9/6/2016	Lead				0	Copper				120	1602	UNIVERSITY AVE	FLINT	48507
LG81786	10/13/2016	Lead				0	Copper				0	1602	UNIVERSITY AVE	FLINT	48503
LG81775	10/13/2016	Lead				0	Copper				0	1602	UNIVERSITY AVE	FLINT	48503
LG81779	10/13/2016	Lead				0	Copper				0	1602	UNIVERSITY AVE	FLINT	48503
LG62980	7/28/2016	Lead				1	Copper				60	1602	UNIVERSITY AVE	FLINT	48507
LG71350	9/6/2016	Lead				3	Copper				100	1602	UNIVERSITY AVE	FLINT	48507
LG87992	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG87993	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48505
LG87994	11/21/2016	Lead	0				Copper	220				1518	UNIVERSITY AVENUE	FLINT	48505
LG87995	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48504
LG87996	11/21/2016	Lead	0				Copper	90				1518	UNIVERSITY AVENUE	FLINT	48503
LG87997	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48504
LG87998	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48507
LG87999	11/21/2016	Lead	0				Copper	70				1518	UNIVERSITY AVENUE	FLINT	48502
LG88000	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88001	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88002	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48506
LG88003	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88004	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88005	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48458
LG88006	11/21/2016	Lead	0				Copper	100				1518	UNIVERSITY AVENUE	FLINT	48504
LG88007	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48506
LG88008	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48507
LG88009	11/21/2016	Lead	0				Copper	60				1518	UNIVERSITY AVENUE	FLINT	48503
LG88010	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48505
LG88011	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88012	11/21/2016	Lead	0				Copper	60				1518	UNIVERSITY AVENUE	FLINT	48506
LG88013	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88014	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88015	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48507
LG88016	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503-3845
LG88017	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88018	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48504
LG88019	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG88020	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48505
LG88021	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48506
LG88022	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48507
LG88023	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48504
LG88024	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48507
LG88025	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48532
LG88026	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48507
LG88027	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48506
LG88028	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88029	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48505
LG88030	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88031	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48507
LG88032	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48433
LG88033	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48503
LG88034	11/21/2016	Lead	0				Copper	0				1518	UNIVERSITY AVENUE	FLINT	48507
LG88035	11/21/2016	Lead	0				Copper	70				1518	UNIVERSITY AVENUE	FLINT	48504
LG89840	12/5/2016	Lead				0	Copper				0	1602	UNIVERSITY AVENUE	FLINT	48504
LG89841	12/5/2016	Lead				0	Copper				0	1602	UNIVERSITY AVENUE	FLINT	48504
LG89837	12/5/2016	Lead				1	Copper				0	1602	UNIVERSITY AVENUE	FLINT	48505
LG89839	12/5/2016	Lead				0	Copper				0	1625	UNIVERSITY DRIVE	FLINT	48505
LG89836	12/5/2016	Lead				0	Copper				0	1700	UNIVERSITY DRIVE	FLINT	48503
LG67959	8/18/2016	Lead				1	Copper				0	1810	VALLEY LN	FLINT	48505
LG76892	9/26/2016	Lead				0	Copper				0	6401	VALORIE LN	FLINT	48532
LG58069	7/7/2016	Lead				0	Copper				90	3301	VAN BUREN AVE	FLINT	48504
LG58041	7/7/2016	Lead				10	Copper				0	213	VAN LUE CT	FLINT	48507
LG60219	7/18/2016	Lead				1	Copper				0	4253	VAN SLYKE RD	FLINT	48503
LG92048	12/15/2016	Lead				0	Copper				210	4501	VAN SLYKE RD	FLINT	48504
LG72157	9/8/2016	Lead				1	Copper				50	936	VERMILY AVE	FLINT	48506
LG69495	8/25/2016	Lead				96	Copper				0	732	VERMILYA AVE	FLINT	48504
LG74218	9/15/2016	Lead				0	Copper				0	733	VERMILYA AVE	FLINT	48503
LG76254	9/22/2016	Lead				0	Copper				0	825	VERMILYA AVE	FLINT	48503
LG58014	7/7/2016	Lead				2	Copper				0	919	VERMILYA AVE	FLINT	48505
LG76247	9/22/2016	Lead				4	Copper				0	1309	VERMILYA AVE	FLINT	48507
LG87687	11/17/2016	Lead	4	4	4		Copper	220	230	230		1102	VETMILYA AVE	FLINT	48503
LG74241	9/15/2016	Lead				0	Copper				0	622	VICTORIA AVE	FLINT	48504
LG68013	8/18/2016	Lead				2	Copper				0	831	VICTORIA AVE	FLINT	48507
LG66326	8/11/2016	Lead				4	Copper				100	1039	VICTORIA AVE	FLINT	48504
LG67961	8/18/2016	Lead				2	Copper				260	4337	VINROSE DR	FLINT	48504
LG84527	10/31/2016	Lead	0	0	0		Copper	50	0	0		618	W	FLINT	48507
LG77505	9/27/2016	Lead				7	Copper				0	1213	W HAMILTON AVE	FLINT	48503
LG78687	9/29/2016	Lead				4	Copper				150	215	W 10TH ST	FLINT	48503
LG80761	10/6/2016	Lead				0	Copper				140	324	W 1ST AVE	FLINT	48503
LG85708	11/7/2016	Lead	4	0	1		Copper	190	120	140		324	W 1ST AVE	FLINT	48503
LG72149	9/8/2016	Lead				0	Copper				0	1216	W 4TH AVE	FLINT	48507
LG88650	11/28/2016	Lead				0	Copper				0	603	W 5TH ST	FLINT	48504
LG89846	12/5/2016	Lead	0	0	0		Copper	0	0	0		515	W 6TH ST	FLINT	48504
LG88647	11/28/2016	Lead				0	Copper				0	616	W 7TH ST	FLINT	48504
LG88648	11/28/2016	Lead				0	Copper				0	616	W 7TH ST	FLINT	48503
LG57999	7/7/2016	Lead				2	Copper				0	645	W ATHERTON RD	FLINT	48503
LG58064	7/7/2016	Lead				0	Copper				0	743	W ATHERTON RD	FLINT	48503
LG58000	7/7/2016	Lead				2	Copper				0	743	W ATHERTON RD	FLINT	48503
LG58002	7/7/2016	Lead				3	Copper				0	743	W ATHERTON RD	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG58023	7/7/2016	Lead				4	Copper				60	743	W ATHERTON RD	FLINT	48506
LG71017	9/1/2016	Lead				1	Copper				70	1632	W ATHERTON RD	FLINT	48503
LG71020	9/1/2016	Lead				1	Copper				0	1632	W ATHERTON RD	FLINT	48507
LG72849	9/12/2016	Lead				209	Copper				0	413	W BAKER AVE	FLINT	48507
LG76243	9/22/2016	Lead				0	Copper				240	332	W BAKER ST	FLINT	48504
LG79611	10/3/2016	Lead				0	Copper				0	512	W BAKER ST	FLINT	48503
LG76242	9/22/2016	Lead				3	Copper				110	332	W BARKER ST	FLINT	48507
LG83052	10/20/2016	Lead				0	Copper				0	306	W BISHOP AVE	FLINT	48505
LG85726	11/7/2016	Lead	3	3	3		Copper	0	0	0		602	W BISHOP AVE	FLINT	48503
LG85370	11/3/2016	Lead				0	Copper				0	633	W BISHOP AVE	FLINT	48503
LG85373	11/3/2016	Lead				0	Copper				0	633	W BISHOP AVE	FLINT	48506
LG72843	9/12/2016	Lead				1	Copper				0	633	W BISHOP AVE	FLINT	48505
LG63360	8/1/2016	Lead				1	Copper				0	633	W BISHOP AVE	FLINT	48503
LG72835	9/12/2016	Lead				1	Copper				0	633	W BISHOP AVE	FLINT	48507
LG63341	8/1/2016	Lead				2	Copper				60	633	W BISHOP AVE	FLINT	48506
LG86516	11/10/2016	Lead				0	Copper				70	1338	W BRISTOL	FLINT	48503
LG64571	8/4/2016	Lead				5	Copper				700	1388	W BRISTOL RD DEQ FFO	FLINT	48503
LG58353	7/11/2016	Lead				0	Copper				80	2201	W CARPENTER RD	FLINT	48503
LG63016	7/28/2016	Lead				0	Copper				0	2201	W CARPENTER RD APT 113A	FLINT	48505
LG83036	10/20/2016	Lead				0	Copper				0	620	W COURT ST	FLINT	48503
LG83433	10/24/2016	Lead				0	Copper				0	621	W COURT ST	FLINT	48507
LG89838	12/5/2016	Lead				0	Copper				0	1235	W COURT ST	FLINT	48504
LG90781	12/8/2016	Lead				0	Copper				0	1902	W COURT ST	FLINT	48507
LG83058	10/20/2016	Lead				12	Copper				190	2314	W COURT ST	FLINT	48505
LG71320	9/6/2016	Lead				1	Copper				0	2931	W COURT ST	FLINT	48503
LG61203	7/20/2016	Lead				0	Copper				0	3817	W COURT ST	FLINT	48503
LG68445	8/22/2016	Lead				0	Copper				0	3817	W COURT ST	FLINT	48503-1942
LG76105	9/22/2016	Lead				0	Copper				0	3817	W COURT ST	FLINT	48507
LG87405	11/17/2016	Lead				0	Copper				0	3817	W COURT ST	FLINT	48503
LG88734	11/28/2016	Lead	51	3	15		Copper	230	0	60		734	W DARTMOUTH ST	FLINT	48504
LG85709	11/7/2016	Lead	0	9	7		Copper	0	0	0		821	W DARTMOUTH ST	FLINT	48507
LG84127	10/27/2016	Lead	21	180	140		Copper	0	0	0		821	W DARTMOUTH ST	FLINT	48507
LG61510	7/21/2016	Lead				0	Copper				0	2108	W DARTMOUTH ST	FLINT	48503
LG72822	9/12/2016	Lead				8	Copper				0	721	W DAYTON AVE	FLINT	48507
LG87671	11/17/2016	Lead				6	Copper				0	311	W DAYTON ST	FLINT	48503
LG63015	7/28/2016	Lead				3	Copper				0	133	W DEWEY ST	FLINT	48503
LG74219	9/15/2016	Lead				1	Copper				0	209	W DEWEY ST	FLINT	48506
LG74226	9/15/2016	Lead				1	Copper				0	209	W DEWEY ST	FLINT	48504
LG74227	9/15/2016	Lead				5	Copper				0	209	W DEWEY ST	FLINT	48503
LG83095	10/20/2016	Lead	0	0	0		Copper	0	0	0		325	W GENESEE ST	FLINT	48503
LG86535	11/10/2016	Lead	0	0	0		Copper	90	0	0		402	W GENESEE ST	FLINT	48503
LG64536	8/4/2016	Lead				6	Copper				240	425	W GENESEE ST	FLINT	48502
LG81800	10/13/2016	Lead				0	Copper				80	1201	W GRAND TRAVERSE ST	FLINT	48507
LG81801	10/13/2016	Lead				0	Copper				0	1201	W GRAND TRAVERSE ST	FLINT	48503
LG81802	10/13/2016	Lead				0	Copper				0	1201	W GRAND TRAVERSE ST	FLINT	48504
LG81803	10/13/2016	Lead				0	Copper				70	1201	W GRAND TRAVERSE ST	FLINT	48532
LG81804	10/13/2016	Lead				0	Copper				0	1201	W GRAND TRAVERSE ST	FLINT	48503
LG81807	10/13/2016	Lead				0	Copper				0	1201	W GRAND TRAVERSE ST	FLINT	48504
LG81808	10/13/2016	Lead				0	Copper				0	1201	W GRAND TRAVERSE ST	FLINT	48504
LG81809	10/13/2016	Lead				0	Copper				0	1201	W GRAND TRAVERSE ST	FLINT	48503
LG81810	10/13/2016	Lead				0	Copper				0	1201	W GRAND TRAVERSE ST	FLINT	48504
LG81805	10/13/2016	Lead				4	Copper				290	1201	W GRAND TRAVERSE ST	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG81806	10/13/2016	Lead				26	Copper				340	1201	W GRAND TRAVERSE ST	FLINT	48507
LG70012	8/29/2016	Lead				0	Copper				0	1213	W HAMILTON AVE	FLINT	48503
LG70011	8/29/2016	Lead				4	Copper				0	1213	W HAMILTON AVE	FLINT	48507
LG70009	8/29/2016	Lead				9	Copper				0	1213	W HAMILTON AVE	FLINT	48504
LG77507	9/27/2016	Lead				11	Copper				0	1213	W HAMILTON AVE	FLINT	48503
LG64895	8/8/2016	Lead				13	Copper				0	1213	W HAMILTON AVE	FLINT	48507
LG70010	8/29/2016	Lead				13	Copper				0	1213	W HAMILTON AVE	FLINT	48507
LG81797	10/13/2016	Lead				14	Copper				0	1213	W HAMILTON AVE	FLINT	48504
LG64893	8/8/2016	Lead				15	Copper				0	1213	W HAMILTON AVE	FLINT	48532
LG77508	9/27/2016	Lead				17	Copper				0	1213	W HAMILTON AVE	FLINT	48532
LG61087	7/20/2016	Lead				33	Copper				0	1213	W HAMILTON AVE	FLINT	48503
LG77506	9/27/2016	Lead				36	Copper				0	1213	W HAMILTON AVE	FLINT	48507
LG61086	7/20/2016	Lead				40	Copper				0	1213	W HAMILTON AVE	FLINT	48504
LG61084	7/20/2016	Lead				51	Copper				0	1213	W HAMILTON AVE	FLINT	48504
LG81798	10/13/2016	Lead				55	Copper				70	1213	W HAMILTON AVE	FLINT	48503
LG64894	8/8/2016	Lead				74	Copper				0	1213	W HAMILTON AVE	FLINT	48504
LG61085	7/20/2016	Lead				94	Copper				180	1213	W HAMILTON AVE	FLINT	48506
LG64892	8/8/2016	Lead				966	Copper				220	1213	W HAMILTON AVE	FLINT	48507
LG85315	11/3/2016	Lead	1	0	0		Copper	60	0	0		120	W HOME AVE	FLINT	48503
LG70039	8/29/2016	Lead				0	Copper				0	433	W HOME AVE	FLINT	48503
LG70033	8/29/2016	Lead				2	Copper				0	433	W HOME AVE	FLINT	48505
LG58852	7/12/2016	Lead				0	Copper				0	641	W HOME AVE	FLINT	48503
LG69524	8/25/2016	Lead				0	Copper				100	1606	W HOME AVE	FLINT	48507
LG72150	9/8/2016	Lead				6	Copper				0	1701	W HOME AVE	FLINT	48503
LG83442	10/24/2016	Lead	0	0	0		Copper	0	0	0		1814	W HOME AVE	FLINT	48507
LG83446	10/24/2016	Lead	0	0	0		Copper	0	0	0		1814	W HOME AVE	FLINT	48506
LG58042	7/7/2016	Lead				0	Copper				0	2006	W HOME AVE	FLINT	48503
LG87701	11/17/2016	Lead	5	5	5		Copper	50	60	60		417	W JACKSON AVE	FLINT	48504
LG58016	7/7/2016	Lead				9	Copper				0	417	W JACKSON AVE	FLINT	48507
LG68217	8/19/2016	Lead				0	Copper				0	714	W JACKSON AVE	FLINT	48504
LG60817	7/20/2016	Lead				1	Copper				0	714	W JACKSON AVE	FLINT	48503
LG87325	11/17/2016	Lead				2	Copper				0	714	W JACKSON AVE	FLINT	48507
LG75332	9/21/2016	Lead				3	Copper				0	714	W JACKSON AVE	FLINT	48507
LG84123	10/27/2016	Lead	1	0	0		Copper	0	0	0		412	W JAMIESON ST	FLINT	48504
LG86545	11/10/2016	Lead	2	0	0		Copper	50	0	0		816	W JAMIESON ST	FLINT	48504
LG86542	11/10/2016	Lead	6	4	5		Copper	0	0	0		816	W JAMIESON ST	FLINT	48503
LG79613	10/3/2016	Lead				9	Copper				80	132	W LAKEVIEW AVE	FLINT	48507
LG85720	11/7/2016	Lead	4	5	5		Copper	70	90	90		610	W LORADO AVE	FLINT	48503
LG61502	7/21/2016	Lead				0	Copper				0	405	W MARENGO AVE	FLINT	48507
LG66700	8/15/2016	Lead				3	Copper				0	645	W MARENGO AVE	FLINT	48507
LG61519	7/21/2016	Lead				72	Copper				500	645	W MARENGO AVE	FLINT	0
LG61534	7/21/2016	Lead				2	Copper				0	809	W MARENGO AVE	FLINT	48507
LG71335	9/6/2016	Lead				42	Copper				0	405	W MCCLELLAN ST	FLINT	48503
LG72795	9/12/2016	Lead				0	Copper				0	513	W MCCLELLAN ST	FLINT	48504
LG66330	8/11/2016	Lead				0	Copper				0	610	W MCCLELLAN ST	FLINT	48507
LG57996	7/7/2016	Lead				0	Copper				0	814	W MCCLELLAN ST	FLINT	48504
LG86715	11/14/2016	Lead	0	0	0		Copper	0	0	0		1509	W MCCLELLAN ST	FLINT	48506
LG86705	11/14/2016	Lead	2	0	0		Copper	0	0	0		1509	W MCCLELLAN ST	FLINT	48503
LG58009	7/7/2016	Lead				0	Copper				0	1314	W MOTT AVE	FLINT	48504
LG58045	7/7/2016	Lead				0	Copper				0	1314	W MOTT AVE	FLINT	48503
LG66701	8/15/2016	Lead				0	Copper				70	1909	W PASADENA AVE	FLINT	48507
LG64528	8/4/2016	Lead				15	Copper				210	821	W PATERSON ST	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG70044	8/29/2016	Lead				1	Copper				0	510	W PHILADELPHIA AVE	FLINT	48505
LG71378	9/6/2016	Lead				0	Copper				60	322	W PHILADELPHIA BLVD	FLINT	48504
LG83429	10/24/2016	Lead				3	Copper				130	322	W PHILADELPHIA BLVD	FLINT	48507
LG76883	9/26/2016	Lead				0	Copper				0	502	W PHILADELPHIA BLVD	FLINT	48503
LG86560	11/10/2016	Lead	0	0	0		Copper	0	0	0		502	W PHILADELPHIA BLVD	FLINT	48507
LG70046	8/29/2016	Lead				1	Copper				0	510	W PHILADELPHIA BLVD	FLINT	48503
LG59587	7/14/2016	Lead				0	Copper				80	625	W PHILADELPHIA BLVD	FLINT	48507
LG83440	10/24/2016	Lead	0	0	0		Copper	100	60	70		317	W PIERSON RD	FLINT	48503
LG62991	7/28/2016	Lead				6	Copper				160	317	W PIERSON RD	FLINT	48507
LG70996	9/1/2016	Lead				0	Copper				0	801	W PIERSON RD	FLINT	48504
LG72819	9/12/2016	Lead				0	Copper				0	550	W PULASKI	FLINT	48503
LG66288	8/11/2016	Lead				1	Copper				0	1010	W RANKIN ST	FLINT	48420
LG64539	8/4/2016	Lead				1	Copper				0	417	W RUTH AVE	FLINT	48504
LG65013	8/8/2016	Lead				0	Copper				310	325	W STEWART AVE	FLINT	48507
LG60222	7/18/2016	Lead				0	Copper				0	1113	W STEWART AVE	FLINT	48506
LG64526	8/4/2016	Lead				0	Copper				0	1123	W STEWART AVE	FLINT	48503
LG80750	10/6/2016	Lead				11	Copper				70	1123	W STEWART AVE	FLINT	48504
LG84533	10/31/2016	Lead	1	0	0		Copper	0	0	0		1410	W STEWART AVE	FLINT	48505
LG84155	10/27/2016	Lead	0	0	0		Copper	50	0	0		2210	W STEWART AVE	FLINT	48505
LG74848	9/19/2016	Lead				0	Copper				0	321	W WITHERBEE ST	FLINT	48507
LG62976	7/28/2016	Lead				2	Copper				0	321	W WITHERBEE ST	FLINT	48503
LG82136	10/17/2016	Lead				2	Copper				0	321	W WITHERBEE ST	FLINT	48504
LG74842	9/19/2016	Lead				3	Copper				0	321	W WITHERBEE ST	FLINT	48503
LG63024	7/28/2016	Lead				44	Copper				0	321	W WITHERBEE ST	FLINT	48502
LG65007	8/8/2016	Lead				4	Copper				250	402	W WITHERBEE ST	FLINT	48505
LG60806	7/20/2016	Lead				0	Copper				0	421	W WITHERBEE ST	FLINT	48503
LG75316	9/21/2016	Lead				3	Copper				0	421	W WITHERBEE ST	FLINT	48503
LG87343	11/17/2016	Lead				3	Copper				0	421	W WITHERBEE ST	FLINT	48502
LG67817	8/18/2016	Lead				4	Copper				0	421	W WITHERBEE ST	FLINT	48504
LG68479	8/22/2016	Lead				0	Copper				0	101	W YORK AVE	FLINT	48503
LG78668	9/29/2016	Lead				0	Copper				0	1625	WALDMAN	FLINT	48504
LG87685	11/17/2016	Lead	2	3	3		Copper	60	0	0		1133	WALDMAN AVE	FLINT	48507
LG60639	7/19/2016	Lead				102	Copper				650	1402	WALDMAN AVE	FLINT	48503
LG67848	8/18/2016	Lead				113	Copper				1,390	1402	WALDMAN AVE	FLINT	48507
LG75388	9/21/2016	Lead				158	Copper				1220	1402	WALDMAN AVE	FLINT	48507
LG87442	11/17/2016	Lead				200	Copper				1,410	1402	WALDMAN AVE	FLINT	48505
LG75384	9/21/2016	Lead				3	Copper				0	1406	WALDMAN AVE	FLINT	48507
LG60636	7/19/2016	Lead				5	Copper				0	1406	WALDMAN AVE	FLINT	48503
LG67928	8/18/2016	Lead				6	Copper				0	1406	WALDMAN AVE	FLINT	48507
LG68468	8/22/2016	Lead				10	Copper				80	1517	WALDMAN AVE	FLINT	48503
LG74850	9/19/2016	Lead				3	Copper				70	1626	WALDMAN AVE	FLINT	48506
LG72842	9/12/2016	Lead				0	Copper				70	1630	WALDMAN AVE	FLINT	48537
LG68466	8/22/2016	Lead				1	Copper				0	1210	WALKER ST	FLINT	48503
LG67929	8/18/2016	Lead				0	Copper				90	1726	WALNUT CREEK DR	FLINT	48507
LG75291	9/21/2016	Lead				0	Copper				0	1726	WALNUT CREEK DR	FLINT	48504
LG87390	11/17/2016	Lead				1	Copper				0	1726	WALNUT CREEK DR	FLINT	48503
LG60635	7/19/2016	Lead				2	Copper				190	1726	WALNUT CREEK DR	FLINT	48506
LG67855	8/18/2016	Lead				0	Copper				0	1738	WALNUT CREEK DR	FLINT	48504
LG75278	9/21/2016	Lead				0	Copper				0	1738	WALNUT CREEK DR	FLINT	48503
LG60660	7/19/2016	Lead				2	Copper				0	1738	WALNUT CREEK DR	FLINT	48504
LG80755	10/6/2016	Lead				0	Copper				0	2535	WALTER ST	FLINT	48507
LG80767	10/6/2016	Lead				0	Copper				70	2535	WALTER ST	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG89873	12/5/2016	Lead	0	0	0		Copper	0	90	70		2535	WALTER ST	FLINT	48502
LG80745	10/6/2016	Lead				3	Copper				0	2535	WALTER ST	FLINT	48504
LG76240	9/22/2016	Lead				7	Copper				0	2535	WALTER ST	FLINT	48507
LG81105	10/10/2016	Lead				0	Copper				70	2608	WALTER ST	FLINT	48507
LG83085	10/20/2016	Lead	0	0	0		Copper	60	70	70		2608	WALTER ST	FLINT	48503
LG63035	7/28/2016	Lead				2	Copper				100	2608	WALTER ST	FLINT	48504
LG67827	8/18/2016	Lead				0	Copper				0	2726	WALTER ST	FLINT	48532
LG76093	9/22/2016	Lead				0	Copper				0	2726	WALTER ST	FLINT	48532
LG66776	8/15/2016	Lead				2	Copper				0	2726	WALTER ST	FLINT	48503
LG67895	8/18/2016	Lead				2	Copper				0	1233	WASHINGTON AVE	FLINT	48505
LG87362	11/17/2016	Lead				2	Copper				0	1233	WASHINGTON AVE	FLINT	48506
LG75346	9/21/2016	Lead				3	Copper				0	1233	WASHINGTON AVE	FLINT	48504
LG60776	7/20/2016	Lead				5	Copper				0	1233	WASHINGTON AVE	FLINT	48504
LG68218	8/19/2016	Lead				0	Copper				60	1379	WASHINGTON AVE	FLINT	48503
LG75336	9/21/2016	Lead				0	Copper				60	1379	WASHINGTON AVE	FLINT	48503
LG87366	11/17/2016	Lead				0	Copper				0	1379	WASHINGTON AVE	FLINT	48503
LG61191	7/20/2016	Lead				1	Copper				60	1379	WASHINGTON AVE	FLINT	48507
LG58843	7/12/2016	Lead				0	Copper				210	435	WATER ST #203	FLINT	48505
LG71354	9/6/2016	Lead				0	Copper				130	421	WATER ST APT 202	FLINT	48503
LG67957	8/18/2016	Lead				3	Copper				100	210	WELCH BLVD	FLINT	48505
LG67972	8/18/2016	Lead				3	Copper				0	210	WELCH BLVD	FLINT	48507
LG68451	8/22/2016	Lead				5	Copper				0	1407	WELCH BLVD	FLINT	48503
LG76231	9/22/2016	Lead				6	Copper				0	1407	WELCH BLVD	FLINT	48503
LG76232	9/22/2016	Lead				10	Copper				0	1407	WELCH BLVD	FLINT	48507
LG68453	8/22/2016	Lead				35	Copper				110	1407	WELCH BLVD	FLINT	48505
LG87363	11/17/2016	Lead				2	Copper				0	1514	WELCH BLVD	FLINT	48507
LG75359	9/21/2016	Lead				4	Copper				0	1514	WELCH BLVD	FLINT	48503
LG67814	8/18/2016	Lead				6	Copper				70	1514	WELCH BLVD	FLINT	48503
LG60792	7/20/2016	Lead				8	Copper				0	1514	WELCH BLVD	FLINT	48504
LG86525	11/10/2016	Lead	2	1	1		Copper	230	0	60		1701	WELCH BLVD	FLINT	48507
LG68476	8/22/2016	Lead				5	Copper				140	2202	WELCH BLVD	FLINT	48505
LG67876	8/18/2016	Lead				0	Copper				70	2401	WELCH BLVD	FLINT	48504
LG75374	9/21/2016	Lead				0	Copper				110	2401	WELCH BLVD	FLINT	48504
LG60640	7/19/2016	Lead				1	Copper				90	2401	WELCH BLVD	FLINT	48503
LG87412	11/17/2016	Lead				0	Copper				150	2407	WELCH BLVD	FLINT	49246
LG60650	7/19/2016	Lead				2	Copper				130	2407	WELCH BLVD	FLINT	48504
LG67877	8/18/2016	Lead				2	Copper				110	2407	WELCH BLVD	FLINT	48503
LG75375	9/21/2016	Lead				2	Copper				120	2407	WELCH BLVD	FLINT	48504
LG68222	8/19/2016	Lead				0	Copper				70	2413	WELCH BLVD	FLINT	48507
LG75378	9/21/2016	Lead				0	Copper				100	2413	WELCH BLVD	FLINT	48507
LG87339	11/17/2016	Lead				0	Copper				90	2413	WELCH BLVD	FLINT	48504
LG60644	7/19/2016	Lead				1	Copper				90	2413	WELCH BLVD	FLINT	48503
LG87683	11/17/2016	Lead	0	0	0		Copper	0	0	0		2419	WELCH BLVD	FLINT	48507
LG87394	11/17/2016	Lead				2	Copper				90	2419	WELCH BLVD	FLINT	48507
LG75362	9/21/2016	Lead				3	Copper				100	2419	WELCH BLVD	FLINT	48504
LG67881	8/18/2016	Lead				4	Copper				100	2419	WELCH BLVD	FLINT	48507
LG60642	7/19/2016	Lead				6	Copper				110	2419	WELCH BLVD	FLINT	48507
LG85369	11/3/2016	Lead				2	Copper				190	611	WELLER ST	FLINT	48507
LG60814	7/20/2016	Lead				0	Copper				0	3614	WESLEY ST	FLINT	48507
LG76094	9/22/2016	Lead				0	Copper				0	3614	WESLEY ST	FLINT	48506
LG87329	11/17/2016	Lead				0	Copper				0	3614	WESLEY ST	FLINT	48504
LG67889	8/18/2016	Lead				2	Copper				0	3614	WESLEY ST	FLINT	48505

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG80748	10/6/2016	Lead				0	Copper				70	1829	WEST BROOK CIR	FLINT	48504
LG68471	8/22/2016	Lead				0	Copper				0	2931	WEST COURT ST	FLINT	48503
LG78689	9/29/2016	Lead				0	Copper				0	407	WEST RUTH AVE	FLINT	48503
LG87702	11/17/2016	Lead	0	2	2		Copper	0	0	0		311	WESTCOMBE AVE	FLINT	48504
LG72156	9/8/2016	Lead				2	Copper				0	314	WESTCOMBE AVE	FLINT	48505
LG65017	8/8/2016	Lead				2	Copper				70	320	WESTCOMBE AVE	FLINT	48503
LG67990	8/18/2016	Lead				0	Copper				60	5713	WESTERN RD	FLINT	48503
LG67995	8/18/2016	Lead				0	Copper				0	5713	WESTERN RD	FLINT	48507
LG87606	11/17/2016	Lead	0				Copper	0					WESTSHORE ELEMENTARY	FLINT	48504
LG66321	8/11/2016	Lead				0	Copper				70	2702	WESTWOOD AVE	FLINT	48503
LG60651	7/19/2016	Lead				6	Copper				170	3335	WESTWOOD AVE	FLINT	48505
LG60597	7/19/2016	Lead				4	Copper				220	3405	WESTWOOD AVE	FLINT	48503
LG87591	11/17/2016	Lead	0				Copper	0					WESTWOOD HEIGHTS HEADSTART	FLINT	48506
LG87592	11/17/2016	Lead	0				Copper	130					WESTWOOD HEIGHTS HEADSTART	FLINT	48503
LG90820	12/8/2016	Lead	26	20	21		Copper	110	0	0		2606	WESTWOOD PKWY	FLINT	48507
LG74867	9/19/2016	Lead				0	Copper				0	2702	WESTWOOD PKWY	FLINT	48503
LG83021	10/20/2016	Lead				0	Copper				0	2702	WESTWOOD PKWY	FLINT	48506
LG88137	11/21/2016	Lead				0	Copper				120	2702	WESTWOOD PKWY	FLINT	48504
LG85309	11/3/2016	Lead	0	0	0		Copper	0	0	0		3030	WESTWOOD PKWY	FLINT	48507
LG87672	11/17/2016	Lead				0	Copper				410	3121	WESTWOOD PKWY	FLINT	48503
LG72155	9/8/2016	Lead				10	Copper				120	3211	WESTWOOD PKWY	FLINT	48507
LG71312	9/6/2016	Lead				0	Copper				120	3301	WESTWOOD PKWY	FLINT	48507
LG87674	11/17/2016	Lead				0	Copper				0	3301	WESTWOOD PKWY	FLINT	48505
LG91184	12/12/2016	Lead	5	9	8		Copper	130	140	140		3301	WESTWOOD PKWY	FLINT	48507
LG76258	9/22/2016	Lead				0	Copper				60	3330	WESTWOOD PKWY	FLINT	48503
LG87388	11/17/2016	Lead				2	Copper				190	3335	WESTWOOD PKWY	FLINT	48504
LG75313	9/21/2016	Lead				5	Copper				150	3335	WESTWOOD PKWY	FLINT	48507
LG67815	8/18/2016	Lead				7	Copper				170	3335	WESTWOOD PKWY	FLINT	48504
LG87340	11/17/2016	Lead				2	Copper				190	3405	WESTWOOD PKWY	FLINT	***
LG67816	8/18/2016	Lead				7	Copper				220	3405	WESTWOOD PKWY	FLINT	48503
LG75398	9/21/2016	Lead				8	Copper				150	3405	WESTWOOD PKWY	FLINT	48503
LG63022	7/28/2016	Lead				0	Copper				0	518	WHITE ST	FLINT	48507
LG62978	7/28/2016	Lead				1	Copper				0	518	WHITE ST	FLINT	48505
LG64558	8/4/2016	Lead				0	Copper				0	38513	WHITNEY AVE	FLINT	48503
LG88727	11/28/2016	Lead				2	Copper				0	3725	WHITTIER	FLINT	48503
LG66713	8/15/2016	Lead				0	Copper				0	3717	WHITTIER AVE	FLINT	48507
LG58028	7/7/2016	Lead				0	Copper				0	3745	WHITTIER AVE	FLINT	48504
LG78685	9/29/2016	Lead				0	Copper				0	1818	WHITTLESEY ST	FLINT	48504
LG78686	9/29/2016	Lead				0	Copper				0	1818	WHITTLESEY ST	FLINT	48507
LG82144	10/17/2016	Lead				0	Copper				0	1839	WHITTLESEY ST	FLINT	48507
LG86712	11/14/2016	Lead	0	0	0		Copper	0	0	0		2017	WHITTLESEY ST	FLINT	48507
LG83025	10/20/2016	Lead				0	Copper				0	2031	WHITTLESEY ST	FLINT	48505
LG62997	7/28/2016	Lead				0	Copper				0	2056	WHITTLESEY ST	FLINT	48506
LG85710	11/7/2016	Lead	1	0	0		Copper	0	0	0		1830	WHITTLESY ST	FLINT	48505
LG70072	8/29/2016	Lead				0	Copper				540	712	WILBERFORCE DR	FLINT	48503
LG70077	8/29/2016	Lead				0	Copper				300	712	WILBERFORCE DR	FLINT	48433
LG60214	7/18/2016	Lead				0	Copper				0	1829	WILLOW BROOK CIR	FLINT	48505
LG67976	8/18/2016	Lead				0	Copper				0	1844	WILLOW BROOK CIRCLE	FLINT	48507
LG58019	7/7/2016	Lead				321	Copper				1,820	2719	WILTON PL	FLINT	48505
LG63046	7/28/2016	Lead				0	Copper				190	2806	WILTON PL	FLINT	48504
LG86702	11/14/2016	Lead				6	Copper				0	2042	WINANS AVE	FLINT	48504
LG86696	11/14/2016	Lead				7	Copper				100	2042	WINANS AVE	FLINT	48505

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG86699	11/14/2016	Lead				14	Copper				0	2042	WINANS AVE	FLINT	48503
LG71315	9/6/2016	Lead				0	Copper				0	2101	WINDEMERE AVE	FLINT	48503
LG63003	7/28/2016	Lead				1	Copper				60	2101	WINDEMERE AVE	FLINT	48503
LG63006	7/28/2016	Lead				31	Copper				240	2101	WINDEMERE AVE	FLINT	48507
LG67906	8/18/2016	Lead				0	Copper				0	2120	WINDEMERE AVE	FLINT	48503
LG75402	9/21/2016	Lead				1	Copper				0	2120	WINDEMERE AVE	FLINT	48507
LG87384	11/17/2016	Lead				1	Copper				0	2120	WINDEMERE AVE	FLINT	48503
LG60680	7/19/2016	Lead				2	Copper				0	2120	WINDEMERE AVE	FLINT	48529
LG83430	10/24/2016	Lead				35	Copper				150	2208	WINDEMERE AVE	FLINT	48504
LG63004	7/28/2016	Lead				0	Copper				0	1820	WINDSOR LN	FLINT	48507
LG78680	9/29/2016	Lead				0	Copper				0	1901	WINDSOR LN	FLINT	48503
LG72809	9/12/2016	Lead				2	Copper				110	1605	WINONA ST	FLINT	48503
LG72798	9/12/2016	Lead				3	Copper				90	1605	WINONA ST	FLINT	48503
LG74245	9/15/2016	Lead				0	Copper				50	1705	WINONA ST	FLINT	48504
LG90808	12/8/2016	Lead	0	0	0		Copper	70	120	110		2332	WINONA ST	FLINT	48507
LG80744	10/6/2016	Lead				9	Copper				0	2332	WINONA ST	FLINT	48503
LG68472	8/22/2016	Lead				0	Copper				110	2814	WINONA ST	FLINT	48504
LG68463	8/22/2016	Lead				2	Copper				0	2814	WINONA ST	FLINT	48505
LG68465	8/22/2016	Lead				2	Copper				0	2814	WINONA ST	FLINT	48507
LG61924	7/25/2016	Lead				0	Copper				0	5701	WINTHROP BLVD	FLINT	48507
LG71013	9/1/2016	Lead				2	Copper				0	5721	WINTHROP BLVD	FLINT	***
LG74225	9/15/2016	Lead				0	Copper				0	5809	WINTHROP BLVD	FLINT	48504
LG72845	9/12/2016	Lead				5	Copper				0	1509	WISCONSIN AVE	FLINT	48505
LG84135	10/27/2016	Lead	4	2	3		Copper	220	150	170		1628	WISCONSIN AVE	FLINT	48503
LG69525	8/25/2016	Lead				0	Copper				0	1629	WISCONSIN AVE	FLINT	48503
LG69534	8/25/2016	Lead				0	Copper				0	1629	WISCONSIN AVE	FLINT	48503
LG69549	8/25/2016	Lead				0	Copper				0	2610	WISNER ST	FLINT	48507
LG67943	8/18/2016	Lead				0	Copper				100	4210	WISNER ST	FLINT	48503
LG61201	7/20/2016	Lead				1	Copper				200	4210	WISNER ST	FLINT	48503
LG63039	7/28/2016	Lead				0	Copper				0	321 1/2	WITHERBEE ST	FLINT	48505
LG81104	10/10/2016	Lead				29	Copper				70	3217	WOLCOLT ST	FLINT	48076
LG72848	9/12/2016	Lead				0	Copper				0	2105	WOLCOTT ST	FLINT	48503
LG78667	9/29/2016	Lead				3	Copper				80	2509	WOLCOTT ST	FLINT	48503
LG70066	8/29/2016	Lead				2	Copper				70	2750	WOLCOTT ST	FLINT	48504
LG88693	11/28/2016	Lead	18	2	6		Copper	70	80	80		2750	WOLCOTT ST	FLINT	48503
LG63005	7/28/2016	Lead				1	Copper				200	3217	WOLCOTT ST	FLINT	48507
LG91190	12/12/2016	Lead	12	24	21		Copper	210	120	140		3217	WOLCOTT ST	FLINT	48507
LG87596	11/17/2016	Lead	0				Copper	190					WOOD SIDE CHURCH MCC ECLC	FLINT	48503
LG61506	7/21/2016	Lead				0	Copper				0	1418	WOODCROFT AVE	FLINT	48507
LG70061	8/29/2016	Lead				1	Copper				110	1507	WOODCROFT AVE	FLINT	48506
LG63350	8/1/2016	Lead				0	Copper				0	1418	WOODHALL DR	FLINT	48507
LG68007	8/18/2016	Lead				0	Copper				0	5202	WOODHAVEN DR	FLINT	48503
LG85323	11/3/2016	Lead	3	2	2		Copper	0	0	0		1710	WOODHIN DR	FLINT	48506
LG81794	10/13/2016	Lead				2	Copper				0	929	WOODLAWN PARK DR	FLINT	48506
LG67962	8/18/2016	Lead				7	Copper				160	1101	WOODLAWN PARK DR	FLINT	48503
LG79586	10/3/2016	Lead				0	Copper				0	1201	WOODLAWN PARK DR	FLINT	48507
LG69486	8/25/2016	Lead				0	Copper				0	1321	WOODLAWN PARK DR	FLINT	48503
LG80760	10/6/2016	Lead				0	Copper				0	1505	WOODLAWN PARK DR	FLINT	48503
LG88667	11/28/2016	Lead				2	Copper				0	1505	WOODLAWN PARK DR	FLINT	48504
LG74231	9/15/2016	Lead				17	Copper				0	1505	WOODLAWN PARK DR	FLINT	48507
LG74246	9/15/2016	Lead				29	Copper				0	1505	WOODLAWN PARK DR	FLINT	48503
LG69515	8/25/2016	Lead				61	Copper				50	1505	WOODLAWN PARK DR	FLINT	48505

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG69554	8/25/2016	Lead				88	Copper				60	1505	WOODLAWN PARK DR	FLINT	48503
LG83093	10/20/2016	Lead	0	0	0		Copper	0	0	0		1714	WOODLIN DR	FLINT	48507
LG81098	10/10/2016	Lead				1	Copper				0	2304	WOODROW AVE	FLINT	48507
LG76250	9/22/2016	Lead				54	Copper				80	2304	WOODROW AVE	FLINT	48503
LG72160	9/8/2016	Lead				67	Copper				0	2412	WOODROW AVE	FLINT	48504
LG59586	7/14/2016	Lead				12	Copper				0	3829	WOODROW AVE	FLINT	48504
LG87595	11/17/2016	Lead	0				Copper	110					WOODSIDE CHURCH MCC ECLC	FLINT	48503
LG87597	11/17/2016	Lead	0				Copper	130					WOODSIDE CHURCH MCC ECLC	FLINT	48506
LG87598	11/17/2016	Lead	1				Copper	270					WOODSIDE CHURCH MCC ECLC	FLINT	48504
LG87599	11/17/2016	Lead	2				Copper	220					WOODSIDE CHURCH MCC ECLC	FLINT	48502
LG87600	11/17/2016	Lead	2				Copper	260					WOODSIDE CHURCH MCC ECLC	FLINT	48504
LG87594	11/17/2016	Lead	232				Copper	2580					WOODSIDE CHURCH MCC ECLC	FLINT	48503
LG58015	7/7/2016	Lead				2	Copper				0	916	WOODSIDE DR	FLINT	48504
LG58050	7/7/2016	Lead				5	Copper				0	916	WOODSIDE DR	FLINT	48504
LG89847	12/5/2016	Lead	1	0	0		Copper	0	0	0		917	WOODSIDE DR	FLINT	48507
LG78670	9/29/2016	Lead				11	Copper				0	917	WOODSIDE DR	FLINT	48505
LG78673	9/29/2016	Lead				56	Copper				110	917	WOODSIDE DR	FLINT	48503
LG89864	12/5/2016	Lead	1	0	0		Copper	0	0	0		1020	WOODSIDE DR	FLINT	48504
LG59602	7/14/2016	Lead				2	Copper				0	1035	WOODSIDE DR	FLINT	48503
LG79594	10/3/2016	Lead				2	Copper				0	1120	WOODSIDE DR	FLINT	48505
LG75381	9/21/2016	Lead				0	Copper				60	1618	WOODSLEA DR	FLINT	48507
LG87376	11/17/2016	Lead				0	Copper				120	1618	WOODSLEA DR	FLINT	48503
LG67911	8/18/2016	Lead				1	Copper				80	1618	WOODSLEA DR	FLINT	48503
LG60812	7/20/2016	Lead				12	Copper				130	1618	WOODSLEA DR	FLINT	48507
LG60777	7/20/2016	Lead				0	Copper				70	3731	WORCHESTER DR	FLINT	48503
LG67866	8/18/2016	Lead				0	Copper				170	3731	WORCHESTER DR	FLINT	48503
LG75305	9/21/2016	Lead				0	Copper				0	3731	WORCHESTER DR	FLINT	48503
LG87336	11/17/2016	Lead				0	Copper				100	3731	WORCHESTER DR	FLINT	48503
LG84532	10/31/2016	Lead	0	0	0		Copper	0	0	0		3721	WORCHESTER ST	FLINT	48504
LG63021	7/28/2016	Lead				2	Copper				90	1634	WYOMING AVE	FLINT	48506
LG79599	10/3/2016	Lead				4	Copper				60	1634	WYOMING AVE	FLINT	48507
LG60207	7/18/2016	Lead				0	Copper				80	1730	WYOMING AVE	FLINT	48503
LG86717	11/14/2016	Lead	0	0	0		Copper	90	0	0		2924	WYOMING AVE	FLINT	48503
LG86708	11/14/2016	Lead	0	0	0		Copper	0	0	0		2937	WYOMING AVE	FLINT	48505
LG66714	8/15/2016	Lead				0	Copper				0	3133	WYOMING AVE	FLINT	48504
LG85727	11/7/2016	Lead	1	0	0		Copper	0	0	0		2702	YALE ST	FLINT	48503
LG58012	7/7/2016	Lead				17	Copper				0	2702	YALE ST	FLINT	48504
LG85707	11/7/2016	Lead	0	0	0		Copper	0	0	0		2705	YALE ST	FLINT	48503
LG60230	7/18/2016	Lead				0	Copper				0	2709	YALE ST	FLINT	48507
LG85718	11/7/2016	Lead	0	0	0		Copper	60	0	0		2714	YALE ST	FLINT	48506
LG75401	9/21/2016	Lead				1	Copper				60	2801	YALE ST	FLINT	48532
LG60598	7/19/2016	Lead				2	Copper				70	2801	YALE ST	FLINT	48504
LG67820	8/18/2016	Lead				2	Copper				60	2801	YALE ST	FLINT	48503
LG87435	11/17/2016	Lead				2	Copper				60	2801	YALE ST	FLINT	48503
LG68474	8/22/2016	Lead				2	Copper				0	3017	YALE ST	FLINT	48506
LG81097	10/10/2016	Lead				7	Copper				0	3218	YALE ST	FLINT	48505
LG81783	10/13/2016	Lead				0	Copper				70	3306	YALE ST	FLINT	48505
LG81785	10/13/2016	Lead				0	Copper				50	3306	YALE ST	FLINT	48503
LG58882	7/12/2016	Lead				0	Copper				80	908	YOUNG ST	FLINT	48503
LG75405	9/21/2016	Lead				0	Copper				0	913	YOUNG ST	FLINT	48503
LG83020	10/20/2016	Lead				0	Copper				0	913	YOUNG ST	FLINT	48504
LG58881	7/12/2016	Lead				31	Copper				110	913	YOUNG ST	FLINT	48506

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				
LG88140	11/21/2016	Lead				0	Copper				0	918	YOUNG STREET	FLINT	48505
LG79589	10/3/2016	Lead				1	Copper				50	2449	ZIMMERMAN ST	FLINT	48504
LG79585	10/3/2016	Lead				2	Copper				0	2449	ZIMMERMAN ST	FLINT	48507
LG67958	8/18/2016	Lead				1	Copper				0	2450	ZIMMERMAN ST	FLINT	48503
LG88164	11/21/2016	Lead	0	2	2		Copper	0	0	0		2450	ZIMMERMAN ST	FLINT	48503
LG88689	11/28/2016	Lead	3	7	6		Copper	0	0	0		2454	ZIMMERMAN ST	FLINT	48507
LG68003	8/18/2016	Lead				8	Copper				0	2454	ZIMMERMAN ST	FLINT	48504
LG66289	8/11/2016	Lead				2	Copper				100	3910	ZIMMERMAN ST	FLINT	48504
LG71317	9/6/2016	Lead				0	Copper				70	3917	ZIMMERMAN ST	FLINT	48503
LG87618	11/17/2016	Lead	0				Copper	150						BENDLE	48503
LG87693	11/17/2016	Lead	0	0	0		Copper	0	0	0				FLINT	48504
LG87704	11/17/2016	Lead	0	0	0		Copper	0	0	0				FLINT	48504
LG83038	10/20/2016	Lead				0	Copper				0			FLINT	48504
LG61093	7/20/2016	Lead				0	Copper				0			FLINT	***
LG61100	7/20/2016	Lead				0	Copper				130			FLINT	48507
LG61518	7/21/2016	Lead				0	Copper				100			FLINT	48507
LG61541	7/21/2016	Lead				0	Copper				0				48529
LG63368	8/1/2016	Lead				0	Copper				0				48504
LG65012	8/8/2016	Lead				0	Copper				0				48504
LG71005	9/1/2016	Lead				0	Copper				0			FLINT	48504
LG71019	9/1/2016	Lead				0	Copper				0				48503
LG79605	10/3/2016	Lead				0	Copper				0			FLINT	48502
LG79606	10/3/2016	Lead				0	Copper				0			FLINT	48503
LG58032	7/7/2016	Lead				0	Copper				0			FLINT	48506
LG58845	7/12/2016	Lead				0	Copper				70			FLINT	48503
LG61937	7/25/2016	Lead				0	Copper				0				48503
LG67994	8/18/2016	Lead				0	Copper				0				***
LG74228	9/15/2016	Lead				0	Copper				50			FLINT	48506
LG74237	9/15/2016	Lead				0	Copper				0			FLINT	48503
LG74249	9/15/2016	Lead				0	Copper				0			FLINT	48503
LG76891	9/26/2016	Lead				0	Copper				0			FLINT	48507
LG89862	12/5/2016	Lead	0	0	0		Copper	0	0	0				FLINT	48503
LG90801	12/8/2016	Lead				0	Copper				0			FLINT	48503
LG90805	12/8/2016	Lead				0	Copper				0			FLINT	48503
LG59569	7/14/2016	Lead				1	Copper				230			FLINT	48503
LG71326	9/6/2016	Lead				2	Copper				0			FLINT	48503
LG58842	7/12/2016	Lead				2	Copper				100			FLINT	48503
LG63013	7/28/2016	Lead				2	Copper				0			FLINT	48504
LG68009	8/18/2016	Lead				2	Copper				0			FLINT	48503
LG69539	8/25/2016	Lead				3	Copper				60			FLINT	48503
LG61492	7/21/2016	Lead				10	Copper				0				48503
LG60217	7/18/2016	Lead				17	Copper				90			FLINT	48532

Notes:

ppb = parts per billion

Lead values exceeding 15 ppb and Copper results exceeding 1,300 are highlighted in red.

Sample results of "Not Detected" have been replaced with a numerical value of zero for ease of sorting.

Samples without a zip code did not have one provided on the accompanying paperwork.

Flint Residential Testing Report - results collected July 1, 2016 through December 15, 2016

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated (PPB)	1 Liter (PPB)				

*** indicate Invalid Zip Code