

Flint Residential Testing Report - results collected July 1, 2019 through June 27, 2019

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LI21003	1/2/2019	Lead	0	0	0		Copper	0	0	0		2506	THOM ST	FLINT	48506
LI21004	1/2/2019	Lead	0	0	0		Copper	0	0	0		3711	SUNCREST DR	FLINT	48504
LI21005	1/2/2019	Lead	0	0	0		Copper	0	0	0		1016	GARLAND ST	FLINT	48503
LI21006	1/2/2019	Lead	0	0	0		Copper	0	90	70		2305	ILLINOIS AVE	FLINT	48506
LI21007	1/2/2019	Lead	0	0	0		Copper	0	0	0		3119	KIRKWOOD LANE	FLINT	48504
LI21344	1/4/2019	Lead	0	0	0		Copper	0	0	0		1013	BARNEY AVE	FLINT	48503
LI21345	1/4/2019	Lead	0	0	0		Copper	0	0	0		128	W DEWEY	FLINT	48505
LI21346	1/4/2019	Lead	0	0	0		Copper	0	0	0		1502	BEGOLE ST	FLINT	48503
LI21347	1/4/2019	Lead	0	0	0		Copper	50	90	80		3818	WISNER	FLINT	48504
LI21348	1/4/2019	Lead	0	0	0		Copper	0	0	0		1811	MLKING AVE	FLINT	48503
LI21884	1/9/2019	Lead	0	0	0		Copper	0	0	0		143	E BELVIDERE	FLINT	48503
LI21885	1/9/2019	Lead	0	0	0		Copper	90	0	0		1702	KENWOOD	FLINT	48503
LI21886	1/9/2019	Lead	0	0	0		Copper	110	0	0		609	W YORK AVE	FLINT	48505
LI21887	1/9/2019	Lead	0	0	0		Copper	0	0	0		1005	DOWNEY ST	FLINT	48503
LI21888	1/9/2019	Lead	0	0	0		Copper	90	70	80		3216	HAWTHORNE DR	FLINT	48503
LI22799	1/17/2019	Lead	0	0	0		Copper	0	0	0		620	E 3RD STREET	FLINT	48503
LI22800	1/17/2019	Lead	0	0	0		Copper	0	0	0		3717	BEECHWOOD AVE	FLINT	48506
LI22801	1/17/2019	Lead	0	0	0		Copper	80	0	0		2118	CEVERN ST	FLINT	48506
LI22802	1/17/2019	Lead	0	0	0		Copper	0	0	0		617	ROOME CT	FLINT	48503
LI23404	1/24/2019	Lead	0	0	0		Copper	0	0	0		2117	AITKEN AVE	FLINT	48503
LI23549	1/25/2019	Lead	0	0	0		Copper	0	0	0		2544	BROWN ST	FLINT	48503
LI23551	1/25/2019	Lead	0	0	0		Copper	0	0	0		3934	REYNOLDS ST	FLINT	48532
LI23552	1/25/2019	Lead	0	0	0		Copper	50	0	0		428	CRAPO ST	FLINT	48503
LI24050	2/4/2019	Lead	0	0	0		Copper	60	80	70		3313	DEARBORN AVE	FLINT	48507
LI24516	2/6/2019	Lead	0	0	0		Copper	0	0	0		1205	MOHAWK AVE	FLINT	48507
LI24517	2/6/2019	Lead	0	0	0		Copper	0	0	0		2413	FENTON RD	FLINT	48507
LI24518	2/6/2019	Lead	0	0	0		Copper	0	0	0		460	S SAGINAW ST APT 501	FLINT	48502
LI24831	2/8/2019	Lead	0	0	0		Copper	0	0	0		2721	CLEMENT ST	FLINT	48504
LI25335	2/13/2019	Lead	0	0	0		Copper	150	130	130		311	W 1ST AVE	FLINT	48503
LI25336	2/13/2019	Lead	0	0	0		Copper	100	80	80		426	W 1ST AVE	FLINT	48503
LI25724	2/15/2019	Lead	0	0	0		Copper	0	0	0		2420	PLAINFIELD AVE	FLINT	48506
LI25726	2/15/2019	Lead	0	0	0		Copper	60	0	0		3517	N TERM ST	FLINT	48506
LI25813	2/19/2019	Lead	0	0	0		Copper	0	0	0		1012	BARNEY AVE	FLINT	48503
LI26282	2/20/2019	Lead	0	0	0		Copper	170	160	160		411	W 1ST AVE	FLINT	48503
LI26283	2/20/2019	Lead	0	0	0		Copper	120	80	90		1805	WINONA	FLINT	48504
LI26284	2/20/2019	Lead	0	0	0		Copper	0	0	0		3731	EVERGREEN ST	FLINT	48503
LI26748	2/22/2019	Lead	0	0	0		Copper	100	80	80		6710	FLEMING RD	FLINT	48504
LI27404	2/28/2019	Lead	0	0	0		Copper	70	60	60		6313	FLEMING RD	FLINT	48504
LI27406	2/28/2019	Lead	0	0	0		Copper	0	0	0		2030	CROCKER AVE	FLINT	48503
LI27569	3/4/2019	Lead	0	0	0		Copper	0	0	0		442	BURROUGHS ST	FLINT	48507
LI27570	3/4/2019	Lead	0	0	0		Copper	90	0	0		1607	RUSSETT PL	FLINT	48504
LI28191	3/6/2019	Lead	0	0	0		Copper	0	0	0		2223	CONCORD ST	FLINT	48504
LI28192	3/6/2019	Lead	0	0	0		Copper	0	0	0		115	W BAKER ST	FLINT	48505
LI28310	3/7/2019	Lead	0	0	0		Copper	100	90	90		314	W THACKERY AVE	FLINT	48505
LI28311	3/7/2019	Lead	0	0	0		Copper	90	50	60		2827	CONCORD ST	FLINT	48504
LI28625	3/11/2019	Lead	0	0	0		Copper	0	0	0		2413	CALUMET ST	FLINT	48503
LI28842	3/12/2019	Lead	0	0	0		Copper	0	0	0		111	PHILADELPHIA AVE	FLINT	48505
LI28843	3/12/2019	Lead	0	0	0		Copper	0	0	0		2518	PROSPECT ST	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2019 through June 27, 2019

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LI29385	3/15/2019	Lead	0	0	0		Copper	0	0	0		406	JOSEPHINE ST	FLINT	48503
LI29386	3/15/2019	Lead	0	0	0		Copper	100	80	80		2937	CONCORD ST	FLINT	48504
LI29387	3/15/2019	Lead	0	0	0		Copper	0	0	0		3514	HUGGINS AVE	FLINT	48506
LI29388	3/15/2019	Lead	0	0	0		Copper	0	70	50		712	E 12TH ST	FLINT	48503
LI29389	3/15/2019	Lead	0	0	0		Copper	0	0	0		915	E COURT ST APT 402	FLINT	48503
LI30018	3/20/2019	Lead	0	0	0		Copper	100	90	90		1425	GREENWAY AVE	FLINT	48504
LI30019	3/20/2019	Lead	0	0	0		Copper	0	0	0		2530	BAGLEY ST	FLINT	48504
LI30338	3/25/2019	Lead	0	0	0		Copper	0	0	0		959	HUBBARD	FLINT	48504
LI30340	3/25/2019	Lead	0	0	0		Copper	0	0	0		1002	DELL AVE	FLINT	48507
LI30341	3/25/2019	Lead	0	0	0		Copper	0	0	0		1703	CRESCENT DR	FLINT	48503
LI30342	3/25/2019	Lead	0	0	0		Copper	0	0	0		1810	W PASADENA AVE	FLINT	48504
LI30863	3/27/2019	Lead	0	0	0		Copper	0	0	0		4810	BIREHEREST DR	FLINT	48504
LI31656	4/2/2019	Lead	0	0	0		Copper	0	0	0		702	FATHER DURETTE APT 306	FLINT	48503
LI31657	4/2/2019	Lead	0	0	0		Copper	0	0	0		3722	BURGESS ST	FLINT	48504
LI31658	4/2/2019	Lead	0	0	0		Copper	120	80	90		2101	M L K AVE	FLINT	48503
LI31660	4/2/2019	Lead	0	0	0		Copper	0	0	0		2729	RIVERRIDGE CT	FLINT	48505
LI31662	4/2/2019	Lead	0	0	0		Copper	0	0	0		916	DUPONT ST	FLINT	48504
LI31902	4/3/2019	Lead	0	0	0		Copper	0	0	0		3510	PROVIDENCE ST	FLINT	48503
LI32083	4/4/2019	Lead	0	0	0		Copper	0	0	0		2201	FOREST HILL AVE	FLINT	48504
LI32084	4/4/2019	Lead	0	0	0		Copper	0	0	0		3901	HAMMERBERG BUILD A APT1	FLINT	48507
LI32085	4/4/2019	Lead	0	0	0		Copper	0	0	0		2402	TUSCOLA AVE	FLINT	48503
LI32364	4/9/2019	Lead	0	0	0		Copper	50	0	0		3602	N TERM ST	FLINT	48506
LI32365	4/9/2019	Lead	0	0	0		Copper	0	0	0		3221	NORWOOD DR	FLINT	48503
LI32366	4/9/2019	Lead	0	0	0		Copper	0	0	0		1909	COPEMAN BLVD	FLINT	48504
LI32910	4/11/2019	Lead	0	0	0		Copper	100	0	0		2710	PROSPECT	FLINT	48504
LI32911	4/11/2019	Lead	0	0	0		Copper	100	80	80		1800	WELCH BOULEVARD	FLINT	48504
LI34101	4/19/2019	Lead	0	0	0		Copper	0	0	0		2578	THOMAS ST	FLINT	48504
LI34103	4/19/2019	Lead	0	0	0		Copper	0	0	0		1813	W MCCLELLAN	FLINT	48504
LI34104	4/19/2019	Lead	0	0	0		Copper	0	0	0		2917	MENOMINEE AVE	FLINT	48507
LI34106	4/19/2019	Lead	0	0	0		Copper	0	0	0		2009	CHATEAU DR	FLINT	48504
LI35568	4/30/2019	Lead	0	0	0		Copper	0	0	0		800	N CHEVROLET	FLINT	48504
LI35569	4/30/2019	Lead	0	0	0		Copper	0	0	0		712	W GENESEE ST	FLINT	48504
LI35570	4/30/2019	Lead	0	0	0		Copper	0	0	0		2723	PLAINFIELD AVE	FLINT	48506
LI35573	4/30/2019	Lead	0	0	0		Copper	0	0	0		2002	FOREST HILL	FLINT	48504
LI35575	4/30/2019	Lead	0	0	0		Copper	0	0	0		2416	NORBERT ST	FLINT	48504
LI36171	5/3/2019	Lead	0	0	0		Copper	80	0	0		2401	WINDEMERE AVE	FLINT	48503
LI36172	5/3/2019	Lead	0	0	0		Copper	130	160	150		1317	RIVERDALE ST	FLINT	48503
LI36173	5/3/2019	Lead	0	0	0		Copper	0	0	0		3213	MONTANA AVE	FLINT	48506
LI36174	5/3/2019	Lead	0	0	0		Copper	0	0	0		413	W BAKER ST	FLINT	48505
LI36175	5/3/2019	Lead	0	0	0		Copper	70	70	70		3410	WHITNEY AVE	FLINT	48503
LI36889	5/8/2019	Lead	0	0	0		Copper	0	0	0		1430	VERMILYA	FLINT	48507
LI37401	5/10/2019	Lead	0	0	0		Copper	120	60	70		2552	TYRONE ST	FLINT	48504
LI37402	5/10/2019	Lead	0	0	0		Copper	0	0	0		646	E MARENGO AVE	FLINT	48505
LI37404	5/10/2019	Lead	0	0	0		Copper	0	0	0		2210	N FRANKLIN AVE	FLINT	48506
LI37405	5/10/2019	Lead	0	0	0		Copper	0	0	0		2514	ALPHA WAY	FLINT	48502
LI38151	5/15/2019	Lead	0	0	0		Copper	70	0	0		2129	WINANS ST	FLINT	48506
LI39531	5/28/2019	Lead	0	0	0		Copper	0	0	0		125	WEST PULASKI AVE	FLINT	48505
LI39532	5/28/2019	Lead	0	0	0		Copper	50	0	0		2618	NORBERT ST	FLINT	48504

Flint Residential Testing Report - results collected July 1, 2019 through June 27, 2019

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LI39533	5/28/2019	Lead	0	0	0		Copper	0	0	0		3111	STONEGATE DR	FLINT	48507
LI39535	5/28/2019	Lead	0	0	0		Copper	0	0	0		910	FRANK ST	FLINT	48504
LI39536	5/28/2019	Lead	0	0	0		Copper	60	0	0		5617	DUPONT ST	FLINT	48505
LI39538	5/28/2019	Lead	0	0	0		Copper	0	0	0		1424	SUNNYSIDE AVE	FLINT	48503
LI40287	6/3/2019	Lead	0	0	0		Copper	0	50	0		2616	THOMAS ST	FLINT	48504
LI41031	6/5/2019	Lead	0	0	0		Copper	0	0	0		1609	BERRYWOOD LANE	FLINT	48507
LI41032	6/5/2019	Lead	0	0	0		Copper	0	0	0		201	W GENESEE ST	FLINT	48505
LI41033	6/5/2019	Lead	0	0	0		Copper	0	0	0		2211	WINDEMERE AVE	FLINT	48503
LI42463	6/12/2019	Lead	0	0	0		Copper	0	60	0		1929	CHELAN ST	FLINT	48503
LI42464	6/12/2019	Lead	0	0	0		Copper	0	0	0		3111	KIRKWOOD LN	FLINT	48504
LI45039	6/20/2019	Lead	0	0	0		Copper	50	0	0		936	BRADLEY AVE	FLINT	48503
LI46012	6/25/2019	Lead	0	0	0		Copper	60	0	0		942	E SEVENTH ST	FLINT	48505
LI46014	6/25/2019	Lead	0	0	0		Copper	0	0	0		2718	ALPHA WAY	FLINT	48504
LI23405	1/24/2019	Lead	1	1	1		Copper	0	0	0		6576	N DORT HWY	FLINT	48504
LI25725	2/15/2019	Lead	1	0	0		Copper	120	210	190		609	FROST ST	FLINT	48503
LI25814	2/19/2019	Lead	1	0	0		Copper	70	0	0		1614	SHAMROCK LN	FLINT	48505
LI26749	2/22/2019	Lead	1	0	0		Copper	0	0	0		1948	GILMARTIN	FLINT	48504
LI28623	3/11/2019	Lead	1	1	1		Copper	0	0	0		209	E DARTMOUTH ST	FLINT	48504
LI30343	3/25/2019	Lead	0	1	0		Copper	0	0	0		2938	BARTH ST	FLINT	48504
LI31661	4/2/2019	Lead	1	1	1		Copper	60	130	110		915	DUPONT STREET	FLINT	48503
LI32815	4/10/2019	Lead	1	0	0		Copper	110	120	120		2441	NORBERT ST	FLINT	48506
LI32816	4/10/2019	Lead	1	0	0		Copper	0	0	0		3623	NORWOOD DR	FLINT	48504
LI32817	4/10/2019	Lead	0	1	0		Copper	0	0	0		1813	MABEL AVE	FLINT	48503
LI34105	4/19/2019	Lead	1	0	0		Copper	0	0	0		3602	BROWNELL BLVD	FLINT	48506
LI35571	4/30/2019	Lead	1	0	0		Copper	60	0	0		3124	SHERWOOD DR	FLINT	48507
LI35572	4/30/2019	Lead	1	0	0		Copper	0	0	0		1722	N LYNCH	FLINT	48506
LI37403	5/10/2019	Lead	1	1	1		Copper	60	50	50		1527	WOODSLEA DR	FLINT	48503
LI38149	5/15/2019	Lead	1	0	0		Copper	80	60	60		2210	N FRANKLIN AVE	FLINT	48506
LI39530	5/28/2019	Lead	0	1	0		Copper	0	0	0		703	E COURT ST	FLINT	48503
LI22797	1/17/2019	Lead	0	2	2		Copper	70	60	60		2213	PENNSYLVANIA AVE	FLINT	48503
LI22798	1/17/2019	Lead	1	2	2		Copper	90	0	0		1105	SOUTH DRIVE	FLINT	48504
LI24832	2/8/2019	Lead	2	1	1		Copper	80	0	0		2002	BECKWITH CT	FLINT	48503
LI28841	3/12/2019	Lead	2	0	0		Copper	0	0	0		717	ST CLAIR ST	FLINT	48506
LI30339	3/25/2019	Lead	1	2	2		Copper	80	110	100		1819	G CEMANTA ST	FLINT	48503
LI30862	3/27/2019	Lead	2	2	2		Copper	60	0	0		1510	JANE AVE	FLINT	48504
LI31659	4/2/2019	Lead	2	0	0		Copper	0	0	0		502	CRAPO ST	FLINT	48502
LI31663	4/2/2019	Lead	2	2	2		Copper	0	0	0		2001	CARTIER ST	FLINT	48503
LI32912	4/11/2019	Lead	1	2	2		Copper	50	70	70		1019	CHURCH ST	FLINT	48503
LI34107	4/19/2019	Lead	2	2	2		Copper	0	0	0		2302	ZIMMERMAN ST	FLINT	48506
LI38504	5/20/2019	Lead	0	2	2		Copper	0	0	0		3622	GRATIOT AVE	FLINT	48503
LI43528	6/17/2019	Lead	2	0	0		Copper	110	110	110		2905	HAMPSTEAD	FLINT	48504
LI46011	6/25/2019	Lead	2	2	2		Copper	60	60	60		3306	PENCOMBE PL	FLINT	48503
LI21890	1/9/2019	Lead	3	0	0		Copper	310	0	80		1813	SPRINGFIELD ST	FLINT	48503
LI26281	2/20/2019	Lead	3	3	3		Copper	0	0	0		2819	CLEMENT	FLINT	48504
LI35567	4/30/2019	Lead	3	0	0		Copper	0	0	0		1021	BLACHARD AVE	FLINT	48502
LI44283	6/18/2019	Lead	3	0	0		Copper	50	0	0		1909	RAMSAY BLVD	FLINT	48506
LI46010	6/25/2019	Lead	3	0	0		Copper	0	0	0		3614	KLEINPELL ST	FLINT	48505
LI21008	1/2/2019	Lead	4	0	1		Copper	110	50	70		3119	KIRKWOOD LN	FLINT	48506

Flint Residential Testing Report - results collected July 1, 2019 through June 27, 2019

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LI21891	1/9/2019	Lead	3	4	4		Copper	0	0	0		224	E COURT ST #410	FLINT	48503
LI27405	2/28/2019	Lead	4	1	2		Copper	0	0	0		3709	LEITH STREET	FLINT	48503
LI32087	4/4/2019	Lead	1	4	3		Copper	310	320	320		2961	IROQUOIS AVE	FLINT	48503
LI34102	4/19/2019	Lead	5	0	1		Copper	0	0	0		2926	RT LONGWAY	FLINT	48506
LI24833	2/8/2019	Lead	6	2	3		Copper	60	0	0		1009	BLANCHARD AVE	FLINT	48503
LI23553	1/25/2019	Lead	7	2	3		Copper	120	0	0		512	W FIFTH ST	FLINT	48504
LI29391	3/15/2019	Lead	7	0	2		Copper	0	0	0		2601	BROOKSIDE DR	FLINT	48504
LI46013	6/25/2019	Lead	7	2	3		Copper	80	0	0		3507	DEARBORN AVE	FLINT	48505
LI46827	6/27/2019	Lead	7	1	3		Copper	210	70	100		1819	GELMARTER ST	FLINT	48503
LI38150	5/15/2019	Lead	8	2	4		Copper	0	0	0		2210	N FRANKLIN AVE	FLINT	48503
LI21889	1/9/2019	Lead	0	10	7		Copper	0	0	0		2520	E COURT ST	FLINT	48505
LI23550	1/25/2019	Lead	10	4	6		Copper	0	0	0		2101	DEVON LN	FLINT	48507
LI35574	4/30/2019	Lead	3	10	8		Copper	0	0	0		819	DUPONT ST	FLINT	48504
LI39534	5/28/2019	Lead	0	11	8		Copper	0	0	0		3613	LEITH ST	FLINT	48504
LI39537	5/28/2019	Lead	10	11	11		Copper	0	0	0		511	MANN AVE	FLINT	48504
LI28190	3/6/2019	Lead	12	0	3		Copper	160	0	0		708	WILBERFORCE DR	FLINT	48506
LI28624	3/11/2019	Lead	2	12	10		Copper	0	90	70		772	EAST LOMITA AVE	FLINT	48503
LI29390	3/15/2019	Lead	0	12	9		Copper	0	80	60		1618	SOUTHLAWN AVE	FLINT	48504
LI30864	3/27/2019	Lead	14	3	6		Copper	70	130	110		722	DICKINSON ST	FLINT	48507
LI32086	4/4/2019	Lead	15	11	12		Copper	780	610	650		2201	FOREST HILL AVE	FLINT	48503
LI31023	3/27/2019	Lead	24	23	23		Copper	170	100	120		3602	BROWNELL BLVD	FLINT	48503
LI30336	3/25/2019	Lead	27	5	11		Copper	70	0	0		1634	WYOMING AVE	FLINT	48507
LI30337	3/25/2019	Lead	44	46	46		Copper	60	60	60		1118	STOCKEN AVE	FLINT	48506
LI32082	4/4/2019	Lead	114	31	52		Copper	6750	1640	2920		2201	FOREST HILL AVE	FLINT	48503

Notes:

ppb = parts per billion

Lead values exceeding 15 ppb and Copper results exceeding 1,300 are highlighted in red.

Sample results of "Not Detected" have been replaced with a numerical value of zero for ease of sorting.

Samples without a zip code did not have one provided on the accompanying paperwork.

*** indicate Invalid Zip Code