

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ10893	7/1/2020	Lead				0	Copper				0	1113	LAPEER RD	FLINT	48507
LJ31238	10/30/2020	Lead	0	0	0		Copper	60	70	70		814	9TH STREET	FLINT	48503
LJ24757	9/22/2020	Lead	0	0	0		Copper	0	0	0		2006	AITKEN AVE	FLINT	48503
LJ22575	9/10/2020	Lead				0	Copper				0	524	ALVORD	FLINT	48507
LJ22576	9/10/2020	Lead				0	Copper				0	524	ALVORD	FLINT	48507
LJ11924	7/9/2020	Lead	0	0	0		Copper	0	0	0		620	ALVORD AVE	FLINT	48507
LJ22579	9/10/2020	Lead				0	Copper				0	636	ALVORD AVE	FLINT	48507
LJ22580	9/10/2020	Lead				0	Copper				0	636	ALVORD AVE	FLINT	48507
LJ21666	9/3/2020	Lead				0	Copper				0	729	ANN ARBOR	FLINT	48503
LJ21667	9/3/2020	Lead				0	Copper				0	729	ANN ARBOR	FLINT	48503
LJ10863	7/1/2020	Lead				0	Copper				0	1717	ARLINGTON	FLINT	48506
LJ10864	7/1/2020	Lead				0	Copper				0	1717	ARLINGTON	FLINT	48506
LJ21137	9/1/2020	Lead	0	0	0		Copper	0	0	0		1508	AVON ST	FLINT	48503
LJ21652	9/3/2020	Lead				0	Copper				0	1611	AVON ST	FLINT	48503
LJ21653	9/3/2020	Lead				0	Copper				0	1611	AVON ST	FLINT	48503
LJ24020	9/17/2020	Lead				1	Copper				0	1616	BALLENGER HWY	FLINT	48504
LJ24021	9/17/2020	Lead				1	Copper				0	1616	BALLENGER HWY	FLINT	48504
LJ11936	7/9/2020	Lead	6	8	8		Copper	140	110	120		1823	BARK ST	FLINT	48503
LJ25399	9/24/2020	Lead				0	Copper				0	1834	BARKS ST	FLINT	48503
LJ25400	9/24/2020	Lead				0	Copper				0	1834	BARKS ST	FLINT	48503
LJ25388	9/24/2020	Lead				0	Copper				0	1122	BARRIE	FLINT	48507
LJ25387	9/24/2020	Lead				2	Copper				0	1122	BARRIE	FLINT	48503
LJ32355	11/6/2020	Lead	0	0	0		Copper	0	0	0		642	BARRIE AVE	FLINT	48507
LJ21650	9/3/2020	Lead				0	Copper				0	726	BEACH	FLINT	48502
LJ21651	9/3/2020	Lead				0	Copper				0	726	BEACH	FLINT	48502
LJ22585	9/10/2020	Lead				0	Copper				0	1633	BEACH	FLINT	48503
LJ22586	9/10/2020	Lead				0	Copper				0	16333	BEACH	FLINT	48503
LJ29626	10/22/2020	Lead				1	Copper				0	1220	BEARD 1ST LITER	FLINT	48505
LJ29627	10/22/2020	Lead				0	Copper				0	1220	BEARD 5TH LITER	FLINT	48503
LJ10833	7/1/2020	Lead				0	Copper				0	3406	BEECHER	FLINT	48503
LJ10834	7/1/2020	Lead				4	Copper				0	3406	BEECHER	FLINT	48503
LJ11941	7/9/2020	Lead	0	0	0		Copper	0	0	0		3155	BEECHWOOD AVE	FLINT	48506
LJ19537	8/21/2020	Lead	220	0	55		Copper	910	0	230		1602	BELLCREEK DRIVE	FLINT	48505
LJ13439	7/21/2020	Lead	0	0	0		Copper	120	150	140		1646	BELLE AVE	FLINT	48506
LJ30303	10/23/2020	Lead	0	0	0		Copper	0	0	0		1801	BENNETT AVE	FLINT	48506
LJ28856	10/15/2020	Lead	0	0	0		Copper	0	0	0		4707	BIRCHCREST AVE	FLINT	48504
LJ28729	10/15/2020	Lead				0	Copper				0	1317	BRADLEY 1ST LITER	FLINT	48503
LJ28730	10/15/2020	Lead				0	Copper				0	1317	BRADLEY 5TH LITER	FLINT	48503
LJ19184	8/20/2020	Lead				0	Copper				0	936	BRADLEY AVE	FLINT	48503
LJ19185	8/20/2020	Lead				0	Copper				0	936	BRADLEY AVE	FLINT	48503
LJ28857	10/15/2020	Lead	2	2	2		Copper	0	90	70		1579	BRADLEY AVE	FLINT	48507
LJ10868	7/1/2020	Lead				0	Copper				160	815	BRADLY	FLINT	48503
LJ10869	7/1/2020	Lead				0	Copper				120	815	BRADLY	FLINT	48503
LJ27845	10/8/2020	Lead				0	Copper				0	4901	BRANCH RD 1ST LITER	FLINT	48506
LJ27846	10/8/2020	Lead				0	Copper				0	4901	BRANCH RD 5TH LITER	FLINT	48506
LJ38772	12/18/2020	Lead	0	0	0		Copper	0	0	0		3217	BRANDON ST	FLINT	48503
LJ25390	9/24/2020	Lead				0	Copper				0	1628	BROAD CT	FLINT	48503
LJ25389	9/24/2020	Lead				5	Copper				0	1628	BROAD CT	FLINT	48504
LJ13442	7/21/2020	Lead	0	0	0		Copper	0	0	0		1646	BROADWAY BLVD	FLINT	48506

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ18106	8/14/2020	Lead	0	0	0		Copper	50	0	0		1730	BROADWAY BLVD	FLINT	48506
LJ22603	9/10/2020	Lead				0	Copper				0	2017	BROOKS	FLINT	48507
LJ22604	9/10/2020	Lead				0	Copper				0	2017	BROOKS	FLINT	48507
LJ29609	10/22/2020	Lead				1	Copper				0	2314	BROWN ST 1ST LITER	FLINT	48503
LJ29610	10/22/2020	Lead				2	Copper				0	2314	BROWN ST 5TH LITER	FLINT	48503
LJ11939	7/9/2020	Lead	0	0	0		Copper	0	0	0		3609	BROWNELL BLVD	FLINT	48504
LJ11927	7/9/2020	Lead	0	0	0		Copper	180	80	110		3304	BUICK ST	FLINT	48505
LJ15903	8/4/2020	Lead	0	0	0		Copper	0	0	0		2066	CARTIER ST	FLINT	48504
LJ19539	8/21/2020	Lead	0	0	0		Copper	0	0	0		2128	CARTIER ST	FLINT	48504
LJ21638	9/3/2020	Lead	0				Copper	0				1100	CEDAR STREET	FLINT	48503
LJ34911	11/25/2020	Lead	0				Copper	0				1100	CEDAR STREET	FLINT	48503
LJ11928	7/9/2020	Lead	0	0	0		Copper	0	0	0		1937	CHELAN ST	FLINT	48503
LJ30933	10/29/2020	Lead				0	Copper				0	2725	CHICAGO 1ST LITER	FLINT	48503
LJ30934	10/29/2020	Lead				0	Copper				0	2725	CHICAGO 5TH LITER	FLINT	48503
LJ30925	10/29/2020	Lead				0	Copper				0	720	CHURCH 1ST LITER	FLINT	48502
LJ30935	10/29/2020	Lead				0	Copper				0	1118	CHURCH 1ST LITER	FLINT	48502
LJ30926	10/29/2020	Lead				0	Copper				0	720	CHURCH 5TH LITER	FLINT	48502
LJ30936	10/29/2020	Lead				0	Copper				0	1118	CHURCH 5TH LITER	FLINT	48502
LJ24759	9/22/2020	Lead	0	0	0		Copper	0	0	0		2630	CIRCLE DR	FLINT	48507
LJ25385	9/24/2020	Lead				0	Copper				60	3509	CIRCLE DR	FLINT	48507
LJ25386	9/24/2020	Lead				0	Copper				0	3509	CIRCLE DR	FLINT	48507
LJ18105	8/14/2020	Lead	0	0	0		Copper	50	0	0		2701	CIRCLE DRIVE	FLINT	48507
LJ30921	10/29/2020	Lead				0	Copper				0	3217	CLAIRMONT 1ST LITER	FLINT	48504
LJ30922	10/29/2020	Lead				2	Copper				0	3217	CLAIRMONT 5TH LITER	FLINT	48506
LJ25391	9/24/2020	Lead				0	Copper				0	2039	CLIFFORD	FLINT	48503
LJ25392	9/24/2020	Lead				0	Copper				0	2039	CLIFFORD	FLINT	48503
LJ21641	9/3/2020	Lead	0				Copper	100				5018	CLIO ROAD	FLINT	48504
LJ34906	11/25/2020	Lead	0				Copper	80				5018	CLIO ROAD	FLINT	48504
LJ27507	10/6/2020	Lead	0	0	0		Copper	0	0	0		1802	COLCHESTER	FLINT	48503
LJ29343	10/20/2020	Lead	0	0	0		Copper	150	110	120		1802	COLECHESTER	FLINT	48503
LJ38774	12/18/2020	Lead	0	0	0		Copper	0	0	0		706	COLUMBIA DR	FLINT	48503
LJ38773	12/18/2020	Lead	0	0	0		Copper	60	0	0		3506	COMANCHE AVE	FLINT	48507
LJ23393	9/15/2020	Lead	1	0	0		Copper	80	150	130		411	COMMONWEALTH AVE	FLINT	48504
LJ26858	10/1/2020	Lead				0	Copper				0	606	COMMONWEALTH AVE	FLINT	48503
LJ26859	10/1/2020	Lead				0	Copper				0	606	COMMONWEALTH AVE	FLINT	48503
LJ26851	10/1/2020	Lead				0	Copper				0	618	COMMONWEALTH AVE	FLINT	48503
LJ26850	10/1/2020	Lead				1	Copper				0	618	COMMONWEALTH AVE	FLINT	48503
LJ30941	10/29/2020	Lead				2	Copper				0	808	COMMONWEALTH AVE 1ST LITER	FLINT	48503
LJ30942	10/29/2020	Lead				2	Copper				0	808	COMMONWEALTH AVE 5TH LITER	FLINT	48507
LJ32358	11/6/2020	Lead	0	0	0		Copper	0	0	0		2812	CONCORD ST	FLINT	48504
LJ20432	8/27/2020	Lead				0	Copper				0	2317	CORUNNA	FLINT	48503
LJ20433	8/27/2020	Lead				0	Copper				0	2317	CORUNNA	FLINT	48503
LJ10877	7/1/2020	Lead				0	Copper				0	2505	CORUNNA	FLINT	48503
LJ10876	7/1/2020	Lead				2	Copper				0	2505	CORUNNA	FLINT	48507
LJ21636	9/3/2020	Lead	0				Copper	0				3521	CORUNNA ROAD	FLINT	48503
LJ34908	11/25/2020	Lead	0				Copper	0				3521	CORUNNA ROAD	FLINT	48503
LJ23994	9/17/2020	Lead				1	Copper				60	629	COTTAGE GROVE	FLINT	48507
LJ23995	9/17/2020	Lead				2	Copper				0	629	COTTAGE GROVE	FLINT	48507
LJ29342	10/20/2020	Lead	0	0	0		Copper	0	0	0		2224	CRACKER AVE	FLINT	48503

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ10866	7/1/2020	Lead				0	Copper				0	502	CRAPO	FLINT	48503
LJ10867	7/1/2020	Lead				0	Copper				0	502	CRAPO	FLINT	48503
LJ19182	8/20/2020	Lead				0	Copper				0	502	CRAPO	FLINT	48503
LJ19183	8/20/2020	Lead				0	Copper				0	502	CRAPO	FLINT	48503
LJ30931	10/29/2020	Lead				0	Copper				0	612	CRAPO 1ST LITER	FLINT	48503
LJ30932	10/29/2020	Lead				0	Copper				0	612	CRAPO 5TH LITER	FLINT	48503
LJ27849	10/8/2020	Lead				0	Copper				0	502	CRAPO ST 1ST LITER	FLINT	48503
LJ27850	10/8/2020	Lead				0	Copper				0	502	CRAPO ST 5TH DRAW	FLINT	48503
LJ20390	8/27/2020	Lead				0	Copper				0	705	CRAWFORD	FLINT	48507
LJ20391	8/27/2020	Lead				0	Copper				0	705	CRAWFORD	FLINT	48507
LJ20420	8/27/2020	Lead				0	Copper				0	718	CRAWFORD	FLINT	48507
LJ20421	8/27/2020	Lead				0	Copper				0	718	CRAWFORD	FLINT	48507
LJ30939	10/29/2020	Lead				0	Copper				0	1703	CRESCENT 1ST LITER	FLINT	48503
LJ32039	11/5/2020	Lead				0	Copper				60	1704	CRESCENT 1ST LITER	FLINT	48503
LJ30940	10/29/2020	Lead				0	Copper				0	1703	CRESCENT 5TH LITER	FLINT	48503
LJ32040	11/5/2020	Lead				1	Copper				0	1704	CRESCENT 5TH LITER	FLINT	48504
LJ24758	9/22/2020	Lead	0	0	0		Copper	0	0	0		4709	CRESTBROOK LANE	FLINT	48507
LJ33559	11/13/2020	Lead	0	0	0		Copper	0	0	0		2728	CRESTWOOD DR	FLINT	48505
LJ30929	10/29/2020	Lead				0	Copper				0	2710	CUMMINGS 1ST LITER	FLINT	48503
LJ30930	10/29/2020	Lead				0	Copper				0	2710	CUMMINGS 5TH LITER	FLINT	48503
LJ19538	8/21/2020	Lead	0	0	0		Copper	0	0	0		3320	DAKOTA AVE	FLINT	48506
LJ21139	9/1/2020	Lead	0	0	0		Copper	0	0	0		3705	DARCEY LN	FLINT	48506
LJ21140	9/1/2020	Lead	1	0	0		Copper	0	0	0		3705	DARCEY LN	FLINT	48505
LJ20431	8/27/2020	Lead				0	Copper				0	2100	DAVISON	FLINT	48506
LJ20430	8/27/2020	Lead				6	Copper				0	2100	DAVISON	FLINT	48503
LJ15054	7/30/2020	Lead				0	Copper				0	1427	DAVISON RD	FLINT	48506
LJ15053	7/30/2020	Lead				3	Copper				0	1427	DAVISON RD	FLINT	48503
LJ32037	11/5/2020	Lead				0	Copper				90	2221	DAVISON RD 1ST LITER	FLINT	48506
LJ32038	11/5/2020	Lead				0	Copper				0	2221	DAVISON RD 5TH LITER	FLINT	48506
LJ21631	9/3/2020	Lead	0				Copper	0				3802	DAVISON ROAD	FLINT	48506
LJ34903	11/25/2020	Lead	0				Copper	0				3802	DAVISON ROAD	FLINT	48506
LJ30927	10/29/2020	Lead				2	Copper				0	1656	DAVISON ROAD 1ST LITER	FLINT	48503
LJ30928	10/29/2020	Lead				0	Copper				0	1656	DAVISON ROAD 5TH LITER	FLINT	48506
LJ25722	9/25/2020	Lead	0	0	0		Copper	0	0	0		3112	DEARBORN AVE	FLINT	48507
LJ37330	12/11/2020	Lead	0	0	0		Copper	70	50	60		3401	DEARBORN AVE	FLINT	48507
LJ23987	9/17/2020	Lead				1	Copper				0	713	DICKINSON	FLINT	48504
LJ23986	9/17/2020	Lead				2	Copper				100	713	DICKINSON	FLINT	48504
LJ21656	9/3/2020	Lead				0	Copper				0	726	DICKINSON	FLINT	48504
LJ21657	9/3/2020	Lead				0	Copper				0	726	DICKINSON	FLINT	48504
LJ10808	7/1/2020	Lead				0	Copper				110	907	DUPONT	FLINT	48504
LJ10807	7/1/2020	Lead				5	Copper				60	907	DUPONT	FLINT	48507
LJ10829	7/1/2020	Lead				0	Copper				0	908	DUPONT	FLINT	48504
LJ10830	7/1/2020	Lead				0	Copper				50	908	DUPONT	FLINT	48504
LJ11932	7/9/2020	Lead	0	0	0		Copper	0	0	0		3501	DUPONT	FLINT	48504
LJ21633	9/3/2020	Lead	0				Copper	0				1416	DUPONT STREET	FLINT	48503
LJ34907	11/25/2020	Lead	0				Copper	0				1416	DUPONT STREET	FLINT	48503
LJ32043	11/5/2020	Lead				0	Copper				70	1415	DURAND 1ST LITER	FLINT	48503
LJ32044	11/5/2020	Lead				0	Copper				0	1415	DURAND 5TH LITER	FLINT	48503
LJ15905	8/4/2020	Lead	0	0	0		Copper	0	0	0		607	E 2ND AVE APT 201	FLINT	48502

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ29611	10/22/2020	Lead				0	Copper				0	1053	E ALMA 1ST LITER	FLINT	48505
LJ29612	10/22/2020	Lead				0	Copper				0	1053	E ALMA 5TH LITER	FLINT	48505
LJ38775	12/18/2020	Lead	0	0	0		Copper	0	0	0		136	E BALTIMORE BLVD	FLINT	48505
LJ10813	7/1/2020	Lead				0	Copper				90	774	E CARPENTER	FLINT	48505
LJ10814	7/1/2020	Lead				0	Copper				100	774	E CARPENTER	FLINT	48505
LJ32919	11/10/2020	Lead	3	3	3		Copper	0	0	0		224	E COUIRT ST APT 210	FLINT	48503
LJ16466	8/6/2020	Lead				0	Copper				0	302	E COURT ST	FLINT	48503
LJ16465	8/6/2020	Lead				1	Copper				60	302	E COURT ST	FLINT	48505
LJ16451	8/6/2020	Lead				3	Copper				140	410	E COURT ST	FLINT	48503
LJ16452	8/6/2020	Lead				4	Copper				90	410	E COURT ST	FLINT	48502
LJ16453	8/6/2020	Lead				0	Copper				0	903	E COURT ST	FLINT	48503
LJ16454	8/6/2020	Lead				0	Copper				0	903	E COURT ST	FLINT	48503
LJ20422	8/27/2020	Lead				0	Copper				0	1605	E COURT ST	FLINT	48503
LJ20423	8/27/2020	Lead				0	Copper				0	1605	E COURT ST	FLINT	48503
LJ21635	9/3/2020	Lead	0				Copper	0				2838	E COURT ST	FLINT	48506
LJ34905	11/25/2020	Lead	0				Copper	0				2838	E COURT ST	FLINT	48506
LJ38479	12/17/2020	Lead				0	Copper				0	338	E DARTMOUTH	FLINT	48505
LJ38480	12/17/2020	Lead				0	Copper				0	338	E DARTMOUTH	FLINT	48505
LJ19533	8/21/2020	Lead	0	0	0		Copper	80	0	0		226	E FLINTPARK BLVD	FLINT	48505
LJ13441	7/21/2020	Lead	0	0	0		Copper	0	50	0		830	E GILLESPIE AVE	FLINT	48505
LJ11935	7/9/2020	Lead	0	0	0		Copper	0	0	0		1714	E HAMILTON AVE	FLINT	48506
LJ11940	7/9/2020	Lead	0	0	0		Copper	0	0	0		138	E HOME AVE	FLINT	48505
LJ10880	7/1/2020	Lead				0	Copper				60	914	E KEARSLEY	FLINT	48503
LJ10881	7/1/2020	Lead				0	Copper				70	914	E KEARSLEY	FLINT	48503
LJ25718	9/25/2020	Lead	0	0	0		Copper	0	0	0		402	E PULASKI AVE ST	FLINT	48505
LJ20438	8/27/2020	Lead				0	Copper				0	735	E STEWART	FLINT	48505
LJ20439	8/27/2020	Lead				0	Copper				0	735	E STEWART	FLINT	48505
LJ17827	8/13/2020	Lead				0	Copper				0	120	EAST ATHERTON	FLINT	48507
LJ17828	8/13/2020	Lead				0	Copper				0	120	EAST ATHERTON	FLINT	48507
LJ30302	10/23/2020	Lead	0	1	0		Copper	0	0	0		945	EAST RUTH AVE	FLINT	48503
LJ33558	11/13/2020	Lead	0	0	0		Copper	0	0	0		6601	EASTMONT DR	FLINT	48505
LJ20394	8/27/2020	Lead				0	Copper				0	1129	EDITH AVE	FLINT	48507
LJ20395	8/27/2020	Lead				0	Copper				0	1129	EDITH AVE	FLINT	48507
LJ26200	9/29/2020	Lead	0	0	0		Copper	70	90	90		1221	ELDORADO DR	FLINT	48504
LJ38779	12/18/2020	Lead	5	0	1		Copper	180	60	90		5385	FARMHILL RD	FLINT	48503
LJ10843	7/1/2020	Lead				0	Copper				0	731	FENTON RD	FLINT	48503
LJ10844	7/1/2020	Lead				0	Copper				0	731	FENTON RD	FLINT	48503
LJ10853	7/1/2020	Lead				0	Copper				0	744	FENTON RD	FLINT	48503
LJ10854	7/1/2020	Lead				0	Copper				0	744	FENTON RD	FLINT	48503
LJ10842	7/1/2020	Lead				9	Copper				0	807	FENTON RD	FLINT	48506
LJ10841	7/1/2020	Lead				41	Copper				0	807	FENTON RD	FLINT	48503
LJ27847	10/8/2020	Lead				3	Copper				0	807	FENTON RD 1ST LITER	FLINT	48504
LJ27848	10/8/2020	Lead				13	Copper				0	807	FENTON RD 5TH LITER	FLINT	48505
LJ20402	8/27/2020	Lead				1	Copper				0	514	FIFTH AVE	FLINT	48503
LJ20403	8/27/2020	Lead				1	Copper				0	514	FIFTH AVE	FLINT	48503
LJ24760	9/22/2020	Lead	0	0	0		Copper	0	0	0		4121	FLEMING ROAD	FLINT	48504
LJ21637	9/3/2020	Lead	0				Copper	0				2501	FLUSHING ROAD	FLINT	48504
LJ34910	11/25/2020	Lead	0				Copper	0				2501	FLUSHING ROAD	FLINT	48504
LJ23988	9/17/2020	Lead				0	Copper				0	713	FRANK ST	FLINT	48504

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ23989	9/17/2020	Lead				0	Copper				0	713	FRANK ST	FLINT	48504
LJ26854	10/1/2020	Lead				0	Copper				0	601	FRANKLIN	FLINT	48503
LJ26855	10/1/2020	Lead				0	Copper				0	601	FRANKLIN	FLINT	48503
LJ34787	11/24/2020	Lead	0	4	3		Copper	0	0	0		809	FRANKS	FLINT	48504
LJ33560	11/13/2020	Lead	2	1	1		Copper	60	50	50		648	FREEMAN AVE	FLINT	48503
LJ15049	7/30/2020	Lead				0	Copper				0	605	GARLAND	FLINT	48503
LJ15050	7/30/2020	Lead				0	Copper				0	605	GARLAND	FLINT	48503
LJ15055	7/30/2020	Lead				2	Copper				110	901	GARLAND	FLINT	48505
LJ15056	7/30/2020	Lead				3	Copper				100	901	GARLAND	FLINT	48503
LJ21654	9/3/2020	Lead				0	Copper				0	2745	GOLFSIDE LN	FLINT	48504
LJ21655	9/3/2020	Lead				0	Copper				0	2745	GOLFSIDE LN	FLINT	48504
LJ26852	10/1/2020	Lead				0	Copper				0	2033	GOODRICH AVE	FLINT	48503
LJ26853	10/1/2020	Lead				0	Copper				0	2033	GOODRICH AVE	FLINT	48503
LJ24004	9/17/2020	Lead				0	Copper				0	928	GRAND TRAVERSE	FLINT	48503
LJ24005	9/17/2020	Lead				0	Copper				0	928	GRAND TRAVERSE	FLINT	48503
LJ10837	7/1/2020	Lead				0	Copper				0	4108	GRAND TRAVERSE	FLINT	48507
LJ10838	7/1/2020	Lead				3	Copper				50	4108	GRAND TRAVERSE	FLINT	48504
LJ13440	7/21/2020	Lead	0	0	0		Copper	0	0	0		3622	GRATIOT AVE	FLINT	48503
LJ16457	8/6/2020	Lead				0	Copper				0	718	HARRISON	FLINT	48502
LJ16458	8/6/2020	Lead				0	Copper				0	718	HARRISON	FLINT	48502
LJ16461	8/6/2020	Lead				0	Copper				0	914	HARRISON	FLINT	48502
LJ16462	8/6/2020	Lead				0	Copper				0	914	HARRISON	FLINT	48502
LJ24010	9/17/2020	Lead				0	Copper				0	822	HURON	FLINT	48507
LJ24011	9/17/2020	Lead				0	Copper				0	822	HURON	FLINT	48507
LJ21648	9/3/2020	Lead				0	Copper				0	940	HURON	FLINT	48507
LJ21649	9/3/2020	Lead				0	Copper				0	940	HURON	FLINT	48507
LJ22592	9/10/2020	Lead				2	Copper				0	1023	HURON	FLINT	48504
LJ22591	9/10/2020	Lead				11	Copper				0	1023	HURON	FLINT	48504
LJ21644	9/3/2020	Lead				0	Copper				0	612	INGLESIDE	FLINT	48507
LJ21645	9/3/2020	Lead				0	Copper				0	612	INGLESIDE	FLINT	48507
LJ20404	8/27/2020	Lead				0	Copper				0	928	INGLESIDE	FLINT	48507
LJ20405	8/27/2020	Lead				0	Copper				0	928	INGLESIDE	FLINT	48507
LJ24018	9/17/2020	Lead				0	Copper				0	1221	JAMES P COLE	FLINT	48503
LJ24019	9/17/2020	Lead				0	Copper				0	1221	JAMES P COLE	FLINT	48503
LJ19178	8/20/2020	Lead				0	Copper				70	1914	KANSAS	FLINT	48506
LJ19179	8/20/2020	Lead				0	Copper				0	1914	KANSAS	FLINT	48506
LJ15341	7/31/2020	Lead	9	1	3		Copper	50	0	0		1735	KENTUCKY	FLINT	48507
LJ21138	9/1/2020	Lead	0	0	0		Copper	0	0	0		3202	KIRKWOOD LN	FLINT	48504
LJ20418	8/27/2020	Lead				0	Copper				0	1425	KNIGHT	FLINT	48503
LJ20419	8/27/2020	Lead				0	Copper				0	1425	KNIGHT	FLINT	48503
LJ10840	7/1/2020	Lead				0	Copper				0	1361	LAPEER	FLINT	48503
LJ10839	7/1/2020	Lead				6	Copper				0	1361	LAPEER	FLINT	48503
LJ10811	7/1/2020	Lead				0	Copper				110	1505	LAPEER	FLINT	48503
LJ10812	7/1/2020	Lead				0	Copper				0	1505	LAPEER	FLINT	48503
LJ19180	8/20/2020	Lead				0	Copper				0	1712	LAPEER	FLINT	48503
LJ19181	8/20/2020	Lead				0	Copper				0	1712	LAPEER	FLINT	48503
LJ19189	8/20/2020	Lead				0	Copper				0	3201	LAPEER	FLINT	48503
LJ19188	8/20/2020	Lead				6	Copper				0	3201	LAPEER	FLINT	48506
LJ10888	7/1/2020	Lead				0	Copper				0	3402	LAPEER	FLINT	48503

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ10889	7/1/2020	Lead				0	Copper				0	3402	LAPEER	FLINT	48503
LJ30923	10/29/2020	Lead				0	Copper				0	1361	LAPEER 1ST LITER	FLINT	48503
LJ30924	10/29/2020	Lead				0	Copper				0	1361	LAPEER 5TH LITER	FLINT	48503
LJ10892	7/1/2020	Lead				0	Copper				0	1113	LAPEER RD	FLINT	48507
LJ19176	8/20/2020	Lead				0	Copper				0	1357	LAPEER RD	FLINT	48503
LJ19177	8/20/2020	Lead				0	Copper				0	1357	LAPEER RD	FLINT	48503
LJ19169	8/20/2020	Lead				3	Copper				0	1361	LAPEER RD	FLINT	48503
LJ19168	8/20/2020	Lead				6	Copper				0	1361	LAPEER RD	FLINT	48503
LJ10894	7/1/2020	Lead				0	Copper				0	1405	LAPEER RD	FLINT	48503
LJ10895	7/1/2020	Lead				0	Copper				0	1405	LAPEER RD	FLINT	48503
LJ19174	8/20/2020	Lead				0	Copper				0	1409	LAPEER RD	FLINT	48503
LJ19175	8/20/2020	Lead				0	Copper				0	1409	LAPEER RD	FLINT	48503
LJ19186	8/20/2020	Lead				0	Copper				0	1519	LAPEER RD	FLINT	48503
LJ19187	8/20/2020	Lead				0	Copper				60	1519	LAPEER RD	FLINT	48503
LJ10900	7/1/2020	Lead				0	Copper				0	3201	LAPEER RD	FLINT	48507
LJ10901	7/1/2020	Lead				0	Copper				0	3201	LAPEER RD	FLINT	48507
LJ20414	8/27/2020	Lead				0	Copper				0	3302	LARCHMONT	FLINT	48503
LJ20415	8/27/2020	Lead				0	Copper				0	3302	LARCHMONT	FLINT	48503
LJ11937	7/9/2020	Lead	2	0	0		Copper	70	0	0		1840	LAUREL OAK DR	FLINT	48504
LJ19535	8/21/2020	Lead	5	1	2		Copper	180	190	190		1955	LAUREL OAK DRIVE	FLINT	48503
LJ32359	11/6/2020	Lead	0	0	0		Copper	0	0	0		5505	LAURENE ST	FLINT	48505
LJ13438	7/21/2020	Lead	145	7	41		Copper	1870	150	580		4124	LEERDA AVE	FLINT	48504
LJ10845	7/1/2020	Lead				0	Copper				0	3162	LEITH	FLINT	48506
LJ10846	7/1/2020	Lead				0	Copper				0	3162	LEITH	FLINT	48506
LJ12842	7/16/2020	Lead				0	Copper				0	2309	LEITH ST	FLINT	48506
LJ12843	7/16/2020	Lead				0	Copper				100	2309	LEITH ST	FLINT	48506
LJ32360	11/6/2020	Lead	4	1	2		Copper	50	0	0		1655	LEITH ST APT 3	FLINT	48504
LJ19536	8/21/2020	Lead	0	0	0		Copper	0	0	0		632	LELAND ST	FLINT	48507
LJ23394	9/15/2020	Lead	0	0	0		Copper	0	0	0		1301	LILLIAN DR	FLINT	48505
LJ39414	12/29/2020	Lead	0	0	0		Copper	0	0	0		1301	LILLIAN DR	FLINT	48504
LJ21646	9/3/2020	Lead				0	Copper				0	1608	LINCOLN	FLINT	48503
LJ21647	9/3/2020	Lead				1	Copper				0	1608	LINCOLN	FLINT	48503
LJ21665	9/3/2020	Lead				0	Copper				0	2015	LINCOLN	FLINT	48503
LJ21664	9/3/2020	Lead				1	Copper				60	2015	LINCOLN	FLINT	48503
LJ12855	7/16/2020	Lead				6	Copper				70	805	LIPPINCOTT	FLINT	48504
LJ12854	7/16/2020	Lead				24	Copper				750	805	LIPPINCOTT	FLINT	48503
LJ12840	7/16/2020	Lead				0	Copper				0	1103	LIPPINCOTT	FLINT	48503
LJ12841	7/16/2020	Lead				0	Copper				0	1103	LIPPINCOTT	FLINT	48503
LJ12848	7/16/2020	Lead				0	Copper				0	1319	LIPPINCOTT	FLINT	48503
LJ12849	7/16/2020	Lead				0	Copper				0	1319	LIPPINCOTT	FLINT	48503
LJ12838	7/16/2020	Lead				0	Copper				0	1418	LIPPINCOTT	FLINT	48503
LJ12839	7/16/2020	Lead				0	Copper				0	1418	LIPPINCOTT	FLINT	48503
LJ19170	8/20/2020	Lead				0	Copper				0	1603	LIPPINCOTT	FLINT	48503
LJ19171	8/20/2020	Lead				0	Copper				0	1603	LIPPINCOTT	FLINT	48503
LJ10870	7/1/2020	Lead				0	Copper				0	1613	LIPPINCOTT	FLINT	48503
LJ10871	7/1/2020	Lead				0	Copper				0	1613	LIPPINCOTT	FLINT	48503
LJ12846	7/16/2020	Lead				0	Copper				0	1613	LIPPINCOTT	FLINT	48503
LJ12847	7/16/2020	Lead				0	Copper				0	1613	LIPPINCOTT	FLINT	48503
LJ10835	7/1/2020	Lead				0	Copper				0	3519	LIPPINCOTT	FLINT	48507

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ10836	7/1/2020	Lead				0	Copper				0	3519	LIPPINCOTT	FLINT	48507
LJ10809	7/1/2020	Lead				0	Copper				0	3621	LIPPINCOTT	FLINT	48507
LJ10810	7/1/2020	Lead				0	Copper				0	3621	LIPPINCOTT	FLINT	48507
LJ32045	11/5/2020	Lead				0	Copper				0	1613	LIPPINCOTT 1ST LITER	FLINT	48503
LJ32046	11/5/2020	Lead				0	Copper				0	1613	LIPPINCOTT 5TH LITER	FLINT	48503
LJ19172	8/20/2020	Lead				0	Copper				0	1301	LIPPINCOTT RD	FLINT	48503
LJ19173	8/20/2020	Lead				0	Copper				0	1301	LIPPINCOTT RD	FLINT	48503
LJ15342	7/31/2020	Lead	0	0	0		Copper	120	0	0		1105	LO PATERSON ST	FLINT	48504
LJ38778	12/18/2020	Lead	0	0	0		Copper	0	0	0		127	MADISON AVE	FLINT	48503
LJ30937	10/29/2020	Lead				0	Copper				0	4609	MAINES 1ST LITER	FLINT	48505
LJ30938	10/29/2020	Lead				0	Copper				0	4609	MAINES 5TH LITER	FLINT	48505
LJ28059	10/9/2020	Lead	5	0	1		Copper	90	0	0		2017	MALLERY ST	FLINT	48505
LJ21660	9/3/2020	Lead				0	Copper				0	912	MANN	FLINT	48503
LJ21661	9/3/2020	Lead				0	Copper				0	912	MANN	FLINT	48503
LJ21668	9/3/2020	Lead				1	Copper				0	916	MANN	FLINT	48503
LJ21669	9/3/2020	Lead				1	Copper				0	916	MANN	FLINT	48503
LJ29613	10/22/2020	Lead				0	Copper				0	3846	MARMION 1ST LITER	FLINT	48506
LJ29614	10/22/2020	Lead				0	Copper				0	3846	MARMION 5TH LITER	FLINT	48506
LJ37329	12/11/2020	Lead	1	1	1		Copper	0	0	0		555	MARY ST	FLINT	48503
LJ38477	12/17/2020	Lead				0	Copper				0	621	MASON ST	FLINT	48503
LJ38478	12/17/2020	Lead				0	Copper				0	621	MASON ST	FLINT	48503
LJ11931	7/9/2020	Lead	0	0	0		Copper	0	0	0		3721	MASON ST	FLINT	48505
LJ38771	12/18/2020	Lead	0	0	0		Copper	0	0	0		3721	MASON ST	FLINT	48505
LJ34789	11/24/2020	Lead	0	0	0		Copper	0	0	0		1201	MAXINE ST	FLINT	48503
LJ26840	10/1/2020	Lead				0	Copper				0	625	MCKINLEY AVE	FLINT	48507
LJ26841	10/1/2020	Lead				0	Copper				0	625	MCKINLEY AVE	FLINT	48507
LJ28731	10/15/2020	Lead				0	Copper				0	4201	MENTON 1ST LITER	FLINT	48507
LJ28732	10/15/2020	Lead				0	Copper				0	4201	MENTON 5TH LITER	FLINT	48507
LJ10847	7/1/2020	Lead				0	Copper				0	2832	MILLER	FLINT	48503
LJ10848	7/1/2020	Lead				0	Copper				0	2832	MILLER	FLINT	48503
LJ10902	7/1/2020	Lead				0	Copper				0	1960	MILLER RD	FLINT	48503
LJ10903	7/1/2020	Lead				0	Copper				0	1960	MILLER RD	FLINT	48503
LJ16449	8/6/2020	Lead				0	Copper				0	2620	MILLER RD	FLINT	48503
LJ16450	8/6/2020	Lead				0	Copper				0	2620	MILLER RD	FLINT	48503
LJ10886	7/1/2020	Lead				0	Copper				130	3506	MILLER RD	FLINT	48503
LJ10887	7/1/2020	Lead				0	Copper				50	3506	MILLER RD	FLINT	48503
LJ18108	8/14/2020	Lead	0	0	0		Copper	0	0	0		2438	MISSOURI AVE	FLINT	48506
LJ10851	7/1/2020	Lead				0	Copper				0	2125	MLK	FLINT	48503
LJ15051	7/30/2020	Lead				0	Copper				0	2310	MLK	FLINT	48505
LJ15052	7/30/2020	Lead				0	Copper				0	2310	MLK	FLINT	48505
LJ15059	7/30/2020	Lead				2	Copper				60	3318	MLK	FLINT	48505
LJ15060	7/30/2020	Lead				2	Copper				0	3318	MLK	FLINT	48503
LJ15057	7/30/2020	Lead				0	Copper				0	4060	MLK	FLINT	48505
LJ15058	7/30/2020	Lead				0	Copper				0	4060	MLK	FLINT	48505
LJ10824	7/1/2020	Lead				0	Copper				0	5102	MLK	FLINT	48505
LJ10873	7/1/2020	Lead				0	Copper				0	5102	MLK	FLINT	48505
LJ10823	7/1/2020	Lead				0	Copper				0	5102	MLK 1ST LITER	FLINT	48505
LJ10872	7/1/2020	Lead				0	Copper				0	5102	MLK 1ST LITER	FLINT	48505
LJ10852	7/1/2020	Lead				0	Copper				0	2125	MLK 5TH LITER	FLINT	48503

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ34904	11/25/2020	Lead	0				Copper	0				3317	MLK AVE	FLINT	48505
LJ21634	9/3/2020	Lead	1				Copper	0				3317	MLK AVE	FLINT	48503
LJ24015	9/17/2020	Lead				0	Copper				0	1647	MONTANA	FLINT	48506
LJ24014	9/17/2020	Lead				1	Copper				0	1647	MONTANA	FLINT	48503
LJ22606	9/10/2020	Lead				1	Copper				0	2007	MONTIETH	FLINT	48503
LJ22605	9/10/2020	Lead				7	Copper				0	2007	MONTIETH	FLINT	48503
LJ23996	9/17/2020	Lead				0	Copper				0	1615	N BALLENGER	FLINT	48504
LJ23997	9/17/2020	Lead				0	Copper				0	1615	N BALLENGER	FLINT	48504
LJ25383	9/24/2020	Lead				1	Copper				0	1714	N BALLENGER	FLINT	48504
LJ25384	9/24/2020	Lead				1	Copper				0	1714	N BALLENGER	FLINT	48503
LJ10826	7/1/2020	Lead				0	Copper				0	1916	N BALLENGER HWY	FLINT	48504
LJ10825	7/1/2020	Lead				3	Copper				80	1916	N BALLENGER HWY	FLINT	48507
LJ22589	9/10/2020	Lead				0	Copper				50	632	N CHEVROLET	FLINT	48504
LJ22590	9/10/2020	Lead				0	Copper				0	632	N CHEVROLET	FLINT	48504
LJ22601	9/10/2020	Lead				2	Copper				0	907	N CHEVROLET	FLINT	48504
LJ22602	9/10/2020	Lead				2	Copper				0	907	N CHEVROLET	FLINT	48504
LJ23990	9/17/2020	Lead				0	Copper				0	950	N CHEVROLET	FLINT	48504
LJ23991	9/17/2020	Lead				0	Copper				0	950	N CHEVROLET	FLINT	48504
LJ22600	9/10/2020	Lead				1	Copper				0	1045	N CHEVROLET	FLINT	48504
LJ22599	9/10/2020	Lead				11	Copper				0	1045	N CHEVROLET	FLINT	48503
LJ10858	7/1/2020	Lead				1	Copper				0	2502	N CHEVROLET	FLINT	48504
LJ10857	7/1/2020	Lead				6	Copper				0	2502	N CHEVROLET	FLINT	48503
LJ12852	7/16/2020	Lead				0	Copper				0	902	N CHEVROLET AVE	FLINT	48504
LJ12853	7/16/2020	Lead				0	Copper				0	902	N CHEVROLET AVE	FLINT	48504
LJ12850	7/16/2020	Lead				1	Copper				0	907	N CHEVROLET AVE	FLINT	48503
LJ12851	7/16/2020	Lead				2	Copper				0	907	N CHEVROLET AVE	FLINT	48503
LJ15047	7/30/2020	Lead				0	Copper				0	1021	N CHEVROLET AVE	FLINT	48504
LJ15048	7/30/2020	Lead				2	Copper				0	1021	N CHEVROLET AVE	FLINT	48503
LJ15045	7/30/2020	Lead				0	Copper				0	1562	N CHEVROLET AVE	FLINT	48504
LJ15046	7/30/2020	Lead				0	Copper				0	1562	N CHEVROLET AVE	FLINT	48504
LJ14031	7/23/2020	Lead				0	Copper				90	1901	N DORT HWY	FLINT	48506
LJ14032	7/23/2020	Lead				0	Copper				220	1901	N DORT HWY	FLINT	48506
LJ15061	7/30/2020	Lead				0	Copper				240	1918	N DORT HWY	FLINT	48506
LJ15062	7/30/2020	Lead				0	Copper				200	1918	N DORT HWY	FLINT	48506
LJ14035	7/23/2020	Lead				0	Copper				0	406	N GRAND TRAVERSE	FLINT	48503
LJ14036	7/23/2020	Lead				0	Copper				0	406	N GRAND TRAVERSE	FLINT	48503
LJ14033	7/23/2020	Lead				0	Copper				0	1626	N GRAND TRAVERSE	FLINT	48503
LJ14034	7/23/2020	Lead				0	Copper				0	1626	N GRAND TRAVERSE	FLINT	48503
LJ10821	7/1/2020	Lead				1	Copper				0	1646	N GRAND TRAVERSE	FLINT	48503
LJ10822	7/1/2020	Lead				1	Copper				60	1646	N GRAND TRAVERSE	FLINT	48532
LJ14027	7/23/2020	Lead				0	Copper				0	1633	N SAGINAW	FLINT	48503
LJ14028	7/23/2020	Lead				0	Copper				0	1633	N SAGINAW	FLINT	48503
LJ16463	8/6/2020	Lead				0	Copper				0	4618	N SAGINAW	FLINT	48505
LJ16464	8/6/2020	Lead				0	Copper				0	4618	N SAGINAW	FLINT	48505
LJ10831	7/1/2020	Lead				0	Copper				0	4901	N SAGINAW	FLINT	48505
LJ10832	7/1/2020	Lead				0	Copper				0	4901	N SAGINAW	FLINT	48505
LJ14025	7/23/2020	Lead				0	Copper				0	5301	N SAGINAW	FLINT	48505
LJ14026	7/23/2020	Lead				0	Copper				0	5301	N SAGINAW ST	FLINT	48505
LJ11933	7/9/2020	Lead	0	0	0		Copper	0	0	0		5459	NASSER ST	FLINT	48505



**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ22587	9/10/2020	Lead				0	Copper				0	2100	NEBRASKA	FLINT	48506
LJ22588	9/10/2020	Lead				0	Copper				0	2100	NEBRASKA	FLINT	48506
LJ11938	7/9/2020	Lead	0	0	0		Copper	60	50	50		2602	NOLEN DRIVE	FLINT	48504
LJ25395	9/24/2020	Lead				0	Copper				0	2721	NORBERT	FLINT	48504
LJ25396	9/24/2020	Lead				0	Copper				0	2721	NORBERT	FLINT	48504
LJ30300	10/23/2020	Lead	0	0	0		Copper	0	0	0		2518	NORTH CHEVOLET AVE	FLINT	48504
LJ21639	9/3/2020	Lead	0				Copper	0				4500	NORTH DORT HIGHWAY	FLINT	48505
LJ34912	11/25/2020	Lead	0				Copper	0				4500	NORTH DORT HIGHWAY	FLINT	48505
LJ17181	8/11/2020	Lead				0	Copper				130	2022	NORTH ST	FLINT	48505
LJ17182	8/11/2020	Lead				0	Copper				150	2022	NORTH ST	FLINT	48505
LJ26199	9/29/2020	Lead	0	0	0		Copper	0	0	0		1825	OAK -BROOK CIRCLE	FLINT	48507
LJ22577	9/10/2020	Lead				0	Copper				50	2131	OHIO AVE	FLINT	48506
LJ22578	9/10/2020	Lead				5	Copper				0	2131	OHIO AVE	FLINT	48503
LJ24008	9/17/2020	Lead				0	Copper				0	1117	OSSINGTON	FLINT	48507
LJ24009	9/17/2020	Lead				0	Copper				0	1117	OSSINGTON	FLINT	48507
LJ22597	9/10/2020	Lead				0	Copper				0	2547	PADUCAH	FLINT	48504
LJ22598	9/10/2020	Lead				0	Copper				0	2547	PADUCAH	FLINT	48504
LJ38777	12/18/2020	Lead	0	0	0		Copper	0	0	0		6802	PARKBELT DR	FLINT	48505
LJ24756	9/22/2020	Lead	0	0	0		Copper	0	0	0		3819	PARKWAY CT	FLINT	48503
LJ26846	10/1/2020	Lead				0	Copper				0	1726	PENOYER CT	FLINT	48506
LJ26847	10/1/2020	Lead				0	Copper				0	1726	PENOYER CT	FLINT	48506
LJ11930	7/9/2020	Lead	0	0	0		Copper	0	0	0		3542	PINGREE AVE	FLINT	48503
LJ15904	8/4/2020	Lead	0	0	0		Copper	0	0	0		3612	PINGREE AVE	FLINT	48583
LJ11934	7/9/2020	Lead	0	0	0		Copper	0	0	0		4125	PROCTOR	FLINT	48504
LJ23998	9/17/2020	Lead				0	Copper				0	2438	RASKOB	FLINT	48504
LJ23999	9/17/2020	Lead				0	Copper				0	2438	RASKOB	FLINT	48504
LJ24000	9/17/2020	Lead				0	Copper				0	2501	RASKOB	FLINT	48504
LJ24001	9/17/2020	Lead				0	Copper				0	2501	RASKOB	FLINT	48504
LJ25719	9/25/2020	Lead	0	0	0		Copper	0	0	0		1509	RASPBERRY LANE	FLINT	48507
LJ25397	9/24/2020	Lead				0	Copper				0	3922	RED ARROW	FLINT	48507
LJ25398	9/24/2020	Lead				0	Copper				0	3922	RED ARROW	FLINT	48507
LJ24013	9/17/2020	Lead				0	Copper				90	1133	REMINGTON	FLINT	48507
LJ24012	9/17/2020	Lead				1	Copper				0	1133	REMINGTON	FLINT	48506
LJ10859	7/1/2020	Lead				0	Copper				0	2701	REYNOLDS	FLINT	48503
LJ10860	7/1/2020	Lead				0	Copper				0	2701	REYNOLDS	FLINT	48503
LJ20436	8/27/2020	Lead				0	Copper				0	2701	REYNOLDS	FLINT	48503
LJ20437	8/27/2020	Lead				2	Copper				0	2701	REYNOLDS	FLINT	48507
LJ17183	8/11/2020	Lead				0	Copper				0	4618	ROBERTS	FLINT	48505
LJ17184	8/11/2020	Lead				0	Copper				0	4618	ROBERTS	FLINT	48505
LJ11929	7/9/2020	Lead	0	0	0		Copper	0	0	0		1214	ROOT ST	FLINT	48503
LJ25721	9/25/2020	Lead	0	0	0		Copper	0	0	0		1718	ROSELAWN DR	FLINT	48504
LJ11925	7/9/2020	Lead	0	0	0		Copper	0	0	0		1946	S AVERILL AVE	FLINT	48503
LJ10882	7/1/2020	Lead				0	Copper				50	945	S BALLENGER	FLINT	48532
LJ10883	7/1/2020	Lead				1	Copper				0	945	S BALLENGER	FLINT	48503
LJ12859	7/16/2020	Lead				1	Copper				0	1502	S FRANKLIN	FLINT	48503
LJ12858	7/16/2020	Lead				2	Copper				80	1502	S FRANKLIN	FLINT	48503
LJ26844	10/1/2020	Lead				0	Copper				0	1409	S FRANKLIN AVE	FLINT	48503
LJ26845	10/1/2020	Lead				0	Copper				0	1409	S FRANKLIN AVE	FLINT	48503
LJ32356	11/6/2020	Lead	0	0	0		Copper	0	0	0		1610	S FRANKLIN AVE	FLINT	48503

Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ10817	7/1/2020	Lead				0	Copper				110	2202	S GRAND TRAVERSE	FLINT	48503
LJ10818	7/1/2020	Lead				2	Copper				70	2202	S GRAND TRAVERSE	FLINT	48503
LJ12856	7/16/2020	Lead				0	Copper				0	2208	S GRAND TRAVERSE	FLINT	48503
LJ12857	7/16/2020	Lead				0	Copper				0	2208	S GRAND TRAVERSE	FLINT	48503
LJ29608	10/22/2020	Lead				0	Copper				0	4408	S GRAND TRAVERSE	FLINT	48507
LJ32041	11/5/2020	Lead				0	Copper				0	520	S GRAND TRAVERSE 1ST LITER	FLINT	48502
LJ33027	11/12/2020	Lead				0	Copper				70	2314	S GRAND TRAVERSE 1ST LITER	FLINT	48503
LJ29607	10/22/2020	Lead				0	Copper				0	4408	S GRAND TRAVERSE 1ST LITER	FLINT	48507
LJ32042	11/5/2020	Lead				0	Copper				0	520	S GRAND TRAVERSE 5TH LITER	FLINT	48502
LJ33028	11/12/2020	Lead				0	Copper				0	2314	S GRAND TRAVERSE 5TH LITER	FLINT	48503
LJ20434	8/27/2020	Lead				0	Copper				0	340	S SAGINAW	FLINT	48502
LJ20435	8/27/2020	Lead				0	Copper				0	340	S SAGINAW	FLINT	48502
LJ20397	8/27/2020	Lead				0	Copper				0	412	S SAGINAW	FLINT	48502
LJ20396	8/27/2020	Lead				4	Copper				0	412	S SAGINAW	FLINT	48506
LJ20427	8/27/2020	Lead				1	Copper				0	428	S SAGINAW	FLINT	48505
LJ20426	8/27/2020	Lead				2	Copper				0	428	S SAGINAW	FLINT	48503
LJ20412	8/27/2020	Lead				0	Copper				0	836	S SAGINAW	FLINT	48502
LJ20413	8/27/2020	Lead				0	Copper				0	836	S SAGINAW	FLINT	48502
LJ20392	8/27/2020	Lead				0	Copper				0	1401	S SAGINAW	FLINT	48503
LJ20393	8/27/2020	Lead				0	Copper				0	1401	S SAGINAW	FLINT	48503
LJ20400	8/27/2020	Lead				0	Copper				0	1514	S SAGINAW	FLINT	48503
LJ20401	8/27/2020	Lead				0	Copper				0	1514	S SAGINAW	FLINT	48503
LJ10890	7/1/2020	Lead				0	Copper				0	1520	S SAGINAW	FLINT	48503
LJ10891	7/1/2020	Lead				0	Copper				0	1520	S SAGINAW	FLINT	48503
LJ20389	8/27/2020	Lead				3	Copper				0	1613	S SAGINAW	FLINT	48503
LJ20388	8/27/2020	Lead				5	Copper				0	1613	S SAGINAW	FLINT	48506
LJ20407	8/27/2020	Lead				0	Copper				0	1638	S SAGINAW	FLINT	48503
LJ20406	8/27/2020	Lead				1	Copper				0	1638	S SAGINAW	FLINT	48502
LJ20424	8/27/2020	Lead				0	Copper				0	2147	S SAGINAW	FLINT	48503
LJ20425	8/27/2020	Lead				0	Copper				0	2147	S SAGINAW	FLINT	48503
LJ16460	8/6/2020	Lead				2	Copper				0	3213	S SAGINAW	FLINT	48503
LJ16459	8/6/2020	Lead				28	Copper				260	3213	S SAGINAW	FLINT	48503
LJ16455	8/6/2020	Lead				1	Copper				0	3217	S SAGINAW	FLINT	48503
LJ16456	8/6/2020	Lead				2	Copper				0	3217	S SAGINAW	FLINT	48503
LJ20411	8/27/2020	Lead				0	Copper				0	3637	S SAGINAW	FLINT	48503
LJ20410	8/27/2020	Lead				2	Copper				70	3637	S SAGINAW	FLINT	48502
LJ20416	8/27/2020	Lead				0	Copper				0	3640	S SAGINAW	FLINT	48503
LJ20417	8/27/2020	Lead				0	Copper				0	3640	S SAGINAW	FLINT	48503
LJ20428	8/27/2020	Lead				0	Copper				80	3841	S SAGINAW	FLINT	48507
LJ20429	8/27/2020	Lead				0	Copper				70	3841	S SAGINAW	FLINT	48507
LJ32361	11/6/2020	Lead	0	0	0		Copper	0	0	0		213	S VERNON AVE	FLINT	48503
LJ21640	9/3/2020	Lead	0				Copper	0				6509	SAGINAW ST	FLINT	48505
LJ34913	11/25/2020	Lead	0				Copper	0				6509	SAGINAW ST	FLINT	48505
LJ11926	7/9/2020	Lead	0	0	0		Copper	0	0	0		1614	SENECA ST	FLINT	48504
LJ26856	10/1/2020	Lead				0	Copper				0	1810	SEYMOUR AVE	FLINT	48503
LJ26857	10/1/2020	Lead				0	Copper				0	1810	SEYMOUR AVE	FLINT	48503
LJ21632	9/3/2020	Lead	0				Copper	0				3302	SOUTH DORT HIGHWAY	FLINT	48507
LJ34909	11/25/2020	Lead	0				Copper	0				3302	SOUTH DORT HIGHWAY	FLINT	48507
LJ19534	8/21/2020	Lead	0	0	0		Copper	90	0	0		510	SPENCER ST	FLINT	48505

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ19540	8/21/2020	Lead	1	0	0		Copper	0	0	0		630	SPENCER ST	FLINT	48503
LJ23392	9/15/2020	Lead	0	0	0		Copper	0	0	0		SAGINAW	ST	FLINT	48507
LJ15340	7/31/2020	Lead	0	0	0		Copper	0	0	0		2613	STEVENSON ST	FLINT	48504
LJ20408	8/27/2020	Lead				0	Copper				0	1713	STOCKER	FLINT	48503
LJ20409	8/27/2020	Lead				0	Copper				0	1713	STOCKER	FLINT	48503
LJ30593	10/27/2020	Lead	0	0	0		Copper	0	0	0		1401	SUNNYSIDE AVE	FLINT	48503
LJ10875	7/1/2020	Lead				0	Copper				0	3769	SUNSET	FLINT	48503
LJ10874	7/1/2020	Lead				0	Copper				0	3769	SUSNET	FLINT	48503
LJ20399	8/27/2020	Lead				0	Copper				0	2202	SWAYZE	FLINT	48503
LJ20398	8/27/2020	Lead				2	Copper				90	2202	SWAYZE	FLINT	48503
LJ22584	9/10/2020	Lead				0	Copper				0	2521	SWAYZE	FLINT	48503
LJ22583	9/10/2020	Lead				1	Copper				0	2521	SWAYZE	FLINT	48504
LJ22595	9/10/2020	Lead				0	Copper				0	2614	SWAYZE	FLINT	48503
LJ22596	9/10/2020	Lead				0	Copper				0	2614	SWAYZE	FLINT	48503
LJ22581	9/10/2020	Lead				0	Copper				0	2618	SWAYZE	FLINT	48503
LJ22582	9/10/2020	Lead				0	Copper				0	2618	SWAYZE	FLINT	48503
LJ22593	9/10/2020	Lead				0	Copper				0	2738	SWAYZE	FLINT	48503
LJ22594	9/10/2020	Lead				0	Copper				0	2738	SWAYZE	FLINT	48503
LJ25716	9/25/2020	Lead	0	0	0		Copper	0	0	0		2913	THOM ST	FLINT	48506
LJ30301	10/23/2020	Lead	3	0	0		Copper	200	70	100		4212	TRUMBULL AVE	FLINT	48502
LJ15902	8/4/2020	Lead	0	0	0		Copper	0	0	0		4534	TRUMBULL DR	FLINT	48504
LJ33813	11/17/2020	Lead	0	0	0		Copper	0	0	0		2217	TUSCOLA ST	FLINT	48503
LJ12860	7/16/2020	Lead				0	Copper				0	509	W 12TH ST	FLINT	48503
LJ12861	7/16/2020	Lead				1	Copper				0	509	W 12TH ST	FLINT	48503
LJ12845	7/16/2020	Lead				0	Copper				0	602	W 12TH ST	FLINT	48503
LJ12844	7/16/2020	Lead				1	Copper				0	602	W 12TH ST	FLINT	48503
LJ10849	7/1/2020	Lead				0	Copper				0	1038	W 12TH ST	FLINT	48507
LJ10850	7/1/2020	Lead				0	Copper				0	1038	W 12TH ST	FLINT	48507
LJ14029	7/23/2020	Lead				0	Copper				0	512	W 5TH ST	FLINT	48503
LJ14030	7/23/2020	Lead				0	Copper				0	512	W 5TH ST	FLINT	48503
LJ10884	7/1/2020	Lead				0	Copper				0	1201	W ATHERTON	FLINT	48507
LJ10885	7/1/2020	Lead				3	Copper				0	1201	W ATHERTON	FLINT	48506
LJ32047	11/5/2020	Lead				0	Copper				0	1201	W ATHERTON 1ST LITER	FLINT	48507
LJ32048	11/5/2020	Lead				0	Copper				0	1201	W ATHERTON 5TH LITER	FLINT	48507
LJ24017	9/17/2020	Lead				1	Copper				0	1110	W COURT	FLINT	48504
LJ24016	9/17/2020	Lead				6	Copper				0	1110	W COURT	FLINT	48504
LJ10827	7/1/2020	Lead				0	Copper				0	1526	W COURT	FLINT	48503
LJ10828	7/1/2020	Lead				0	Copper				0	1526	W COURT	FLINT	48503
LJ10855	7/1/2020	Lead				0	Copper				0	2305	W COURT	FLINT	48503
LJ10856	7/1/2020	Lead				0	Copper				0	2305	W COURT	FLINT	48503
LJ21662	9/3/2020	Lead				0	Copper				0	3209	W COURT	FLINT	48503
LJ21663	9/3/2020	Lead				1	Copper				0	3209	W COURT	FLINT	48503
LJ21642	9/3/2020	Lead				0	Copper				0	3802	W COURT	FLINT	48532
LJ21643	9/3/2020	Lead				0	Copper				0	3802	W COURT	FLINT	48532
LJ10815	7/1/2020	Lead				0	Copper				0	4029	W COURT	FLINT	48532
LJ10816	7/1/2020	Lead				0	Copper				0	4029	W COURT	FLINT	48532
LJ25393	9/24/2020	Lead				0	Copper				0	3009	W COURT #2	FLINT	48503
LJ25394	9/24/2020	Lead				0	Copper				0	3009	W COURT #2	FLINT	48503
LJ10878	7/1/2020	Lead				1	Copper				0	2225	W COURT ST	FLINT	48503

**Flint Residential Testing Report - results collected July 1, 2020 through December 29, 2020**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ10879	7/1/2020	Lead				1	Copper				60	2225	W COURT ST	FLINT	48503
LJ10898	7/1/2020	Lead				41	Copper				50	3209	W COURT ST	FLINT	48504
LJ10819	7/1/2020	Lead				0	Copper				0	3614	W COURT ST	FLINT	48532
LJ10820	7/1/2020	Lead				0	Copper				0	3614	W COURT ST	FLINT	48532
LJ10899	7/1/2020	Lead				2	Copper				0	3209	W COURTS ST	FLINT	48504
LJ25720	9/25/2020	Lead	0	0	0		Copper	0	0	0		2112	W DARTMOUTH	FLINT	48504
LJ28858	10/15/2020	Lead	0	1	0		Copper	0	0	0		1530	W JACKSON AVE	FLINT	48503
LJ32357	11/6/2020	Lead	0	0	0		Copper	0	0	0		110	W KEARSLEY ST	FLINT	48502-1322
LJ38776	12/18/2020	Lead	0	0	0		Copper	0	0	0		2213	W MAPLE AVE	FLINT	48507
LJ31237	10/30/2020	Lead	0	0	0		Copper	0	0	0		625	W MARENGO AVE	FLINT	48505
LJ34788	11/24/2020	Lead	15	4	7		Copper	70	0	0		621	W PASADENA AVE	FLINT	48503
LJ10896	7/1/2020	Lead				0	Copper				0	516	W STEWART AVE	FLINT	48505
LJ10897	7/1/2020	Lead				0	Copper				0	516	W STEWART AVE	FLINT	48505
LJ25717	9/25/2020	Lead	0	0	0		Copper	0	0	0		1317	W STEWART AVE	FLINT	48504
LJ26848	10/1/2020	Lead				0	Copper				0	2009	WEAVER	FLINT	48506
LJ26849	10/1/2020	Lead				0	Copper				0	2009	WEAVER	FLINT	48506
LJ26842	10/1/2020	Lead				0	Copper				0	2013	WEAVER ST	FLINT	48506
LJ26843	10/1/2020	Lead				0	Copper				0	2013	WEAVER ST	FLINT	48506
LJ21136	9/1/2020	Lead	1	0	0		Copper	60	60	60		6732	WEBESTER RD	FLINT	48506
LJ24002	9/17/2020	Lead				0	Copper				0	1631	WEST COURT	FLINT	48503
LJ24003	9/17/2020	Lead				0	Copper				0	1631	WEST COURT	FLINT	48503
LJ10861	7/1/2020	Lead				0	Copper				0	343	WESTCOMBE	FLINT	48503
LJ10862	7/1/2020	Lead				0	Copper				0	343	WESTCOMBE	FLINT	48503
LJ21658	9/3/2020	Lead				0	Copper				0	402	WESTCOMBE	FLINT	48503
LJ21659	9/3/2020	Lead				0	Copper				0	402	WESTCOMBE	FLINT	48503
LJ21670	9/3/2020	Lead				0	Copper				90	430	WESTCOMBE	FLINT	48503
LJ21671	9/3/2020	Lead				0	Copper				0	430	WESTCOMBE	FLINT	48503
LJ21135	9/1/2020	Lead	0	0	0		Copper	0	0	0		5007	WESTERN RD	FLINT	48506
LJ31239	10/30/2020	Lead	0	0	0		Copper	70	70	70		3405	WESTWOOD PKY	FLINT	48503
LJ18107	8/14/2020	Lead	0	0	0		Copper	80	70	70		315	WHITE ST	FLINT	48505
LJ28058	10/9/2020	Lead	0	0	0		Copper	0	0	0		4024	WINONA	FLINT	48504
LJ24006	9/17/2020	Lead				0	Copper				0	2202	WOLCOTT	FLINT	48504
LJ24007	9/17/2020	Lead				0	Copper				0	2202	WOLCOTT	FLINT	48504
LJ23992	9/17/2020	Lead				0	Copper				50	2526	WOLCOTT	FLINT	48504
LJ23993	9/17/2020	Lead				0	Copper				0	2526	WOLCOTT	FLINT	48504
LJ32920	11/10/2020	Lead	0	0	0		Copper	0	0	0		1927	WOOD LANE	FLINT	48503
LJ18525	8/18/2020	Lead	0	0	0		Copper	0	0	0				FLINT	48507

Notes:

ppb = parts per billion

Lead values exceeding 15 ppb and Copper results exceeding 1,300 are highlighted in red.

Sample results of "Not Detected" have been replaced with a numerical value of zero for ease of sorting.

Samples without a zip code did not have one provided on the accompanying paperwork.

\*\*\* indicate Invalid Zip Code