

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ40583	1/12/2021	Lead	0	0	0		Copper	0	0	0		4702	GREENLAWN	FLINT	48504
LJ40584	1/12/2021	Lead	0	0	0		Copper	0	0	0		4815	GLENN AVE	FLINT	48505
LJ41147	1/14/2021	Lead	0				Copper	0				3521	CORUNNA ROAD	FLINT	48503
LJ41148	1/14/2021	Lead	0				Copper	0				3302	SOUTH DORT HIGHWAY	FLINT	48505
LJ41149	1/14/2021	Lead	0				Copper	0				2838	E COURT ST	FLINT	48506
LJ41150	1/14/2021	Lead	0				Copper	0				2501	FLUSHING ROAD	FLINT	48504
LJ41151	1/14/2021	Lead	0				Copper	110				5018	CLIO ROAD	FLINT	48504
LJ41152	1/14/2021	Lead	0				Copper	0				6509	SAGINAW ST	FLINT	48505
LJ41153	1/14/2021	Lead	0				Copper	0				1416	DUPONT STREET	FLINT	48503
LJ41154	1/14/2021	Lead	0				Copper	0				1100	CEDAR STREET	FLINT	48503
LJ41155	1/14/2021	Lead	0				Copper	0				3317	MLK AVE	FLINT	48505
LJ41156	1/14/2021	Lead	0				Copper	0				3802	DAVISON ROAD	FLINT	48506
LJ41157	1/14/2021	Lead	0				Copper	0				4500	NORTH DORT HWY	FLINT	48505
LJ41592	1/19/2021	Lead	0	0	0		Copper	0	0	0		4518	MILTON DR	FLINT	48507
LJ42653	1/26/2021	Lead	0	0	0		Copper	0	0	0		1937	BURR BLVD	FLINT	48503
LJ42654	1/26/2021	Lead	0	0	0		Copper	90	0	0		2010	HOWARD AVE	FLINT	48503
LJ43058	1/28/2021	Lead				0	Copper				0	520	S GRAND TRAVERSE	FLINT	48502
LJ43059	1/28/2021	Lead				0	Copper				0	520	S GRAND TRAVERSE	FLINT	48502
LJ43060	1/28/2021	Lead				0	Copper				0	3318	MLK	FLINT	48505
LJ43061	1/28/2021	Lead				0	Copper				0	3318	MLK	FLINT	48505
LJ43062	1/28/2021	Lead				0	Copper				0	1361	LAPEER	FLINT	48503
LJ43063	1/28/2021	Lead				0	Copper				0	1361	LAPEER	FLINT	48503
LJ43064	1/28/2021	Lead				0	Copper				0	2201	W COURT	FLINT	48503
LJ43065	1/28/2021	Lead				0	Copper				0	2201	W COURT	FLINT	48503
LJ44159	2/5/2021	Lead	0	0	0		Copper	60	0	0		3131	PROSPECT ST	FLINT	48504
LJ44161	2/5/2021	Lead	0	0	0		Copper	0	0	0		1309	WALDMAN AVE	FLINT	48507
LJ44325	2/8/2021	Lead				0	Copper				0	713	FRANK ST	FLINT	48504
LJ44326	2/8/2021	Lead				0	Copper				0	713	FRANK ST	FLINT	48504
LJ44327	2/8/2021	Lead				0	Copper				0	726	BEACH ST	FLINT	48502
LJ44328	2/8/2021	Lead				0	Copper				0	726	BEACH ST	FLINT	48502
LJ44329	2/8/2021	Lead				0	Copper				0	726	DICKINSON	FLINT	48504
LJ44330	2/8/2021	Lead				0	Copper				0	726	DICKINSON	FLINT	48504
LJ44331	2/8/2021	Lead				0	Copper				0	713	DICKINSON	FLINT	48504
LJ44332	2/8/2021	Lead				0	Copper				0	713	DICKINSON	FLINT	48504
LJ44333	2/8/2021	Lead				0	Copper				0	426	W 1ST AVE	FLINT	48503
LJ44334	2/8/2021	Lead				0	Copper				60	426	W 1ST AVE	FLINT	48503
LJ44335	2/8/2021	Lead				0	Copper				0	506	CRAPO	FLINT	48503
LJ44336	2/8/2021	Lead				0	Copper				0	506	CRAPO	FLINT	48503
LJ44337	2/8/2021	Lead				0	Copper				0	916	MANN	FLINT	48503
LJ44338	2/8/2021	Lead				0	Copper				0	916	MANN	FLINT	48503
LJ44339	2/8/2021	Lead				0	Copper				0	1425	KNIGHT	FLINT	48503
LJ44340	2/8/2021	Lead				0	Copper				0	1425	KNIGHT	FLINT	48503
LJ44540	2/9/2021	Lead	0	0	0		Copper	60	0	0		3514	DALE AVE	FLINT	48506
LJ44858	2/12/2021	Lead				0	Copper				0	924	MCQUEEN	FLINT	48503
LJ44859	2/12/2021	Lead				0	Copper				70	2301	LEVERN	FLINT	48506
LJ44860	2/12/2021	Lead				0	Copper				0	2301	LEVERN	FLINT	48506

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ44861	2/12/2021	Lead				0	Copper				0	810	HOLBROOK	FLINT	48505
LJ44862	2/12/2021	Lead				0	Copper				0	810	HOLBROOK	FLINT	48505
LJ44863	2/12/2021	Lead				0	Copper				0	5309	SELBY ST	FLINT	48505
LJ44864	2/12/2021	Lead				0	Copper				0	721	E HOLBROOK AVE	FLINT	48505
LJ44865	2/12/2021	Lead				0	Copper				0	721	E HOLBROOK AVE	FLINT	48505
LJ44868	2/12/2021	Lead				0	Copper				0	924	MCQUEEN	FLINT	48503
LJ44869	2/12/2021	Lead				0	Copper				0	330	E PHILADELPHIA BLVD	FLINT	48505
LJ44870	2/12/2021	Lead				0	Copper				0	330	E PHILADELPHIA BLVD	FLINT	48505
LJ44871	2/12/2021	Lead				0	Copper				0	5101	N SAGINAW ST	FLINT	48505
LJ44872	2/12/2021	Lead				0	Copper				0	5101	N SAGINAW ST	FLINT	48505
LJ44873	2/12/2021	Lead				0	Copper				0	5309	SELBY ST	FLINT	48505
LJ44874	2/12/2021	Lead				0	Copper				0	2100	DAVISON	FLINT	48506
LJ44875	2/12/2021	Lead				0	Copper				0	2100	DAVISON	FLINT	48506
LJ44876	2/12/2021	Lead				0	Copper				0	3222	GRAND TRAVERSE	FLINT	48507
LJ44877	2/12/2021	Lead				0	Copper				0	3222	GRAND TRAVERSE	FLINT	48507
LJ44902	2/12/2021	Lead	0	0	0		Copper	0	0	0		1401	IDA	FLINT	48203
LJ45164	2/19/2021	Lead				0	Copper				0	731	PETTIBONE AVE	FLINT	48507
LJ45165	2/19/2021	Lead				0	Copper				0	731	PETTIBONE AVE	FLINT	48507
LJ45167	2/19/2021	Lead				0	Copper				0	947	MANN AVE	FLINT	48503
LJ45168	2/19/2021	Lead				0	Copper				0	1219	HURON ST	FLINT	48507
LJ45169	2/19/2021	Lead				0	Copper				0	1219	HURON ST	FLINT	48507
LJ45170	2/19/2021	Lead				0	Copper				0	1328	HURON ST	FLINT	48507
LJ45171	2/19/2021	Lead				0	Copper				0	1328	HURON ST	FLINT	48507
LJ45172	2/19/2021	Lead				0	Copper				0	720	CHURCH ST	FLINT	48502
LJ45173	2/19/2021	Lead				0	Copper				0	720	CHURCH ST	FLINT	48502
LJ45174	2/19/2021	Lead				0	Copper				0	725	E HOLBROOK AVE	FLINT	48505
LJ45175	2/19/2021	Lead				0	Copper				0	725	E HOLBROOK AVE	FLINT	48505
LJ45400	2/23/2021	Lead	0	0	0		Copper	0	0	0		349	BEDE ST	FLINT	48507
LJ45667	2/25/2021	Lead				0	Copper				0	314	E GENESEE ST 5TH LITER	FLINT	48505
LJ45668	2/25/2021	Lead				0	Copper				0	4606	NORTH ST 5TH LITER	FLINT	48505
LJ45669	2/25/2021	Lead				0	Copper				0	4606	NORTH ST 1ST LITER	FLINT	48505
LJ45670	2/25/2021	Lead				0	Copper				0	314	E GENESEE ST 1ST LITER	FLINT	48505
LJ45656	2/25/2021	Lead	0				Copper	0				1100	CEDAR STREET	FLINT	48503
LJ45657	2/25/2021	Lead	0				Copper	0				6509	SAGINAW ST	FLINT	48505
LJ45658	2/25/2021	Lead	0				Copper	0				1416	DUPONT ST	FLINT	48503
LJ45659	2/25/2021	Lead	0				Copper	0				2838	E COURT ST	FLINT	48506
LJ45660	2/25/2021	Lead	0				Copper	0				3521	CORUNNA RD	FLINT	48503
LJ45661	2/25/2021	Lead	0				Copper	0				3302	SOUTH DORT HWY	FLINT	48507
LJ45662	2/25/2021	Lead	0				Copper	0				2501	FLUSHING RD	FLINT	48504
LJ45663	2/25/2021	Lead	0				Copper	0				3317	MLK AVE	FLINT	48505
LJ45664	2/25/2021	Lead	0				Copper	0				4500	NORTH DORT HWY	FLINT	48505
LJ45665	2/25/2021	Lead	0				Copper	90				5018	CLIO RD	FLINT	48504
LJ45666	2/25/2021	Lead	0				Copper	0				3802	DAVISON RD	FLINT	48506
LJ46026	3/2/2021	Lead				0	Copper				0	1418	PETTIBONE AVE	FLINT	48507
LJ46028	3/2/2021	Lead				0	Copper				0	1418	PETTIBONE AVE	FLINT	48507
LJ46030	3/2/2021	Lead				0	Copper				0	910	ADDISON ST	FLINT	48505

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit		1 Bottle Kit	Analysis (Copper)	2 Bottle Kit		1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated		1 Liter (PPB)	250 ml Bottle (PPB)	750 ml Bottle (PPB)				
LJ46436	3/4/2021	Lead			0	Copper			0	3401	MASON ST	FLINT	48505
LJ46437	3/4/2021	Lead			0	Copper			0	3401	MASON ST	FLINT	48505
LJ46438	3/4/2021	Lead			0	Copper			0	1225	HURON ST	FLINT	48507
LJ46439	3/4/2021	Lead			0	Copper			0	3518	NORWOOD DR	FLINT	48503
LJ46440	3/4/2021	Lead			0	Copper			0	2449	REID ST	FLINT	48503
LJ46441	3/4/2021	Lead			0	Copper			0	1225	HURON ST	FLINT	48507
LJ46442	3/4/2021	Lead			0	Copper			0	3518	NORWOOD DR	FLINT	48503
LJ46443	3/4/2021	Lead			0	Copper			0	2449	REID ST	FLINT	48503
LJ46444	3/4/2021	Lead			0	Copper			0	710	INGLESIDE AVE	FLINT	48507
LJ46445	3/4/2021	Lead			0	Copper			0	710	INGLESIDE AVE	FLINT	48507
LJ47486	3/11/2021	Lead			0	Copper			100	512	W FIFTH ST	FLINT	48503
LJ47487	3/11/2021	Lead			0	Copper			210	512	W FIFTH ST	FLINT	48503
LJ47488	3/11/2021	Lead			0	Copper			0	2618	MACKIN RD	FLINT	48504
LJ47489	3/11/2021	Lead			0	Copper			0	2618	MACKIN RD	FLINT	48504
LJ47490	3/11/2021	Lead			0	Copper			0	1809	N BALLENGR	FLINT	48504
LJ47491	3/11/2021	Lead			0	Copper			0	1809	N BALLENGR	FLINT	48504
LJ47492	3/11/2021	Lead			0	Copper			0	514	W FIFTH ST	FLINT	48503
LJ47493	3/11/2021	Lead			0	Copper			170	514	W FIFTH ST	FLINT	48503
LJ47495	3/11/2021	Lead			0	Copper			60	2415	CHICAGO BLVD	FLINT	48503
LJ47496	3/11/2021	Lead			0	Copper			0	2113	CORUNNA RD	FLINT	48503
LJ47497	3/11/2021	Lead			0	Copper			0	2113	CORUNNA RD	FLINT	48503
LJ47498	3/11/2021	Lead			0	Copper			60	2638	CORUNNA RD	FLINT	48503
LJ47499	3/11/2021	Lead			0	Copper			80	2638	CORUNNA RD	FLINT	48503
LJ47500	3/11/2021	Lead			0	Copper			0	732	NEWBERT AVE	FLINT	48507
LJ47501	3/11/2021	Lead			0	Copper			0	732	NEWBERT AVE	FLINT	48507
LJ47502	3/11/2021	Lead			0	Copper			0	2525	LESTER ST	FLINT	48503
LJ47503	3/11/2021	Lead			0	Copper			0	2525	LESTER ST	FLINT	48503
LJ48128	3/18/2021	Lead			0	Copper			0	2809	BRANDON	FLINT	48503
LJ48129	3/18/2021	Lead			0	Copper			0	2809	BRANDON	FLINT	48503
LJ48131	3/18/2021	Lead			0	Copper			0	221	W DEWEY ST	FLINT	48505
LJ48132	3/18/2021	Lead			0	Copper			0	216	W PATERSON ST	FLINT	48503
LJ48133	3/18/2021	Lead			0	Copper			0	216	W PATERSON ST	FLINT	48503
LJ48134	3/18/2021	Lead			0	Copper			100	803	STEVENS ST	FLINT	48502
LJ48135	3/18/2021	Lead			0	Copper			0	803	STEVENS ST	FLINT	48502
LJ48137	3/18/2021	Lead			0	Copper			0	1610	CRESCENT DR	FLINT	48503
LJ48138	3/18/2021	Lead			0	Copper			0	2621	BROWN ST	FLINT	48503
LJ48139	3/18/2021	Lead			0	Copper			0	2621	BROWN ST	FLINT	48503
LJ48140	3/18/2021	Lead			0	Copper			0	3509	BRUNSWICK AVE	FLINT	48507
LJ48141	3/18/2021	Lead			0	Copper			0	3509	BRUNSWICK AVE	FLINT	48507
LJ48142	3/18/2021	Lead			0	Copper			0	846	INGLESIDE AVE	FLINT	48507
LJ48143	3/18/2021	Lead			0	Copper			0	846	INGLESIDE AVE	FLINT	48507
LJ48144	3/18/2021	Lead			0	Copper			0	2605	CORUNNA RD	FLINT	48503
LJ48145	3/18/2021	Lead			0	Copper			0	2605	CORUNNA RD	FLINT	48503
LJ48146	3/18/2021	Lead			0	Copper			0	610	WHITE ST	FLINT	48505
LJ48147	3/18/2021	Lead			0	Copper			0	610	WHITE ST	FLINT	48505
LJ48148	3/18/2021	Lead			0	Copper			0	127	W PHILADELPHIA BLVD	FLINT	48505

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ48149	3/18/2021	Lead				0	Copper				0	127	W PHILADELPHIA BLVD	FLINT	48505
LJ48456	3/19/2021	Lead	0	0	0		Copper	60	0	0		1634	WYOMING AVE	FLINT	48506
LJ48458	3/19/2021	Lead	0	0	0		Copper	0	70	50		3201	CHEROKEE AVE	FLINT	48507
LJ49070	3/25/2021	Lead				0	Copper				0	635	CRAWFORD ST	FLINT	48507
LJ49071	3/25/2021	Lead				0	Copper				0	635	CRAWFORD ST	FLINT	48507
LJ49072	3/25/2021	Lead				0	Copper				0	975	GAINEY AVE	FLINT	48503
LJ49073	3/25/2021	Lead				0	Copper				0	975	GAINEY AVE	FLINT	48503
LJ49074	3/25/2021	Lead				0	Copper				0	3621	FENTON RD	FLINT	48507
LJ49075	3/25/2021	Lead				0	Copper				0	3621	FENTON RD	FLINT	48507
LJ49076	3/25/2021	Lead				0	Copper				0	932	HUGHES AVE	FLINT	48503
LJ49077	3/25/2021	Lead				0	Copper				0	932	HUGHES AVE	FLINT	48503
LJ49078	3/25/2021	Lead				0	Copper				0	2710	CUMMINGS	FLINT	48503
LJ49079	3/25/2021	Lead				0	Copper				0	2710	CUMMINGS	FLINT	48503
LJ49080	3/25/2021	Lead				0	Copper				110	1215	HUGHES AVE	FLINT	48503
LJ49081	3/25/2021	Lead				0	Copper				0	1215	HUGHES AVE	FLINT	48503
LJ49082	3/25/2021	Lead				0	Copper				120	3622	HOGARTH AVE	FLINT	48532
LJ49083	3/25/2021	Lead				0	Copper				0	3622	HOGARTH AVE	FLINT	48532
LJ49084	3/25/2021	Lead				0	Copper				0	974	HAMMOND AVE	FLINT	48503
LJ49085	3/25/2021	Lead				0	Copper				0	974	HAMMOND AVE	FLINT	48503
LJ49721	3/30/2021	Lead	0	0	0		Copper	0	0	0		4028	NORTH ST	FLINT	48505
LJ49722	3/30/2021	Lead	0	0	0		Copper	0	0	0		3014	BERKLEY	FLINT	48504
LJ49723	3/30/2021	Lead	0	0	0		Copper	0	0	0		801	WEST DARTMOUTH ST	FLINT	48504
LJ49724	3/30/2021	Lead	0	0	0		Copper	70	80	80		1113	COPEMAN BLVD	FLINT	48504
LJ49725	3/30/2021	Lead	0	0	0		Copper	130	0	0		1223	BENNETT AVE	FLINT	48506
LJ50175	4/1/2021	Lead				0	Copper				120	1704	CRESCENT DR	FLINT	48503
LJ50176	4/1/2021	Lead				0	Copper				60	1704	CRESCENT DR	FLINT	48503
LJ51016	4/8/2021	Lead				0	Copper				70	340	S SAGINAW ST	FLINT	48502
LJ51017	4/8/2021	Lead				0	Copper				0	340	S SAGINAW ST	FLINT	48502
LJ51460	4/9/2021	Lead	0	0	0		Copper	0	0	0		2714	DAKOTA AVE	FLINT	48506
LJ51463	4/9/2021	Lead	0	0	0		Copper	110	70	80		2621	CONCORD ST	FLINT	48504
LJ51464	4/9/2021	Lead	0	0	0		Copper	180	170	170		927	BLANCHARD AVE	FLINT	48503
LJ52066	4/15/2021	Lead				0	Copper				0	1647	MONTANA	FLINT	48506
LJ52067	4/15/2021	Lead				0	Copper				110	1704	CRESCENT DR	FLINT	48503
LJ52068	4/15/2021	Lead				0	Copper				0	1704	CRESCENT DR	FLINT	48503
LJ52069	4/15/2021	Lead				0	Copper				50	1519	LAPEER RD	FLINT	48503
LJ52070	4/15/2021	Lead				0	Copper				70	1519	LAPEER RD	FLINT	48503
LJ52965	4/22/2021	Lead				0	Copper				0	2605	CORUNNA RD	FLINT	48503
LJ52966	4/22/2021	Lead				0	Copper				0	2605	CORUNNA RD	FLINT	48503
LJ52967	4/22/2021	Lead				0	Copper				0	2021	MARKAM ST	FLINT	48507
LJ52968	4/22/2021	Lead				0	Copper				0	2021	MARKAM ST	FLINT	48507
LJ52969	4/22/2021	Lead				0	Copper				0	2113	CORUNNA RD	FLINT	48503
LJ52970	4/22/2021	Lead				0	Copper				0	2113	CORUNNA RD	FLINT	48503
LJ52971	4/22/2021	Lead				0	Copper				0	2317	CORUNNA RD	FLINT	48503
LJ52972	4/22/2021	Lead				0	Copper				0	2317	CORUNNA RD	FLINT	48503
LJ52986	4/22/2021	Lead	0	0	0		Copper	0	0	0		1922	CASTLE LN	FLINT	48504
LJ52987	4/22/2021	Lead	0	0	0		Copper	90	90	90		641	W HOLMES	FLINT	48505

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ52988	4/22/2021	Lead	0	0	0		Copper	0	0	0		3606	HOLLY AVE	FLINT	48506
LJ52989	4/22/2021	Lead	0	0	0		Copper	0	0	0		3301	MALLERY ST	FLINT	48504
LJ52990	4/22/2021	Lead	0	0	0		Copper	0	0	0		2013	SEYMOUR ST	FLINT	48503
LJ52991	4/22/2021	Lead	0	0	0		Copper	90	90	90		316	W BUNDY AVE	FLINT	48505
LJ52992	4/22/2021	Lead	0	0	0		Copper	0	0	0		3211	FRANKLIN AVE	FLINT	48506
LJ53450	4/27/2021	Lead	0	0	0		Copper	50	0	0		2023	MILLER RD	FLINT	48503
LJ53451	4/27/2021	Lead	0	0	0		Copper	0	0	0		3901	HAMMERBERG RD C6	FLINT	48507
LJ53778	4/29/2021	Lead				0	Copper				0	2805	BRANDON ST	FLINT	48503
LJ53999	4/30/2021	Lead	0	0	0		Copper	0	0	0		5075	ROBERTS DR	FLINT	48506
LJ54908	5/6/2021	Lead				0	Copper				0	2714	BRANDON ST	FLINT	48503
LJ54909	5/6/2021	Lead				0	Copper				0	2714	BRANDON ST	FLINT	48503
LJ54910	5/6/2021	Lead				0	Copper				0	1312	N LYNCH ST	FLINT	48506
LJ54911	5/6/2021	Lead				0	Copper				0	1312	N LYNCH ST	FLINT	48506
LJ54912	5/6/2021	Lead				0	Copper				0	2225	W COURT ST	FLINT	48503
LJ54913	5/6/2021	Lead				0	Copper				0	2225	W COURT ST	FLINT	48503
LJ54915	5/6/2021	Lead				0	Copper				0	807	E 2ND ST	FLINT	48503
LJ54916	5/6/2021	Lead				0	Copper				0	1638	S SAGINAW ST	FLINT	48503
LJ54917	5/6/2021	Lead				0	Copper				0	1638	S SAGINAW ST	FLINT	48503
LJ54918	5/6/2021	Lead				0	Copper				0	1517	N GRAND TRAVERSE ST	FLINT	48503
LJ54919	5/6/2021	Lead				0	Copper				0	1517	N GRAND TRAVERSE ST	FLINT	48503
LJ54920	5/6/2021	Lead				0	Copper				0	2021	UTAH AVE	FLINT	48506
LJ54921	5/6/2021	Lead				0	Copper				0	2021	UTAH AVE	FLINT	48506
LJ54922	5/6/2021	Lead				0	Copper				0	4601	RED ARROW RD	FLINT	48507
LJ54923	5/6/2021	Lead				0	Copper				0	4601	RED ARROW RD	FLINT	48507
LJ54924	5/6/2021	Lead				0	Copper				0	2133	CARTIER ST	FLINT	48504
LJ54925	5/6/2021	Lead				0	Copper				0	2133	CARTIER ST	FLINT	48504
LJ54926	5/6/2021	Lead				0	Copper				0	950	N CHEVROLET AVE	FLINT	48504
LJ54927	5/6/2021	Lead				0	Copper				0	950	N CHEVROLET AVE	FLINT	48504
LJ55109	5/7/2021	Lead	0	0	0		Copper	0	0	0		1815	TERRACE DR	FLINT	48507
LJ55456	5/11/2021	Lead				0	Copper				0	2013	KANSAS AVE	FLINT	48506
LJ55457	5/11/2021	Lead				0	Copper				0	2013	KANSAS AVE	FLINT	48506
LJ55459	5/11/2021	Lead				0	Copper				0	3110	S GRAND TRAVERSE	FLINT	48507
LJ55462	5/11/2021	Lead				0	Copper				0	210	E LIVINGSTON DR	FLINT	48503
LJ55463	5/11/2021	Lead				0	Copper				0	210	E LIVINGSTON DR	FLINT	48503
LJ55464	5/11/2021	Lead				0	Copper				0	1409	LAPEER	FLINT	48503
LJ55465	5/11/2021	Lead				0	Copper				0	1409	LAPEER	FLINT	48503
LJ55466	5/11/2021	Lead				0	Copper				0	1109	LAPEER	FLINT	48503
LJ55467	5/11/2021	Lead				0	Copper				0	1109	LAPEER	FLINT	48503
LJ55468	5/11/2021	Lead				0	Copper				0	1208	4TH AVE	FLINT	48504
LJ55469	5/11/2021	Lead				0	Copper				0	1208	4TH AVE	FLINT	48504
LJ55470	5/11/2021	Lead				0	Copper				0	2214	THOM ST	FLINT	48506
LJ55471	5/11/2021	Lead				0	Copper				70	2214	THOM ST	FLINT	48506
LJ55472	5/11/2021	Lead				0	Copper				0	314	W ELEVENTH AVE	FLINT	48503
LJ55473	5/11/2021	Lead				0	Copper				0	314	W ELEVENTH AVE	FLINT	48503
LJ55474	5/11/2021	Lead				0	Copper				0	1351	DAVISON RD	FLINT	48506
LJ55475	5/11/2021	Lead				0	Copper				0	1351	DAVISON RD	FLINT	48506

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit		1 Bottle Kit	Analysis (Copper)	2 Bottle Kit		1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated		1 Liter (PPB)	250 ml Bottle (PPB)	750 ml Bottle (PPB)				
LJ55476	5/11/2021	Lead				0				0	518	GREENFIELD	FLINT 48503
LJ55477	5/11/2021	Lead				0				0	518	GREENFIELD	FLINT 48503
LJ55478	5/11/2021	Lead				0				0	919	COPEMAN BLVD	FLINT 48504
LJ55481	5/11/2021	Lead				0				0	1720	PENOYER	FLINT 48506
LJ55482	5/11/2021	Lead	0	0	0	Copper	0	0	0		230	W BISHOP ST	FLINT 48505
LJ55484	5/11/2021	Lead	0	0	0	Copper	0	0	0		2419	LEVERN ST	FLINT 48506
LJ55921	5/13/2021	Lead				0				0	2309	LIETH	FLINT 48506
LJ55922	5/13/2021	Lead				0				0	2309	LIETH	FLINT 48506
LJ55935	5/13/2021	Lead				0				0	1801	BEGOLE ST	FLINT 48503
LJ55936	5/13/2021	Lead				0				0	1801	BEGOLE ST	FLINT 48503
LJ55937	5/13/2021	Lead				0				0	713	N GD TRAVERSE	FLINT 48503
LJ55938	5/13/2021	Lead				0				0	713	N GD TRAVERSE	FLINT 48503
LJ55940	5/13/2021	Lead				0				0	2007	WEAVER ST	FLINT 48506
LJ56588	5/18/2021	Lead	0	0	0	Copper	0	0	0		3709	TWILIGHT DR	FLINT 48506
LJ56589	5/18/2021	Lead	0	0	0	Copper	0	0	0		3602	PITKIN AVE	FLINT 48506
LJ56590	5/18/2021	Lead	0	0	0	Copper	60	0	0		715	LOCHHEAD AVE	FLINT 48507
LJ56591	5/18/2021	Lead	0	0	0	Copper	0	0	0		1316	W HOME AVE	FLINT 48505
LJ56592	5/18/2021	Lead	0	0	0	Copper	0	0	0		2018	CANNIFF ST	FLINT 48504
LJ56593	5/18/2021	Lead	0	0	0	Copper	0	0	0		5702	GRIGGS DR	FLINT 48504
LJ56594	5/18/2021	Lead	0	0	0	Copper	0	50	0		1515	ANGREE AVE	FLINT 48503
LJ57034	5/20/2021	Lead				0				0	3427	MASON	FLINT 48505
LJ57035	5/20/2021	Lead				0				0	3427	MASON	FLINT 48505
LJ57036	5/20/2021	Lead				0				100	245	E BELVIDERE	FLINT 48503
LJ57037	5/20/2021	Lead				0				0	245	E BELVIDERE	FLINT 48503
LJ57038	5/20/2021	Lead				0				0	1730	KANSAS	FLINT 48506
LJ57039	5/20/2021	Lead				0				0	1730	KANSAS	FLINT 48506
LJ57040	5/20/2021	Lead				0				0	725	WESTCOMBE AVE	FLINT 48503
LJ57041	5/20/2021	Lead				0				0	725	WESTCOMBE AVE	FLINT 48503
LJ57042	5/20/2021	Lead				0				0	804	EAST 9TH ST	FLINT 48503
LJ57043	5/20/2021	Lead				0				0	804	EAST 9TH ST	FLINT 48503
LJ57044	5/20/2021	Lead				0				50	1361	LAPEER RD	FLINT 48503
LJ57045	5/20/2021	Lead				0				0	1361	LAPEER RD	FLINT 48503
LJ57046	5/20/2021	Lead				0				0	3402	MASON	FLINT 48505
LJ57047	5/20/2021	Lead				0				0	3402	MASON	FLINT 48505
LJ57555	5/25/2021	Lead	0	0	0	Copper	0	0	0		1222	ELDORADO DR	FLINT 48504
LJ57556	5/25/2021	Lead	0	0	0	Copper	50	100	90		834	FRANK ST	FLINT 48504
LJ57561	5/25/2021	Lead	0	0	0	Copper	0	0	0		902	BROOKHOLLOW CT 1C	FLINT 48503
LJ57562	5/25/2021	Lead	0	0	0	Copper	0	0	0		2014	SANTA BARABRA DR	FLINT 48504
LJ57589	5/25/2021	Lead				0				0	522	E ALMA	FLINT 48505
LJ57590	5/25/2021	Lead				0				0	522	E ALMA	FLINT 48505
LJ57591	5/25/2021	Lead				0				0	1113	LAPEER RD	FLINT 48503
LJ57592	5/25/2021	Lead				0				0	1113	LAPEER RD	FLINT 48503
LJ57593	5/25/2021	Lead				0				0	722	N GRAND TRAVERS	FLINT 48503
LJ57594	5/25/2021	Lead				0				0	722	N GRAND TRAVERS	FLINT 48503
LJ57595	5/25/2021	Lead				0				90	1505	LAPEER RD	FLINT 48503
LJ57596	5/25/2021	Lead				0				50	1505	LAPEER RD	FLINT 48503

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ57597	5/25/2021	Lead				0	Copper				0	2618	SWAYZE ST	FLINT	48503
LJ57598	5/25/2021	Lead				0	Copper				0	2618	SWAYZE ST	FLINT	48503
LJ57599	5/25/2021	Lead				0	Copper				0	1359	LAPEER RD	FLINT	48503
LJ57600	5/25/2021	Lead				0	Copper				0	1359	LAPEER RD	FLINT	48503
LJ57601	5/25/2021	Lead				0	Copper				0	438	PAGE ST	FLINT	48505
LJ57602	5/25/2021	Lead				0	Copper				0	438	PAGE ST	FLINT	48505
LJ57604	5/25/2021	Lead				0	Copper				0	3102	BARTH ST	FLINT	48504
LJ57605	5/25/2021	Lead				0	Copper				90	870	TACKEN ST	FLINT	48532
LJ57606	5/25/2021	Lead				0	Copper				0	870	TACKEN ST	FLINT	48532
LJ57607	5/25/2021	Lead				0	Copper				0	1129	HUGHES AVE	FLINT	48503
LJ57608	5/25/2021	Lead				0	Copper				0	1129	HUGHES AVE	FLINT	48503
LJ57610	5/25/2021	Lead				0	Copper				0	1109	LAPEER	FLINT	48503
LJ58241	5/28/2021	Lead	0	0	0		Copper	0	0	0		902	BROOKHOLLOW CT APT 1D	FLINT	48503
LJ58340	6/1/2021	Lead				0	Copper				0	948	MIDDLETON ST	FLINT	48503
LJ58341	6/1/2021	Lead				0	Copper				0	948	MIDDLETON ST	FLINT	48503
LJ58342	6/1/2021	Lead				0	Copper				60	1019	CHURCH ST	FLINT	48502
LJ58344	6/1/2021	Lead				0	Copper				0	134	COMMONWEALTH	FLINT	48503
LJ58345	6/1/2021	Lead				0	Copper				0	134	COMMONWEALTH	FLINT	48503
LJ58348	6/1/2021	Lead				0	Copper				0	403	W SIXTH ST	FLINT	48503
LJ58349	6/1/2021	Lead				0	Copper				0	403	W SIXTH ST	FLINT	48503
LJ58350	6/1/2021	Lead	0	0	0		Copper	0	0	0		902	BROOKHALOW CT APT 2D	FLINT	48503
LJ59690	6/8/2021	Lead				0	Copper				0	3201	LAPEER RD	FLINT	48503
LJ59693	6/8/2021	Lead				0	Copper				0	3201	LAPEER RD	FLINT	48503
LJ59695	6/8/2021	Lead				0	Copper				0	209	W MCCLELLAN ST	FLINT	48505
LJ60439	6/10/2021	Lead				0	Copper				0	1633	N SAGINAW ST	FLINT	48503
LJ60440	6/10/2021	Lead				0	Copper				0	1633	N SAGINAW ST	FLINT	48503
LJ60441	6/10/2021	Lead				0	Copper				0	2930	CIRCLE DR	FLINT	48507
LJ60442	6/10/2021	Lead				0	Copper				0	2930	CIRCLE DR	FLINT	48507
LJ60905	6/11/2021	Lead	0	0	0		Copper	0	0	0		1701	N DEXTER ST	FLINT	48506
LJ60906	6/11/2021	Lead	0	0	0		Copper	0	0	0		127	RIVERBANK DR	FLINT	48503
LJ60907	6/11/2021	Lead	0	0	0		Copper	0	0	0		3709	BEECHWOOD AVE	FLINT	48506
LJ60909	6/11/2021	Lead	0	0	0		Copper	0	0	0		3710	DELAWARE AVE	FLINT	48506
LJ60910	6/11/2021	Lead	0	0	0		Copper	70	0	0		9139	BUNDY	FLINT	48505
LJ60911	6/11/2021	Lead	0	0	0		Copper	0	0	0		1025	BARRINGTON DR	FLINT	48503
LJ60912	6/11/2021	Lead	0	0	0		Copper	80	0	0		1610	RASPBERRY LANE	FLINT	48507
LJ61477	6/15/2021	Lead				0	Copper				0	343	WESTCOMBE	FLINT	48503
LJ61478	6/15/2021	Lead				0	Copper				0	343	WESTCOMBE	FLINT	48503
LJ61479	6/15/2021	Lead				0	Copper				0	2325	SWAYZE ST	FLINT	48503
LJ63732	6/25/2021	Lead	0	0	0		Copper	0	0	0		1922	W STEWART RD	FLINT	0
LJ43057	1/28/2021	Lead				1	Copper				0	410	E COURT	FLINT	48503
LJ46029	3/2/2021	Lead				1	Copper				80	964	HUGHES AVE	FLINT	48502
LJ47494	3/11/2021	Lead				1	Copper				0	2415	CHICAGO BLVD	FLINT	48507
LJ47505	3/11/2021	Lead				1	Copper				0	428	S SAGINAW	FLINT	48503
LJ47506	3/11/2021	Lead				1	Copper				0	948	MAJOR ST	FLINT	48505
LJ48136	3/18/2021	Lead				1	Copper				60	1610	CRESCENT DR	FLINT	48504
LJ51466	4/9/2021	Lead	1	0	0		Copper	80	180	160		740	E PHILADELPHIA BLVD	FLINT	48503

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ51728	4/13/2021	Lead	1	0	0		Copper	0	0	0		4808 CLOVERLAWN DR	FLINT	48503	
LJ53777	4/29/2021	Lead				1	Copper				70	2805 BRANDON ST	FLINT	48503	
LJ55460	5/11/2021	Lead				1	Copper				0	1505 W SECOND ST	FLINT	48505	
LJ55461	5/11/2021	Lead				1	Copper				0	1505 W SECOND ST	FLINT	48506	
LJ55483	5/11/2021	Lead	0	1	0		Copper	0	80	60		5602 BALDWIN BLVD	FLINT	48507	
LJ55939	5/13/2021	Lead				1	Copper				0	2007 WEAVER ST	FLINT	48504	
LJ57560	5/25/2021	Lead	1	0	0		Copper	80	0	0		1510 RASPBERRY LANE	FLINT	48503	
LJ57603	5/25/2021	Lead				1	Copper				70	3102 BARTH ST	FLINT	48502	
LJ57609	5/25/2021	Lead				1	Copper				0	1109 LAPEER	FLINT	48503	
LJ58343	6/1/2021	Lead				1	Copper				0	1019 CHURCH ST	FLINT	48503	
LJ58346	6/1/2021	Lead				1	Copper				50	2106 LAPEER RD	FLINT	48502	
LJ58347	6/1/2021	Lead				1	Copper				0	2106 LAPEER RD	FLINT	48503	
LJ59691	6/8/2021	Lead				1	Copper				0	702 CHURCH ST	FLINT	48502	
LJ61480	6/15/2021	Lead				1	Copper				0	2325 SWAYZE ST	FLINT	48503	
LJ62089	6/17/2021	Lead				1	Copper				50	1038 S GRAND TRAVERSE	FLINT	48504	
LJ43056	1/28/2021	Lead				2	Copper				110	410 E COURT	FLINT	48505	
LJ44160	2/5/2021	Lead	2	2	2		Copper	0	0	0		1901 BEGOLE ST	FLINT	48503	
LJ44867	2/12/2021	Lead				2	Copper				0	754 E LYNDON	FLINT	48503	
LJ45166	2/19/2021	Lead				2	Copper				0	947 MANN AVE	FLINT	48505	
LJ46027	3/2/2021	Lead				2	Copper				0	964 HUGHES AVE	FLINT	48507	
LJ46031	3/2/2021	Lead				2	Copper				0	910 ADDISON ST	FLINT	48505	
LJ47507	3/11/2021	Lead				2	Copper				0	948 MAJOR ST	FLINT	48503	
LJ48130	3/18/2021	Lead				2	Copper				130	221 W DEWEY ST	FLINT	48505	
LJ48457	3/19/2021	Lead	2	1	1		Copper	0	0	0		521 S MEADE ST APT 1	FLINT	48506	
LJ51461	4/9/2021	Lead	0	2	2		Copper	100	110	110		1002 W HOME AVE	FLINT	48502	
LJ51465	4/9/2021	Lead	0	2	2		Copper	50	0	0		1528 ILLINOIS AVE	FLINT	48503	
LJ62088	6/17/2021	Lead				2	Copper				90	1038 S GRAND TRAVERSE	FLINT	48502	
LJ44541	2/9/2021	Lead	3	0	0		Copper	280	130	170		921 KENNELWORTH AVE	FLINT	48504	
LJ47504	3/11/2021	Lead				3	Copper				50	428 S SAGINAW	FLINT	48506	
LJ49719	3/30/2021	Lead	4	2	3		Copper	0	150	110		3702 LESLIE RD	FLINT	48504	
LJ51462	4/9/2021	Lead	0	4	3		Copper	130	0	0		2021 MARYLAND AVE	FLINT	48506	
LJ51467	4/9/2021	Lead	4	3	3		Copper	90	90	90		3001 CONCORD ST	FLINT	48504	
LJ55480	5/11/2021	Lead				4	Copper				0	1720 PENOYER	FLINT	48506	
LJ57559	5/25/2021	Lead	2	4	4		Copper	0	0	0		3025 BARTH ST	FLINT	48507	
LJ52065	4/15/2021	Lead				5	Copper				90	1647 MONTANA	FLINT	48504	
LJ55458	5/11/2021	Lead				5	Copper				0	3110 S GRAND TRAVERSE	FLINT	48503	
LJ55479	5/11/2021	Lead				5	Copper				0	919 COPEMAN BLVD	FLINT	48505	
LJ57558	5/25/2021	Lead	0	5	4		Copper	0	0	0		3208 W COURT ST	FLINT	48506	
LJ60908	6/11/2021	Lead	5	0	1		Copper	380	100	170		821 E RUSSELL AVE	FLINT	48503	
LJ57557	5/25/2021	Lead	0	7	5		Copper	0	120	90		2026 OREN AVE	FLINT	48502	
LJ54914	5/6/2021	Lead				8	Copper				150	807 E 2ND ST PHILADELPHIA BLVD	FLINT	48505	
LJ59692	6/8/2021	Lead				9	Copper				0	702 CHURCH ST	FLINT	48504	
LJ59794	6/8/2021	Lead	5	12	10		Copper	170	770	620		6621 ORANGE LANE	FLINT	48505	
LJ49720	3/30/2021	Lead	14	2	5		Copper	230	120	150		5802 FLEMING RD	FLINT	48505	
LJ59694	6/8/2021	Lead				14	Copper				0	209 W MCCLELLAN ST	FLINT	48506	
LJ44866	2/12/2021	Lead				19	Copper				180	754 E LYNDON	FLINT	0	

Flint Residential Testing Report - results collected January 01, 2021 through June 25, 2021

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LJ40585	1/12/2021	Lead	31	14	18		Copper	980	960	960		3616	SUNRIDGE DR	FLINT	0

Notes:

ppb = parts per billion

Lead values exceeding 15 ppb and Copper results exceeding 1,300 are highlighted in red.

Sample results of "Not Detected" have been replaced with a numerical value of zero for ease of sorting.

Samples without a zip code did not have one provided on the accompanying paperwork.

*** indicate Invalid Zip Code