

Flint Residential and Business Testing Report - results collected July 01, 2022 through December 15, 2022

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK25213	8/2/2022	Lead				0	Copper				0	3532	ALEXANDER ST	FLINT	48505
LK25214	8/2/2022	Lead				0	Copper				0	3532	ALEXANDER ST	FLINT	48505
LK23569	7/21/2022	Lead				0	Copper				0	4919	ALPHA WAY	FLINT	48506
LK23570	7/21/2022	Lead				0	Copper				0	4919	ALPHA WAY	FLINT	48506
LK47551	12/15/2022	Lead	0	0	0		Copper	0	0	0		2310	ARLINGTON AVE	FLINT	48506
LK44540	11/22/2022	Lead	0	0	0		Copper	0	0	0		1310	BARBARA ST	FLINT	48505
LK24536	7/28/2022	Lead				0	Copper				0	3410	BEECHER RD	FLINT	48503
LK24537	7/28/2022	Lead				0	Copper				0	3410	BEECHER RD	FLINT	48503
LK33391	9/8/2022	Lead	2	1	1		Copper	90	70	80		3714	BEECHER RD	FLINT	48503
LK26063	8/4/2022	Lead				0	Copper				0	3734	BEECHER RD	FLINT	48503
LK26064	8/4/2022	Lead				0	Copper				0	3734	BEECHER RD	FLINT	48503
LK27534	8/11/2022	Lead				1	Copper				0	3738	BEECHER RD	FLINT	48503
LK27533	8/11/2022	Lead				2	Copper				0	3738	BEECHER RD	FLINT	48503
LK33394	9/8/2022	Lead	4	48	37		Copper	90	420	340		3628	BEECHER ROAD	FLINT	48503
LK26065	8/4/2022	Lead				0	Copper				0	1821	BENNETT AVE	FLINT	48506
LK26066	8/4/2022	Lead				0	Copper				0	1821	BENNETT AVE	FLINT	48506
LK23567	7/21/2022	Lead				0	Copper				0	2401	BETA LN	FLINT	48506
LK23568	7/21/2022	Lead				0	Copper				0	2401	BETA LN	FLINT	48506
LK24534	7/28/2022	Lead				0	Copper				0	911	BRADLEY AVE	FLINT	48503
LK24535	7/28/2022	Lead				0	Copper				0	911	BRADLEY AVE	FLINT	48503
LK26075	8/4/2022	Lead				0	Copper				0	2058	BRANCH ST	FLINT	48506
LK26076	8/4/2022	Lead				0	Copper				0	2058	BRANCH ST	FLINT	48506
LK20846	7/7/2022	Lead	0	0	0		Copper	0	0	0		3607	BRENTWOOD DR	FLINT	48503
LK27541	8/11/2022	Lead				0	Copper				0	2133	CARTIER ST	FLINT	48503
LK27542	8/11/2022	Lead				0	Copper				0	2133	CARTIER ST	FLINT	48503
LK45414	12/1/2022	Lead	0				Copper	0				1100	CEDAR STREET	FLINT	48503
LK30512	8/25/2022	Lead	2	0	0		Copper	0	0	0		1802	CHELSEA CIRCLE	FLINT	48503
LK29589	8/23/2022	Lead				0	Copper				0	3001	CHICAGO BLVD	FLINT	48503
LK29590	8/23/2022	Lead				0	Copper				0	3001	CHICAGO BLVD	FLINT	48503
LK31438	8/30/2022	Lead				4	Copper				0	720	CHURCH ST	FLINT	48502
LK31437	8/30/2022	Lead				6	Copper				0	720	CHURCH ST	FLINT	48502
LK30325	8/25/2022	Lead				1	Copper				0	726	CHURCH ST	FLINT	48502
LK30326	8/25/2022	Lead				2	Copper				0	726	CHURCH ST	FLINT	48502
LK29597	8/23/2022	Lead				0	Copper				0	934	CHURCH ST	FLINT	48502
LK29598	8/23/2022	Lead				2	Copper				0	934	CHURCH ST	FLINT	48502
LK29600	8/23/2022	Lead				0	Copper				0	1019	CHURCH ST	FLINT	48502
LK29599	8/23/2022	Lead				2	Copper				0	1019	CHURCH ST	FLINT	48502
LK43307	11/10/2022	Lead	0	0	0		Copper	0	0	0		1313	CLEVELAND AVENUE	FLINT	48503
LK30321	8/25/2022	Lead				0	Copper				80	2500	CLIO RD	FLINT	48504
LK30322	8/25/2022	Lead				0	Copper				0	2500	CLIO RD	FLINT	48504
LK29414	8/22/2022	Lead	0	0	0		Copper	0	0	0		6052	CLIO RD	FLINT	48504
LK29413	8/22/2022	Lead	0	0	0		Copper	0	0	0		6910	CLIO RD	FLINT	48504
LK45415	12/1/2022	Lead	0				Copper	0				5018	CLIO ROAD	FLINT	48504
LK29605	8/23/2022	Lead				0	Copper				0	712	COMMONWEALTH AVE	FLINT	48503
LK29606	8/23/2022	Lead				0	Copper				0	712	COMMONWEALTH AVE	FLINT	48503
LK32111	9/1/2022	Lead	1	0	0		Copper	0	0	0		2920	CONCORD DR	FLINT	48504
LK31439	8/30/2022	Lead				0	Copper				0	2109	CORUNNA RD	FLINT	48503
LK31440	8/30/2022	Lead				3	Copper				0	2109	CORUNNA RD	FLINT	48503

Flint Residential and Business Testing Report - results collected July 01, 2022 through December 15, 2022

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK29619	8/23/2022	Lead				0	Copper				0	2317	CORUNNA RD	FLINT	48503
LK29620	8/23/2022	Lead				2	Copper				0	2317	CORUNNA RD	FLINT	48503
LK45413	12/1/2022	Lead	0				Copper	0				3521	CORUNNA ROAD	FLINT	48503
LK25215	8/2/2022	Lead				0	Copper				0	506	CRAPO ST	FLINT	48503
LK25216	8/2/2022	Lead				0	Copper				0	506	CRAPO ST	FLINT	48503
LK25219	8/2/2022	Lead				0	Copper				0	612	CRAPO ST	FLINT	48503
LK25220	8/2/2022	Lead				0	Copper				0	612	CRAPO ST	FLINT	48503
LK46529	12/8/2022	Lead	0	0	0		Copper	0	0	0		2325	CREST CT	FLINT	48507
LK27973	8/15/2022	Lead	0	0	0		Copper	0	0	0		1808	CRESTBROOK LN	FLINT	48507
LK31434	8/30/2022	Lead				0	Copper				0	2302	CUMINGS AVE	FLINT	48503
LK31433	8/30/2022	Lead				3	Copper				180	2302	CUMINGS AVE	FLINT	48503
LK25205	8/2/2022	Lead				10	Copper				290	2232	DAVISON RD	FLINT	48506
LK25206	8/2/2022	Lead				11	Copper				250	2232	DAVISON RD	FLINT	48506
LK45412	12/1/2022	Lead	0				Copper	0				3802	DAVISON ROAD	FLINT	48506
LK25209	8/2/2022	Lead				0	Copper				0	710	DICKINSON ST	FLINT	48504
LK25210	8/2/2022	Lead				0	Copper				0	710	DICKINSON ST	FLINT	48504
LK25204	8/2/2022	Lead				1	Copper				0	1713	DONALD ST	FLINT	48505
LK25203	8/2/2022	Lead				2	Copper				0	1713	DONALD ST	FLINT	48505
LK36354	9/22/2022	Lead	1	0	0		Copper	90	130	120		6202	DUPONT	FLINT	48505
LK20848	7/7/2022	Lead	60	6	19		Copper	0	0	0		1459	DUPONT ST	FLINT	48504
LK33785	9/12/2022	Lead	0	0	0		Copper	0	0	0		3101	DUPONT ST	FLINT	48504
LK40040	10/17/2022	Lead	0	0	0		Copper	0	0	0		5613	DUPONT ST	FLINT	48505
LK45416	12/1/2022	Lead	0				Copper	0				1416	DUPONT STREET	FLINT	48503
LK33786	9/12/2022	Lead	1	0	0		Copper	0	0	0		2030	DWIGHT AVE	FLINT	48503
LK26074	8/4/2022	Lead				2	Copper				0	902	E 6TH ST	FLINT	48503
LK26073	8/4/2022	Lead				3	Copper				0	902	E 6TH ST	FLINT	48503
LK27622	8/11/2022	Lead	0	0	0		Copper	0	0	0		841	E 7TH ST	FLINT	48503
LK44539	11/22/2022	Lead	0	0	0		Copper	0	0	0		2122	E BRISTOL RD	BURTON	48529
LK29588	8/23/2022	Lead				0	Copper				0	311	E COURT ST	FLINT	48502
LK29587	8/23/2022	Lead				2	Copper				0	311	E COURT ST	FLINT	48502
LK29584	8/23/2022	Lead				7	Copper				0	410	E COURT ST	FLINT	48503
LK29583	8/23/2022	Lead				17	Copper				140	410	E COURT ST	FLINT	48503
LK20851	7/7/2022	Lead	74	20	33		Copper	4050	520	1400		902	E COURT ST	FLINT	48503
LK45411	12/1/2022	Lead	0				Copper	0				2838	E COURT ST	FLINT	48506
LK27529	8/11/2022	Lead				0	Copper				0	725	E HOLBROOK	FLINT	48505
LK27530	8/11/2022	Lead				0	Copper				0	725	E HOLBROOK	FLINT	48505
LK27974	8/15/2022	Lead	0	0	0		Copper	0	0	0		518	E PARKWAY AVE	FLINT	48505
LK30327	8/25/2022	Lead				0	Copper				0	807	EAST 2ND ST	FLINT	48503
LK30328	8/25/2022	Lead				0	Copper				0	807	EAST 2ND ST	FLINT	48503
LK38006	9/29/2022	Lead	0	0	0		Copper	0	0	0		6702	ELMRIDGE DR	FLINT	48505
LK27623	8/11/2022	Lead	0	0	0		Copper	0	0	0		2602	FENTON RD	FLINT	48507
LK29585	8/23/2022	Lead				0	Copper				0	3621	FENTON RD	FLINT	48507
LK29586	8/23/2022	Lead				1	Copper				0	3621	FENTON RD	FLINT	48507
LK34828	9/15/2022	Lead	10	0	2		Copper	150	0	0		3901	FENTON RD	FLINT	48507
LK45409	12/1/2022	Lead	0				Copper	0				2501	FLUSHING ROAD	FLINT	48504
LK33393	9/8/2022	Lead	0	0	0		Copper	100	90	90		2201	FOREST HILL AVE	FLINT	48504
LK29591	8/23/2022	Lead				0	Copper				0	713	FRANK ST	FLINT	48504
LK29592	8/23/2022	Lead				0	Copper				0	713	FRANK ST	FLINT	48504

Flint Residential and Business Testing Report - results collected July 01, 2022 through December 15, 2022

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK29609	8/23/2022	Lead				0	Copper				60	947	INGLESIDE AVE	FLINT	48507
LK29610	8/23/2022	Lead				0	Copper				0	947	INGLESIDE AVE	FLINT	48507
LK24695	7/28/2022	Lead	0	0	0		Copper	0	0	0		1519	IRENE AVE	FLINT	48503
LK42575	11/3/2022	Lead	0	0	0		Copper	0	0	0		3316	IROQUOIS AVE	FLINT	48504
LK31443	8/30/2022	Lead				0	Copper				0	1914	KANSAS AVE	FLINT	48506
LK31444	8/30/2022	Lead				0	Copper				0	1914	KANSAS AVE	FLINT	48506
LK31456	8/30/2022	Lead				0	Copper				0	2121	KANSAS AVE	FLINT	48506
LK31455	8/30/2022	Lead				3	Copper				0	2121	KANSAS AVE	FLINT	48506
LK34827	9/15/2022	Lead	0	0	0		Copper	0	0	0		3605	KELLAR AVE	FLINT	48504
LK25207	8/2/2022	Lead				0	Copper				0	2021	KNAPMAN ST	FLINT	48506
LK25208	8/2/2022	Lead				0	Copper				0	2021	KNAPMAN ST	FLINT	48506
LK31436	8/30/2022	Lead				1	Copper				0	1217	KNAPP AVE	FLINT	48503
LK31435	8/30/2022	Lead				2	Copper				0	1217	KNAPP AVE	FLINT	48503
LK32110	9/1/2022	Lead	0	0	0		Copper	0	0	0		1202	KNIGHT AVE	FLINT	48503
LK27539	8/11/2022	Lead				0	Copper				0	1113	LAPEER RD	FLINT	48503
LK27540	8/11/2022	Lead				0	Copper				0	1113	LAPEER RD	FLINT	48503
LK25211	8/2/2022	Lead				0	Copper				0	2309	LEITH ST	FLINT	48506
LK25212	8/2/2022	Lead				1	Copper				0	2309	LEITH ST	FLINT	48506
LK26061	8/4/2022	Lead				0	Copper				0	2622	LESTER CT	FLINT	48503
LK26062	8/4/2022	Lead				0	Copper				0	2622	LESTER CT	FLINT	48503
LK28904	8/18/2022	Lead				0	Copper				80	931	MANN AVE	FLINT	48503
LK28905	8/18/2022	Lead				0	Copper				0	931	MANN AVE	FLINT	48503
LK44993	11/29/2022	Lead	0	0	0		Copper	0	0	0		529	MARTIN LUTHER KING JR	FLINT	48502
LK29608	8/23/2022	Lead				1	Copper				0	1206	MASON ST	FLINT	48503
LK29607	8/23/2022	Lead				2	Copper				0	1206	MASON ST	FLINT	48503
LK23566	7/21/2022	Lead	0	0	0		Copper	0	0	0		818	MCKINLEY AVE	FLINT	48507
LK46528	12/8/2022	Lead	0	0	0		Copper	0	0	0		1847	MCPHAIL ST	FLINT	48503
LK45407	12/1/2022	Lead	0				Copper	0				3317	MLK AVE	FLINT	48505
LK25222	8/2/2022	Lead				0	Copper				0	1647	MONTANA ST	FLINT	48506
LK25221	8/2/2022	Lead				2	Copper				0	1647	MONTANA ST	FLINT	48506
LK25225	8/2/2022	Lead				0	Copper				0	1809	N BALLENGER HWY	FLINT	48504
LK25226	8/2/2022	Lead				0	Copper				0	1809	N BALLENGER HWY	FLINT	48504
LK26067	8/4/2022	Lead				0	Copper				0	1426	N CHEVROLET	FLINT	48504
LK26068	8/4/2022	Lead				3	Copper				0	1426	N CHEVROLET	FLINT	48504
LK30324	8/25/2022	Lead				6	Copper				0	959	N CHEVROLET AVE	FLINT	48504
LK30323	8/25/2022	Lead				18	Copper				0	959	N CHEVROLET AVE	FLINT	48504
LK27535	8/11/2022	Lead				0	Copper				60	1402	N CHEVROLET AVE	FLINT	48504
LK27536	8/11/2022	Lead				0	Copper				50	1402	N CHEVROLET AVE	FLINT	48504
LK25230	8/2/2022	Lead				10	Copper				0	959	N CHEVROLET ST	FLINT	48504
LK25229	8/2/2022	Lead				21	Copper				0	959	N CHEVROLET ST	FLINT	48504
LK25233	8/2/2022	Lead				0	Copper				0	1057	N CHEVROLET ST	FLINT	48504
LK25234	8/2/2022	Lead				0	Copper				0	1057	N CHEVROLET ST	FLINT	48504
LK25227	8/2/2022	Lead				0	Copper				0	1669	N CHEVROLET ST	FLINT	48504
LK25228	8/2/2022	Lead				0	Copper				0	1669	N CHEVROLET ST	FLINT	48504
LK28992	8/18/2022	Lead	0	0	0		Copper	60	0	0		2002	N DEXTER ST	FLINT	48506
LK45408	12/1/2022	Lead	0				Copper	0				4500	N DORT HIGHWAY	FLINT	48505
LK45410	12/1/2022	Lead	0				Copper	0				4500	N DORT HIGHWAY	FLINT	48505
LK24538	7/28/2022	Lead				0	Copper				0	3718	N FRANKLIN AVE	FLINT	48506

Flint Residential and Business Testing Report - results collected July 01, 2022 through December 15, 2022

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK24539	7/28/2022	Lead				0	Copper				0	3718	N FRANKLIN AVE	FLINT	48506
LK29615	8/23/2022	Lead				1	Copper				0	722	N GRAND TRAVERSE	FLINT	48503
LK29616	8/23/2022	Lead				3	Copper				0	722	N GRAND TRAVERSE	FLINT	48503
LK31442	8/30/2022	Lead				5	Copper				0	3817	N SAGINAW ST	FLINT	48505
LK31441	8/30/2022	Lead				19	Copper				0	3817	N SAGINAW ST	FLINT	48505
LK39205	10/10/2022	Lead	66	5	20		Copper	0	0	0		3817	N SAGINAW ST	FLINT	48505
LK31449	8/30/2022	Lead				0	Copper				0	4108	N SAGINAW ST	FLINT	48505
LK31450	8/30/2022	Lead				0	Copper				0	4108	N SAGINAW ST	FLINT	48505
LK31453	8/30/2022	Lead				0	Copper				0	4901	N SAGINAW ST	FLINT	48505
LK31454	8/30/2022	Lead				0	Copper				0	4901	N SAGINAW ST	FLINT	48505
LK29614	8/23/2022	Lead				1	Copper				0	4913	N SAGINAW ST	FLINT	48505
LK29613	8/23/2022	Lead				7	Copper				0	4913	N SAGINAW ST	FLINT	48505
LK31457	8/30/2022	Lead				0	Copper				60	5012	N SAGINAW ST	FLINT	48505
LK31458	8/30/2022	Lead				0	Copper				0	5012	N SAGINAW ST	FLINT	48505
LK31459	8/30/2022	Lead				0	Copper				0	5201	N SAGINAW ST	FLINT	48505
LK31460	8/30/2022	Lead				0	Copper				0	5201	N SAGINAW ST	FLINT	48505
LK31451	8/30/2022	Lead				2	Copper				0	5518	N SAGINAW ST	FLINT	48505
LK31452	8/30/2022	Lead				2	Copper				0	5518	N SAGINAW ST	FLINT	48505
LK27621	8/11/2022	Lead	0	0	0		Copper	150	130	130		2559	PADUCAH ST	FLINT	48504
LK23564	7/21/2022	Lead	3	2	2		Copper	310	90	150		1909	PROCTOR AVE	FLINT	48504
LK30511	8/25/2022	Lead	0	0	0		Copper	0	0	0		2617	PROSPECT ST	FLINT	48504
LK27537	8/11/2022	Lead				0	Copper				0	1902	RASKOB ST	FLINT	48504
LK27538	8/11/2022	Lead				0	Copper				0	1902	RASKOB ST	FLINT	48504
LK20849	7/7/2022	Lead	0	0	0		Copper	0	0	0		3834	RED ARROW RD APT 4	FLINT	48507
LK29412	8/22/2022	Lead	0	0	0		Copper	0	0	0		1428	ROOSEVELT AVE	FLINT	48503
LK36352	9/22/2022	Lead	0	0	0		Copper	0	0	0		3218	S GRABD TRAVERSE STREET	FLINT	48507
LK28906	8/18/2022	Lead				0	Copper				0	520	S GRAND TRAVERSE ST	FLINT	48502
LK28907	8/18/2022	Lead				1	Copper				0	520	S GRAND TRAVERSE ST	FLINT	48502
LK44538	11/22/2022	Lead	40	19	24		Copper	500	250	310		653	S SAGINAW	FLINT	48502
LK32114	9/1/2022	Lead				3	Copper				0	1201	S SAGINAW ST	FLINT	48502
LK32115	9/1/2022	Lead				8	Copper				0	1201	S SAGINAW ST	FLINT	48502
LK32112	9/1/2022	Lead				0	Copper				0	1208	S SAGINAW ST	FLINT	48502
LK32113	9/1/2022	Lead				0	Copper				0	1208	S SAGINAW ST	FLINT	48502
LK31446	8/30/2022	Lead				10	Copper				0	1613	S SAGINAW ST	FLINT	48503
LK31445	8/30/2022	Lead				16	Copper				0	1613	S SAGINAW ST	FLINT	48503
LK32121	9/1/2022	Lead				0	Copper				0	1638	S SAGINAW ST	FLINT	48503
LK32120	9/1/2022	Lead				5	Copper				0	1638	S SAGINAW ST	FLINT	48503
LK32116	9/1/2022	Lead				1	Copper				0	2304	S SAGINAW ST	FLINT	48503
LK32117	9/1/2022	Lead				1	Copper				0	2304	S SAGINAW ST	FLINT	48503
LK44162	11/17/2022	Lead	0	0	0		Copper	0	0	0		460	S SAGINAW ST UNIT 404	FLINT	48502
LK29611	8/23/2022	Lead				3	Copper				0	4907	SAGINAW ST	FLINT	48505
LK29612	8/23/2022	Lead				6	Copper				0	4907	SAGINAW ST	FLINT	48505
LK45406	12/1/2022	Lead	0				Copper	0				6509	SAGINAW ST	FLINT	48505
LK20847	7/7/2022	Lead	3	0	0		Copper	230	160	180		1802	SEYMOUR AVE	FLINT	48503
LK20850	7/7/2022	Lead	0	0	0		Copper	180	220	210		1811	SEYMOUR AVE	FLINT	48503
LK20852	7/7/2022	Lead	0	0	0		Copper	90	180	160		1811	SEYMOUR AVE	FLINT	48503
LK31447	8/30/2022	Lead				0	Copper				0	2010	SEYMOUR AVE	FLINT	48503
LK31448	8/30/2022	Lead				0	Copper				0	2010	SEYMOUR AVE	FLINT	48503

Flint Residential and Business Testing Report - results collected July 01, 2022 through December 15, 2022

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK26077	8/4/2022	Lead				0	Copper				0	899	SIMCOE AVE	FLINT	48507
LK26078	8/4/2022	Lead				0	Copper				0	899	SIMCOE AVE	FLINT	48507
LK45405	12/1/2022	Lead	0				Copper	0				3302	SOUTH DORT HIGHWAY	FLINT	48507
LK39204	10/10/2022	Lead	18	7	10		Copper	0	0	0		1613	SOUTH SAGINAW ST	FLINT	48503
LK28993	8/18/2022	Lead	0	0	0		Copper	70	60	60		709	SPELLMAN DR	FLINT	48503
LK26069	8/4/2022	Lead				0	Copper				0	714	STOCKTON ST	FLINT	48503
LK26070	8/4/2022	Lead				0	Copper				0	714	STOCKTON ST	FLINT	48503
LK23565	7/21/2022	Lead	0	4	3		Copper	0	500	380		1819	TERRANCE DR	FLINT	48507
LK43308	11/10/2022	Lead	0	0	0		Copper	0	0	0		2717	TIPTREE PATH	FLINT	48506
LK41897	10/31/2022	Lead	0	0	0		Copper	0	0	0		2806	TIPTREE PATH	FLINT	48506
LK27531	8/11/2022	Lead				0	Copper				0	2524	TYRONE ST	FLINT	48504
LK27532	8/11/2022	Lead				2	Copper				0	2524	TYRONE ST	FLINT	48504
LK25030	8/1/2022	Lead	0	0	0		Copper	0	0	0		702	W 12TH ST	FLINT	48503
LK32118	9/1/2022	Lead				3	Copper				0	409	W 7TH ST	FLINT	48503
LK32119	9/1/2022	Lead				3	Copper				0	409	W 7TH ST	FLINT	48503
LK25231	8/2/2022	Lead				0	Copper				0	1201	W ATHERTON RD	FLINT	48507
LK25232	8/2/2022	Lead				0	Copper				0	1201	W ATHERTON RD	FLINT	48507
LK23563	7/21/2022	Lead	3	0	0		Copper	0	0	0		1201	W ATHERTON RD	FLINT	48507
LK29596	8/23/2022	Lead				1	Copper				0	316	W COURT ST	FLINT	48502
LK29595	8/23/2022	Lead				2	Copper				0	316	W COURT ST	FLINT	48502
LK29617	8/23/2022	Lead				0	Copper				0	414	W COURT ST	FLINT	48503
LK29618	8/23/2022	Lead				8	Copper				0	414	W COURT ST	FLINT	48503
LK29601	8/23/2022	Lead				4	Copper				0	415	W COURT ST	FLINT	48503
LK29602	8/23/2022	Lead				6	Copper				0	415	W COURT ST	FLINT	48503
LK30319	8/25/2022	Lead				3	Copper				0	1428	W COURT ST	FLINT	48503
LK30320	8/25/2022	Lead				26	Copper				170	1428	W COURT ST	FLINT	48503
LK29603	8/23/2022	Lead				0	Copper				0	1742	W COURT ST	FLINT	48503
LK29604	8/23/2022	Lead				0	Copper				0	1742	W COURT ST	FLINT	48503
LK29594	8/23/2022	Lead				0	Copper				0	2225	W COURT ST	FLINT	48503
LK29593	8/23/2022	Lead				2	Copper				0	2225	W COURT ST	FLINT	48503
LK25217	8/2/2022	Lead				1	Copper				60	221	W DEWEY ST	FLINT	48505
LK25218	8/2/2022	Lead				1	Copper				0	221	W DEWEY ST	FLINT	48505
LK26072	8/4/2022	Lead				0	Copper				0	145	W LAKEVIEW	FLINT	48503
LK26071	8/4/2022	Lead				1	Copper				0	145	W LAKEVIEW	FLINT	48503
LK27527	8/11/2022	Lead				0	Copper				0	617	W RANKIN	FLINT	48505
LK27528	8/11/2022	Lead				0	Copper				0	617	W RANKIN	FLINT	48505
LK25223	8/2/2022	Lead				0	Copper				0	1911	WEAVER ST	FLINT	48506
LK25224	8/2/2022	Lead				1	Copper				0	1911	WEAVER ST	FLINT	48506
LK33257	9/8/2022	Lead				2	Copper				0	3111	WESTWOOD PARKWAY	FLINT	48503
LK33258	9/8/2022	Lead				3	Copper				0	3111	WESTWOOD PARKWAY	FLINT	48503
LK41386	10/27/2022	Lead	0	0	0		Copper	80	90	90		3405	WESTWOOD PKY	FLINT	48503
LK36355	9/22/2022	Lead	0	0	0		Copper	0	0	0		513	WILLIAMS STREET	FLINT	48503
LK26590	8/8/2022	Lead	0	6	5		Copper	0	90	70		2723	WINONA ST	FLINT	48504
LK24694	7/28/2022	Lead	246	11	70		Copper	600	0	150		1718	WISCONSIN	FLINT	48506
LK28903	8/18/2022	Lead				6	Copper				0	1420	WOLCOTT ST	FLINT	48503
LK28902	8/18/2022	Lead				50	Copper				0	1420	WOLCOTT ST	FLINT	48503
LK36353	9/22/2022	Lead	0	0	0		Copper	0	0	0		2909	WYOMING AVE	FLINT	48505
LK26079	8/4/2022	Lead	0	1	0		Copper	0	0	0		3014	YALE ST	FLINT	48503

Flint Residential and Business Testing Report - results collected July 01, 2022 through December 15, 2022

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK33392	9/8/2022	Lead	0	2	2		Copper	0	0	0				FLINT	48506

Notes:

ppb = parts per billion

Lead values exceeding 15 ppb and Copper results exceeding 1,300 are highlighted in red.

Sample results of "Not Detected" have been replaced with a numerical value of zero for ease of sorting.

Samples without a zip code did not have one provided on the accompanying paperwork.

*** indicate Invalid Zip Code