

**Flint Residential and Business Testing Report - results collected July 01, 2023 through December 14, 2023**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK81329	7/27/2023	Lead				0	Copper				0	1717	ARLINGTON AVE	FLINT	48506
LK81330	7/27/2023	Lead				0	Copper				0	1717	ARLINGTON AVE	FLINT	48506
LK94097	9/28/2023	Lead	0	0	0		Copper	0	0	0		1350	AVON PARK DR APT 7	FLINT	48503
LK94096	9/28/2023	Lead	0	0	0		Copper	0	0	0		1410	BANBURY PL	FLINT	48505
LK80017	7/20/2023	Lead	0	0	0		Copper	0	0	0		1521	BERRYWOOD LANE	FLINT	48507
LK81333	7/27/2023	Lead				0	Copper				0	2058	BRANCH RD	FLINT	48506
LK81334	7/27/2023	Lead				0	Copper				0	2058	BRANCH RD	FLINT	48506
LK80018	7/20/2023	Lead	0	0	0		Copper	0	0	0		221	BROWNING AVE	FLINT	48507
LK80020	7/20/2023	Lead	0	0	0		Copper	0	0	0		221	BROWNING AVE	FLINT	48507
LK89163	9/1/2023	Lead	0	0	0		Copper	120	90	100		1939	CARMENBROOK PKWY	FLINT	48507
LK89164	9/1/2023	Lead	0	0	0		Copper	0	0	0		1939	CARMENBROOK PKWY	FLINT	48507
LK89165	9/1/2023	Lead	0	0	0		Copper	0	0	0		1939	CARMENBROOK PKWY	FLINT	48507
LL01528	12/1/2023	Lead	0	0	0		Copper	0	0	0		1902	CARNANBROOK	FLINT	48507
LK92786	9/21/2023	Lead				0	Copper				0	720	CHURCH ST	FLINT	48502
LK92793	9/21/2023	Lead				0	Copper				90	934	CHURCH ST	FLINT	48502
LK92794	9/21/2023	Lead				0	Copper				0	934	CHURCH ST	FLINT	48502
LK81452	7/27/2023	Lead	0	0	0		Copper	50	0	0		3417	CIRCLE DR	FLINT	0
LK92787	9/21/2023	Lead				0	Copper				0	4101	CIRCLE DR	FLINT	48507
LK92788	9/21/2023	Lead				0	Copper				0	4101	CIRCLE DR	FLINT	48507
LK81339	7/27/2023	Lead				0	Copper				0	512	CLINTON ST	FLINT	48507
LK81453	7/27/2023	Lead	0	0	0		Copper	0	0	0		733	CLINTON ST	FLINT	48507
LK95960	10/12/2023	Lead	0	0	0		Copper	0	0	0		2501	CLIO RD	FLINT	48504
LK78928	7/17/2023	Lead	0	0	0		Copper	0	0	0		2833	COMANCHE AVE	FLINT	48507
LK91602	9/14/2023	Lead	0	0	0		Copper	0	0	0		3505	COMANCHE AVE	FLINT	48507
LK97009	10/23/2023	Lead	0	0	0		Copper	0	0	0		1702	COPEMAN BLVD	FLINT	48504
LK92783	9/21/2023	Lead				0	Copper				0	2605	CORUNNA RD	FLINT	48503
LK92784	9/21/2023	Lead				0	Copper				0	2605	CORUNNA RD	FLINT	48503
LK92781	9/21/2023	Lead				0	Copper				0	3410	CORUNNA RD	FLINT	48503
LK92782	9/21/2023	Lead				0	Copper				0	3410	CORUNNA RD	FLINT	48503
LK81328	7/27/2023	Lead				0	Copper				0	2302	CUMINGS AVE	FLINT	48503
LK92805	9/21/2023	Lead				0	Copper				90	2232	DAVISON RD	FLINT	48506
LK92806	9/21/2023	Lead				0	Copper				0	2232	DAVISON RD	FLINT	48506
LK81341	7/27/2023	Lead				0	Copper				0	807	E 2ND ST	FLINT	48503
LK81342	7/27/2023	Lead				0	Copper				0	807	E 2ND ST	FLINT	48503
LK95220	10/5/2023	Lead	0	0	0		Copper	0	0	0		604	E 2ND STREET APT 1	FLINT	48503
LK92789	9/21/2023	Lead				0	Copper				0	311	E COURT ST	FLINT	48502
LK92790	9/21/2023	Lead				0	Copper				0	311	E COURT ST	FLINT	48502
LK96303	10/16/2023	Lead	0	0	0		Copper	0	0	0		700	E COURT ST APT 323	FLINT	48503
LK81335	7/27/2023	Lead				0	Copper				0	533	E DEWEY ST	FLINT	48505
LK81336	7/27/2023	Lead				0	Copper				0	533	E DEWEY ST	FLINT	48505
LK78929	7/17/2023	Lead	0	0	0		Copper	100	110	110		817	E KEARSLEY ST	FLINT	48503
LK78666	7/13/2023	Lead	0	0	0		Copper	200	150	160		825	E WELLINGTON AVE	FLINT	48503
LK86468	8/18/2023	Lead				0	Copper				0	406	E WITHERBEE ST	FLINT	48505
LK86469	8/18/2023	Lead				0	Copper				0	406	E WITHERBEE ST	FLINT	48505
LK94095	9/28/2023	Lead	0	0	0		Copper	60	70	70		515	EAST ST	FLINT	48503
LL01610	12/4/2023	Lead	0	0	0		Copper	0	0	0		2930	EPSILON TRAIL	FLINT	48506

**Flint Residential and Business Testing Report - results collected July 01, 2023 through December 14, 2023**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK91585	9/14/2023	Lead				0	Copper				0	3621	FENTON RD	FLINT	48507
LK91586	9/14/2023	Lead				0	Copper				0	3621	FENTON RD	FLINT	48507
LK80019	7/20/2023	Lead	0	0	0		Copper	0	0	0		3907	HARGOTT AVE	FLINT	48507
LK82849	8/3/2023	Lead				0	Copper				0	932	HUGHES AVE	FLINT	48503
LK82850	8/3/2023	Lead				0	Copper				0	932	HUGHES AVE	FLINT	48503
LK84737	8/10/2023	Lead				0	Copper				0	1129	HUGHES AVE	FLINT	48504
LK84738	8/10/2023	Lead				0	Copper				0	1129	HUGHES AVE	FLINT	48504
LK82853	8/3/2023	Lead				0	Copper				0	2121	KANSAS AVE	FLINT	48506
LK82854	8/3/2023	Lead				0	Copper				0	2121	KANSAS AVE	FLINT	48506
LK82851	8/3/2023	Lead				0	Copper				0	1425	KNIGHT AVE	FLINT	48503
LK82852	8/3/2023	Lead				0	Copper				0	1425	KNIGHT AVE	FLINT	48503
LK81331	7/27/2023	Lead				0	Copper				0	2615	LEWIS ST	FLINT	48506
LK81332	7/27/2023	Lead				0	Copper				0	2615	LEWIS ST	FLINT	48506
LK82847	8/3/2023	Lead				0	Copper				0	1647	MONTANA AVE	FLINT	48506
LK82848	8/3/2023	Lead				0	Copper				0	1647	MONTANA AVE	FLINT	48506
LK84753	8/10/2023	Lead				0	Copper				0	1816	N BALLENGER HWY	FLINT	48504
LK84754	8/10/2023	Lead				0	Copper				0	1816	N BALLENGER HWY	FLINT	48504
LK95221	10/5/2023	Lead	0	0	0		Copper	0	0	0		1722	N CHEVROLET	FLINT	48504
LK92779	9/21/2023	Lead				0	Copper				0	1402	N CHEVROLET AVE	FLINT	48504
LK92780	9/21/2023	Lead				0	Copper				0	1402	N CHEVROLET AVE	FLINT	48504
LL00224	11/20/2023	Lead	0	0	0		Copper	0	0	0		4500	N DORT HWY	FLINT	48505
LK84743	8/10/2023	Lead				0	Copper				0	406	N GRAND TRAVERSE ST	FLINT	48503
LK84744	8/10/2023	Lead				0	Copper				0	406	N GRAND TRAVERSE ST	FLINT	48503
LK86464	8/18/2023	Lead				0	Copper				0	1517	N GRAND TRAVERSE ST	FLINT	48503
LK86465	8/18/2023	Lead				0	Copper				0	1517	N GRAND TRAVERSE ST	FLINT	48503
LK91581	9/14/2023	Lead				0	Copper				0	4108	N SAGINAW ST	FLINT	48505
LK91582	9/14/2023	Lead				0	Copper				0	4108	N SAGINAW ST	FLINT	48505
LK84745	8/10/2023	Lead				0	Copper				0	4901	N SAGINAW ST	FLINT	48505
LK84746	8/10/2023	Lead				0	Copper				0	4901	N SAGINAW ST	FLINT	48505
LK91579	9/14/2023	Lead				0	Copper				0	5012	N SAGINAW ST	FLINT	48505
LK91580	9/14/2023	Lead				0	Copper				0	5012	N SAGINAW ST	FLINT	48505
LK91587	9/14/2023	Lead				0	Copper				0	5201	N SAGINAW ST	FLINT	48505
LK91588	9/14/2023	Lead				0	Copper				0	5201	N SAGINAW ST	FLINT	48505
LK91573	9/14/2023	Lead				0	Copper				0	5518	N SAGINAW ST	FLINT	48505
LK91574	9/14/2023	Lead				0	Copper				0	5518	N SAGINAW ST	FLINT	48505
LK84733	8/10/2023	Lead				0	Copper				0	3518	NORWOOD DR	FLINT	48503
LK84734	8/10/2023	Lead				0	Copper				0	3518	NORWOOD DR	FLINT	48503
LK93133	9/25/2023	Lead				0	Copper				0	2547	PADUCAH ST	FLINT	48504
LK93134	9/25/2023	Lead				0	Copper				180	2547	PADUCAH ST	FLINT	48504
LK86462	8/18/2023	Lead				0	Copper				0	1902	RASKOB ST	FLINT	48504
LK86463	8/18/2023	Lead				0	Copper				0	1902	RASKOB ST	FLINT	48504
LK91565	9/14/2023	Lead				0	Copper				0	340	S SAGINAW ST	FLINT	48502
LK91566	9/14/2023	Lead				0	Copper				0	340	S SAGINAW ST	FLINT	48502
LK91583	9/14/2023	Lead				0	Copper				0	1638	S SAGINAW ST	FLINT	48503
LK91567	9/14/2023	Lead				0	Copper				0	2304	S SAGINAW ST	FLINT	48503
LK91568	9/14/2023	Lead				0	Copper				0	2304	S SAGINAW ST	FLINT	48503

**Flint Residential and Business Testing Report - results collected July 01, 2023 through December 14, 2023**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK84747	8/10/2023	Lead				0	Copper				0	2010	SEYMOUR AVE	FLINT	48503
LK84748	8/10/2023	Lead				0	Copper				0	2010	SEYMOUR AVE	FLINT	48503
LK85546	8/14/2023	Lead	0	0	0		Copper	190	120	140		2205	STEVENSON ST	FLINT	48504
LK84749	8/10/2023	Lead				0	Copper				0	714	STOCKTON ST	FLINT	48503
LK84750	8/10/2023	Lead				0	Copper				0	714	STOCKTON ST	FLINT	48503
LK84741	8/10/2023	Lead				0	Copper				0	2618	SWAYZE ST	FLINT	48503
LK84742	8/10/2023	Lead				0	Copper				0	2618	SWAYZE ST	FLINT	48503
LK78665	7/13/2023	Lead	0	0	0		Copper	50	0	0		2536	TYRONE ST	FLINT	48504
LK86461	8/18/2023	Lead				0	Copper				0	602	W 12TH ST	FLINT	48503
LK88252	8/28/2023	Lead	0	0	0		Copper	0	0	0		419	W 3RD ST	FLINT	48503
LK92802	9/21/2023	Lead				0	Copper				0	409	W 7TH ST	FLINT	48503
LK81337	7/27/2023	Lead				0	Copper				0	1201	W ATHERTON RD	FLINT	48507
LK81338	7/27/2023	Lead				0	Copper				0	1201	W ATHERTON RD	FLINT	48507
LK92811	9/21/2023	Lead				0	Copper				0	1742	W COURT ST	FLINT	48503
LK92812	9/21/2023	Lead				0	Copper				0	1742	W COURT ST	FLINT	48503
LK81325	7/27/2023	Lead				0	Copper				0	2225	W COURT ST	FLINT	48503
LK81326	7/27/2023	Lead				0	Copper				0	2225	W COURT ST	FLINT	48503
LL01529	12/1/2023	Lead	0	0	0		Copper	0	0	0		1814	W HOME AVE	FLINT	48504
LK86706	8/21/2023	Lead	0	0	0		Copper	150	250	230		102	W PIERSON RD	FLINT	48505
LK84740	8/10/2023	Lead				0	Copper				0	1505	W SECOND ST	FLINT	48503
LK84752	8/10/2023	Lead				0	Copper				940	415	W SIXTH ST	FLINT	48503
LL03316	12/14/2023	Lead	0	0	0		Copper	0	0	0		1501	WALDMAN AVE	FLINT	48507
LK78664	7/13/2023	Lead	0	0	0		Copper	70	0	0				FLINT	48507
LL03315	12/14/2023	Lead	0	0	0		Copper	0	0	0		2821	WESTWOOD PARK WAY	FLINT	48503
LK83243	8/7/2023	Lead	1	0	0		Copper	50	0	0		1939	CARMENBROOK PKWY	FLINT	48507
LK81340	7/27/2023	Lead				1	Copper				0	512	CLINTON ST	FLINT	48507
LK92807	9/21/2023	Lead				1	Copper				0	2500	CLIO RD	FLINT	48504
LK92808	9/21/2023	Lead				1	Copper				0	2500	CLIO RD	FLINT	48504
LK92795	9/21/2023	Lead				1	Copper				50	2406	CORUNNA RD	FLINT	48503
LK81327	7/27/2023	Lead				1	Copper				160	2302	CUMINGS AVE	FLINT	48503
LK81324	7/27/2023	Lead				1	Copper				0	1809	N BALLENGER HWY	FLINT	48504
LK91584	9/14/2023	Lead				1	Copper				0	1638	S SAGINAW ST	FLINT	48503
LK84739	8/10/2023	Lead				1	Copper				0	1505	W SECOND ST	FLINT	48503
LK85053	8/10/2023	Lead	1	0	0		Copper	0	0	0		422	WEST DEWEY ST	FLINT	48505
LK92785	9/21/2023	Lead				2	Copper				60	720	CHURCH ST	FLINT	48502
LK92813	9/21/2023	Lead				2	Copper				90	1019	CHURCH ST	FLINT	48502
LK86467	8/18/2023	Lead				2	Copper				0	2111	LEVERN ST	FLINT	48506
LK81323	7/27/2023	Lead				2	Copper				0	1809	N BALLENGER HWY	FLINT	48504
LK91578	9/14/2023	Lead				2	Copper				0	1201	S SAGINAW ST	FLINT	48502
LK97580	10/26/2023	Lead	2	1	1		Copper	0	0	0		2202	STARKWEATHER	FLINT	48506
LK86460	8/18/2023	Lead				2	Copper				0	602	W 12TH ST	FLINT	48503
LK92801	9/21/2023	Lead				2	Copper				0	409	W 7TH ST	FLINT	48503
LK92800	9/21/2023	Lead				2	Copper				0	316	W COURT ST	FLINT	48502
LK92797	9/21/2023	Lead				2	Copper				0	415	W COURT ST	FLINT	48503
LK92814	9/21/2023	Lead				3	Copper				0	1019	CHURCH ST	FLINT	48502
LK92796	9/21/2023	Lead				3	Copper				0	2406	CORUNNA RD	FLINT	48503

**Flint Residential and Business Testing Report - results collected July 01, 2023 through December 14, 2023**

Sample Number	Date Submitted	Analysis (Lead)	2 Bottle Kit			1 Bottle Kit	Analysis (Copper)	2 Bottle Kit			1 Bottle Kit	Street #	Street Name	City	Zip Code
			250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)		250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)				
LK84732	8/10/2023	Lead				3	Copper				0	2547	PADUCAH ST	FLINT	48504
LK91577	9/14/2023	Lead				3	Copper				0	1201	S SAGINAW ST	FLINT	48502
LK91571	9/14/2023	Lead				3	Copper				0	1613	S SAGINAW ST	FLINT	48503
LK92798	9/21/2023	Lead				3	Copper				0	415	W COURT ST	FLINT	48503
LK83242	8/7/2023	Lead	4	0	1		Copper	50	0	0		1939	CARMENBROOK PKWY	FLINT	48507
LK92809	9/21/2023	Lead				5	Copper				140	410	E COURT ST	FLINT	48503
LK86466	8/18/2023	Lead				6	Copper				0	2111	LEVERN ST	FLINT	48506
LK84751	8/10/2023	Lead				6	Copper				400	415	W SIXTH ST	FLINT	48503
LK92792	9/21/2023	Lead				7	Copper				0	1121	CHURCH ST	FLINT	48502
LK92799	9/21/2023	Lead				7	Copper				0	316	W COURT ST	FLINT	48502
LK92791	9/21/2023	Lead				9	Copper				80	1121	CHURCH ST	FLINT	48502
LK92804	9/21/2023	Lead				9	Copper				0	4907	N SAGINAW ST	FLINT	48505
LK91569	9/14/2023	Lead				9	Copper				0	145	W LAKEVIEW AVE	FLINT	48503
LK92803	9/21/2023	Lead				10	Copper				0	4907	N SAGINAW ST	FLINT	48505
LK84736	8/10/2023	Lead				11	Copper				70	4913	N SAGINAW ST	FLINT	48505
LK92810	9/21/2023	Lead				12	Copper				0	410	E COURT ST	FLINT	48503
LK91572	9/14/2023	Lead				13	Copper				0	1613	S SAGINAW ST	FLINT	48503
LK91570	9/14/2023	Lead				13	Copper				0	145	W LAKEVIEW AVE	FLINT	48503
LK78927	7/17/2023	Lead	19	1	5		Copper	90	0	0		2514	MOUNTAIN AVE	FLINT	48503
LK84731	8/10/2023	Lead				19	Copper				50	2547	PADUCAH ST	FLINT	48504
LK91575	9/14/2023	Lead				31	Copper				0	428	S SAGINAW ST	FLINT	48502
LK87904	8/24/2023	Lead	33	23	25		Copper	8610	7690	7920		2719	FIELDING ST	FLINT	48503
LK91576	9/14/2023	Lead				36	Copper				0	428	S SAGINAW ST	FLINT	48502
LK84735	8/10/2023	Lead				99	Copper				1,290	4913	N SAGINAW ST	FLINT	48505
LK78663	7/13/2023	Lead	14650	2977	5895		Copper	290	90	140		1939	CARMANBROOK PKWY	FLINT	48507

Notes:

ppb = parts per billion

Lead values exceeding 15 ppb and Copper results exceeding 1,300 are highlighted in red.

Sample results of "Not Detected" have been replaced with a numerical value of zero for ease of sorting.

Samples without a zip code did not have one provided on the accompanying paperwork.

\*\*\* indicate Invalid Zip Code