Flint Residential and Business Testing Report - results collected July 01, 2024 through December 23, 2024

			2 Bottle Kit			1 Bottle Kit		2 Bottle Kit			1 Bottle Kit				
Sample Number	Date Submitted	Analysis (Lead)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Analysis (Copper)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Street #	Street Name	City	Zip Code
LL50524	12/9/2024	Lead	0	0	0		Copper	0	0	0		4910	ALPHA WAY	FLINT	48506
LL46684	10/24/2024	Lead				0	Copper				0	1423	ARLINGTON AVE	FLINT	48506
LL46685	10/24/2024	Lead				0	Copper				0	1423	ARLINGTON AVE	FLINT	48506
LL34357	8/8/2024	Lead				0	Copper				0	3513	AUGUSTA ST	FLINT	48503
LL34358	8/8/2024	Lead				0	Copper				0	3513	AUGUSTA ST	FLINT	48503
LL34359	8/8/2024	Lead				0	Copper				0	3410	BEECHER RD	FLINT	48503
LL52202	12/19/2024	Lead	0	0	0		Copper	0	0	0		816	BELMONT AVE	FLINT	48503
LL52476	12/23/2024	Lead	0	0	0		Copper	0	0	0		1009	BLANCHARD AVE	FLINT	48503
LL40394	9/9/2024	Lead	0	0	0		Copper	0	0	0		1310	BLANCHARD AVE	FLINT	48503
LL47858	11/7/2024	Lead				0	Copper				0	2058	BRANCH RD	FLINT	48506
LL47863	11/7/2024	Lead				0	Copper				0	2058	BRANCH RD	FLINT	48506
LL47861	11/7/2024	Lead				0	Copper				0	2125	CARTIER ST	FLINT	48504
LL47862	11/7/2024	Lead				0	Copper				0	2125	CARTIER ST	FLINT	48504
LL34385	8/8/2024	Lead				0	Copper				0	512	CLINTON ST	FLINT	48507
LL34386	8/8/2024	Lead				0	Copper				0	512	CLINTON ST	FLINT	48507
LL33481	8/5/2024	Lead	0	0	0		Copper	0	0	0		321	CLOVERDALE PLACE	FLINT	48503
LL33052	8/1/2024	Lead				0	Copper				0	1240	CRAWFORD ST	FLINT	48507
LL33057	8/1/2024	Lead				0	Copper				80	807	E 2ND ST	FLINT	48503
LL33058	8/1/2024	Lead				0	Copper				70	807	E 2ND ST	FLINT	48503
LL46169	10/17/2024	Lead				0	Copper				0	505	E BISHOP AVE	FLINT	48505
LL46170	10/17/2024	Lead				0	Copper				0	505	E BISHOP AVE	FLINT	48505
LL46183	10/17/2024	Lead				0	Copper				0	526	E JAMIESON ST	FLINT	48505
LL46184	10/17/2024	Lead				0	Copper				0	526	E JAMIESON ST	FLINT	48505
LL34387	8/8/2024	Lead				0	Copper				0	209	E LAKEVIEW AVE	FLINT	48503
LL41922	9/17/2024	Lead	0	0	0		Copper	0	0	0		1154	E RUTH AVE	FLINT	48505
LL46171	10/17/2024	Lead				0	Copper				0	634	E STEWART AVE	FLINT	48505
LL34383	8/8/2024	Lead				0	Copper				0	932	HUGHES AVE	FLINT	48503
LL34384	8/8/2024	Lead				0	Copper				0	932	HUGHES AVE	FLINT	48503
LL34353	8/8/2024	Lead				0	Copper				0	1129	HUGHES AVE	FLINT	48503
LL34354	8/8/2024	Lead				0	Copper				0	1129	HUGHES AVE	FLINT	48503
LL34395	8/8/2024	Lead				0	Copper				0	1425	KNIGHT AVE	FLINT	48503
LL34396	8/8/2024	Lead				0	Copper				0	1425	KNIGHT AVE	FLINT	48503
LL33059	8/1/2024	Lead				0	Copper				0	422	LETA AVE	FLINT	48507
LL40392	9/9/2024	Lead	0	0	0		Copper	0	0	0		2615	LEWIS	FLINT	48506
LL33053	8/1/2024	Lead				0	Copper				0	1130	MARKHAM ST	FLINT	48507
LL33054	8/1/2024	Lead				0	Copper				0	1130	MARKHAM ST	FLINT	48507
LL34365	8/8/2024	Lead				0	Copper				0	2602	MILBOURNE AVE	FLINT	48504
LL34366	8/8/2024	Lead				0	Copper				0	2602	MILBOURNE AVE	FLINT	48504
LL46181	10/17/2024	Lead				0	Copper				0	4901	N SAGINAW ST	FLINT	48505
LL46182	10/17/2024	Lead				0	Copper				0	4901	N SAGINAW ST	FLINT	48505
LL46173	10/17/2024	Lead				0	Copper				0	4913	N SAGINAW ST	FLINT	48505
LL46174	10/17/2024	Lead				0	Copper				0	4913	N SAGINAW ST	FLINT	48505
LL33066	8/1/2024	Lead				0	Copper				0	1117	PINEHURST AVE	FLINT	48507
LL33063	8/1/2024	Lead				0	Copper				0	1234	PINEHURST AVE	FLINT	48507
LL33064	8/1/2024	Lead				0	Copper				0	1234	PINEHURST AVE	FLINT	48507

Flint Residential and Business Testing Report - results collected July 01, 2024 through December 23, 2024

			2 Bottle Kit			1 Bottle Kit		2 Bottle Kit			1 Bottle Kit				
Sample Number	Date Submitted	Analysis (Lead)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Analysis (Copper)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Street #	Street Name	City	Zip Code
LL33067	8/1/2024	Lead				0	Copper				0	1238	PINEHURST AVE	FLINT	48507
LL33068	8/1/2024	Lead				0	Copper				0	1238	PINEHURST AVE	FLINT	48507
LL46175	10/17/2024	Lead				0	Copper				0	1407	POPLAR ST	FLINT	48503
LL46176	10/17/2024	Lead				0	Copper				0	1407	POPLAR ST	FLINT	48503
LL46177	10/17/2024	Lead				0	Copper				0	1250	ROOSEVELT AVE	FLINT	48503
LL46178	10/17/2024	Lead				0	Copper				0	1250	ROOSEVELT AVE	FLINT	48503
LL34373	8/8/2024	Lead				0	Copper				0	819	ROOT ST	FLINT	48503
LL34374	8/8/2024	Lead				0	Copper				0	819	ROOT ST	FLINT	48503
LL34363	8/8/2024	Lead				0	Copper				0	907	ROOT ST	FLINT	48503
LL34364	8/8/2024	Lead				0	Copper				0	907	ROOT ST	FLINT	48503
LL34355	8/8/2024	Lead				0	Copper				0	909	ROOT ST	FLINT	48503
LL34356	8/8/2024	Lead				0	Copper				0	909	ROOT ST	FLINT	48503
LL33071	8/1/2024	Lead				0	Copper				0	2010	SEYMOUR AVE	FLINT	48503
LL33072	8/1/2024	Lead				0	Copper				0	2010	SEYMOUR AVE	FLINT	48503
LL33061	8/1/2024	Lead				0	Copper				0	738	SIMCOE AVE	FLINT	48507
LL33062	8/1/2024	Lead				0	Copper				0	738	SIMCOE AVE	FLINT	48507
LL34371	8/8/2024	Lead				0	Copper				0	917	STOCKER AVE	FLINT	48503
LL34372	8/8/2024	Lead				0	Copper				0	917	STOCKER AVE	FLINT	48503
LL34389	8/8/2024	Lead				0	Copper				0	951	STOCKER AVE	FLINT	48503
LL34390	8/8/2024	Lead				0	Copper				0	951	STOCKER AVE	FLINT	48503
LL34379	8/8/2024	Lead				0	Copper				120	960	STOCKER AVE	FLINT	48503
LL33049	8/1/2024	Lead				0	Copper				0	1130	VERMILYA AVE	FLINT	48507
LL33050	8/1/2024	Lead				0	Copper				0	1130	VERMILYA AVE	FLINT	48507
LL34391	8/8/2024	Lead				0	Copper				0	631	VICTORIA AVE	FLINT	48507
LL34392	8/8/2024	Lead				0	Copper				60	631	VICTORIA AVE	FLINT	48507
LL34378	8/8/2024	Lead				0	Copper				0	1201	W ATHERTON RD	FLINT	48507
LL34369	8/8/2024	Lead				0	Copper				0	2225	W COURT ST	FLINT	48503
LL34370	8/8/2024	Lead				0	Copper				0	2225	W COURT ST	FLINT	48503
LL34381	8/8/2024	Lead				0	Copper				0	509	W TWELFTH ST	FLINT	48503
LL34382	8/8/2024	Lead				0	Copper				0	509	W TWELFTH ST	FLINT	48503
LL34394	8/8/2024	Lead				0	Copper				0	602	W TWELFTH ST	FLINT	48503
LL34375	8/8/2024	Lead				0	Copper				0	3934	WHITNEY AVE	FLINT	48532
LL27956	7/1/2024	Lead	0	0	0		Copper	60	50	50		3610	WORCHESTER DR	FLINT	48503
LL34376	8/8/2024	Lead				0	Copper				0	3934	WHITNEY AVE	FLINT	48532
LL34360	8/8/2024	Lead				1	Copper				0	3410	BEECHER RD	FLINT	48503
LL34388	8/8/2024	Lead				1	Copper				0	209	E LAKEVIEW AVE	FLINT	48503
LL46172	10/17/2024	Lead				1	Copper				0	634	E STEWART AVE	FLINT	48505
LL47859	11/7/2024	Lead				1	Copper				0	2111	LEVERN ST	FLINT	48506
LL33065	8/1/2024	Lead				1	Copper				0	1117	PINEHURST AVE	FLINT	48507
LL33055	8/1/2024	Lead				1	Copper				0	1301	PINEHURST AVE	FLINT	48507
LL33056	8/1/2024	Lead				1	Copper				0	1301	PINEHURST AVE	FLINT	48507
LL33070	8/1/2024	Lead				1	Copper				0	1505	W 2ND ST	FLINT	48503
LL34393	8/8/2024	Lead				1	Copper				0	602	W TWELFTH ST	FLINT	48503
LL40393	9/9/2024	Lead	2	0	0		Copper	0	0	0		1302	COLUMBIA CIRCLE	FLINT	48503
LL33051	8/1/2024	Lead				2	Copper				80	1240	CRAWFORD ST	FLINT	48507

Flint Residential and Business Testing Report - results collected July 01, 2024 through December 23, 2024

			2 Bottle Kit			1 Bottle Kit		2 Bottle Kit			1 Bottle Kit				
Sample Number	Date Submitted	Analysis (Lead)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Analysis (Copper)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Street #	Street Name	City	Zip Code
LL34397	8/8/2024	Lead				2	Copper				0	1309	LELAND ST	FLINT	48507
LL33060	8/1/2024	Lead				2	Copper				0	422	LETA AVE	FLINT	48507
LL47860	11/7/2024	Lead				2	Copper				0	2111	LEVERN ST	FLINT	48506
LL27955	7/1/2024	Lead	2	1	1		Copper	0	0	0		4465	MEADOWBROOK D	FLINT	48506
LL34614	8/12/2024	Lead	0	2	2		Copper	100	80	80		1236	SOMERSET LANE	FLINT	48503
LL34380	8/8/2024	Lead				2	Copper				0	960	STOCKER AVE	FLINT	48503
LL34377	8/8/2024	Lead				2	Copper				0	1201	W ATHERTON RD	FLINT	48507
LL46179	10/17/2024	Lead				2	Copper				0	818	W BALTIMORE BLVD	FLINT	48505
LL46180	10/17/2024	Lead				2	Copper				0	818	W BALTIMORE BLVD	FLINT	48505
LL34367	8/8/2024	Lead				2	Copper				60	415	W SIXTH ST	FLINT	48503
LL33069	8/1/2024	Lead				3	Copper				0	1505	W 2ND ST	FLINT	48503
LL34398	8/8/2024	Lead				4	Copper				0	1309	LELAND ST	FLINT	48507
LL34361	8/8/2024	Lead				4	Copper				0	2615	LEWIS ST	FLINT	48506
LL34368	8/8/2024	Lead				4	Copper				120	415	W SIXTH ST	FLINT	48503
LL46873	10/28/2024	Lead	5	0	1		Copper	150	0	0		602	W HOLBROOK AVE	FLINT	48505
LL34362	8/8/2024	Lead				23	Copper				0	2615	LEWIS ST	FLINT	48506
LL46699	10/24/2024	Lead	27	0	7		Copper	730	0	180		222	EDMUND ST	FLINT	48505

Notes:

ppb = parts per billion

Lead values exceeding 15 ppb and Copper results exceeding 1,300 are highlighted in red.

Sample results of "Not Detected" have been replaced with a numerical value of zero for ease of sorting.

Samples without a zip code did not have one provided on the accompanying paperwork.

*** indicate Invalid Zip Code