Flint Residential and Business Testing Report - results collected July 01, 2025 through December 29, 2025

			2 Bottle Kit			1 Bottle Kit		2 Bottle Kit			1 Bottle Kit				
Sample Number	Date Submitted	Analysis (Lead)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Analysis (Copper)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Street #	Street Name	City	Zip Code
LL89355	10/6/2025	Lead	0	0	0		Copper	0	0	0		6301	ALLISON DR	FLINT	48504
LL80443	8/8/2025	Lead				0	Copper				0	3513	AUGUSTA ST	FLINT	48503
LL80444	8/8/2025	Lead				0	Copper				0	3513	AUGUSTA ST	FLINT	48503
LL81713	8/14/2025	Lead				0	Copper				0	4512	BALDWIN BLVD	FLINT	48505
LL81714	8/14/2025	Lead				0	Copper				0	4512	BALDWIN BLVD	FLINT	48505
LL78517	7/31/2025	Lead				0	Copper				0	3410	BEECHER RD	FLINT	48503
LL78518	7/31/2025	Lead				0	Copper				0	3410	BEECHER RD	FLINT	48503
LL93602	11/13/2025	Lead	0	0	0		Copper	60	70	70		920	BELMONT AVE	FLINT	48503
LL76491	7/17/2025	Lead				2	Copper				0	749	BLOOR AVE	FLINT	48507
LL76492	7/17/2025	Lead				2	Copper				0	749	BLOOR AVE	FLINT	48507
LL95415	12/4/2025	Lead	0	1	0		Copper	0	0	0		3002	CHEVORLET AVE	FLINT	48504
LL83747	8/28/2025	Lead				5	Copper				0	2713	CHICAGO BLVD	FLINT	48503
LL83748	8/28/2025	Lead				13	Copper				0	2713	CHICAGO BLVD	FLINT	48503
LL92917	11/6/2025	Lead				0	Copper				0	720	CHURCH ST	FLINT	48502
LL92916	11/6/2025	Lead				2	Copper				0	720	CHURCH ST	FLINT	48502
LL91702	10/23/2025	Lead				0	Copper				0	934	CHURCH ST	FLINT	48502
LL91703	10/23/2025	Lead				0	Copper				0	934	CHURCH ST	FLINT	48502
LL91708	10/23/2025	Lead				0	Copper				0	4101	CIRCLE DR	FLINT	48507
LL91709	10/23/2025	Lead				0	Copper				0	4101	CIRCLE DR	FLINT	48507
LL91706	10/23/2025	Lead				0	Copper				0	2500	CLIO RD	FLINT	48504
LL91707	10/23/2025	Lead				30	Copper				80	2500	CLIO RD	FLINT	48504
LL91704	10/23/2025	Lead				2	Copper				0	2317	CORUNNA RD	FLINT	48503
LL91705	10/23/2025	Lead				2	Copper				0	2317	CORUNNA RD	FLINT	48503
LL91720	10/23/2025	Lead				1	Copper				110	2605	CORUNNA RD	FLINT	48503
LL91721	10/23/2025	Lead				1	Copper				0	2605	CORUNNA RD	FLINT	48503
LL92351	10/30/2025	Lead				0	Copper				0	3410	CORUNNA RD	FLINT	48503
LL92352	10/30/2025	Lead				0	Copper				0	3410	CORUNNA RD	FLINT	48503
LL89929	10/9/2025	Lead				2	Copper				0	509	COTTAGE GROVE AVE	FLINT	48504
LL89930	10/9/2025	Lead				2	Copper				0	509	COTTAGE GROVE AVE	FLINT	48504
LL91718	10/23/2025	Lead				0	Copper				220	2232	DAVISON RD	FLINT	48506
LL91719	10/23/2025	Lead				6	Copper				180	2232	DAVISON RD	FLINT	48506
LL83751	8/28/2025	Lead				0	Copper				0	3609	DAVISON RD	FLINT	48506
LL83752	8/28/2025	Lead				0	Copper				0	3609	DAVISON RD	FLINT	48506
LL81711	8/14/2025	Lead				0	Copper				0	1415	DURAND ST	FLINT	48503
LL81716	8/14/2025	Lead				0	Copper				0	1415	DURAND ST	FLINT	48503
LL80462	8/8/2025	Lead				1	Copper				0	1511	DURAND ST	FLINT	48503
LL80461	8/8/2025	Lead				2	Copper				0	1511	DURAND ST	FLINT	48503
LL92919	11/6/2025	Lead				0	Copper				0	311	E COURT ST	FLINT	48502
LL92918	11/6/2025	Lead				1	Copper				0	311	E COURT ST	FLINT	48502
LL74465	7/2/2025	Lead	2	2	2		Copper	140	100	110		506	E HARRIET ST	FLINT	48504
LL94259	11/20/2025	Lead	0	0	0		Copper	0	0	0		1164	E HOLBROOK AVE	FLINT	48505
LL77407	7/24/2025	Lead				0	Copper				0	807	E SECOND ST	FLINT	48503
LL77408	7/24/2025	Lead				0	Copper				60	807	E SECOND ST	FLINT	48503
LL91722	10/23/2025	Lead				2	Copper				0	3621	FENTON RD	FLINT	48507
LL91723	10/23/2025	Lead				2	Copper				60	3621	FENTON RD	FLINT	48507
LL74463	7/2/2025	Lead	0	0	0		Copper	0	0	0		509	HARRIET ST	FLINT	48505
LL92341	10/30/2025	Lead	0	0	0		Copper	0	0	0		301	HASTINGS	FLINT	48503
LL78519	7/31/2025	Lead				0	Copper				0	952	HUBBARD AVE	FLINT	48503

Flint Residential and Business Testing Report - results collected July 01, 2025 through December 29, 2025

			2 Bottle Kit			1 Bottle Kit		2 Bottle Kit			1 Bottle Kit				
Sample Number	Date Submitted	Analysis (Lead)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Analysis (Copper)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Street #	Street Name	City	Zip Code
LL78520	7/31/2025	Lead				2	Copper				0	952	HUBBARD AVE	FLINT	48503
LL75497	7/10/2025	Lead	0	0	0		Copper	0	0	0		2029	JOLIET ST	FLINT	48504
LL76477	7/17/2025	Lead				0	Copper				0	1425	KNIGHT AVE	FLINT	48503
LL76478	7/17/2025	Lead				0	Copper				0	1425	KNIGHT AVE	FLINT	48503
LL76489	7/17/2025	Lead				0	Copper				0	1365	LAPEER RD	FLINT	48503
LL76490	7/17/2025	Lead				0	Copper				0	1365	LAPEER RD	FLINT	48503
LL80456	8/8/2025	Lead				0	Copper				0	2513	LEITH ST	FLINT	48506
LL80455	8/8/2025	Lead				2	Copper				0	2513	LEITH ST	FLINT	48506
LL91233	10/20/2025	Lead	0	0	0		Copper	0	0	0		3307	MACKIN RD	FLINT	48504
LL80447	8/8/2025	Lead				3	Copper				0	1126	MANN AVE	FLINT	48503
LL80448	8/8/2025	Lead				6	Copper				0	1126	MANN AVE	FLINT	48503
LL83749	8/28/2025	Lead				0	Copper				0	1421	MARYLAND AVE	FLINT	48506
LL83750	8/28/2025	Lead				0	Copper				0	1421	MARYLAND AVE	FLINT	48506
LL78513	7/31/2025	Lead				0	Copper				0	1612	MARYLAND AVE	FLINT	48506
LL78514	7/31/2025	Lead				0	Copper				0	1612	MARYLAND AVE	FLINT	48506
LL96053	12/11/2025	Lead	0	0	0		Copper	60	0	0		307	MASON ST	FLINT	48503
LL91232	10/20/2025	Lead	0	0	0		Copper	0	0	0		621	MASON ST	FLINT	48503
LL81712	8/14/2025	Lead				0	Copper				0	936	MCQUEEN ST	FLINT	48503
LL81715	8/14/2025	Lead				0	Copper				0	936	MCQUEEN ST	FLINT	48503
LL80453	8/8/2025	Lead				1	Copper				0	1647	MONTANA AVE	FLINT	48506
LL80454	8/8/2025	Lead				2	Copper				0	1647	MONTANA AVE	FLINT	48506
LL91712	10/23/2025	Lead				0	Copper				0	1402	N CHEVROLET AVE	FLINT	48504
LL91713	10/23/2025	Lead				0	Copper				0	1402	N CHEVROLET AVE	FLINT	48504
LL80463	8/8/2025	Lead				0	Copper				0	1517	N GRAND TRAVERSE ST	FLINT	48503
LL80464	8/8/2025	Lead				0	Copper				0	1517	N GRAND TRAVERSE ST	FLINT	48503
LL77409	7/24/2025	Lead				1	Copper				0	4913	N SAGINAW ST	FLINT	48505
LL77410	7/24/2025	Lead				7	Copper				0	4913	N SAGINAW ST	FLINT	48505
LL92349	10/30/2025	Lead				1	Copper				0	5518	N SAGINAW ST	FLINT	48505
LL92350	10/30/2025	Lead				2	Copper				0	5518	N SAGINAW ST	FLINT	48505
LL86915	9/18/2025	Lead				0	Copper				200	1624	NEBRASKA AVE	FLINT	48506
LL86916	9/18/2025	Lead				0	Copper				0	1624	NEBRASKA AVE	FLINT	48506
LL91717	10/23/2025	Lead				0	Copper				0	5012	NORTH SAGINAW ST	FLINT	48507
LL91716	10/23/2025	Lead				1	Copper				140	5012	NORTH SAGINAW ST	FLINT	48507
LL80445	8/8/2025	Lead				0	Copper				0	3518	NORWOOD DR	FLINT	48503
LL80446	8/8/2025	Lead				0	Copper				0	3518	NORWOOD DR	FLINT	48503
LL76485	7/17/2025	Lead				2	Copper				0	4518	OGEMA AVE	FLINT	48507
LL76486	7/17/2025	Lead				2	Copper				0	4518	OGEMA AVE	FLINT	48507
LL83755	8/28/2025	Lead				0	Copper				0	2535	PADUCAH ST	FLINT	48504
LL83756	8/28/2025	Lead				0	Copper				0	2535	PADUCAH ST	FLINT	48504
LL76487	7/17/2025	Lead				0	Copper				0	1602	PETTIBONE AVE	FLINT	48507
LL76488	7/17/2025	Lead				0	Copper				0	1602	PETTIBONE AVE	FLINT	48507
LL76481	7/17/2025	Lead				0	Copper				0	1238	PINEHURST AVE	FLINT	48507
LL76482	7/17/2025	Lead				0	Copper				0	1238	PINEHURST AVE	FLINT	48507
LL80465	8/8/2025	Lead				1	Copper				0	1407	POPLAR ST	FLINT	48503
LL80466	8/8/2025	Lead				1	Copper				0	1407	POPLAR ST	FLINT	48503
LL80449	8/8/2025	Lead				0	Copper				0	2102	PROSPECT ST	FLINT	48504
LL80450	8/8/2025	Lead				0	Copper				0	2102	PROSPECT ST	FLINT	48504
LL74464	7/2/2025	Lead	0	0	0		Copper	0	0	0		2438	RASKOB	FLINT	48504

Flint Residential and Business Testing Report - results collected July 01, 2025 through December 29, 2025

			2 Bottle Kit			1 Bottle Kit		2 Bottle Kit			1 Bottle Kit				
Sample Number	Date Submitted	Analysis (Lead)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Analysis (Copper)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Street #	Street Name	City	Zip Code
LL81709	8/14/2025	Lead				0	Copper				0	2722	REYNOLDS ST	FLINT	48503
LL81710	8/14/2025	Lead				0	Copper				0	2722	REYNOLDS ST	FLINT	48503
LL78515	7/31/2025	Lead				0	Copper				0	1250	ROOSEVELT AVE	FLINT	48503
LL78516	7/31/2025	Lead				0	Copper				0	1250	ROOSEVELT AVE	FLINT	48503
LL91715	10/23/2025	Lead				5	Copper				0	1201	S SAGINAW ST	FLINT	48502
LL91714	10/23/2025	Lead				7	Copper				0	1201	S SAGINAW ST	FLINT	48502
LL91711	10/23/2025	Lead				0	Copper				0	2304	S SAGINAW ST	FLINT	48503
LL91710	10/23/2025	Lead				3	Copper				0	2304	S SAGINAW ST	FLINT	48503
LL89070	10/2/2025	Lead	0	0	0		Copper	430	360	380		1101	SAGINAW ST	FLINT	48502
LL76479	7/17/2025	Lead				0	Copper				0	2010	SEYMOUR ST	FLINT	48503
LL76480	7/17/2025	Lead				0	Copper				0	2010	SEYMOUR ST	FLINT	48503
LL80459	8/8/2025	Lead				0	Copper				0	529	STOCKDALE ST	FLINT	48503
LL80460	8/8/2025	Lead				0	Copper				0	529	STOCKDALE ST	FLINT	48503
LL84777	9/4/2025	Lead	0	0	0		Copper	0	0	0		3825	SUNRIDGE DR	FLINT	48506
LL89115	10/2/2025	Lead				5	Copper				0	2109	TORRANCE AVE	FLINT	48506
LL89116	10/2/2025	Lead				6	Copper				0	2109	TORRANCE AVE	FLINT	48506
LL76475	7/17/2025	Lead				1	Copper				0	602	W 12TH ST	FLINT	48503
LL76476	7/17/2025	Lead				2	Copper				0	602	W 12TH ST	FLINT	48503
LL92348	10/30/2025	Lead				1	Copper				0	409	W 7TH ST	FLINT	48503
LL92347	10/30/2025	Lead				7	Copper				0	409	W 7TH ST	FLINT	48503
LL76484	7/17/2025	Lead				0	Copper				0	1201	W ATHERTON RD	FLINT	48507
LL76483	7/17/2025	Lead				1	Copper				0	1201	W ATHERTON RD	FLINT	48507
LL78511	7/31/2025	Lead				1	Copper				0	818	W BALTIMORE BLVD	FLINT	48505
LL78512	7/31/2025	Lead				1	Copper				0	818	W BALTIMORE BLVD	FLINT	48505
LL81717	8/14/2025	Lead				0	Copper				0	205	W LINSEY BLVD	FLINT	48503
LL81718	8/14/2025	Lead				0	Copper				0	205	W LINSEY BLVD	FLINT	48503
LL77405	7/24/2025	Lead				0	Copper				0	115	W PATERSON ST	FLINT	48503
LL77406	7/24/2025	Lead				0	Copper				0	115	W PATERSON ST	FLINT	48503
LL80457	8/8/2025	Lead				1	Copper				0	505	W PATERSON ST	FLINT	48503
LL80458	8/8/2025	Lead				2	Copper				0	505	W PATERSON ST	FLINT	48503
LL93601	11/13/2025	Lead	0	0	0		Copper	0	0	0		321	W SECOND ST	FLINT	48502
LL80451	8/8/2025	Lead				3	Copper				0	1505	W SECOND ST	FLINT	48503
LL80452	8/8/2025	Lead				4	Copper				0	1505	W SECOND ST	FLINT	48503
LL93599	11/13/2025	Lead				0	Copper				0	1368	WASHINGTON AVE	FLINT	48503
LL93600	11/13/2025	Lead				0	Copper				0	1368	WASHINGTON AVE	FLINT	48503
LL84776	9/4/2025	Lead	0	0	0		Copper	0	60	0		1187	WEST BRISTOL RD SUITE 1	FLINT	48503
LL97763	12/29/2025	Lead	0	0	0		Copper	70	0	0		2814	WINONA STREET	FLINT	48504
LL83753	8/28/2025	Lead				0	Copper				0	2425	ZIMMERMAN ST	FLINT	48503
LL83754	8/28/2025	Lead				1	Copper				0	2425	ZIMMERMAN ST	FLINT	48503

Notes:

ppb = parts per billion

Lead values exceeding 12 ppb and Copper results exceeding 1,300 are highlighted in red.

Sample results of "Not Detected" have been replaced with a numerical value of zero for ease of sorting.

Flint Residential and Business Testing Report - results collected July 01, 2025 through December 29, 2025

			2 Bottle Kit			1 Bottle Kit		2 Bottle Kit			1 Bottle Kit				
Sample Number	Date Submitted	Analysis (Lead)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Analysis (Copper)	250 ml Bottle (PPB)	750 ml Bottle (PPB)	1 Liter Calculated	1 Liter (PPB)	Street #	Street Name	City	Zip Code

Samples without a zip code did not have one provided on the accompanying paperwork.

*** indicate Invalid Zip Code