

Consumer Safety Advisory

The State of Michigan Fire Marshal's Office has tested and determined the firework device, "AGENT of BOOM", manufactured and imported by Bright Star Fireworks, is an illegal and overloaded device. This means the device exceeds the allowable amount of pyrotechnic content as permitted by the Michigan Fireworks Safety Act ~ P.A.256 of 2011, the National Fire Protection Association NFPA 1124 and the Consumer Product Safety Commission standards.

WHAT SHOULD YOU DO?

PUBLIC INSTRUCTIONS: If you have purchased one or more of these devices. DO NOT USE them, as the device may present a significant safety issue. Return the product to the point of sale.

RETAILER INSTRUCTIONS: The Agent of Boom firework should be pulled from your retail sales stock immediately. You must notify the State of Michigan Fire Marshal's Office, Fireworks Enforcement Division, that you have the product known as, "Agent of Boom". Return the product to the point of sale. You will not be penalized for immediate self-reporting.



AGENT OF BOOM

PERFORMANCE
Launches 37 bright star fireworks in the sky with 37 reports and 37 seconds of gold willow and red starburst backflashes.

WARNING MAY BE CAUTIE. SOAK WITH WATER AFTER USE.

WARNING
SHOOTS FLAMING BALLS WITH REPORTS
CAREFULLY READ OTHER WARNING ON OTHER PANEL.

www.pandafireworks.com



37 SHOTS

AGENT OF BOOM

500 GRAMS

WARNING







AGENT OF BOOM



37 SHOTS

500 GRAMS
NET WT

WARNING
SHOCKY FLAMING BALLS WITH REPORTS
CAREFULLY READ OTHER WARNING ON SIDE PANEL
www.pancafireworks.com





PERFORMANCE
The Best of Bright Star
Fireworks

BRIGHT STAR
FIREWORKS

AGENT OF BOOM

37
SHOTS

WARNING
SUSCEPTIBLE TO FLAMING BALLS WITH RESIDUES
CAUTION: READ INSTRUCTIONS CAREFULLY

858032
1 100 000 000 000
E.V. 2000000 2000