



Behavioral Health Emergency Partnership Review Game

Disorders	
\$100 - Hallucinations, Delusions and Flat Affect are observable signs of which disorder?	Psychotic Disorders
\$200 - High/Low Energy, Risky Behavior, Increased/Decreased Activity and Agitation are observable signs of which disorder?	Mood Disorders
\$300 - Confusion, Poor Motor Coordination and Memory Deficits are observable signs of which disorder?	Cognitive Disorders
\$400 - Flashbacks, Avoidance of Experiences, Reactivity, Negative Thoughts of Self are observable signs of which disorder?	Post Traumatic Stress Disorder (PTSD)
\$500 - Intense Fear of Dying, Heart Attack Symptoms, Excessive Fear or Worry are observable signs of which disorder?	Anxiety Disorders
Michigan Mental Health Code	
\$100 - True or False. Any individual that is 18 or older can fill out a petition as long as it is done in good faith.	True
\$200 - True or False. Treatment can be voluntary or court-ordered, with an emphasis that voluntary is preferred.	True
\$300 - The Michigan Mental Health Code provides the standard for Law Enforcement’s response to “Person’s Requiring Treatment.” What legislation provides for EMS response?	Public Health Code (Medical Control Boards)
\$400 - What are 3 things a first responder must do when taking a person into protective custody?	<ol style="list-style-type: none"> 1. Advise that the person is not under arrest 2. Take reasonable steps to protect yourself and others (pat down for weapons, etc) 3. Limit force to that of a misdemeanor arrest with no warrants
\$500 - What are the three criteria determining that a person requires treatment on a petition for mental health treatment?	<ol style="list-style-type: none"> 1. Reasonable expectation of harm to self or others 2. Inability to attend to needs 3. Serious impaired judgement

Vulnerable Populations	
\$100 - Wandering, Driving Safety & Abuse/Neglect are response concerns for which vulnerable group?	Older Adults
\$200 - How might a child or adolescent react to a traumatic experience?	Fear, irritability, sexualized behavior, self-injury.....
\$300 - Social withdrawal, feeling hopeless, giving away possessions, talking about suicide are signs of...	Suicide Ideation
\$400 - Why shouldn't we think of children and adolescents as simply "small adults?"	Brain development, risk perception, disruptions in normal development....
\$500 - Releasing to the custody of guardian and/or making an agreement to resolve a problem between parties are examples of...	Adolescent Criminal justice Diversion
Stigma and Recovery	
\$100 - An attempt to label a particular group of people as less worthy of respect than others.	Stigma
\$200 - What is an example of mental health stigma?	Prone to violence, mental illness is a choice, incompetence, etc.
\$300 - Name one quality of life impact attributed to mental health stigma.	Lower lifespan, lower income, fear and mistrust, higher incarceration rates, etc.
\$400 - What supports might a person require to be in recovery?	Access to treatment, medication, housing, therapy, education, Employment, etc.
\$500 - Why do you think that there is a common misconception that mental health recovery is not possible?	Media portrayals, responders typically see individuals when they are in crisis, etc.
Myth or Fact	
\$100 - People with mental health problems are often violent and unpredictable.	Myth
\$200 - Jail diversion strategies when used appropriately can lead people to treatment without compromising public safety.	Fact
\$300 - Many people with mental health and substance use problems do not receive the care they need to achieve recovery.	Fact
\$400 - Trauma and a history of abuse either in early childhood or adulthood can increase the chances that a person can experience mental illness and/or substance use disorders later.	Fact

Myth or Fact (continued)	
\$500 - Prevention does not work; it is impossible to prevent mental illness.	Myth
Wild Card	
\$100 - Extreme Paranoia, Overheating, Pain Tolerance and Aggressive Behaviors are observable signs of which disorder?	Delirium, Hyperactive Type (Excited Delirium)
\$200 - What is a benefit of having strong partnerships with mental health professionals?	Access to mental health experts to assist with situations, better coordination of services, etc.
\$300 - Name one strategy that you can use to demonstrate dignity and respect when responding to a person with a behavioral health condition.	People first language, using their name, build rapport, be patient, empathy, etc.
\$400 - Name one example of a cognitive disorder.	Dementia, TBI, Delirium
\$500 - What is a strategy to help someone that is suicidal?	Asking if they are thinking about killing themselves, remove access to weapons, move to a safe place, listen, focus on solutions, etc.
Tie Breaker	
List as many as possible: What are the benefits of behavioral health training for responders?	Answers may include: Less liability, improved safety, better responses, improved partnerships, improved diversion, etc.