

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		%	%	%	%	%	%	%
0101	186	90.9	0.0	4.8	0.0	0.0	4.3	0.0
0102	660	90.3	0.5	2.6	0.2	0.0	6.5	0.0
0103	658	88.1	0.0	4.7	0.0	0.0	7.1	0.0
0104	218	93.1	0.0	4.1	0.5	0.0	2.3	0.0
0250	245	84.1	0.0	0.8	1.6	0.0	13.1	0.4
0251	187	84.5	0.0	2.1	3.2	0.5	9.6	0.0
0252	204	39.2	1.0	2.9	2.5	0.5	53.9	0.0
0253	276	66.3	0.0	0.7	6.9	0.7	25.4	0.0
0401	753	92.3	0.3	2.7	0.0	0.0	4.8	0.0
0402	544	79.6	0.4	1.8	1.1	0.9	16.2	0.0
0403	178	94.9	0.6	2.2	0.0	0.0	2.2	0.0
0404	197	84.8	0.0	3.6	0.0	0.0	11.7	0.0
0501	790	90.4	0.4	3.2	0.1	0.4	5.6	0.0
0502	8	*	*	*	*	*	*	*
0503	250	87.2	0.0	6.0	0.4	0.4	6.0	0.0
0504	775	81.8	0.4	3.0	3.4	0.8	10.7	0.0
0505	478	83.7	0.2	4.0	0.6	0.4	11.1	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
0506	325	91.1	0.3	3.4	0.0	0.0	5.2	0.0
0507	252	88.1	0.0	3.6	0.0	0.0	8.3	0.0
0508	25	*	*	*	*	*	*	*
0650	1,508	80.0	3.8	4.9	1.3	0.7	9.2	0.1
0651	1,003	87.3	0.0	6.1	0.0	0.4	6.2	0.0
0652	441	92.5	0.0	3.4	0.0	0.0	4.1	0.0
0653	729	96.2	0.1	1.5	0.1	0.0	2.1	0.0
0654	652	93.1	0.5	2.6	0.0	0.2	3.7	0.0
0655	573	88.0	0.0	3.7	0.0	0.2	8.2	0.0
0657	117	99.1	0.0	0.9	0.0	0.0	0.0	0.0
0701	695	86.0	1.0	3.0	0.1	2.2	7.6	0.0
0702	146	86.3	0.0	1.4	0.7	0.0	11.6	0.0
0703	330	88.2	0.0	3.6	0.9	0.0	7.0	0.3
0704	111	89.2	0.0	3.6	0.0	0.0	7.2	0.0
0705	212	91.5	0.0	0.9	0.0	0.0	7.5	0.0
0850	1,568	79.8	3.8	8.8	0.0	1.2	6.2	0.2
0851	1,318	91.3	0.4	3.9	0.0	0.0	4.5	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
Clinic	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown
		%	%	%	%	%	%	%
0901	2,612	69.2	2.3	16.1	0.0	0.2	12.0	0.2
0902	116	87.9	0.9	6.9	0.0	0.0	4.3	0.0
1051	2,126	84.7	0.7	6.3	0.7	0.4	7.1	0.1
1101	2,796	29.9	56.7	6.7	0.1	0.5	5.8	0.4
1102	1,344	67.8	11.0	6.8	0.3	1.1	12.8	0.1
1106	193	68.9	1.6	17.1	0.5	0.5	11.4	0.0
1250	1,689	79.6	0.3	15.2	0.1	0.0	4.9	0.0
1251	1,435	86.9	0.1	6.4	0.0	0.1	6.3	0.1
1252	676	46.4	0.7	48.7	0.0	0.4	3.7	0.0
1253	1,656	74.6	4.6	10.9	0.0	0.2	9.6	0.1
1350	3,866	46.9	20.6	11.5	0.2	5.9	15.0	0.1
1351	249	88.4	0.8	4.8	0.0	1.2	4.8	0.0
1352	622	53.4	25.7	8.7	0.0	0.2	12.1	0.0
1401	357	85.2	1.4	7.8	0.0	0.0	5.6	0.0
1402	267	42.7	1.1	36.0	6.7	0.0	13.5	0.0
1403	45	*	*	*	*	*	*	*
1404	16	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		%	%	%	%	%	%	%
1501	1,691	42.0	6.1	44.0	0.2	0.0	5.9	1.8
1503	2,019	52.3	6.6	31.0	0.2	0.2	8.4	1.2
1504	3,729	39.3	4.5	48.0	0.0	3.2	5.0	0.1
1505	1,305	84.5	1.5	10.2	0.0	0.4	3.2	0.2
1506	1,088	77.8	0.8	17.1	0.1	0.0	3.7	0.5
1507	1,045	82.6	1.1	7.8	0.1	0.7	7.5	0.2
1508	168	0.0	0.0	98.2	0.0	0.0	0.0	1.8
1509	922	47.7	2.7	46.1	0.1	0.1	2.5	0.8
1511	1,164	89.6	0.6	4.4	0.0	0.3	4.8	0.3
1512	632	82.0	0.5	9.3	0.2	0.0	7.9	0.2
1701	1,175	49.3	0.5	3.2	15.3	0.4	31.1	0.1
1950	920	89.3	0.1	6.6	0.1	0.1	3.6	0.1
1952	218	85.8	0.0	6.4	0.0	0.0	7.8	0.0
1953	564	86.9	0.5	9.2	0.0	0.0	3.4	0.0
1954	982	79.0	0.4	18.2	0.0	0.0	2.3	0.0
1955	221	74.2	0.5	20.4	0.0	0.5	4.5	0.0
1957	991	79.6	1.3	11.8	0.1	0.5	6.7	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		%	%	%	%	%	%	%
2150	1,107	86.3	0.0	3.8	1.0	0.1	8.7	0.2
2151	393	87.5	0.8	4.8	0.3	0.0	6.6	0.0
2251	704	86.5	0.1	3.0	0.1	0.3	9.5	0.4
2252	329	93.6	0.0	1.2	0.0	0.0	5.2	0.0
2554	205	77.6	7.8	7.8	0.0	0.0	6.8	0.0
2555	11,176	42.5	38.2	7.0	0.0	0.3	11.9	0.1
3001	1,599	10.8	65.9	18.0	0.1	0.3	4.9	0.1
3002	464	15.7	47.0	31.5	0.0	0.0	5.8	0.0
3004	241	0.8	0.0	99.2	0.0	0.0	0.0	0.0
3007	51	*	*	*	*	*	*	*
3009	12	*	*	*	*	*	*	*
3201	859	89.4	0.3	6.8	0.2	0.0	3.3	0.0
3301	5,331	29.4	28.7	21.6	0.0	5.5	14.7	0.1
3302	1	*	*	*	*	*	*	*
3304	253	44.7	15.4	10.7	0.4	21.7	7.1	0.0
3305	278	58.6	10.4	14.7	0.0	4.0	12.2	0.0
3306	552	83.0	2.5	7.4	0.0	0.4	6.7	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		%	%	%	%	%	%	%
3308	127	89.0	0.8	3.1	0.8	0.0	6.3	0.0
3309	68	*	*	*	*	*	*	*
3312	768	23.2	30.6	28.0	0.1	2.9	15.1	0.1
3550	142	0.7	0.0	1.4	92.3	0.0	5.6	0.0
3551	45	*	*	*	*	*	*	*
3552	79	*	*	*	*	*	*	*
3701	1,773	83.6	0.3	11.1	0.0	0.0	5.0	0.0
3850	4,926	62.7	12.5	9.0	0.1	0.3	15.3	0.0
3950	2,964	57.1	16.7	11.7	0.0	1.3	13.2	0.0
3954	72	*	*	*	*	*	*	*
4001	2,053	20.7	57.7	8.9	0.1	1.0	11.5	0.1
4002	1,742	41.4	24.2	19.2	0.0	0.5	14.7	0.0
4103	147	5.4	67.3	6.8	0.0	11.6	8.8	0.0
4106	3,753	10.2	36.7	44.4	0.0	0.6	8.0	0.0
4107	5,354	40.8	21.4	22.4	0.0	1.2	14.1	0.1
4109	1,833	81.0	1.1	9.0	0.0	0.2	8.6	0.1
4110	1	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
4112	868	0.1	0.3	99.0	0.0	0.5	0.1	0.0
4113	1,179	5.0	17.6	72.9	0.0	1.3	3.1	0.0
4120	3,479	41.8	8.3	35.4	0.0	2.7	11.6	0.0
4160	3,078	28.6	32.3	16.2	0.1	13.4	9.4	0.1
4351	936	85.3	0.9	8.3	0.1	0.0	5.3	0.1
4352	335	67.2	10.7	5.7	0.0	0.0	16.4	0.0
4353	777	61.0	0.3	33.5	0.0	0.0	5.3	0.0
4354	1,183	83.7	3.8	2.6	0.2	0.3	8.9	0.5
4355	505	75.2	0.2	10.1	0.4	0.0	14.1	0.0
4356	832	78.4	0.6	14.8	0.0	0.0	6.3	0.0
4358	265	12.8	1.1	85.3	0.4	0.0	0.4	0.0
4359	888	65.5	0.1	32.5	0.0	0.0	1.7	0.1
4360	365	89.6	0.0	7.9	0.0	0.3	2.2	0.0
4361	347	91.4	0.0	1.7	0.0	0.0	6.9	0.0
4362	482	93.4	0.0	3.1	0.0	0.2	3.3	0.0
4363	1,426	91.3	0.3	3.2	0.0	0.1	4.8	0.2
4401	1,932	84.6	0.5	7.7	0.1	0.1	6.9	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
4501	1,528	85.9	0.7	7.9	0.0	0.0	5.6	0.0
4601	2,190	66.0	1.4	24.5	0.0	0.0	7.9	0.1
4701	2,029	88.3	0.6	5.4	0.0	0.5	5.1	0.0
5050	2,425	54.3	27.9	3.2	0.0	1.4	13.3	0.0
5051	3,590	50.2	30.6	5.5	0.0	2.0	11.6	0.0
5052	3,541	48.0	26.0	3.5	0.0	12.4	10.1	0.1
5055	1,388	92.7	2.2	1.2	0.0	3.5	0.4	0.1
5101	3,096	67.4	9.0	12.4	0.0	1.6	9.7	0.0
5202	852	82.9	0.2	2.6	0.2	0.0	13.6	0.5
5203	211	79.6	1.4	2.4	0.0	0.0	16.6	0.0
5204	199	75.4	0.0	7.0	0.0	0.0	17.1	0.5
5601	1,929	88.4	1.2	3.7	0.1	0.5	5.8	0.2
5801	2,813	77.2	5.3	8.7	0.1	0.1	8.5	0.1
5803	353	88.7	0.3	7.4	0.3	0.0	3.4	0.0
5804	102	93.1	0.0	3.9	0.0	0.0	2.9	0.0
6101	127	91.3	0.8	4.7	0.0	0.0	3.1	0.0
6102	414	80.4	1.7	9.2	0.0	0.0	8.7	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions



**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>	<b>%</b>
6103	5,622	50.5	23.7	13.1	0.1	0.1	12.4	0.1
6104	559	22.2	60.5	8.4	0.2	0.2	8.6	0.0
6105	98	*	*	*	*	*	*	*
6301	6,166	40.2	26.5	23.3	0.1	2.4	7.5	0.0
6312	3,592	40.7	47.1	3.3	0.1	1.7	7.0	0.0
6316	2,154	68.8	15.3	8.4	0.0	2.0	5.3	0.0
6320	332	61.4	26.8	3.6	0.0	1.5	6.6	0.0
6325	226	90.3	1.8	4.4	0.0	0.4	3.1	0.0
6330	1,113	17.7	57.6	16.3	0.1	0.5	7.8	0.0
6335	887	80.6	8.5	2.1	0.0	3.7	5.1	0.0
6340	147	23.8	19.7	51.0	0.0	3.4	2.0	0.0
6345	45	*	*	*	*	*	*	*
6350	405	55.3	31.6	2.7	0.0	0.2	10.1	0.0
6877	14	*	*	*	*	*	*	*
7304	331	85.8	1.2	8.5	0.0	0.0	4.2	0.3
7306	3,917	38.2	31.8	20.1	0.0	0.3	9.5	0.1
7308	283	82.7	0.7	8.8	0.0	0.0	7.8	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		%	%	%	%	%	%	%
7310	47	*	*	*	*	*	*	*
7401	3,636	72.1	5.0	8.4	0.1	0.1	14.1	0.2
7601	951	88.0	0.5	8.3	0.0	0.1	3.0	0.0
7850	1,829	85.0	0.5	7.4	0.0	0.2	6.8	0.2
7852	137	95.6	0.0	0.7	0.0	0.0	3.6	0.0
8101	1,839	6.6	87.1	1.4	0.0	0.8	4.0	0.2
8102	808	7.9	4.5	85.5	0.0	0.0	2.1	0.0
8105	1,314	35.5	53.1	3.3	0.2	1.0	6.6	0.2
8106	582	17.5	59.1	12.7	0.0	0.0	10.7	0.0
8150	131	49.6	19.8	15.3	0.0	9.9	5.3	0.0
8151	4,905	32.2	37.8	12.4	0.2	4.0	13.3	0.1
8152	312	27.9	44.9	7.7	0.0	0.6	18.9	0.0
8153	53	*	*	*	*	*	*	*
8155	140	45.7	28.6	10.0	0.0	7.1	8.6	0.0
8157	36	*	*	*	*	*	*	*
8201	3,896	51.5	28.1	5.1	0.1	2.4	12.6	0.3
8202	5,293	87.9	6.6	3.5	0.0	0.6	1.4	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		%	%	%	%	%	%	%
8203	465	62.2	27.1	4.5	0.0	0.4	5.6	0.2
8250	1,291	22.0	63.4	5.2	0.2	1.1	8.2	0.0
8252	232	1.7	95.7	0.4	0.0	0.0	2.2	0.0
8255	4,083	53.6	27.7	9.0	0.1	1.8	7.7	0.0
8257	842	50.1	15.0	1.1	0.0	32.2	1.5	0.1
8258	1,777	60.1	20.4	8.4	0.1	0.6	9.8	0.5
8260	1,001	48.9	24.8	1.4	0.0	22.3	2.7	0.0
8263	176	57.4	11.9	15.9	0.0	1.1	13.1	0.6
8901	1,614	0.6	96.5	0.5	0.1	0.3	2.0	0.0
8902	1,450	3.2	93.1	1.0	0.0	0.1	2.4	0.1
8903	1,670	1.1	96.1	0.7	0.1	0.2	1.9	0.0
8904	1,743	3.0	88.4	0.3	0.1	4.5	3.7	0.1
8905	4,065	49.7	26.4	19.0	0.0	0.9	3.9	0.1
9012	105	0.0	93.3	1.9	0.0	0.0	4.8	0.0
9013	101	0.0	94.1	3.0	0.0	1.0	1.0	1.0
9015	35	*	*	*	*	*	*	*
9016	359	0.0	95.5	0.8	0.0	0.0	3.6	0.0

(1) Reporting period is January 1 through December 31  
(2) Analyses based on one record per child  
(3) Excludes records with unknown data errors.  
\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic  %</b>	<b>Black, Not Hispanic  %</b>	<b>Hispanic  %</b>	<b>American Indian/Alaska Native  %</b>	<b>Asian/Pacific Islander  %</b>	<b>Multiple Races  %</b>	<b>All Other/Unknown  %</b>
9017	117	1.7	93.2	2.6	0.0	0.0	2.6	0.0
9018	289	0.0	92.7	2.1	0.0	0.0	5.2	0.0
9019	59	*	*	*	*	*	*	*
9021	61	*	*	*	*	*	*	*
9041	28	*	*	*	*	*	*	*
9045	3,186	5.3	42.7	49.9	0.0	0.1	1.9	0.1
9050	2,267	10.1	56.4	30.1	0.0	0.4	2.9	0.0
9051	2,507	6.4	8.7	82.8	0.0	0.0	2.1	0.0
9053	3,735	1.1	95.7	0.9	0.1	0.8	1.4	0.0
9055	87	*	*	*	*	*	*	*
9058	1,663	47.3	39.7	1.6	0.0	9.9	1.4	0.1
9066	2,383	1.1	95.8	0.9	0.0	0.2	1.9	0.0
9068	1,703	0.9	95.5	0.8	0.1	0.5	2.2	0.0
9069	3,757	0.9	95.5	0.6	0.0	0.1	2.9	0.0
9070	2,216	1.7	85.7	0.9	0.0	8.8	2.8	0.0
9072	2,512	1.2	95.5	0.3	0.0	0.8	2.1	0.0
9080	3,833	23.6	70.3	3.3	0.0	0.1	2.8	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 4A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Racial and Ethnic Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Clinic</b>	<b>Number Included in Analysis</b>	<b>White, Not Hispanic</b>	<b>Black, Not Hispanic</b>	<b>Hispanic</b>	<b>American Indian/Alaska Native</b>	<b>Asian/Pacific Islander</b>	<b>Multiple Races</b>	<b>All Other/Unknown</b>
		%	%	%	%	%	%	%
9081	26	*	*	*	*	*	*	*
<b>Michigan</b>	253,913	49.7	26.8	13.6	0.3	1.6	7.9	0.1
<b>Nation (Prior Year)</b>	553,966	50.8	21.8	17.8	0.5	2.5	6.6	0.0

(1) Reporting period is January 1 through December 31

(2) Analyses based on one record per child

(3) Excludes records with unknown data errors.

\* Percentages are not calculated if <100 records are available for analysis after exclusions

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
0101	186	36.0	23.1	43.5
0102	660	34.5	28.9	39.7
0103	658	29.2	27.1	46.7
0104	218	33.5	25.2	45.0
0250	245	22.0	27.3	52.2
0251	187	26.7	27.3	47.6
0252	204	29.4	26.0	47.1
0253	276	26.4	27.2	49.3
0401	753	26.8	30.5	45.9
0402	544	29.8	30.1	44.5
0403	178	23.0	34.8	44.4
0404	197	25.4	32.5	44.7
0501	790	29.5	29.2	44.4
0502	8	*	*	*
0503	250	30.0	24.0	49.2
0504	775	31.1	28.1	43.7
0505	478	32.8	23.8	46.2
0506	325	26.5	27.4	48.6
0507	252	22.2	33.3	48.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
		%	%	%
0508	25	*	*	*
0650	1,508	29.1	29.6	44.0
0651	1,003	23.6	31.6	49.6
0652	441	26.1	27.7	49.7
0653	729	24.7	26.1	51.9
0654	652	25.8	30.2	46.8
0655	573	27.6	31.2	44.5
0657	117	27.4	26.5	49.6
0701	695	30.8	22.4	48.9
0702	146	28.1	23.3	48.6
0703	330	31.8	22.4	48.5
0704	111	24.3	26.1	55.9
0705	212	23.1	24.1	54.2
0850	1,568	32.8	27.9	42.9
0851	1,318	28.2	28.0	48.0
0901	2,612	26.2	30.8	46.6
0902	116	20.7	20.7	63.8
1051	2,126	32.1	27.6	42.6
1101	2,796	32.7	26.4	44.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 16  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
1102	1,344	32.0	26.5	44.7
1106	193	33.7	24.4	44.6
1250	1,689	26.9	27.5	48.2
1251	1,435	35.4	24.4	43.1
1252	676	28.1	25.9	48.5
1253	1,656	32.3	25.2	45.3
1350	3,866	30.9	26.0	45.8
1351	249	20.9	35.3	48.2
1352	622	24.6	30.1	47.7
1401	357	35.9	22.7	43.7
1402	267	31.1	21.7	49.8
1403	45	*	*	*
1404	16	*	*	*
1501	1,691	24.4	28.7	49.8
1503	2,019	26.9	28.7	47.5
1504	3,729	26.5	29.3	46.9
1505	1,305	27.7	28.4	47.2
1506	1,088	26.6	27.9	47.6
1507	1,045	28.0	29.2	44.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 17  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
1508	168	19.0	26.8	57.1
1509	922	20.9	28.4	54.1
1511	1,164	30.6	26.5	46.3
1512	632	27.4	24.7	50.8
1701	1,175	30.7	23.0	49.4
1950	920	33.9	23.5	44.9
1952	218	31.7	31.7	39.0
1953	564	31.9	24.8	44.5
1954	982	34.0	24.3	43.3
1955	221	27.1	27.6	47.1
1957	991	35.4	23.9	44.1
2150	1,107	26.9	33.0	44.4
2151	393	34.1	25.7	43.3
2251	704	29.3	31.1	43.6
2252	329	26.1	23.7	52.3
2554	205	16.6	29.8	59.0
2555	11,176	36.7	25.6	40.1
3001	1,599	27.6	26.4	49.2
3002	464	27.4	22.2	53.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 18  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
		%	%	%
3004	241	23.2	23.7	56.0
3007	51	*	*	*
3009	12	*	*	*
3201	859	30.6	23.4	49.1
3301	5,331	32.5	27.1	43.0
3302	1	*	*	*
3304	253	27.7	31.2	43.9
3305	278	30.6	27.3	45.0
3306	552	31.3	25.7	45.8
3308	127	37.8	31.5	31.5
3309	68	*	*	*
3312	768	24.7	26.3	51.0
3550	142	26.1	35.9	43.7
3551	45	*	*	*
3552	79	*	*	*
3701	1,773	28.3	30.1	46.5
3850	4,926	27.8	27.5	47.5
3950	2,964	33.1	25.4	43.7
3954	72	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 19  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
4001	2,053	30.9	25.5	47.4
4002	1,742	29.0	25.9	46.8
4103	147	25.2	19.0	57.8
4106	3,753	26.6	27.8	48.7
4107	5,354	30.7	27.6	45.4
4109	1,833	29.1	26.5	47.6
4110	1	*	*	*
4112	868	21.5	26.6	55.3
4113	1,179	27.3	30.9	44.7
4120	3,479	31.8	26.4	45.0
4160	3,078	32.3	26.8	44.0
4351	936	24.1	25.6	52.4
4352	335	24.2	27.2	51.6
4353	777	23.0	27.3	51.2
4354	1,183	29.7	28.2	44.5
4355	505	24.6	30.7	47.5
4356	832	24.2	29.9	49.8
4358	265	22.3	26.0	52.5
4359	888	25.2	27.3	49.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 20  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
4360	365	28.2	30.1	44.9
4361	347	27.1	30.8	45.0
4362	482	23.7	34.4	44.2
4363	1,426	29.4	26.6	47.0
4401	1,932	27.7	30.4	44.4
4501	1,528	27.9	28.7	46.4
4601	2,190	33.2	29.2	40.4
4701	2,029	30.3	29.9	42.4
5050	2,425	32.8	29.4	40.7
5051	3,590	34.3	27.5	40.6
5052	3,541	33.1	27.3	42.3
5055	1,388	29.7	23.9	48.8
5101	3,096	31.8	29.3	41.8
5202	852	25.5	31.2	45.8
5203	211	29.9	25.1	46.9
5204	199	28.6	26.6	46.7
5601	1,929	32.0	21.9	48.8
5801	2,813	31.2	28.8	43.7
5803	353	21.8	28.0	55.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 21  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
5804	102	23.5	26.5	53.9
6101	127	15.7	33.9	52.8
6102	414	22.0	29.2	50.5
6103	5,622	27.5	28.0	47.1
6104	559	33.3	31.8	37.9
6105	98	*	*	*
6301	6,166	36.1	25.8	40.6
6312	3,592	35.2	27.0	39.8
6316	2,154	34.2	26.5	42.0
6320	332	28.9	23.5	49.7
6325	226	31.4	17.7	53.1
6330	1,113	35.1	21.5	45.9
6335	887	26.8	22.0	54.9
6340	147	23.8	21.8	58.5
6345	45	*	*	*
6350	405	32.6	21.5	48.6
6877	14	*	*	*
7304	331	29.6	26.3	47.4
7306	3,917	31.7	25.5	45.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 22  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
7308	283	30.7	25.1	45.2
7310	47	*	*	*
7401	3,636	29.9	27.4	45.7
7601	951	33.6	24.3	44.8
7850	1,829	30.4	30.0	43.8
7852	137	24.8	27.0	49.6
8101	1,839	43.0	28.8	30.7
8102	808	30.3	19.9	52.6
8105	1,314	47.0	21.7	33.4
8106	582	29.4	28.9	43.0
8150	131	24.4	26.0	55.7
8151	4,905	29.3	29.2	44.8
8152	312	35.6	31.1	36.5
8153	53	*	*	*
8155	140	17.9	23.6	59.3
8157	36	*	*	*
8201	3,896	37.9	27.0	37.5
8202	5,293	30.0	24.8	48.0
8203	465	30.3	28.4	43.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 23  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
8250	1,291	33.3	26.3	42.8
8252	232	25.4	29.3	48.7
8255	4,083	36.4	27.9	38.3
8257	842	29.5	24.2	48.6
8258	1,777	40.2	20.9	41.4
8260	1,001	23.1	30.2	49.8
8263	176	45.5	17.0	40.3
8901	1,614	28.9	26.4	47.1
8902	1,450	35.9	25.2	41.5
8903	1,670	30.4	24.6	47.3
8904	1,743	30.8	26.3	45.8
8905	4,065	29.6	23.8	49.4
9012	105	21.9	21.0	60.0
9013	101	19.8	28.7	55.4
9015	35	*	*	*
9016	359	24.2	29.5	50.7
9017	117	27.4	23.9	51.3
9018	289	22.1	27.3	53.6
9019	59	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Age Distribution by Clinic**  
**Children Aged < 5 Years** (2)

Page: 24  
Run Date: 04/03/2014

<b>Comparison of Age Distribution</b>				
Clinic	Number Included in Analysis	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
9021	61	*	*	*
9041	28	*	*	*
9045	3,186	38.4	21.8	42.5
9050	2,267	34.0	23.0	46.1
9051	2,507	31.0	24.6	46.2
9053	3,735	41.7	22.3	38.7
9055	87	*	*	*
9058	1,663	27.2	26.6	49.2
9066	2,383	34.7	23.5	44.7
9068	1,703	34.4	22.7	45.6
9069	3,757	38.4	23.7	40.6
9070	2,216	32.4	25.1	46.1
9072	2,512	36.8	22.1	43.3
9080	3,833	26.2	27.8	48.7
9081	26	*	*	*
Michigan	253,913	31.3	23.8	44.9
Nation (Prior Year)	553,966	32.8	21.0	46.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
0101	49	*	*	184	3.8	4.9	7.1	80	*	*	117	6.8
0102	168	3.0	8.3	650	6.6	4.0	13.1	255	20.4	14.9	426	15.5
0103	134	3.0	5.2	645	5.3	1.4	13.6	294	20.4	17.0	462	16.0
0104	44	*	*	215	8.4	3.3	13.5	95	*	*	141	14.9
0250	39	*	*	236	4.2	0.8	8.9	120	18.3	12.5	164	12.8
0251	41	*	*	185	3.8	1.1	9.2	87	*	*	118	8.5
0252	53	*	*	199	2.5	0.5	11.6	93	*	*	120	6.7
0253	55	*	*	272	1.1	8.8	3.7	132	9.1	4.5	174	8.6
0401	159	8.2	12.6	739	6.5	2.0	13.7	335	16.7	17.6	465	4.5
0402	126	7.9	9.5	530	4.5	1.9	12.6	230	19.6	18.7	335	17.0
0403	33	*	*	174	6.9	0.6	14.9	76	*	*	116	15.5
0404	37	*	*	195	3.1	2.1	9.2	86	*	*	130	18.5
0501	169	11.2	7.1	775	4.6	4.0	10.8	341	16.7	14.1	505	9.3

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
0502	4	*	*	8	*	*	*	3	*	*	2	*
0503	51	*	*	247	4.0	5.7	9.7	121	14.0	10.7	168	4.8
0504	149	5.4	8.1	761	5.5	1.7	11.0	329	18.5	12.8	509	9.4
0505	100	10.0	12.0	460	7.0	3.3	11.1	212	16.0	13.7	309	14.2
0506	54	*	*	315	6.0	3.2	9.5	149	20.1	12.1	215	9.3
0507	36	*	*	246	5.3	1.6	12.2	120	21.7	13.3	178	19.1
0508	7	*	*	24	*	*	*	11	*	*	16	*
0650	358	8.1	8.7	1,477	4.8	2.1	10.4	643	18.8	17.6	987	6.9
0651	190	9.5	8.4	981	5.9	2.7	12.7	478	17.8	17.2	680	11.9
0652	88	*	*	435	7.1	3.2	13.8	214	19.6	17.3	288	11.8
0653	152	3.9	10.5	716	3.9	2.1	11.9	365	16.7	13.4	508	11.8
0654	135	6.7	10.4	642	4.4	2.8	9.0	297	15.2	12.1	438	11.6
0655	120	5.8	9.2	560	5.2	1.6	8.9	246	19.9	13.4	387	3.4

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
0657	25	*	*	116	11.2	3.4	10.3	57	*	*	85	*
0701	137	2.9	5.8	675	6.4	1.9	8.7	329	21.0	9.7	506	11.9
0702	27	*	*	141	7.8	2.1	9.9	69	*	*	97	*
0703	71	*	*	327	1.8	2.1	8.6	157	17.8	10.8	200	3.5
0704	21	*	*	109	2.8	0.9	11.0	61	*	*	79	*
0705	34	*	*	206	2.9	1.5	9.7	111	13.5	9.0	143	5.6
0850	375	7.7	7.7	1,539	5.8	3.1	11.0	651	19.7	14.1	968	5.9
0851	250	5.6	7.6	1,283	4.5	2.6	10.4	602	17.4	13.5	874	4.8
0901	549	7.3	9.3	2,559	7.3	1.6	12.0	1,174	17.7	16.1	1,809	7.3
0902	18	*	*	113	1.8	3.5	9.7	71	*	*	80	*
1051	563	8.2	12.1	2,025	4.5	5.4	9.6	879	19.1	12.1	1,277	15.0
1101	692	9.2	4.6	2,727	4.7	3.6	9.5	1,179	17.1	13.5	1,767	15.6
1102	339	8.6	9.7	1,314	4.3	1.8	10.4	575	16.5	11.8	870	7.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1106	51	*	*	184	7.1	2.2	8.7	79	*	*	114	8.8
1250	373	8.0	8.8	1,648	6.1	2.0	13.5	787	17.5	15.6	1,106	6.0
1251	371	9.4	5.9	1,409	6.8	2.1	11.4	599	19.7	13.7	899	3.9
1252	148	13.5	8.1	657	5.2	2.3	13.4	315	21.0	18.1	457	7.2
1253	398	9.3	7.0	1,623	7.0	2.2	11.3	723	18.1	13.7	1,056	8.0
1350	891	8.8	6.3	3,759	7.0	2.2	13.5	1,693	16.8	16.4	2,521	17.3
1351	34	*	*	242	6.2	2.5	10.3	116	17.2	13.8	184	8.7
1352	121	8.3	5.0	607	5.9	1.8	13.2	288	18.4	16.7	416	16.3
1401	92	*	*	339	4.4	4.1	9.7	148	16.9	15.5	222	9.5
1402	62	*	*	260	5.8	5.8	12.7	128	17.2	16.4	169	8.9
1403	5	*	*	42	*	*	*	25	*	*	29	*
1404	1	*	*	16	*	*	*	5	*	*	13	*
1501	335	8.1	9.6	1,652	4.1	1.8	15.0	812	17.7	18.0	1,197	17.7

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1503	430	7.4	6.7	1,971	4.6	1.8	11.2	918	20.3	14.8	1,375	16.4
1504	851	8.9	9.5	3,629	4.3	3.4	12.3	1,696	16.7	14.3	2,547	38.2
1505	263	7.2	6.5	1,279	3.5	2.7	8.0	596	13.1	9.4	881	32.0
1506	227	9.7	7.9	1,055	6.1	1.8	13.9	493	18.3	15.6	755	19.2
1507	225	7.1	6.7	1,010	4.0	2.2	8.0	442	13.1	10.2	705	28.7
1508	24	*	*	164	4.9	0.0	17.1	92	*	*	128	14.8
1509	143	10.5	8.4	887	3.3	2.3	13.1	478	14.2	16.5	672	24.4
1511	274	4.7	13.5	1,140	3.9	2.5	10.0	519	17.5	14.5	750	22.3
1512	97	*	*	610	3.9	2.6	9.7	307	20.5	9.8	416	25.7
1701	246	4.1	11.8	1,125	4.9	2.1	14.3	544	15.3	15.1	753	14.1
1950	212	6.1	5.2	896	5.8	1.3	10.4	395	20.3	15.2	599	8.2
1952	47	*	*	213	5.2	1.4	12.2	82	*	*	150	7.3
1953	121	9.9	6.6	550	6.9	1.3	11.1	241	18.3	16.6	384	2.6

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators</b> <sup>(3)</sup>												
Clinic	Birth Weight <sup>(4)</sup>			Height and Weight <sup>(5,6)</sup>							Anemia Low Hb/Hct <sup>(7)</sup>	
	Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1954	220	8.2	9.1	969	5.1	1.8	12.1	415	14.7	14.7	622	3.7
1955	37	*	*	217	6.5	0.9	12.9	100	26.0	16.0	152	3.9
1957	203	4.9	6.4	969	6.4	1.4	11.8	417	19.9	12.9	642	4.2
2150	241	7.1	12.9	1,084	4.6	1.2	11.4	471	17.2	14.4	732	2.7
2151	105	7.6	9.5	382	5.2	0.5	8.9	163	17.2	12.9	231	2.2
2251	173	14.5	11.0	686	5.8	1.9	10.3	296	16.2	12.2	459	6.8
2252	62	*	*	320	3.1	2.5	10.9	165	20.6	11.5	228	5.3
2554	31	*	*	200	5.0	4.5	13.0	116	16.4	14.7	154	4.5
2555	2,988	12.0	5.7	10,947	7.0	1.9	10.8	4,355	16.4	13.7	6,928	19.6
3001	329	13.7	4.0	1,559	6.7	1.4	11.5	762	18.9	11.9	1,079	9.2
3002	93	*	*	453	4.4	1.1	14.1	236	19.9	16.5	323	23.2
3004	47	*	*	228	4.4	0.4	21.9	126	22.2	27.8	171	3.5
3007	5	*	*	51	*	*	*	30	*	*	39	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
3009	1	*	*	10	*	*	*	8	*	*	11	*
3201	177	8.5	6.8	846	7.3	1.7	14.3	412	17.2	17.5	593	7.3
3301	1,283	9.5	7.4	5,229	5.5	1.8	10.7	2,214	15.8	13.3	3,456	12.9
3302	0	*	*	1	*	*	*	1	*	*	1	*
3304	49	*	*	249	2.4	0.8	10.0	107	20.6	11.2	174	15.5
3305	52	*	*	272	5.1	2.9	9.9	122	12.3	10.7	191	8.9
3306	125	9.6	10.4	539	4.1	0.4	8.5	245	16.7	11.0	368	5.7
3308	32	*	*	126	9.5	1.6	11.1	39	*	*	82	*
3309	16	*	*	66	*	*	*	32	*	*	48	*
3312	135	5.2	5.2	758	8.2	1.2	14.5	382	14.4	19.6	534	11.2
3550	26	*	*	140	5.0	2.1	19.3	61	*	*	91	*
3551	3	*	*	45	*	*	*	25	*	*	33	*
3552	17	*	*	76	*	*	*	32	*	*	43	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
3701	407	7.1	7.6	1,726	4.1	3.0	9.6	786	16.2	14.4	1,197	7.8
3850	1,081	7.2	8.9	4,793	4.4	3.5	9.6	2,255	18.6	14.3	3,177	24.9
3950	749	8.5	9.1	2,849	5.5	2.9	11.4	1,211	18.4	13.7	1,830	29.3
3954	7	*	*	71	*	*	*	43	*	*	54	*
4001	457	8.1	4.8	2,001	4.7	3.1	11.7	939	14.6	13.8	1,413	38.5
4002	355	8.5	7.3	1,696	5.8	1.8	14.2	781	16.6	15.9	1,208	18.0
4103	28	*	*	143	3.5	8.4	7.0	82	*	*	86	*
4106	700	11.9	5.1	3,659	6.5	1.6	12.2	1,749	16.8	16.3	2,551	16.5
4107	1,130	10.2	6.9	5,214	6.6	1.6	10.6	2,324	16.3	12.6	3,534	13.1
4109	377	11.4	8.5	1,790	5.0	2.4	8.0	833	14.8	9.8	1,173	6.7
4110	0	*	*	1	*	*	*	1	*	*	1	*
4112	146	3.4	4.8	843	7.0	2.5	17.2	458	19.4	21.0	707	7.2
4113	235	8.5	8.1	1,153	3.6	2.2	12.5	502	22.7	21.3	798	5.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
4120	794	8.4	8.6	3,367	6.1	1.6	10.8	1,511	16.0	12.2	2,262	7.1
4160	684	9.1	7.2	2,913	6.5	2.3	9.8	1,268	17.0	12.7	2,056	13.1
4351	184	5.4	7.6	915	5.1	2.1	11.3	476	17.9	14.9	657	18.0
4352	69	*	*	318	6.6	0.6	10.4	161	19.3	15.5	226	14.6
4353	137	8.8	10.2	759	7.6	2.0	12.9	386	20.2	17.1	559	11.1
4354	257	11.3	8.6	1,158	4.3	0.9	9.4	510	19.6	13.1	790	11.6
4355	97	*	*	478	4.6	3.3	8.6	218	19.3	17.0	343	13.7
4356	162	7.4	7.4	790	6.6	1.6	11.9	386	19.2	16.8	554	18.8
4358	43	*	*	256	9.8	2.0	23.4	130	26.9	30.0	191	26.7
4359	169	7.7	10.1	866	6.6	1.5	13.7	425	16.9	15.8	582	14.4
4360	73	*	*	357	3.4	1.7	5.6	157	20.4	11.5	244	16.8
4361	76	*	*	342	7.6	0.3	13.5	155	18.7	13.5	234	13.2
4362	96	*	*	471	7.9	1.5	10.6	204	23.0	16.2	327	15.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
4363	333	6.3	9.0	1,390	4.6	1.4	9.9	640	19.5	13.6	968	13.0
4401	413	8.0	9.4	1,896	5.6	2.4	10.4	829	19.3	15.2	1,299	14.5
4501	320	5.9	8.8	1,485	6.6	2.4	9.2	670	18.4	13.7	1,039	7.3
4601	584	8.6	7.9	2,148	7.2	2.0	13.2	867	18.2	17.5	1,105	10.1
4701	478	9.4	10.5	1,988	6.5	1.5	10.5	832	16.5	15.3	1,299	6.9
5050	649	12.5	6.2	2,383	6.8	1.4	10.1	963	16.7	10.6	1,516	20.8
5051	981	10.0	6.0	3,513	6.1	1.2	12.0	1,403	15.3	14.3	2,224	21.4
5052	914	10.4	7.0	3,466	6.4	1.8	11.2	1,437	16.1	15.1	2,254	19.4
5055	294	9.9	6.5	1,357	3.3	1.9	13.9	654	15.3	16.5	994	31.4
5101	766	8.0	9.4	3,028	6.0	1.6	11.3	1,244	18.9	16.1	1,966	13.1
5202	164	4.3	11.0	780	5.3	2.2	10.5	351	20.5	12.8	479	6.7
5203	47	*	*	190	8.4	1.1	14.7	86	*	*	115	9.6
5204	50	*	*	177	6.8	2.8	12.4	85	*	*	103	3.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
5601	382	6.5	7.9	1,888	5.0	1.4	10.9	905	17.6	14.6	1,243	9.6
5801	656	7.5	8.8	2,757	7.5	2.0	11.4	1,184	16.6	14.1	1,763	7.7
5803	59	*	*	344	6.1	0.9	10.8	185	17.3	13.0	263	8.4
5804	17	*	*	101	5.0	4.0	9.9	54	*	*	66	*
6101	16	*	*	115	5.2	0.0	17.4	55	*	*	95	*
6102	82	*	*	406	4.9	1.7	7.6	201	14.9	10.0	297	12.5
6103	1,301	10.1	6.8	5,477	5.2	2.4	10.1	2,557	16.7	12.5	3,719	18.0
6104	152	18.4	3.9	539	6.9	1.7	9.3	201	15.9	11.9	345	21.2
6105	15	*	*	96	*	*	*	54	*	*	72	*
6301	1,570	10.8	6.0	6,042	7.0	1.8	9.7	2,428	16.1	13.1	3,790	18.2
6312	864	12.2	5.9	3,525	7.2	2.3	7.5	1,380	15.8	9.1	2,312	18.0
6316	485	8.7	7.8	2,126	5.0	1.6	9.9	880	15.7	13.4	1,341	13.5
6320	55	*	*	322	6.2	3.7	7.1	158	14.6	9.5	237	11.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
6325	46	*	*	221	7.2	0.9	9.5	114	14.0	14.0	150	12.0
6330	255	14.5	3.9	1,077	5.4	2.7	8.5	498	14.9	10.4	723	16.9
6335	145	6.9	6.9	849	3.7	2.5	9.0	456	10.7	13.8	646	12.1
6340	22	*	*	143	2.8	2.1	8.4	83	*	*	109	13.8
6345	8	*	*	44	*	*	*	22	*	*	31	*
6350	80	*	*	393	3.3	4.3	9.9	188	14.4	16.0	279	15.1
6877	1	*	*	14	*	*	*	7	*	*	11	*
7304	70	*	*	322	7.1	0.9	14.6	150	18.7	19.3	224	3.1
7306	866	7.7	7.4	3,812	6.1	1.8	14.1	1,709	14.5	15.8	2,637	16.9
7308	57	*	*	276	7.2	3.3	13.4	124	13.7	11.3	206	13.1
7310	10	*	*	47	*	*	*	18	*	*	31	*
7401	859	7.6	7.8	3,532	4.9	1.9	9.3	1,573	17.7	15.0	2,380	8.9
7601	225	11.6	9.8	936	4.1	2.7	9.4	416	20.9	13.2	620	6.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
7850	442	6.3	7.7	1,776	4.4	3.5	10.2	769	17.6	16.4	1,182	11.7
7852	28	*	*	135	2.2	1.5	6.7	66	*	*	101	6.9
8101	543	17.5	3.7	1,783	6.3	5.0	10.2	542	12.4	13.3	1,083	33.2
8102	177	6.2	7.9	774	4.4	3.1	17.1	398	18.8	21.9	554	25.1
8105	466	9.2	6.9	1,289	7.1	4.3	11.6	428	17.1	15.7	433	25.4
8106	129	11.6	3.1	571	5.3	3.0	14.2	245	17.1	17.1	395	20.3
8150	22	*	*	126	1.6	2.4	7.1	68	*	*	96	*
8151	1,123	10.3	6.8	4,795	5.5	1.7	10.2	2,115	17.5	13.8	3,383	20.7
8152	80	*	*	302	4.3	1.3	12.3	109	21.1	13.8	199	28.6
8153	6	*	*	52	*	*	*	31	*	*	38	*
8155	20	*	*	137	0.7	2.9	15.3	80	*	*	110	20.9
8157	6	*	*	36	*	*	*	28	*	*	19	*
8201	1,034	9.2	6.7	3,813	5.8	2.1	12.2	1,401	19.9	17.0	1,978	9.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
8202	1,095	7.6	6.4	5,211	4.6	1.9	10.7	2,477	14.0	12.4	3,585	23.3
8203	97	*	*	456	3.5	1.5	10.3	198	18.2	13.6	258	12.4
8250	317	10.4	5.0	1,268	5.7	2.0	10.7	538	15.6	14.1	795	23.4
8252	53	*	*	214	9.8	2.8	7.0	109	18.3	11.9	162	29.0
8255	1,060	8.4	7.2	4,020	6.5	1.4	11.6	1,517	15.2	13.1	2,271	7.0
8257	184	8.7	2.7	816	4.3	5.6	11.3	392	14.3	16.1	519	24.9
8258	465	11.8	8.0	1,738	6.2	2.8	10.2	712	19.0	16.6	970	18.9
8260	143	8.4	3.5	934	4.1	2.0	11.1	478	16.7	15.3	687	15.0
8263	74	*	*	174	5.7	2.3	12.1	70	*	*	99	*
8901	309	12.6	1.9	1,557	5.4	3.9	9.6	726	14.7	11.0	1,094	42.2
8902	349	14.9	4.9	1,404	5.7	5.1	8.7	578	11.8	8.5	890	35.6
8903	358	12.3	3.9	1,626	6.3	2.9	11.9	762	16.4	14.7	1,097	41.1
8904	348	11.8	2.3	1,678	3.8	4.4	9.3	761	13.5	10.9	1,188	38.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
8905	823	7.9	7.2	3,936	5.7	3.7	13.2	1,923	16.1	15.1	2,655	26.7
9012	12	*	*	99	*	*	*	61	*	*	67	*
9013	13	*	*	100	4.0	7.0	6.0	55	*	*	32	*
9015	6	*	*	34	*	*	*	18	*	*	18	*
9016	58	*	*	352	4.5	1.7	8.2	179	18.4	7.8	228	36.0
9017	15	*	*	113	8.0	2.7	5.3	56	*	*	71	*
9018	41	*	*	281	3.6	3.6	8.9	147	16.3	15.0	44	*
9019	7	*	*	57	*	*	*	34	*	*	17	*
9021	10	*	*	61	*	*	*	33	*	*	40	*
9041	6	*	*	27	*	*	*	13	*	*	3	*
9045	1,035	10.4	5.4	3,050	5.0	5.2	13.2	1,272	17.2	18.9	1,866	17.8
9050	546	10.1	4.2	2,181	5.7	2.2	10.9	986	19.6	13.9	1,429	21.3
9051	533	7.7	6.2	2,394	7.1	1.1	20.5	1,097	21.0	22.4	1,590	22.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
9053	1,112	14.1	3.9	3,617	5.9	2.7	8.0	1,390	16.5	12.0	2,229	28.8
9055	86	*	*	78	*	*	*	0	*	*	0	*
9058	365	9.9	5.5	1,610	4.1	2.3	8.6	790	15.7	10.8	1,137	16.0
9066	541	12.4	4.1	2,322	6.7	2.2	11.0	1,038	15.5	12.7	1,528	16.4
9068	372	14.5	3.2	1,658	5.9	2.7	9.2	753	12.7	11.6	1,120	28.4
9069	973	12.8	4.1	3,668	6.8	3.5	8.5	1,473	13.3	11.4	2,311	22.1
9070	504	13.9	3.6	2,160	6.4	4.1	10.0	990	11.3	12.4	1,411	34.6
9072	665	13.1	3.6	2,443	6.2	2.6	8.0	1,051	13.9	10.2	1,581	36.1
9080	784	11.9	4.2	3,728	4.5	3.3	9.4	1,821	15.3	11.3	2,790	29.7
9081	14	*	*	25	*	*	*	9	*	*	13	*
Michigan	58,430	9.6	6.9	247,265	5.7	2.4	11.0	109,600	16.8	14.1	163,703	17.5
Nation (Prior Year)	129,513	9.2	7.0	249,036	5.8	2.9	10.7	112,234	16.4	13.8	330,815	14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
0101	49	*	29	*	31	*	24	*	26	*	88	*	185	4.9
0102	168	69.0	128	14.8	105	7.6	103	24.3	115	6.1	279	84.9	658	6.1
0103	134	67.2	128	19.5	94	*	107	16.8	123	4.9	319	89.0	652	5.8
0104	44	*	44	*	37	*	30	*	34	*	103	88.3	218	8.7
0250	39	*	50	*	45	*	33	*	46	*	134	88.8	245	7.8
0251	41	*	25	*	37	*	30	*	25	*	93	*	187	7.5
0252	54	*	30	*	33	*	22	*	28	*	99	*	201	7.5
0253	55	*	41	*	39	*	41	*	40	*	148	79.1	274	16.8
0401	159	48.4	137	13.1	130	5.4	127	11.8	134	7.5	385	94.0	752	3.6
0402	127	70.1	95	*	101	12.9	87	*	88	*	263	83.3	541	7.8
0403	32	*	38	*	46	*	26	*	33	*	86	*	178	10.7
0404	37	*	41	*	43	*	31	*	37	*	97	*	197	15.7
0501	187	78.6	124	22.6	133	9.8	113	18.6	124	13.7	379	89.2	781	9.6
0502	4	*	5	*	1	*	3	*	4	*	3	*	8	*
0503	53	*	37	*	34	*	27	*	31	*	135	91.9	249	3.6
0504	170	80.0	137	28.5	133	24.1	118	28.8	132	15.2	373	90.9	771	4.0
0505	105	83.8	76	*	76	*	66	*	70	*	233	91.8	478	6.5
0506	70	*	55	*	58	*	46	*	51	*	164	82.3	324	12.7

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breastsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
0507	39	*	46	*	51	*	38	*	47	*	131	95.4	252	6.0
0508	7	*	5	*	3	*	7	*	6	*	12	*	25	*
0650	363	77.7	295	21.7	263	15.6	229	22.3	278	12.6	705	87.8	1,501	6.1
0651	190	72.1	181	15.5	180	5.0	151	14.6	167	6.0	539	90.5	998	9.5
0652	89	*	70	*	64	*	63	*	61	*	233	88.8	441	7.3
0653	153	78.4	115	21.7	123	12.2	79	*	98	*	391	96.9	726	13.2
0654	134	75.4	114	29.8	126	11.1	103	22.3	114	11.4	325	92.6	650	6.9
0655	120	72.5	128	15.6	99	*	88	*	115	6.1	285	84.6	569	6.3
0657	25	*	16	*	18	*	17	*	16	*	63	*	117	16.2
0701	138	81.2	125	42.4	95	*	87	*	105	27.6	359	94.2	691	1.4
0702	27	*	19	*	25	*	17	*	18	*	78	*	144	2.8
0703	71	*	56	*	37	*	46	*	50	*	170	83.5	330	7.3
0704	21	*	14	*	13	*	7	*	14	*	68	*	110	9.1
0705	34	*	26	*	21	*	18	*	22	*	126	96.8	212	1.9
0850	382	78.0	342	22.5	276	8.7	248	19.4	309	10.7	716	86.2	1,564	3.4
0851	251	74.9	264	21.6	233	9.9	172	24.4	209	10.0	673	90.3	1,317	3.9
0901	558	57.9	478	14.0	471	7.2	388	13.4	442	5.4	1,317	94.5	2,604	5.6
0902	18	*	11	*	9	*	13	*	13	*	76	*	116	8.6

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breastsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
1051	564	84.2	370	28.4	357	19.3	277	26.7	345	13.0	957	90.1	2,110	3.2
1101	697	52.7	505	13.1	448	6.9	383	13.8	448	5.8	1,302	74.3	2,773	6.2
1102	341	58.1	276	14.1	224	8.9	208	15.9	235	7.2	632	82.8	1,338	4.6
1106	51	*	37	*	27	*	29	*	34	*	91	*	192	7.3
1250	375	76.8	272	23.2	266	11.3	240	20.8	250	10.4	889	81.4	1,687	5.1
1251	372	76.6	271	24.0	196	15.8	229	22.3	258	15.5	680	85.9	1,433	8.0
1252	148	79.1	125	18.4	104	12.5	107	13.1	118	5.1	348	85.1	673	3.7
1253	400	76.8	281	20.6	230	11.7	234	12.4	258	4.3	813	87.6	1,647	5.5
1350	892	65.4	675	14.2	661	7.3	537	10.6	558	5.0	1,853	85.4	3,826	5.0
1351	35	*	44	*	55	*	31	*	41	*	128	93.8	248	2.8
1352	122	59.8	98	*	101	4.0	75	*	83	*	315	84.1	619	6.0
1401	91	*	64	*	51	*	43	*	56	*	164	85.4	355	4.8
1402	62	*	44	*	28	*	34	*	42	*	144	86.8	263	1.1
1403	5	*	5	*	5	*	3	*	5	*	29	*	45	*
1404	1	*	6	*	2	*	2	*	5	*	5	*	15	*
1501	345	69.0	296	20.6	319	13.5	231	17.7	269	6.3	877	89.7	1,680	3.6
1503	432	73.8	347	26.5	351	13.7	290	23.4	315	13.3	1,019	91.0	1,986	3.4
1504	880	75.9	412	20.4	626	11.0	244	22.5	301	10.0	1,872	86.5	3,713	1.9

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breastfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breastfeed At Least 6 Months	Number	%	Number	%
1505	290	80.3	236	31.4	221	16.3	194	23.7	209	14.4	665	91.7	1,293	2.1
1506	227	70.5	197	18.8	201	15.9	163	19.6	179	8.9	557	94.8	1,086	2.7
1507	236	83.9	171	25.1	185	11.9	144	24.3	160	9.4	491	88.4	1,029	3.3
1508	26	*	19	*	28	*	10	*	14	*	97	*	167	0.0
1509	156	73.7	126	26.2	167	13.8	69	*	87	*	515	86.6	910	4.5
1511	277	81.2	213	23.5	186	16.1	177	19.8	184	7.1	565	93.1	1,162	2.9
1512	117	76.9	98	*	98	*	55	*	82	*	335	87.8	625	5.0
1701	247	68.8	199	24.1	148	12.2	173	24.9	190	18.9	616	83.3	1,170	13.8
1950	213	77.5	162	22.8	120	13.3	142	26.1	144	11.1	449	90.9	914	8.1
1952	47	*	42	*	41	*	34	*	40	*	94	*	218	7.8
1953	122	75.4	113	25.7	78	*	84	*	95	*	268	89.9	561	10.2
1954	219	78.5	195	21.5	141	18.4	176	17.6	191	6.8	466	91.6	971	6.4
1955	37	*	42	*	39	*	30	*	38	*	117	94.0	218	7.8
1957	207	81.2	203	26.1	146	18.5	134	18.7	185	10.3	460	88.7	972	2.1
2150	241	68.9	199	14.1	215	10.2	176	15.3	186	5.4	542	90.0	1,097	5.9
2151	105	71.4	72	*	59	*	64	*	63	*	181	90.1	389	3.9
2251	174	78.2	139	21.6	121	10.7	108	24.1	124	10.5	335	92.5	702	2.6
2252	62	*	45	*	47	*	44	*	43	*	182	91.8	328	6.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
2554	31	*	21	*	37	*	9	*	15	*	123	91.1	204	7.4
2555	2,995	55.3	2,311	13.8	1,766	6.4	1,777	11.8	1,939	5.8	4,699	79.0	11,012	5.0
3001	329	57.1	250	5.6	253	4.7	223	4.0	232	1.3	847	86.4	1,580	7.1
3002	93	*	77	*	59	*	66	*	72	*	260	#####	457	2.6
3004	46	*	30	*	34	*	24	*	30	*	143	73.4	238	0.8
3007	4	*	7	*	8	*	7	*	7	*	31	*	50	*
3009	1	*	2	*	2	*	1	*	2	*	8	*	12	*
3201	179	70.4	155	16.1	105	8.6	133	16.5	143	7.0	449	84.0	857	4.7
3301	1,299	75.6	1,004	21.0	906	13.4	737	10.9	869	5.2	2,434	85.1	5,265	3.6
3302	0	*	0	*	0	*	0	*	0	*	1	*	1	*
3304	50	*	45	*	46	*	33	*	43	*	125	89.6	252	0.4
3305	53	*	56	*	46	*	41	*	48	*	133	94.0	276	0.0
3306	127	74.0	99	*	90	*	90	*	90	*	268	96.3	544	3.3
3308	33	*	25	*	32	*	17	*	20	*	41	*	126	2.4
3309	16	*	10	*	9	*	9	*	11	*	38	*	67	*
3312	135	74.8	133	18.8	134	10.4	89	*	108	0.9	407	85.3	761	3.2
3550	26	*	16	*	25	*	22	*	17	*	66	*	140	0.7
3551	3	*	6	*	9	*	5	*	5	*	28	*	45	*

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
3552	17	*	14	*	13	*	13	*	13	*	39	*	78	*
3701	410	68.5	348	21.0	317	12.6	301	20.3	340	13.5	875	84.3	1,768	6.7
3850	1,088	64.2	1,060	16.5	871	8.8	716	14.1	876	6.2	2,448	86.0	4,919	6.7
3950	754	69.2	563	25.6	484	13.0	437	21.3	494	9.1	1,376	87.9	2,923	3.3
3954	7	*	11	*	11	*	6	*	8	*	47	*	72	*
4001	467	62.5	343	18.7	284	9.9	295	12.2	314	6.7	1,019	61.5	2,039	8.1
4002	357	65.5	273	23.1	257	11.7	259	19.7	264	8.3	900	77.1	1,737	5.6
4103	28	*	18	*	13	*	18	*	19	*	94	*	145	6.9
4106	708	67.1	703	15.8	609	8.9	528	7.4	630	7.0	1,964	86.3	3,708	3.9
4107	1,134	70.6	1,004	21.2	795	10.3	762	18.4	868	13.1	2,656	89.8	5,265	2.5
4109	385	67.3	359	20.9	291	12.7	292	20.5	327	11.6	933	92.4	1,803	4.0
4110	0	*	0	*	0	*	0	*	0	*	1	*	1	*
4112	146	27.4	148	12.2	146	6.8	106	5.7	124	2.4	515	95.5	868	2.2
4113	235	86.0	199	18.6	210	11.0	170	7.6	188	5.3	579	86.9	1,173	2.0
4120	799	71.2	692	17.9	556	11.2	526	11.6	601	7.5	1,663	93.1	3,430	1.7
4160	688	69.8	568	28.5	471	16.8	429	21.7	508	15.6	1,440	88.5	3,039	1.7
4351	177	72.9	144	19.4	136	8.8	130	20.8	138	13.8	518	91.7	932	5.3
4352	69	*	49	*	54	*	43	*	47	*	184	85.9	334	15.3

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
4353	138	78.3	118	19.5	132	12.1	97	*	111	6.3	424	86.3	775	5.4
4354	260	70.4	247	25.9	219	10.5	209	28.2	236	19.1	561	94.3	1,180	2.9
4355	97	*	88	*	108	8.3	62	*	81	*	252	93.7	504	6.2
4356	163	71.8	128	29.7	159	12.6	105	24.8	122	7.4	435	93.1	828	6.0
4358	44	*	50	*	49	*	40	*	49	*	149	84.6	262	1.1
4359	168	76.2	128	24.2	149	14.8	101	15.8	118	11.0	470	78.1	876	5.0
4360	73	*	71	*	70	*	59	*	71	*	178	86.0	360	7.8
4361	76	*	50	*	61	*	44	*	49	*	170	90.0	346	6.4
4362	96	*	85	*	110	11.8	67	*	83	*	236	89.8	480	8.1
4363	333	80.2	260	16.5	255	11.4	221	14.0	246	4.5	719	89.0	1,418	5.7
4401	413	68.3	349	19.8	362	9.7	293	23.2	320	9.4	909	93.9	1,917	3.2
4501	320	69.4	266	16.5	263	12.9	235	13.2	249	3.6	763	91.9	1,508	4.4
4601	585	72.0	441	18.8	392	9.7	370	17.8	417	6.7	955	80.2	2,142	5.3
4701	481	76.5	410	18.8	358	10.9	316	18.4	377	8.5	914	94.0	2,026	2.9
5050	649	59.6	406	13.5	431	7.0	350	9.4	358	5.3	1,050	86.2	2,402	3.3
5051	984	60.9	627	13.6	639	8.1	548	8.9	589	5.1	1,520	81.8	3,553	2.7
5052	916	53.7	640	12.5	623	7.2	562	6.6	610	3.6	1,587	83.6	3,508	2.5
5055	309	32.4	260	16.5	221	7.7	221	2.7	225	3.1	724	70.9	1,382	2.5

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
5101	773	64.7	581	23.8	580	11.6	516	15.5	551	8.2	1,384	90.3	3,077	2.5
5202	166	74.1	157	28.7	165	12.7	111	23.4	148	8.1	411	88.8	849	3.3
5203	47	*	32	*	42	*	25	*	28	*	104	89.4	209	4.8
5204	50	*	31	*	42	*	28	*	31	*	96	*	199	2.5
5601	382	77.7	361	23.8	280	17.5	342	26.0	359	9.7	1,004	92.5	1,900	3.8
5801	655	66.0	491	16.5	496	8.3	419	11.5	443	7.2	1,316	86.7	2,802	6.2
5803	57	*	61	*	57	*	47	*	55	*	201	92.0	353	3.1
5804	17	*	12	*	17	*	11	*	11	*	57	*	101	1.0
6101	16	*	22	*	28	*	16	*	21	*	74	*	127	11.8
6102	82	*	60	*	72	*	57	*	55	*	225	92.4	414	5.1
6103	1,310	58.9	824	13.1	906	5.4	843	10.8	808	5.3	2,817	87.8	5,583	6.4
6104	155	50.3	79	*	90	*	88	*	83	*	233	78.5	556	8.3
6105	15	*	14	*	17	*	17	*	14	*	58	*	98	*
6301	1,586	56.9	1,190	17.1	935	5.7	1,045	12.5	1,133	5.9	2,646	85.4	6,106	2.1
6312	868	64.1	810	22.8	604	12.7	635	18.1	758	10.7	1,534	83.4	3,558	1.7
6316	485	64.9	463	17.3	382	8.4	368	9.5	419	6.2	973	85.1	2,136	2.5
6320	59	*	57	*	43	*	38	*	46	*	172	98.8	330	0.9
6325	46	*	39	*	22	*	36	*	39	*	127	94.5	223	4.5

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
6330	259	51.7	209	8.6	142	2.1	173	3.5	187	2.1	542	80.6	1,108	6.2
6335	150	44.7	129	22.5	98	*	114	13.2	125	7.2	508	97.0	882	0.9
6340	24	*	20	*	12	*	15	*	15	*	90	*	146	2.1
6345	8	*	10	*	10	*	8	*	10	*	24	*	45	*
6350	82	*	75	*	48	*	70	*	72	*	207	88.9	402	2.7
6877	1	*	3	*	1	*	1	*	3	*	8	*	14	*
7304	71	*	52	*	52	*	39	*	44	*	162	93.8	325	4.0
7306	872	66.9	602	14.6	570	6.7	525	11.0	544	7.2	1,877	84.7	3,838	6.7
7308	58	*	43	*	47	*	28	*	26	*	129	94.6	278	1.8
7310	11	*	14	*	6	*	9	*	11	*	20	*	45	*
7401	858	56.6	731	13.3	600	4.2	541	11.6	642	7.5	1,792	91.7	3,588	7.7
7601	225	68.9	200	15.5	131	6.9	171	14.6	189	5.3	455	86.8	949	6.8
7850	443	75.6	365	24.4	325	11.7	275	14.2	320	6.3	829	93.2	1,807	4.4
7852	28	*	20	*	18	*	16	*	18	*	71	*	136	1.5
8101	551	43.6	418	7.7	320	4.1	401	3.0	406	2.7	629	74.7	1,827	5.7
8102	181	40.3	132	7.6	97	*	130	1.5	133	0.8	445	71.5	808	1.9
8105	465	40.0	291	13.1	170	4.1	289	7.6	320	6.3	461	89.2	1,292	2.0
8106	131	45.8	88	*	111	4.5	101	4.0	92	*	263	68.1	582	4.1

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
8150	22	*	20	*	14	*	21	*	18	*	79	*	131	1.5
8151	1,129	77.9	922	30.7	903	15.6	748	19.0	848	11.1	2,363	87.9	4,860	2.8
8152	80	*	79	*	52	*	53	*	72	*	125	85.6	309	5.5
8153	6	*	4	*	8	*	3	*	3	*	35	*	52	*
8155	20	*	20	*	21	*	15	*	19	*	88	*	137	1.5
8157	6	*	5	*	0	*	6	*	5	*	28	*	34	*
8201	1,076	60.3	928	16.4	656	7.0	709	8.9	815	5.4	1,569	85.0	3,871	3.9
8202	1,144	54.4	807	28.1	700	9.9	670	4.5	719	3.3	2,741	81.4	5,229	3.3
8203	110	56.4	99	*	90	*	70	*	79	*	208	91.3	463	4.5
8250	319	49.5	247	10.5	196	6.6	215	7.0	222	4.5	593	83.8	1,241	3.9
8252	53	*	27	*	36	*	31	*	33	*	122	77.0	232	4.3
8255	1,065	58.0	938	13.4	714	7.4	803	8.0	867	5.0	1,691	84.6	4,073	4.4
8257	199	73.4	149	25.5	128	16.4	131	1.5	142	1.4	424	93.6	834	0.6
8258	519	53.9	320	11.6	220	9.1	298	6.0	316	3.2	783	84.5	1,773	3.7
8260	145	68.3	116	25.9	136	13.2	81	*	104	3.8	547	79.7	998	1.7
8263	78	*	36	*	24	*	41	*	38	*	71	*	176	3.4
8901	311	41.8	276	3.6	250	0.8	239	1.7	249	0.0	809	61.4	1,608	10.3
8902	358	41.6	282	8.9	203	2.0	274	3.6	276	2.9	653	75.2	1,445	6.9

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
8903	360	39.4	265	6.8	223	2.7	257	1.6	271	0.7	830	74.8	1,668	5.3
8904	353	44.2	285	8.4	267	5.2	249	3.2	269	2.6	860	75.0	1,739	7.4
8905	831	43.7	615	9.1	548	3.3	563	4.1	597	2.3	2,133	75.6	4,045	4.0
9012	12	*	18	*	13	*	10	*	14	*	67	*	104	14.4
9013	13	*	14	*	19	*	12	*	15	*	60	*	101	10.9
9015	5	*	4	*	6	*	5	*	4	*	20	*	35	*
9016	58	*	57	*	57	*	46	*	50	*	196	65.3	356	9.6
9017	15	*	27	*	15	*	17	*	25	*	65	*	117	15.4
9018	41	*	46	*	41	*	32	*	39	*	164	62.8	287	5.9
9019	7	*	6	*	4	*	6	*	5	*	38	*	59	*
9021	10	*	10	*	8	*	7	*	10	*	35	*	61	*
9041	6	*	6	*	7	*	4	*	6	*	13	*	28	*
9045	1,040	34.6	473	4.4	419	1.2	409	3.4	440	1.1	1,445	78.7	3,142	8.0
9050	552	56.2	380	11.8	296	2.4	361	3.0	366	1.9	1,074	71.8	2,266	6.2
9051	541	48.8	417	12.2	356	7.3	345	0.9	386	0.5	1,213	79.5	2,500	2.8
9053	1,113	48.5	714	13.6	484	4.8	753	5.8	738	3.3	1,539	77.0	3,719	15.5
9055	86	*	0	*	0	*	4	*	4	*	0	*	87	*
9058	371	57.7	271	23.2	287	12.2	263	6.1	265	3.0	863	92.1	1,661	3.1

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
9066	540	38.3	400	6.5	329	2.7	382	5.5	405	2.5	1,129	76.7	2,365	10.1
9068	373	42.4	300	10.3	229	6.6	269	9.3	297	4.7	826	62.7	1,691	19.2
9069	976	51.8	811	9.4	586	3.4	738	5.1	798	2.6	1,600	73.7	3,726	10.2
9070	505	43.4	365	6.8	321	3.7	323	3.4	347	1.7	1,086	69.1	2,203	10.2
9072	666	45.3	470	8.9	338	1.2	496	4.2	498	2.0	1,157	52.8	2,499	19.4
9080	786	51.0	583	18.2	650	5.5	524	3.8	552	1.8	1,968	78.3	3,797	3.6
9081	14	*	5	*	3	*	5	*	5	*	9	*	26	*
Michigan	59,096	62.3	46,002	17.7	40,663	9.2	38,235	12.7	42,178	6.7	121,357	84.4	251,786	5.2
Nation (Prior Year)	123,543	65.6	63,950	24.9	70,117	12.0	44,475	20.0	54,601	11.0	235,671	81.6	521,885	12.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 55

Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**

**Children Aged < 5 Years** (2)

**Combined 3 Years**

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
0101	120	6.7	10.8	566	4.4	3.5	7.8	275	16.4	9.1	382	11.3
0102	505	5.9	10.3	1,953	7.1	3.6	12.6	784	17.6	15.9	1,253	13.6
0103	437	4.3	6.9	1,932	5.4	1.6	12.2	856	21.1	16.2	1,327	12.7
0104	144	6.9	8.3	652	5.7	2.8	10.6	288	17.0	12.8	405	10.6
0250	137	10.9	8.0	737	4.3	3.0	10.3	367	16.9	17.2	520	11.2
0251	108	5.6	5.6	534	3.6	0.4	11.0	264	21.6	15.2	355	5.1
0252	118	4.2	5.9	611	4.6	0.8	13.9	311	16.7	19.9	403	7.9
0253	169	7.1	8.9	852	1.6	9.9	4.7	414	8.9	5.6	562	9.1
0401	505	7.3	11.9	2,300	6.0	1.8	12.3	1,041	15.0	17.1	1,468	3.7
0402	380	7.1	7.4	1,715	4.8	2.0	11.7	783	17.9	15.8	1,071	14.1
0403	124	6.5	8.9	594	4.4	1.2	14.3	273	14.7	22.3	386	5.4
0404	134	7.5	10.4	671	2.8	2.1	10.9	311	18.0	17.0	421	13.3
0501	510	10.4	7.6	2,515	4.6	3.5	10.7	1,146	17.4	14.0	1,665	9.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 56  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

**Combined 3 Years**

**Comparison of Growth and Anemia Indicators** (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
0502	4	*	*	15	*	*	*	7	*	*	7	*
0503	163	8.0	7.4	785	4.6	5.9	9.0	352	13.1	10.5	525	8.2
0504	489	7.0	9.0	2,450	5.1	1.8	11.0	1,055	18.7	13.7	1,644	8.2
0505	364	6.3	10.2	1,515	5.9	3.3	8.9	682	18.0	12.0	1,003	8.9
0506	169	4.7	11.2	971	5.5	3.7	9.7	498	17.3	12.0	679	6.8
0507	73	*	*	545	5.3	1.7	12.3	282	22.7	15.2	411	17.8
0508	7	*	*	24	*	*	*	11	*	*	16	*
0650	1,066	7.2	7.4	4,543	5.0	2.6	9.9	2,031	19.0	16.1	3,099	6.2
0651	630	6.5	6.3	2,982	5.6	2.6	11.6	1,403	16.6	16.3	2,024	12.7
0652	277	6.9	11.6	1,419	8.0	2.4	12.6	683	18.4	15.2	926	11.1
0653	421	4.8	8.8	2,178	4.5	1.7	11.7	1,109	17.2	15.4	1,535	10.9
0654	417	7.9	10.3	1,941	4.6	2.3	9.3	934	17.1	13.4	1,355	14.4
0655	401	7.2	9.2	1,732	6.6	2.4	8.8	760	17.6	14.9	1,164	3.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 57  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

**Combined 3 Years**

**Comparison of Growth and Anemia Indicators** (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
0657	73	*	*	356	7.0	2.2	11.0	176	21.0	18.8	257	15.2
0701	433	4.4	9.9	2,059	5.7	1.8	8.3	953	17.4	10.1	1,342	9.4
0702	88	*	*	432	7.2	2.3	8.3	203	18.2	12.8	276	8.3
0703	211	4.7	10.4	1,005	3.1	2.5	10.8	475	19.4	16.4	641	2.8
0704	73	*	*	383	5.2	1.6	11.2	207	25.6	13.5	259	2.7
0705	119	7.6	10.9	684	6.3	1.0	8.5	336	15.8	8.6	435	3.4
0850	1,171	8.3	8.6	4,928	5.7	2.9	11.1	2,119	18.7	15.3	3,195	5.8
0851	858	8.4	7.8	4,087	4.5	3.2	9.7	1,913	16.0	13.0	2,835	5.7
0901	1,712	9.0	9.2	7,893	6.9	1.5	10.8	3,588	17.3	15.1	5,443	8.2
0902	50	*	*	380	6.1	4.2	10.0	206	15.5	13.1	288	17.0
1051	1,624	8.6	11.9	6,092	4.9	6.1	10.0	2,671	18.3	12.9	3,816	13.4
1101	2,067	9.7	6.5	8,207	6.2	3.1	10.4	3,622	16.4	14.1	5,483	13.9
1102	1,004	8.9	8.6	3,935	5.0	1.4	10.5	1,665	16.5	14.3	2,564	7.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 58  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

**Combined 3 Years**

**Comparison of Growth and Anemia Indicators** (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1106	125	4.8	7.2	514	5.6	1.0	8.9	219	21.5	9.1	336	7.1
1250	1,051	7.7	9.7	5,038	6.8	1.9	13.7	2,396	17.3	15.4	3,432	5.4
1251	987	8.4	7.7	4,163	6.3	2.2	10.0	1,841	17.6	12.7	2,754	3.6
1252	220	14.1	8.6	1,095	6.4	1.9	13.3	536	19.0	18.5	796	7.8
1253	1,376	8.6	9.0	5,932	7.2	2.8	11.2	2,695	17.5	13.9	4,023	10.7
1350	2,644	8.8	7.6	11,383	7.0	2.7	13.5	5,188	17.8	16.9	7,681	16.7
1351	141	9.9	10.6	694	5.6	2.7	11.1	337	16.9	14.5	495	11.3
1352	413	9.4	6.5	2,011	6.2	2.5	11.4	949	19.2	14.8	1,363	18.5
1401	229	10.5	9.6	1,020	4.9	4.7	11.7	481	19.3	16.2	699	6.4
1402	152	7.2	8.6	768	4.9	3.6	12.5	393	19.8	15.0	524	15.1
1403	23	*	*	151	7.3	8.6	13.9	84	*	*	107	7.5
1404	8	*	*	59	*	*	*	30	*	*	50	*
1501	1,047	7.9	9.6	5,187	4.0	2.3	14.0	2,567	18.0	17.7	3,736	23.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 59  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

**Combined 3 Years**

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1503	1,257	8.3	7.6	5,887	4.5	2.3	11.4	2,782	18.7	15.3	4,083	23.2
1504	2,499	7.7	7.6	11,241	4.4	3.3	11.3	5,271	16.3	14.0	7,656	30.2
1505	804	8.1	11.2	4,030	5.0	2.7	9.8	1,920	14.7	10.6	2,743	25.0
1506	697	7.9	7.9	3,218	5.2	3.1	11.6	1,531	18.1	13.8	2,268	20.9
1507	658	7.3	8.8	3,074	3.9	3.2	8.1	1,400	16.4	9.9	2,099	31.8
1508	79	*	*	533	3.4	0.6	16.5	287	23.7	20.9	388	19.3
1509	511	8.8	9.2	2,894	4.2	2.9	12.6	1,494	15.7	16.6	2,133	24.5
1511	833	6.0	11.3	3,415	3.5	2.9	10.2	1,513	18.0	14.4	2,234	23.7
1512	356	8.1	11.5	1,944	4.2	2.8	10.5	959	16.3	11.6	1,339	32.0
1701	743	5.5	12.2	3,395	4.8	2.5	13.2	1,573	17.0	15.3	2,233	9.3
1950	665	8.0	6.9	2,825	6.9	1.7	11.0	1,198	18.3	15.6	1,883	7.5
1952	149	4.0	6.0	698	4.0	1.9	11.3	303	19.1	16.5	462	5.6
1953	320	8.4	6.6	1,559	7.2	1.7	11.9	704	14.6	15.5	1,069	4.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 60

Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**

**Children Aged < 5 Years** (2)

**Combined 3 Years**

**Comparison of Growth and Anemia Indicators** (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
1954	637	6.8	7.2	2,843	5.3	2.3	11.3	1,234	14.3	15.4	1,855	4.9
1955	138	8.7	9.4	735	6.0	1.4	12.8	349	17.8	15.8	495	5.9
1957	672	7.0	6.8	3,034	5.8	3.8	10.9	1,296	17.6	14.2	2,067	4.6
1959	3	*	*	33	*	*	*	21	*	*	16	*
2150	744	7.1	11.8	3,305	6.6	1.0	12.3	1,472	16.3	17.0	2,103	2.7
2151	293	9.2	7.8	1,195	5.2	1.3	9.4	542	16.2	14.0	773	2.2
2251	492	12.2	7.7	2,032	5.9	1.2	10.2	895	16.8	13.9	1,378	7.1
2252	201	12.4	3.5	995	6.2	2.3	12.3	515	23.7	15.0	709	8.2
2551	1	*	*	112	4.5	1.8	11.6	53	*	*	55	*
2552	16	*	*	27	*	*	*	4	*	*	6	*
2554	124	6.5	4.0	689	5.5	3.2	14.9	376	15.7	14.9	478	7.7
2555	8,648	11.4	5.5	32,352	7.1	2.6	10.4	12,764	15.5	13.3	20,265	18.6
3001	1,011	13.2	4.5	4,720	6.4	2.1	12.9	2,327	18.2	13.6	3,307	9.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 61  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)  
**Combined 3 Years**

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
3002	273	11.0	8.4	1,328	4.9	1.4	14.9	681	19.7	14.7	960	18.4
3003	2	*	*	4	*	*	*	1	*	*	1	*
3004	131	7.6	3.1	750	4.4	1.1	20.5	417	20.6	27.6	573	7.0
3007	18	*	*	160	3.1	2.5	16.3	102	19.6	16.7	128	15.6
3009	5	*	*	32	*	*	*	24	*	*	33	*
3201	541	8.9	10.2	2,631	7.0	2.7	14.4	1,226	15.7	17.1	1,794	7.9
3301	3,929	9.4	7.1	15,735	5.7	3.0	11.1	6,563	16.4	14.0	10,319	12.9
3302	62	*	*	389	4.6	2.1	12.1	180	21.7	17.8	265	15.8
3304	153	5.2	13.7	760	3.2	3.2	9.9	356	16.9	12.6	531	12.4
3305	172	6.4	13.4	804	3.6	3.5	8.6	362	13.0	9.7	549	8.0
3306	335	7.2	10.7	1,515	3.9	1.8	9.2	695	17.4	11.8	1,023	7.3
3308	84	*	*	365	7.1	1.6	10.1	152	15.1	11.2	235	8.9
3309	47	*	*	229	3.1	0.4	9.6	114	27.2	12.3	159	6.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 62  
Run Date: 04/02/2014

**Combined 3 Years**

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
3312	342	9.1	6.4	1,836	7.0	1.6	13.9	919	17.6	18.9	1,316	11.6
3550	88	*	*	423	6.1	2.4	19.9	195	23.1	22.1	248	24.6
3551	21	*	*	138	0.0	3.6	20.3	71	*	*	83	*
3552	51	*	*	242	3.7	1.2	21.1	113	20.4	22.1	137	30.7
3701	1,238	8.2	7.5	5,359	4.5	3.4	9.2	2,422	18.1	13.3	3,694	8.0
3805	1,135	10.0	7.9	4,896	4.7	3.7	8.7	2,157	17.2	14.7	2,933	14.2
3850	2,204	9.0	7.9	9,632	4.7	3.6	9.7	4,500	18.1	14.3	6,377	20.6
3950	2,073	7.7	8.9	8,667	4.9	3.6	10.9	3,938	19.0	13.5	5,659	26.8
3952	0	*	*	3	*	*	*	2	*	*	2	*
3954	41	*	*	285	4.6	1.8	10.2	159	22.0	8.8	198	18.7
4001	1,322	10.5	5.3	5,871	5.5	3.7	11.7	2,734	15.9	13.6	4,113	37.3
4002	1,134	8.4	6.4	5,277	5.4	2.7	12.7	2,429	15.6	15.2	3,749	20.5
4103	88	*	*	576	4.2	6.4	10.2	337	13.6	12.8	382	28.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 63  
Run Date: 04/02/2014

Combined 3 Years

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
4106	2,334	11.4	5.8	11,072	7.0	1.6	11.8	5,246	16.9	15.5	7,709	16.7
4107	3,697	9.9	8.0	16,060	6.5	1.6	10.2	7,171	17.0	12.5	10,901	15.1
4109	1,177	9.4	9.7	5,625	4.9	2.8	7.6	2,723	16.1	10.9	3,839	6.2
4110	13	*	*	351	4.0	1.7	13.7	221	19.0	19.0	207	11.6
4112	526	4.4	6.8	2,853	6.7	3.8	17.2	1,514	18.5	21.9	2,340	9.6
4113	812	6.5	8.7	3,554	3.6	2.1	12.7	1,630	19.6	21.2	2,398	7.3
4120	2,298	8.1	8.8	10,076	6.3	1.5	10.8	4,530	15.9	12.8	6,756	9.3
4160	1,971	9.6	7.3	8,832	6.7	2.1	10.0	3,834	16.6	12.8	6,016	13.7
4351	539	7.6	8.2	2,775	6.0	2.0	10.1	1,377	19.2	13.4	1,981	14.8
4352	203	10.3	7.4	917	6.1	1.4	10.9	483	17.8	16.1	647	14.7
4353	425	10.6	8.9	2,338	6.5	2.7	12.9	1,160	20.1	17.9	1,721	13.6
4354	801	7.9	9.6	3,557	5.5	1.4	9.4	1,551	18.9	13.0	2,420	10.8
4355	320	6.6	9.4	1,490	4.4	3.1	10.0	698	17.9	17.3	1,031	14.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 64  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

**Combined 3 Years**

**Comparison of Growth and Anemia Indicators** (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
4356	533	7.5	5.4	2,462	6.1	1.5	12.0	1,186	19.8	16.9	1,734	17.5
4358	139	8.6	10.8	866	8.3	1.0	24.0	467	23.1	33.8	663	22.2
4359	574	7.8	11.0	2,795	5.9	1.5	13.6	1,422	18.1	15.7	1,913	13.8
4360	224	4.5	7.6	1,010	3.9	2.2	7.2	472	20.3	11.4	687	15.0
4361	219	10.5	5.0	1,048	7.3	1.2	12.2	504	21.4	15.9	725	15.0
4362	325	8.0	10.2	1,507	7.3	1.3	10.8	695	17.3	16.1	1,025	14.3
4363	957	6.8	9.1	4,203	5.0	1.7	9.2	1,921	18.5	13.7	2,922	14.6
4401	1,383	7.0	9.2	5,843	5.8	2.5	10.1	2,531	17.7	14.3	3,884	11.1
4501	979	7.3	7.7	4,649	6.2	1.9	9.1	2,164	15.8	12.9	3,259	7.5
4502	1	*	*	1	*	*	*	0	*	*	0	*
4591	0	*	*	1	*	*	*	1	*	*	1	*
4601	1,745	8.1	7.2	6,609	6.3	2.5	12.3	2,711	19.3	16.6	3,514	8.5
4701	1,479	8.2	10.1	6,034	6.2	1.6	9.9	2,506	16.4	14.8	3,988	6.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 65  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

**Combined 3 Years**

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
5050	1,843	11.9	6.2	7,221	6.4	1.6	10.8	2,953	14.6	11.9	4,660	18.3
5051	2,963	9.9	6.5	11,079	6.4	1.6	12.0	4,506	14.1	13.4	7,063	18.1
5052	2,817	10.0	6.3	10,893	6.0	1.6	11.5	4,449	16.2	14.9	7,101	16.7
5055	500	9.4	6.8	2,119	3.6	1.7	13.4	1,018	15.5	15.9	1,495	30.9
5101	2,363	8.7	6.7	9,478	6.7	1.8	11.1	3,930	17.8	15.7	6,137	11.3
5202	623	7.2	8.7	2,626	6.3	2.8	11.9	1,138	19.0	16.7	1,570	6.6
5203	142	8.5	7.0	633	7.1	1.6	11.1	317	15.8	15.1	395	10.9
5204	124	12.1	8.1	494	5.9	2.2	10.3	237	18.1	15.6	293	7.2
5601	1,244	8.1	8.2	5,888	4.9	1.5	11.7	2,731	16.9	14.3	3,780	10.1
5801	2,069	8.9	8.2	8,311	7.2	2.4	10.9	3,536	17.3	14.7	5,412	8.2
5803	189	10.6	9.0	1,140	5.4	1.2	10.2	559	14.5	12.7	827	9.8
5804	54	*	*	409	5.1	3.4	10.5	212	17.9	9.9	303	5.6
6101	69	*	*	370	6.2	2.2	11.4	175	16.0	12.6	274	15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 66

Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**

**Children Aged < 5 Years** (2)

**Combined 3 Years**

**Comparison of Growth and Anemia Indicators** (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
6102	235	5.5	7.2	1,237	6.1	3.8	9.9	632	13.6	12.0	875	13.5
6103	3,859	9.8	6.3	16,564	5.1	3.3	9.8	7,729	17.4	12.9	11,233	19.4
6104	591	12.4	4.6	1,878	5.7	4.3	9.3	681	16.3	14.1	1,100	20.6
6105	47	*	*	327	5.8	1.8	9.5	172	25.0	11.0	245	9.4
6106	1	*	*	2	*	*	*	0	*	*	1	*
6301	4,940	10.5	5.8	19,086	6.7	1.9	8.9	7,582	16.1	13.2	12,032	15.1
6312	2,948	10.8	7.1	11,622	6.9	2.8	7.7	4,491	14.9	9.7	7,497	18.3
6316	1,743	8.8	8.1	6,809	5.1	2.0	9.6	2,649	15.0	13.9	4,234	12.6
6320	181	11.0	9.4	1,052	4.3	3.9	8.5	546	13.6	12.3	745	9.5
6325	137	5.8	4.4	745	7.0	2.8	10.7	384	19.0	14.6	508	10.0
6330	627	15.3	5.3	2,570	6.1	3.1	8.6	1,218	14.4	10.5	1,674	18.1
6335	489	8.4	9.0	2,799	3.6	3.3	8.6	1,442	13.0	12.9	2,001	11.7
6340	89	*	*	514	4.1	1.9	7.8	274	16.1	11.7	364	10.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 67  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

**Combined 3 Years**

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
6345	24	*	*	132	2.3	2.3	11.4	63	*	*	86	*
6350	243	9.9	11.9	1,207	3.9	4.6	11.4	566	12.5	16.8	819	12.6
6877	6	*	*	70	*	*	*	34	*	*	45	*
6895	1	*	*	29	*	*	*	17	*	*	26	*
7304	212	5.7	8.5	1,019	5.8	1.4	13.1	493	20.3	16.6	719	3.6
7306	2,771	9.9	7.3	11,640	5.5	2.2	13.0	5,193	15.2	16.6	8,013	15.3
7308	182	8.2	13.2	821	5.8	2.8	12.4	350	16.3	12.6	581	9.3
7310	43	*	*	168	6.0	1.2	10.7	62	*	*	103	2.9
7401	2,613	8.0	6.9	11,052	5.7	2.0	8.5	4,864	16.4	13.9	7,481	6.8
7601	692	9.1	8.1	3,057	4.2	2.7	9.3	1,369	18.9	13.6	2,097	6.5
7850	1,246	7.4	7.3	5,192	4.5	4.4	10.7	2,320	17.3	16.9	3,531	7.6
7852	94	*	*	452	2.0	4.0	8.2	215	16.3	13.5	339	6.2
8101	1,567	18.3	4.1	4,062	7.0	7.0	9.8	1,212	11.6	13.0	2,212	31.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 68  
Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)  
**Combined 3 Years**

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
8102	323	5.9	8.7	1,585	5.3	4.8	18.1	844	19.5	23.2	1,174	20.0
8105	769	9.9	6.8	2,067	7.8	4.0	11.5	707	17.7	14.7	847	21.3
8106	347	11.5	3.5	1,245	6.1	2.3	12.8	541	16.6	15.3	813	22.5
8150	66	*	*	374	3.7	2.9	6.1	192	15.1	8.3	276	17.4
8151	3,257	9.8	6.5	13,734	5.9	1.9	10.3	5,919	17.0	14.3	9,365	20.2
8152	323	12.1	6.8	980	6.3	3.5	10.4	288	16.7	16.7	555	35.5
8153	28	*	*	151	5.3	0.7	17.9	79	*	*	106	11.3
8154	134	7.5	8.2	633	3.6	3.2	5.5	308	15.3	7.8	416	6.3
8155	69	*	*	435	1.8	2.5	12.6	237	13.9	17.3	329	21.9
8156	5	*	*	36	*	*	*	19	*	*	25	*
8157	9	*	*	103	0.0	1.0	7.8	80	*	*	77	*
8201	3,014	9.2	6.6	10,451	6.1	2.5	10.8	3,638	18.3	14.6	5,541	7.3
8202	3,350	7.8	6.7	15,646	4.8	1.9	10.5	7,350	15.7	12.2	10,514	26.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 69

Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**

**Children Aged < 5 Years** (2)

**Combined 3 Years**

<b>Comparison of Growth and Anemia Indicators</b> (3)												
Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
8203	342	7.0	5.6	1,507	5.9	1.4	10.2	626	20.1	11.7	871	13.0
8250	1,051	11.4	5.3	3,856	5.6	2.9	9.0	1,425	13.3	10.7	2,232	23.3
8252	131	16.8	3.8	484	11.6	4.3	8.7	236	17.4	15.3	339	33.0
8255	3,296	8.8	7.6	11,717	7.4	1.3	10.5	4,192	18.1	12.0	6,474	10.1
8257	438	8.7	3.7	2,266	5.1	5.1	10.9	1,079	13.0	14.9	1,455	19.1
8258	1,203	9.9	7.1	4,957	6.4	2.2	11.8	2,063	20.1	15.5	2,904	17.9
8260	734	10.5	3.1	3,486	5.2	2.6	9.0	1,616	15.6	12.1	2,475	16.6
8263	74	*	*	174	5.7	2.3	12.1	70	*	*	99	*
8901	1,111	12.8	2.5	5,013	5.9	5.0	9.4	2,236	14.9	11.7	3,369	36.1
8902	1,004	13.8	3.7	3,924	5.6	6.6	8.6	1,624	12.2	9.7	2,477	34.0
8903	1,189	13.5	3.4	5,441	6.5	4.0	12.0	2,453	16.2	14.4	3,645	39.6
8904	1,248	11.5	4.4	5,315	3.9	5.5	9.1	2,252	14.1	11.5	3,543	34.4
8905	2,809	8.2	6.3	13,174	4.9	5.7	12.4	6,300	16.3	14.4	9,186	23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 70

Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

**Combined 3 Years**

**Comparison of Growth and Anemia Indicators** (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
9004	1	*	*	1	*	*	*	0	*	*	0	*
9010	177	14.1	4.5	153	5.9	15.0	1.3	0	*	*	0	*
9012	48	*	*	281	1.8	7.5	7.5	164	18.9	8.5	144	25.7
9013	79	*	*	406	5.2	5.2	6.7	183	13.7	6.6	126	37.3
9015	35	*	*	136	7.4	3.7	16.2	74	*	*	69	*
9016	178	16.9	3.4	917	5.8	2.7	8.9	421	20.7	9.0	559	38.6
9017	69	*	*	370	7.8	2.2	11.9	179	24.0	14.0	180	30.6
9018	139	20.1	2.9	749	6.4	3.6	9.1	370	18.6	14.9	98	*
9019	40	*	*	207	7.2	4.8	11.6	112	9.8	17.0	70	*
9021	44	*	*	227	5.3	5.3	12.8	110	20.9	14.5	64	*
9040	0	*	*	1	*	*	*	1	*	*	0	*
9041	20	*	*	126	1.6	5.6	7.9	81	*	*	24	*
9045	2,126	10.3	6.5	8,037	5.3	2.8	13.5	3,606	17.7	18.5	5,316	21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

Page: 71

Run Date: 04/02/2014

**Comparison of Growth and Anemia Indicators by Clinic**

**Children Aged < 5 Years** (2)

**Combined 3 Years**

**Comparison of Growth and Anemia Indicators** (3)

Clinic	Birth Weight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under-Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%
9050	1,529	10.7	5.1	6,930	6.0	2.7	11.6	3,201	17.3	14.4	4,789	18.8
9051	1,645	7.8	7.6	7,310	6.9	1.4	18.4	3,459	19.7	21.6	5,078	21.9
9053	2,919	14.6	3.7	9,782	6.4	3.0	8.0	3,761	16.1	11.6	6,123	27.2
9055	230	9.6	5.7	207	8.2	12.6	5.3	2	*	*	2	*
9058	846	9.2	4.7	4,188	4.0	2.6	8.7	2,080	14.7	10.8	2,970	19.8
9066	1,845	12.2	4.2	7,694	5.7	4.9	8.0	3,342	10.8	9.2	5,060	13.5
9068	1,221	12.7	3.0	5,297	6.5	7.6	8.4	2,348	9.2	7.8	3,590	27.4
9069	2,830	12.8	4.2	10,129	6.9	3.4	8.3	3,858	13.9	11.2	6,285	23.5
9070	1,563	12.1	3.3	6,801	7.4	7.2	10.5	3,016	8.3	8.5	4,331	29.0
9072	1,722	12.5	3.4	6,431	7.4	2.9	8.8	2,693	13.9	10.7	4,009	25.3
9074	370	13.2	5.4	1,569	6.8	3.6	9.0	629	12.6	10.0	1,033	14.6
9080	2,506	12.4	4.2	11,600	5.3	2.6	9.1	5,419	15.2	12.4	8,165	34.3
9081	14	*	*	25	*	*	*	9	*	*	13	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**  
**Comparison of Growth and Anemia Indicators by Clinic**  
**Children Aged < 5 Years** (2)

Page: 72  
Run Date: 04/02/2014

**Combined 3 Years**

Michigan	176,714	9.6	7.0	750,060	5.8	2.7	10.7	331,191	16.6	14.0	494,702	16.7
----------	---------	-----	-----	---------	-----	-----	------	---------	------	------	---------	------

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age  $\leq$  2.3rd percentile, underweight is defined as weight-for-length  $\leq$  2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as  $\geq$  97.7th percentile.

(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age  $\geq$  85th to < 95th percentile, and obesity is defined as  $\geq$  95th percentile.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
0101	124	73.4	83	*	86	*	62	*	77	*	294	89.8	567	5.6
0102	514	67.7	372	18.0	325	8.3	282	23.0	336	6.0	871	85.1	1,979	7.5
0103	441	62.1	357	18.8	294	6.5	289	17.3	334	5.4	961	86.3	1,961	7.9
0104	145	69.0	113	22.1	99	*	88	*	101	5.0	315	83.8	654	11.8
0250	136	68.4	138	19.6	131	11.5	90	*	124	8.1	405	88.6	757	6.9
0251	108	82.4	84	*	80	*	79	*	82	*	290	85.2	543	7.2
0252	119	70.6	76	*	110	13.6	44	*	67	*	348	83.9	619	7.3
0253	169	62.1	137	18.2	115	8.7	121	18.2	128	8.6	467	83.9	857	14.8
0401	505	52.3	411	17.5	416	9.6	324	19.1	367	9.0	1,182	92.9	2,330	4.6
0402	380	64.7	297	21.5	294	9.9	221	28.1	249	10.8	885	84.6	1,740	7.6
0403	123	63.4	102	11.8	113	2.7	74	*	89	*	317	87.1	608	8.7
0404	134	56.0	115	19.1	124	7.3	92	*	97	*	348	83.6	680	17.1
0501	570	75.6	455	24.8	434	12.0	352	22.7	426	13.6	1,265	89.8	2,539	13.4
0502	4	*	7	*	3	*	3	*	6	*	7	*	15	*
0503	165	83.0	143	32.9	111	13.5	100	34.0	129	14.0	408	90.4	794	4.3
0504	565	80.0	440	30.7	400	19.3	355	33.8	395	13.9	1,202	91.3	2,487	5.1
0505	385	81.0	240	24.2	231	16.0	220	36.8	221	10.4	762	89.6	1,569	6.3

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
0506	202	78.7	156	11.5	162	8.6	121	19.8	143	5.6	551	85.1	993	13.3
0507	78	*	94	*	101	16.8	74	*	89	*	316	93.0	556	6.8
0508	7	*	5	*	3	*	7	*	6	*	12	*	25	*
0650	1,071	76.9	862	23.7	815	12.9	616	23.2	784	11.7	2,277	86.8	4,613	6.6
0651	631	65.6	529	15.1	563	5.9	401	15.0	459	3.9	1,594	90.5	3,041	10.7
0652	278	63.7	234	15.8	242	3.7	167	14.4	196	4.6	765	88.4	1,437	8.1
0653	422	73.7	340	23.8	380	11.1	225	29.8	295	17.6	1,240	93.2	2,213	14.2
0654	416	74.0	319	25.1	365	10.4	258	24.0	296	12.2	1,034	93.0	1,977	9.5
0655	401	73.1	385	19.0	313	10.2	243	18.9	336	9.8	871	89.2	1,770	6.4
0657	73	*	49	*	56	*	46	*	42	*	193	94.8	361	15.5
0701	434	82.5	356	38.8	298	14.4	267	29.2	313	16.3	1,072	95.3	2,092	1.1
0702	88	*	68	*	73	*	42	*	57	*	229	83.4	439	3.4
0703	211	65.9	177	18.1	138	9.4	128	19.5	159	8.8	530	88.3	1,018	7.6
0704	73	*	40	*	55	*	24	*	37	*	233	90.6	387	10.6
0705	119	74.8	113	21.2	88	*	77	*	105	8.6	382	96.3	698	2.1
0850	1,189	75.4	1,028	21.3	886	8.2	726	19.7	931	10.3	2,367	86.4	5,018	4.1
0851	862	69.6	825	21.1	715	10.1	532	23.1	721	11.1	2,167	89.7	4,201	4.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
0901	1,733	55.7	1,439	14.5	1,480	6.8	1,083	14.7	1,240	4.0	4,031	94.6	8,006	6.4
0902	50	*	52	*	57	*	41	*	49	*	226	92.5	386	8.8
1051	1,626	83.0	1,094	33.9	1,121	18.1	709	32.2	994	14.6	2,959	91.3	6,336	3.1
1101	2,078	49.8	1,326	14.2	1,400	8.1	880	14.1	1,116	5.2	4,063	74.7	8,407	6.6
1102	1,009	56.1	750	15.5	720	9.3	514	16.9	628	6.5	1,861	82.3	4,018	6.8
1106	125	67.2	90	*	91	*	62	*	76	*	249	85.5	532	6.6
1250	1,058	68.2	849	21.2	788	11.8	681	20.9	772	10.4	2,705	80.3	5,145	6.3
1251	993	75.0	724	24.6	594	12.0	612	22.5	658	14.7	2,074	88.5	4,227	7.5
1252	220	73.6	226	21.2	191	15.2	166	15.1	199	10.6	595	86.7	1,133	3.5
1253	1,385	71.6	1,017	22.7	873	10.7	816	16.4	924	10.9	3,049	88.6	6,045	5.0
1350	2,651	60.4	1,947	13.8	1,832	6.1	1,442	11.9	1,549	4.8	5,746	87.9	11,551	4.6
1351	142	76.8	113	20.4	121	14.9	96	*	106	4.7	382	92.7	711	3.1
1352	416	54.8	316	8.5	314	5.7	230	10.0	283	3.2	1,066	83.6	2,055	8.1
1401	228	75.4	160	25.0	156	10.9	106	24.5	137	8.0	530	89.2	1,053	4.8
1402	153	87.6	114	39.5	109	23.9	81	*	109	13.8	440	88.9	786	3.4
1403	23	*	18	*	22	*	14	*	17	*	94	*	158	6.3
1404	8	*	13	*	8	*	6	*	12	*	32	*	60	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
1501	1,067	70.3	825	23.0	889	14.7	671	21.9	730	8.2	2,825	86.2	5,276	4.8
1503	1,278	69.8	979	23.5	985	12.4	776	20.4	874	11.3	3,146	89.3	5,967	4.8
1504	2,584	73.4	1,518	23.8	2,023	11.5	935	24.4	1,200	9.4	5,812	86.2	11,430	2.4
1505	864	78.5	655	34.7	687	16.4	500	28.8	579	16.6	2,153	91.3	4,080	2.2
1506	700	72.0	552	23.6	568	13.6	441	21.3	495	10.7	1,724	93.9	3,286	3.6
1507	697	78.8	496	25.6	562	11.9	389	26.5	460	13.9	1,550	88.7	3,132	3.9
1508	83	*	63	*	97	*	29	*	48	*	309	94.8	549	0.5
1509	536	71.1	430	26.3	490	13.1	280	14.3	348	8.6	1,672	85.6	2,947	5.8
1511	842	76.5	664	20.2	568	12.5	527	19.9	596	5.5	1,692	92.0	3,472	3.7
1512	381	73.0	323	23.5	306	11.1	217	23.5	277	13.4	1,055	92.8	1,980	4.1
1701	744	69.2	572	28.3	482	14.5	452	31.9	486	22.2	1,785	85.3	3,499	9.5
1950	667	73.9	521	20.0	412	9.5	421	23.0	483	9.5	1,365	90.2	2,865	8.0
1952	149	75.2	128	18.8	116	9.5	91	*	118	11.0	332	86.7	710	7.2
1953	320	73.1	275	21.1	222	8.6	205	20.5	249	11.2	793	86.5	1,585	8.1
1954	639	74.3	542	20.8	417	13.2	448	21.0	497	8.9	1,423	89.7	2,882	7.0
1955	139	75.5	127	31.5	119	21.0	88	*	110	13.6	392	87.5	742	9.0
1957	682	80.6	620	25.3	494	15.8	458	21.6	563	9.1	1,443	87.8	3,065	3.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
1959	3	*	6	*	0	*	3	*	5	*	19	*	33	*
2150	744	67.9	581	17.7	580	9.5	468	16.5	528	5.5	1,705	91.8	3,341	5.6
2151	293	65.9	209	19.6	196	12.2	174	16.7	188	7.4	594	90.2	1,201	5.5
2251	496	70.0	405	23.0	362	11.9	293	27.0	359	9.7	1,004	91.4	2,079	2.9
2252	201	64.7	142	17.6	136	12.5	109	23.9	127	7.9	578	88.4	1,020	6.1
2551	1	*	15	*	12	*	1	*	14	*	53	*	111	8.1
2552	16	*	9	*	2	*	6	*	6	*	4	*	27	*
2554	125	40.8	94	*	111	2.7	66	*	76	*	402	92.0	691	9.6
2555	8,670	54.2	6,928	12.2	5,017	6.0	5,018	10.3	5,837	4.5	13,985	78.5	32,584	6.0
3001	1,010	55.9	785	7.9	679	3.5	624	5.1	716	1.8	2,610	82.3	4,837	8.8
3002	274	55.5	207	4.8	166	3.6	163	3.7	194	1.0	762	97.4	1,365	5.1
3003	2	*	0	*	0	*	0	*	0	*	1	*	4	*
3004	132	77.3	99	*	106	6.6	76	*	95	*	483	72.9	791	1.1
3007	17	*	16	*	20	*	12	*	14	*	109	87.2	161	0.6
3009	6	*	6	*	5	*	3	*	5	*	26	*	43	*
3201	542	62.2	451	16.0	380	8.7	351	19.7	393	5.3	1,365	91.6	2,664	5.7
3301	3,980	71.6	3,044	20.7	2,663	11.2	2,098	11.6	2,560	5.5	7,305	82.3	15,895	4.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
3302	62	*	73	*	64	*	40	*	68	*	207	78.7	394	3.3
3304	155	92.9	119	63.9	114	49.1	80	*	103	21.4	411	86.4	767	0.7
3305	174	77.0	140	34.3	136	16.2	94	*	121	13.2	396	92.4	813	1.1
3306	340	76.5	274	20.8	236	13.1	215	14.4	249	5.2	765	93.3	1,522	4.1
3308	86	*	60	*	73	*	43	*	50	*	162	88.9	368	2.7
3309	47	*	34	*	31	*	21	*	32	*	133	88.7	230	5.7
3312	347	70.0	313	15.0	310	10.0	216	10.2	261	4.2	997	81.6	1,860	3.7
3550	88	*	67	*	63	*	69	*	62	*	216	90.7	424	3.8
3551	21	*	20	*	19	*	21	*	19	*	79	*	139	4.3
3552	51	*	35	*	39	*	26	*	33	*	133	90.2	246	2.8
3701	1,244	70.7	1,054	18.7	1,013	9.5	815	18.3	931	10.6	2,727	84.7	5,480	7.2
3805	1,140	63.1	1,077	14.6	899	8.0	764	12.6	1,012	6.2	2,453	83.4	5,033	7.2
3850	2,219	63.9	2,003	17.2	1,704	9.1	1,263	16.5	1,626	7.4	4,963	85.4	9,957	6.9
3950	2,088	68.9	1,507	28.7	1,446	14.1	1,151	21.9	1,319	10.5	4,388	85.3	8,858	3.8
3952	0	*	0	*	0	*	0	*	0	*	3	*	3	*
3954	41	*	42	*	43	*	23	*	33	*	174	89.1	288	2.4
4001	1,360	61.8	979	16.9	879	8.2	781	15.1	826	7.6	3,042	64.4	6,038	8.0

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
4002	1,142	64.3	854	22.0	781	10.6	742	17.7	788	7.1	2,770	75.1	5,415	6.3
4103	90	*	66	*	75	*	60	*	59	*	377	79.3	581	7.6
4106	2,352	65.5	2,022	18.5	1,798	8.2	1,438	9.3	1,693	6.8	5,895	83.3	11,240	3.8
4107	3,709	68.6	3,117	21.5	2,559	9.9	2,217	19.8	2,645	12.1	8,135	88.3	16,289	3.0
4109	1,191	67.4	1,029	21.9	907	12.8	779	21.6	894	11.4	3,033	92.8	5,698	4.4
4110	13	*	23	*	32	*	8	*	20	*	226	77.0	354	6.5
4112	526	28.3	418	15.6	419	11.2	327	4.6	363	1.7	1,722	95.8	2,924	4.1
4113	812	74.1	557	19.2	527	12.1	490	8.4	502	4.8	1,839	84.6	3,610	1.4
4120	2,307	69.4	2,002	18.8	1,609	9.1	1,454	12.9	1,729	7.3	5,055	89.3	10,217	1.8
4160	1,993	70.9	1,796	27.6	1,438	16.3	1,239	21.1	1,511	14.8	4,367	88.0	9,052	1.9
4351	537	68.3	430	20.7	431	10.7	355	20.3	402	13.9	1,541	92.3	2,826	8.7
4352	203	70.4	136	14.0	132	6.8	110	10.9	122	4.9	552	83.5	963	16.3
4353	427	73.8	383	18.8	412	11.2	299	16.7	347	8.6	1,327	82.0	2,418	7.7
4354	805	72.0	673	22.6	628	9.7	567	27.0	620	17.1	1,737	94.7	3,597	4.0
4355	321	72.0	239	19.2	275	8.0	189	21.2	208	3.4	786	89.7	1,535	7.0
4356	536	71.1	407	26.5	467	12.4	325	22.8	358	7.5	1,359	91.4	2,578	6.4
4358	140	81.4	129	25.6	153	21.6	98	*	121	1.7	533	86.3	900	1.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
4359	573	77.7	370	26.5	460	14.8	272	14.7	332	7.2	1,574	78.7	2,845	5.5
4360	224	80.8	188	21.3	173	11.6	157	14.0	185	7.6	528	86.9	1,026	9.8
4361	221	76.0	152	22.4	177	9.6	100	13.0	141	7.8	562	89.3	1,070	5.9
4362	326	81.9	229	24.5	277	12.6	152	23.7	214	6.1	791	89.3	1,531	7.6
4363	957	77.1	781	18.6	739	10.8	620	14.2	746	4.8	2,144	88.5	4,279	6.5
4401	1,386	67.2	1,096	21.2	1,061	9.9	850	19.3	1,004	8.5	2,805	93.0	5,940	4.2
4501	982	62.4	828	15.7	744	9.5	618	14.1	733	3.8	2,445	90.7	4,716	5.7
4502	1	*	1	*	0	*	1	*	1	*	0	*	1	*
4591	0	*	0	*	0	*	0	*	0	*	1	*	1	*
4601	1,759	70.7	1,299	19.9	1,150	11.0	1,033	16.4	1,206	7.1	3,039	77.8	6,526	5.2
4701	1,479	73.0	1,153	23.8	1,148	11.3	801	21.6	1,014	10.2	2,795	92.0	6,142	3.7
5050	1,849	59.4	1,235	13.6	1,311	6.7	992	9.8	1,080	4.7	3,261	83.1	7,302	3.7
5051	2,971	59.6	1,881	15.0	1,922	7.0	1,603	9.9	1,684	6.0	5,015	79.8	11,247	3.7
5052	2,823	55.0	1,906	12.6	1,938	6.4	1,542	8.0	1,715	4.1	4,956	80.0	11,026	3.2
5055	531	35.0	392	15.8	324	8.0	285	2.1	303	2.3	1,117	69.1	2,165	2.8
5101	2,396	66.9	1,761	22.0	1,787	10.4	1,448	15.5	1,580	7.3	4,382	87.6	9,607	2.8
5202	626	75.1	489	25.4	500	12.4	370	20.8	457	9.0	1,345	87.8	2,786	3.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
5203	143	70.6	96	*	127	10.2	69	*	87	*	363	86.8	684	5.7
5204	124	77.4	83	*	99	*	63	*	78	*	276	89.9	531	3.2
5601	1,244	77.0	1,088	24.8	929	12.3	964	25.7	1,022	10.3	3,029	91.0	5,884	4.2
5801	2,079	65.1	1,596	15.4	1,476	7.8	1,214	12.2	1,360	6.5	3,972	83.8	8,467	6.8
5803	187	67.9	207	26.1	205	12.7	147	22.4	185	11.9	623	91.3	1,149	4.7
5804	54	*	61	*	72	*	44	*	56	*	238	85.7	413	3.1
6101	69	*	58	*	68	*	49	*	51	*	217	91.2	392	12.0
6102	236	76.7	163	28.8	203	17.2	165	24.2	152	9.2	716	89.4	1,263	5.8
6103	3,875	57.1	2,532	13.9	2,715	6.5	2,217	12.1	2,230	5.2	8,560	86.5	16,874	6.5
6104	598	44.5	351	7.7	338	3.3	283	6.0	300	2.0	751	77.6	1,915	10.8
6105	47	*	44	*	58	*	41	*	43	*	193	89.6	335	6.6
6106	1	*	0	*	0	*	0	*	0	*	0	*	2	*
6301	4,972	54.6	3,590	16.8	2,730	7.4	3,118	10.6	3,317	5.6	8,416	83.1	19,369	2.9
6312	2,969	64.2	2,491	24.1	1,763	13.1	1,984	16.2	2,284	9.5	4,997	80.0	11,736	2.6
6316	1,744	62.0	1,397	19.5	1,105	9.0	1,099	13.8	1,273	7.5	2,971	82.3	6,874	2.5
6320	190	61.1	177	27.1	126	19.0	122	14.8	155	12.9	617	96.1	1,085	1.3
6325	138	64.5	107	22.4	87	*	92	*	97	*	425	89.4	755	5.4

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
6330	639	52.0	450	10.0	308	2.9	345	4.9	371	2.7	1,316	79.1	2,643	7.1
6335	516	53.1	435	22.8	352	11.4	368	14.1	408	8.6	1,635	95.4	2,876	0.8
6340	94	*	79	*	59	*	61	*	69	*	303	95.0	520	1.3
6345	24	*	25	*	17	*	22	*	25	*	72	*	134	0.7
6350	255	56.1	181	18.2	169	7.7	161	12.4	168	8.3	626	90.3	1,237	3.3
6877	6	*	13	*	10	*	6	*	12	*	36	*	69	*
6895	1	*	3	*	9	*	0	*	2	*	17	*	29	*
7304	214	57.0	147	12.2	153	5.2	114	7.0	109	6.4	544	90.4	1,034	8.1
7306	2,785	60.0	1,785	15.4	1,739	5.0	1,513	11.9	1,462	6.6	5,796	82.3	11,765	7.2
7308	181	61.9	133	24.1	128	8.6	97	*	80	*	391	88.7	825	5.3
7310	44	*	38	*	28	*	21	*	27	*	69	*	171	9.9
7401	2,613	57.4	2,245	13.8	1,957	5.5	1,522	12.9	1,965	5.7	5,501	88.4	11,215	8.1
7601	692	67.1	598	19.6	448	8.7	485	16.1	561	5.7	1,519	86.8	3,088	7.2
7850	1,252	71.7	1,054	22.1	956	8.9	746	14.5	876	4.3	2,542	92.6	5,304	6.5
7852	94	*	75	*	73	*	65	*	67	*	242	97.9	464	3.9
8101	1,578	45.0	894	9.8	617	4.9	844	4.3	830	2.4	1,364	73.5	4,204	6.5
8102	327	39.8	229	10.0	177	4.0	211	3.8	222	2.3	959	75.7	1,653	3.3

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
8105	772	49.6	410	14.4	268	6.7	404	9.7	425	6.1	768	87.4	2,097	3.1
8106	350	47.1	182	10.4	187	4.8	204	6.4	176	2.3	578	65.4	1,283	4.7
8150	66	*	52	*	52	*	49	*	48	*	222	91.9	383	2.9
8151	3,278	74.5	2,643	31.3	2,454	16.5	2,055	18.1	2,396	11.2	6,649	84.3	13,913	4.5
8152	326	72.4	246	17.1	178	4.5	186	13.4	215	6.0	323	83.9	995	6.9
8153	28	*	21	*	25	*	16	*	17	*	87	*	152	6.6
8154	134	76.9	105	61.0	91	*	96	*	102	39.2	338	95.3	619	1.5
8155	69	*	66	*	67	*	57	*	61	*	258	92.6	436	4.1
8156	5	*	7	*	4	*	3	*	6	*	20	*	36	*
8157	9	*	11	*	7	*	9	*	11	*	86	*	103	5.8
8201	3,087	57.6	2,342	17.1	1,897	7.4	1,694	11.0	2,070	5.7	4,185	84.8	10,830	3.7
8202	3,492	58.5	2,524	29.8	2,223	10.0	1,932	5.1	2,240	3.6	8,052	80.7	15,718	3.5
8203	358	60.3	300	17.3	257	10.9	224	15.2	261	6.5	671	85.5	1,519	5.7
8250	1,056	45.9	765	12.2	706	7.4	517	9.1	539	5.8	1,608	89.6	3,857	3.8
8252	132	53.0	72	*	76	*	69	*	71	*	261	68.6	525	5.1
8255	3,325	53.7	2,515	14.4	2,020	6.8	1,976	9.5	2,353	4.7	4,673	83.3	11,885	4.5
8257	487	66.1	372	26.6	362	14.6	288	2.4	332	2.1	1,202	93.5	2,309	0.9

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%	Number	%
8258	1,272	52.8	916	11.6	713	6.7	754	8.1	861	3.7	2,294	85.1	5,053	5.1
8260	747	72.3	588	30.8	625	18.4	442	5.2	548	3.1	1,834	75.8	3,628	3.1
8263	78	*	36	*	24	*	41	*	38	*	71	*	176	3.4
8901	1,115	34.5	842	7.8	709	1.6	727	4.0	734	1.6	2,479	64.7	5,151	10.6
8902	1,015	40.4	749	10.3	570	3.0	658	4.3	676	2.2	1,779	73.1	4,035	7.5
8903	1,195	31.0	855	7.1	716	2.1	779	2.1	802	0.6	2,714	71.3	5,569	8.7
8904	1,262	44.7	976	12.2	805	5.6	832	4.3	869	2.8	2,516	74.0	5,479	8.5
8905	2,828	40.9	1,933	11.5	1,692	3.8	1,679	3.4	1,769	2.3	7,155	78.1	13,532	5.5
9004	1	*	0	*	0	*	0	*	0	*	0	*	1	*
9010	177	32.2	21	*	0	*	24	*	14	*	0	*	176	8.5
9012	48	*	35	*	31	*	24	*	31	*	182	73.6	290	11.4
9013	80	*	72	*	73	*	57	*	67	*	205	62.4	411	10.9
9015	34	*	18	*	21	*	19	*	18	*	78	*	143	14.0
9016	178	43.8	161	6.2	137	0.7	132	1.5	145	0.7	472	61.2	930	11.8
9017	70	*	62	*	44	*	38	*	56	*	200	70.0	383	12.0
9018	138	57.2	112	10.7	106	6.6	84	*	91	*	409	62.1	762	7.7
9019	40	*	26	*	24	*	19	*	20	*	123	61.8	211	13.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)  
**Combined 3 Years**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4)														
Clinic	Breastfeeding (5)				Exclusive Breastfeeding (6)				≥2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months	Number	% Breastfeed At Least 3 Months	Number	% Breatfeed At Least 6 Months	Number	%		
9021	44	*	42	*	28	*	26	*	39	*	120	79.2	226	6.6
9040	0	*	0	*	0	*	0	*	0	*	1	*	1	*
9041	20	*	16	*	13	*	13	*	15	*	82	*	130	8.5
9045	2,140	40.0	1,336	7.9	1,308	2.7	1,010	3.3	1,085	1.9	4,133	74.2	8,311	6.9
9050	1,562	45.8	1,135	12.9	986	4.8	899	3.8	1,006	2.1	3,598	66.3	7,123	7.8
9051	1,688	50.9	1,166	17.3	968	8.1	943	3.1	1,071	2.2	3,975	77.5	7,680	2.9
9053	2,925	43.5	1,983	11.6	1,401	5.3	1,742	6.3	1,836	3.9	4,162	79.4	10,059	17.7
9055	230	18.7	5	*	0	*	9	*	9	*	2	*	234	12.0
9058	873	59.3	667	21.9	691	9.7	578	4.8	637	2.4	2,331	93.5	4,282	4.6
9066	1,846	37.5	1,334	6.4	1,109	2.1	1,171	3.8	1,259	2.4	3,708	74.1	7,812	9.1
9068	1,229	42.0	946	10.1	800	4.5	770	7.9	881	4.1	2,616	69.4	5,427	16.0
9069	2,841	51.6	2,086	10.8	1,592	3.8	1,779	4.8	1,979	2.1	4,268	71.6	10,334	9.5
9070	1,576	42.1	1,116	8.0	1,061	2.5	850	6.9	989	2.9	3,348	63.4	6,932	9.3
9072	1,744	42.8	1,181	8.0	951	2.0	1,048	3.4	1,088	1.7	3,068	59.8	6,747	14.4
9074	375	55.2	336	11.6	218	5.0	275	6.2	328	1.8	730	67.0	1,592	9.1
9080	2,513	50.9	1,864	21.5	1,966	6.7	1,473	5.0	1,571	2.2	5,922	75.6	11,749	4.4
9081	14	*	5	*	3	*	5	*	5	*	9	*	26	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7A**  
**2011 - 2013 Pediatric Nutrition Surveillance** (1)  
**Michigan**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic** (2)  
**Children Aged < 5 Years** (3)

**Combined 3 Years**

Michigan	178,601	60.9	135,359	18.4	121,423	9.1	104,926	13.5	119,764	6.8	370,147	83.4	764,116	5.7
----------	---------	------	---------	------	---------	-----	---------	------	---------	-----	---------	------	---------	-----

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.