Table 1C

2014 Pediatric Nutrition Survelliance (1)

Michigan

Summary of Demographic Indicators (2,3)

Children Aged < 5 Years

Total Records	Number
Individual Children	250,091
Total Records (All Visits)	411,777

Race/Ethnic Distribution	Number	%
White, Not Hispanic	123463	49.4
Black, Not Hispanic	67270	26.9
Hispanic	33587	13.4
American Indian/Alaska Native	783	0.3
Asian/Pacific Islander	4551	1.8
Multiple Races	20157	8.1
All Other	51	0.0
Total	249,862	100.0
Excluded Unknown: 229 0.1		

% of Poverty Level	Number	%
0 - 50	106,997	42.8
51 - 100	77,367	31.0
101 - 130	29,082	11.6
131 - 150	12,148	4.9
151 - 185	14,561	5.8
186 - 200	1,790	0.7
Over 200	5,588	2.2
Adjunctive Eligibility	2,197	0.9
Total	249,730	100.0
Excluded Unknown: 361 0.1		

Source of Data	Number	%
WIC	250,091	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
HeadStart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	250,091	100.0
Excluded Unknown: 0 0.0		

Age Distribution (4)	Number	%
0 - 5 Months	55,398	22.2
6 - 11 Months	31,189	12.5
12 - 23 Months	52,872	21.1
24 - 35 Months	38,641	15.5
3 - 4 Years	71,991	28.8
Total	250,091	100.0

Program Participation	Number	%	Migrant Status
WIC	250,091	100.0	No
SNAP	248,883	55.7	Yes
Medicaid	247,290	80.6	Total
TANF	249,155	6.8	Excluded Unknown:
Excluded Unknown			
WIC	0	0.0	
SNAP	1,208	0.5	
Medicaid	2,801	1.1	
TANF	936	0.4	

Run Date:

Number

0.0

248,303

250,091

1,788

%

99.3

0.7

100.0

05/11/2015

⁽¹⁾ Reporting period is January 1 through December 31
(2) Analyses based on one record per child
(3) Excludes records with unknown data errors.
(4) Records rejected if date of birth and date of visit unknown
* Percentages are not calculated if <100 records are available for analysis after exclusions

Table 2C

014 Pediatric Nutrition Survelliance (1

Michigan

Summary of Health Indicators (2)
Children Aged < 5 Years

Run Date:

05/06/2015

Sumi	nary of Health Indicators (3)			
	Michigan Prevalanc		National Prevalance (Prior Year)	
	Number	%	Number	%
Birthweight				
Low	57,712	9.8	141,712	9.6
High	57,712	6.8	141,712	7.8
Height and Weight (5,6) (3)				
< 5 Yrs Short Stature	242,743	6.2	627,045	6.5
< 5 Yrs Underweight	242,743	2.6	627,045	2.6
< 5 Yrs Obese	242,743	10.6	627,045	10.9
>= 2 Yrs Overweight	105,879	16.7	271,666	16.2
>=2 Yrs Obese	105,879	14.2	271,666	13.3
Anemia (7)				
Low Hb	165,164	17.0	400,466	15.8
Low Hct	36	*	41	48.8
Low Hb/Hct	165,188	17.0	400,494	15.8
Breastfeeding (8)				
Ever Breastfed	58,296	62.9	139,236	64.1
Breastfed At Least 6 Months	45,723	18.5	85,884	26.5
Breastfed At Least 12 Months	40,540	9.9	67,144	15.0
Smoking in Household	247,817	4.7	368,164	6.2
<= 2 Hours TV Viewing/ Day (9)	119,895	84.2	174,939	78.1

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

⁽⁵⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

⁽⁸⁾ Infants born during the reporting period by/on their date of visit included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁹⁾ Children aged 2 years and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Run Date:

05/04/2015

12.2

8.3

67,491 67,908

Summary of Breastfeeding Indicators (2) Children Aged < 5 Years

Michigan National Prevalence Prevalence (Prior Year) Number % Number % **Breastfeeding Duration** (4,5)**Ever Breastfed** 58,296 62.9 139,236 64.1 58.4 Breastfed 1+ Weeks 51,315 123,188 61.9 Breastfed 2+ Weeks 42,444 53.9 101,040 59.2 Breastfed 3+ Weeks 37,807 48.1 88,998 55.7 52.5 Breastfed 4+ Weeks 36,022 43.0 83,000 35.3 78,902 Breastfed 6+ Weeks 35,315 47.1 80,185 Breastfed 2+ Months 36,643 31.6 44.1 Breastfed 3+ Months 40,529 26.0 87,464 35.3 22.0 31.3 Breastfed 4+ Months 44,814 95,016 49,242 19.8 101,096 27.1 Breastfed 5+ Months 18.5 85,884 26.5 Breastfed 6+ Months 45,723 Breastfed 9+ Months 35,516 13.0 71,624 21.8 40,540 9.9 15.0 Breastfed 12+ Months 67,144 48,690 6.9 Breastfed 18+ Months 30,361 5.6 **Exclusive Breastfeeding** (6)

38,441

43,316

13.7

7.0

Exclusively Breastfed at Least 3 Months

Exclusively Breastfed at Least 6 Months

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

⁽⁵⁾ It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ weeks of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4C 2014 Pediatric Nutrition Survelliance (1)

Michigan

Run Date:

05/04/2015

Comparison of Racial and Ethnic Distribution by Contributor to Nation

Children Aged < 5 Years

	Comparison of Racial and Ethnic Distribution											
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %				
Michigan	250,091	49.4	26.9	13.4	0.3	1.8	8.1	0.1				
Nation (Prior Year)	642,456	50.4	25.5	12.5	0.8	2.8	8.0	0.1				

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Run Date:

05/04/2015

Comparison of Age Distribution by Contributor to Nation

Children Aged < 5 Years

Comparison of Age Distribution										
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %						
Michigan	250,091	34.6	21.1	44.2						
Nation (Prior Year)	642,456	35.3	20.0	44.7						

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Records rejected if date of birth and date of visit unknown.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Growth and Anemia Indicators by Contributor to Nation Children Aged < 5 Years

			Co	omparison	of Grow	th and A	nemia Indio	cators	(3)			
Contributor	Birth	ı Weight ((4)		Height and Weight (5,6)							ia /Hct
		Low	High		Short Stature	Under- Weight	Obese		>= 2 Yrs Overweight and obese			
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
Michigan	57,712	9.8	6.8	242,743	6.2	2.6	10.6	105,879	16.7	14.2	165,188	17.0
Nation (Prior Year)	141,712	9.6	7.8	627,045	6.5	2.6	10.9	271,666	16.2	13.3	400,494	15.8

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile,

overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis. * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7C 2014 Pediatric Nutrition Survelliance

Michigan

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)

Children Aged < 5 Years

Run Date:

05/06/2015

			Compariso	n of Breastfe	eding, TV	Viewing, a	nd Smokin	g in Housel	nold (4	1)				
	Breastfeeding (5)						Exclusive Breastfeeding (6)				>=2 Hours TV Viewing/Day (7)		Smoking in Household	
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breatsfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Michigan	58,296	62.9	45,723	18.5	40,540	9.9	38,441	13.7	43,316	7.0	119,895	84.2	247,817	4.7
Nation (Prior Year)	139,236	64.1	85,884	26.5	67,144	15.0	67,491	12.2	67,908	8.3	174,939	78.1	368,164	6.2

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁽⁷⁾ Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Growth and Anemia Indicators by Race/Ethnicity or Age

Children Aged < 5 Years

Growth and Anemia Indicators by Race/Ethnicity or Age (3) Height and Weight (5,6) Birthweight (4) >=2 Yrs Anemia Short Under-Obese Overweight and Low Hb/Hct High Stature weight Obese Low (7) % % % Number Number % % % Number Number <2500 a >4000 a Obese Overweight Race Ethnicity 8.1 White, Not Hispanic 28,392 8.3 120,187 6.0 2.2 10.3 51,961 17.0 13.9 82,055 12.3 13.9 3.7 65,123 6.5 9.0 27.6 Black, Not Hispanic 16,488 3.6 27,462 14.7 11.3 43,134 Hispanic 6,940 7.4 8.0 32,364 6.1 1.7 14.6 15,335 19.2 19.7 22,995 14.8 American Indian/Alaska Native 179 11.2 10.1 744 4.8 2.0 16.8 318 22.6 24.5 466 18.7 Asian/Pacific Islander 10.2 5.9 4.2 12.8 15.1 977 5.2 4,430 8.8 2,032 12.8 3,138 Multiple Races 19,632 5.9 2.2 8,688 18.0 14.9 13,287 4,665 9.5 7.4 11.6 16.1 * * * * * * * * All Other 15 48 23 31 **Total** 57,712 10.6 105,879 165,188 17.0 9.8 242,743 6.2 2.6 16.7 14.2 6.8 Age 0 - 11 Months 0 * 84,129 9.7 3.7 6.2 0 18,583 21.6 * 6.3 0 * 12 - 23 Months 52,523 0.4 12.1 51,359 18.8 24 - 35 Months 0 37,835 3.7 2.8 11.7 37,624 15.8 12.1 34,413 17.7 * 36 - 47 Months 32,993 3.2 2.8 13.6 32,992 16.8 14.4 32,190 15.1 48 - 59 Months 0 35,263 2.9 2.5 15.0 17.6 28,643 12.1 35,263 16.1 242,743 6.2 2.6

10.6

105,879

16.7

14.2

165,188

17.0

Total

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

(2)

05/06/2015

Run Date:

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age Children Aged < 5 Years

Breas	tfeeding, T	V Viewin	g, and S	moking i	n Househ	old by Ra	ace/Ethnicity	y or Ag	je (4)	
			Breas	stfeeding (5)	>=2 Hours Viewing/Da		Smoking Househ			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breatsfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	28,706	69.0	22,859	22.2	20,845	12.2	59,211	88.6	122,430	4.3
Black, Not Hispanic	16,597	49.7	12,612	11.6	10,365	4.8	30,560	75.0	66,618	6.6
Hispanic	7,027	68.2	5,525	18.6	5,173	10.0	17,586	85.2	33,278	2.2
American Indian/Alaska Native	182	60.4	156	19.2	129	10.9	368	83.4	763	7.2
Asian/Pacific Islander	1,002	72.0	770	35.3	699	25.2	2,281	79.7	4,495	0.9
Multiple Races	4,698	62.1	3,707	15.9	3,303	8.3	9,807	85.9	19,977	6.0
All Other	16	*	9	*	10	*	25	*	48	*
Total	58,296	62.9	45,723	18.5	40,540	9.9	119,895	84.2	247,817	4.7
Age			ĺ							
0 - 11 Months	0	*	0	*	0	*	0	*	84,978	4.0
12 - 23 Months	0	*	0	*	0	*	0	*	52,743	4.6
24 - 35 Months	0	*	0	*	0	*	38,376	86.4	38,546	5.1
36 - 47 Months	0	*	0	*	0	*	35,590	83.3	35,695	5.4
48 - 59 Months	0	*	0	*	0	*	35,658	82.0	35,855	5.5
Total	58,296	62.9	45,723	18.5	40,540	9.9	119,895	84.2	247,817	4.7

⁽¹⁾ Reporting period is January 1 through December 31.(2) TV Viewing and Smoking in Household are not reported by all contributors.(3) Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.
(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) Children aged 2 years and older included in the analysis
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Run Date:

05/04/2015

Summary of Trends in Racial and Ethnic Distribution

Children Aged < 5 Years

(2)

	Summary of Trends in Racial and Ethnic Distribution											
Year	Number Included in Analysis	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other/Unknown				
	(3)	%	%	%	%	%	%	%				
2014	250,091	49.4	26.9	13.4	0.3	1.8	8.1	0.1				
2013	253,913	49.7	26.8	13.6	0.3	1.6	7.9	0.1				
2012	257,024	50.4	26.2	13.7	0.3	1.6	7.8	0.1				
2011	257,910	51.0	25.7	14.0	0.3	1.5	7.5	0.1				
2010	259,641	51.5	25.4	14.2	0.2	1.4	7.2	0.1				

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Run Date:

05/04/2015

Summary of Trends in Age Distribution

Children Aged < 5 Years

(2)

Summary of Trends in Age Distribution (3)											
Year	Number Included in Analysis (4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %							
2014	250,091	34.6	21.1	44.2							
2013	253,913	31.3	23.8	44.9							
2012	257,024	33.4	21.0	45.6							
2011	257,910	29.7	22.0	48.3							
2010	259,641	29.9	22.8	47.3							

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Run Date:

05/04/2015

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years

	Summary of Trends in Growth and Anemia Indicators (3)												
	Birt	hweight	(4)	Height and Weight (5,6)								ia /Hct	
Year		Low	High		Short Stature	Under- Weight	Obese	>= 2 Yrs Overweight and obese					
	Number	%	%	Number	%	%	%	Number	% Overweight	% Obese	Number	%	
2014	57,712	9.8	6.8	242,743	6.2	2.6	10.6	105,879	16.7	14.2	165,188	17.0	
2013	58,430	9.6	6.9	247,265	5.7	2.4	11.0	109,600	16.8	14.1	163,994	17.5	
2012	58,707	9.7	7.1	249,036	5.8	2.9	10.7	112,234	16.4	13.8	167,258	16.1	
2011	59,577	9.4	6.9	253,759	6.0	3.0	10.5	109,357	16.5	14.1	166,740	16.3	
2010	59,684	9.4	6.9	254,272	5.9	3.2	10.9	109,884	16.5	14.2	146,487	15.0	

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

 ⁽⁵⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
 (6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined

as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis. * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 13C **Pediatric Nutrition Survelliance** 2014 Michigan

(2)

Run Date: 05/13/2015

Summary of Trends in Breastfeeding Children Aged < 5 Years

	Summary of Trends in Breastfeeding (3)											
	Breastfeeding (4)											
Year	Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months						
2014	58,296	62.9	45,723	18.5	40,540	9.9						
2013	59,096	62.3	46,002	17.7	40,663	9.2						
2012	59,352	60.9	42,948	19.1	39,324	9.5						
2011	60,153	59.5	46,409	18.4	41,436	8.5						
2010	60,362	56.1	40,557	18.9	34,172	9.1						

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C 2014 Pediatric Nutrition Survelliance

Michigan

Run Date:

05/04/2015

Growth Indicators by Race/Ethnicity or Age

Childer Aged <5 Years (2)

	Grov	vth Inc	dicators by	Race/Et	hnicity and	Age (3)			
	Short Sta		Underweig (4,5)	ht	Obese (4,5)		>= 2 Yrs Overweight and obeset (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
White, Not Hispanic									
0 - 11 Months	41,755	9.2	41,755	3.3	41,755	5.7	0	*	*
12 - 23 Months	26,471	6.0	26,471	0.4	26,471	11.8	0	*	*
24 - 59 Months	51,601	3.5	51,601	2.3	51,601	13.2	51,601	17.0	13.9
Total	119,827	6.0	119,827	2.2	119,827	10.3	51,601	17.0	13.9
Black, Not Hispanic									
0 - 11 Months	24,313	10.9	24,313	4.7	24,313	6.0	0	*	*
12 - 23 Months	13,348	6.5	13,348	0.6	13,348	10.7	0	*	*
24 - 59 Months	27,233	2.7	27,233	3.9	27,233	10.7	27,233	14.7	11.3
Total	64,894	6.6	64,894	3.5	64,894	8.9	27,233	14.7	11.3
Hispanic									
0 - 11 Months	10,187	8.9	10,187	2.8	10,187	8.1	0	*	*
12 - 23 Months	6,842	7.3	6,842	0.2	6,842	16.2	0	*	*
24 - 59 Months	15,216	3.7	15,216	1.6	15,216	18.1	15,216	19.2	19.7
Total	32,245	6.1	32,245	1.7	32,245	14.5	15,216	19.2	19.7
American Indian/Alaska Native									
0 - 11 Months	254	8.3	254	3.9	254	8.3	0	*	*
12 - 23 Months	172	5.2	172	0.0	172	17.4	0	*	*
24 - 59 Months	314	1.9	314	1.6	314	23.6	314	22.9	24.8
Total	740	4.9	740	2.0	740	16.9	314	22.9	24.8

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽³⁾ Excludes records with unknown data or errors.
(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Michigan

Run Date:

05/04/2015

Growth Indicators by Race/Ethnicity and Age

Childer Aged <5 Years (2)

	Grov	vth Inc	dicators by	Race/Et	hnicity and	Age (3)			
		Short Stature (4,5)		jht	Obese (4,5)		>= 2 Yrs O	obese	
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
Asian/Pacific Islander									
0 - 11 Months	1,498	7.9	1,498	3.5	1,498	5.5	0	*	*
12 - 23 Months	900	7.2	900	0.8	900	6.6	0	*	*
24 - 59 Months	2,017	3.9	2,017	6.1	2,017	12.2	2,038	12.7	12.7
Total	4,415	5.9	4,415	4.1	4,415	8.8	2,017	12.8	12.8
Multiple Races									
0 - 11 Months	6,801	10.4	6,801	3.0	6,801	7.6	0	*	*
12 - 23 Months	4,143	5.5	4,143	0.4	4,143	12.8	0	*	*
24 - 59 Months	8,635	2.7	8,635	2.5	8,635	14.1	8,635	0.2	14.8
Total	19,579	6.0	19,579	2.2	19,579	11.6	8,635	0.2	14.8
All Other/Unknown									
0 - 11 Months	18	*	18	*	18	*	0	*	*
12 - 23 Months	7	*	7	*	7	*	0	*	*
24 - 59 Months	22	*	22	*	22	*	22	*	*
Total	47	*	47	*	47	*	22	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	84,953	9.7	84,953	3.6	84,953	6.3	0	*	*
12 - 23 Months	51,911	6.3	51,911	0.4	51,911	12.1	0	*	*
24 - 59 Months	105,098	3.3	105,098	2.7	105,098	13.4	105,098	16.7	14.1
Total	241,962	6.2	241,962	2.5	241,962	10.6	105,098	16.7	14.1

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Michigan

Run Date:

(2)

05/04/2015

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years

	Ane	mia Indicators by R	ace/Ethnicity and Age (3,4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	7,682	18.1	6 - 11 Months	308	14.0
12 - 17 Months	15,003	15.5	12 - 17 Months	482	19.7
18 - 23 Months	11,267	12.4	18 - 23 Months	414	14.5
24 - 35 Months	17,214	12.3	24 - 35 Months	694	17.6
36 - 59 Months	29,642	8.8	36 - 59 Months	1,179	11.9
Total	80,808	12.2	Total	3,077	14.9
Black, Not Hispanic			Multiple Races		
6 - 11 Months	4,485	29.7	6 - 11 Months	1,280	18.8
12 - 17 Months	7,434	30.5	12 - 17 Months	2,331	18.6
18 - 23 Months	5,677	27.8	18 - 23 Months	1,773	15.0
24 - 35 Months	8,777	29.7	24 - 35 Months	2,791	17.4
36 - 59 Months	15,778	24.5	36 - 59 Months	4,920	14.0
Total	42,151	27.6	Total	13,095	16.1
Hispanic			All Other/Unknown		
6 - 11 Months	1,907	18.6	0 - 11 Months	8	k
12 - 17 Months	3,720	19.7	12 - 17 Months	12	k
18 - 23 Months	3,057	15.5	18 - 23 Months	24	k
24 - 35 Months	4,809	15.6	24 - 35 Months	31	*
36 - 59 Months	9,121	11.0	36 - 59 Months	38	*
Total	22,614	14.7	Total	113	12.4
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	46	*	6 - 11 Months	15,716	21.4
12 - 17 Months	94	*	12 - 17 Months	29,076	20.2
18 - 23 Months	71	*	18 - 23 Months 22		17.0
24 - 35 Months	97	*	24 - 35 Months 34,413		17.7
21 33 11011013	1 3"		36 - 59 Months	60,833	13.7

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions

Table 17C

2014 Pediatric Nutrition Survelliance (1)

Michigan

Run Date:

05/04/2015

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years

(2)

Anemia Indicators by Race/Ethnicity and Age (3,4)									
36 - 59 Months 155 17.4 Total 162,321 16.9									
Total 463 18.8									

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions

Summary Trends in Growth and Anemia Indicators by Race/Ethnicity

Children Aged < 5 Years (2)

Summary Trends in Growth and Anemia Indicators by Race/Ethnicity (3) Race/Ethnicity and Year Birthweight (4) Height and Weight (5,6) >=2 Yrs Anemia Short Under-Obese Overweight and Low Hb/Hct Stature weight High Obese Low (7) % % % % % Number % Number Number Number White, Not Hispanic 2014 28,392 8.1 8.3 120,187 6.0 2.2 10.3 51,961 17.0 13.9 82,055 12.3 2013 28,825 8.2 5.7 13.6 8.6 123,080 2.1 10.7 54,015 17.3 81,532 12.8 2012 29,775 8.2 125,896 5.6 2.6 10.2 56,207 13.2 83,741 8.8 16.8 11.8 2011 30,433 7.8 8.4 129,736 5.8 2.7 10.0 55,921 16.9 13.5 84,935 11.9 16.8 2010 30,392 7.7 8.5 131,192 5.7 2.9 10.2 56,688 13.2 73,483 11.0 Black, Not Hispanic 2014 16,488 13.9 3.7 65,123 6.5 3.6 9.0 27,462 14.7 11.3 43,134 27.6 2013 17,015 13.1 3.7 66,248 6.0 3.2 9.5 28,266 14.7 42,571 28.3 11.6 2012 3.7 4.0 9.2 42,695 16,431 13.6 65,053 6.4 28,218 14.2 11.2 26.0 2011 16,626 13.6 4.0 64,892 6.8 4.1 9.2 26,359 13.9 11.3 41,205 26.4 4.3 9.9 2010 16,599 13.6 3.8 64,332 6.9 26,065 13.9 11.8 37,174 24.1

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary Trends in Growth and Anemia Indicators by Race/Ethnicity

Children Aged < 5 Years (2)

Summary Trends in Growth and Anemia Indicators by Race/Ethnicity (3) Race/Ethnicity and Year Birthweight (4) Height and Weight (5,6) >=2 Yrs Anemia Short Under-Obese Overweight and Low Hb/Hct High Stature weight Low Obese (7) % % % % % % Number Number Number Number % Hispanic 2014 6,940 7.4 8.0 32,364 6.1 1.7 14.6 15,335 19.2 19.7 22,995 14.8 7.3 8.0 16,229 23,553 15.0 2013 6,946 33,472 5.6 14.8 19.2 19.5 1.6 2012 7,156 7.2 34,008 5.6 1.9 14.5 16,744 18.5 19.7 24,418 14.5 8.0 2011 7,286 7.3 7.5 35,522 5.4 2.0 14.6 16,759 19.2 20.0 24,954 14.7 7.2 2010 7,399 7.3 36,104 5.2 2.3 14.6 17,424 19.0 20.0 22,724 13.3 American Indian/Alaska 2014 179 11.2 10.1 744 4.8 2.0 16.8 318 22.6 24.5 466 18.7 Native 2013 157 5.1 12.7 673 5.2 2.2 18.3 292 21.9 22.9 420 17.4 2012 159 6.3 701 15.0 300 22.0 17.3 15.7 5.0 2.4 424 14.6 2011 153 5.2 13.1 695 16.1 21.8 22.1 420 16.0 4.2 1.6 317 5.6 2.5 17.6 20.7 2010 160 11.9 608 6.6 20.3 307 11.4 246

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

⁽⁶⁾ Based on 2000 CDC growth chart percentile, overweight is defined as BMI-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary Trends in Growth and Anemia Indicators by Race/Ethnicity

Children Aged < 5 Years (2)

Summary Trends in Growth and Anemia Indicators by Race/Ethnicity (3) Race/Ethnicity and Year Birthweight (4) Height and Weight (5,6) >=2 Yrs Anemia Short Under-Obese Overweight and Low Hb/Hct Stature weight High Obese Low (7) % % % % % % Number Number Number Number Asian/Pacific Islander 2014 977 10.2 5.2 4,430 5.9 4.2 8.8 2,032 12.8 12.8 3,138 15.1 2013 957 9.4 4,052 8.7 12.4 3.9 6.0 3.6 1,831 13.0 2,782 15.6 2012 3.8 3,887 6.8 4.7 8.3 1,797 13.6 2,674 15.3 918 11.5 11.7 2011 840 9.4 2.7 3,713 7.1 4.1 9.0 1,582 13.1 12.8 2,506 16.0 2010 874 9.4 5.3 3,676 7.2 4.8 8.7 1,563 13.3 12.0 2,194 15.5 Multiple Races 2014 4,665 9.5 7.4 19,632 5.9 2.2 11.6 8,688 18.0 14.9 13,287 16.1 2013 4,427 9.2 7.6 19,489 5.1 2.1 12.2 8,910 17.4 15.4 13,055 16.4 2012 4,208 9.7 7.2 19,357 2.4 12.0 13,276 5.2 8,945 17.2 15.2 15.0 2011 4,180 9.0 19,065 5.2 2.8 8,399 17.1 15.4 12,689 15.7 7.1 11.7 2010 7.2 5.3 3.0 16.0 4,205 8.7 18,225 12.7 7,877 17.0 10,575 14.4

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

⁽⁶⁾ Based on 2000 CDC growth chart percentile, overweight is defined as BMI-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary Trends in Growth and Anemia Indicators by Race/Ethnicity

Children Aged < 5 Years (2)

Summary Trends in Growth and Anemia Indicators by Race/Ethnicity (3) Race/Ethnicity and Year Birthweight (4) Height and Weight (5,6) >=2 Yrs Anemia Short Under-Obese Overweight and Low Hb/Hct Stature weight High Obese Low (7) % % % % % % % Number Number Number Number All Other/Unknown 2014 71 * * 263 8.0 8.0 12.5 83 113 12.4 2013 9.7 5.6 9.2 57 81 103 9.7 251 1.6 * 2012 60 134 6.7 1.5 12.7 23 30 59 * 2011 136 8.1 1.5 12.5 20 31 21 30 * 2010 55 135 5.2 1.5 11.1 Total All Race/Ethnic Groups 2014 57,712 9.8 242,743 6.2 2.6 10.6 105,879 16.7 14.2 165,188 17.0 6.8 2013 58,430 9.6 6.9 247,265 5.7 2.4 11.0 109,600 14.1 163,994 17.5 16.8 2012 58,707 9.7 7.1 249,036 2.9 10.7 112,234 13.8 167,258 5.8 16.1 16.4 2011 59,577 9.4 6.9 253,759 6.0 3.0 10.5 109,357 16.5 166,740 16.3 14.1 6.9 5.9 3.2 10.9 14.2 2010 59,684 9.4 254,272 109,884 16.5 146,487 15.0

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

⁽⁶⁾ Based on 2000 CDC growth chart percentile, overweight is defined as BMI-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Run Date:

05/06/2015

Summary Trends in Brestfeeding Indicators by Race/Ethnicity

Children Aged < 5 Years

	Summary	of Trends in	Breastfeed	ding Indica	ators by Rac	ce/Ethnicity	(3)
Race/Ethnicity and Year				Breas	tfeeding		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2014	28,706	69.0	22,859	22.2	20,845	12.2
	2013	29,213	68.5	23,527	21.1	21,049	11.1
	2012	30,158	67.0	22,566	21.9	20,742	11.2
	2011	30,747	65.7	23,717	21.0	21,506	9.8
	2010	30,758	61.6	20,890	21.6	17,682	10.6
Black, Not Hispanic	2014	16,597	49.7	12,612	11.6	10,365	4.8
	2013	17,129	49.2	12,439	11.0	10,252	4.8
	2012	16,564	47.5	11,008	12.6	9,539	4.9
	2011	16,740	46.3	12,627	11.9	10,329	4.6
	2010	16,721	43.0	10,948	12.0	8,844	5.3

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C 2014 Pediatric Nutrition Survelliance

Michigan

Run Date:

05/06/2015

Summary Trends in Brestfeeding Indicators by Race/Ethnicity

Children Aged < 5 Years

(1)

	Summary	of Trends in	Breastfeed	ding Indica	ators by Rac	e/Ethnicity	(3)
Race/Ethnicity and Year					tfeeding		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2014	7,027	68.2	5,525	18.6	5,173	10.0
	2013	7,043	67.2	5,607	17.6	5,422	9.4
	2012	7,233	64.5	5,201	20.6	5,235	10.8
	2011	7,366	62.7	5,747	22.3	5,668	10.1
	2010	7,527	62.6	5,097	22.8	4,611	10.9
American Indian/Alaska Native	2014	182	60.4	156	19.2	129	10.9
	2013	165	58.8	123	23.6	112	12.5
	2012	162	67.3	136	16.2	106	11.3
	2011	167	57.5	127	18.9	107	10.3
	2010	163	57.7	101	22.8	93	*

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C 2014 Pediatric Nutrition Survelliance

Michigan

Run Date:

05/06/2015

Summary Trends in Brestfeeding Indicators by Race/Ethnicity

Children Aged < 5 Years

(1)

	Summary	of Trends in	n Breastfeed	ling Indica	ators by Rac	ce/Ethnicity	(3)
Race/Ethnicity and Year				Breas	stfeeding (4)		
		Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months
Asian/Pacific Islander	2014	1,002	72.0	770	35.3	699	25.2
	2013	972	72.2	738	35.5	682	24.6
	2012	928	71.9	619	37.0	595	22.7
	2011	868	69.4	674	35.3	643	22.4
	2010	891	62.7	592	32.9	507	20.3
Multiple Races	2014	4,698	62.1	3,707	15.9	3,303	8.3
	2013	4,452	61.9	3,453	14.4	3,130	7.5
	2012	4,239	60.6	3,351	15.8	3,096	7.7
	2011	4,198	58.7	3,456	14.9	3,176	6.5
	2010	4,233	55.2	2,874	15.5	2,424	6.6

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C 2014 Pediatric Nutrition Survelliance

Michigan

Run Date:

05/06/2015

Summary Trends in Brestfeeding Indicators by Race/Ethnicity

Children Aged < 5 Years

(1)

	Summary	of Trends ir	Breastfeed	ding Indic	ators by Rac	e/Ethnicity	(3)
Race/Ethnicity and Year				Breas	etfeeding (4)		
		Number	% Ever Breastfeed	Number	% Breastfeed At Least 6 Months	Number	% Breatsfeed At Least 12 Months
All Other/Unknown	2014	84	*	94	*	26	*
	2013	122	72.1	115	23.5	16	*
	2012	68	*	67	*	11	*
	2011	67	*	61	*	7	*
	2010	69	*	55	*	11	*
Total All Race/Ethnic Groups	2014	58,296	62.9	45,723	18.5	40,540	9.9
	2013	59,096	62.3	46,002	17.7	40,663	9.2
	2012	59,352	60.9	42,948	19.1	39,324	9.5
	2011	60,153	59.5	46,409	18.4	41,436	8.5
	2010	60,362	56.1	40,557	18.9	34,172	9.1

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary Trends in Growth Indicators by Age

Children Aged < 5 Years

						Summary	of Trends in G	rowth Indic	ators by Age (3)								
Age and Year				Height	and Weu	ight (4,5)			Age and Year	Height and Weught (4,5)							
			Short Stature	Under- weight		>=2 Yrs Overweight and Obese					Short Stature		Under- weight	Obese	>=2 Yrs Overweight and Obese		
		Number	%	%	%	Number	% Overweight	% Obese			Number	%	%	%	Number	% Overweight	% Obese
0 - 11 Months	2014	84,129	9.7	3.7	6.2	0	*	*	24 - 35 Months	2014	37,835	3.7	2.8	11.7	37,624	15.8	12.1
	2013	77,596	8.8	3.4	6.8	0	*	*		2013	40,435	3.6	2.6	11.6	40,426	16.2	12.0
	2012	83,373	9.2	4.2	6.5	0	*	*		2012	41,102	3.6	3.2	11.1	41,079	15.5	11.5
	2011	74,332	9.7	5.2	5.9	0	*	*		2011	42,092	4.1	2.1	12.1	27,560	15.8	12.1
	2010	74,954	9.6	5.9	6.2	0	*	*		2010	44,469	3.8	2.2	12.4	31,367	15.8	12.3
	2009	0	*	*	*	0	*	*		2009	0	*	*	*	0	*	*
12 - 23 Months	2014	52,523	6.3	0.4	12.1	0	*	*	36 - 47 Months	2014	32,993	3	2.8	13.6	32,992	16.8	14.4
	2013	60,058	6.0	0.5	12.1	0	*	*		2013	34,696	3	2.8	13.8	34,694	16.8	14.6
	2012	53,397	5.8	0.3	12.1	0	*	*		2012	35,311	3	3.2	13.7	35,304	16.3	14.5
	2011	56,493	6.4	0.7	10.8	0	*	*		2011	39,177	3	3.1	13.0	39,175	16.2	13.8
	2010	58,919	6.3	0.7	11.7	0	*	*		2010	38,045	3	3.2	13.4	38,035	16.3	14.2
	2009	0	*	*	*	0	*	*		2009	0	*	*	*	0	*	*

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
* Percentages are not calculated if < 100 records are available for analysis after exclusions

Summary Trends in Growth Indicators by Age

Children Aged < 5 Years

					Summar	y of Trends	in Growth Indi	cators by Ag			
Age and Year *		Height and Weight (4,5)									
			Short Stature	Under- weight	Obese		>=2 Yrs Overweight and Obese				
		Number	%	%	%	Number	% Overweight	% Obese			
48 - 59 Months	2014	35,263	2.9	2.5	15.0	35,263	17.6	16.1			
	2013	34,480	3.1	2.5	15.0	34,480	17.6	16.0			
	2012	35,851	2.9	2.9	14.7	35,849	17.5	15.8			
	2011	41,665	3.2	2.9	14.7	41,665	17.3	15.9			
	2010	37,883	3.0	3.0	14.9	37,879	17.3	15.9			
	2009	0	*	*	*	0	*	*			
Total All Age Groups	2014	242,743	6.2	2.6	10.6	105,879	16.7	14.2			
	2013	247,265	5.7	2.4	11.0	109,600	16.8	14.1			
	2012	249,034	5.8	2.9	10.7	112,232	16.4	13.8			
	2011	253,759	6.0	3.0	10.5	109,357	16.5	14.1			
	2010	254,270	5.9	3.2	10.9	109,882	16.5	14.2			
	2009	0	*	*	*	0	*	*			

је	(3)									
	Age and Year*	Height and Weight (4,5)								
			Short Stature	Under- weight	Obese		>=2 Yrs Overweight and Obese			
		Number	%	%	%	Number	% Overweight	% Obese		

Run Date: 05/04/2015

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age << 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions

Summary of Trends in Anemia by Age

(2)

Children Aged < 5 Years

Summary of Trends in Anemia by Age (3) Age and Year Age and Year Anemia Anemia Low Hb/Hct (4) Low Hb/Hct (4) Number % Number % 6 - 11 Months 2014 15,716 21.4 18 - 23 Months 2014 22,283 17.0 2013 10,210 22.7 2013 21,872 18.5 2012 13,615 20.5 2012 22,483 17.8 2011 6,601 20.0 2011 21,440 18.9 2010 6,281 18.8 2010 23,202 16.6 12 - 17 Months 2014 29,076 24 - 35 Months 2014 34,413 17.7 20.2 2013 36,061 17.8 36,210 21.4 2013 2012 29,477 19.9 2012 36,971 16.7 2011 32,612 19.4 2011 37,188 17.8 2010 2010 30,537 18.6 32,623 16.2 Run Date: 05/04/2015

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions

(2)

Summary of Trends in Anemia by Age Children Aged < 5 Years

Run Date: 05/04/2015

		Summa	ry of T	rends in Anemia by Age	(3)		
Age and Year				Age and Year			
		Anemi Low Hb/H				Anemi Low Hb/H	
		Number	%			Number	%
36 - 59 Months	2014	60,833	13.7	Total All Age Groups	2014	165,188	17.0
	2013	59,208	13.6		2013	163,994	17.5
	2012	61,837	12.1		2012	167,256	16.1
	2011	68,766	12.7		2011	166,740	16.3
	2010	53,842	11.1		2010	146,485	15.0
All Other/Unknown	2014	0	*				
	2013	0	*				
	2012	2	*				
	2011	0	*				
	2010	2	*				

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with unknown data or errors.
 (4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions