



Weekly Disease Report For The Week Ending April 12th, 2025 (MMWR Week 15)


The Michigan Disease Surveillance System (MDSS) has revolutionized communicable disease reporting in Michigan; and subsequently, has transformed the Weekly Disease Report. The advent of the MDSS allows immediate communication among disease reporting authorities, local health departments, and the Michigan Department of Health and Human Services (MDHHS) regarding investigations into possible cases of communicable disease. Information on these possible cases is available in MDSS regardless of whether they are suspected, probable, or confirmed cases of disease.

The data in the Weekly Disease Report are provisional, based on current reports to MDHHS by local health departments. The MDSS is a dynamic, continually active system: counts of disease are constantly changing as cases are investigated, confirmed as cases, or ruled out as not meeting the case definition. The Weekly Disease Report reflects this constant activity as the numbers slightly fluctuate each week. Therefore, it should be kept in mind that numbers in the Weekly Disease Report are NOT final and should be used only to generally monitor trends over time. Please contact your local health department for definitive numbers to be used for research or reporting purposes. To find your local health department, please visit <http://www.malph.org>

Clarification of terms used in the Weekly Disease Report:

MMWR Week: This week (established by the Centers for Disease Control and Prevention) runs from Sunday to Saturday and is assigned a sequentially increasing number from the first week containing a Wednesday in January. For example: 38-2010 is the 38th week in 2010 and corresponds to the week ending September 25, 2010.

Region: Michigan is divided into 8 Emergency Preparedness Regions. To determine which counties belong in which regions, please see below.



Questions regarding the content of the Weekly Disease Report should be referred to the Surveillance and Infectious Disease Epidemiology Section at 517-335-8165.

Reported Cases of All Reportable Conditions

Michigan Disease Surveillance System

Disease Group	Reportable Condition	Cases Reported In The Last 4 Weeks**				Total Cases Reported In Each Of The Last 5 Years***				
		12-2025	13-2025	14-2025	15-2025	2021	2022	2023	2024	2025
COVID19/MIS										
	Multisystem Inflammatory Syndrome	1	0	0	0	177	72	8	4	1
	Subtotal	1	0	0	0	177	72	8	4	1
Carbon Monoxide										
	Carbon Monoxide Poisoning	5	8	2	2	0	0	491	546	113
	Subtotal	5	8	2	2	0	0	491	546	113
Foodborne										
	Amebiasis	0	1	0	0	6	11	10	7	9
	Botulism - Foodborne	0	0	0	0	1	0	2	1	0
	Campylobacter	19	25	27	19	1,514	1,509	1,739	1,799	371
	Cryptosporidiosis	5	3	3	5	252	331	334	374	49
	Giardiasis	4	3	4	4	441	404	509	564	91
	Listeriosis	0	0	0	0	36	36	34	23	5
	Listeriosis (2014-2017)*	0	0	0	0	0	0	0	0	0
	Norovirus	75	45	28	4	592	1,403	869	1,508	2,501
	Paratyphoid Fever	0	0	0	0	1	2	0	1	0
	Salmonellosis	21	14	19	13	868	856	1,083	1,092	219
	Shiga toxin-producing Escherichia coli --(STEC)	2	5	6	1	269	419	373	308	77
	Shigellosis	4	5	4	2	170	218	222	295	58
	Typhoid Fever	0	0	0	0	4	15	16	9	4
	Yersinia enteritis	3	4	4	2	89	203	201	248	55
	Subtotal	133	105	95	50	4,243	5,407	5,392	6,229	3,439
Influenza										
	Flu Like Disease*	9,942	5,393	4,539	914	86,081	230,737	219,206	269,061	194,955
	Influenza	2,423	1,753	1,326	888	2,949	46,532	28,436	42,175	64,861
	Influenza, Novel	0	0	0	0	0	4	20	4	1
	Respiratory Syncytial Virus	219	163	140	107	45	1,195	917	2,212	4,614
	Subtotal	12,584	7,309	6,005	1,909	89,075	278,468	248,579	313,452	264,431
Meningitis										
	Cronobacter (infant)	0	0	0	0	0	0	0	0	0
	Meningitis - Aseptic	6	5	8	0	259	293	269	264	54

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Reported Cases of All Reportable Conditions

Michigan Disease Surveillance System

Disease Group	Reportable Condition	Cases Reported In The Last 4 Weeks**				Total Cases Reported In Each Of The Last 5 Years***				
		12-2025	13-2025	14-2025	15-2025	2021	2022	2023	2024	2025
	Meningitis - Bacterial Other	1	1	2	2	125	149	154	147	35
	Meningococcal Disease	0	0	0	0	5	5	9	14	2
	Streptococcus pneumoniae, Inv	22	19	14	12	523	801	907	900	397
	Subtotal	29	25	24	14	912	1,248	1,339	1,325	488
Other										
	Acute Flaccid Myelitis (AFM)	0	0	0	0	1	2	0	0	0
	Anthrax	0	0	0	0	0	0	0	0	0
	Blastomycosis	0	0	1	5	19	35	165	48	23
	Botulism - Infant	0	0	0	0	0	1	2	1	0
	Botulism - Other	0	0	0	0	2	4	0	1	0
	Brucellosis	0	0	1	0	2	4	1	2	3
	CPO	10	11	18	40	405	550	487	418	207
	Candida auris	16	23	12	14	3	135	435	884	244
	Cholera	0	0	0	0	0	0	0	0	0
	Coccidioidomycosis	2	1	4	2	75	55	69	77	25
	Creutzfeldt-Jakob Disease	0	0	0	1	15	18	26	23	4
	Cryptococcosis	1	0	0	1	24	23	30	24	10
	Cyclosporiasis	0	0	0	0	52	56	43	41	2
	Encephalitis, Post Chickenpox	0	0	0	0	0	3	1	2	1
	Encephalitis, Post Mumps	0	0	0	0	0	0	0	0	0
	Encephalitis, Post Other	1	0	0	1	16	16	22	27	4
	Encephalitis, Primary	1	1	0	0	11	8	9	7	4
	Gastrointestinal Illness	4,274	1,540	2,252	611	45,969	101,463	141,768	142,186	68,269
	Guillain-Barre Syndrome	1	0	0	1	60	76	81	79	17
	Hantavirus	0	0	0	0	0	0	0	0	0
	Hantavirus, Other	0	0	0	0	0	0	0	0	0
	Hantavirus, Pulmonary	0	0	0	0	1	0	0	0	0
	Hemolytic Uremic Syndrome	0	0	0	0	3	16	8	1	0
	Hemorrhagic Fever	0	0	0	0	0	0	0	0	0
	Histoplasmosis	2	8	4	9	278	350	279	262	101
	Kawasaki	1	1	1	0	44	55	60	40	20

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Reported Cases of All Reportable Conditions Michigan Disease Surveillance System									
---	--	--	--	--	--	--	--	--	--

Disease Group	Reportable Condition	Cases Reported In The Last 4 Weeks**				Total Cases Reported In Each Of The Last 5 Years***				
		12-2025	13-2025	14-2025	15-2025	2021	2022	2023	2024	2025
	Legionellosis	5	6	1	1	583	371	430	415	48
	Leprosy	0	0	0	0	1	2	1	0	0
	Leptospirosis	0	0	0	0	1	2	5	5	0
	Melioidosis+	0	0	0	0	0	0	0	1	0
	Mpox	1	0	0	0	0	451	4	21	2
	Novel Coronavirus SARS/MERS	0	0	0	0	0	0	0	0	1
	Plague	0	0	0	0	0	0	0	0	0
	Psittacosis	0	0	0	0	2	3	0	2	0
	Q Fever Acute	0	0	0	0	3	3	13	1	0
	Q Fever Chronic	0	0	0	0	0	2	1	2	0
	Q Fever*	0	0	0	0	3	7	0	0	1
	Rabies Human	0	0	0	0	0	0	0	0	1
	Reye Syndrome	0	0	0	0	0	0	0	0	0
	Rheumatic Fever	0	0	0	0	0	2	0	2	0
	Rubella - Congenital	0	0	0	0	0	0	0	0	0
	Streptococcal Dis, Inv, Grp A	11	22	11	10	257	388	976	785	243
	Streptococcal Toxic Shock	0	0	0	0	2	4	15	11	2
	Streptococcus pneumoniae, Drug Resistant	0	1	2	0	40	60	80	57	21
	Toxic Shock	0	0	0	0	5	2	6	5	1
	Trachoma	0	0	0	0	1	0	1	0	0
	Trichinosis	0	1	0	0	0	0	0	1	1
	Tularemia	0	0	0	0	1	4	4	1	0
	VISA	1	0	0	0	4	3	2	3	1
	VRSA	0	0	0	0	1	0	1	0	0
	Vibriosis - Non Cholera	0	0	1	0	35	45	29	45	9
	Subtotal	4,327	1,615	2,308	696	47,919	104,219	145,054	145,480	69,265
Rabies										
	Rabies Animal	0	1	0	0	48	49	48	41	3
	Rabies: Potential Exposure & PEP	67	65	90	96	3,688	3,853	4,634	4,709	1,038
	Subtotal	67	66	90	96	3,736	3,902	4,682	4,750	1,041
STD										
Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.										

Reported Cases of All Reportable Conditions

Michigan Disease Surveillance System

Disease Group	Reportable Condition	Cases Reported In The Last 4 Weeks**				Total Cases Reported In Each Of The Last 5 Years***				
		12-2025	13-2025	14-2025	15-2025	2021	2022	2023	2024	2025
	Chancroid	0	0	0	0	2	0	1	0	1
	Chlamydia (Genital)	638	662	636	637	45,241	43,034	43,103	38,549	10,066
	Gonorrhea	186	197	191	176	21,875	16,381	15,264	13,555	3,196
	Granuloma Inguinale	0	0	0	0	0	0	0	0	0
	Lymphogranuloma venereum	0	0	0	0	3	2	0	1	0
	Syphilis - Congenital	4	3	1	1	42	38	55	58	24
	Syphilis - Early Latent	20	13	8	6	734	750	874	774	236
	Syphilis - Late Latent*	0	0	0	0	0	0	0	0	0
	Syphilis - Late with Manifestations*	0	0	0	0	0	0	0	0	0
	Syphilis - Latent of Unknown Duration*	0	0	0	0	0	0	0	0	0
	Syphilis - Primary	3	6	2	3	356	410	352	262	55
	Syphilis - Secondary	8	10	4	1	623	560	493	423	111
	Syphilis - To Be Determined	12	14	21	100	0	1	0	2	194
	Syphilis - Unknown Duration or Late	34	25	22	9	926	1,067	1,304	1,395	381
	Subtotal	905	930	885	933	69,802	62,243	61,446	55,019	14,264
Tuberculosis										
	Latent Tuberculosis Infection	45	53	61	43	1,480	1,870	2,345	2,623	810
	Nontuberculous Mycobacterium	27	23	20	18	768	830	772	902	291
	Tuberculosis	11	5	7	11	138	120	151	167	95
	Subtotal	83	81	88	72	2,386	2,820	3,268	3,692	1,196
VPD										
	Chickenpox (Varicella)	2	12	8	5	185	232	362	291	100
	Diphtheria	0	0	0	0	0	0	0	0	0
	H. influenzae Disease - Inv.	2	4	3	5	168	252	255	265	99
	Measles	0	3	3	15	1	1	0	7	25
	Mumps	1	1	0	0	11	30	33	31	15
	Pertussis	15	15	8	4	74	86	110	2,057	532
	Polio	0	0	1	1	0	0	0	0	2
	Rubella	0	1	0	0	6	13	8	9	2
	Shingles	34	37	40	27	625	759	1,436	1,732	522
	Tetanus	0	0	0	0	1	2	1	0	0

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Reported Cases of All Reportable Conditions

Michigan Disease Surveillance System

Disease Group	Reportable Condition	Cases Reported In The Last 4 Weeks**				Total Cases Reported In Each Of The Last 5 Years***				
		12-2025	13-2025	14-2025	15-2025	2021	2022	2023	2024	2025
	VZ Infection, Unspecified	7	9	11	17	385	377	275	248	110
	Subtotal	61	82	74	74	1,456	1,752	2,480	4,640	1,407
Vectorborne										
	Anaplasmosis	1	0	1	1	0	1	5	85	8
	Babesiosis++	0	0	0	0	9	12	20	29	2
	Chikungunya~	0	0	0	0	1	2	1	2	0
	Dengue Fever	0	0	0	0	5	17	25	49	6
	Ehrlichiosis*	0	0	0	0	0	0	0	0	0
	Ehrlichiosis, Anaplasma phagocytophilum (2009-	0	0	0	0	0	0	0	0	0
	Ehrlichiosis, Anaplasmosis Undetermined*	0	0	0	0	0	0	0	0	0
	Ehrlichiosis, Ehrlichia chaffeensis (2009-2019)*	0	0	0	0	0	0	0	0	0
	Ehrlichiosis, Ehrlichia ewingii (2009-2019)*	0	0	0	0	0	0	0	0	0
	Ehrlichiosis, Ehrlichia ewingii*	0	0	0	0	0	0	0	0	0
	Ehrlichiosis, all types	0	0	0	0	0	0	0	15	0
	Ehrlichiosis, human granulocytic*	0	0	0	0	0	0	0	0	0
	Ehrlichiosis, human monocytic*	0	0	0	0	0	0	0	0	0
	Ehrlichiosis, human other/undetermined (2009-	0	0	0	0	0	0	0	0	0
	Ehrlichosis human, other, unsp*	0	0	0	0	0	0	0	0	0
	Encephalitis, California Serogroup	0	0	0	0	9	4	7	7	1
	Encephalitis, Eastern Equine	0	0	0	0	1	0	0	0	0
	Encephalitis, Powassan	0	0	0	0	0	0	0	1	0
	Encephalitis, St. Louis	0	0	0	0	1	0	0	0	0
	Encephalitis, Western Equine	0	0	0	0	0	0	0	0	0
	Lyme Disease	9	9	10	13	1,272	1,113	2,211	1,938	125
	Malaria	0	0	0	0	14	44	37	38	4
	Rickettsial Disease - Spotted Fever	0	0	2	0	12	15	8	8	3
	Rickettsial Disease - Typhus	0	0	0	0	0	0	1	2	0
	West Nile Virus	0	0	0	0	59	16	26	35	0
	Yellow Fever	0	0	0	0	0	0	0	0	0
	Zika~~	0	0	0	0	0	0	0	0	0
	Subtotal	10	9	13	14	1,383	1,224	2,341	2,209	149

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Reported Cases of All Reportable Conditions

Michigan Disease Surveillance System

Disease Group	Reportable Condition	Cases Reported In The Last 4 Weeks**				Total Cases Reported In Each Of The Last 5 Years***				
		12-2025	13-2025	14-2025	15-2025	2021	2022	2023	2024	2025
Viral Hepatitis										
	Hepatitis A	0	2	1	7	31	31	26	28	27
	Hepatitis B, Acute	22	17	12	36	35	33	43	57	201
	Hepatitis B, Chronic	41	38	28	26	638	579	866	826	387
	Hepatitis B, Perinatal	0	0	0	0	0	0	0	0	0
	Hepatitis C, Acute	10	25	26	69	124	104	77	81	228
	Hepatitis C, Chronic	74	58	69	48	4,127	3,428	2,926	2,616	911
	Hepatitis C, Perinatal	0	1	0	1	9	7	8	4	2
	Hepatitis E	0	0	0	0	11	10	8	4	0
	Subtotal	147	141	136	187	4,975	4,192	3,954	3,616	1,756

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Complete HIV/AIDS statistics can be found at: https://www.michigan.gov/mdhhs/0,5885,7-339-71550_2955_2982-428731--,00.html

Complete COVID-19 statistics can be found at: <https://www.michigan.gov/coronavirus/>

* Indicates disease no longer reported into the MDSS on an individual cases basis.
 *** Data for cases reported in the last 5 years is for the entire year except for the current year which is year to date.
 ** Data for cases reported in the last 4 weeks is based on the date the case was referred.

Table of Diseases by Geographic Location																									
Time Period: Week		15-2025																							
Disease	Alcona		Alger		Allegan		Alpena		Antrim		Arenac		Baraga		Barry		Bay		Benzie		Berrien		Branch		
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	
Acute Flaccid Myelitis (AFM)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anaplasmosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Babesiosis++	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Blastomycosis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Botulism - Foodborne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botulism - Infant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botulism - Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Brucellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Campylobacter	-	1	-	1	1	8	-	1	-	1	-	-	-	2	-	5	-	3	-	1	-	3	-	4	
Candida auris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
Carbon Monoxide Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chickenpox (Varicella)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	8	-	1	-	-	-	3	-	-	
Chikungunya~	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chlamydia (Genital)	-	3	-	3	4	59	-	6	-	12	1	16	-	1	1	41	4	77	-	5	9	182	2	29	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coccidioidomycosis	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CPO	-	-	-	-	1	3	-	1	-	-	-	1	-	-	1	3	-	1	-	-	-	-	-	-	
Creutzfeldt-Jakob Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cronobacter (infant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cryptococcosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cryptosporidiosis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
Cyclosporiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dengue Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, all types	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Anaplasma phagocytophilum (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Anaplasmosis Undetermined*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia chaffeensis (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia ewingii (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia ewingii*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human granulocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human monocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human other/undetermined (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichosis human, other, unsp*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, California Serogroup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Eastern Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Powassan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Primary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Encephalitis, St. Louis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Western Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Flu Like Disease*	-	-	-	111	117	3,657	-	32	-	76	-	628	3	307	-	1,158	26	997	-	229	-	6,408	23	538	
Gastrointestinal Illness	-	-	-	52	152	3,362	-	-	-	-	-	273	-	58	-	1,429	3	202	-	22	-	4,202	59	1,265	
Giardiasis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
Gonorrhea	-	-	-	-	-	13	-	-	-	-	-	1	-	-	-	7	2	26	-	1	3	47	-	3	

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Alcona		Alger		Allegan		Alpena		Antrim		Arenac		Baraga		Barry		Bay		Benzie		Berrien		Branch	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Granuloma Inguinale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Guillain-Barre Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H. influenzae Disease - Inv.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-
Hantavirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Pulmonary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic Uremic Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis A	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Hepatitis B, Acute	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	10	-	1	-	-	-	1	-	-
Hepatitis B, Chronic	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	4	-	-	-	2	-	1
Hepatitis B, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis C, Acute	-	1	-	-	-	1	-	-	-	1	-	-	-	-	2	14	2	2	-	-	-	13	-	3
Hepatitis C, Chronic	-	3	-	-	-	2	-	1	-	1	-	1	-	1	-	5	1	9	-	-	-	12	-	2
Hepatitis C, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Histoplasmosis	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	10	-	-	-	-	1	1	-	2
Influenza	-	44	-	103	15	1,154	1	187	-	148	1	34	-	9	14	1,046	19	512	-	43	13	1,642	1	520
Influenza, Novel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kawasaki	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Latent Tuberculosis Infection	-	-	-	-	1	13	-	-	-	1	-	-	-	-	-	4	2	7	-	-	2	25	-	4
Legionellosis	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis (2014-2017)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme Disease	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	5	-	1	-	-	-	6	-	1
Lymphogranuloma venereum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Melioidosis+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - Aseptic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Meningitis - Bacterial Other	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Meningococcal Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Multisystem Inflammatory Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nontuberculous Mycobacterium	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	7	-	2
Norovirus	-	-	-	-	-	5	-	-	-	-	-	-	-	69	-	1	-	27	-	2	-	19	-	16
Novel Coronavirus SARS/MERS	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis	-	-	-	1	-	6	-	1	-	-	-	1	-	-	-	1	-	9	-	2	-	4	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Polio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies: Potential Exposure & PEP	-	1	-	-	4	10	1	5	-	6	-	4	-	1	-	6	-	14	-	2	2	27	-	1
Rabies Animal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies Human	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table of Diseases by Geographic Location																								
Time Period: Week 15-2025																								
Disease	Alcona		Alger		Allegan		Alpena		Antrim		Arenac		Baraga		Barry		Bay		Benzie		Berrien		Branch	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Respiratory Syncytial Virus	-	-	-	-	-	13	-	-	-	12	-	1	-	-	-	3	-	-	-	-	-	3	-	5
Reye Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Spotted Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis	-	-	-	-	-	3	-	3	-	-	-	-	-	1	-	1	-	3	-	1	-	2	-	2
Shiga toxin-producing Escherichia coli --(STEC)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
Shigellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Shingles	-	-	-	-	-	11	-	-	-	-	-	-	-	1	5	-	1	-	-	-	1	-	-	-
Streptococcal Dis, Inv, Grp A	-	-	-	-	2	6	-	-	-	-	-	-	-	-	1	-	4	-	1	-	2	-	3	-
Streptococcal Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Drug Resistant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-
Streptococcus pneumoniae, Inv	-	1	-	-	-	4	-	2	-	1	-	1	-	-	-	1	-	7	-	-	1	5	-	1
Syphilis - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis - Early Latent	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Syphilis - Late Latent*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Latent of Unknown Duration*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Late with Manifestations*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Primary	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Secondary	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Syphilis - To Be Determined	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-
Syphilis - Unknown Duration or Late	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	5	-	2	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vibriosis - Non Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
VISA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VRSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VZ Infection, Unspecified	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-
West Nile Virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yersinia enteritis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Zika	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	0	57	0	275	297	8,351	2	247	1	263	2	962	3	449	19	3,773	60	1,922	0	311	32	12,643	86	2,411

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Table of Diseases by Geographic Location																									
Time Period: Week		15-2025																							
Disease	Calhoun		Cass		Charlevoix		Cheboygan		Chippewa		Clare		Clinton		Crawford		Delta		Detroit City		Dickinson		Eaton		
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	
Acute Flaccid Myelitis (AFM)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
Anaplasmosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Babesiosis++	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Blastomycosis	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	
Botulism - Foodborne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botulism - Infant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botulism - Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Brucellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Campylobacter	-	9	-	-	-	3	-	1	-	1	-	-	-	2	-	-	-	2	-	13	-	-	-	1	
Candida auris	-	-	-	-	-	-	-	-	-	2	-	-	1	4	-	-	-	-	5	89	-	-	-	1	
Carbon Monoxide Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	
Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chickenpox (Varicella)	-	2	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-	-	-	2	-	-	-	1	
Chikungunya-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chlamydia (Genital)	14	176	1	30	-	5	-	11	-	17	-	17	4	47	-	2	-	13	140	2,388	-	7	6	74	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coccidioidomycosis	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
CPO	-	6	-	-	-	1	-	-	-	-	-	-	1	3	-	-	-	-	7	28	-	1	1	3	
Creutzfeldt-Jakob Disease	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cronobacter (infant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cryptococcosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	
Cryptosporidiosis	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	
Cyclosporiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dengue Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, all types	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Anaplasma phagocytophilum (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Anaplasmosis Undetermined*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia chaffeensis (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia ewingii (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia ewingii*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human granulocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human monocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human other/undetermined (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichosis human, other, unsp*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, California Serogroup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Encephalitis, Eastern Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Encephalitis, Powassan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Primary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, St. Louis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Western Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Flu Like Disease*	-	3,061	-	395	-	518	-	-	3	196	-	867	8	3,416	-	398	-	112	-	262	-	1,378	12	3,271	
Gastrointestinal Illness	-	34	-	579	-	-	-	-	7	250	-	549	-	1,356	-	86	-	-	-	49	-	723	-	2,743	
Giardiasis	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	7	-	-	-	-	
Gonorrhea	2	51	-	4	-	2	-	-	-	-	-	2	1	11	-	-	-	1	49	845	-	1	-	18	

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Calhoun		Cass		Charlevoix		Cheboygan		Chippewa		Clare		Clinton		Crawford		Delta		Detroit City		Dickinson		Eaton	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Granuloma Inguinale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Guillain-Barre Syndrome	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
H. influenzae Disease - Inv.	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	12	-	-	-	2
Hantavirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Pulmonary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic Uremic Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis A	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	5	-	-	-	-
Hepatitis B, Acute	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	26	109	-	-	2	46
Hepatitis B, Chronic	1	5	-	1	-	1	-	-	-	3	-	-	-	1	-	-	-	1	6	128	-	1	-	1
Hepatitis B, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis C, Acute	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	17	34	-	-	-	21
Hepatitis C, Chronic	1	14	-	11	-	8	-	2	-	7	1	3	-	1	-	1	-	6	2	160	-	1	-	-
Hepatitis C, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Histoplasmosis	-	2	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5	-	-	2	3
Influenza	8	1,240	3	269	7	14	-	17	1	281	-	83	5	162	-	46	-	86	43	5,294	1	13	8	559
Influenza, Novel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kawasaki	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-
Latent Tuberculosis Infection	2	21	-	2	-	1	-	-	-	6	-	3	-	4	-	3	-	1	4	95	-	2	2	4
Legionellosis	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	4	-	-	-	-
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis (2014-2017)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme Disease	-	8	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	12	-	5	-	2
Lymphogranuloma venereum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Melioidosis+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - Aseptic	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	13	-	-	-	-
Meningitis - Bacterial Other	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-
Meningococcal Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Mpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Multisystem Inflammatory Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mumps	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Nontuberculous Mycobacterium	-	4	-	2	-	-	-	-	-	-	-	1	-	4	-	-	-	2	3	45	-	-	-	9
Norovirus	-	7	-	-	-	-	-	-	2	9	-	-	-	45	-	-	-	2	-	10	-	-	1	2
Novel Coronavirus SARS/MERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis	-	3	-	1	-	-	-	-	-	-	-	7	-	15	-	-	-	18	-	16	-	2	-	34
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Polio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Psittacosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies: Potential Exposure & PEP	1	3	-	1	-	1	-	8	-	2	2	33	1	26	-	2	-	8	8	26	-	4	1	11
Rabies Animal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies Human	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Calhoun		Cass		Charlevoix		Cheboygan		Chippewa		Clare		Clinton		Crawford		Delta		Detroit City		Dickinson		Eaton	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Respiratory Syncytial Virus	-	35	-	2	-	-	-	-	-	-	-	1	9	28	-	-	-	-	9	508	-	-	1	99
Reye Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Spotted Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Rubella - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis	-	1	-	-	-	1	-	1	-	-	-	-	1	2	-	-	-	3	1	11	-	2	-	4
Shiga toxin-producing Escherichia coli --(STEC)	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1
Shigellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-
Shingles	1	10	-	-	-	1	-	-	-	-	-	-	3	-	1	-	-	-	2	-	-	-	1	6
Streptococcal Dis, Inv, Grp A	1	1	-	1	-	-	-	2	-	-	-	3	-	2	-	1	-	1	1	28	-	-	1	1
Streptococcal Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Drug Resistant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Inv	1	9	-	4	-	2	-	3	-	-	-	1	-	-	-	-	-	2	3	51	-	1	-	5
Syphilis - Congenital	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-
Syphilis - Early Latent	-	9	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	51	-	-	-	2
Syphilis - Late Latent*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Latent of Unknown Duration*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Late with Manifestations*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Primary	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-
Syphilis - Secondary	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	-	-	-	-
Syphilis - To Be Determined	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	37	57	-	-	-	1
Syphilis - Unknown Duration or Late	-	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	89	-	-	-	1
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	26	-	-	-	-
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vibriosis - Non Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
VISA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VRSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VZ Infection, Unspecified	-	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	1	4	42	-	-	-	-
West Nile Virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yersinia enteritis	-	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	1	-	-	1
Zika	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	35	4,748	5	1,314	7	563	2	52	13	779	3	1,576	31	5,145	0	542	2	264	386	10,613	1	2,145	41	6,931

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Emmet		Genesee		Gladwin		Gogebic		Grand Traverse		Gratiot		Hillsdale		Houghton		Huron		Ingham		Ionia		Iosco	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Acute Flaccid Myelitis (AFM)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-
Anaplasmosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Babesiosis++	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blastomycosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Foodborne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Infant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campylobacter	-	1	-	4	-	1	-	-	-	7	-	-	-	2	-	2	-	-	-	6	-	-	-	3
Candida auris	-	-	-	15	-	-	-	-	-	1	-	1	-	-	-	-	-	1	4	17	-	2	-	1
Carbon Monoxide Poisoning	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox (Varicella)	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	-	2	-	-
Chikungunya~	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlamydia (Genital)	-	11	30	570	-	9	-	2	2	24	-	22	1	20	1	9	-	10	29	340	1	35	1	11
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coccidioidomycosis	-	-	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
CPO	-	1	-	2	-	-	-	-	-	1	1	1	-	-	-	3	-	-	2	5	1	3	-	-
Creutzfeldt-Jakob Disease	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cronobacter (infant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptococcosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptosporidiosis	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	2	-	2	-	1
Cyclosporiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, all types	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Anaplasma phagocytophilum (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Anaplasmosis Undetermined*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia chaffeensis (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia ewingii (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia ewingii*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human granulocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human monocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human other/undetermined (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichosis human, other, unsp*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, California Serogroup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Eastern Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Powassan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Primary	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, St. Louis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Western Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flu Like Disease*	-	936	-	8,012	-	464	1	460	-	4,650	-	819	17	703	-	472	4	1,004	33	6,647	-	1,273	-	19
Gastrointestinal Illness	-	-	16	3,835	-	393	-	173	-	1,770	-	309	50	831	-	254	-	102	-	117	-	-	-	25
Giardiasis	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Gonorrhea	-	-	14	283	-	1	-	-	-	-	-	2	-	3	-	-	-	4	9	135	1	12	-	-

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Emmet		Genesee		Gladwin		Gogebic		Grand Traverse		Gratiot		Hillsdale		Houghton		Huron		Ingham		Ionia		Iosco	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Granuloma Inguinale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Guillain-Barre Syndrome	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H. influenzae Disease - Inv.	-	-	-	4	-	1	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-	-	-
Hantavirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Pulmonary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic Uremic Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis A	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	1	-	-	-	-
Hepatitis B, Acute	-	1	-	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Hepatitis B, Chronic	-	2	-	13	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	7	-	-	-	-
Hepatitis B, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis C, Acute	-	-	1	4	-	-	1	2	-	-	-	-	-	2	-	1	-	2	1	1	1	2	1	1
Hepatitis C, Chronic	-	8	2	43	-	4	-	7	-	8	-	3	-	3	-	2	-	-	10	65	-	5	-	1
Hepatitis C, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Hepatitis E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Histoplasmosis	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	5	-	-	-	-
Influenza	-	10	34	1,717	1	119	-	5	1	218	3	89	-	110	-	2	1	271	20	826	15	786	-	45
Influenza, Novel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kawasaki	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Latent Tuberculosis Infection	-	1	1	38	-	5	-	-	2	11	-	2	-	-	-	4	-	1	1	17	-	3	1	3
Legionellosis	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis (2014-2017)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme Disease	-	-	-	1	-	-	1	2	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-
Melioidosis+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - Aseptic	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Meningitis - Bacterial Other	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	1	1	-	-	-	-	-
Meningococcal Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Multisystem Inflammatory Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mumps	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Nontuberculous Mycobacterium	-	-	1	7	-	-	-	-	-	-	-	1	-	2	-	1	-	1	2	13	-	2	-	1
Norovirus	-	18	-	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	26	-	25	-	-	-
Novel Coronavirus SARS/MERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis	-	1	-	20	-	-	-	1	-	7	-	10	-	6	-	7	-	-	1	16	-	22	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Polio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Q Fever Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies: Potential Exposure & PEP	-	4	2	23	-	13	-	4	5	62	-	24	1	11	-	-	-	2	4	22	3	4	1	14
Rabies Animal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies Human	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table of Diseases by Geographic Location																								
Time Period: Week 15-2025																								
Disease	Emmet		Genesee		Gladwin		Gogebic		Grand Traverse		Gratiot		Hillsdale		Houghton		Huron		Ingham		Ionia		Iosco	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Respiratory Syncytial Virus	-	1	12	295	-	1	-	4	-	5	-	2	-	34	-	-	-	-	10	162	-	4	-	-
Reye Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Spotted Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Rickettsial Disease - Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis	-	3	-	3	-	-	-	1	-	2	-	1	-	-	-	2	-	1	1	7	-	1	-	-
Shiga toxin-producing Escherichia coli --(STEC)	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	4	-	1	-	-
Shigellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Shingles	-	-	-	12	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	6	-	3	-	-
Streptococcal Dis, Inv, Grp A	-	1	-	7	-	-	-	1	-	3	-	-	-	1	-	-	-	-	1	12	-	1	-	1
Streptococcal Toxic Shock	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Drug Resistant	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Inv	-	1	-	10	-	1	-	1	1	4	-	1	-	1	-	-	-	-	1	14	-	4	-	-
Syphilis - Congenital	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Early Latent	-	-	1	14	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	12	1	1	-	-
Syphilis - Late Latent*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Latent of Unknown Duration*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Late with Manifestations*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Primary	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis - Secondary	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Syphilis - To Be Determined	-	-	1	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	3	1	1	-	-
Syphilis - Unknown Duration or Late	-	1	1	21	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	15	-	2	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vibriosis - Non Cholera	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
VISA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VRSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VZ Infection, Unspecified	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1
West Nile Virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yersinia enteritis	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	2	-	1	-	1	-
Zika	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	0	1,001	116	14,998	1	1,014	3	664	14	6,808	4	1,294	71	1,738	2	771	5	1,402	134	8,540	24	2,205	4	128

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Table of Diseases by Geographic Location																									
Time Period: Week		15-2025																							
Disease	Iron		Isabella		Jackson		Kalamazoo		Kalkaska		Kent		Keweenaw		Lake		Lapeer		Leelanau		Lenawee		Livingston		
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	
Acute Flaccid Myelitis (AFM)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anaplasmosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Babesiosis++	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Blastomycosis	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Botulism - Foodborne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botulism - Infant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botulism - Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Brucellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Campylobacter	-	-	-	-	-	3	-	11	-	2	4	27	-	-	-	-	-	1	-	-	-	6	-	7	
Candida auris	-	-	-	1	-	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	7	
Carbon Monoxide Poisoning	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chickenpox (Varicella)	-	-	-	-	-	1	1	4	-	-	-	5	-	-	-	-	-	2	-	-	-	1	-	10	
Chikungunya-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chlamydia (Genital)	-	2	1	50	9	172	28	434	-	6	73	876	-	1	-	6	1	34	1	2	1	33	6	59	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coccidioidomycosis	-	-	-	-	-	2	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	1	
CPO	-	-	-	1	-	1	-	-	-	-	1	7	-	-	-	-	2	3	-	-	1	2	1	5	
Creutzfeldt-Jakob Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cronobacter (infant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cryptococcosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Cryptosporidiosis	-	-	-	1	-	-	-	2	-	-	1	5	-	-	-	-	-	-	-	-	1	1	-	-	
Cyclosporiasis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dengue Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, all types	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Anaplasma phagocytophilum (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Anaplasmosis Undetermined*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia chaffeensis (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia ewingii (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, Ehrlichia ewingii*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human granulocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human monocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis, human other/undetermined (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichiosis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ehrlichosis human, other, unsp*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, California Serogroup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Eastern Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Post Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Powassan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Primary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, St. Louis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis, Western Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Flu Like Disease*	-	546	-	3,419	3	4,554	12	5,549	-	234	5	27,189	-	-	-	356	45	1,180	4	377	-	1,503	1	5,442	
Gastrointestinal Illness	-	248	-	1,471	-	1,906	-	5,009	-	79	-	66	-	-	-	44	3	570	9	148	45	1,692	-	2,497	
Giardiasis	-	2	-	1	-	1	-	2	-	-	3	7	-	-	-	-	-	1	-	1	-	2	-	1	
Gonorrhea	-	-	-	10	2	50	6	127	-	-	12	246	-	-	-	-	2	8	-	-	-	10	-	13	

Table of Diseases by Geographic Location																									
Time Period: Week		15-2025																							
Disease	Iron		Isabella		Jackson		Kalamazoo		Kalkaska		Kent		Keweenaw		Lake		Lapeer		Leelanau		Lenawee		Livingston		
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	
Granuloma Inguinale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Guillain-Barre Syndrome	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
H. influenzae Disease - Inv.	-	-	-	-	-	1	-	1	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-	1	
Hantavirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hantavirus, Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hantavirus, Pulmonary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemolytic Uremic Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemorrhagic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis B, Acute	-	-	-	-	-	1	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
Hepatitis B, Chronic	-	-	-	2	-	2	1	8	-	-	-	15	-	-	-	-	1	2	-	-	1	3	-	1	
Hepatitis B, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis C, Acute	-	-	-	-	1	4	1	5	-	-	-	2	-	-	-	-	1	2	-	-	2	3	1	3	
Hepatitis C, Chronic	-	4	-	4	1	41	2	16	-	3	1	18	-	-	1	2	-	2	-	1	1	5	1	3	
Hepatitis C, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Histoplasmosis	-	-	-	-	-	1	-	1	-	-	2	19	-	-	-	-	1	-	-	-	1	-	-	2	
Influenza	-	2	4	152	6	1,383	44	3,630	-	203	160	191	-	-	-	188	3	233	-	31	4	620	8	783	
Influenza, Novel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kawasaki	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Latent Tuberculosis Infection	-	-	-	11	-	8	1	18	-	-	5	65	-	-	-	-	1	7	-	-	-	3	-	11	
Legionellosis	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	-	-	-	
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Listeriosis	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Listeriosis (2014-2017)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lyme Disease	-	2	-	2	1	4	-	7	-	-	1	6	-	-	-	-	-	3	-	-	-	1	-	-	
Lymphogranuloma venereum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
Melioidosis+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - Aseptic	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	4	
Meningitis - Bacterial Other	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal Disease	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Mpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Multisystem Inflammatory Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mumps	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Nontuberculous Mycobacterium	-	1	-	1	-	14	-	4	-	-	-	8	-	-	-	-	1	-	-	1	2	-	-	-	
Norovirus	-	-	-	1	-	-	-	160	-	-	-	425	-	-	-	16	-	10	-	-	-	-	-	181	
Novel Coronavirus SARS/MERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pertussis	-	2	-	6	-	4	-	3	-	-	-	30	-	-	-	-	5	-	4	-	6	-	-	17	
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Polio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Psittacosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Q Fever*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Q Fever Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Q Fever Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rabies: Potential Exposure & PEP	-	2	-	29	3	28	10	13	-	3	4	16	-	2	-	7	3	4	-	-	4	8	1	23	
Rabies Animal	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rabies Human	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Iron		Isabella		Jackson		Kalamazoo		Kalkaska		Kent		Keweenaw		Lake		Lapeer		Leelanau		Lenawee		Livingston	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Respiratory Syncytial Virus	-	-	1	4	5	576	-	4	-	1	3	7	-	1	-	-	-	7	-	-	-	42	3	194
Reye Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Spotted Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Rubella - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis	-	-	-	-	-	4	1	7	-	-	-	12	-	-	-	-	-	1	-	-	-	1	-	2
Shiga toxin-producing Escherichia coli --(STEC)	-	-	-	1	-	-	-	1	-	-	-	6	-	-	-	-	-	-	-	-	-	3	-	1
Shigellosis	-	-	-	1	-	1	-	1	-	-	2	8	-	-	-	-	-	-	-	-	-	-	-	-
Shingles	-	-	-	-	1	10	1	14	-	-	5	68	-	-	-	-	-	1	-	-	1	2	1	23
Streptococcal Dis, Inv, Grp A	-	-	-	5	-	4	-	6	-	-	-	18	-	-	-	-	-	2	-	-	1	2	-	2
Streptococcal Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Drug Resistant	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Streptococcus pneumoniae, Inv	-	1	1	5	-	8	1	11	-	1	1	26	-	-	-	1	-	3	-	-	-	7	1	7
Syphilis - Congenital	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Early Latent	-	-	-	2	-	9	-	11	-	-	2	21	-	-	-	-	-	-	-	-	-	1	-	2
Syphilis - Late Latent*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Latent of Unknown Duration*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Late with Manifestations*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Primary	-	-	-	-	-	1	1	4	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Secondary	-	-	-	1	-	3	-	8	-	-	-	14	-	-	-	-	-	-	-	1	-	1	-	2
Syphilis - To Be Determined	-	-	-	-	7	13	2	3	-	-	6	12	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Unknown Duration or Late	-	-	-	1	-	29	-	24	-	-	1	34	-	-	-	-	-	1	-	-	-	-	-	3
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis	-	-	-	1	-	-	1	4	-	-	-	8	-	-	-	-	-	-	-	-	-	1	-	1
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vibriosis - Non Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
VISA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VRSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VZ Infection, Unspecified	-	-	-	3	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	-
West Nile Virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yersinia enteritis	-	-	-	-	-	1	-	5	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Zika	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	0	813	7	5,188	40	8,854	114	15,120	0	533	294	29,499	0	4	1	620	63	2,089	14	567	63	3,969	24	9,314

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Luce		Mackinac		Macomb		Manistee		Marquette		Mason		Mecosta		Menominee		Midland		Missaukee		Monroe		Montcalm	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Acute Flaccid Myelitis (AFM)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anaplasmosis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Babesiosis++	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Blastomycosis	-	-	-	-	1	2	-	-	-	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Botulism - Foodborne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Infant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campylobacter	-	-	-	-	1	18	-	1	-	1	-	2	-	1	-	-	1	3	-	2	-	8	-	2
Candida auris	-	-	-	-	2	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Carbon Monoxide Poisoning	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox (Varicella)	-	1	-	-	-	5	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Chikungunya~	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlamydia (Genital)	1	5	-	3	47	791	-	5	-	26	3	18	1	30	-	4	3	30	-	4	3	66	4	25
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coccidioidomycosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CPO	-	-	-	-	3	20	-	-	2	4	-	-	1	1	-	-	-	4	-	-	1	4	-	1
Creutzfeldt-Jakob Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cronobacter (infant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptococcosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptosporidiosis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Cyclosporiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, all types	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Anaplasma phagocytophilum (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Anaplasmosis Undetermined*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia chaffeensis (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia ewingii (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia ewingii*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human granulocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human monocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human other/undetermined (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichosis human, other, unsp*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, California Serogroup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Eastern Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Other	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Powassan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Primary	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, St. Louis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Western Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flu Like Disease*	-	45	-	82	35	2,387	-	444	4	99	-	1,316	-	889	-	51	77	1,348	59	1,010	-	2,170	-	2,997
Gastrointestinal Illness	-	17	-	30	-	387	-	130	-	78	-	597	-	817	-	-	13	489	33	328	-	12	94	2,757
Giardiasis	-	-	-	-	-	4	-	-	-	2	-	1	-	1	-	-	-	1	-	-	-	3	-	-
Gonorrhea	-	-	-	-	10	245	-	2	-	1	-	1	-	4	-	1	-	8	-	-	2	26	-	6

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Luce		Mackinac		Macomb		Manistee		Marquette		Mason		Mecosta		Menominee		Midland		Missaukee		Monroe		Montcalm	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Granuloma Inguinale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Guillain-Barre Syndrome	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
H. influenzae Disease - Inv.	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	2	-	1	-	2	1	2
Hantavirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Pulmonary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic Uremic Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis A	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis B, Acute	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hepatitis B, Chronic	-	-	-	-	5	26	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Hepatitis B, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis C, Acute	-	-	-	1	7	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	-	-
Hepatitis C, Chronic	-	2	-	-	1	55	-	1	-	4	-	2	-	5	-	4	1	5	-	-	-	19	-	6
Hepatitis C, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Histoplasmosis	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	2
Influenza	-	170	-	44	61	5,842	-	178	1	186	7	367	11	946	-	29	5	368	-	37	13	2,169	15	1,216
Influenza, Novel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kawasaki	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Latent Tuberculosis Infection	-	-	-	-	2	48	-	1	-	1	-	1	-	2	-	1	-	7	-	-	2	7	1	2
Legionellosis	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis (2014-2017)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme Disease	1	1	-	-	1	4	-	-	1	1	-	-	-	-	-	3	-	2	-	1	1	7	-	1
Lymphogranuloma venereum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	1	2	3
Melioidosis+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - Aseptic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
Meningitis - Bacterial Other	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Meningococcal Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Multisystem Inflammatory Syndrome	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nontuberculous Mycobacterium	-	-	-	-	-	24	-	-	-	4	-	-	-	1	-	-	-	1	-	-	-	4	-	-
Norovirus	-	-	-	-	-	2	-	-	-	281	-	-	-	-	-	-	-	101	-	-	-	2	-	-
Novel Coronavirus SARS/MERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis	-	-	-	-	-	19	-	1	-	22	-	-	1	8	-	2	-	1	-	1	1	27	-	5
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Polio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies: Potential Exposure & PEP	-	-	-	-	3	22	-	9	1	22	-	14	-	15	-	3	-	3	1	11	3	10	4	53
Rabies Animal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Rabies Human	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table of Diseases by Geographic Location																								
Time Period: Week 15-2025																								
Disease	Luce		Mackinac		Macomb		Manistee		Marquette		Mason		Mecosta		Menominee		Midland		Missaukee		Monroe		Montcalm	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Respiratory Syncytial Virus	-	-	-	-	9	661	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34	-	2
Reye Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Spotted Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Rickettsial Disease - Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis	-	-	-	-	-	16	-	1	-	1	-	-	-	5	-	-	-	4	-	-	-	6	1	2
Shiga toxin-producing Escherichia coli --(STEC)	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-
Shigellosis	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-
Shingles	-	-	-	-	6	77	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	6	-	-
Streptococcal Dis, Inv, Grp A	-	-	-	-	1	26	-	-	-	-	-	2	-	-	-	-	-	6	-	-	-	2	-	1
Streptococcal Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Drug Resistant	-	-	-	-	-	8	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Inv	-	-	-	-	-	27	-	1	-	-	-	-	-	3	-	-	-	6	-	1	-	7	-	4
Syphilis - Congenital	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Early Latent	-	-	-	-	-	18	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
Syphilis - Late Latent*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Latent of Unknown Duration*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Late with Manifestations*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Primary	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Syphilis - Secondary	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - To Be Determined	-	-	-	-	9	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-
Syphilis - Unknown Duration or Late	-	-	-	-	-	24	-	-	-	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vibriosis - Non Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VISA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VRSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VZ Infection, Unspecified	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	1	1	1	3
West Nile Virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yersinia enteritis	-	-	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Zika	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	2	241	0	161	209	10,871	0	778	9	747	10	2,327	15	2,731	0	106	102	2,402	93	1,397	31	4,625	123	7,090

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Table of Diseases by Geographic Location																								
Time Period: Week 15-2025																								
Disease	Montmorency		Muskegon		Newaygo		Oakland		Oceana		Ogemaw		Ontonagon		Osceola		Oscoda		Otsego		Ottawa		Presque Isle	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Acute Flaccid Myelitis (AFM)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebiasis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anaplasmosis	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Babesiosis++	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blastomycosis	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Foodborne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Infant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campylobacter	-	1	4	24	-	2	-	28	1	3	-	-	-	-	-	1	-	1	-	-	-	22	-	-
Candida auris	-	1	-	-	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carbon Monoxide Poisoning	-	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox (Varicella)	-	-	-	1	-	1	2	15	1	2	-	-	-	-	-	-	1	-	-	-	-	3	-	-
Chikungunya~	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlamydia (Genital)	-	1	15	277	-	24	66	881	-	14	1	10	-	1	-	15	-	-	1	-	10	151	-	3
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coccidioidomycosis	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
CPO	1	1	1	7	-	1	7	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Creutzfeldt-Jakob Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cronobacter (infant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptococcosis	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cryptosporidiosis	-	-	-	-	-	1	1	5	-	1	-	-	-	-	1	2	-	-	-	-	-	5	-	-
Cyclosporiasis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue Fever	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, all types	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Anaplasma phagocytophilum (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Anaplasmosis Undetermined*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia chaffeensis (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia ewingii (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia ewingii*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human granulocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human monocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human other/undetermined (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichosis human, other, unsp*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, California Serogroup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Eastern Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Mumps	-	-	-	-	-	-	-	-	-	-	-													

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Montmorency		Muskegon		Newaygo		Oakland		Oceana		Ogemaw		Ontonagon		Osceola		Oscoda		Otsego		Ottawa		Presque Isle	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Granuloma Inguinale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Guillain-Barre Syndrome	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H. influenzae Disease - Inv.	-	-	1	6	-	2	1	11	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	-
Hantavirus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hantavirus, Pulmonary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic Uremic Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis A	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hepatitis B, Acute	-	-	-	-	-	-	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis B, Chronic	-	-	-	6	-	1	5	48	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
Hepatitis B, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis C, Acute	-	-	-	1	-	-	18	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis C, Chronic	-	2	-	12	2	6	4	83	1	2	-	3	-	-	-	1	-	-	-	-	1	5	-	1
Hepatitis C, Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hepatitis E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Histoplasmosis	-	-	-	7	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-
Influenza	-	24	39	802	17	1,147	67	6,180	6	242	2	61	-	-	1	385	-	15	1	-	27	2,879	-	30
Influenza, Novel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kawasaki	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Latent Tuberculosis Infection	-	1	-	20	1	4	2	75	-	2	-	2	-	-	-	2	-	-	-	-	5	30	-	-
Legionellosis	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Listeriosis (2014-2017)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme Disease	-	-	-	1	-	-	2	5	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-	-
Lymphogranuloma venereum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Melioidosis+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - Aseptic	-	-	-	1	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis - Bacterial Other	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Meningococcal Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Multisystem Inflammatory Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mumps	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nontuberculous Mycobacterium	-	-	1	2	-	1	5	39	1	1	-	-	-	-	2	-	-	-	-	-	4	-	-	-
Norovirus	-	1	-	-	-	-	-	660	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Novel Coronavirus SARS/MERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis	-	-	-	7	-	20	1	24	-	1	-	-	-	-	-	-	-	-	-	-	-	23	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Polio	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Psittacosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q Fever Chronic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies: Potential Exposure & PEP	-	4	3	48	-	27	3	34	1	18	-	8	-	1	-	12	-	2	-	-	8	-	2	-
Rabies Animal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies Human	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table of Diseases by Geographic Location																								
Time Period: Week 15-2025																								
Disease	Montmorency		Muskegon		Newaygo		Oakland		Oceana		Ogemaw		Ontonagon		Osceola		Oscoda		Otsego		Ottawa		Presque Isle	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Respiratory Syncytial Virus	-	2	1	4	-	-	12	676	-	-	-	-	-	-	-	-	-	1	-	-	1	15	-	-
Reye Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Spotted Fever	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis	-	-	1	9	-	-	2	27	-	1	-	-	-	-	-	1	-	-	-	-	3	8	-	1
Shiga toxin-producing Escherichia coli --(STEC)	-	-	-	3	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Shigellosis	-	-	-	2	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Shingles	-	-	-	5	-	4	5	86	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-
Streptococcal Dis, Inv, Grp A	-	-	1	9	-	-	-	17	-	1	-	-	-	-	-	1	-	-	-	-	4	-	-	-
Streptococcal Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Drug Resistant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Inv	-	2	-	9	-	7	1	25	-	2	-	2	-	-	-	1	-	-	-	-	6	-	1	-
Syphilis - Congenital	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Early Latent	-	-	-	3	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Syphilis - Late Latent*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Latent of Unknown Duration*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Late with Manifestations*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Primary	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis - Secondary	-	-	-	5	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Syphilis - To Be Determined	-	-	1	2	-	-	8	17	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-
Syphilis - Unknown Duration or Late	-	-	1	8	-	1	-	33	-	-	-	-	-	-	-	-	-	-	-	-	1	7	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis	-	-	-	2	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vibriosis - Non Cholera	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VISA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VRSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VZ Infection, Unspecified	-	-	-	-	-	1	3	7	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
West Nile Virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yersinia enteritis	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Zika	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	1	40	70	1,383	20	4,027	252	19,792	11	2,205	3	200	0	289	2	2,932	0	20	4	0	54	43,196	0	51

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Table of Diseases by Geographic Location																								
Time Period: Week		15-2025																						
Disease	Roscommon		Saginaw		Sanilac		Schoolcraft		Shiawassee		St Clair		St Joseph		Tuscola		Van Buren		Washtenaw		Wayne		Wexford	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Acute Flaccid Myelitis (AFM)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anaplasmosis	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Babesiosis++	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blastomycosis	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-
Botulism - Foodborne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Infant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism - Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Campylobacter	-	-	1	9	-	3	-	1	-	6	-	1	-	3	-	-	1	3	2	35	2	38	-	3
Candida auris	-	-	-	9	-	1	-	-	1	1	-	1	-	-	-	-	1	-	2	1	27	-	-	-
Carbon Monoxide Poisoning	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	4	-	-	-
Chancroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Chickenpox (Varicella)	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	3	-	-	-
Chikungunya~	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlamydia (Genital)	-	1	14	270	-	5	-	3	3	29	5	59	1	48	1	14	4	71	22	297	53	900	2	10
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coccidioidomycosis	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CPO	-	1	-	2	-	-	-	-	1	3	-	4	-	1	-	-	-	-	1	7	1	21	-	-
Creutzfeldt-Jakob Disease	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Cronobacter (infant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptococcosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptosporidiosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	-	2	-	-
Cyclosporiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dengue Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, all types	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Anaplasma phagocytophilum (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Anaplasmosis Undetermined*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia chaffeensis (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia ewingii (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, Ehrlichia ewingii*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human granulocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human monocytic*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis, human other/undetermined (2009-2019)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichiosis*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehrlichosis human, other, unsp*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, California Serogroup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Eastern Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Chickenpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Encephalitis, Post Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Post Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Encephalitis, Powassan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Primary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, St. Louis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, Western Equine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Flu Like Disease*	-	844	15	3,828	-	-	-	30	20	2,459	160	3,852	-	990	23	1,668	-	1,062	203	10,475	1	6,889	-	1,120
Gastrointestinal Illness	-	304	4	739	-	-	-	15	-	473	99	1,801	1	1,245	15	526	-	861	-	114	-	3,922	-	416
Giardiasis	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	13	-	1	-
Gonorrhea	-	1	4	119	-	2	-	-	-	8	2	15	1	18	-	2	-	7	7	79	22	296	-	-

Table of Diseases by Geographic Location																								
Time Period: Week 15-2025																								
Disease	Roscommon		Saginaw		Sanilac		Schoolcraft		Shiawassee		St Clair		St Joseph		Tuscola		Van Buren		Washtenaw		Wayne		Wexford	
	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD	Current	YTD
Respiratory Syncytial Virus	-	-	1	23	1	9	-	-	-	4	2	149	-	4	-	5	-	1	10	273	17	668	-	-
Reye Syndrome	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Spotted Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickettsial Disease - Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis	-	-	-	3	-	-	-	-	1	2	-	2	-	1	-	-	-	2	-	13	1	23	-	1
Shiga toxin-producing Escherichia coli --(STEC)	-	-	-	2	-	-	1	1	-	3	-	-	-	1	-	-	-	-	12	-	9	-	-	-
Shigellosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	-	8	-	-
Shingles	-	-	-	2	-	-	-	-	-	1	-	3	-	-	-	-	1	5	1	41	-	80	-	-
Streptococcal Dis, Inv, Grp A	-	-	-	8	-	1	-	-	-	1	-	6	-	3	-	-	-	3	-	3	1	26	-	-
Streptococcal Toxic Shock	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcus pneumoniae, Drug Resistant	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Streptococcus pneumoniae, Inv	-	1	-	20	-	4	-	1	-	3	-	4	-	5	-	5	-	5	-	6	-	31	-	-
Syphilis - Congenital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-
Syphilis - Early Latent	-	-	-	5	-	-	-	-	-	-	-	1	-	4	-	1	-	1	-	15	-	21	-	-
Syphilis - Late Latent*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Latent of Unknown Duration*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Late with Manifestations*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - Primary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	-	-
Syphilis - Secondary	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	1	2	-	1	-	10	-	-
Syphilis - To Be Determined	-	-	-	1	-	1	-	-	-	1	2	2	-	-	-	-	-	-	5	15	11	23	-	-
Syphilis - Unknown Duration or Late	-	-	1	9	-	-	-	-	-	3	-	3	-	1	1	1	-	2	-	8	-	29	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxic Shock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	10	1	12	-	-
Tularemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Vibriosis - Non Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
VISA	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
VRSA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VZ Infection, Unspecified	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	4	18	-	-
West Nile Virus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yersinia enteritis	-	-	-	3	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	3	-	2	-	1
Zika	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	3	1,251	55	6,883	2	187	1	83	28	3,076	280	6,633	13	2,985	42	2,527	25	3,316	300	14,430	232	22,484	4	1,658

Disease counts reported here do NOT represent final numbers and are subject to change after cases are reviewed.

Report 8: Epi-Curve Graph

Time Period:04/12/2023 - 04/12/2025

Time Breakdown: by Week


Disease Group: Foodborne

Case Status: Confirmed, Probable, Suspect

Investigation Status: Completed, Completed - Follow Up

Geographic Area: The State of Michigan

Case Types: Individual and Aggregate



Week	Total	Week	Total	Week	Total	Week	Total	Week	Total
15-2023	145	30-2023	117	45-2023	69	8-2024	155	23-2024	100
16-2023	95	31-2023	141	46-2023	133	9-2024	204	24-2024	104
17-2023	94	32-2023	125	47-2023	94	10-2024	130	25-2024	119
18-2023	68	33-2023	110	48-2023	85	11-2024	87	26-2024	117
19-2023	77	34-2023	125	49-2023	67	12-2024	69	27-2024	138
20-2023	92	35-2023	110	50-2023	71	13-2024	95	28-2024	154
21-2023	68	36-2023	101	51-2023	65	14-2024	146	29-2024	127
22-2023	97	37-2023	90	52-2023	51	15-2024	146	30-2024	142
23-2023	91	38-2023	99	1-2024	91	16-2024	127	31-2024	148
24-2023	107	39-2023	64	2-2024	71	17-2024	83	32-2024	149
25-2023	119	40-2023	99	3-2024	69	18-2024	82	33-2024	109
26-2023	144	41-2023	85	4-2024	104	19-2024	85	34-2024	105
27-2023	125	42-2023	83	5-2024	84	20-2024	79	35-2024	124
28-2023	129	43-2023	91	6-2024	162	21-2024	110	36-2024	129
29-2023	97	44-2023	86	7-2024	89	22-2024	105	37-2024	119

Week	Total
38-2024	107
39-2024	111
40-2024	89
41-2024	124
42-2024	72
43-2024	81
44-2024	96
45-2024	75
46-2024	63
47-2024	85
48-2024	74
49-2024	81
50-2024	101
51-2024	79
52-2024	66
1-2025	123
2-2025	267
3-2025	215
4-2025	249
5-2025	354
6-2025	230
7-2025	425
8-2025	161
9-2025	247
10-2025	75
11-2025	124
12-2025	52
13-2025	38
14-2025	30
15-2025	10

Report 8: Epi-Curve Graph

Time Period:04/12/2023 - 04/12/2025

Time Breakdown: by Week


Disease Group: Meningitis

Case Status: Confirmed, Probable, Suspect

Investigation Status: Completed, Completed - Follow Up

Geographic Area: The State of Michigan

Case Types: Individual and Aggregate



Week	Total	Week	Total	Week	Total	Week	Total	Week	Total
15-2023	22	30-2023	19	45-2023	35	8-2024	39	23-2024	17
16-2023	26	31-2023	14	46-2023	29	9-2024	29	24-2024	28
17-2023	19	32-2023	14	47-2023	32	10-2024	46	25-2024	23
18-2023	29	33-2023	19	48-2023	36	11-2024	35	26-2024	22
19-2023	31	34-2023	15	49-2023	29	12-2024	31	27-2024	15
20-2023	32	35-2023	19	50-2023	25	13-2024	33	28-2024	19
21-2023	31	36-2023	12	51-2023	34	14-2024	38	29-2024	22
22-2023	19	37-2023	24	52-2023	58	15-2024	30	30-2024	11
23-2023	25	38-2023	22	1-2024	46	16-2024	25	31-2024	16
24-2023	21	39-2023	31	2-2024	33	17-2024	32	32-2024	18
25-2023	20	40-2023	19	3-2024	28	18-2024	22	33-2024	19
26-2023	22	41-2023	28	4-2024	21	19-2024	32	34-2024	13
27-2023	16	42-2023	23	5-2024	37	20-2024	27	35-2024	12
28-2023	14	43-2023	25	6-2024	26	21-2024	22	36-2024	17
29-2023	14	44-2023	23	7-2024	35	22-2024	21	37-2024	13

Week	Total
38-2024	27
39-2024	19
40-2024	18
41-2024	15
42-2024	27
43-2024	25
44-2024	31
45-2024	24
46-2024	21
47-2024	32
48-2024	19
49-2024	25
50-2024	24
51-2024	30
52-2024	33
1-2025	41
2-2025	20
3-2025	21
4-2025	24
5-2025	28
6-2025	32
7-2025	41
8-2025	29
9-2025	34
10-2025	35
11-2025	34
12-2025	23
13-2025	17
14-2025	8
15-2025	4