



MICHIGAN DEPARTMENT OF HEALTH AND HUMAN SERVICES  
 EMERGENCY MEDICAL SERVICES SECTION  
 PO BOX 30207  
 LANSING, MI 48909  
 (517) 241-3025  
[www.michigan.gov/ems](http://www.michigan.gov/ems)

**AMBULANCE SAFETY INSPECTION  
 NOTARIZED STATEMENT**

Instructions: Sections I, II & III of the prescribed form must be completed by a certified mechanic before the ambulance being sold provides ground ambulance services. Section IV must be completed by the previous owner before the ambulance being sold provides ground ambulance services. This form MUST be submitted with your application for Life Support Vehicle License, (bhs/ems-181). **FAILURE TO DO SO WILL RESULT IN DENIAL OF YOUR APPLICATION.**

I. AMBULANCE INFORMATION			
YEAR	MAKE	STYLE	VIN
SOLD TO (Name of Life Support Agency)			DATE SOLD
II. GROUND AMBULANCE REQUIREMENTS MANUFACTURED AFTER JANUARY 1, 1982			
Certification of a ground ambulance as it relates to Part 8, Rule 182:  Subrule (2) states a ground ambulance manufactured after January 2, 1982, whose age from the date of manufacture exceeds 2 years, shall have a safety inspection by a certified mechanic before being sold to provide ground ambulance services. The inspection shall be documented on a form (See Form # BHS-EMS-316) developed by the department and shall include a notarized statement by the previous owner attesting that the ground ambulance has not been involved in a vehicular accident altering it's safety. The documents required by this subrule shall be submitted to the department by the purchaser as part of the application for licensure by the new owner.			
III. NOTARIZED STATEMENT BY PREVIOUS OWNER			
As previous owner of the mentioned ground ambulance I attest that the ground ambulance has not been involved in a vehicular accident altering it's safety.			
Name of previous owner		Notary	
Street Address		Subscribed and sworn to me this      day of	
City/State		Notary Public	
Zip Code		State & County	
Signature of previous owner		Commission Expires on	
Date			