

ICD 10 Surgical Procedure Codes with Documentation Requirements

Policy: [Michigan Medicaid Provider Manual](#) Chapters Billing & Reimbursement for Institutional Providers and Hospital.

Please note when deciding what documentation to submit to support surgical procedure codes for Inpatient Hospital claims:

- When the uterus is removed MDHHS requires the hysterectomy form MSA-2218 Acknowledgment of Receipt of Hysterectomy
- A voluntarily surgical procedure (was not medically necessary) with the purpose being sterilization MDHHS requires form MSA-1959-see the Medicaid Provider Manual for further completion requirements.
- If a surgical procedure is done that does not remove the uterus, but may leave the patient sterile, MDHHS will review the complete medical record of the confinement including the properly signed/dated operative report for the procedure to ensure that neither one of the above two forms would have needed to be completed.
- When a surgical procedure code may describe a non-covered service, such as cosmetic surgery, but the procedure was done due to medical necessity, the MDHHS will need to review the complete medical record of the confinement including the properly signed/dated operative report for the procedure.
- Abortions that meet exception criteria for coverage, MDHHS require the MSA-4240, MSA-1550 and the complete medical record of the confinement including the properly signed/dated operative report for the procedure.

MSA-2218 Exceptions & Notes:

1. The beneficiary was already sterile before the hysterectomy.
 - ▶ *“Recipient was previously sterile AND what caused the sterility”.*

2. The hysterectomy (as covered according to Medicaid policy) was performed during a period of retroactive eligibility.
 - ▶ *“No consent not elig on DOS Retro MA PT told prior to HYST unable to reproduce”.*

3. The beneficiary requires a hysterectomy because of a life-threatening emergency situation. It was not possible for the physician to inform the beneficiary in advance that the surgery would make her permanently incapable of reproducing.
 - ▶ *“What the emergency situation is and that it was not possible to inform the beneficiary in advance that the surgery would make her permanently incapable of reproducing.”*

The below list contains Inpatient Hospital ICD10 surgical procedure codes that require documentation.

Surgical Code	Short Description
0DF63ZZ	FRAGMENTATION IN STOMACH, PERCUTANEOUS APPROACH
0DF64ZZ	FRAGMENTATION IN STOMACH, PERCUTANEOUS ENDOSCOPIC APPROACH
0DF67ZZ	FRAGMENTATION IN STOMACH, VIA NATURAL OR ARTIFICIAL OPENING
0DF68ZZ	FRAGMENTATION IN STOMACH, ENDO
0DV68ZZ	RESTRICTION OF STOMACH, ENDO
0J040ZZ	ALTERATION OF ANT NECK SUBCU/FASCIA, OPEN APPROACH
0J040ZZ	Alteration of Rt Neck Subcu/Fascia, Open Approach
0J0D0ZZ	ALTERATION OF R UP ARM SUBCU/FASCIA, OPEN APPROACH
0Y0L3ZZ	ALTERATION OF LEFT ANKLE REGION, PERCUTANEOUS APPROACH
10A00ZZ	ABORTION OF PRODUCTS OF CONCEPTION, OPEN APPROACH
10A03ZZ	ABORTION OF PRODUCTS OF CONCEPTION, PERCUTANEOUS APPROACH
10A04ZZ	ABORTION OF PRODUCTS OF CONCEPTION, PERC ENDO APPROACH
0NUB4KZ	SUPPLEMENT NASAL BONE WITH NONAUT SUB, PERC ENDO APPROACH
0U570ZZ	DESTRUCTION OF BILATERAL FALLOPIAN TUBES, OPEN APPROACH
0U573ZZ	DESTRUCTION OF BILATERAL FALLOPIAN TUBES, PERC APPROACH
0U574ZZ	DESTRUCTION OF BILATERAL FALLOPIAN TUBES, PERC ENDO APPROACH
0U577ZZ	DESTRUCTION OF BILATERAL FALLOPIAN TUBES, VIA OPENING
0U578ZZ	DESTRUCTION OF BILATERAL FALLOPIAN TUBES, ENDO
0UB50ZZ	EXCISION OF RIGHT FALLOPIAN TUBE, OPEN APPROACH
0UB53ZZ	EXCISION OF RIGHT FALLOPIAN TUBE, PERCUTANEOUS APPROACH
0UB54ZZ	EXCISION OF RIGHT FALLOPIAN TUBE, PERC ENDO APPROACH
0UB57ZZ	EXCISION OF RIGHT FALLOPIAN TUBE, VIA OPENING

Surgical Code	Short Description
0UB58ZZ	EXCISION OF RIGHT FALLOPIAN TUBE, ENDO
0UB60ZZ	EXCISION OF LEFT FALLOPIAN TUBE, OPEN APPROACH
0UB63ZZ	EXCISION OF LEFT FALLOPIAN TUBE, PERCUTANEOUS APPROACH
0UB64ZZ	EXCISION OF LEFT FALLOPIAN TUBE, PERC ENDO APPROACH
0UB67ZZ	EXCISION OF LEFT FALLOPIAN TUBE, VIA OPENING
0UB68ZZ	EXCISION OF LEFT FALLOPIAN TUBE, ENDO
0UB70ZZ	EXCISION OF BILATERAL FALLOPIAN TUBES, OPEN APPROACH
0UB73ZZ	EXCISION OF BILATERAL FALLOPIAN TUBES, PERCUTANEOUS APPROACH
0UB74ZZ	EXCISION OF BILATERAL FALLOPIAN TUBES, PERC ENDO APPROACH
0UB77ZZ	EXCISION OF BILATERAL FALLOPIAN TUBES, VIA OPENING
0UB78ZZ	EXCISION OF BILATERAL FALLOPIAN TUBES, ENDO
0UL70CZ	OCCLUSION BI FALLOPIAN TUBE W EXTRALUM DEV, OPEN
0UL70DZ	OCCLUSION BI FALLOPIAN TUBE W INTRALUM DEV, OPEN
0UL70ZZ	OCCLUSION OF BILATERAL FALLOPIAN TUBES, OPEN APPROACH
0UL73CZ	OCCLUSION BI FALLOPIAN TUBE W EXTRALUM DEV, PERC
0UL73DZ	OCCLUSION BI FALLOPIAN TUBE W INTRALUM DEV, PERC
0UL73ZZ	OCCLUSION OF BILATERAL FALLOPIAN TUBES, PERC APPROACH
0UL74CZ	OCCLUSION BI FALLOPIAN TUBE W EXTRALUM DEV, PERC ENDO
0UL74DZ	OCCLUSION BI FALLOPIAN TUBE W INTRALUM DEV, PERC ENDO
0UL74ZZ	OCCLUSION OF BILATERAL FALLOPIAN TUBES, PERC ENDO APPROACH
0UL77DZ	OCCLUSION BI FALLOPIAN TUBE W INTRALUM DEV, VIA OPENING
0UL77ZZ	OCCLUSION OF BILATERAL FALLOPIAN TUBES, VIA OPENING
0UL78DZ	OCCLUSION OF BI FALLOPIAN TUBE WITH INTRALUM DEV, ENDO
0UL78ZZ	OCCLUSION OF BILATERAL FALLOPIAN TUBES, ENDO
0UT00ZZ	RESECTION OF RIGHT OVARY, OPEN APPROACH
0UT04ZZ	RESECTION OF RIGHT OVARY, PERCUTANEOUS ENDOSCOPIC APPROACH
0UT07ZZ	RESECTION OF RIGHT OVARY, VIA NATURAL OR ARTIFICIAL OPENING
0UT08ZZ	RESECTION OF RIGHT OVARY, ENDO
0UT0FZZ	RESECTION OF RIGHT OVARY, VIA OPENING W PERC ENDO
0UT10ZZ	RESECTION OF LEFT OVARY, OPEN APPROACH
0UT14ZZ	RESECTION OF LEFT OVARY, PERCUTANEOUS ENDOSCOPIC APPROACH
0UT17ZZ	RESECTION OF LEFT OVARY, VIA NATURAL OR ARTIFICIAL OPENING
0UT18ZZ	RESECTION OF LEFT OVARY, ENDO
0UT1FZZ	RESECTION OF LEFT OVARY, VIA OPENING W PERC ENDO
0UT20ZZ	RESECTION OF BILATERAL OVARIES, OPEN APPROACH
0UT24ZZ	RESECTION OF BILATERAL OVARIES, PERC ENDO APPROACH
0UT27ZZ	RESECTION OF BILATERAL OVARIES, VIA OPENING
0UT28ZZ	RESECTION OF BILATERAL OVARIES, ENDO
0UT2FZZ	RESECTION OF BILATERAL OVARIES, VIA OPENING W PERC ENDO
0UT50ZZ	RESECTION OF RIGHT FALLOPIAN TUBE, OPEN APPROACH
0UT54ZZ	RESECTION OF RIGHT FALLOPIAN TUBE, PERC ENDO APPROACH
0UT57ZZ	RESECTION OF RIGHT FALLOPIAN TUBE, VIA OPENING
0UT58ZZ	RESECTION OF RIGHT FALLOPIAN TUBE, ENDO
0UT5FZZ	RESECTION OF RIGHT FALLOPIAN TUBE, VIA OPENING W PERC ENDO

Surgical Code	Short Description
0UT60ZZ	RESECTION OF LEFT FALLOPIAN TUBE, OPEN APPROACH
0UT64ZZ	RESECTION OF LEFT FALLOPIAN TUBE, PERC ENDO APPROACH
0UT67ZZ	RESECTION OF LEFT FALLOPIAN TUBE, VIA OPENING
0UT68ZZ	RESECTION OF LEFT FALLOPIAN TUBE, ENDO
0UT6FZZ	RESECTION OF LEFT FALLOPIAN TUBE, VIA OPENING W PERC ENDO
0UT70ZZ	RESECTION OF BILATERAL FALLOPIAN TUBES, OPEN APPROACH
0UT74ZZ	RESECTION OF BILATERAL FALLOPIAN TUBES, PERC ENDO APPROACH
0UT77ZZ	RESECTION OF BILATERAL FALLOPIAN TUBES, VIA OPENING
0UT78ZZ	RESECTION OF BILATERAL FALLOPIAN TUBES, ENDO
0UT7FZZ	RESECTION OF BI FALLOPIAN TUBE, VIA OPENING W PERC ENDO
0UT90ZZ	RESECTION OF UTERUS, OPEN APPROACH
0UT94ZZ	RESECTION OF UTERUS, PERCUTANEOUS ENDOSCOPIC APPROACH
0UT97ZZ	RESECTION OF UTERUS, VIA NATURAL OR ARTIFICIAL OPENING
0UT98ZZ	RESECTION OF UTERUS, ENDO
0UT9FZZ	RESECTION OF UTERUS, VIA OPENING W PERC ENDO
0V5N0ZZ	DESTRUCTION OF RIGHT VAS DEFERENS, OPEN APPROACH
0V5N3ZZ	DESTRUCTION OF RIGHT VAS DEFERENS, PERCUTANEOUS APPROACH
0V5N4ZZ	DESTRUCTION OF RIGHT VAS DEFERENS, PERC ENDO APPROACH
0V5P0ZZ	DESTRUCTION OF LEFT VAS DEFERENS, OPEN APPROACH
0V5P3ZZ	DESTRUCTION OF LEFT VAS DEFERENS, PERCUTANEOUS APPROACH
0V5P4ZZ	DESTRUCTION OF LEFT VAS DEFERENS, PERC ENDO APPROACH
0V5Q0ZZ	DESTRUCTION OF BILATERAL VAS DEFERENS, OPEN APPROACH
0V5Q3ZZ	DESTRUCTION OF BILATERAL VAS DEFERENS, PERCUTANEOUS APPROACH
0V5Q4ZZ	DESTRUCTION OF BILATERAL VAS DEFERENS, PERC ENDO APPROACH
0VBN0ZZ	EXCISION OF RIGHT VAS DEFERENS, OPEN APPROACH
0VBN3ZZ	EXCISION OF RIGHT VAS DEFERENS, PERCUTANEOUS APPROACH
0VBN4ZZ	EXCISION OF RIGHT VAS DEFERENS, PERC ENDO APPROACH
0VBP0ZZ	EXCISION OF LEFT VAS DEFERENS, OPEN APPROACH
0VBP3ZZ	EXCISION OF LEFT VAS DEFERENS, PERCUTANEOUS APPROACH
0VBP4ZZ	EXCISION OF LEFT VAS DEFERENS, PERC ENDO APPROACH
0VBQ0ZZ	EXCISION OF BILATERAL VAS DEFERENS, OPEN APPROACH
0VBQ3ZZ	EXCISION OF BILATERAL VAS DEFERENS, PERCUTANEOUS APPROACH
0VBQ4ZZ	EXCISION OF BILATERAL VAS DEFERENS, PERC ENDO APPROACH
0VLF0CZ	OCCLUSION OF R SPERM CORD WITH EXTRALUM DEV, OPEN APPROACH
0VLF0DZ	OCCLUSION OF R SPERM CORD WITH INTRALUM DEV, OPEN APPROACH
0VLF0ZZ	OCCLUSION OF RIGHT SPERMATIC CORD, OPEN APPROACH
0VLF3CZ	OCCLUSION OF R SPERM CORD WITH EXTRALUM DEV, PERC APPROACH
0VLF3DZ	OCCLUSION OF R SPERM CORD WITH INTRALUM DEV, PERC APPROACH
0VLF3ZZ	OCCLUSION OF RIGHT SPERMATIC CORD, PERCUTANEOUS APPROACH
0VLF4CZ	OCCLUSION R SPERM CORD W EXTRALUM DEV, PERC ENDO
0VLF4DZ	OCCLUSION R SPERM CORD W INTRALUM DEV, PERC ENDO
0VLF4ZZ	OCCLUSION OF RIGHT SPERMATIC CORD, PERC ENDO APPROACH
0VLG0CZ	OCCLUSION OF L SPERM CORD WITH EXTRALUM DEV, OPEN APPROACH
0VLG0DZ	OCCLUSION OF L SPERM CORD WITH INTRALUM DEV, OPEN APPROACH

Surgical Code	Short Description
0VLG0ZZ	OCCLUSION OF LEFT SPERMATIC CORD, OPEN APPROACH
0VLG3CZ	OCCLUSION OF L SPERM CORD WITH EXTRALUM DEV, PERC APPROACH
0VLG3DZ	OCCLUSION OF L SPERM CORD WITH INTRALUM DEV, PERC APPROACH
0VLG3ZZ	OCCLUSION OF LEFT SPERMATIC CORD, PERCUTANEOUS APPROACH
0VLG4CZ	OCCLUSION L SPERM CORD W EXTRALUM DEV, PERC ENDO
0VLG4DZ	OCCLUSION L SPERM CORD W INTRALUM DEV, PERC ENDO
0VLG4ZZ	OCCLUSION OF LEFT SPERMATIC CORD, PERC ENDO APPROACH
0VLH0CZ	OCCLUSION OF BI SPERM CORD WITH EXTRALUM DEV, OPEN APPROACH
0VLH0DZ	OCCLUSION OF BI SPERM CORD WITH INTRALUM DEV, OPEN APPROACH
0VLH0ZZ	OCCLUSION OF BILATERAL SPERMATIC CORDS, OPEN APPROACH
0VLH3CZ	OCCLUSION OF BI SPERM CORD WITH EXTRALUM DEV, PERC APPROACH
0VLH3DZ	OCCLUSION OF BI SPERM CORD WITH INTRALUM DEV, PERC APPROACH
0VLH3ZZ	OCCLUSION OF BILATERAL SPERMATIC CORDS, PERC APPROACH
0VLH4CZ	OCCLUSION BI SPERM CORD W EXTRALUM DEV, PERC ENDO
0VLH4DZ	OCCLUSION BI SPERM CORD W INTRALUM DEV, PERC ENDO
0VLH4ZZ	OCCLUSION OF BILATERAL SPERMATIC CORDS, PERC ENDO APPROACH
0VLN0CZ	OCCLUSION OF R VAS DEFERENS WITH EXTRALUM DEV, OPEN APPROACH
0VLN0ZZ	OCCLUSION OF RIGHT VAS DEFERENS, OPEN APPROACH
0VLN3CZ	OCCLUSION OF R VAS DEFERENS WITH EXTRALUM DEV, PERC APPROACH
0VLN3ZZ	OCCLUSION OF RIGHT VAS DEFERENS, PERCUTANEOUS APPROACH
0VLN4CZ	OCCLUSION R VAS DEFERENS W EXTRALUM DEV, PERC ENDO
0VLN4ZZ	OCCLUSION OF RIGHT VAS DEFERENS, PERC ENDO APPROACH
0VLP0CZ	OCCLUSION OF L VAS DEFERENS WITH EXTRALUM DEV, OPEN APPROACH
0VLP0ZZ	OCCLUSION OF LEFT VAS DEFERENS, OPEN APPROACH
0VLP3CZ	OCCLUSION OF L VAS DEFERENS WITH EXTRALUM DEV, PERC APPROACH
0VLP3ZZ	OCCLUSION OF LEFT VAS DEFERENS, PERCUTANEOUS APPROACH
0VLP4CZ	OCCLUSION L VAS DEFERENS W EXTRALUM DEV, PERC ENDO
0VLP4ZZ	OCCLUSION OF LEFT VAS DEFERENS, PERC ENDO APPROACH
0VLQ0CZ	OCCLUSION BI VAS DEFERENS W EXTRALUM DEV, OPEN
0VLQ0ZZ	OCCLUSION OF BILATERAL VAS DEFERENS, OPEN APPROACH
0VLQ3CZ	OCCLUSION BI VAS DEFERENS W EXTRALUM DEV, PERC
0VLQ3ZZ	OCCLUSION OF BILATERAL VAS DEFERENS, PERCUTANEOUS APPROACH
0VLQ4CZ	OCCLUSION BI VAS DEFERENS W EXTRALUM DEV, PERC ENDO
0VLQ4ZZ	OCCLUSION OF BILATERAL VAS DEFERENS, PERC ENDO APPROACH
0VTN0ZZ	RESECTION OF RIGHT VAS DEFERENS, OPEN APPROACH
0VTN4ZZ	RESECTION OF RIGHT VAS DEFERENS, PERC ENDO APPROACH
0VTP0ZZ	RESECTION OF LEFT VAS DEFERENS, OPEN APPROACH
0VTP4ZZ	RESECTION OF LEFT VAS DEFERENS, PERC ENDO APPROACH
0VTQ0ZZ	RESECTION OF BILATERAL VAS DEFERENS, OPEN APPROACH
0VTQ4ZZ	RESECTION OF BILATERAL VAS DEFERENS, PERC ENDO APPROACH
10A00ZZ	ABORTION OF PRODUCTS OF CONCEPTION, OPEN APPROACH
10A03ZZ	ABORTION OF PRODUCTS OF CONCEPTION, PERCUTANEOUS APPROACH
10A04ZZ	ABORTION OF PRODUCTS OF CONCEPTION, PERC ENDO APPROACH
10A07ZX	ABORTION OF POC, ABORTIFACIENT, VIA OPENING

Surgical Code	Short Description
10A07ZZ	ABORTION OF PRODUCTS OF CONCEPTION, VIA OPENING
10A08ZZ	ABORTION OF PRODUCTS OF CONCEPTION, ENDO
10D17ZZ	EXTRACTION OF PRODUCTS OF CONCEPTION, RETAINED, VIA OPENING
10D18ZZ	EXTRACTION OF PRODUCTS OF CONCEPTION, RETAINED, ENDO