



HIV Care Continuum Report, 2020

Data as of April, 2021

25	24	3	32	17	41	27	15	7	10
62	17	2	2	4	17	10	57	9	8
9	24	3	136	17	46	7	7	7	7
	17	2	33	6	35	4	4	6	6
			1	3	14	14	15	4	4
			14	1	15	10	10	4	4
			1		10				

HIV & STD Surveillance & Epidemiology Section
 Division of HIV & STD Programs
 Bureau of Infectious Disease Prevention
 Michigan Department of Health and Human Services
www.michigan.gov/hivstd

Table of Contents

Notes and Definitions	ii
Statewide Information	
Michigan HIV Care Continuum, 2020	2
Michigan HIV Care Continuum Trend, 2010 - 2020	3
Geographic stratification:	
Region, Local Health Department (LHD) Jurisdiction, & Metropolitan Statistical Areas (MSAs)	4
City	5
Local Health Department (LHD) Jurisdiction quadrant visual	6
Demographic stratification: gender, race, ethnicity, county of birth, age, transmission risk	7
Care among Ryan White (RW) clients: funding source, housing, insurance, poverty level, & key demographic groups	8
Detroit Metro Area (DMA) Information	
DMA HIV Care Continuum, 2020	10
DMA HIV Care Continuum Trend, 2010 - 2020	11
Geographic stratification: Local Health Department (LHD) Jurisdiction, & cities	12
Demographic stratification: gender, race, ethnicity, county of birth, age, transmission risk	13
Care among Ryan White (RW) clients:	14
Care among Ryan White (RW) Part A clients:	16
Detroit Local Health Department (LHD) Jurisdiction Information	
Detroit LHD HIV Care Continuum, 2020	18
Detroit LHD HIV Care Continuum Trend, 2010 - 2020	19
Geographic stratification: cities	20
Demographic stratification: Gender, race, ethnicity, county of birth, age, transmission risk	21
Care among Ryan White (RW) clients:	22

Totals differ from other reports. The HIV Care Continuum Report includes persons who were diagnosed with HIV before January 1, and still living in Michigan as of December 31 of the given year. Other reports displaying prevalence include persons diagnosed up until the defined end date. Therefore, the total number of persons living with HIV (PLWH) included in the care report is less than other reports displaying prevalence.

Stages included in the Michigan Care Continuum.

PLWH (diagnosed) - Persons living with HIV (PLWH) who have been diagnosed (are aware) of their HIV status. In this report, PLWH refers to diagnosed persons unless otherwise specified. Calculations involving populations with a small number of PLWH (45-99 PLWH) should be interpreted with caution. Proportions may fluctuate year to year as small changes in the numerator are magnified. Care measures are not calculated (**NC**) for groups with <45 PLWH.

In Care - PLWH with at least 1 CD4, viral load, or genotype lab test (proxies for medical care visits) during the given year.

Virally Suppressed (VS) - PLWH with less than 200 copies of HIV virus per milliliter of blood (<200c/mL).

Maintained Undetectable (MU) - PLWH who maintained viral load levels <200c/mL for at least 4-8 months. This measure is derived from studies supporting the U=U (undetectable = untransmittable) campaign.

This report also includes "Maintained Undetectable Eligible" (**MU elig**) - PLWH who received at least two viral load lab tests 4-8 months apart. This figure helps differentiate between the proportion of PLWH who were not MU due to high viral loads (MU elig, but not MU) versus the proportion of PLWH who were not MU due to lack of sufficient viral load tests (not MU elig).

Viral Suppression calculations. There are two ways to think about viral suppression and each is useful for different purposes. Community viral suppression is the proportion of all diagnosed PLWH who are virally suppressed (**VS/PLWH**). High community viral suppression indicates high treatment adherence and low transmission risk at the community level. Community viral suppression, however, cannot convey which populations struggle to reach VS even after being established in care. Viral suppression of those in care (**VS/In Care**) does indicate which populations struggle to reach VS after establishment of care. As improved prognosis and transmission reduction at the community level are overarching goals, community viral suppression is the more commonly used indicator. VS of those in care should be used sparingly to determine priority populations for treatment adherence interventions and programs.

In Michigan, once an individual is in care, the majority reach VS. In order to increase community viral suppression in the state, the proportion in care (In Care/PLWH) needs to increase.

There are many variations of the care continuum nationally. Here are some reasons behind those variations. 1) The estimated number of PLWH unaware of their status (undiagnosed) is included in Michigan's Care Continuums occasionally. This figure can only be calculated for the state as a whole and therefore is not a useful denominator for any stratification. Diagnosed PLWH is the most commonly used reference point. 2) Linked to care is not included because the denominator is the number of persons diagnosed in a given year (different from all other stages). Information on linkage information may be found in the reports released in July. 3) Retained in care or continuous care is also excluded*. 4) Antiretroviral treatment information is not available and viral suppression is a good proxy for this stage; it is also excluded. 5) MU was added by Michigan in order to give more context to VS.

*https://www.michigan.gov/documents/mdhhs/Defining_Unmet_Need_Linkage_to_Care_639267_7.pdf




The state of Michigan, 2020

Persons living with HIV where last known residence as of December 31, 2020 was Michigan

Michigan HIV Care Continuum, 2020

The HIV Care Continuum was developed by the CDC to assess gaps in care. Based on the care continuums and other trends observed, Michigan programs need to focus on linking and retaining persons living with HIV (PLWH) in care. This will improve the maintenance of low viral load levels, improving the health of PLWH and reducing the risk of HIV transmission.



PLWH (diagnosed & estimated undiagnosed) - An estimated 12.5% of PLWH in Michigan have not yet been diagnosed. This measure is applied only to regional totals. PLWH (diagnosed) is the reference for all reports produced by MDHHS.

PLWH (diagnosed) - PLWH diagnosed before Jan 1 and alive Dec 31 of the given year.

In Care - PLWH with at least 1 CD4, viral load, or genotype lab test during the given year.

Virally Suppressed (VS) - PLWH with less than 200 copies of HIV virus per milliliter of blood (<200c/mL).


Maintained Undetectable (MU) - PLWH who maintained viral load levels <200c/mL for at least 4-8 months.

Michigan HIV Care Continuum, 2010 - 2020

Over the last decade, improvements were made at every stage along the continuum. Although not displayed here, these improvements are observed among all populations - gender, race, ethnicity, age, sexual orientation, and residence. Currently, further improvements at the viral suppression stage are hindered by the proportion in care. Michigan needs to focus on increasing the proportion of PLWH in care, and viral suppression should follow.

Comparing the 2010 Michigan HIV Care Continuum to 2020

Year	PLWH	In Care	VS	MU elig	MU
2010	13,632	9,501	6,064	5,069	3,388
2011	14,075	9,857	6,594	5,249	3,613
2012	14,585	10,354	7,298	5,538	3,999
2013	15,179	10,676	8,182	5,706	4,315
2014	14,045	10,829	8,449	5,727	4,495
2015	13,669	11,040	9,046	6,216	5,135
2016	14,770	12,284	10,409	6,989	5,834
2017	15,039	12,580	10,854	7,486	6,461
2018	15,463	13,067	11,357	7,824	6,768
2019	16,239	13,585	11,911	7,913	6,918
2020	16,826	13,020	11,509	6,265	5,582



PLWH (diagnosed) - PLWH diagnosed before Jan 1 and alive Dec 31 of the given year.

In Care - PLWH with at least 1 CD4, viral load, or genotype lab test during the given year.

Virally Suppressed (VS) - PLWH with less than 200 copies of HIV virus per milliliter of blood (<200c/mL).

Maintained Undetectable (MU) - PLWH who maintained viral load levels <200c/mL for at least 4-8 months.

Michigan Geographic Stratification, 2020 (last reported address)

Region	PLWH	In Care	VS	MU elig	MU	Metropolitan Statistical Areas (MSA's) ⁷ (excl PLWH in prison)	PLWH	In Care	VS	MU elig	MU
Michigan	16,826	13,020	11,509	6,265	5,582	Ann Arbor	574	444	394	221	205
DMA ¹	10,624	8,038	7,005	3,567	3,094	Battle Creek	199	148	130	69	66
Outstate ²	5,926	4,742	4,281	2,544	2,345	Bay City	82	67	62	43	38
Prison ³	275	240	223	154	143	Detroit-Warren-Dearborn	10,608	8,032	7,012	3,566	3,093
Local Health Department (LHD) Jurisdiction (excl PLWH in prison)						Flint	602	436	363	210	184
Allegan Co.	126	109	103	58	56	Grand Rapids-Wyoming	1,300	1,079	1,003	620	574
Barry-Eaton	116	96	84	56	52	Jackson	165	141	117	72	61
Berrien Co.	241	170	158	108	101	Kalamazoo-Portage	451	370	333	174	162
Branch-Hillsdale-St. Joseph	87	67	59	30	29	Lansing-E Lansing	612	500	436	273	249
Calhoun Co.	199	148	130	69	66	Midland	41	NC	NC	NC	NC
Central Michigan ⁴	779	642	605	364	345	Monroe	110	80	63	36	34
Detroit LHD ⁵	5,233	3,842	3,233	1,586	1,294	Muskegon	186	152	138	91	81
Genesee Co.	602	436	363	210	184	Niles-Benton Harbor	241	170	158	108	101
Huron Co.	7	NC	NC	NC	NC	Saginaw	249	210	191	131	120
Ingham Co.	450	362	317	190	171	Micropolitan Area	730	596	548	301	284
Ionia Co.	32	NC	NC	NC	NC	Rural	400	321	308	185	176
Jackson Co.	165	141	117	72	61	Additional Prison population information					
Kalamazoo Co.	392	321	285	146	134	Any prison, 2020	278	275	250	181	165
Kent Co.	1,101	913	843	524	484	Ever in prison	1,128	894	730	445	365
Lapeer Co.	42	NC	NC	NC	NC						
Lenawee Co.	54	38	34	15	14						
Livingston Co.	94	74	70	35	33						
Macomb Co.	1,249	938	842	437	398						
Marquette ⁶	153	121	106	56	48						
Monroe Co.	110	80	63	36	34						
Muskegon Co.	186	152	138	91	81						
Oakland Co.	2,147	1,707	1,559	837	770						
Ottawa Co.	148	121	116	70	65						
Saginaw Co.	249	210	191	131	120						
Sanilac Co.	25	NC	NC	NC	NC						
Shiawassee Co.	49	43	39	22	22						
St. Clair Co.	109	83	71	42	34						
Tuscola Co.	15	NC	NC	NC	NC						
Van Buren-Cass	82	70	68	42	41						
Washtenaw Co.	574	444	394	221	205						
Wayne Co.	1,734	1,358	1,210	612	548						

Residence details are unknown for one individual.

¹Detroit Metro Area (DMA) includes Lapeer, Macomb, Monroe, Oakland, St. Clair, and Wayne Counties. Prisons are excluded.

²Outstate includes Michigan residents outside the DMA. Prisons are excluded.

³Persons in prisons (state or federal) located in Michigan. Reported separately for geographic stratification; included in demographic and Ryan White strata.

⁴Central Michigan LHD includes all otherwise unlisted counties in the lower peninsula

⁵Detroit LHD includes the cities of Detroit, Highland Park, Hamtramck, Harper Woods, & the Grosse Pointes. Detroit, under "Cities with at least 45 PLWH" (next page), includes only residents of the city of Detroit

⁶Marquette LHD includes the entire upper peninsula


⁷MSA designations: https://en.wikipedia.org/wiki/Michigan_statistical_areas

Cities with at least 45 PLWH (excl PLWH in prison)	PLWH	In Care	VS	MU elig	MU		PLWH	In Care	VS	MU elig	MU
Ann Arbor	222	166	152	91	87	Romulus	92	74	62	28	23
Battle Creek	152	114	97	49	46	Roseville	105	68	60	29	26
Bay City	66	55	50	37	32	Royal Oak	153	123	119	66	63
Belleville	45	36	34	15	15	Saginaw	223	189	172	114	104
Benton Harbor	102	81	74	50	46	Southfield	395	305	269	152	135
Bloomfield Hills	48	38	33	18	17	St. Clair Shores	66	43	39	24	24
Canton	103	83	76	33	31	Sterling Heights	104	76	70	30	28
Clinton Township	169	129	116	59	48	Taylor	140	116	102	54	44
Dearborn	106	91	82	44	42	Traverse City	74	58	54	24	23
Dearborn Heights	87	71	65	34	29	Troy	74	63	57	27	23
Detroit	4,817	3,542	2,986	1,480	1,206	Warren	338	254	224	128	113
Eastpointe	132	106	97	44	40	Waterford	84	66	61	31	30
Farmington Hills	101	76	73	38	35	Wayne	58	49	45	24	20
Ferndale	132	115	111	66	62	West Bloomfield	62	53	49	27	26
Flint	406	292	229	136	113	Westland	191	154	136	69	59
Grand Rapids	838	695	638	402	369	Wyoming	86	70	66	37	36
Grosse Pointes	70	60	53	18	16	Ypsilanti	307	240	205	106	94
Hamtramck	89	60	48	19	14						
Harper Woods	62	52	44	22	22						
Hazel Park	50	43	37	20	19						
Highland Park	195	128	102	47	36						
Holland	71	58	55	33	29						
Inkster	163	113	96	45	38						
Jackson	137	116	94	57	46						
Kalamazoo	306	252	223	124	114						
Lansing	436	357	308	191	171						
Lincoln Park	81	65	52	31	27						
Livonia	83	71	68	38	37						
Madison Heights	53	44	43	21	20						
Monroe	54	44	36	21	19						
Mount Clemens	69	51	40	18	16						
Muskegon	156	126	114	74	65						
Novi	50	37	35	17	17						
Oak Park	120	99	88	50	42						
Pontiac	336	256	216	98	86						
Port Huron	48	34	28	16	13						
Portage	47	36	31	11	9						
Redford	166	116	98	56	46						

Michigan Geographic Stratification, 2020 (last reported address)

Local Health Department (LHD) jurisdictions with at least 45 residents living with HIV are included (excl PLWH in prison). The x-axis is the proportion in care, and the y-axis is the proportion virally suppressed of *those in care*. The overarching goal is to increase community viral suppression (VS of all PLWH) as this reduces transmission risk on a community level.

Quadrant	Compared to the state average:	To increase community viral suppression and reduce transmission risk:
Upper Right	Care and VS rates are higher	current activities are working.
Upper Left	Care rate is lower and VS rate is higher	persons in these areas need assistance overcoming barriers to receiving care.
Lower Right	Care rate is higher and VS rate is lower	persons in these areas need assistance overcoming barriers to treatment adherence.
Lower Left	Care and VS rates are lower	persons in these areas need assistance overcoming barriers to receiving care as well as treatment adherence.



The axes are centered at the Michigan average (77% in care and 88% VS of those in care).

	PLWH	In Care	VS	MU elig	MU
Gender					
Cis men	13,112	10,143	9,007	4,932	4,426
Cis women	3,466	2,677	2,343	1,251	1,089
Transgender ¹	247	199	158	81	66

Race, Ethnicity, & Gender²

Black/AA	9,281	6,917	5,896	3,088	2,624
Cis men	6,721	4,955	4,204	2,200	1,858
Cis women	2,370	1,812	1,574	832	721
Transgender	190	150	118	56	45
Latinx	1,057	808	750	408	375
Cis men	845	644	606	329	306
Cis women	196	152	135	73	64
Transgender	16	NC	NC	NC	NC
White	5,805	4,749	4,378	2,496	2,338
Cis men	5,024	4,128	3,825	2,198	2,075
Cis women	747	590	526	281	248
Transgender	33	NC	NC	NC	NC
Multi/Other	680	546	485	273	245
Cis men	520	416	372	205	187
Cis women	152	123	108	65	56
Transgender	8	NC	NC	NC	NC
Arab/Middle Eastern descent	87	77	71	33	32

Country of Birth³

USA	11,267	8,735	7,615	4,126	3,647
US Territory	76	57	52	32	30
Foreign	1,017	739	707	416	387

Age (yrs) on December 31, 2020

00-14	72	67	61	46	39
15-19	65	60	56	39	33
20-29	1,825	1,333	1,102	594	490
30-39	3,573	2,635	2,215	1,140	949
40-49	3,279	2,535	2,211	1,224	1,083
50-59	4,705	3,721	3,391	1,845	1,690
60+	3,307	2,669	2,473	1,377	1,298
<i>CDC youth:13-24</i>	<i>538</i>	<i>423</i>	<i>357</i>	<i>233</i>	<i>191</i>

	PLWH	In Care	VS	MU elig	MU
Risk/Gender⁴					
Sex w men	11,934	9,477	8,416	4,604	4,129
Cis men	9,214	7,327	6,533	3,590	3,234
Cis women	2,499	1,970	1,740	941	835
Transgender	221	180	143	73	60
PWID	911	651	556	273	237
Cis men	515	371	326	170	150
Cis women	396	280	230	103	87
Sex w men & PWID	648	498	435	275	251
Cis men	630	486	426	271	247
Transgender	18	NC	NC	NC	NC
Sex w women	722	537	467	213	185
Cis men	721	536	466	213	185
Transgender	1	NC	NC	NC	NC
Other	273	227	194	133	111
Cis men	157	127	111	78	66
Cis women	116	100	83	55	45
Unknown	2,337	1,629	1,440	766	668
Cis men	1,875	1,296	1,145	610	544
Cis women	455	327	290	152	122
Transgender	7	NC	NC	NC	NC

Other select populations

Black/AA MSM ⁵	4,830	3,673	3,098	1,630	1,367
Young (15-29)					
Black/AA MSM ⁵	988	723	578	306	239

Young (15-29) Black/AA Men (YBM) compared to others

YBM	1,138	814	654	350	272
Other youth 15-29	752	579	504	283	251
30+ years old	14,864	11,560	10,290	5,586	5,020

¹Most (98%) of Transgender persons identify as male to female. ²Persons with unknown race (4) are not included in race strata. Latinx persons may be of any race. Black/AA, Latinx, White, & Multi/Other are mutually exclusive categories. Persons of Arab/Middle Eastern descent may be of any race and are not excluded from the other race/ethnicity categories. ³The country of birth is unknown or unspecified for 26% of PLWH in Michigan.

⁴Risk/Gender Notes: PWID (persons who inject drugs). Persons included under "Sex w women" have no reported risk other than sex with a woman living with HIV, or a woman at high risk for HIV. Nearly all (92%) with "Other" risk are perinatal or pediatric cases.

⁵Black/AA MSM groups include both MSM alone as well as MSM/PWID.

Care among Michigan Ryan White clients, 2020

The following strata include Ryan White (RW) clients only. RW clients are individuals who received at least one RW funded service during the given year. Because receiving a service is highly correlated with care, use In Care as the total (not PLWH) when comparing VS or MU among RW clients and other PLWH.

	PLWH	In Care	VS	MU elig	MU
Any Ryan White (RW) service during 2020					
Michigan Total	16,826	13,020	11,509	6,265	5,582
No RW service	7,801	4,695	4,049	2,048	1,868
RW client	9,025	8,325	7,460	4,217	3,714

Ryan White service source (persons may be included in multiple)

	PLWH	In Care	VS	MU elig	MU
ADAP	3,350	3,126	2,957	1,742	1,622
Part A	3,530	3,261	2,833	1,540	1,279
Part B	3,323	3,099	2,823	1,811	1,624
Part C	2,945	2,791	2,506	1,382	1,203
Part D	899	846	730	412	335

Any period of unstable housing reported during the year

	PLWH	In Care	VS	MU elig	MU
Yes	518	462	348	230	153
No, stably housed	7,381	6,896	6,209	3,476	3,078
No information	1,126	967	903	511	483

Any period without health insurance reported during the year

	PLWH	In Care	VS	MU elig	MU
Yes	865	783	683	390	325
No, always insured	7,588	7,068	6,343	3,593	3,171
No information	572	474	434	234	218

Last reported insurance type during the year

	PLWH	In Care	VS	MU elig	MU
Medicaid	3,623	3,340	2,825	1,604	1,295
Medicare	1,979	1,871	1,742	994	917
Private	2,181	2,056	1,956	1,094	1,034
Other	88	71	65	43	40
Uninsured	590	521	446	251	213
No information	564	466	426	231	215

Poverty Level

	PLWH	In Care	VS	MU elig	MU
At or above poverty line	4,329	4,034	3,784	2,166	1,995
Below poverty line	4,696	4,291	3,676	2,051	1,719

	PLWH	In Care	VS	MU elig	MU
Gender					
Cis men	6,805	6,278	5,653	3,205	2,844
Cis women	2,054	1,894	1,683	946	816
Transgender	165	152	123	65	53

Race & Ethnicity¹

	PLWH	In Care	VS	MU elig	MU
Black/AA	5,293	4,834	4,203	2,257	1,908
Latinx	601	564	530	301	275
White	2,769	2,594	2,427	1,483	1,377
Multi/Other	362	333	300	176	154

Age (yrs) on December 31, 2020

	PLWH	In Care	VS	MU elig	MU
00-19	52	51	46	35	25
20-29	977	878	738	407	329
30-39	1,849	1,672	1,419	760	626
40-49	1,750	1,609	1,422	828	719
50-59	2,561	2,390	2,205	1,240	1,125
60+	1,836	1,725	1,630	947	890
Youth:15-29	1,007	907	765	426	343
CDC youth:13-24	297	274	231	157	123

Other select populations

	PLWH	In Care	VS	MU elig	MU
PWID ²	892	818	710	401	356
Black/AA MSM ³	2,790	2,547	2,194	1,173	990
Young (15-29) Black/AA MSM ³	549	495	409	213	165

Young (15-29) Black/AA Men (YBM) compared to others

	PLWH	In Care	VS	MU elig	MU
YBM	619	551	456	240	183
Other youth 15-29	388	356	309	186	160
30+ years old	7,996	7,396	6,676	3,775	3,360

¹Latinx persons may be of any race. Black/AA, Latinx, White, & Multi/Other are mutually exclusive categories.

²PWID (persons who inject drugs) includes PWID alone as well as MSM/PWID

³Black/AA MSM include both MSM alone as well as MSM/PWID.




The Detroit Metro Area, 2020

Persons living with HIV where last known residence as of December 31, 2020 was the Detroit Metro Area (DMA: Lapeer, Macomb, Monroe, Oakland, St. Clair, & Wayne Counties)

Includes persons in prisons located in the DMA

Detroit Metro Area HIV Care Continuum, 2020

The HIV Care Continuum was developed by the CDC to assess gaps in care. Based on the care continuums and other trends observed, Michigan programs need to focus on linking and retaining persons living with HIV (PLWH) in care. This will improve the maintenance of low viral load levels, improving the health of PLWH and reducing the risk of HIV transmission.



PLWH (diagnosed & estimated undiagnosed) - An estimated 14% of PLWH in Michigan have not yet been diagnosed. This measure is applied only to regional totals. PLWH (diagnosed) is the reference for all reports produced by MDHHS.

PLWH (diagnosed) - PLWH diagnosed before Jan 1 and alive Dec 31 of the given year.

In Care - PLWH with at least 1 CD4, viral load, or genotype lab test during the given year.

Virally Suppressed (VS) - PLWH with less than 200 copies of HIV virus per milliliter of blood (<200c/mL).


Maintained Undetectable (MU) - PLWH who maintained viral load levels <200c/mL for at least 4-8 months.

Detroit Metro Area (DMA) HIV Care Continuum, 2010 - 2020

Over the last decade, improvements were made at every stage along the continuum. Although not displayed here, these improvements are observed among all populations - gender, race, ethnicity, age, sexual orientation, and residence. Currently, further improvements at the viral suppression stage are hindered by the proportion in care. Michigan needs to focus on increasing the proportion of PLWH in care, and viral suppression should follow.

Comparing the 2010 DMA HIV Care Continuum to 2020

Year	PLWH	In Care	VS	MU elig	MU
2010	8,579	6,041	3,921	3,425	2,155
2011	8,884	6,292	4,259	3,444	2,262
2012	9,151	6,564	4,449	3,507	2,372
2013	9,567	6,730	5,066	3,510	2,533
2014	9,151	6,918	5,328	3,620	2,714
2015	9,045	7,222	5,818	3,959	3,171
2016	9,468	7,732	6,481	4,329	3,486
2017	9,629	7,954	6,781	4,589	3,882
2018	9,907	8,295	7,097	4,716	3,985
2019	10,361	8,619	7,407	4,772	4,063
2020	10,670	8,066	7,032	3,584	3,111



PLWH (diagnosed) - PLWH diagnosed before Jan 1 and alive Dec 31 of the given year.

In Care - PLWH with at least 1 CD4, viral load, or genotype lab test during the given year.

Virally Suppressed (VS) - PLWH with less than 200 copies of HIV virus per milliliter of blood (<200c/mL).

Maintained Undetectable (MU) - PLWH who maintained viral load levels <200c/mL for at least 4-8 months.

Detroit Metro Area Geographic Stratification, 2020 (last reported address)

	PLWH	In Care	VS	MU elig	MU
DMA ¹	10,670	8,066	7,032	3,584	3,111
DMA excl prison	10,624	8,038	7,005	3,567	3,094
DMA prison ²	46	28	27	17	17

Local Health Department (LHD) Jurisdiction (excl PLWH in prison)

	PLWH	In Care	VS	MU elig	MU
Detroit LHD ³	5,233	3,842	3,233	1,586	1,294
Lapeer Co.	42	NC	NC	NC	NC
Macomb Co.	1,249	938	842	437	398
Monroe Co.	110	80	63	36	34
Oakland Co.	2,147	1,707	1,559	837	770
St. Clair Co.	109	83	71	42	34
Wayne Co.	1,734	1,358	1,210	612	548

Cities with at least 45 PLWH (excl PLWH in prison)

Belleville	45	36	34	15	15
Bloomfield Hills	48	38	33	18	17
Canton	103	83	76	33	31
Clinton Township	169	129	116	59	48
Dearborn	106	91	82	44	42
Dearborn Heights	87	71	65	34	29
Detroit	4,817	3,542	2,986	1,480	1,206
Eastpointe	132	106	97	44	40
Farmington Hills	101	76	73	38	35
Ferndale	132	115	111	66	62
Grosse Pointes	70	60	53	18	16
Hamtramck	89	60	48	19	14
Harper Woods	62	52	44	22	22
Hazel Park	50	43	37	20	19
Highland Park	195	128	102	47	36
Inkster	163	113	96	45	38
Lincoln Park	81	65	52	31	27
Livonia	83	71	68	38	37
Madison Heights	53	44	43	21	20
Monroe	54	44	36	21	19
Mount Clemens	69	51	40	18	16
Novi	50	37	35	17	17
Oak Park	120	99	88	50	42
Pontiac	336	256	216	98	86
Port Huron	48	34	28	16	13

	PLWH	In Care	VS	MU elig	MU
Cities with at least 45 PLWH (cntd)					
Redford	166	116	98	56	46
Romulus	92	74	62	28	23
Roseville	105	68	60	29	26
Royal Oak	153	123	119	66	63
Southfield	395	305	269	152	135
St. Clair Shores	66	43	39	24	24
Sterling Heights	104	76	70	30	28
Taylor	140	116	102	54	44
Troy	74	63	57	27	23
Warren	338	254	224	128	113
Waterford	84	66	61	31	30
Wayne	58	49	45	24	20
West Bloomfield	62	53	49	27	26
Westland	191	154	136	69	59

Prison population information

Any prison, 2020	44	NC	NC	NC	NC
Ever in prison	633	464	358	193	144

¹Detroit Metro Area (DMA) includes Lapeer, Macomb, Monroe, Oakland, St. Clair, and Wayne Counties.

²Persons in prisons (state or federal) located in the DMA. Reported separately for geographic stratification; included in demographic and Ryan White strata.

³Detroit LHD includes the cities of Detroit, Highland Park, Hamtramck, Harper Woods, & the Grosse Pointes. Detroit, under "Cities with at least 45 PLWH", includes only residents of the city of Detroit.

	PLWH	In Care	VS	MU elig	MU		PLWH	In Care	VS	MU elig	MU
Gender						Risk/Gender⁴					
Cis men	8,257	6,237	5,468	2,812	2,463	Sex w men	7,624	5,947	5,216	2,659	2,334
Cis women	2,228	1,680	1,448	712	600	Cis men	5,857	4,566	4,026	2,081	1,837
Transgender ¹	185	149	116	60	48	Cis women	1,600	1,244	1,085	526	455
						Transgender	167	137	105	52	42
Race, Ethnicity, & Gender²						PWID	601	403	335	155	130
Black/AA	7,143	5,245	4,439	2,211	1,844	Cis men	328	221	185	87	72
Cis men	5,237	3,805	3,210	1,615	1,341	Cis women	273	182	150	68	58
Cis women	1,754	1,321	1,136	554	470	Sex w men & PWID	352	261	231	144	129
Transgender	152	119	93	42	33	Cis men	342	256	226	140	125
Latinx	507	388	354	175	156	Transgender	10	NC	NC	NC	NC
Cis men	400	308	287	145	133	Sex w women	436	315	270	118	98
Cis women	99	73	63	27	21	Cis men	435	314	269	118	98
Transgender	8	NC	NC	NC	NC	Transgender	1	NC	NC	NC	NC
White	2,633	2,126	1,970	1,066	998	Other	120	95	73	54	41
Cis men	2,311	1,877	1,752	951	899	Cis men	69	53	43	29	23
Cis women	303	231	202	102	87	Cis women	51	42	30	25	18
Transgender	19	NC	NC	NC	NC	Unknown	1,537	1,045	907	454	379
Multi/Other	384	307	269	132	113	Cis men	1,226	827	719	357	308
Cis men	307	247	219	101	90	Cis women	304	212	183	93	69
Cis women	71	55	47	29	22	Transgender	7	NC	NC	NC	NC
Transgender	6	NC	NC	NC	NC	Other select populations					
Arab/Middle						Black/AA MSM ⁵	3,875	2,911	2,455	1,241	1,029
Eastern descent ²	76	68	62	29	28	Young (15-29)					
						Black/AA MSM ⁵	767	554	444	225	172
Country of Birth³						Young (15-29) Black/AA Men (YBM) compared to others					
USA	7,429	5,618	4,836	2,451	2,103	YBM	867	612	490	249	191
US Territory	40	NC	NC	NC	NC	Other youth 15-29	416	311	267	146	125
Foreign	384	279	261	138	128	30+ years old	9,365	7,122	6,258	3,177	2,787
Age (yrs) on December 31, 2020						¹ Most (99%) of Transgender persons identify as male to female. ² Persons with unknown race (4) are not included in race strata. Latinx persons may be of any race. Black/AA, Latinx, White, & Multi/Other are mutually exclusive categories. Persons of Arab/Middle Eastern descent may be of any race and are not excluded from the other race/ethnicity categories. ³ The country of birth is unknown or unspecified for 26% of PLWH. ⁴ Risk/Gender Notes: PWID (persons who inject drugs). Persons included under "Sex w women" have no reported risk other than sex with a woman living with HIV, or a woman at high risk for HIV. Nearly all (90%) with "Other" risk are perinatal or pediatric cases. ⁵ Black/AA MSM include both MSM alone as well as MSM/PWID.					
00-14	22	NC	NC	NC	NC						
15-19	33	NC	NC	NC	NC						
20-29	1,250	895	731	377	302						
30-39	2,439	1,775	1,474	709	571						
40-49	2,047	1,547	1,317	692	597						
50-59	2,822	2,185	1,978	1,019	916						
60+	2,057	1,615	1,489	757	703						
CDC youth:13-24	339	258	212	131	104						

Care among Detroit Metro Area Ryan White clients, 2020

The following strata include Ryan White (RW) clients only. RW clients are individuals who received at least one RW funded service during the given year. Because receiving a service is highly correlated with care, use In Care as the total (not PLWH) when comparing VS or MU among RW clients and other PLWH.

	PLWH	In Care	VS	MU elig	MU
Any Ryan White (RW) service during 2020					
DMA Total	10,670	8,066	7,032	3,584	3,111
No RW service	5,028	2,911	2,487	1,191	1,058
RW Client	5,642	5,155	4,545	2,393	2,053

Ryan White service source (persons may be included in multiple)

	PLWH	In Care	VS	MU elig	MU
ADAP	1,869	1,718	1,614	877	805
Part A	3,426	3,162	2,747	1,490	1,240
Part B	727	673	625	396	357
Part C	1,841	1,715	1,495	753	621
Part D	804	752	652	362	295

Last reported residence by Local Health Department Jurisdiction

	PLWH	In Care	VS	MU elig	MU
Detroit LHD ¹	3,207	2,909	2,501	1,267	1,024
Lapeer Co.	14	NC	NC	NC	NC
Macomb Co.	521	485	450	245	226
Monroe Co.	24	NC	NC	NC	NC
Oakland Co.	995	916	850	469	433
St. Clair Co.	30	NC	NC	NC	NC
Wayne Co.	838	775	685	371	334
Prison ²	13	NC	NC	NC	NC

Cities with at least 45 PLWH who received a RW service

	PLWH	In Care	VS	MU elig	MU
Clinton Township	77	70	66	34	29
Detroit	2,993	2,713	2,335	1,194	966
Eastpointe	64	59	53	28	25
Farmington Hills	45	42	41	18	17
Ferndale	62	59	57	34	30
Hamtramck	54	45	37	16	11
Highland Park	112	103	86	43	34
Inkster	87	77	66	31	27
Oak Park	64	62	55	34	30
Pontiac	206	185	167	74	70
Redford	86	79	65	40	32
Romulus	48	47	38	19	15

	PLWH	In Care	VS	MU elig	MU
Cities with at least 45 PLWH who received a RW service (cntd)					
Royal Oak	57	49	49	29	27
Southfield	188	174	155	96	87
Taylor	68	66	58	32	26
Warren	151	144	131	76	70
Westland	108	101	89	51	45

Any period of unstable housing reported during the year

	PLWH	In Care	VS	MU elig	MU
Yes	249	224	162	113	67
No, stably housed	4,592	4,256	3,751	1,928	1,654
No information	801	675	632	352	332

Any period without health insurance reported during the year

	PLWH	In Care	VS	MU elig	MU
Yes	550	493	422	222	179
No, always insured	4,711	4,356	3,842	2,026	1,740
No information	381	306	281	145	134

Last reported insurance type during the year

	PLWH	In Care	VS	MU elig	MU
Medicaid	2,470	2,264	1,890	1,000	784
Medicare	1,167	1,097	1,013	525	481
Private	1,245	1,165	1,092	578	534
Other	42	NC	NC	NC	NC
Uninsured	344	298	248	130	107
No information	374	299	274	142	131

Poverty Level

	PLWH	In Care	VS	MU elig	MU
At or above poverty line	2,493	2,297	2,129	1,137	1,026
Below poverty line	3,149	2,858	2,416	1,256	1,027

¹Detroit LHD includes the cities of Detroit, Highland Park, Hamtramck, Harper Woods, & the Grosse Pointes. Detroit, under "Cities with at least 45 PLWH", includes only residents of the city of Detroit.

²Persons in prisons (state or federal) located in the DMA. Excluded from city strata.

Care among Detroit Metro Area Ryan White clients, 2020

The following strata include Ryan White (RW) clients only. RW clients are individuals who received at least one RW funded service during the given year. Because receiving a service is highly correlated with care, use In Care as the total (not PLWH) when comparing VS or MU among RW clients and other PLWH.

	PLWH	In Care	VS	MU elig	MU
Gender					
Cis men	4,202	3,843	3,405	1,799	1,558
Cis women	1,319	1,201	1,053	547	458
Transgender	121	111	87	47	37

Race & Ethnicity¹

Black/AA	4,169	3,775	3,262	1,673	1,401
Latinx	269	256	236	122	107
White	1,015	950	892	519	481
Multi/Other	189	174	155	79	64

Age (yrs) on December 31, 2020

00-19	39	NC	NC	NC	NC
20-29	668	601	501	267	211
30-39	1,242	1,113	932	466	372
40-49	1,046	961	823	444	373
50-59	1,513	1,392	1,269	677	601
60+	1,134	1,050	986	515	478
<i>Youth:15-29</i>	<i>691</i>	<i>623</i>	<i>521</i>	<i>281</i>	<i>222</i>
<i>CDC youth:13-24</i>	<i>198</i>	<i>184</i>	<i>152</i>	<i>99</i>	<i>78</i>

Other select populations

PWID ²	540	485	419	227	198
Black/AA MSM ³ Young (15-29)	2,278	2,069	1,780	918	771
Black/AA MSM ³	444	399	333	166	129

Young (15-29) Black/AA Men (YBM) compared to others

YBM	495	441	367	187	145
Other youth 15-29	196	182	154	94	77
30+ years old	4,935	4,516	4,010	2,102	1,824

¹Latinx persons may be of any race. Black/AA, Latinx, White, & Multi/Other are mutually exclusive categories.

²PWID (persons who inject drugs) includes PWID alone as well as MSM/PWID

³Black/AA MSM include both MSM alone as well as MSM/PWID.

Care among Ryan White PART A clients (may live anywhere in MI), 2020

The following strata include Ryan White (RW) clients who received at least one service from a Part A funded entity. Because receiving a service is highly correlated with care, use In Care as the total (not PLWH) when comparing VS or MU among RW clients and other PLWH.

	PLWH	In Care	VS	MU elig	MU
Part A ¹	3,530	3,261	2,833	1,540	1,279

Ryan White (RW) Part A clients also received services from:

ADAP	938	896	834	456	407
Part B	459	438	406	256	223
Part C	769	737	628	382	297
Part D	383	360	313	186	149

Last reported residence by Local Health Department Jurisdiction

DMA	3,420	3,158	2,744	1,489	1,239
Detroit LHD ²	2,009	1,842	1,567	826	642
Lapeer Co.	9	NC	NC	NC	NC
Macomb Co.	277	256	232	138	124
Monroe Co.	7	NC	NC	NC	NC
Oakland Co.	600	562	516	291	266
St. Clair Co.	13	NC	NC	NC	NC
Wayne Co.	505	471	406	213	190
Outstate	88	83	73	42	33
Prison	22	NC	NC	NC	NC

Cities with at least 45 PLWH who received a RW Part A service

Detroit	1,871	1,713	1,462	777	602
Highland Park	80	75	60	30	24
Inkster	59	54	46	20	17
Pontiac	159	144	129	54	51
Redford	52	49	39	23	17
Southfield	104	98	89	59	53
Warren	88	82	73	47	42
Westland	67	63	57	31	29

Gender

Cis men	2,639	2,446	2,137	1,181	989
Cis women	790	721	625	320	261
Transgender	101	94	71	39	29

	PLWH	In Care	VS	MU elig	MU
Race & Ethnicity³					
Black/AA	2,650	2,428	2,069	1,111	897
Latinx	190	182	168	88	78
White	577	545	504	298	270
Multi/Other	113	106	92	43	34

Age (yrs) on December 31, 2020

00-19	16	NC	NC	NC	NC
20-29	478	434	368	205	160
30-39	838	766	627	342	265
40-49	648	597	503	290	237
50-59	951	885	797	427	372
60+	599	563	523	266	237
Youth: 15-29	491	447	380	212	166
CDC youth: 13-24	161	149	126	78	61

Other select populations

PWID ⁴	364	331	287	157	134
Black/AA MSM ⁵	1,505	1,392	1,181	648	529
Young (15-29)					
Black/AA MSM ⁵	330	302	253	133	102

Young (15-29) Black/AA Men (YBM) compared to others

YBM	354	441	367	187	145
Other youth 15-29	137	6	13	25	21
30+ years old	3,036	2,811	2,450	1,325	1,111

¹An additional 47 persons received Part A services during the year and lived out of state by the year end. These individuals are excluded.

²Detroit LHD includes the cities of Detroit, Highland Park, Hamtramck, Harper Woods, & the Grosse Pointes. Detroit, under "cities with at least 45 PLWH", includes only residents of the city of Detroit.

³Latinx persons may be of any race. Black/AA, Latinx, White, & Multi/Other are mutually exclusive categories.

⁴PWID (persons who inject drugs) includes PWID alone as well as MSM/PWID

⁵Black/AA MSM include both MSM alone as well as MSM/PWID.




Detroit LHD Jurisdiction, 2020

Persons living with HIV where last known residence as of December 31, 2020 was within Detroit Health Department's Jurisdiction (Detroit, Highland Park, Hamtramck, Harper Woods, & the Grosse Pointes)

Includes persons in prisons located in the Detroit LHD Jurisdiction

Detroit LHD Jurisdiction HIV Care Continuum, 2020

The HIV Care Continuum was developed by the CDC to assess gaps in care. Based on the care continuums and other trends observed, Michigan programs need to focus on linking and retaining persons living with HIV (PLWH) in care. This will improve the maintenance of low viral load levels, improving the health of PLWH and reducing the risk of HIV transmission.



PLWH (diagnosed & estimated undiagnosed) - An estimated 14% of PLWH in Michigan have not yet been diagnosed. This measure is applied only to regional totals. PLWH (diagnosed) is the reference for all reports produced by MDHHS.

PLWH (diagnosed) - PLWH diagnosed before Jan 1 and alive Dec 31 of the given year.

In Care - PLWH with at least 1 CD4, viral load, or genotype lab test during the given year.

Virally Suppressed (VS) - PLWH with less than 200 copies of HIV virus per milliliter of blood (<200c/mL).


Maintained Undetectable (MU) - PLWH who maintained viral load levels <200c/mL for at least 4-8 months.

Detroit LHD Jurisdiction HIV Care Continuum, 2010 - 2020

Over the last decade, improvements were made at every stage along the continuum. Although not displayed here, these improvements are observed among all populations - gender, race, ethnicity, age, sexual orientation, and residence. Currently, further improvements at the viral suppression stage are hindered by the proportion in care. Michigan needs to focus on increasing the proportion of PLWH in care, and viral suppression should follow.

Comparing the 2010 Detroit LHD HIV Care Continuum to 2020

Year	PLWH	In Care	VS	MU elig	MU
2010	5,031	3,478	2,075	1,912	1,095
2011	5,106	3,528	2,216	1,892	1,138
2012	5,189	3,698	2,376	1,963	1,226
2013	5,318	3,715	2,653	1,909	1,302
2014	4,820	3,619	2,648	1,923	1,346
2015	4,741	3,728	2,866	1,991	1,499
2016	4,898	3,929	3,149	2,172	1,626
2017	4,909	3,986	3,261	2,275	1,823
2018	4,955	4,075	3,361	2,274	1,842
2019	5,129	4,179	3,449	2,297	1,857
2020	5,248	3,848	3,238	1,589	1,297



PLWH (diagnosed) - PLWH diagnosed before Jan 1 and alive Dec 31 of the given year.

In Care - PLWH with at least 1 CD4, viral load, or genotype lab test during the given year.

Virally Suppressed (VS) - PLWH with less than 200 copies of HIV virus per milliliter of blood (<200c/mL).

Maintained Undetectable (MU) - PLWH who maintained viral load levels <200c/mL for at least 4-8 months.

Detroit LHD Jurisdiction Geographic Stratification, 2020 (last reported address)

	PLWH	In Care	VS	MU elig	MU
Detroit LHD ¹	5,248	3,848	3,238	1,589	1,297
Det LHD excl prison	5,233	3,842	3,233	1,586	1,294
Det LHD prison ²	15	NC	NC	NC	NC

Cities (excl PLWH in prison)

Detroit	4,817	3,542	2,986	1,480	1,206
Grosse Pointes	70	60	53	18	16
Hamtramck	89	60	48	19	14
Harper Woods	62	52	44	22	22
Highland Park	195	128	102	47	36

Prison population information

Any prison, 2020	13	NC	NC	NC	NC
Ever in prison	391	272	206	114	82

¹Detroit LHD includes the cities of Detroit, Highland Park, Hamtramck, Harper Woods, & the Grosse Pointes. Detroit, under "Cities", includes only residents of the city of Detroit.

²Persons in prisons (state or federal) located in the DMA. Reported separately for geographic stratification; included in demographic and Ryan White strata.

	PLWH	In Care	VS	MU elig	MU
Gender					
Cis men	3,902	2,829	2,387	1,173	963
Cis women	1,227	922	782	381	307
Transgender ¹	119	97	69	35	27

Race, Ethnicity, & Gender²

Black/AA	4,569	3,325	2,772	1,363	1,110
Cis men	3,356	2,401	2,001	994	808
Cis women	1,110	842	712	342	281
Transgender	103	82	59	27	21
Latinx	206	158	143	65	51
Cis men	155	120	110	48	40
Cis women	45	33	30	15	10
Transgender	6	NC	NC	NC	NC
White	341	262	240	117	102
Cis men	287	226	207	98	88
Cis women	48	30	28	15	10
Transgender	6	NC	NC	NC	NC
Multi/Other	132	103	83	44	34
Cis men	104	82	69	33	27
Cis women	24	NC	NC	NC	NC
Transgender	4	NC	NC	NC	NC
Arab/Middle Eastern descent	13	NC	NC	NC	NC

Country of Birth³

USA	3,821	2,807	2,335	1,155	939
US Territory	20	NC	NC	NC	NC
Foreign	88	56	52	27	23

Age (yrs) on December 31, 2020

00-14	10	NC	NC	NC	NC
15-19	19	NC	NC	NC	NC
20-29	658	459	349	187	135
30-39	1,275	911	708	337	247
40-49	994	736	609	304	247
50-59	1,292	966	862	420	359
60+	1,000	751	688	327	298
<i>CDC youth:13-24</i>	<i>188</i>	<i>142</i>	<i>112</i>	<i>72</i>	<i>57</i>

Risk/Gender⁴

	PLWH	In Care	VS	MU elig	MU
Sex w men	3,580	2,727	2,301	1,120	926
Cis men	2,622	1,974	1,667	815	676
Cis women	847	661	569	273	224
Transgender	111	92	65	32	26
PWID	366	237	194	85	70
Cis men	191	124	102	46	37
Cis women	175	113	92	39	33
Sex w men & PWID	168	117	101	61	51
Cis men	165	116	100	60	50
Transgender	3	NC	NC	NC	NC
Sex w women	231	163	138	61	47
Cis men	231	163	138	61	47
Transgender	0	NC	NC	NC	NC
Other	51	45	33	29	23
Cis men	30	27	20	17	12
Cis women	21	18	13	12	11
Unknown	852	559	471	233	180
Cis men	663	425	360	174	141
Cis women	184	130	108	57	39
Transgender	5	NC	NC	NC	NC

Other select populations

Black/AA MSM⁵	2,441	1,810	1,502	748	612
Young (15-29)					
Black/AA MSM ⁵	447	314	244	123	87

Young (15-29) Black/AA Men (YBM) compared to others

YBM	514	355	274	140	99
Other youth 15-29	163	120	90	57	44
30+ years old	4,561	3,364	2,867	1,388	1,151

¹Most (99%) of Transgender persons identify as male to female. ²Persons with unknown race (1) are not included in race strata. Latinx persons may be of any race. Black/AA, Latinx, White, & Multi/Other are mutually exclusive categories. Persons of Arab/Middle Eastern descent may be of any race and are not excluded from the other race/ethnicity categories. ³The country of birth is unknown or unspecified for 25% of PLWH in the Detroit LHD area. ⁴Risk/Gender Notes: PWID (persons who inject drugs). Persons included under "Sex w women" have no reported risk other than sex with a woman living with HIV, or a woman at high risk for HIV. All with "Other" risk are perinatal or pediatric cases. ⁵Black/AA MSM include both MSM alone as well as MSM/PWID.

Care among Ryan White clients living in the Detroit LHD Jurisdiction, 2020

The following strata include Ryan White (RW) clients only. RW clients are individuals who received at least one RW funded service during the given year. Because receiving a service is highly correlated with care, use In Care as the total (not PLWH) when comparing VS or MU among RW clients and other PLWH.

	PLWH	In Care	VS	MU elig	MU
Any Ryan White (RW) service during 2020					
Detroit LHD Total	5,233	3,842	3,233	1,586	1,294
No RW service	2,031	933	732	319	270
RW Client	3,217	2,915	2,506	1,270	1,027

Ryan White service source (persons may be included in multiple)

	PLWH	In Care	VS	MU elig	MU
ADAP	787	710	655	330	293
Part A	2,014	1,846	1,570	827	643
Part B	278	251	228	137	119
Part C	1,393	1,290	1,118	566	459
Part D	589	550	472	270	220

Last reported residence by Local Health Department Jurisdiction

	PLWH	In Care	VS	MU elig	MU
Detroit LHD ¹	3,207	2,909	2,501	1,267	1,024
Prison ²	10	NC	NC	NC	NC

Last reported city of residence among RW clients

	PLWH	In Care	VS	MU elig	MU
Detroit	2,993	2,713	2,335	1,194	966
Grosse Pointes	21	NC	NC	NC	NC
Hamtramck	54	45	37	16	11
Harper Woods	27	NC	NC	NC	NC
Highland Park	112	103	86	43	34

Any period of unstable housing reported during the year

	PLWH	In Care	VS	MU elig	MU
Yes	172	153	105	74	34
No, stably housed	2,792	2,572	2,233	1,109	917
No information	253	190	168	87	76

Any period without health insurance reported during the year

	PLWH	In Care	VS	MU elig	MU
Yes	305	268	218	119	90
No, always insured	2,769	2,549	2,203	1,117	909
No information	143	98	85	34	28

	PLWH	In Care	VS	MU elig	MU
Last reported insurance type during the year					
Medicaid	1,697	1,555	1,279	669	505
Medicare	638	594	548	270	239
Private	539	503	464	221	195
Other	26	NC	NC	NC	NC
Uninsured	177	150	117	66	52
No information	140	95	82	34	28

Poverty Level

	PLWH	In Care	VS	MU elig	MU
At or above poverty line	1,187	1,079	983	488	422
Below poverty line	2,030	1,836	1,523	782	605

¹Detroit LHD includes the cities of Detroit, Highland Park, Hamtramck, Harper Woods, & the Grosse Pointes. Detroit, under "Last reported city", includes only residents of the city of Detroit.

²Persons in prisons (state or federal) located in the Detroit LHD area. Excluded from city strata.

Care among Ryan White clients living in the Detroit LHD Jurisdiction, 2020

The following strata include Ryan White (RW) clients only. RW clients are individuals who received at least one RW funded service during the given year. Because receiving a service is highly correlated with care, use In Care as the total (not PLWH) when comparing VS or MU among RW clients and other PLWH.

	PLWH	In Care	VS	MU elig	MU
Gender					
Cis men	2,327	2,105	1,815	911	741
Cis women	804	732	635	331	266
Transgender	86	78	56	28	20

Race & Ethnicity¹

Black/AA	2,855	2,578	2,201	1,121	911
Latinx	133	125	116	57	45
White	152	144	133	62	50
Multi/Other	77	68	56	30	21

Age (yrs) on December 31, 2020

00-19	21	NC	NC	NC	NC
20-29	399	357	289	155	113
30-39	748	663	524	263	191
40-49	600	551	462	242	192
50-59	833	757	681	333	280
60+	616	566	531	264	240
<i>Youth:15-29</i>	<i>413</i>	<i>371</i>	<i>302</i>	<i>164</i>	<i>121</i>
<i>CDC youth:13-24</i>	<i>126</i>	<i>117</i>	<i>94</i>	<i>63</i>	<i>49</i>

Other select populations

PWID ²	315	283	235	121	100
Black/AA MSM ³	1,544	1,397	1,194	597	493
Young (15-29)					
Black/AA MSM ³	275	249	208	103	77

Young (15-29) Black/AA Men (YBM) compared to others

YBM	312	280	231	118	87
Other youth 15-29	101	91	71	46	34
30+ years old	2,797	2,537	2,198	1,102	903

¹Latinx persons may be of any race. Black/AA, Latinx, White, & Multi/Other are mutually exclusive categories.

²PWID (persons who inject drugs) includes PWID alone as well as MSM/PWID

³Black/AA MSM include both MSM alone as well as MSM/PWID.