Michigan Behavioral Risk Factor Surveillance System (MiBRFSS)

2022 MICHIGAN BRFSS DATA USERS MEETING

JUNE 29TH, 2022



Outline

- Introduction
 - Michigan Behavioral Risk Factor Surveillance System (MiBRFSS)
 - Michigan Behavioral Risk Factor Survey (MiBRFS)
- 2020 MiBRFS Annual Report Highlights
- 2021 and 2022 MiBRFS Updates
 - Current Progress
- 2023 MiBRFS Plans
 - CDC Core Questionnaire
 - CDC Optional Module
 - Michigan State-added Topics

Michigan BRFSS (MiBRFSS)

- The MiBRFSS comprises annual, statewide telephone surveys of Michigan adults aged 18 years and older and is part of the national BRFSS coordinated by the CDC.
- Only source of state-specific, population-based health estimates among Michigan adults
 - Health behaviors, medical conditions, and preventive healthcare practices
- Since 1989, MiBRFSS conducted on an annual basis
 - Both landline and cell phone starting in 2011
 - Due to methodology changes that took place in 2011, BRFSS estimates from 2011 and moving forward cannot be compared to BRFSS estimates from 2010 and earlier.
- Respondent source for the Michigan Asthma Call Back Survey (since 2005)
 - Follow-up survey for respondents that reported ever being diagnosed with asthma.

MiBRFS Questionnaire



CDC Core questions

The fixed core contains standard questions that are asked by every state each year. There is also a rotating core, which consists of questions that are collected every other year by every state. In off years, the rotating core questions are offered as optional modules.

CDC optional modules

Each year, the CDC offers a selection of standardized optional modules that states can elect to add to their questionnaire. Data processing for optional modules is completed by the CDC. The CDC requires that, if the modules are used, they must be used in their entirety without any modification. If optional modules are altered, they are considered state-added questions.

State-Added Questions

- These are questions of special interest to the state that are not offered as optional modules. The CDC does not complete any of the data processing necessary for analysis of state added questions. Additionally, state-added questions are not necessarily comparable to other states. However, state-added questions allow states the flexibility to address their unique health issues.
- <u>www.Michigan.gov/BRFS</u> (2010-2022)

2022 Michigan Behavioral Risk Factor Survey

Section 1:	Health Status	3
Section 2:	Healthy Days - Health-Related Quality of Life	3
Section 3:	Health Care Access	
Section 4:	Exercise	
Section 5: Section 6:	Inadequate SleepOral Health	
Section 6:	Chronic Health Conditions	
Section 7:	Pre-diabetes	
Section 8:	Demographics	
Section 8a:	Sexual Orientation and Gender Identity (SOGI)	14
Section 9:	Disability	15
Section 10:	Breast and Cervical Cancer Screening	
Section 11: Section 12:	Colorectal Cancer Screening	
Section 13:	Lung Cancer Screening	
Section 14:	Alcohol Consumption	
Section 15:	Immunization	24
Section 16:	HIV/AIDS	
Section 17:	Long-term COVID Effects	26
	114.43	
Version A (S	Oral Health	27
Section 18: Section 19:	Industry and Occupation	
Section 19:	Tobacco Cessation	
Section 21:	Alcohol Screening & Brief Intervention	
Section 22:	COVID Vaccination	29
Section 23:	Cognitive Decline	
Section 24:	Cancer Survivorship: Type of Cancer	
Section 25: Section 26:	Cancer Survivorship: Course of Treatment	
Section 26: Section 27:	Cancer Survivorship: Pain Management	
Section 28:	Random Child Selection	37
Section 29:	Childhood Asthma Prevalence	
Section 30:	Family Planning	40
Section 31:		12
	Food Security	
Section 32:	Stroke	44
		44
Section 32: Section 33:	Stroke	44
Section 32:	Stroke	44 45
Section 32: Section 33: Version B (S	Stroke	44 45 46 46
Section 32: Section 33: Version B (S Section 34: Section 35: Section 36:	Stroke	44 45 46 46 47
Section 32: Section 33: Version B (S Section 34: Section 35: Section 36: Section 37:	Stroke	44 45 46 46 47 47
Section 32: Section 33: Version B (S Section 34: Section 35: Section 36: Section 37: Section 38:	Stroke	44 45 46 46 47 47
Section 32: Section 33: Version B (S Section 34: Section 35: Section 37: Section 38: Section 39:	Stroke	44 45 46 46 47 47 48
Section 32: Section 33: Version B (S Section 34: Section 35: Section 36: Section 37: Section 39: Section 40:	Stroke	44 45 46 47 47 47 48 49
Section 32: Section 33: Version B (S Section 34: Section 35: Section 37: Section 38: Section 39:	Stroke	44 45 46 47 47 47 48 49 51
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 39: Section 40: Section 41: Section 42: Section 42:	Stroke	44 45 46 47 47 47 48 49 51 52 52
Section 32: Section 33: Version B (S Section 34: Section 36: Section 37: Section 38: Section 39: Section 40: Section 40: Section 42: Section 42: Section 43: Section 43:	Stroke	44 45 46 47 47 47 48 49 51 52 52
Section 32: Section 33: Version B (S Section 34: Section 36: Section 37: Section 38: Section 39: Section 40: Section 41: Section 42: Section 44: Section 44: Section 44:	Stroke	44 45 46 46 47 47 47 48 49 51 52 55 57
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 39: Section 40: Section 41: Section 42: Section 42: Section 43: Section 44: Section 44: Section 45: Section 46:	Stroke	44 45 46 46 47 47 47 48 49 51 52 52 55 57 58
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 39: Section 40: Section 41: Section 42: Section 42: Section 44: Section 45: Section 46: Section 46: Section 47:	Stroke	44 45 46 46 47 47 48 49 51 52 55 57 58 61
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 39: Section 40: Section 41: Section 42: Section 42: Section 43: Section 44: Section 44: Section 45: Section 46:	Stroke	44 45 46 47 47 47 48 49 51 52 55 57 58 61 63
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 38: Section 39: Section 40: Section 41: Section 41: Section 42: Section 43: Section 44: Section 44: Section 45: Section 47: Section 47: Section 47: Section 47: Section 47: Section 47:	Stroke	44 45 46 47 47 47 48 49 51 52 55 57 58 61 63
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 39: Section 39: Section 40: Section 41: Section 42: Section 42: Section 44: Section 45: Section 45: Section 46: Section 47: Section 48: Section 48: Section 48: Section 48: Section 48: Section 48: Section 48: Section 49:	Stroke	44 45 46 46 47 47 47 48 49 51 52 55 57 58 61 63 65
Section 32: Section 33: Version B (S Section 34: Section 36: Section 37: Section 38: Section 39: Section 40: Section 41: Section 42: Section 43: Section 44: Section 45: Section 47: Section 47: Section 47: Section 48: Section 49: Section 49: Section 50: Section 51:	Stroke	44 45 46 46 47 47 47 48 49 51 52 55 57 58 61 63 64 65
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 38: Section 39: Section 40: Section 41: Section 42: Section 42: Section 45: Section 45: Section 46: Section 48: Section 48: Section 48: Section 49: Section 49: Section 50: Version 51: Section 51:	Stroke	44 45 46 46 47 47 47 48 49 51 52 55 57 58 61 63 64 65
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 36: Section 39: Section 40: Section 41: Section 42: Section 42: Section 44: Section 44: Section 44: Section 45: Section 46: Section 46: Section 56: Section 50: Section 50: Section 50: Section 50: Section 52: Section 52: Section 53: Section 54:	Stroke	44 45 46 47 47 47 48 49 51 52 55 57 58 61 63 64 65
Section 32: Section 33: Version B (S Section 34: Section 35: Section 36: Section 37: Section 38: Section 38: Section 39: Section 40: Section 40: Section 41: Section 42: Section 43: Section 44: Section 44: Section 45: Section 46: Section 47: Section 47: Section 47: Section 48: Section 49: Section 50: Version C (S Section 51: Section 52: Section 53: Section 53: Section 54:	Stroke	44 45 46 47 47 47 48 49 51 52 55 57 58 61 63 64 65
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 39: Section 40: Section 41: Section 42: Section 42: Section 44: Section 45: Section 45: Section 47: Section 47: Section 47: Section 56: Section 50:	Stroke	44 45 46 47 47 47 48 49 51 52 55 57 58 61 63 64 65
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 39: Section 40: Section 40: Section 41: Section 42: Section 43: Section 44: Section 45: Section 45: Section 47: Section 47: Section 47: Section 50: Section 50: Section 50: Section 50: Section 50: Section 50: Section 53: Section 54: Section 55: Section 56: Section 56: Section 56: Section 57: Section 56: Section 57: Section 56: Section 57: Section 57: Section 58:	Stroke	44 45 46 46 47 47 48 49 51 52 55 57 58 61 66 66 67 67 68 68 69 71
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 38: Section 39: Section 40: Section 41: Section 42: Section 42: Section 42: Section 44: Section 45: Section 45: Section 46: Section 46: Section 49: Section 50: Version C (S Section 51: Section 52: Section 53: Section 54: Section 55: Section 55: Section 56: Section 57: Section 57: Section 57: Section 58: Section 57: Section 58: Section 57: Section 59:	Stroke	44 45 46 46 47 47 47 48 49 51 52 55 57 58 61 63 66 66 67 77 77 77 77 77 77 77 77 77 77
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 39: Section 40: Section 40: Section 41: Section 42: Section 43: Section 44: Section 45: Section 45: Section 47: Section 47: Section 47: Section 50: Section 50: Section 50: Section 50: Section 50: Section 50: Section 53: Section 54: Section 55: Section 56: Section 56: Section 56: Section 57: Section 56: Section 57: Section 56: Section 57: Section 57: Section 58:	Stroke	44 45 46 46 47 47 47 48 49 51 52 55 57 58 61 63 66 66 67 77 77 77 77 77 77 77 77 77 77
Section 32: Section 33: Version B (S Section 34: Section 35: Section 36: Section 37: Section 38: Section 39: Section 40: Section 41: Section 41: Section 42: Section 43: Section 43: Section 44: Section 45: Section 46: Section 47: Section 47: Section 48: Section 48: Section 49: Section 50: Section 50: Section 50: Section 50: Section 52: Section 53: Section 54: Section 55: Section 55: Section 56: Section 56: Section 57: Section 58: Section 59: Section 60: Section 61:	Stroke	44 45 46 46 47 47 47 48 49 51 52 55 57 58 61 63 66 66 67 67 68 68 69 71 72 77 77
Section 32: Section 33: Version B (S Section 34: Section 36: Section 36: Section 37: Section 39: Section 39: Section 40: Section 41: Section 42: Section 42: Section 44: Section 44: Section 44: Section 45: Section 45: Section 45: Section 56: Section 50: Section 60: Section 61: Section 62: Section 63:	Stroke	44 45 46 46 47 47 47 48 49 55 55 57 58 61 63 66 66 67 67 68 68 69 71 77 77
Section 32: Section 33: Version B (S Section 34: Section 35: Section 36: Section 37: Section 38: Section 39: Section 40: Section 41: Section 41: Section 42: Section 43: Section 43: Section 44: Section 45: Section 46: Section 47: Section 47: Section 48: Section 48: Section 49: Section 50: Section 50: Section 50: Section 50: Section 52: Section 53: Section 54: Section 55: Section 55: Section 56: Section 56: Section 57: Section 58: Section 59: Section 60: Section 61:	Stroke	44 45 46 46 47 47 47 48 49 51 52 55 55 57 58 66 66 66 67 72 77 77 77 82

Summary of BRFSS CORE Questions

Poriodicity of	Content/Core Section		
Periodicity of	Content/Core Section		
Data Collection			
Odd-Year	Hypertension		
Rotating Core	Awareness		
	Cholesterol		
	Awareness		
Three-Year Core	Seat Belt		
	Use/Drinking and		
	Driving		
	Immunization		
	(include Shingles)		
	• Sleep		
	• Falls		
Four-Year Core	Fruits and		
	Vegetables		
	• Exercise (Physical		
	Activity)		

MiBRFS Data Collection

- MiBRFSS data collection conducted through a contract with
 - Office for Survey Research at Michigan State University (1996-2020)
 - ICF Marco Inc. (2021-)
- MiBRFSS funding for data collection
 - Cooperative agreement with the Centers for Disease Control and Prevention (CDC)
 - × ~50% of data collection costs
 - To support CDC core questions
 - Other state programs and health organizations
 - ~50% of data collection costs
 - To support state-added questions and CDC optional modules

MiBRFS Annual Analysis

- Data are weighted by CDC to adjust for the probabilities of selection and a raking weighting factor is used to adjust for the distribution of the Michigan adult population based on eight demographic variables.
 - Telephone source (landline or cell phone), race/ethnicity, education level, marital status, age by gender, gender by race/ethnicity, age by race/ethnicity, and renter/owner status.
- All analyses are performed using SAS-callable SUDAAN® to account for the complex sampling design.
 - If the 95% CIs for two estimates from different subpopulations or survey years did not overlap, they were considered to be statistically different.
 - Unless otherwise specified, respondents who answered that they did not know or refused to answer
 were not included in the calculation of estimates.
- Data suppression rules
 - A denominator of less than 50 respondents
 - Relative standard error (RSE) of greater than 30%: RSE=(Standard Error/Point Estimate)*100
- Results are available on MiBRFSS website (<u>www.Michigan.gov/BRFS</u>) and sent out via GovDelivery or email distribution list.
- Data requests
 - Estimates not included in the standard tables, please email coordinator with details of request
 - Raw data requests: MiBRFSS data use agreement process

Michigan BRFSS website

www.Michigan.gov/BRFS

HEALTH RISK BEHAVIORS WITHIN THE STATE OF MICHIGAN







2020 BEHAVIORAL RISK FACTOR SURVEY 34TH ANNUAL REPORT





Michigan.gov | Health & Human Services

Assistano Program: Adult & Children's Services Safety & Injury Prevention Keeping Michigan

Doing Business with

Inside

Michigan Behavioral Risk Factor Surveillance System

MDHHS

Keeping Michigan Healthy

Communicable & Chronic Diseases

Epidemiology Services

Chronic Disease Epidemiology

Behavioral Risk Facto

Background

The Michigan Behavioral Risk Factor Surveillance System (MiBRFSS) is composed of annual, state-level telephone surveys of Michigan residents, aged 18 years and older. These annual, state-level surveys, also known as Michigan Behavioral Risk Factor Surveys (MiBRFS) act as the only source of state-specific, opopulation-based estimates of the prevalence of various behaviors, medical conditions, and preventive health care practices among Michigan adults. MiBRFS results are used by public health agencies, academic institutions, non-profit organizations and others to develop and evaluate programs that promote the health of Michigan citizens.

The national <u>Behavioral Risk Factor Surveillance System</u> (BRFSS) consists of annual surveys (i.e., BRFS) conducted independently by the states, District of Columbia, and U.S. territories, and is coordinated through cooperative agreements with the Centers for Disease Control and Prevention (CDC). The annual Michigan surveys follow the CDC telephone survey protocol for the BRFSS and the annual standardized core questionnaire is used. In addition, the Michigan BRFS includes about 25 state-added questions each year.

Michigan Behavioral Risk Factor Surveillance System
(MiBRFSS) Dashboard, 2022



Publications

Within the sections below, you will find annual Michigan BRFS questionnaires, as well as annual and multi-year Michigan BRFS surveillance data focusing on health risk behaviors, health indicators, and chronic diseases both at the state and local level. These sections also include a variety of reports focusing on special analyses that have been conducted using Michigan BRFS data.

· Michigan BRFSS Annual Questionnaires

The BRFS annual questionnaires consist on CDC core questions, optional modules, and state-added questions.

Michigan BRFSS Annual Reports

The BRFS annual reports highlight key health risk behaviors, health indicators, and diseases in Michigan

Michigan BRFSS Standard Tables

The MiBRFSS standard tables present prevalence estimates on health risk behaviors, health indicators, and diseases from the Michigan BRFS by age group, gender, race, education level, and household income level.

Michigan BRFSS Race/Ethnicity Tables

The MiBRFSS race/ethnicity tables provide prevalence estimates on key health risk behaviors, health indicators, and diseases for Michigan's major racial/ethnic populations.

Michigan BRFSS Regional and Local Health Department Tables

Region-specific and local health department-specific prevalence estimates for health-risk behaviors, preventive health practices, and chronic conditions are computed using a three to five-year combined MiBRFSS dataset that maximizes the available sample size.

· Michigan BRFSS Surveillance Briefs

The MiBRFSS Surveillance Brief is a quarterly newsletter highlighting new topical data from the MI BRFSS. The miscellaneous BRFS reports include other reports and presentations that have been created using BRFSS data.

· Michigan BRFSS Highlights


The following presentations provide short summaries of the key findings from the most recent Michigan Behavioral Risk Factor Surveys.


- 2021 Michigan BRFSS Data Users Meeting Presentation Slides (PPT)
- 2021 Michigan BRFSS Data Users Meeting (video)
- 2018 Michigan BRFSS Data Users Meeting (PPT)
- The Behavioral Risk Factor Surveillance System: Past, Present, and Future (PDF)

2020 MiBRFS Annual Tables


- Annual tables are located on the MiBRFSS website
 - www.michigan.gov/brfs
 - 2020 MiBRFS Standard Tables
 - 2020 MiBRFS Age and Gender Tables
 - 2020 MiBRFS Race/Ethnicity Tables
 - 2018-2020 Expanded Race/Ethnicity Tables
 - 2018-2020 Regional and Local Health Department Tables
 - 2018-2020 Prosperity Region Tables
 - 2018-2020 Emergency Preparedness Region Tables
- 2020 state-added question results can be requested via email to the coordinator.


Number of Interviews by Survey Year Michigan BRFS 2000-2020








General Health, Fair or Poor U.S. vs. Michigan, 2009-2020





























Current E-Cigarette Use by Age and Gender Michigan, 2020




^{*}Suppressed due to a denominator of < 50 and/or a relative standard error > 30%.


Secondhand Smoke Exposure by Race and Gender, Michigan, 2020








Always Uses A Seat Belt by Gender Michigan, 2010-2020
















Had a Pap Test in the Past Three Years Among Women Aged 18 Years and Older Michigan, 2012-2020

































*Suppressed due to a denominator of < 50 and/or a relative standard error > 30%.


Chronic Obstructive Pulmonary Disease (COPD)























2021 MiBRFS Status Update

- Survey Statistics
 - 7,527 completed interviews
 - Landline = 2,259
 - Cell Phone = 5,268
- Asthma Call Back Survey
 - Completed 795 interviews (708 adults and 87 children)
- Public use data expected to be available in August/September 2022.
- MDHHS Standard Tables expected to be available November/December 2022 at www.michigan.gov/brfs.

2022 MiBRFS Status Update

- Current Survey Progress (as of June 28th, 2022)
 - Completed = 3,988 (53%) interviews
 - Landline = 1,392 (62%)
 - Cell Phone = 2,596 (49%)
- 2022 Survey Target Numbers
 - Completed = 7,500 interviews (30/70 split)
 - Landline = 2,256
 - Cell Phone = 5,244
- Asthma Call Back Survey is also being conducted in 2022
 - Progress: 456 completed interviews (416 adults, 40 children) (as of June 28th, 2022)

CDC BRFS Core Topics Planning 2021-2026

	2021	2022	2023	2024	2025	2026
Health Status	√	V	√	V	√	V
Healthy Days	$\sqrt{}$	V	$\sqrt{}$	V	$\sqrt{}$	V
Health Care Access	1	1	√	$\sqrt{}$	$\sqrt{}$	1
Exercise	√	V	V	V	√	V
Hypertension	\checkmark		$\sqrt{}$		$\sqrt{}$	
Cholesterol	~		$\sqrt{}$		$\sqrt{}$	
Chronic Conditions	1	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$
Arthritis	√					
Demographics	√	V	√	V	$\sqrt{}$	V
Disability	\checkmark	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$
Tobacco Use		V	√	V	√	V
Alcohol	√	√	1	1	√	1
Immunization	1		√ √			

CDC BRFS Core Topics Planning 2021-2026

	2021	2022	2023	2024	2025	2026
H.I.V./AIDS	$\sqrt{}$	$\sqrt{}$	√	V	√	V
Falls			$\sqrt{}$			$\sqrt{}$
Physical Activity			$\sqrt{}$			
Breast and Cervical Cancer		$\sqrt{}$		V		V
Prostate Cancer		$\sqrt{}$		$\sqrt{}$		\checkmark
Colorectal Cancer		$\sqrt{}$		V		V
Drinking Driving/			V			V
Seat Belt Use						
Inadequate Sleep		$\sqrt{}$			$\sqrt{}$	
Oral Health				1		1
Fruits and Vegetables	1				$\sqrt{}$	

2023 CDC BRFS Core Topics

1: Health Status

2: Healthy Days

3: Health Care Access

4: Exercise (Physical Activity)

5: Hypertension Awareness

6: Cholesterol Awareness

7: Chronic Health Conditions

8: Demographics

9: Disability

10: Falls

11: Tobacco Use

12: Alcohol Consumption

13: Immunization (with shingles)

14: H.I.V./AIDS

15: Drinking Driving/ Seat Belt Use

16: Emerging Core: Long-term

COVID Effects

2023 CDC BRFS Optional Modules

- 1: Prediabetes
- 2: Diabetes
- 3: Place of Flu Vaccination
- 4: Lung Cancer Screening
- 5: Breast and Cervical Cancer Screening
- 6: Prostate Cancer Screening
- 7: Colorectal Cancer Screening
- 8: Cancer Survivorship: Type of Cancer
- 9: Cancer Survivorship: Course of Treatment
- 10: Cancer Survivorship: Pain Management
- 11: Indoor Tanning
- 12: Excess Sun Exposure
- 13: Cognitive Decline
- 14: Caregiver

- 15: Tobacco Cessation
- 16: Other Tobacco Products
- 17: Firearm Safety
- 18: Industry and Occupation
- 19: Heart Attack and Stroke
- 20: Reaction to Race
- 21: Social Determinants and Health Equity
- 22: Sexual Orientation and Gender Identity
- 23: Random Child Selection
- 24: Childhood Asthma Prevalence
- 25: Marijuana Use
- 26: Adverse Childhood Experiences
- 27: COVID-19 Vaccination
- 28: Sex at Birth

2023 MiBRFS State-Added Questions

- In 2023, we will continue to ask programs that have state-added questions included within the MiBRFS to contribute financially towards the conduct and analysis of the survey.
- Question costs (per split of ~ 2,500)
 - < 20% of respondents = \$2,500 per question
 - \geq 20% of respondents = \$3,000 per question
- For those interested in adding specific questions to the 2023 MiBRFS, please submit the State-added Question Proposal form to TianY@michigan.gov by July 15th, 2022.

2023 Michigan Behavioral Risk Factor Survey (MiBRFS) State-Added Question / Regional Oversample Proposal Form

If you are interested in having specific questions added to the 2023 MiBRFS or conducting a regional oversample within the 2023 survey year, please complete this form and submit it to Yan Tian (TianY@michigan.gov) by Friday, July 15th, 2022.

In 2023, we will continue to ask programs that have state-added questions included within the MiBRFS to contribute financially towards the conduct and analysis of the survey. For each questionnaire split on which the questions are included, funded programs will be asked to contribute \$2,500 for each question asked of less than 20% of respondents and \$3,000 each for all other questions. The costs associated with regional oversamples vary depending on the goals of each oversample and thus will need to be discussed further with MiBRFSS staff before exact costs can be determined.

The list of potential 2023 MiBRFS state-added questions and regional oversamples will be compiled and discussed in further detail as part of the 2022 Michigan BRFSS Data Users Meeting presentation that will be scheduled on Wednesday, June 29th, 2022.

Topic:					
Name of Requester:	Bureau/Division:				
Phone :	E-mail:				
How will these data be used from a program or policy aspect?					
What is the target population from whom you want to collect this data?					
What data are currently available on these issues/populations and what would data from the BRFSS provide that is not provided by these other sources?					

Expected number of questionnaire splits for these questions, if available:

Approximately how many questions do you think are needed?

- 1 split = 2,500 3,500 interviews (if questions are asked of the entire adult population)
 2 splits = 5,000 7,000 interviews (if questions are asked of the entire adult population)

If you are proposing a regional oversample only, please skip to the last question.

3 splits = 7,500 - 10,500 interviews (if questions are asked of the entire adult population)

2023 MiBRFS State-Added Topics ---Planned

Module Name	# Questions	# Splits
Firearm Safety	3	3
Social Determinants and Health Equity	10	2
Reaction to Race	6	2
Other Tobacco Products	3	2
Cancer Survivor	3	3
Prostate Cancer Screening	5	3

MiBRFSS Questions

- Questions related to the MiBRFSS Data Users Presentation
- Have interest in state-added question proposals for the 2023 or future survey
- Need further information on other MiBRFSSrelated topics
- Contact Yan Tian
 - Michigan BRFSS Coordinator/Epidemiologist
 - TianY@michigan.gov
 - 0 517-335-8144

MiBRFSS Staff Information

Michigan BRFSS Financial Specialist:

Sarah Razak, RazakS@michigan.gov

Michigan BRFSS Coordinator/Epidemiologist:

Yan Tian, TianY@Michigan.gov

Michigan BRFSS website:

www.Michigan.gov/BRFS