



Annual HIV Prevalence Report, Persons living with HIV December 31, 2024

Data as of July 2025

Quality, Evaluation, and Epidemiology Section
Data and Operations Division
Bureau of HIV & STI Programs
Michigan Department of Health and Human Services
www.Michigan.gov/HIVSTI

Tables of Contents

Notes and Definitions	ii
Statewide Information	
History of the Epidemic: New diagnoses, prevalence, and deaths 1981-present	2
Geographic stratification:	
Region & Local Health Department (LHD) Jurisdiction	3
Metropolitan Statistical Areas (MSAs)	4
City	5
Demographic stratification:	
Sex, gender, race, ethnicity, age at year end	6
Risk & Special populations: MSM, PWID, young Black/AA men	7
Detroit Metro Area (DMA)	
Geographic stratification:	
Region & Local Health Department (LHD) Jurisdiction	9
City	9
Demographic stratification:	
Sex, gender, race, ethnicity, age at year end	11
Risk & Special populations: MSM, PWID, young Black/AA men	12
Detroit Local Health Department (LHD) Jurisdiction	
Geographic stratification:	
City	14
Demographic stratification:	
Sex, gender, race, ethnicity, age at year end	15
Risk & Special populations: MSM, PWID, young Black/AA men	16

Notes & Key definitions

The HIV Prevalence Report includes diagnosed persons with HIV (**PWH**) in Michigan at the end of the given year. When available, census data are used to calculate prevalence rates. To understand the importance of using rates when comparing populations, see our 5 minute [Epidemiology 101 video](#). This report is meant to guide care and prevention strategies by identifying the most affected communities.

The following measures are displayed in this report:

Region or Demographic	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PWH, 2024				Population counts, 2024 (census)
	PWH at any Stage (0-3)		MI %	Last CD4 signifies Stage 3		count	HTR	Syphilis		Gonorrhea or Chlamydia		
Group X	count	rate		count	prev %			count	HTR	count	prev %	count
	A	B	C	D	E	F	G	H	I	J	K	

Prevalence December 31 includes persons with HIV in the given region (Michigan, DMA, or Detroit LHD jurisdiction) as of December 31 of the given year.

PWH at any Stage (0-3) refers to the total prevalence.

count (A): The number of persons in Group X with HIV at the end of the year.

rate (B): The prevalence rate per 100,000 persons in Group X (count/population x 100,000, i.e. A/L x 100,000).

MI %, DMA %, or DLHD % (C): Of all PWH in the given region (Michigan, DMA, or Detroit LHD jurisdiction) at the year end, the percent who are in Group X (i.e. column percent). For example, in the statewide report, this column is the count (A)/total PWH in Michigan; in the DMA report it is the count (A)/total PWH in the DMA.

Last CD4 signifies Stage 3 is a subset of the total prevalence. Stage 3, formerly known as AIDS, is most commonly defined by a CD4 count <200 or CD4 percent <14% if count is not available. Stage 3 is also recognized with a physician diagnosis of an opportunistic infection.

count (D): The number of persons with HIV in Group X whose last known stage was Stage 3 (subset of A).

prev % (E): Of the total number of PWH in Group X, the percent whose last known stage was Stage 3. (D/A x 100).

New diagnoses & HTR (additional HTR information on the next page)

count (F): Number of new diagnoses among residents of the given region (Michigan, DMA, or Detroit LHD jurisdiction) during the given year. This is not a subset of prevalence count as new diagnoses includes persons who moved or died before the year end.

HTR (G): HIV Transmission Rate (HTR) measures the number of diagnosed transmissions that occurred per 100 PWH. It is most frequently calculated as new diagnoses (F)/reported prevalence (A) x 100. See the following page for more detail.

STI diagnoses among PLWH includes PWH diagnosed with an STI during the given year. STI diagnosis must occur after HIV diagnosis.

Syphilis

count (H): The number of persons with HIV in Group X diagnosed with Syphilis during the given year (subset of A).

prev % (I): Of the total number of PWH in group X, the percent diagnosed with Syphilis during the given year. (H/A x 100).

Gonorrhea or Chlamydia

count (J): The number of persons with HIV in Group X diagnosed with Gonorrhea and/or Chlamydia during the given year (subset of A).

prev % (K): Of the total number of PWH in group X, the percent diagnosed with Gonorrhea and/or Chlamydia during the given year. (J/A x 100).

Population counts (census) (L): The total population (census) of Group X during 2023. The population of men who have sex with men (MSM) is estimated at 5.8% of Michigan's adult male population¹.

¹Lieb S, et al. (2011) Statewide Estimation of Racial/Ethnic Populations of Men Who Have Sex with Men in the U.S. ASPH Public Health Reports vol 126 pg. 60-72

HIV Transmission Rate (HTR)

The HIV Transmission Rate (HTR) measures the number of diagnosed transmissions that occurred per 100 PWH. This measure may help identify which communities have higher or lower new diagnosis rates than expected. Everything held equal (risk behavior, care access, etc.) HTR's would be the same in every community, every year (the number of new diagnoses would only be affected by the number of PWH). Communities with high prevalence rates would have high new diagnosis rates solely because individuals in that community are more likely to encounter someone with HIV and vice versa. However, other factors such as risk behavior, testing, and care access are not equal and affect transmission and new diagnosis rates. High HTR's are an indication of differing underlying factors in a community.

Unless a different denominator is specified below, $HTR = \text{number of new diagnoses in a population} / \text{reported prevalence of that population} \times 100$. From the previous page, $HTR = F/A \times 100$. The HTR assumes all transmissions occur within like geographic or demographic groups. Based on analyses of HIV strains in Michigan, this assumption is valid for most populations. However HTR's should be interpreted with caution - especially for small geographic regions such as cities, and small demographic groups with somewhat arbitrary categorizations. For example, the HTR for 15-19 year olds is calculated as new diagnoses among 15-19 year olds/prevalence among 15-19 year olds x 100. An alternate, and perhaps more accurate calculation, is new diagnoses among 15-19 year olds/prevalence among 15-24 or 15-29 year olds x 100. For clarity and consistency these small adjustments are not calculated.

The denominator of the HTR is altered, however, when the calculated HTR within a group does not make any practical sense (see the table of numerators and denominators below). For example, it does not make sense to calculate the HTR for new diagnoses among heterosexual women out of all heterosexual women - HIV is not transmitted within the group. Therefore, the denominator for heterosexual women is all men living with HIV. When no denominator can contribute to a meaningful HTR calculation, "N/A" is displayed. HTR is marked as, "Not calculated" when new diagnosis information is not available for that stratum.

HTR is calculated as number of new diagnoses among the group of interest/denominator for HTR x 100 for the following:

Group of interest

Male, Female, or Transgender
Black/AA males or females
Latinx males or females
White males or females
Multi/other males or females

When risk is "Sex w men"
When risk is "PWID"
When risk is "Sex w men & PWID"
When risk is "Sex w women"
When risk is "Perinatal or Pediatric"

Denominator for HTR

All PWH in region (MI, DMA, Detroit LHD)
All Black/AA PWH in region (MI, DMA, Detroit LHD)
All Latinx PWH in region (MI, DMA, Detroit LHD)
All white PWH in region (MI, DMA, Detroit LHD)
All multi/other PWH in region (MI, DMA, Detroit LHD)
All male PWH in region (MI, DMA, Detroit LHD)
All PWID and MSM/PWID with HIV in region (MI, DMA, Detroit LHD)
All males and non-male PWID with HIV in region (MI, DMA, Detroit LHD)
All female PWH in region (MI, DMA, Detroit LHD)
All female PWH between 15 and 49 years old in region (MI, DMA, Detroit LHD)



The State of Michigan

Residents of Michigan living with HIV December 31, 2024

The HIV Epidemic in Michigan, 1981 - present

	New diagnoses				Year end prevalence ³ Reported	Deaths	
	Count	HTR ¹	Late diagnoses ² of all	of known		All-cause deaths	HIV- related ⁴
1981	3	--	100%	--	1	2	--
1982	3	100.0	67%	--	3	1	--
1983	27	112.5	81%	--	24	6	--
1984	62	98.4	81%	--	63	23	--
1985	221	106.3	43%	--	208	76	--
1986	300	77.1	46%	--	389	119	--
1987	534	74.9	57%	--	713	210	73%
1988	690	62.4	65%	--	1,106	297	70%
1989	1,039	60.2	57%	--	1,725	420	77%
1990	1,184	48.7	55%	--	2,433	476	71%
1991	1,202	39.1	54%	--	3,071	564	74%
1992	1,360	36.5	45%	--	3,723	708	73%
1993	1,214	29.9	43%	--	4,058	879	76%
1994	1,167	27.5	44%	--	4,245	980	78%
1995	1,131	26.0	46%	--	4,355	1,021	80%
1996	1,069	22.7	41%	--	4,712	712	73%
1997	996	19.1	38%	--	5,209	499	63%
1998	869	15.4	40%	--	5,653	425	63%
1999	696	11.7	41%	--	5,941	408	59%
2000	867	13.6	37%	--	6,392	416	61%
2001	842	12.4	38%	--	6,797	437	61%
2002	730	10.3	35%	--	7,105	422	57%
2003	823	11.0	37%	--	7,514	414	56%
2004	858	10.7	32%	--	7,985	387	58%
2005	865	10.2	34%	--	8,461	389	59%
2006	764	8.6	29%	--	8,852	373	53%
2007	775	8.4	28%	--	9,266	361	54%
2008	768	8.0	27%	--	9,659	375	53%
2009	800	7.9	24%	--	10,152	307	49%
2010	760	7.2	28%	--	10,601	311	49%
2011	773	7.0	24%	--	11,059	315	42%
2012	789	6.9	22%	--	11,505	343	43%
2013	750	6.3	27%	--	11,957	298	43%
2014	783	5.3	23%	28%	14,854	295	37%
2015	723	5.0	22%	25%	14,388	316	37%
2016	739	4.7	23%	27%	15,564	295	34%
2017	767	4.8	19%	21%	15,869	303	31%
2018	710	4.4	23%	26%	16,228	339	24%
2019	672	4.0	22%	24%	16,951	313	26%
2020	521	3.0	18%	21%	17,300	407	23%
2021	646	3.6	18%	21%	17,707	386	24%
2022	629	3.5	19%	23%	17,954	416	25%
2023	694	3.8	19%	23%	18,402	416	27%
2024	688	3.6	18%	21%	18,952	283*	27%

¹HIV Transmission Rate (HTR) measures the number of transmissions that occurred per 100 PLWH each year (new diagnoses/reported yr end prevalence x 100). ²Late diagnosis: Stage 3 within 90 days of initial HIV diagnosis. In 2014, this was calculated out of newly diagnosed individuals with a known stage. ³Until 2014, prevalence was calculated using residence at diagnoses and deaths. Beginning in 2014, prevalence is based on current address. Nationally, an estimated 13% of persons with HIV (PWH) were undiagnosed in 2022. ⁴Based on death certificate ICD codes (may be underreported). *Reported deaths during 2024 will be complete by the end of 2025.

Michigan HIV Prevalence December 31, 2024: Geographic Stratification

Last reported address before year end unless otherwise specified

Region	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	count	rate	MI %	count	prev %	count	HTR	Syphilis		Gonorrhea or Chlamydia		
				Last CD4 signifies Stage 3				count	prev %	count	prev %	
Michigan	18,952	186.9	100.0%	1,281	6.8%	688	3.6	591	3.1%	987	5.2%	10,140,459
DMA ¹	11,858	272.0	62.6%	842	7.1%	431	3.6	360	3.0%	690	5.8%	4,359,647
Outstate ²	6,803	117.7	35.9%	432	6.4%	246	3.6	221	3.2%	294	4.3%	5,780,812
Prison ³	291	N/A	1.5%	7	2.4%	11	N/A	10	3.4%	3	1.0%	No data
Prison History⁴												
Any prison during 2024	333	N/A	1.8%	9	2.7%	Not calculated		15	4.5%	4	1.2%	No data
Any prison reported since HIV diagnosis	1,182	N/A	6.2%	113	9.6%	Not calculated		53	4.5%	44	3.7%	No data
Local Health Department (LHD) Jurisdiction												
Allegan Co.	150	122.5	0.8%	6	4.0%	2	1.3	1	0.7%	3	2.0%	122,429
Barry-Eaton	157	90.5	0.8%	7	4.5%	8	5.1	4	2.5%	6	3.8%	173,519
Berrien Co.	271	177.5	1.4%	19	7.0%	14	5.2	9	3.3%	10	3.7%	152,703
Branch-Hillsdale-St. Joseph	105	68.7	0.6%	11	10.5%	7	6.7	5	4.8%	2	1.9%	152,948
Calhoun Co.	241	180.1	1.3%	22	9.1%	7	2.9	10	4.1%	11	4.6%	133,785
Central Michigan ⁵	870	71.0	4.6%	58	6.7%	22	2.5	18	2.1%	16	1.8%	1,224,562
Detroit LHD ⁶	5,718	781.6	30.2%	482	8.4%	212	3.7	197	3.4%	418	7.3%	731,570
Genesee Co.	677	168.3	3.6%	46	6.8%	25	3.7	22	3.2%	42	6.2%	402,279
Ingham Co.	531	182.8	2.8%	37	7.0%	27	5.1	18	3.4%	18	3.4%	290,427
Ionia Co.	39	58.9	0.2%	2	5.1%	1	2.6	1	2.6%	2	5.1%	66,250
Jackson Co.	180	112.3	0.9%	7	3.9%	6	3.3	6	3.3%	5	2.8%	160,233
Kalamazoo Co.	463	174.9	2.4%	37	8.0%	15	3.2	15	3.2%	29	6.3%	264,780
Kent Co.	1,217	180.8	6.4%	73	6.0%	52	4.3	50	4.1%	78	6.4%	673,002
Lapeer Co.	53	59.4	0.3%	3	5.7%	1	1.9	2	3.8%	2	3.8%	89,168
Lenawee Co.	63	64.5	0.3%	3	4.8%	2	3.2	1	1.6%	0	0.0%	97,746

LHD Jurisdictions continued on next page

¹Detroit Metro Area (DMA) includes Lapeer, Macomb, Monroe, Oakland, St. Clair, and Wayne Counties. Prisons are excluded. ²Outstate includes Michigan residents outside the DMA. Prisons are excluded. ³Persons in prisons (state or federal) located in Michigan. Reported separately for geographic stratification. ⁴Prison History is not restricted to last reported address. ⁵Central Michigan LHD includes all otherwise unlisted counties in the lower peninsula. ⁶Detroit LHD includes the cities of Detroit, Hamtramck, Harper Woods, Highland Park, & the Grosse Pointes. Detroit, under "select cities", includes only residents of the city of Detroit.

Michigan HIV Prevalence December 31, 2024: Geographic Stratification

Last reported address before year end unless otherwise specified

Region	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	count	rate	MI %	count	prev %	count	HTR	Syphilis		Gonorrhea or Chlamydia		
								count	prev %	count	prev %	
Local Health Department (LHD) Jurisdiction , continued from previous page												
Livingston Co.	117	59.4	0.6%	8	6.8%	7	6.0	0	0.0%	2	1.7%	196,976
Macomb Co.	1,450	163.6	7.7%	96	6.6%	52	3.6	39	2.7%	73	5.0%	886,175
Marquette ¹	178	58.5	0.9%	13	7.3%	2	1.1	3	1.7%	1	0.6%	304,430
Monroe Co.	159	101.9	0.8%	9	5.7%	5	3.1	5	3.1%	3	1.9%	156,045
Muskegon Co.	208	117.2	1.1%	16	7.7%	9	4.3	14	6.7%	14	6.7%	177,428
Oakland Co.	2,368	182.6	12.5%	130	5.5%	78	3.3	70	3.0%	101	4.3%	1,296,888
Ottawa Co.	180	58.8	0.9%	12	6.7%	10	5.6	4	2.2%	7	3.9%	306,235
Saginaw Co.	279	148.6	1.5%	14	5.0%	7	2.5	14	5.0%	11	3.9%	187,714
Shiawassee Co.	50	73.5	0.3%	1	2.0%	0	0.0	0	0.0%	0	0.0%	67,982
St. Clair Co.	144	89.8	0.8%	12	8.3%	7	4.9	2	1.4%	9	6.3%	160,308
The Thumb ²	60	48.5	0.3%	6	10.0%	3	5.0	2	3.3%	2	3.3%	123,830
Van Buren-Cass	122	95.6	0.6%	4	3.3%	5	4.1	5	4.1%	4	3.3%	127,679
Washtenaw Co.	645	172.5	3.4%	30	4.7%	15	2.3	19	2.9%	31	4.8%	373,875
Wayne Co. LHD	1,966	189.1	10.4%	110	5.6%	76	3.9	45	2.3%	84	4.3%	1,039,493
Metropolitan Statistical Areas (MSA's) ³												
Ann Arbor	645	172.5	3.4%	30	4.7%	15	2.3	19	2.9%	31	4.8%	373,875
Battle Creek	241	180.1	1.3%	22	9.1%	7	2.9	10	4.1%	11	4.6%	133,785
Bay City	91	88.6	0.5%	4	4.4%	1	1.1	3	3.3%	0	0.0%	102,651
Detroit-Warren-Dearborn	11,816	268.5	62.3%	841	7.1%	433	3.7	355	3.0%	689	5.8%	4,400,578
Flint	677	168.3	3.6%	46	6.8%	25	3.7	22	3.2%	42	6.2%	402,279
Grand Rapids-Wyoming	1,469	132.0	7.8%	88	6.0%	66	4.5	56	3.8%	87	5.9%	1,112,576
Jackson	180	112.3	0.9%	7	3.9%	6	3.3	6	3.3%	5	2.8%	160,233
Kalamazoo-Portage	551	161.6	2.9%	40	7.3%	17	3.1	18	3.3%	32	5.8%	340,909
Lansing-E Lansing	690	143.8	3.6%	45	6.5%	35	5.1	22	3.2%	25	3.6%	479,971
Midland	42	50.0	0.2%	5	11.9%	2	4.8	2	4.8%	1	2.4%	84,022

MSA's continued on next page

¹Marquette LHD includes the entire upper peninsula. ²The Thumb includes Huron, Sanilac, and Tuscola Counties.

³MSA designations: https://www2.census.gov/geo/maps/metroarea/stcbsa_pg/Feb2013/cbsa2013_MI.pdf

Michigan HIV Prevalence December 31, 2024: Geographic Stratification

Last reported address before year end unless otherwise specified

Region	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	count	rate	MI %	count	prev %	count	HTR	Syphilis		Gonorrhea or Chlamydia		
				Last CD4 signifies Stage 3				count	prev %	count	prev %	
Metropolitan Statistical Areas (MSA's)¹, continued from previous page												
Monroe	159	101.9	0.8%	9	5.7%	5	3.1	5	3.1% 0	3	1.9%	156,045
Muskegon	208	117.2	1.1%	16	7.7%	9	4.3	14	6.7% 0	14	6.7%	177,428
Niles-Benton Harbor	271	177.5	1.4%	19	7.0%	14	5.2	9	3.3% 0	10	3.7%	152,703
Saginaw	279	148.6	1.5%	14	5.0%	7	2.5	14	5.0% 0	11	3.9%	187,714
uth Bend-Mishawaka IN-MI	34	66.0	0.2%	1	2.9%	3	8.8	2	5.9% 0	1	2.9%	51,550
Micropolitan Area	853	74.2	4.5%	49	5.7%	18	2.1	16	1.9% 0	16	1.9%	1,150,241
Select Cities: Top 20 Michigan cities with largest HIV counts												
Ann Arbor	247	193.7	1.3%	8	3.2%	5	2.0	4	1.6%	13	5.3%	127,514
Battle Creek	182	348.6	1.0%	20	11.0%	6	3.3	8	4.4%	9	4.9%	52,205
Clinton Township	191	188.4	1.0%	7	3.7%	5	2.6	3	1.6%	12	6.3%	101,359
Detroit	5,386	834.1	28.4%	457	8.5%	202	3.8	185	3.4%	393	7.3%	645,705
Eastpointe	178	524.4	0.9%	13	7.3%	10	5.6	6	3.4%	15	8.4%	33,943
Ferndale	149	766.8	0.8%	6	4.0%	2	1.3	5	3.4%	11	7.4%	19,431
Flint	438	395.7	2.3%	35	8.0%	13	3.0	20	4.6%	35	8.0%	110,697
Grand Rapids	725	330.3	3.8%	47	6.5%	32	4.4	29	4.0%	55	7.6%	219,489
Inkster	155	617.3	0.8%	13	8.4%	5	3.2	1	0.6%	9	5.8%	25,108
Jackson	149	481.9	0.8%	5	3.4%	12	8.1	4	2.7%	5	3.4%	30,920
Kalamazoo	358	488.5	1.9%	30	8.4%	11	3.1	11	3.1%	24	6.7%	73,290
Lansing	494	403.4	2.6%	33	6.7%	29	5.9	17	3.4%	19	3.8%	122,456
Pontiac	326	521.4	1.7%	31	9.5%	10	3.1	10	3.1%	19	5.8%	62,528
Redford	170	355.9	0.9%	10	5.9%	3	1.8	2	1.2%	7	4.1%	47,762
Royal Oak	163	279.8	0.9%	8	4.9%	2	1.2	3	1.8%	6	3.7%	58,251
Saginaw	244	290.5	1.3%	9	3.7%	7	2.9	14	5.7%	9	3.7%	83,997
Southfield	416	541.1	2.2%	23	5.5%	13	3.1	21	5.0%	20	4.8%	76,874
Warren	371	269.5	2.0%	27	7.3%	14	3.8	7	1.9%	23	6.2%	137,686
Westland	217	262.3	1.1%	13	6.0%	9	4.1	8	3.7%	7	3.2%	82,745
Ypsilanti	337	449.9	1.8%	20	5.9%	7	2.1	15	4.5%	16	4.7%	74,910

¹MSA designations: https://www2.census.gov/geo/maps/metroarea/stcbsa_pg/Feb2013/cbsa2013_MI.pdf

Michigan HIV Prevalence December 31, 2024: Demographic Stratification

Demographic	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	PWH at any Stage (0-3)			Last CD4 signifies Stage 3		count	HTR	Syphilis		Gonorrhea or Chlamydia		
Sex assumed at birth	count	rate	MI %	count	prev %					count	prev %	count
Male	15,195	302.5	80.2%	988	6.5%	561	3.0	576	3.8%	934	6.1%	5,023,293
Female	3,757	73.4	19.8%	293	7.8%	127	0.7	15	0.4%	53	1.4%	5,117,166
Transgender ¹	346	N/A	1.8%	31	9.0%	27	0.1	23	6.6%	48	13.9%	No data
Race & Latinx ethnicity by sex assumed at birth²												
Black/AA overall	10,092	727.6	53.3%	755	7.5%	356	3.5	350	3.5%	670	6.6%	1,387,002
Black/AA males	7,616	1,154.8	40.2%	563	7.4%	291	2.9	342	4.5%	637	8.4%	659,495
Black/AA females	2,476	340.3	13.1%	192	7.8%	65	0.6	8	0.3%	33	1.3%	727,507
Latino overall	1,587	254.4	8.4%	117	7.4%	103	6.5	75	4.7%	96	6.0%	623,879
Latino males	1,316	413.9	6.9%	95	7.2%	78	4.9	75	5.7%	89	6.8%	317,989
Latina females	271	88.6	1.4%	22	8.1%	25	1.6	0	0.0%	7	2.6%	305,890
White overall	6,390	86.3	33.7%	347	5.4%	193	3.0	141	2.2%	177	2.8%	7,405,951
White males	5,555	150.7	29.3%	284	5.1%	159	2.5	135	2.4%	166	3.0%	3,687,338
White females	835	22.5	4.4%	63	7.5%	34	0.5	6	0.7%	11	1.3%	3,718,613
Multi/other overall	879	121.5	4.6%	62	7.1%	35	4.0	25	2.8%	44	5.0%	723,627
Multi/other males	705	196.7	3.7%	46	6.5%	32	3.6	24	3.4%	42	6.0%	358,471
Multi/other females	174	47.7	0.9%	16	9.2%	3	0.3	1	0.6%	2	1.1%	365,156
Other ethnicity and country of birth												
Arab/Mid E descent ³	110	N/A	0.6%	3	2.7%	5	4.5	4	3.6%	5	4.5%	No data
Foreign born	1,219	N/A	6.4%	92	7.5%	26	N/A	23	1.9%	39	3.2%	No data
Age at year end												
00-14	40	2.3	0.2%	0	0.0%	2	5.0	1	2.5%	0	0.0%	1,718,679
15-19	94	14.5	0.5%	1	1.1%	27	28.7	4	4.3%	15	16.0%	648,667
20-29	1,682	126.8	8.9%	65	3.9%	237	14.1	113	6.7%	302	18.0%	1,326,521
30-39	4,513	338.9	23.8%	305	6.8%	206	4.6	256	5.7%	390	8.6%	1,331,786
40-49	3,555	297.5	18.8%	264	7.4%	117	3.3	118	3.3%	152	4.3%	1,194,971
50-59	4,248	340.1	22.4%	318	7.5%	62	1.5	72	1.7%	90	2.1%	1,249,077
60+	4,820	180.5	25.4%	328	6.8%	37	0.8	27	0.6%	38	0.8%	2,670,758

¹Transgender persons are also included in the sex at birth categories. ²Black/AA, White, & Multi/Other are non-Latino, Latino persons may be of any race but are only included in the Latino group. Persons with unknown race are excluded: 3 males & 1 female. ³Persons of Arab/Middle Eastern descent may be of any race and are not excluded from the race categories.

Michigan HIV Prevalence December 31, 2024: Demographic Stratification

Demographic	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	count	PWH at any Stage (0-3) rate	MI %	Last CD4 signifies Stage 3 count	prev %	count	HTR	Syphilis count	prev %	Gonorrhea or Chlamydia count	prev %	
HIV transmission risk by gender¹												
Sex w men	14,326	N/A	75.6%	822	5.7%	460	3.0	498	3.5%	875	6.1%	No data
Cis men	10,872	N/A	57.4%	573	5.3%	335	2.2	468	4.3%	787	7.2%	No data
Cis women	3,135	N/A	16.5%	223	7.1%	101	0.7	11	0.4%	41	1.3%	No data
Transgender	319	N/A	1.7%	26	8.2%	24	0.2	19	6.0%	47	14.7%	No data
PWID	909	N/A	4.8%	118	13.0%	29	1.7	9	1.0%	12	1.3%	No data
Cis men	497	N/A	2.6%	62	12.5%	15	0.9	5	1.0%	4	0.8%	No data
Cis women	412	N/A	2.2%	56	13.6%	14	0.8	4	1.0%	8	1.9%	No data
Transgender	0	N/A	0.0%	0	0.0%	0	0.0	0	0.0%	0	0.0%	No data
Sex w men & PWID	782	N/A	4.1%	61	7.8%	18	0.1	40	5.1%	34	4.3%	No data
Cis men	757	N/A	4.0%	56	7.4%	16	0.1	37	4.9%	33	4.4%	No data
Transgender	25	N/A	0.1%	5	20.0%	2	<0.1	3	12.0%	1	4.0%	No data
Sex w women	673	N/A	3.6%	69	10.3%	11	0.3	10	1.5%	12	1.8%	No data
Cis men	673	N/A	3.6%	69	10.3%	11	0.3	10	1.5%	12	1.8%	No data
Transgender	0	N/A	0.0%	0	0.0%	0	0.0	0	0.0%	0	0.0%	No data
Perinatal or Pediatric	266	N/A	1.4%	25	9.4%	1	<0.1	0	0.0%	8	3.0%	No data
Cis men	142	N/A	0.7%	17	12.0%	1	<0.1	0	0.0%	4	2.8%	No data
Cis women	123	N/A	0.6%	8	6.5%	0	0.0	0	0.0%	4	3.3%	No data
Transgender	1	N/A	<0.1%	0	0.0%	0	0.0	0	0.0%	0	0.0%	No data
Other risk	36	N/A	0.2%	3	8.3%	0	N/A	0	0.0%	0	0.0%	No data
Unknown risk	1,960	N/A	10.3%	183	9.3%	169	N/A	34	1.7%	46	2.3%	No data
Special populations												
MSM & MSM/PWID	11,630	3,991.7	61.4%	629	5.4%	351	3.0	505	4.3%	820	7.1%	291,351
20-39 yr old Black/AA MSM & MSM/PWID	2,752	23,743.7	14.5%	151	5.5%	148	5.4	222	8.1%	433	15.7%	11,590
PWID & MSM/PWID	1,692	N/A	8.9%	179	10.6%	47	2.8	49	2.9%	46	2.7%	No data
15-29 yr olds	59	N/A	0.3%	7	11.9%	3	5.1	7	11.9%	8	13.6%	No data
Black/AA men 20-39 yrs old compared to others												
Black/AA 20-39	3,233	1,617.8	17.1%	197	6.1%	206	6.4	239	7.4%	459	14.2%	199,835
Others 20-39	2,962	120.5	15.6%	173	5.8%	237	8.0	130	4.4%	233	7.9%	2,458,472
40+ yrs old	12,623	246.8	66.6%	910	7.2%	216	1.7	217	1.7%	280	2.2%	5,114,806

¹Risk/Gender Notes: PWID (persons who inject drugs). MSM (men who have sex with men). For additional risk details see [HIV Transmission Risk Category Definitions](#).



The Detroit Metro Area

Residents of the Detroit Metro Area (DMA) living with HIV December 31, 2024
(DMA: Lapeer, Macomb, Monroe, Oakland, St. Clair, & Wayne Counties)

Includes persons in prisons located in the DMA

DMA HIV Prevalence December 31, 2024: Geographic Stratification

Last reported address before year end unless otherwise specified

Region	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	count	rate	DMA %	count	prev %	count	HTR	Syphilis		Gonorrhea or Chlamydia		
				Last CD4 signifies Stage 3				count	prev %	count	prev %	
DMA including prisons	11,879	272.0	100.0%	843	7.1%	435	3.7	360	3.0%	690	5.8%	4,359,647
DMA ¹	11,858	272.0	100.0%	842	7.1%	431	3.6	360	3.0%	690	5.8%	4,359,647
Prison ²	21	N/A	0.2%	1	4.8%	4	N/A	0	0.0%	0	0.0%	No data
Prison History³												
Any prison during 2024	36	N/A	0.3%	1	2.8%	Not calculated		1	2.8%	1	2.8%	No data
Any prison reported since HIV diagnosis	613	N/A	5.2%	75	12.2%	Not calculated		28	4.6%	27	4.4%	No data
Local Health Department (LHD) Jurisdiction												
Detroit LHD ⁴	5,718	781.6	48.2%	482	8.4%	212	3.7	197	3.4%	418	7.3%	731,570
Lapeer Co.	53	59.4	0.4%	3	5.7%	1	1.9	2	3.8%	2	3.8%	89,168
Macomb Co.	1,450	163.6	12.2%	96	6.6%	52	3.6	39	2.7%	73	5.0%	886,175
Monroe Co.	159	101.9	1.3%	9	5.7%	5	3.1	5	3.1%	3	1.9%	156,045
Oakland Co.	2,368	182.6	20.0%	130	5.5%	78	3.3	70	3.0%	101	4.3%	1,296,888
St. Clair Co.	144	89.8	1.2%	12	8.3%	7	4.9	2	1.4%	9	6.3%	160,308
Wayne Co. LHD	1,966	189.1	16.6%	110	5.6%	76	3.9	45	2.3%	84	4.3%	1,039,493
Select Cities: Top 20 DMA cities with largest HIV counts												
Canton	137	137.3	1.2%	4	2.9%	4	2.9	5	3.6%	5	3.6%	99,793
Clinton Township	191	188.4	1.6%	7	3.7%	5	2.6	3	1.6%	12	6.3%	101,359
Dearborn	131	123.1	1.1%	4	3.1%	0	0.0	4	3.1%	7	5.3%	106,377
Detroit	5,386	834.1	45.4%	457	8.5%	202	3.8	185	3.4%	393	7.3%	645,705
Eastpointe	178	524.4	1.5%	13	7.3%	10	5.6	6	3.4%	15	8.4%	33,943
Farmington/F Hills	145	151.5	1.2%	9	6.2%	5	3.4	4	2.8%	5	3.4%	95,720
Ferndale	149	766.8	1.3%	6	4.0%	2	1.3	5	3.4%	11	7.4%	19,431
Highland Park	138	1,644.8	1.2%	12	8.7%	7	5.1	3	2.2%	8	5.8%	8,390

Cities continued on next page

¹Detroit Metro Area (DMA) includes Lapeer, Macomb, Monroe, Oakland, St. Clair, and Wayne Counties. Prisons are excluded. ²Persons in prisons (state or federal) located in the DMA. Reported separately for geographic stratification. ³Prison History is not restricted to last reported address. ⁴Detroit LHD includes the cities of Detroit, Hamtramck, Harper Woods, Highland Park, & the Grosse Pointes. Detroit, under "select cities", includes only residents of the city of Detroit.

DMA HIV Prevalence December 31, 2024: Geographic Stratification

Last reported address before year end unless otherwise specified

Region	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	PWH at any Stage (0-3)		DMA %	Last CD4 signifies Stage 3		count	HTR	Syphilis		Gonorrhea or Chlamydia		
	count	rate		count	prev %			count	HTR	count	prev %	count
Select Cities , continued from previous page												
Inkster	155	617.3	1.3%	13	8.4%	5	3.2	1	0.6%	9	5.8%	25,108
Oak Park	119	404.7	1.0%	6	5.0%	6	5.0	4	3.4%	6	5.0%	29,402
Pontiac	326	521.4	2.7%	31	9.5%	10	3.1	10	3.1%	19	5.8%	62,528
Redford	170	355.9	1.4%	10	5.9%	3	1.8	2	1.2%	7	4.1%	47,762
Roseville	124	263.6	1.0%	8	6.5%	6	4.8	8	6.5%	4	3.2%	47,047
Royal Oak	163	279.8	1.4%	8	4.9%	2	1.2	3	1.8%	6	3.7%	58,251
Southfield	416	541.1	3.5%	23	5.5%	13	3.1	21	5.0%	20	4.8%	76,874
Sterling Heights	123	91.6	1.0%	5	4.1%	3	2.4	3	2.4%	3	2.4%	134,342
Taylor	147	238.9	1.2%	9	6.1%	5	3.4	3	2.0%	6	4.1%	61,544
Troy	114	127.8	1.0%	10	8.8%	5	4.4	3	2.6%	8	7.0%	89,209
Warren	371	269.5	3.1%	27	7.3%	14	3.8	7	1.9%	23	6.2%	137,686
Westland	217	262.3	1.8%	13	6.0%	9	4.1	8	3.7%	7	3.2%	82,745

DMA HIV Prevalence December 31, 2024: Demographic Stratification

Demographic	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	PWH at any Stage (0-3)			Last CD4 signifies Stage 3		count	HTR	Syphilis		Gonorrhea or Chlamydia		
Sex assumed at birth	count	rate	DMA %	count	prev %			count	HTR	count	prev %	count
Male	9,501	445.3	80.1%	645	6.8%	349	2.9	351	3.7%	654	6.9%	2,133,849
Female	2,378	106.8	20.1%	198	8.3%	86	0.7	9	0.4%	36	1.5%	2,225,798
Transgender ¹	258	N/A	2.2%	26	10.1%	17	0.1	16	6.2%	36	14.0%	No data
Race & Latinx ethnicity by sex assumed at birth²												
Black/AA overall	7,737	803.2	65.2%	586	7.6%	274	3.5	267	3.5%	531	6.9%	963,296
Black/AA males	5,913	1,337.5	49.9%	437	7.4%	222	2.9	261	4.4%	506	8.6%	442,092
Black/AA females	1,824	350.0	15.4%	149	8.2%	52	0.7	6	0.3%	25	1.4%	521,204
Latino overall	775	317.5	6.5%	58	7.5%	53	6.8	35	4.5%	46	5.9%	244,084
Latino males	644	519.1	5.4%	45	7.0%	39	5.0	35	5.4%	42	6.5%	124,063
Latina females	131	109.1	1.1%	13	9.9%	14	1.8	0	0.0%	4	3.1%	120,021
White overall	2,884	104.0	24.3%	163	5.7%	88	3.1	45	1.6%	88	3.1%	2,772,137
White males	2,537	184.1	21.4%	135	5.3%	70	2.4	43	1.7%	82	3.2%	1,378,136
White females	347	24.9	2.9%	28	8.1%	18	0.6	2	0.6%	6	1.7%	1,394,001
Multi/other overall	480	126.3	4.0%	36	7.5%	20	4.2	13	2.7%	25	5.2%	380,130
Multi/other males	405	213.7	3.4%	28	6.9%	18	3.8	12	3.0%	24	5.9%	189,558
Multi/other females	75	39.4	0.6%	8	10.7%	2	0.4	1	1.3%	1	1.3%	190,572
Other ethnicity and country of birth												
Arab/Mid E descent ³	97	N/A	0.8%	3	3.1%	4	4.1	3	3.1%	4	4.1%	No data
Foreign born	527	N/A	4.4%	40	7.6%	21	N/A	10	1.9%	17	3.2%	No data
Age at year end												
00-14	13	1.7	0.1%	0	0.0%	2	15.4	1	7.7%	0	0.0%	760,319
15-19	41	15.7	0.3%	0	0.0%	18	43.9	2	4.9%	8	19.5%	261,304
20-29	1,128	208.1	9.5%	46	4.1%	165	14.6	78	6.9%	223	19.8%	541,950
30-39	3,080	511.8	26.0%	220	7.1%	124	4.0	165	5.4%	279	9.1%	601,809
40-49	2,181	417.2	18.4%	177	8.1%	67	3.1	62	2.8%	102	4.7%	522,732
50-59	2,553	453.0	21.5%	190	7.4%	39	1.5	38	1.5%	58	2.3%	563,583
60+	2,883	260.2	24.3%	210	7.3%	20	0.7	14	0.5%	20	0.7%	1,107,950

¹Transgender persons are also included in the sex at birth categories. ²Black/AA, White, & Multi/Other are non-Latino, Latino persons may be of any race but are only included in the Latino group. Persons with unknown race are excluded: 2 males & 1 female. ³Persons of Arab/Middle Eastern descent may be of any race and are not excluded from the race categories.

DMA HIV Prevalence December 31, 2024: Demographic Stratification

Demographic	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STI diagnoses among PLWH, 2024				Population counts, 2024 (census)
	count	PWH at any Stage (0-3) rate	DMA %	Last CD4 signifies Stage 3 count	prev %	count	HTR	Syphilis count	Syphilis prev %	Gonorrhea or Chlamydia count	Gonorrhea or Chlamydia prev %	
HIV transmission risk by gender¹												
Sex w men	9,113	N/A	76.9%	549	6.0%	292	3.1	314	3.4%	619	6.8%	No data
Cis men	6,843	N/A	57.7%	377	5.5%	207	N/A	293	4.3%	554	8.1%	No data
Cis women	2,027	N/A	17.1%	150	7.4%	69	N/A	7	0.3%	30	1.5%	No data
Transgender	243	N/A	2.0%	22	9.1%	16	N/A	14	5.8%	35	14.4%	No data
PWID	568	N/A	4.8%	83	14.6%	20	2.0	4	0.7%	6	1.1%	No data
Cis men	303	N/A	2.6%	41	13.5%	10	N/A	2	0.7%	1	0.3%	No data
Cis women	265	N/A	2.2%	42	15.8%	10	N/A	2	0.8%	5	1.9%	No data
Transgender	0	N/A	0.0%	0	0.0%	0	N/A	0	0.0%	0	0.0%	No data
Sex w men & PWID	411	N/A	3.5%	37	9.0%	11	0.1	17	4.1%	23	5.6%	No data
Cis men	397	N/A	3.3%	33	8.3%	10	N/A	15	3.8%	22	5.5%	No data
Transgender	14	N/A	0.1%	4	28.6%	1	N/A	2	14.3%	1	7.1%	No data
Sex w women	424	N/A	3.6%	43	10.1%	8	0.3	7	1.7%	8	1.9%	No data
Cis men	424	N/A	3.6%	43	10.1%	8	N/A	7	1.7%	8	1.9%	No data
Transgender	0	N/A	0.0%	0	0.0%	0	N/A	0	0.0%	0	0.0%	No data
Perinatal or Pediatric	111	N/A	0.9%	16	14.4%	1	<0.1	0	0.0%	3	2.7%	No data
Cis men	66	N/A	0.6%	11	16.7%	1	N/A	0	0.0%	2	3.0%	No data
Cis women	44	N/A	0.4%	5	11.4%	.	N/A	0	0.0%	1	2.3%	No data
Transgender	1	N/A	<0.1%	0	0.0%	0	N/A	0	0.0%	0	0.0%	No data
Other risk	15	N/A	0.1%	2	13.3%	0	N/A	0	0.0%	0	0.0%	No data
Unknown risk	1,237	N/A	10.4%	113	9.1%	103	N/A	18	1.5%	31	2.5%	No data
Special populations												
MSM & MSM/PWID	7,241	5,850.7	61.1%	410	5.7%	217	3.0	308	4.3%	576	8.0%	123,763
20-39 yr old Black/AA												
MSM & MSM/PWID	2,168	29,407.1	18.3%	120	5.5%	117	5.4	165	7.6%	340	15.7%	7,372
PWID & MSM/PWID	979	N/A	8.3%	120	12.3%	31	3.2	21	2.1%	29	3.0%	No data
15-29 yr olds	23	N/A	0.2%	2	8.7%	2	8.7	3	13.0%	5	21.7%	No data
Black/AA men 20-39 yrs old compared to others												
Black/AA 20-39	2,518	1,981.0	21.2%	157	6.2%	156	6.2	177	7.0%	361	14.3%	127,110
Others 20-39	1,690	166.2	14.3%	109	6.4%	133	7.9	66	3.9%	141	8.3%	1,016,649
40+ yrs old	7,617	347.1	64.2%	577	7.6%	126	1.7	114	1.5%	180	2.4%	2,194,265

¹Risk/Gender Notes: PWID (persons who inject drugs). MSM (men who have sex with men). For additional risk details see [HIV Transmission Risk Category Definitions](#).



Detroit LHD Jurisdiction

Residents of the Detroit Health Department's Jurisdiction living with HIV December 31, 2024
(Detroit LHD: Detroit Hamtramck, Harper Woods, Highland Park, & the Grosse Pointes)

Includes persons in prisons located in the Detroit LHD Jurisdiction

Detroit LHD HIV Prevalence December 31, 2024: Geographic Stratification

Last reported address before year end unless otherwise specified

Region	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STD diagnoses among PLWH, 2024				Population counts, 2023 (census)
	count	rate	DLHD%	count	prev %	count	HTR	Syphilis		Gonorrhea or Chlamydia		
				Last CD4 signifies Stage 3				count	prev %	count	prev %	
Detroit LHD incl prisons	5,721	781.6	100.0%	482	8.4%	212	3.7	197	3.4%	418	7.3%	731,570
Detroit LHD ¹	5,718	781.6	100.0%	482	8.4%	212	3.7	197	3.4%	418	7.3%	731,570
Prison ²	3	N/A	<0.1%	0	0.0%	Not calculated		0	0.0%	0	0.0%	No data
Prison History³												
Any prison during 2024	10	N/A	0.2%	0	0.0%	Not calculated		1	10.0%	1	10.0%	No data
Any prison reported since HIV diagnosis	368	N/A	6.4%	45	12.2%	Not calculated		14	3.8%	17	4.6%	No data
Cities												
Detroit	5,386	834.1	94.2%	457	8.5%	202	3.8	185	3.4%	393	7.3%	645,705
Grosse Pointes	66	155.8	1.2%	4	6.1%		1.5	1	1.5%	4	6.1%	42,375
Hamtramck	45	164.1	0.8%	4	8.9%		6.7	2	4.4%	1	2.2%	27,424
Harper Woods	83	555.7	1.5%	5	6.0%		2.4	6	7.2%	12	14.5%	14,936
Highland Park	138	1,644.8	2.4%	12	8.7%		5.1	3	2.2%	8	5.8%	8,390

¹Detroit LHD includes the cities of Detroit, Hamtramck, Harper Woods, Highland Park, & the Grosse Pointes. Detroit, under "select cities", includes only residents of the city of Detroit. ²Persons in prisons (state or federal) located in the Detroit LHD Jurisdiction. Reported separately for geographic stratification. ³Prison History is not restricted to last reported address.

Detroit LHD HIV Prevalence December 31, 2024: Demographic Stratification

Demographic	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STD diagnoses among PLWH, 2024				Population counts, 2023 (census)
	count	PWH at any Stage (0-3) rate	DLHD%	Last CD4 signifies Stage 3 count	prev %	count	HTR	Syphilis count	prev %	Gonorrhea or Chlamydia count	prev %	
Sex assumed at birth												
Male	4,462	1,279.2	78.0%	361	8.1%	169	3.0	192	4.3%	394	8.8%	348,812
Female	1,259	328.9	22.0%	121	9.6%	46	0.8	5	0.4%	24	1.9%	382,758
Transgender¹	169	N/A	3.0%	20	11.8%	12	0.2	7	4.1%	27	16.0%	No data
Race & Latinx ethnicity by sex assumed at birth²												
Black/AA overall	4,849	954.7	84.8%	407	8.4%	168	3.5	165	3.4%	362	7.5%	507,922
Black/AA males	3,734	1,588.3	65.3%	305	8.2%	133	2.7	161	4.3%	344	9.2%	235,087
Black/AA females	1,115	408.7	19.5%	102	9.1%	35	0.7	4	0.4%	18	1.6%	272,832
Latino overall	341	655.7	6.0%	28	8.2%	25	7.3	20	5.9%	29	8.5%	52,008
Latino males	277	1,031.5	4.8%	20	7.2%	19	5.6	20	7.2%	26	9.4%	26,854
Latino females	64	254.4	1.1%	8	12.5%	6	1.8	0	0.0%	3	4.7%	25,154
White overall	366	294.5	6.4%	29	7.9%	15	4.1	7	1.9%	14	3.8%	124,264
White males	316	501.8	5.5%	24	7.6%	12	3.3	7	2.2%	12	3.8%	62,972
White females	50	81.6	0.9%	5	10.0%	3	0.8	0	0.0%	2	4.0%	61,292
Multi/other overall	165	348.3	2.9%	18	10.9%	7	4.2	5	3.0%	13	7.9%	47,379
Multi/other males	135	564.9	2.4%	12	8.9%	5	3.0	4	3.0%	12	8.9%	23,899
Multi/other females	30	127.8	0.5%	6	20.0%	2	1.2	1	3.3%	1	3.3%	23,480
Other ethnicity and country of birth												
Arab/Mid E descent ³	16	N/A	0.3%	3	18.8%	2	12.5	1	6.3%	1	6.3%	No data
Foreign born	175	N/A	3.1%	20	11.4%	11	N/A	3	1.7%	9	5.1%	No data
Age at year end												
00-14	4	N/A	<0.1%	0	0.0%	0	0.0	0	0.0%	0	0.0%	No data
15-19	22	N/A	0.4%	0	0.0%	10	45.5	2	9.1%	7	31.8%	No data
20-29	576	N/A	10.1%	21	3.6%	86	14.9	42	7.3%	144	25.0%	No data
30-39	1,561	N/A	27.3%	124	7.9%	70	4.5	91	5.8%	168	10.8%	No data
40-49	1,074	N/A	18.8%	115	10.7%	24	2.2	37	3.4%	59	5.5%	No data
50-59	1,168	N/A	20.4%	102	8.7%	18	1.5	19	1.6%	30	2.6%	No data
60+	1,316	N/A	23.0%	120	9.1%	7	0.5	6	0.5%	10	0.8%	No data

¹Transgender persons are also included in the sex at birth categories. ²Black/AA, White, & Multi/Other are non-Latino, Latino persons may be of any race but are only included in the Latino group.

³Persons of Arab/Middle Eastern descent may be of any race and are not excluded from the race categories.

Detroit LHD HIV Prevalence December 31, 2024: Demographic Stratification

Demographic	Prevalence December 31, 2024					New diagnoses & HTR, 2024		STD diagnoses among PLWH, 2024				Population counts, 2023 (census)
	count	PWH at any Stage (0-3)		Last CD4 signifies Stage 3		count	HTR	Syphilis		Gonorrhea or Chlamydia		
HIV transmission risk by gender ¹	count	rate	DLHD%	count	prev %	count	HTR	count	prev %	count	prev %	
Sex w men	4,310	N/A	75.4%	310	7.2%	152	N/A	176	4.1%	368	8.5%	No data
Cis men	3,079	N/A	53.8%	206	6.7%	102	N/A	165	5.4%	321	10.4%	No data
Cis women	1,068	N/A	18.7%	85	8.0%	39	N/A	5	0.5%	20	1.9%	No data
Transgender	163	N/A	2.9%	19	11.7%	11	N/A	6	3.7%	27	16.6%	No data
PWID	316	N/A	5.5%	60	19.0%	7	N/A	1	0.3%	4	1.3%	No data
Cis men	165	N/A	2.9%	28	17.0%	3	N/A	1	0.6%	1	0.6%	No data
Cis women	151	N/A	2.6%	32	21.2%	4	N/A	0	0.0%	3	2.0%	No data
Transgender	0	N/A	0.0%	0	.	0	N/A	0	.	0	.	No data
Sex w men & PWID	178	N/A	3.1%	21	11.8%	6	N/A	7	3.9%	15	8.4%	No data
Cis men	173	N/A	3.0%	20	11.6%	5	N/A	6	3.5%	15	8.7%	No data
Transgender	5	N/A	<0.1%	1	20.0%	1	N/A	1	20.0%	0	0.0%	No data
Sex w women	226	N/A	4.0%	26	11.5%	5	N/A	3	1.3%	7	3.1%	No data
Cis men	226	N/A	4.0%	26	11.5%	5	N/A	3	1.3%	7	3.1%	No data
Transgender	0	N/A	0.0%	0	.	0	N/A	0	.	0	.	No data
Perinatal or Pediatric	52	N/A	0.9%	8	15.4%	1	N/A	0	0.0%	3	5.8%	No data
Cis men	29	N/A	0.5%	5	17.2%	1	N/A	0	0.0%	2	6.9%	No data
Cis women	22	N/A	0.4%	3	13.6%	.	N/A	0	0.0%	1	4.5%	No data
Transgender	1	N/A	<0.1%	0	0.0%	0	N/A	0	0.0%	0	0.0%	No data
Other risk	2	N/A	<0.1%	0	0.0%	0	N/A	0	0.0%	0	0.0%	No data
Unknown risk	637	N/A	11.1%	57	8.9%	45	N/A	10	1.6%	21	3.3%	No data
Special populations												
MSM & MSM/PWID	3,253	16,079.2	56.9%	226	6.9%	107	3.3	171	5.3%	336	10.3%	20,231
20-39 yr old Black/AA												
MSM & MSM/PWID	1,262	44,398.1	22.1%	76	6.0%	74	5.9	97	7.7%	220	17.4%	2,842
PWID & MSM/PWID	494	N/A	8.6%	81	16.4%	13	2.6	8	1.6%	19	3.8%	No data
15-29 yr olds	3	N/A	<0.1%	1	33.3%	1	33.3	1	33.3%	1	33.3%	No data
Black/AA men 20-39 yrs old compared to others												
Black/AA 20-39	1,476	3,011.8	25.8%	93	6.3%	96	6.5	103	7.0%	237	16.1%	49,008
Others 20-39	661	600.6	11.6%	52	7.9%	60	9.1	30	4.5%	75	11.3%	110,053
40+ yrs old	3,558	965.1	62.2%	337	9.5%	49	1.4	62	1.7%	99	2.8%	368,664

¹Risk/Gender Notes: PWID (persons who inject drugs). MSM (men who have sex with men). For additional risk details see [HIV Transmission Risk Category Definitions](#).