



Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 001 **Proposal ID:** 39000-207293

Description: Application of longitudinal pavement markings on various trunkline routes, Berrien, Branch, Calhoun, Cass, Kalamazoo, St. Joseph and Van Buren Counties. ** 1758 N3 **

DBE Goal Percent: 0.00%


Project Information


Project Number	Federal Project Number	Federal Item Number	Control Section
207293A	21A0415		HSIP 39000
Location: On various route	es in the Southwest Region area.		
Route:			

Classification Ratings

MOT = 0.55%Misc = 4.78%N3 = 94.68%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$167,500.00	1500001	1.000	LSUM







Report v1

Letting ID: 210402 Call Number: 002 **Proposal ID:** 16032-201093

Description: 12.48 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter and sidewalk ramps, guardrail, storm sewer and pavement markings on M-27 from the I-75 northbound ramps to south of

M-33, Cheboygan County. ** 4371 Cb **

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
201093A	21A0427		ST 16032

Location: M-27 from I-75NB exit ramp to Woodside Park Road.

Route:

204262A N/A M 16032

Location: M-27 from Woodland Park Drive to Polish Line Road.

Route:

Classification Ratings

Cb = 57.60%	Ea = 9.35%	J = 0.80%	K = 0.35%
MOT = 6.12%	Misc = 13.88%	N2 = 0.02%	N3 = 1.34%
N6 = 0.02%	N93A = 9.07%	N94B = 0.03%	N96L = 1.42%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$397,400.00	1500001	1.000	LSUM
0350	_Sidewalk, Wood, Temp	8007001	80.000	Ft
0610	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	1,350.000	Ea
0620	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	1,350.000	Ea
0780	_Slope Restoration, Bonded Fiber Matrix	8167011	18,900.000	Syd
0790	Monument Box	8210001	1.000	Ea
0800	Monument Box Adjust	8210005	8.000	Ea
0810	Monument Preservation	8210010	8.000	Ea
0820	Centerline Corrugations, Milled, HMA	8220013	58,266.000	Ft
0830	Contractor Staking, Road Only	8240007	1.000	LSUM
0840	Staking Plan Errors and Extras, One Person	8240020	31.000	Hr
0850	Staking Plan Errors and Extras, Two Person	8240021	13.000	Hr
0860	Staking Plan Errors and Extras, Three Person	8240022	19.000	Hr



3/11/2021 8:20 AM

AASHTOWare Project™ Version 4.4 Revision 034

Cost Summaries For Primes

Report v1

List of Items by Section

Line Num Item Description Item ID Quantity Units



Report v1

Letting ID: 210402 Call Number: 003 **Proposal ID:** 11012-209685

Description: Bridge rehabilitation includes deck patching, pin and hanger replacement, structural steel repairs and zone painting on I-94BL (Lakeshore Drive/Red Arrow Highway) over CSX Railroad in the city of St. Joseph, Berrien County. ** 810 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of either N4 or N9-1G. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Numbe	r Federal Item Nui	mber Control Section
209685A	N/A		M 11012
Location: I-94BL (Lak	keshore Drive/Red Arrow Highw	ray) over CSX R.R.	
Route:			
Classification Ratin	gs		
Cb = 0.02%	Fa = 28.35%	Fb = 12.16%	L = 2.57%
MOT = 11.00%	Misc = 21.71%	N3 = 2.26%	N4 = 11.77%
N91A = 8.67%	N91C = 1.48%		

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$73,700.00	1500001	1.000	LSUM
0150	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0160	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea
0320	Contractor Staking	8240001	1.000	LSUM
0330	Staking Plan Errors and Extras, One Person	8240020	6.000	Hr
0340	Staking Plan Errors and Extras, Two Person	8240021	3.000	Hr
0350	Staking Plan Errors and Extras, Three Person	8240022	4.000	Hr
0360	_Railroad Inspection and Flagging	8507060	60,000.000	Dlr
0370	_Railroad Protection	8507060	25,000.000	Dlr



Report v1

Letting ID: 210402 Call Number: 004 **Proposal ID:** 11031-203895


Description: Bridge rehabilitation including concrete deck patching, epoxy overlay, replacement of expansion joint and silane treatment of concrete barriers and pavement markings on M-139 over the St. Joseph River, Berrien County. This project includes a 5 year epoxy overlay performance warranty. ** 468 N9-1A **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Fa. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
203895A	N/A		M 11031
Location: M-139 over the S	St. Joseph River.		
Route:			
Classification Ratings			
B = 0.02%	Fa = 25.72%	Fb = 1.09%	MOT = 24.30%
Misc = 11.80%	N3 = 7.67%	N91A = 28.00%	N91C = 1.41%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$42,600.00	1500001	1.000	LSUM
0220	Plastic Drum, Fluorescent, Furn	8120252	109.000	Ea
0230	Plastic Drum, Fluorescent, Oper	8120253	109.000	Ea
0310	Contractor Staking, Road Only	8240007	1.000	LSUM
0320	Staking Plan Errors and Extras, One Person	8240020	4.000	Hr
0330	Staking Plan Errors and Extras, Two Person	8240021	2.000	Hr
0340	Staking Plan Errors and Extras, Three Person	8240022	3.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 005 **Proposal ID:** 59012-208923

Description: 3.31 mi of culvert rehabilitation includes cleaning culverts, lining culverts and reestablish positive

drainage on US-131 from the south Montcalm county line to south of Cannonsville Road, Montcalm County. This is a Small Business Program project. Only those approved by MDOT as a Small

Business may be eligible to bid as a prime contractor. ** 168 Ea **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
208923A	N/A		M 59012
Location: On US-131 at 6	culverts.		
Route:			
Classification Ratings			
Ea = 70.27%	I = 1.47%	K = 0.51%	MOT = 16.80%

Misc = 10.94%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$15,300.00	1500001	1.000	LSUM
0180	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0190	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 006 **Proposal ID:** 33084-129168

Description: 2.54 mi of installation of median guardrail on I-96 from South Hagadorn Road easterly past the Okemos Rest Area off ramp, Ingham County. ** 470 N9-6L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
129168A	21A0422		HSIP 33084
Location: I-96 from South	Hagadorn Road easterly past the Oke	emos Rest Area off ramp.	
Route: I-96			

Classification Ratings

Ea = 0.03%MOT = 8.79%Misc = 12.81%N6 = 0.03%

N96L = 78.35%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$42,700.00	1500001	1.000	LSUM
0180	Plastic Drum, Fluorescent, Furn	8120252	310.000	Ea
0190	Plastic Drum, Fluorescent, Oper	8120253	310.000	Ea
0240	Contractor Staking, Road Only	8240007	1.000	LSUM
0250	Staking Plan Errors and Extras, One Person	8240020	4.000	Hr
0260	Staking Plan Errors and Extras, Two Person	8240021	2.000	Hr
0270	Staking Plan Errors and Extras, Three Person	8240022	3.000	Hr







Report v1

Letting ID: 210402 **Call Number:** 007 **Proposal ID:** 36052-211248

Description: 15.81 mi of scrub seal, single chip seal, fog seal, edge trimming, hand patching, aggregate shoulders

and pavement markings on US-141 from the US-2 intersection northerly to Basilio Road, Iron County.

** 1655 Ca **In addition to the above minimum pregualification requirement for prime contractors this

project includes a subclassification of Ea. If the prime contractor is not prequalified in this

subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior

to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numb	er Control Section
211248A	21A0434		NH 36052
Location: US-141 fro	m US-2 northerly to Basilio Road	l.	
Route: US-141			
Classification Ratin	gs		
Ca = 62.49%	Cb = 4.46%	Ea = 10.00%	I = 0.22%

MOT = 5.88% Misc = 10.88% N3 = 6.06%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$150,500.00	1500001	1.000	LSUM
0270	Plastic Drum, Fluorescent, Furn	8120252	500.000	Ea
0280	Plastic Drum, Fluorescent, Oper	8120253	500.000	Ea
0350	Monument Box Adjust	8210005	16.000	Ea
0360	Protect Corners	8210020	16.000	Ea
0370	_Railroad Protection, at Grade Crossing	8507060	6,000.000	Dlr



Report v1

Letting ID: 210402 **Call Number:** 008 **Proposal ID:** 41000-206009

Description: 1.02 mi of hot mix asphalt reconstruction, concrete curb, gutter, sidewalk and ramps, guardrail, signing

and pavement markings on 32nd Street from Breton Avenue to Shaffer Avenue in the city of Kentwood, Kent County. This is a Local Agency project. ** 2712 Ea or Comb/Jt. 2712 Cb, J or Comb/Jt. 2712 Cb, K or Comb/Jt. 2712 J, K**In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section
206009A	N/A		EDC 41000
Location: 32nd Street from	Breton Avenue to Shaffer Ave	nue.	
Route:			
Classification Ratings			
B = 3.79%	Ba = 0.01%	Cb = 17.93%	Ea = 34.73%
J = 16.22%	K = 12.47%	L = 0.11%	MOT = 0.92%
Misc = 12.43%	N3 = 0.29%	N6 = 0.16%	N94B = 0.22%

N96M = 0.20%

List of Items by Section

N96L = 0.51%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$246,600.00	1500001	1.000	LSUM
0120	_Slope Stabilization, Rem	2047051	1.000	LSUM
0540	_Modular Block Retaining Wall	8007010	170.000	Sft
0680	Post, Mailbox	8070095	69.000	Ea
0880	Plastic Drum, Fluorescent, Furn	8120252	125.000	Ea
0890	Plastic Drum, Fluorescent, Oper	8120253	125.000	Ea
0950	_Cross Vane	8137011	77.000	Syd
0960	_Turf Restoration	8167011	9,500.000	Syd
0970	_Turf Restoration, High Velocity	8167011	2,500.000	Syd



Report v1

Letting ID: 210402 **Call Number:** 009 **Proposal ID:** 82000-205754

Description: 0.63 mi of hot mix asphalt cold milling and resurfacing, concrete pavement repairs, sidewalk ramps,

signing and pavement markings on McNichols Road from Oakland Avenue easterly to Dequindre Street in the cities of Highland Park and Detroit, Wayne County. This is a Local Agency project. **

2235 Cb **

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	er Control Section
205754A	21A0340		NH 82000
Location: McNichols Ro	ad (6 Mile Road) from Oaklan	d Avenue easterly to Dequindre S	treet.
Route:			
Classification Ratings	;		
B = 0.57%	Ba = 8.22%	Cb = 49.21%	Ea = 1.54%
I = 0.07%	J = 4.66%	K = 4.72%	L = 0.03%

MOT = 5.96% Misc = 19.98% N3 = 0.95% N6 = 0.79%

N93A = 2.72% N94A = 0.60%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$203,200.00	1500001	1.000	LSUM
0050	_Misc Pavt, Rem, Patching	2047011	2,435.000	Syd
0060	_Misc Obstruction, Rem	2047021	5.000	Cyd
0110	Project Cleanup	2090001	1.000	LSUM
0150	Dr Structure, Temp Lowering	4030390	20.000	Ea
0420	_Misc Field Office	8097043	3.000	Мо
0650	Plastic Drum, Fluorescent, Furn	8120252	470.000	Ea
0660	Plastic Drum, Fluorescent, Oper	8120253	470.000	Ea
0790	_Misc Seeding, Mixture THM	8167011	1,310.000	Syd
0820	Monument Box Adjust	8210005	2.000	Ea
0830	Monument Preservation	8210010	2.000	Ea
0840	Protect Corners	8210020	2.000	Ea
0850	_Misc Monument, Prec Bench Mrk	8217050	5.000	Ea
0870	Staking Plan Errors and Extras, One Person	8240020	21.000	Hr

Page: 10 of 59





Report v1

Line Num	Item Description	Item ID	Quantity	Units
0880	Staking Plan Errors and Extras, Two Person	8240021	9.000	Hr
0890	Staking Plan Errors and Extras, Three Person	8240022	13.000	Hr
0900	_Contractor Staking, Modified	8247051	1.000	LSUM
0910	_Misc Audio-Video Rte Survey	8507051	1.000	LSUM
0920	_Railroad Inspection and Flagging	8507060	21,000.000	Dlr
0930	_Railroad Protection	8507060	10,000.000	Dlr



Misc = 9.65%



AASHTOWare Project™ Version 4.4 Revision 034

Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 010 **Proposal ID:** 23000-202457

Description: Bridge reconstruction includes 21 inch prestressed concrete box beams, composite concrete slab and

approach work on East Vermontville Highway over the Thornapple River, Eaton County. This is a

Local Agency project. ** 1006 Fa **

J = 0.60%

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
202457A	21A0353		BRT 23000
Location: East Vermontville	e Highway over the Thornapple	River.	
Route:			
Classification Ratings			
B = 0.06%	Cb = 7.61%	Ea = 8.08%	Fa = 49.65%

MOT = 3.29%

N2 = 0.19% N3 = 0.11% N7 = 0.17% N91B = 2.25%

N95C = 9.12% N96L = 2.28%

List of Items by Section

Fb = 6.95%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$91,500.00	1500001	1.000	LSUM
0020	_Clearing, Modified	2017002	5.000	Sta
0290	_Slope Restoration, Modified	8167011	600.000	Syd



Report v1

Letting ID: 210402 Call Number: 011 **Proposal ID:** 81000-208382

Description: 0.80 mi of hot mix asphalt cold milling and resurfacing with isolated base repair, utility structure adjustments and pavement markings on Platt Road from Main Street to Redman Road in the city of Milan, Washtenaw County. This is a Local Agency project. ** 477 Cb or Comb/Jt. 477 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
208382A	21A0385		STUL 81000
Location: Platt Road fro	om Main Street to Redman Road	d.	
Route:			
Classification Rating	s		
Cb = 42.01%	Ea = 13.89%	J = 10.98%	K = 4.47%
L = 0.91%	MOT = 3.05%	Misc = 11.26%	N3 = 1.66%
N6 = 0.88%	N93A = 6.90%	N93G = 2.18%	N96L = 1.82%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$43,500.00	1500001	1.000	LSUM
0050	_Pavt Rem, Modified	2047011	264.000	Syd
0500	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0510	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0570	_Turf Establishment	8167011	367.000	Syd
0690	Monument Preservation	8210010	1.000	Ea

Page: 13 of 59



Report v1

Letting ID: 210402 Call Number: 012 **Proposal ID:** 63000-206001

Description: 1.02 mi of hot mix asphalt cold milling and resurfacing, widening, concrete curb, gutter and ramps and pavement markings on Adams Road from Long Lake Road to Square Lake Road, Oakland County. This is a local Agency project. ** 2581 Cb or Comb/Jt. 2581 Ea, K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the

confirmed low bidder.

DBE Goal Percent: 5.00%


Project Information

Project Number	Federal Project Number	Federal Item Number	er Control Section
206001A	21A0383		NH 63000
Location: Adams Road f	rom Long Lake Road to Squar	re Lake Road.	
Route:			
Classification Ratings			
B = 2.08%	Ba = 0.04%	Cb = 26.77%	Ea = 18.80%
J = 6.49%	K = 12.21%	L = 7.61%	MOT = 5.36%
Misc = 16.49%	N2 = 0.23%	N3 = 0.65%	N6 = 0.96%
N93A = 1.88%	N93G = 0.24%	N94B = 0.19%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$234,700.00	1500001	1.000	LSUM
0020	_Grubbing, RCOC	2017012	0.360	Acre
0130	_Gas Utility, Rem	2047001	450.000	Ft
0140	_Brick, Salv and Replace	2047010	52.000	Sft
0150	_Excavation, Earth, RCOC	2047011	5,650.000	Syd
0160	_Exploration for Utility Location	2047021	10.000	Cyd
0580	Dr Structure, Temp Lowering	4030390	2.000	Ea
0950	Post, Mailbox	8070095	20.000	Ea
1180	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	205.000	Ea
1190	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	205.000	Ea
1300	Plastic Drum, Fluorescent, Furn	8120252	169.000	Ea
1310	Plastic Drum, Fluorescent, Oper	8120253	169.000	Ea

Page: 14 of 59






Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
1430	_Ditch, Plain Cobble, RCOC	8147011	138.000	Syd
1440	_Turf Establishment, THM Seed, Regular Mulch, Performance, RCOC	8147011	13,113.000	Syd
2050	_Sprinkler Line	8507001	2,000.000	Ft
2060	_Temp Pavement Repair	8507011	150.000	Syd
2070	_Sprinkler Head, Relocate	8507050	25.000	Ea
2080	_Sprinkler Head, Replace	8507050	50.000	Ea
2090	_Temp Pavement Repair, Mobilization	8507050	3.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 013 Proposal ID: 21000-207296

Description: Application of longitudinal pavement markings on various routes, Alger, Baraga, Chippewa, Delta,

Dickinson, Gogebic, Houghton, Iron, Keweenaw, Luce, Mackinac, Marquette, Menominee, Ontonagon and Schoolcraft Counties. ** 1886 N3 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
207296A	21A0429	21A0429	HSIP 21000


Location: On various routes.

Route:

Classification Ratings

Misc = 4.76%MOT = 0.59%N3 = 94.65%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$179,600.00	1500001	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 014 **Proposal ID:** 69023-207288

Description: Application of long line pavement markings on various routes, Alcona, Alpena, Antrim, Arenac, Benzie,

Charlevoix, Cheboygan, Crawford, Emmet, Grand Traverse, Iosco, Kalkaska, Leelanau, Manistee, Missaukee, Montmorency, Ogemaw, Oscoda, Otsego, Presque Isle, Roscommon and Wexford

Counties. ** 2134 N3 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
207288A	21A0435		HSIP 69023
Location: On various	routes in the North Region.		
Route:			
Classification Batin			

Classification Ratings

MOT = 0.50% Misc = 4.76% N3 = 94.73%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$203,400.00	1500001	1.000	LSUM



Report v1

Letting ID: 210402 Call Number: 015 **Proposal ID:** 61000-205352

Description: 0.44 mi of hot mix asphalt reconstruction, concrete curb, gutter, sidewalk and ramps, signing, watermain and pavement markings on Seminole Road from Henry Street easterly to Park Street in the city of Norton Shores, Muskegon County. This is a Local Agency project. ** 2325 Ea or 2325 K or Comb/Jt. 2325 Cb, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J, K and L. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%


Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
205352A	21A0396		STUL 61000
Location: Seminole R	oad from Henry Street easterly to	Park Street.	
Route:			
Classification Rating	gs		
Cb = 15.03%	Ea = 14.19%	H = 3.23% J	= 11.55%
K = 23.50%	L = 14.47%	MOT = 1.47%	lisc = 15.92%
N3 = 0.12%	N6 = 0.32%	N94B = 0.08%	I96M = 0.11%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	_Audio Visual Filming	1047051	1.000	LSUM
0020	Mobilization, Max\$211,400.00	1500001	1.000	LSUM
0070	_Pavt, Rem, Modified	2047011	14,680.000	Syd
0120	Project Cleanup	2090001	1.000	LSUM
0460	Post, Mailbox	8070095	10.000	Ea
0740	Plastic Drum, Fluorescent, Furn	8120252	125.000	Ea
0750	Plastic Drum, Fluorescent, Oper	8120253	125.000	Ea
1240	_Bench, 6 Foot	8507050	8.000	Ea
1250	_Bike Rack	8507050	8.000	Ea
1260	_Irrigation Allowance	8507060	3,500.000	Dlr

Page: 18 of 59





Report v1

Letting ID: 210402 Call Number: 016 **Proposal ID:** 63000-202928

Description: Traffic signal modernization includes signal interconnects, vehicular and pedestrian actuation and

signal timing optimization on Main Street at 11 locations and on Crooks Road at 6 locations in the city

of Royal Oak, Oakland County. This is a Local Agency project. ** 1421 L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
202928A	21A0392		CPMG 63000
Location: Main Street at 17	l locations and on Crooks Road at 6 lo	ocations.	

Route:

Classification Ratings

Ea = 0.55%L = 85.99%MOT = 1.25%J = 2.61%

Misc = 9.13%N4 = 0.46%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$129,200.00	1500001	1.000	LSUM
0240	Plastic Drum, Fluorescent, Furn	8120252	120.000	Ea
0250	Plastic Drum, Fluorescent, Oper	8120253	120.000	Ea



Report v1

Letting ID: 210402 **Call Number:** 017 **Proposal ID:** 56000-207254

Description: 0.55 mi of intersection roundabout construction includes hot mix asphalt surfacing, concrete curb and

gutter, guardrail, drainage, centerline corrugations and pavement markings on Freeland Road at Sasse Road, Midland County. This is a Local Agency project. ** 564 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Cb. If the prime contractor is not prequalified in this subclassification it must use a prequalified

subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
207254A	21A0306		HRRR 56000
Location: Freeland Ro	oad at Sasse Road.		
Route:			
Classification Rating	gs		
B = 8.42%	Cb = 18.54%	Ea = 36.93%	J = 9.64%
K = 0.87%	MOT = 6.10%	Misc = 13.06%	N3 = 1.84%

N96L = 3.59%

List of Items by Section

N6 = 1.01%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$51,300.00	1500001	1.000	LSUM
0820	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0830	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0870	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0880	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0950	_Turf Establishment, Performance, Special	8167011	3,687.000	Syd
0960	Monument Box	8210001	1.000	Ea
0970	Monument Preservation	8210010	1.000	Ea
0980	Centerline Corrugations, Milled, HMA	8220013	550.000	Ft



Report v1

Letting ID: 210402 Call Number: 018 **Proposal ID:** 63000-205968

Description: 1.93 mi of roadway widening and reconstruction and bridge rehabilitation includes hot mix asphalt base crush, shape and resurface, concrete curb, gutter and ramps, signing, pavement markings and epoxy overlay, steel beam repairs and painting and scour countermeasures on Beech Road from Eight Mile Road to Ten Mile Road in the city of Southfield, Oakland County. This is a Local Agency project. ** 3685 Cb or 3685 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.


DBE Goal Percent: 6.00%

Project Information

Project Information			
Project Number	Federal Project Number	Federal Item Numbe	r Control Section
205968A	21A0382		STU 63000
Location: Beech Road from Route:	n Eight Mile Road to Ten Mile R	Road.	
211624A	21A0387		MCS 63000
Location: Beech Road ove	r the Rouge River.		
Route:			
Classification Ratings			
B = 0.60%	Ba = 0.77%	Cb = 31.83%	Ea = 28.46%

B = 0.60%	Ba = 0.77%	Cb = 31.83%	Ea = 28.46%
Fa = 1.21%	Fb = 0.04%	J = 5.90%	K = 4.82%
L = 3.45%	MOT = 2.53%	Misc = 12.72%	N2 = 0.32%
N3 = 1.42%	N4 = 0.69%	N6 = 0.25%	N91A = 1.12%
N91B = 0.75%	N91C = 0.19%	N92D = 1.25%	N93G = 0.14%
N94A = 0.14%	N96L = 1.40%		

Line Num	Item Description	Item ID	Quantity	Units
0010	_Reimbursed Permit Fees	1077060	15,000.000	Dlr
0020	Mobilization, Max\$343,400.00	1500001	1.000	LSUM
0580	Pavt, Cleaning	5010001	1.000	LSUM
0980	Post, Mailbox	8070095	31.000	Ea
1200	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	550.000	Ea





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
1210	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	550.000	Ea
1390	_Slope Restoration, Type Bonded Fiber Matrix	8167011	16,187.000	Syd
1850	Monument Box	8210001	3.000	Ea
1860	Monument Preservation	8210010	3.000	Ea
1920	_Audio Video Route Survey	8507051	1.000	LSUM



Report v1

Letting ID: 210402 **Call Number:** 019 **Proposal ID:** 52000-205649

Description: 2.50 mi of hot mix asphalt crushing, shaping and resurfacing and pavement markings on County Road

557 from south of Wilson Creek to south of County Road SW, Marquette County. This is a Local Agency project. ** 1073 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section		
205649A	21A0305		STL 52000		
Location: County Road 557 from south of Wilson Creek to south of County Road SW.					

Route:

Classification Ratings

Cb = 55.31%	Ea = 15.93%	J = 0.37%	MOT = 1.30%
Misc = 10.28%	N2 = 1.40%	N3 = 7.45%	N6 = 0.86%

N92D = 7.10%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$97,600.00	1500001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0150	Post, Mailbox	8070095	2.000	Ea
0270	Plastic Drum, Fluorescent, Furn	8120252	264.000	Ea
0280	Plastic Drum, Fluorescent, Oper	8120253	264.000	Ea
0340	_Slope Restoration, Modified	8167011	1,075.000	Syd



Report v1

Letting ID: 210402 **Call Number:** 020 **Proposal ID:** 39000-206267

Description: 1.70 mi of hot mix asphalt cold milling and resurfacing, signing and pavement markings on Solon

Street from Arboretum Parkway to West Main Street and Nichols Road from West Main Street to Ravine Road, Kalamazoo County. This is a Local Agency project. ** 2105 Cb or 2105 Ea **In addition

to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, K and L. If the prime contractor is not prequalified in those

subclassifications of Cb, Ea, K and L. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206267A	21A0286		STU 39000
Location: Solon Street from	m Arboretum Parkway to West Main St	treet.	

Route:

206271A 21A0278 STU 39000


Location: Nichols Road from West Main Street to Ravine Road.

Route:

Classification Ratings

B = 0.42%	Ca = 0.15%	Cb = 22.49%	Ea = 13.48%
J = 7.46%	K = 21.45%	L = 12.82%	MOT = 2.42%
Misc = 12.15%	N2 = 1.99%	N3 = 0.61%	N6 = 1.15%
N93A = 2.86%	N93G = 0.36%	N94B = 0.12%	N96M = 0.07%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$191,400.00	1500001	1.000	LSUM
0630	Post, Mailbox	8070095	22.000	Ea
0920	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	400.000	Ea
0930	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	400.000	Ea
0980	Plastic Drum, Fluorescent, Furn	8120252	75.000	Ea
0990	Plastic Drum, Fluorescent, Oper	8120253	75.000	Ea
1080	Native Seeding	8167011	2,351.000	Syd
1090	Turf Establishment	8167011	3,707.000	Syd





Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 021 **Proposal ID:** 27555-130467

Description: 2.93 mi of hot mix asphalt cold in place recycling, shoulders, guardrail and pavement marking on Lake Road west of Omans Creek, Gogebic County. This is a Local Agency project. ** 884 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section		
130467A	21A0304		STL 27555		
Location: Lake Road west of Omans Creek.					
Route:					
Classification Ratin	gs				
Cb = 56.79%	Ea = 3.57%	I = 0.03% J	= 0.76%		
MOT = 3.98%	Misc = 30.52%	N3 = 0.76% N	92D = 0.03%		

N96L = 3.55%

Line Num Iten	n Description	Item ID	Quantity	Units
0010 Mok	bilization, Max\$80,400.00	1500001	1.000	LSUM
0260 _As	sphalt Stabilizing Material	8507022	75,800.000	Gal



Report v1

Letting ID: 210402 Call Number: 022 **Proposal ID:** 63000-205992

Description: 1.22 mi of hot mix asphalt widening reconstruction, concrete curb, gutter and sidewalk ramps, storm sewer, traffic signals, signing and pavement markings on 12 Mile Road from Lahser Road to Evergreen Road, Oakland County. This is a Local Agency project. This project includes two 5 year Local Agency warranties. ** 5702 Cb or 5702 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
205992A Location: 12 Mile Road fr	21A0394 om Lahser Road to Evergreen Road.		STU 63000
Route:			
Classification Ratings			


Classification Ratings					
B = 2.85%	Ba = 0.06%	Cb = 31.44%	Ea = 29.71%		
Fb = 0.01%	H = 0.04%	J = 4.49%	K = 11.62%		
L = 2.89%	MOT = 4.79%	Misc = 11.55%	N2 = 0.09%		

N3 = 0.26%N6 = 0.10%N94B = 0.06%N96M = 0.04%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$518,500.00	1500001	1.000	LSUM
0110	_Pavt, Rem, Modified	2047011	399.000	Syd
0120	_Exploration for Utility Location	2047021	300.000	Cyd
0130	_Non-Hazardous Contaminated Material Handling and Disposal, LM	2047021	200.000	Cyd
0980	Post, Mailbox	8070095	2.000	Ea
1170	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	82.000	Ea
1180	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	82.000	Ea
1270	Plastic Drum, Fluorescent, Furn	8120252	415.000	Ea
1280	Plastic Drum, Fluorescent, Oper	8120253	415.000	Ea
1400	_Turf Establishment, THM Seed, Regular Mulch, Performance, RCOC	8167011	13,791.000	Syd
1960	Monument Box Adjust	8210005	1.000	Ea

Page: 26 of 59






Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
2180	_Sprinkler Line	8507001	500.000	Ft
2190	_Temp Pavement Repair, Mobilization	8507050	1.000	Ea





Report v1

Letting ID: 210402 **Call Number:** 023 **Proposal ID:** 82000-133062

Description: Bridge reconstruction to include side by side 21 inch prestressed concrete box beams with a

prestressed concrete deck, precast concrete fascia panels, cofferdams, drainage, concrete bridge approach, concrete curb and gutter, sidewalk, sidewalk ramps and guardrail work on Gibraltar Road over Waterway Canal in the city of Gibraltar, Wayne County. This is a Local Agency project. ** 2062

Fa **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
133062A	N/A		MCS 82000
Location: Gibraltar Road	l over Waterway Canal.		
Route:			
Classification Ratings			
B = 1.39%	Cb = 2.28%	Ea = 5.66%	Fa = 65.59%
Fb = 4.57%	G = 0.24%	J = 0.49%	L = 1.07%
MOT = 2.69%	Misc = 13.65%	N6 = 0.04%	N7 = 0.17%
N91B = 1.94%	N96L = 0.22%		

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$188,000.00	1500001	1.000	LSUM
0070	Project Cleanup	2090001	1.000	LSUM
0350	_Turf Establishment, Performace	8167011	338.000	Syd
0370	Contractor Staking	8240001	1.000	LSUM
0380	Staking Plan Errors and Extras, One Person	8240020	15.000	Hr
0390	Staking Plan Errors and Extras, Two Person	8240021	6.000	Hr
0400	Staking Plan Errors and Extras, Three Person	8240022	9.000	Hr
0760	_Vibration Monitoring	8007051	1.000	LSUM

N93G = 1.65%



Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 024 **Proposal ID:** 25000-207658

Description: 0.50 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter, sidewalk and ramps, signing and pavement markings on Grand Traverse Street southbound from Bristol Road to Hemphill Road in the city of Burton, Genesee County. This is a Local Agency project. ** 648 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of J. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
207658A	21A0356		STU 25000
Location: Grand Trav	erse Street Southbound from Bris	tol Road to Hemphill Road.	
Route:			
Classification Ratin	gs		
B = 2.31%	Ba = 2.35%	Cb = 40.52% E	a = 4.95%
J = 11.82%	K = 5.21%	MOT = 5.50% N	lisc = 16.04%

N93A = 6.41%

N94A = 0.69%

N3 = 1.27%

List of Items by Section

N6 = 1.26%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$59,000.00	1500001	1.000	LSUM
0050	_Pavt, Rem, Modified	2047011	600.000	Syd
0230	Pavt, Cleaning	5010001	1.000	LSUM
0370	_Pedestrian Ramp, Temp	8007050	10.000	Ea
0460	Post, Mailbox	8070095	5.000	Ea
0640	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	250.000	Ea
0650	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	250.000	Ea
0780	_Turf Establishment, Performance	8167011	6,100.000	Syd
0790	Monument Preservation	8210010	1.000	Ea
0800	_Audio-Video Construction Area Survey	8507051	1.000	LSUM



Report v1

Letting ID: 210402 **Call Number:** 025 **Proposal ID:** 13000-207722

Description: Substructure patching, epoxy overlay, penetrating healer/sealer to the bridge deck and sidewalks and

expansion joint replacement on Emmett Street over CN Railroad, Hamblin Avenue over the Kalamazoo River and Michigan Avenue over the Battle Creek River in the city of Battle Creek, Calhoun County. This is a Local Agency project. ** 766 N9-1A **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Fa. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

•					
Project Number	Federal Project Number	er Federal Item Nu	mber Control Section		
207722A	21A0397		BHT 13000		
Location: Hamblin Avenue Str# 1399, Michigan Avenue Str# 1409, Emmett Street Str# 12745.					
Route:					
Classification Rating	gs				
Fa = 14.89%	Fb = 0.58%	MOT = 29.38%	Misc = 16.60%		
N3 = 2 18%	N91A = 26 42%	N91B = 7.83%	N91C = 2 14%		

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$69,700.00	1500001	1.000	LSUM
0020	_Pedestrian Ramp, Temp	8007050	2.000	Ea
0120	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	40.000	Ea
0130	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	40.000	Ea
0240	Plastic Drum, Fluorescent, Furn	8120252	110.000	Ea
0250	Plastic Drum, Fluorescent, Oper	8120253	110.000	Ea
0520	_Railroad Inspection and Flagging	8507060	37,500.000	Dlr
0530	_Railroad Protection	8507060	15,000.000	Dlr



Report v1

Letting ID: 210402 Call Number: 026 **Proposal ID:** 50000-206508

Description: 0.90 mi of hot mix asphalt cold milling, concrete base repair, curb, gutter and sidewalk ramps and

pavement markings on 12 Mile Road from Harper Avenue to Jefferson Avenue in the city of St. Clair Shores, Macomb County. This is a Local Agency project. ** 1985 Cb or Comb/Jt. 1985 Ba, J **In addition to the above minimum prequalification requirement for prime contractors this project includes

subclassifications of Ba, Cb and J. If the prime contractor is not prequalified in those

subclassifications it must use prequalified subcontractors. Those subcontractors must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206508A	21A0345		STU 50000
Route:	ad from Harper Avenue to Jefferson A	venue.	
Classification Ratin	gs		

B = 1.16%	Ba = 10.27%	Cb = 32.02%	Ea = 9.59%
J = 17.18%	K = 3.46%	L = 0.35%	MOT = 6.28%
Misc = 14.65%	N3 = 0.92%	N6 = 0.32%	N93G = 3.52%

N94A = 0.28%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$180,500.00	1500001	1.000	LSUM
0110	Project Cleanup	2090001	1.000	LSUM
0590	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0600	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0680	Plastic Drum, Fluorescent, Furn	8120252	300.000	Ea
0690	Plastic Drum, Fluorescent, Oper	8120253	300.000	Ea
0770	_Turf Establishment, Sod, Performance, Special	8167011	2,987.000	Syd
0810	_Reimbursed Permit Fees	8247060	5,715.000	Dlr
0820	_Sprinkler Line, Special	8507001	500.000	Ft
0830	_Sprinkler Head, Relocate, Special	8507050	50.000	Ea
0840	_Sprinkler Head, Replace, Special	8507050	50.000	Ea
0850	_Color Audio Video Survey	8507051	1.000	LSUM

Page: 31 of 59





Report v1

Line Num	Item Description	Item ID	Quantity	Units
0860	_Rubbish Pickup	8507051	1.000	LSUM



Report v1

Letting ID: 210402 Call Number: 027 Proposal ID: 23000-209369


Description: 0.12 mi of hot mix asphalt crushing, shaping and resurfacing, concrete curb and ramps, storm sewer repairs and pavement markings on Brook Street from the east city limits of Eaton Rapids to M-50 in the city of Eaton Rapids, Eaton County. This is a Local Agency project. ** 600 K or Comb/Jt. 600 Cb, Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
209369A	21A0379		STUL 23000
Location: Brook Street	from the east city limits of Eaton	n Rapids to M-50.	
Route:			
Classification Rating	ĮS .		
Cb = 19.46%	Ea = 4.42%	J = 4.79%	K = 38.33%
MOT = 6.95%	Misc = 17.51%	N2 = 0.04%	N3 = 0.30%
N6 = 0.09%	N92D = 2.01%	N93A = 2.07%	N96L = 4.03%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$54,600.00	1500001	1.000	LSUM
0200	Dr Structure, Temp Lowering	4030390	30.000	Ea
0600	Plastic Drum, Fluorescent, Furn	8120252	120.000	Ea
0610	Plastic Drum, Fluorescent, Oper	8120253	120.000	Ea
0670	_Slope Restoration, Modified	8167011	6,650.000	Syd
0800	Contractor Staking, Road Only	8240007	1.000	LSUM
0810	Staking Plan Errors and Extras, One Person	8240020	5.000	Hr
0820	Staking Plan Errors and Extras, Two Person	8240021	2.000	Hr
0830	Staking Plan Errors and Extras, Three Person	8240022	3.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 028 **Proposal ID:** 47000-210445

Description: Traffic signal modernization including westbound left turn phasing, box spans, vehicle detection and

backplates on Grand River Road at Dorr Road and Latson Road at Golf Club Road, Livingston County.

This is a Local Agency project. ** 396 L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
210445A	21A0374		HSIP 47000
Location: Grand River	Road at Dorr Road.		
Route:			
210471A	21A0375		HSIP 47000
Location: Latson Road	d at Golf Club Road.		
Route:			

Classification Ratings

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$36,100.00	1500001	1.000	LSUM
0060	Plastic Drum, Fluorescent, Furn	8120252	200.000	Ea
0070	Plastic Drum, Fluorescent, Oper	8120253	200.000	Ea
0360	Span Wire Tether	8200142	8.000	Ea



Report v1

Letting ID: 210402 **Call Number:** 029 **Proposal ID:** 35000-207224-2

Description: 2.22 mi of hot mix asphalt surfacing, trench widening, guardrail, signing and pavement markings on

Kokosing Road from Lakeside Boulevard to M-65 and Whittemore Road from South Towerline Road to South Britt Road, Iosco County. This is a Local Agency project. ** 171 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified

subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 0.00%

Project Information

· · · · · · · · · · · · · · · · · · ·			
Project Number	Federal Project Number	Federal Item Number	Control Section
207224A	20A1084		HRRR 35000
Location: Kokosing Road Britt Road.	from Lakeside Boulevard to M-65	and Whittemore Road from Towe	erline Road to
Route:			
Classification Patings			

Classification Ratings

Cb = 42.82%	Ea = 21.72%	MOT = 11.92%	Misc = 10.81%
UD = 42.0270	EA = 21.12%	V(t) = 1 .92%	101150 = 10.0176

N3 = 3.27% N6 = 0.25% N96L = 9.20%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$15,600.00	1500001	1.000	LSUM
0120	Post, Mailbox	8070095	10.000	Ea
0190	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	120.000	Ea
0200	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	120.000	Ea



Report v1

Letting ID: 210402 **Call Number:** 030 **Proposal ID:** 32555-130156

Description: 7.46 mi of hot mix asphalt resurfacing, aggregate shoulders and pavement markings on Elkton Road

from the north village limits of Elkton north to Kinde Road, Huron County. This is a Local Agency project. ** 1368 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
130156A	21A0311		STL 32555
Location: Elkton Roa	d from the north village limits of Elkton	north to Kinde Road.	
Route:			

Classification Ratings

Cb = 75.70% Ea = 10.36% MOT = 3.35% Misc = 10.01%

N3 = 0.58%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$124,400.00	1500001	1.000	LSUM
0020	_Pavt, Rem, Modified	2047011	50.000	Syd
0050	Pavt, Cleaning	5010001	1.000	LSUM
0120	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	230.000	Ea
0130	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	230.000	Ea



Report v1

Letting ID: 210402 **Call Number:** 031 **Proposal ID:** 31000-127806

Description: 3.54 mi of hot mix asphalt cold milling and resurfacing, culvert and shoulder work and pavement

markings on Canal Road from M-26 to Coles Creek Road and Bear Lake Road from Salo Road to M-203, Houghton County. This is a Local Agency project. ** 1432 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
127806A	N/A		EDD 31000
Location: Houghton Canal	Road from M-26 to Coles Creek Road	d.	

Route:

206634A 21A0384 STL 31000

Location: Bear Lake Road from Salo Road to M-203.

Route:

Classification Ratings


Cb = 51.72%	Ea = 25.58%	Fa = 1.20%	I = 0.13%

K = 0.05% MOT = 1.60% Misc = 9.42% N3 = 0.44%

N6 = 0.13% N93A = 9.73%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$130,200.00	1500001	1.000	LSUM
0400	Plastic Drum, Fluorescent, Furn	8120252	180.000	Ea
0410	Plastic Drum, Fluorescent, Oper	8120253	180.000	Ea
0500	Monument Box Adjust	8210005	1.000	Ea

N93A = 6.30%





Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 032 **Proposal ID:** 81000-208388

Description: 0.63 mi of hot mix asphalt full depth cold milling and resurfacing, improve gravel shoulder and

pavement markings on Sibley Road from M-52 to the city limits of Chelsea, Washtenaw County. This is a Local Agency project. ** 548 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must

be designated prior to award of the contract to the confirmed low bidder.

Misc = 12.59%

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Numbe	r Federal Item Numl	ber Control Section	
208388A	21A0342		STUL 81000	
Location: Sibley Road from M 52 to the city Limits of Chelsea.				
Route:				
Classification Ratings				
Cb = 53.79%	Ea = 16.54%	J = 5.94%	K = 0.82%	

N3 = 0.32%

List of Items by Section

MOT = 3.70%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$49,800.00	1500001	1.000	LSUM
0230	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	600.000	Ea
0240	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	600.000	Ea
0310	_Slope Restoration	8167011	1,300.000	Syd



Report v1

Letting ID: 210402 Call Number: 033 **Proposal ID:** 80000-207882

Description: 0.26 mi of hot mix asphalt reconstruction, streetscape, water main and pavement markings on Michigan Avenue from Gremps Street to LaGrave Street in the village of Pawpaw, Van Buren County. This is a Local Agency project. ** Comb/Jt. 3348 Cb, Ea or Comb/Jt. 3348 Cb, K or Comb/Jt. 3348 Ea, K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, K and L. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Thosesubcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project information			
Project Number	Federal Project Number	Federal Item Numbe	r Control Section
207882A	21A0330		STUL 80000
Location: Michigan Avenue	e from Gremps Street to LaGrav	ve Street.	
Route:			
210862A	21A0335		TAUL 80000
Location: Michigan Avenue	e from Gremps Street to LaGrav	ve Street.	
Route:			
Classification Ratings			
B = 1.04%	Cb = 14.99%	Ea = 16.58%	H = 4.16%

B = 1.04%	Cb = 14.99%	Ea = 16.58%	H = 4.16%
I = 0.12%	J = 7.66%	K = 13.96%	L = 20.47%
MOT = 6.83%	Misc = 12.33%	N2 = 0.20%	N3 = 0.98%
N6 = 0.11%	N94B = 0.03%	N96M = 0.53%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$304,400.00	1500001	1.000	LSUM
0040	_Asbestos Cement Pipe, Disposal, Less than 24 inch	2037001	40.000	Ft
0110	_Misc Item, Rem	2047050	31.000	Ea
0840	Plastic Drum, Fluorescent, Furn	8120252	225.000	Ea
0850	Plastic Drum, Fluorescent, Oper	8120253	225.000	Ea
1830	_Segmental Wall, Freestanding	8507001	36.000	Ft
1840	_Segmental Column, Freestanding	8507050	12.000	Ea
1850	_Automated Irrigation System	8507051	1.000	LSUM

Page: 39 of 59





Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 034 **Proposal ID:** 58034-208673

Description: 10.20 mi of concrete pavement repairs on US-23 from the Michigan/Ohio state line northerly to Ida Center Road, Monroe County. ** 545 Ba **


DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section		
208673A	21A0441		NH 58034		
Location: US-23 from Michigan/Ohio State Line to Ida Center.					
Route: US-23					
Classification Ratings					
B = 4.58%	Ba = 60.12%	Ea = 0.38%	MOT = 15.87%		

Misc = 14.12%N3 = 4.19%N93C = 0.74%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$49,600.00	1500001	1.000	LSUM
0220	Plastic Drum, Fluorescent, Furn	8120252	610.000	Ea
0230	Plastic Drum, Fluorescent, Oper	8120253	610.000	Ea
0320	Contractor Staking, Road Only	8240007	1.000	LSUM
0330	Staking Plan Errors and Extras, One Person	8240020	5.000	Hr
0340	Staking Plan Errors and Extras, Two Person	8240021	2.000	Hr
0350	Staking Plan Errors and Extras, Three Person	8240022	3.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 035 **Proposal ID:** 38082-207302

Description: Application of special pavement markings on various routes, Clinton, Eaton, Hillsdale, Ingham, Jackson, Lenawee, Livingston, Monroe and Washtenaw Counties. ** 686 N3 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
207302A	21A0466		HSIP 38082


Location: On various routes.

Route: I-94 & Various

Classification Ratings

MOT = 0.48%Misc = 4.76%N3 = 94.76%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$65,400.00	1500001	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 036 **Proposal ID:** 73000-207281

Description: Application of special pavement markings on various routes, Huron, Sanilac, St. Clair and Tuscola Counties. ** 514 N3 **

DBE Goal Percent: 0.00%

Project Information


Project Number	Federal Project Number	Federal Item Number	Control Section
207281A	21A0465		HSIP 73000
Location: On various route	es in the Bay Region.		

Route:

Classification Ratings

MOT = 0.58%Misc = 4.76%N3 = 94.66%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$49,000.00	1500001	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 037 **Proposal ID:** 38082-211152

Description: Application of durable pavement markings on various routes, Clinton, Eaton, Hillsdale, Ingham,

Jackson, Lenawee, Livingston, Monroe and Washtenaw Counties. ** 355 N3 **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of either N9-3A or N9-3D. If the prime contractor is not prequalified in one of those subclassifications it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the

contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211152A	21A0464		HSIP 38082

Location: On various routes.

Route: I-94 & Various

Classification Ratings

MOT = 0.48% Misc = 4.79% N3 = 94.73%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$33,800.00	1500001	1.000	LSUM



Report v1

Letting ID: 210402 Call Number: 038 **Proposal ID:** 46032-129137

Description: 1.49 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter, sidewalk and ramps, shoulder gravel and pavement markings on M-156 from the Michigan state line to Park Drive in the city of Morenci, Lenawee County. This project includes a 3 year materials and workmanship pavement warranty. ** 685 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of J. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
129137A	21A0471		HSIP 46032
Location: Along M-156 from	m Michigan State Line to Park Drive.		
Route:			
204133A	21A0467		ST 46032
Location: M-156 from the M	Michigan State Line to Park Road.		
Route: M-156			

Classification Ratings

•			
B = 0.63%	Cb = 35.44%	Ea = 7.71%	H = 0.97%
I = 0.71%	J = 16.55%	K = 6.26%	L = 0.31%
MOT = 7.62%	Misc = 12.65%	N2 = 0.39%	N3 = 2.25%
N6 = 0.09%	N93A = 8.43%		

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$62,200.00	1500001	1.000	LSUM
0100	Project Cleanup	2090001	1.000	LSUM
0170	Dr Structure, Temp Lowering	4030390	46.000	Ea
0560	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	140.000	Ea
0570	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	140.000	Ea
0610	Plastic Drum, Fluorescent, Furn	8120252	25.000	Ea
0620	Plastic Drum, Fluorescent, Oper	8120253	25.000	Ea
0790	Monument Box	8210001	2.000	Ea





Report v1

Line Num	Item Description	Item ID	Quantity	Units
0800	Monument Box Adjust	8210005	3.000	Ea



Report v1

Letting ID: 210402 **Call Number:** 039 **Proposal ID:** 25000-211752

Description: Bridge rehabilitation includes epoxy overlays, joint sealing and deck patching on Leroy Street, Caroline Street and Torrey Road in the city of Fenton, Genesee County. This is a Local Agency

project. ** 249 Fa **In addition to the above minimum prequalification requirement for prime

contractors this project includes a subclassification of N7. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section	
211752A	21A0372		BHT 25000	
The standard Control of the Control				

Location: Leroy Street, Caroline Street and Torrey Road over the Shiawassee River.


Route:

Classification Ratings

Cb = 1.15%	Ea = 2.50%	Fa = 15.61%	Fb = 0.72%
J = 1.54%	K = 0.24%	MOT = 37.53%	Misc = 12.16%
N3 = 0.19%	N7 = 10.69%	N91A = 13.69%	N91C = 2.42%

N93A = 1.55%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$22,600.00	1500001	1.000	LSUM
0270	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0280	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea
0370	_Surface Restoration, Seed	8167011	137.000	Syd
0380	_Tree Trimming	2027002	1.000	Sta
0540	_Bridge Irrigation System, Rem and Reinstall	8507051	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 040 **Proposal ID:** 72023-210482

Description: 0.38 mi of guardrail removal and installation along Old-27 from Knapp Road to Quest Drive, Lansing

Road over the Cut River, Old-76 over the AuSable River and Old-76 over Cedar Creek, Roscommon

County. This is a Local Agency project. ** 106 N9-6L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
210482A	21A0389		HSIP 72023
Location: On various	routes.		
Route:			
Classification Patin	ae		

Classification Ratings

Ea = 7.91% MOT = 17.07% Misc = 10.94% N96L = 64.09%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$9,600.00	1500001	1.000	LSUM
0110	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	112.000	Ea
0120	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	112.000	Ea

N91C = 4.53%



Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 041 **Proposal ID:** 70000-206095

Description: Bridge rehabilitation includes hot mix asphalt overlay, concrete box beam patching, waterproofing

membrane, substructure patching and approach work on Paw Paw Drive over the Macatawa River in the city of Holland, Ottawa County. This is a Local Agency project. ** 276 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ch and NZ. If the prime contractor is not propullified in those subclassifications if must use

Cb and N7. If the prime contractor is not prequalified in those subclassifications it must use

prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to

the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
206095A	21A0395		BHT 70000
Location: Paw Paw Drive of	over the Macatawa River.		
Route:			
Classification Ratings			
Cb = 14.88%	Ea = 2.05%	Fa = 13.69%	Fb = 0.61%
J = 1.44%	MOT = 23.63%	Misc = 9.85%	N3 = 0.72%

N91A = 12.57%

N93A = 1.97% N94A = 0.36% N96L = 1.52%

N7 = 12.15%

List of Items by Section

N6 = 0.03%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$25,200.00	1500001	1.000	LSUM
0240	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0250	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0320	_Slope Restoration, Bonded Fiber Matrix	8167011	205.000	Syd



Report v1

Letting ID: 210402 Call Number: 042 **Proposal ID:** 58000-205293

Description: 3.99 mi of hot mix asphalt resurfacing, aggregate shoulders and pavement markings on Jackman Road from the Michigan/Ohio state line to Smith Road and Samaria Road and Lakeside Road from east of Lewis Avenue to west of the centerline of US-24, Monroe County. This is a Local Agency project. ** 1096 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
205293A	21A0273		STU 58000
Location: Jackman Road f	rom the Michigan/Ohio State Line to S	mith Road.	

Route:

205766A 21A0296 STU 58000

Location: Jackman Road from the Michigan/Ohio State Line to Smith Road.


Route:

Classification Ratings

Ea = 11.34%MOT = 5.72%Misc = 9.46%Cb = 72.48%

N3 = 1.00%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$99,400.00	1500001	1.000	LSUM
0170	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	210.000	Ea
0180	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	210.000	Ea
0260	Monument Box Adjust	8210005	1.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 210402 **Call Number:** 043 **Proposal ID:** 08000-206798

Description: 5.35 mi of hot mix asphalt overlays on various routes, Barry County. This is a Local Agency project. **

534 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206798A	21A0314		STL 08000

Location: On various routes.

Route:

Classification Ratings

Cb = 85.90% MOT = 4.41% Misc = 9.45% N93A = 0.23%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$48,600.00	1500001	1.000	LSUM
0050	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0060	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 210402 Call Number: 044 **Proposal ID:** 14000-206327

Description: 2.61 mi of hot mix asphalt overlay, aggregate shoulder and pavement markings on Barron Lake Road from M-60 to Cook Street, Cass County. This is a Local Agency project. ** 451 Cb **

DBE Goal Percent: 2.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
206327A	21A0354		STU 14000
Location: Barron Lake Ro	ad from M-60 to Cook Street.		
Route:			
Classification Ratings			
Cb = 73.40%	Ea = 6.19%	K = 0.62%	MOT = 8.12%

N93A = 0.68%

List of Items by Section

N3 = 0.56%

Misc = 10.43%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$40,700.00	1500001	1.000	LSUM
0110	Plastic Drum, Fluorescent, Furn	8120252	181.000	Ea
0120	Plastic Drum, Fluorescent, Oper	8120253	181.000	Ea
0180	Monument Box Adjust	8210005	3.000	Ea



Report v1

Letting ID: 210402 **Call Number:** 045 **Proposal ID:** 35000-211404

Description: 2.11 mi of hot mix asphalt resurfacing, aggregate shoulders, signing and pavement markings on Turtle

Road from M-65 to AuGres River Bridge, losco County. This is a Local Agency project. ** 332 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to

the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211404A	21A0338		STL 35000
Location: Turtle Road from	M-65 to AuGres River Bridge.		
Route:			

Classification Ratings

Cb = 73.94% Ea = 11.88% MOT = 2.44% Misc = 10.55%

N3 = 0.85% N6 = 0.33%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$30,200.00	1500001	1.000	LSUM
0040	Pavt, Cleaning	5010001	1.000	LSUM
0170	Plastic Drum, Fluorescent, Furn	8120252	80.000	Ea
0180	Plastic Drum, Fluorescent, Oper	8120253	80.000	Ea
0220	Monument Box	8210001	4.000	Ea

N94B = 0.08%





Cost Summaries For Primes

Report v1

Description: 1.46 mi of hot mix asphalt base crushing, shaping and resurfacing, replace culverts, signing and

pavement markings on County Road 451 from Claus Road east to Hawks Highway, Presque Isle County. This is a Local Agency project. ** 623 Cb or 623 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea.

If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the

confirmed low bidder.

N6 = 0.68%

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
205322A	21A0399		STL 71000
Location: County Road 45	1 from Claus Road east to Haw	ks Highway.	
Route:			
Classification Ratings			
Cb = 50.70%	Ea = 27.44%	MOT = 3.57%	Misc = 11.02%

N92D = 5.16%

List of Items by Section

N3 = 1.36%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$56,600.00	1500001	1.000	LSUM
0330	Post, Mailbox	8070095	1.000	Ea
0450	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	190.000	Ea
0460	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	190.000	Ea
0550	_Riprap, Plain, Modified	8137011	32.000	Syd
0560	_Slope Restoration	8167011	2,393.000	Syd



Report v1

Letting ID: 210402 **Call Number:** 047 **Proposal ID:** 35000-211569

Description: 1.05 mi of hot mix asphalt resurfacing, aggregate shoulders, signing and pavement markings on

Wickert Road from west of M-65 to M-65, losco County. This is a Local Agency project. ** 204 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to

the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211569A	21A0319		STL 35000
Location: Wickert Road v	vest of M-65 to M-65.		
Route:			

Classification Ratings

Cb = 64.24% Ea = 18.94% MOT = 4.58% Misc = 10.70%

N3 = 0.91% N6 = 0.63%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$18,600.00	1500001	1.000	LSUM
0040	Pavt, Cleaning	5010001	1.000	LSUM
0170	Plastic Drum, Fluorescent, Furn	8120252	40.000	Ea
0180	Plastic Drum, Fluorescent, Oper	8120253	40.000	Ea
0220	Monument Box	8210001	3.000	Ea



Report v1

Letting ID: 210402 **Call Number:** 048 **Proposal ID:** 68000-210479

Description: 0.50 mi of hot mix asphalt crushing, shaping and resurfacing, drainage, riprap, guardrail, signing and

pavement markings on Helmer Lake Road east of M-33, Oscoda County. This is a Local Agency project. ** 300 Cb or 300 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors

must be designated prior to award of the contract to the confirmed low bidder.


DBE Goal Percent: 0.00%


Project Information

Project Number	Federal Project Number	Federal Item Number	er Control Section
210479A	21A0391		HSIP 68000
Location: Helmer Lake Ro	ad east of M-33.		
Route:			
Classification Ratings			
Cb = 33.49%	Ea = 28.85%	H = 4.49%	MOT = 7.09%
Misc = 13.61%	N3 = 0.35%	N6 = 1.11%	N92D = 4.06%

N96L = 5.70% N96M = 1.25%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$27,300.00	1500001	1.000	LSUM
0020	_Clearing, Special	2017002	11.000	Sta
0280	Post, Mailbox	8070095	3.000	Ea
0370	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0380	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0500	Protect Corners	8210020	5.000	Ea







Report v1

Letting ID: 210402 Call Number: 049 Proposal ID: 81000-205597

Description: 1.31 mi of hot mix asphalt cold milling and resurfacing, concrete pavement removal, aggregate base, signs and pavement markings on Wiard Road from I-94 to north of the Tyler Road off ramp,

Washtenaw County. This is a Local Agency project. ** 901 Cb **

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	er Federal Item No	umber Control Section
205597A	21A0355		NH 81000
Location: Wiard Road	d from I-94 to north of Tyler Ro	ad off ramp.	
Route:			
Classification Ratin	gs		
Cb = 68.19%	Ea = 8.53%	L = 1.19%	MOT = 3.80%
Misc = 9.26%	N3 = 0.88%	N6 = 0.13%	N93A = 5.45%
N93G = 1.61%	N96L = 0.96%		

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$82,000.00	1500001	1.000	LSUM
0060	Project Cleanup	2090001	1.000	LSUM
0190	Post, Mailbox	8070095	1.000	Ea
0390	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	60.000	Ea
0400	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	60.000	Ea



Report v1

Letting ID: 210402 Call Number: 050 Proposal ID: 44000-206077

Description: 0.01 mi of hot mix asphalt removal and resurface, waterproof membrane, guardrail and approach work on Burnside Road over Cedar Creek and Silverwood Road over the Flint River, Lapeer County. This is a Local Agency project. ** Comb/Jt. 332 Cb, Ea or Comb/Jt. 332 Cb, Fa or Comb/Jt. 332 Cb, N9-6L or Comb/Jt. 332 Ea, Fa or Comb/Jt. 332 Fa, N9-6L **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, Fa and N9-6L. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206077A	21A0390		BHT 44000
Location: Burnside R	Road over Cedar Creek and Silvery	ood Road over the Flint River.	
Route:			
Classification Ratin	ngs		
Cb = 15.23%	Ea = 11.00%	Fa = 10.44%	MOT = 14.54%

Misc = 20.23%N3 = 0.30%N7 = 7.23%N91A = 7.45%

N91B = 0.75%N91C = 0.99%N96L = 11.81%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$30,200.00	1500001	1.000	LSUM
0020	_Clearing, Modified	2017002	6.000	Sta
0200	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0210	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0310	_Slope Restoration, Modified	8167011	1,000.000	Syd
0320	_Guardrail, Rem, Modified	2047001	72.000	Ft
0330	_Debris, Rem	2047051	1.000	LSUM
0530	_Riprap, Under Structures, Heavy	8137031	50.000	Ton



Report v1

Letting ID: 210402 Call Number: 051 **Proposal ID:** 29000-207331

Description: 0.34 mi of hot mix asphalt reconstruction, concrete curb, gutter, sidewalk and ramps, water main, storm sewer, utility improvements, signing and pavement markings on State Street from Michigan Avenue to Main Street in the city of St. Louis, Gratiot County. This is a Local Agency project. ** 1145 Ea or Comb/Jt. 1145 Cb, J or Comb/Jt. 1145 Cb, K or Comb/Jt. 1145 J, K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	er Federal Item N	lumber Control Section
207331A	21A0398		HIPS 29000
Location: State Stre	et from Michigan Avenue to Mai	in Street.	
Route:			
Classification Ratio	ngs		
B = 0.13%	Cb = 17.34%	Ea = 31.44%	J = 12.04%
K = 20.70%	MOT = 4.76%	Misc = 12.20%	N3 = 0.34%
N6 = 0.82%	N94B = 0.23%		

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$104,200.00	1500001	1.000	LSUM
0450	Post, Mailbox	8070095	4.000	Ea
0630	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0640	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0700	_Turf Establishment, Performance	8167011	2,700.000	Syd
0710	Monument Box	8210001	2.000	Ea
0720	Monument Box Adjust	8210005	5.000	Ea
0730	Protect Corners	8210020	5.000	Ea
0930	_Railroad Protection, at Grade	8507060	17,000.000	Dlr



Report v1

Letting ID: 210402 **Call Number:** 052 **Proposal ID:** 38000-207173

Description: 0.32 mi of hot mix asphalt reconstruction, concrete curb and sidewalk, decorative lighting and

pavement markings on Morrell Street from Greenwood Avenue to Francis Street in the city of Jackson, Jackson County. This is a Local Agency project. ** 836 Cb or 836 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use

prequalified subcontractors. Those subcontractors must be designated prior to award of the contract

to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
207173A	21A0373		STUL 38000
Location: Morrell Stre	eet from Greenwood Avenue to Francis	s Street.	
Route:			
Olasaifiaatian Batin			_

Classification Ratings

Cb = 26.60%	Ea = 31.46%	H = 3.19%	J = 6.87%
K = 8.54%	L = 5.87%	MOT = 3.10%	Misc = 13.56%

N3 = 0.28% N6 = 0.52%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$76,000.00	1500001	1.000	LSUM
0060	_Pavt Sawcut	2047001	249.000	Ft
0070	_HMA Surface, Rem, Modified	2047011	2,366.000	Syd
0090	_Earth Sawcut	2057001	100.000	Ft
0180	Project Cleanup	2090001	1.000	LSUM
0520	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0530	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea
0650	_Hydromulch	8167011	499.000	Syd
0660	_Topsoil Surface, 4 inch	8167011	499.000	Syd