



Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 243

Proposal ID: 73000-200277

Description: 0.51 mi of hot mix asphalt crushing, shaping and resurfacing, rumble strips, signing and pavement markings on Swan Creek Road at South River Road, Saginaw County. This is a Local Agency project. ** 740 Cb or 740 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
200277A	1900126		HRRR 73000

Location: Swan Creek Road at South River Road.

Route:

Classification Ratings

B = 6.98%	Cb = 26.86%	Ea = 36.08%	L = 8.64%
MOT = 2.71%	Misc = 15.50%	N2 = 0.05%	N3 = 0.29%
N6 = 1.55%	N93A = 1.23%	N96L = 0.11%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$67,400.00	1500001	1.000	LSUM
0440	_Turf Establishment, Performance	8167011	15,000.000	Syd
0460	Monument Box	8210001	1.000	Ea
0470	Monument Preservation	8210010	1.000	Ea
0480	Protect Corners	8210020	5.000	Ea
0490	Centerline Corrugations, Milled, HMA	8220013	2,100.000	Ft
0500	Non-Freeway Shoulder Corrugations, Milled, HMA	8220025	3,945.000	Ft

Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 301

Proposal ID: 41000-133277

Description: 0.20 mi of hot mix asphalt and concrete pavement reconstruction, concrete curb, gutter, sidewalk and ramps, storm sewer, guardrail and pavement markings on Ionia Avenue from Michigan Avenue to the westbound I-196 off ramp for Ottawa Avenue and on the I-196 ramps at Ionia Avenue and Division Avenue in the city of Grand Rapids, Kent County. This is a Local Agency project. ** 1176 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Cb. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
133277A	1801103		STU 41000
Location: Ionia Avenue NW from Michigan Street NW to westbound I-196 Off Ramp for Ottawa Avenue NW.			
Route:			
203812A	1801114		IM 41027
Location: I-196 Ramp from Eastbound On-Ramp at Ionia Avenue and Westbound On-Ramp at Division Avenue.			
Route:			

Classification Ratings

B = 6.31%	Cb = 17.54%	Ea = 20.91%	Fa = 0.02%
H = 1.38%	I = 0.19%	J = 7.82%	K = 7.18%
L = 4.95%	MOT = 4.93%	Misc = 20.79%	N3 = 2.11%
N6 = 0.12%	N94B = 0.08%	N96L = 5.66%	N96M = 0.04%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$106,800.00	1500001	1.000	LSUM
0050	_Curb and Gutter, Rem, Modified	2047001	2,750.000	Ft
0060	_Pavt, Rem, Modified	2047011	6,900.000	Syd
0070	_Sidewalk, Rem, Modified	2047011	870.000	Syd
1070	_Turf Establishment	8167011	3,250.000	Syd
1170	_Removal, Existing Street Lighting System	8197051	1.000	LSUM
1280	_Preconstruction Documentation	8507051	1.000	LSUM



Cost Summaries For Primes

Report v1

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
1290	_Additional Insurance	8507060	10,000.000	Dir
1300	_Contaminated Material, Storage, Handling and Disposal	8507060	20,000.000	Dir



Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 302

Proposal ID: 50031-201379

Description: 2.30 mi of hot mix asphalt fine textured milling, crack repair, joint repair and resurfacing, concrete curb, gutter, sidewalk and ramps, signals and pavement markings on M-97 from 14 Mile Road north to 16 Mile Road in the city of Fraser, Macomb County. This project includes a 3 year materials and workmanship pavement warranty. ** 3075 Cb or 3075 N9-3G **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and N9-3G. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
201379A	1900276		NH 50031

Location: M-97 from 14 Mile to 16 Mile.

Route: M-97

Classification Ratings

Cb = 61.40%	Ea = 3.45%	J = 1.61%	K = 1.32%
L = 1.97%	MOT = 4.63%	Misc = 10.04%	N3 = 1.40%
N93G = 13.98%	N94A = 0.20%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	_Sidewalk Ramp Layout	1047051	1.000	LSUM
0020	Mobilization, Max \$279,600.00	1500001	1.000	LSUM
0360	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	40.000	Ea
0370	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	40.000	Ea
0450	Plastic Drum, Fluorescent, Furn	8120252	600.000	Ea
0460	Plastic Drum, Fluorescent, Oper	8120253	600.000	Ea
0600	Monument Box	8210001	4.000	Ea
0610	Monument Box Adjust	8210005	4.000	Ea
0620	Monument Preservation	8210010	4.000	Ea



Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 303

Proposal ID: 19031-201032

Description: 3.72 mi of hot mix asphalt cold milling and resurfacing on Old US-27 and US-127BR from Pratt Road to Taft Road, Clinton County. This project includes a 3 year materials and workmanship pavement warranty. ** 1709 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
201032A	N/A		M 19031

Location: Old US-27 & US-127 BR from Pratt Road to Taft Road.

Route: US-127 BL

Classification Ratings

Cb = 67.62% Ea = 2.22% K = 1.00% MOT = 6.50%

Misc = 10.01% N3 = 1.56% N93A = 9.95% N93D = 0.29%

N93G = 0.86%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$155,500.00	1500001	1.000	LSUM
0030	Project Cleanup	2090001	1.000	LSUM
0260	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	300.000	Ea
0270	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	300.000	Ea
0430	Monument Box	8210001	5.000	Ea
0440	Monument Box Adjust	8210005	5.000	Ea
0450	Protect Corners	8210020	10.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 304

Proposal ID: 14032-131577

Description: 3.57 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter, sidewalk and ramps, and pavement markings on M-62 from the west city limits to the east city limits of Dowagiac and on M-51 from Pokagon Street to the north city limits of Dowagiac in the city of Dowagiac, Cass County. This project includes a 3 year materials and workmanship pavement warranty. ** 1100 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
131577A	N/A		M 14032
Location: M-62 from the west city limit to the east city limit of Dowagiac.			
Route: M-62			
200634A	1900278		M 14011
Location: M-51 from the south city limit to the north city limit of Dowagiac			
Route: M-51, M-62			

Classification Ratings

B = 0.35%	Cb = 54.11%	Ea = 2.64%	H = 0.42%
I = 0.27%	J = 4.28%	K = 1.18%	MOT = 7.19%
Misc = 13.03%	N2 = 1.03%	N3 = 2.74%	N93A = 12.76%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$100,000.00	1500001	1.000	LSUM
0080	_Brick, Rem and Salv	2047010	80.000	Sft
0480	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	180.000	Ea
0490	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	180.000	Ea
0650	Monument Box	8210001	4.000	Ea
0660	Monument Box Adjust	8210005	8.000	Ea
0670	Protect Corners	8210020	12.000	Ea
0690	Contractor Staking, Road Only	8240007	1.000	LSUM
0700	Staking Plan Errors and Extras, One Person	8240020	11.000	Hr



Cost Summaries For Primes

Report v1

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0710	Staking Plan Errors and Extras, Two Person	8240021	5.000	Hr
0720	Staking Plan Errors and Extras, Three Person	8240022	7.000	Hr
0730	_Railroad Protection, at Grade Crossing	8507060	9,600.000	Dir



Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 305

Proposal ID: 47093-128441

Description: 2.69 mi of hot mix asphalt shared use path along Lemen Road from 8 Mile Road to 9 Mile Road and on M-36 from 9 Mile Road to the Lakelands Trail, Livingston County. This is a Local Agency project. **948 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Cb. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
128441A	1900195		TAU 47093

Location: Lemen Road from 8 Mile Road to 9 Mile Road, M-36 from Nine Mile Road to the Lakelands Trail ...

Route:

Classification Ratings

Cb = 24.55%	Ea = 39.06%	I = 3.53%	J = 1.40%
K = 3.48%	L = 0.10%	MOT = 3.88%	Misc = 9.19%
N2 = 6.18%	N3 = 0.48%	N6 = 3.14%	N96M = 5.01%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$86,500.00	1500001	1.000	LSUM
0120	_Bumper Block, Special	2047050	2.000	Ea



Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 306

Proposal ID: 35032-200991

Description: 10.56 mi of hot mix asphalt cold milling and single course resurfacing on US-23 from north of F41 to north of Andrew Drive and from the south Alcona county line north to the Lake State Railroad Crossing and on M-65 from west of Channel Road to north of Pine Acres Road, Iosco and Alcona Counties. This project includes a 3 year materials and workmanship pavement warranty. ** 3165 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
200991A	N/A		GF19 35032

Location: US-23 from north of F-41 to north of Andrew Drive and from the South Alcona County Line north to the Lake State Railroad Crossing and M-65 from west of Channel Road to north of Pine Acres Road.

Route: US-23 and M-65

Classification Ratings

Cb = 69.65%	Ea = 0.51%	K = 0.09%	MOT = 6.32%
Misc = 10.68%	N3 = 2.16%	N93A = 10.58%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$287,800.00	1500001	1.000	LSUM
0110	_Pavt Sensor, Invasive Condition, Proprietary	8007050	1.000	Ea
0240	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	400.000	Ea
0250	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	400.000	Ea
0380	Monument Box	8210001	2.000	Ea
0390	Monument Box Adjust	8210005	4.000	Ea
0400	Monument Preservation	8210010	2.000	Ea
0410	Centerline Corrugations, Milled, HMA	8220013	37,050.000	Ft
0420	Non-Freeway Shoulder Corrugations, Milled, HMA	8220025	61,808.000	Ft
0440	_Railroad Protection, at Grade Crossing	8507060	5,000.000	Dlr



Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 307

Proposal ID: 28021-200976

Description: 5.61 mi of hot mix asphalt overlay with shoulders trenched and reconstructed on M-113 from M-37 to west of Clark Street, Grand Traverse County. This project includes a 3 year materials and workmanship pavement warranty. ** 1728 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
200976A	N/A		M 28021
Location: M-113 from M-37 to west of Clark Street.			
Route:			
201915A	1900285		M 28021
Location: M-113 from M-37 to west of Clark Street.			
Route:			

Classification Ratings

Cb = 67.56% Ea = 10.13% I = 0.48% MOT = 7.75%

Misc = 11.19% N3 = 2.89%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$157,200.00	1500001	1.000	LSUM
0310	Plastic Drum, Fluorescent, Furn	8120252	9.000	Ea
0320	Plastic Drum, Fluorescent, Oper	8120253	9.000	Ea
0460	Monument Box	8210001	10.000	Ea
0470	Monument Box Adjust	8210005	13.000	Ea
0480	Monument Preservation	8210010	23.000	Ea
0490	Centerline Corrugations, Milled, HMA	8220013	29,641.000	Ft
0500	Non-Freeway Shoulder Corrugations, Milled, HMA	8220025	59,282.000	Ft



Cost Summaries For Primes

Report v1

Letting ID: 190213

Call Number: 308

Proposal ID: 23051-132267

Description: 3.77 mi of partial depth hot mix asphalt cold milling and resurfacing on M-50 from Long Highway to west of Hallawood Lane in the city of Eaton Rapids, Eaton County. This project includes a 3 year materials and workmanship pavement warranty. ** 766 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
132267A	N/A		M 23051

Location: M-50 at Canfield Road.

Route:

Classification Ratings

Cb = 66.34%	Ea = 2.35%	MOT = 7.07%	Misc = 10.41%
N3 = 2.55%	N6 = 0.00%	N93A = 10.69%	N93D = 0.58%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$69,700.00	1500001	1.000	LSUM
0020	Project Cleanup	2090001	1.000	LSUM
0160	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	200.000	Ea
0170	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	200.000	Ea
0290	Monument Box Adjust	8210005	2.000	Ea
0300	Protect Corners	8210020	2.000	Ea
0310	Centerline Corrugations, Milled, HMA	8220013	19,900.000	Ft