

Report v1

Letting ID: 200904 Call Number: 001 **Proposal ID:** 50000-206434

Description: 1.00 mi of concrete pavement remove and replace, concrete curb and gutter, aggregate base, drainage, signing and pavement markings on 23 Mile Road from Card Road to North Avenue, Macomb County. This is a Local Agency project. This project includes a 5 year Local Agency Program Warranty. ** 6955 B or 6955 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of B and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206434A	20A0829		EDCF 50000
Location: 23 Mile Road f	rom Card Road to North Avenu	e.	
Route:			
Classification Ratings			
B = 25.21%	Ba = 0.02%	Cb = 5.84%	Ea = 24.73%
H = 0.05%	I = 2.28%	ITS = 0.10%	J = 5.75%
K = 10.03%	L = 5.24%	MOT = 4.97%	Misc = 13.43%
N2 = 0.31%	N3 = 0.93%	N6 = 0.12%	N93A = 0.09%
N94B = 0.11%	N96L = 0.74%	N96M = 0.03%	

Line Num	Item Description	Item ID	Quantity	Units
0010	_Reimbursed Permit Fees	1077060	1,000.000	Dlr
0020	Mobilization, Max\$683,800.00	1500001	1.000	LSUM
0180	_Pavt, Rem, Special	2047011	27,411.000	Syd
0280	Project Cleanup	2090001	1.000	LSUM
0730	Dr Structure, Temp Lowering	4030390	20.000	Ea
1100	Post, Mailbox	8070095	7.000	Ea
1140	Field Office, Cl 3	8090003	11.000	Мо
1150	Field Office, Utility Fees	8090010	10,000.000	Dlr
1740	_Topsoil Surface, Furn, 3 inch, Modified	8167011	42,000.000	Syd
2540	Monument Box	8210001	2.000	Ea






Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
2550	Monument Preservation	8210010	2.000	Ea
2560	_Benchmark Post	8217050	2.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 200904 **Call Number:** 002 **Proposal ID:** 20555-130334

Description: 2.28 mi of hot mix asphalt overlay, aggregate shoulders, drainage and pavement markings on Old 27

from north of Mount Frederic Road northeast to the Crawford/Otsego county line, Crawford County.

This is a Local Agency project. ** 487 Cb **

DBE Goal Percent: 0.00%


Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
130334A	20A0874		STL 20555
Location: Old 27 from nort	h of Mount Frederic Road to the Craw	ford/Otsego County Line.	
Route:			

Classification Ratings

Cb = 86.57% MOT = 4.34% Misc = 9.09%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$44,300.00	1500001	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 200904 **Call Number:** 003 **Proposal ID:** 82000-202824

Description: Traffic signal modernization on various routes at 13 locations in the city of Detroit, Wayne County.

This is a Local Agency project. ** 1416 L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
202824A	20A0863		CPMG 82000

Location: Trumbull Street from Lafayette Boulevard to Edsel Ford Service Drive and 14th Street from Bagley Street and Oakman Boulevard.

Route:

Classification Ratings

Ea = 0.57% J = 0.36% K = 0.34% L = 77.09%

MOT = 4.97% Misc = 16.67%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$234,700.00	1500001	1.000	LSUM
0020	_Curb, Rem, Modified	2047001	40.000	Ft
0030	_Sidewalk, Rem, Modified	2047011	64.000	Syd





Cost Summaries For Primes

Report v1

Description: 2.99 mi of hot mix asphalt crushing, shaping and resurfacing, aggregate base, shoulders and

pavement markings on Lake Ottawa Road west of M-73, Iron County. This is a Local Agency project.

** 1058 Cb **In addition to the above minimum prequalification requirement for prime contractors this

project includes a subclassification of Ea. If the prime contractor is not prequalified in this

subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior


to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
202611A	FLAP(056)		FLAP 36000
Location: Lake Ottaw	a Road west of M-73.		
Route:			
Classification Ratin	gs		
Cb = 56.81%	Ea = 20.19%	MOT = 2.75% N	lisc = 9.46%
N3 = 4.23%	N6 = 0.27%	N92D = 6.30%	

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$96,200.00	1500001	1.000	LSUM
0240	Monument Box	8210001	3.000	Ea
0250	Monument Preservation	8210010	3.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 200904 **Call Number:** 005 **Proposal ID:** 79000-203037

Description: 3.00 mi of hot mix asphalt overlay, aggregate shoulders, signing and pavement markings on Fostoria

Road from Millington Road north to Brown Road, Tuscola County. This is a Local Agency project. ** 417 Cb **In addition to the above minimum prequalification requirement for prime contractors this

project includes a subclassification of Ea. If the prime contractor is not prequalified in this

subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior

to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
203037A	20A0854		STL 79000
Location: Fostoria Road	from Millington Road north to Brown F	Road.	
Route:			

Mouto.

Classification Ratings

Cb = 60.29% Ea = 12.66% MOT = 9.26% Misc = 11.92%

N3 = 1.55% N6 = 4.32%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$37,900.00	1500001	1.000	LSUM
0250	_Slope Restoration	8167011	3,525.000	Syd
0260	Monument Box Adjust	8210005	6.000	Ea



Report v1

Description: 2.46 mi of hot mix asphalt cold milling and resurfacing, aggregate base, concrete curb and gutter,

storm sewer, sidewalk ramps and pavement markings on Dewitt Road from Clark Road to Herbison Road in the city of Dewitt, Clinton County. This is a Local Agency project. ** 2083 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Cb. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the

confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
129909A	20A0862		STU 19000
Location: Dewitt	Road from Clark Road to south city limits	s of DeWitt.	
Route:			

Route

205926A 20A0864 CPMG 19000

Location: Dewitt Road at Clark Road.

Route:

209995A 20A0869 TA 19000

Location: Dewitt Road from Clark Road to Herbison Road.

Route:

210637A 20A0868 TAU 19000


Location: Dewitt Road. Panther Road.

Route:

Classification Ratings

.			
B = 8.05%	Cb = 21.91%	Ea = 25.89%	Fa = 0.87%
Fb = 0.27%	J = 5.82%	K = 3.16%	L = 1.83%
MOT = 3.32%	Misc = 21.21%	N2 = 0.08%	N3 = 0.48%
N6 = 1.97%	N7 = 0.26%	N91A = 0.17%	N91B = 1.26%
N91C = 0.15%	N93A = 0.97%	N96L = 0.36%	N96M = 1.99%

Line Num	Item Description			Item ID	Quantity	Units	
----------	------------------	--	--	---------	----------	-------	--





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$189,400.00	1500001	1.000	LSUM
0060	_Pavt, Rem, Modified	2047011	14,394.000	Syd
0640	Post, Mailbox	8070095	1.000	Ea
1140	_Turf Establishment, Performance-No Rye, Special	8167011	21,455.000	Syd
1250	Monument Box	8210001	1.000	Ea
1260	Monument Preservation	8210010	2.000	Ea
1270	Contractor Staking	8240001	1.000	LSUM
1280	Staking Plan Errors and Extras, One Person	8240020	20.000	Hr
1290	Staking Plan Errors and Extras, Two Person	8240021	8.000	Hr
1300	Staking Plan Errors and Extras, Three Person	8240022	8.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 200904 Call Number: 007 **Proposal ID:** 27000-210726

Description: Application of pavement markings on various routes, Gogebic County. This is a Local Agency project.

** 83 N3 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
210726A	20A0834		STL 27000

Location: On various routes.

Route:

Classification Ratings

Misc = 9.06%N3 = 90.94%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$7,600.00	1500001	1.000	LSUM



Report v1

Letting ID: 200904 Call Number: 008 **Proposal ID:** 50000-206454

Description: 1.46 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter and ramps, drainage

structure adjustments and pavement markings on Hayes Road from 14 Mile Road to Moravian Road, Macomb County. This is a Local Agency project. ** 1321 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3G. If

the prime contractor is not prequalified in this subclassification it must use a prequalified

subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Numb	er Federal Item N	Number Control Section
206454A	20A0871		STU 50000
Location: Hayes Roa	ad from 14 Mile Road to Morav	ian Drive.	
Route:			
Classification Ratir	ıgs		
Ba = 3.92%	Cb = 59.78%	Ea = 1.71%	J = 4.29%

Ba = 3.92%Cb = 59.78%Ea = 1.71%

MOT = 2.73%

Misc = 8.70%N3 = 1.00%

N93G = 13.85%N94A = 0.31%

List of Items by Section

K = 3.72%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$99,800.00	1500001	1.000	LSUM
0090	Dr Structure, Temp Lowering	4030390	11.000	Ea
0540	_Turf Establishment, Modified	8167011	1,200.000	Syd
0550	Monument Box Adjust	8210005	2.000	Ea
0560	Monument Preservation	8210010	1.000	Ea



Report v1

Letting ID: 200904 Call Number: 009 **Proposal ID:** 27051-205196

Description: 0.61 mi of hot mix asphalt cold milling and resurfacing, widening, drainage, earth work and pavement markings on US-45 from north of Rifle Range Road northerly to Bass Lake Road, Gogebic County. This project includes a 3 year and a 5 year materials and workmanship pavement warranty. ** 902 Cb or 902 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Numb	er Federal Item	Number Control Section
205196A	20A0925		ST 27051
Location: US-45 from	north of Rifle Range Road no	rtherly to Bass Lake Road.	
Route: US-45			
Classification Ratin	gs		
Cb = 30.89%	Ea = 37.94%	I = 4.93%	J = 0.52%

K = 0.07%MOT = 5.91%Misc = 12.10%N2 = 1.44%

N3 = 2.04%N6 = 0.30%N93A = 3.88%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$82,000.00	1500001	1.000	LSUM
0110	_Ditch Cleanout, Special	2057001	110.000	Ft
0710	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0720	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea
0800	Monument Box	8210001	2.000	Ea
0810	Monument Preservation	8210010	2.000	Ea
0820	Contractor Staking, Road Only	8240007	1.000	LSUM
0830	Staking Plan Errors and Extras, One Person	8240020	7.000	Hr
0840	Staking Plan Errors and Extras, Two Person	8240021	3.000	Hr
0850	Staking Plan Errors and Extras, Three Person	8240022	4.000	Hr

N96L = 3.23%



Cost Summaries For Primes

Report v1

Description: 5.68 mi of micro hot mix asphalt cold milling and resurfacing, overband crack fill, chip seal and two

course, guardrail and pavement markings on US-131 from south of Vans Lane northerly to south of Supply Road, Grand Traverse and Kalkaska Counties. This project includes two 5 year materials and

workmanship pavement warranties. ** 5567 Cb **

N6 = 0.24%

DBE Goal Percent: 3.00%

Project Information


Project Number	Federal Project Number	Federal Item Number	Control Section
210096A	20A0930		NH 40011
Location: US-131 fro	m south of Vans Lane to south of S	Supply Road.	
Route:			
Classification Ratin	gs		
Ca = 5.58%	Cb = 62.43%	Ea = 3.62% I =	= 0.26%
J = 1.21%	MOT = 8.70%	Misc = 11.56% N2	2 = 0.78%

N93E = 0.87%

List of Items by Section

N3 = 1.52%

Line Num	Item Description	Item ID	Quantity	Units	
0010	Mobilization, Max\$506,000	1500001	1.000	LSUM	
0300	Post, Mailbox	8070095	14.000	Ea	
0550	Plastic Drum, Fluorescent, Furn	8120252	200.000	Ea	
0560	Plastic Drum, Fluorescent, Oper	8120253	200.000	Ea	
0710	Centerline Corrugations, Milled, HMA	8220013	30,000.000	Ft	
0720	Non-Freeway Shoulder Corrugations, Milled, HMA	8220025	60,000.000	Ft	
0730	Contractor Staking, Road Only	8240007	1.000	LSUM	
0740	Staking Plan Errors and Extras, One Person	8240020	42.000	Hr	
0750	Staking Plan Errors and Extras, Two Person	8240021	17.000	Hr	
0760	Staking Plan Errors and Extras, Three Person	8240022	25.000	Hr	





Cost Summaries For Primes

Report v1

Letting ID: 200904 Call Number: 011 **Proposal ID:** 73000-210647

Description: Bridge deck scaling of 68 structures in the Bay Region, Arenac, Bay, Clare, Genesee, Gratiot, Isabella, Lapeer, Midland, Saginaw, Shiawassee and St Clair Counties. ** 2401 N9-1A **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
210647A Location: On various route	N/A s.		M 73000
Route:			

Classification Ratings

MOT = 33.08%Misc = 9.15%N91A = 57.77%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$218,300.00	1500001	1.000	LSUM
0800	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0090	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea



Report v1

Letting ID: 200904 Call Number: 012 Proposal ID: 69000-209357

Description: 0.95 mi of hot mix asphalt cold milling, reconstruction and resurfacing, concrete curb, gutter, sidewalk and ramps, storm sewer, water main, and pavement markings on Dickerson Road from north of Millbocker Road to south of O'Rourke Boulevard and from Van Tyle Road to M-32 in the city of Gaylord, Otsego County. This is a Local Agency project. ** 841 Cb or Comb/Jt. 841 Ea, K or Comb/Jt. 841 J, K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information


Project Number	Federal Project Number	Federal Item Numbe	r Control Section
209357A	20A0845		STUL 69000
Location: Dickerson Road	from north of Millbocker Road t	o M-32.	
Route:			
Classification Ratings			
Cb = 29.45%	Ea = 12.13%	G = 0.59%	J = 10.51%
K = 25.49%	MOT = 5.92%	Misc = 10.73%	N3 = 0.94%

List of Items by Section

N93A = 4.12%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$75,000.00	1500001	1.000	LSUM
0330	Post, Mailbox	8070095	3.000	Ea
0570	_Slope Restoration, Modified	8167011	5,000.000	Syd

N94B = 0.12%





Cost Summaries For Primes

Report v1

Letting ID: 200904 **Call Number:** 013 **Proposal ID:** 38000-206924

Description: 100.52 mi of application of edge line pavement markings, signing and reflective post sheeting on

various routes, Jackson County. This is a Local Agency project. ** 256 N3 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206924A	20A0872		HSIP 38000

Location: On various routes.

Route:

207182A 20A0182 HSIP 38000


Location: On various routes.

Route:

Classification Ratings

MOT = 5.32% Misc = 9.09% N3 = 79.05% N6 = 6.54%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$23,300.00	1500001	1.000	LSUM





Cost Summaries For Primes

Report v1

Description: 3.02 mi of clearing, tree removal, signing and pavement markings on Jefferson Road from US-127 to

Hyde Road and West Michigan Avenue from Chapel Road to Sandstone Road, Jackson County. This

is a Local Agency project. ** 189 N2 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
207225A	20A0866		HRRR 38000
Location: Jefferson F	Road from US-127 to Hyde Road.		
Route:			
207226A	20A0867		HRRR 38000

Leastian, Lefferson Dood from LIC 107 to Llude Dood

Location: Jefferson Road from US-127 to Hyde Road.

Route:

Classification Ratings

MOT = 20.44% Misc = 10.36% N2 = 39.73% N3 = 20.12%

N6 = 9.35%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$17,300.00	1500001	1.000	LSUM
0360	_Slope Restoration, Bonded Fiber Matrix	8167011	455.000	Syd



Report v1

Description: 1.05 mi of hot mix asphalt pavement repairs, trenching, shoulders, guardrail, signing and pavement

markings on Seymour Road from Beecher Road to Potter Road, Genesee County. This is a Local Agency project. ** 1074 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item No	umber Control Section
202159A	20A0792		STL 25000
Location: Seymour R	oad from Beecher Road to Potter	Road.	
Route:			
Classification Ratin	gs		
B = 3.58%	Ba = 0.72%	Cb = 54.61%	Ea = 19.70%
J = 0.31%	K = 0.05%	MOT = 3.75%	Misc = 11.27%
N2 = 0.18%	N3 = 0.48%	N6 = 0.83%	N93A = 0.52%
N93F = 0.03%	N93G = 2.18%	N96L = 1.75%	N96M = 0.05%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$97,600.00	1500001	1.000	LSUM
0070	_Pavt, Rem, Modified	2047011	850.000	Syd
0440	Post, Mailbox	8070095	32.000	Ea
0720	_Turf Establishment, Performance	8167011	2,715.000	Syd
0730	_Monument Box, Special	8217050	3.000	Ea
0740	_Monument Preservation, Special	8217050	3.000	Ea

N6 = 0.40%



Cost Summaries For Primes

Report v1

Description: 0.26 mi of obliterating old road, hot mix asphalt surfacing, drainage, concrete curb and gutter, signing

and pavement markings on Jackson Road at Lindsey Road, Jackson County. This is a Local Agency project. ** 191 Cb or Comb/Jt. 191 Ea, I **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and I. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
207227A	20A0870		HRRR 38000
Location: Jackson Road a	t Lindsey Road.		
Route:			
Classification Ratings			
Cb = 37.43%	Ea = 24.37%	J = 2.62%	MOT = 7.04%

N3 = 1.05%

N2 = 0.73%

N92D = 6.91%

Misc = 19.47%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$16,800.00	1500001	1.000	LSUM
0210	Post, Mailbox	8070095	1.000	Ea
0390	_Slope Restoration, Type Bonded Fiber Matrix	8167011	4,500.000	Syd



Report v1

Description: 0.10 mi of hot mix asphalt offset right turn lane, cold milling and resurfacing, concrete curb and gutter,

earthwork and pavement markings on M-62 at May Street, Cass County. ** 202 Cb or 202 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the

contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
202018A	20A0940		HSIP 14031
Location: US-12 at May S	treet		

Location: US-12 at May Street.

Route: M-62

Classification Ratings

Cb = 29.91%	Ea = 28.37%	J = 2.47%	K = 0.17%

MOT = 14.66% Misc = 16.32% N3 = 2.61% N6 = 1.56%

N93A = 3.93%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$18,400.00	1500001	1.000	LSUM
0530	Plastic Drum, Fluorescent, Furn	8120252	130.000	Ea
0540	Plastic Drum, Fluorescent, Oper	8120253	130.000	Ea
0600	_Turf Establishment, Performance	8167011	800.000	Syd
0620	Contractor Staking, Road Only	8240007	1.000	LSUM
0630	Staking Plan Errors and Extras, One Person	8240020	2.000	Hr
0640	Staking Plan Errors and Extras, Two Person	8240021	1.000	Hr
0650	Staking Plan Errors and Extras, Three Person	8240022	1.000	Hr



Report v1

Letting ID: 200904 **Call Number:** 018 **Proposal ID:** 31012-208842

Description: Bridge rehabilitation including finger joint replacement, motor replacement and painting at the

Houghton Lift Bridge on US-41 over Portage Lake in the cities of Houghton and Hancock, Houghton County. This project includes a 2 year bridge coating warranty. ** 2807 Fa or 2807 L **In addition to

the above minimum prequalification requirement for prime contractors this project includes subclassifications of Fa, L and N4. If the prime contractor is not prequalified in those

subclassifications it must use prequalified subcontractors. Those subcontractors must be designated


prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
208842A	N/A		M 31012
Location: US-41 over Por	tage Lake.		
Route:			
Classification Ratings			
Fa = 20.70%	Fb = 4.69%	MOT = 5.75%	Misc = 46.04%
N3 = 0.00%	N4 = 21.19%	N91A = 1.53%	N91C = 0.10%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$255,200.00	1500001	1.000	LSUM
0020	_Pedestrian Ramp, Temp	8007050	2.000	Ea
0070	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	150.000	Ea
0800	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	150.000	Ea
0140	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0150	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea
0240	_Maintaining Navigation (B01 of 31012)	1077051	1.000	LSUM
0540	_Limit Switch, Rem and Replace	8007050	10.000	Ea
0550	_Auxiliary Span Drive (B01 of 31012)	8007051	1.000	LSUM
0560	_Electrical Work (B01 of 31012)	8007051	1.000	LSUM
0570	_Mechanical Work (B01 of 31012)	8007051	1.000	LSUM



N96L = 2.86%



AASHTOWare Project™ Version 4.2.2 Revision 034

Cost Summaries For Primes

Report v1

Description: 4.85 mi of enhanced guardrail delineation and enhanced concrete barrier delineation on existing

guardrail and bridge barriers on US-223 and M-50 in the cities of Adrian and Tecumseh, Lenawee

County. ** 90 N6 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
209601A	20A0929		HSIP 46062
Location: US-223 at M-34.			
Route: US-223, M-50			
Classification Ratings			

N3 = 61.08%

Misc = 12.10%

List of Items by Section

MOT = 23.96%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$8,200.00	1500001	1.000	LSUM
0050	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	125.000	Ea
0060	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	125.000	Ea
0110	Plastic Drum, Fluorescent, Furn	8120252	15.000	Ea
0120	Plastic Drum, Fluorescent, Oper	8120253	15.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 200904 **Call Number:** 020 **Proposal ID:** 05071-208822

Description: 2.68 mi of micro-surfacing, overband crack filling, shoulder gravel and pavement markings on M-88

from Cedar River Road/West Limits Road easterly to US-131 and on US-131 from Elder Road northerly to M-66 in the village of Mancelona, Antrim County. This project includes a 2 year pavement

performance warranty. ** 452 N9-3I **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
208822A	20A0941		ST 05071

Location: M-88 from W Limits Road to US-131 and US-131 from Elder Road to M-66.

Route:

208822A 20A0941 ST 05071

Location: M-88 from W Limits Road to US-131 and US-131 from Elder Road to M-66.


Route:

Classification Ratings

Ea = 9.54% MOT = 22.37% Misc = 10.36% N3 = 5.86%

N93E = 5.57% N93I = 46.30%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$41,100.00	1500001	1.000	LSUM
0210	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	300.000	Ea
0220	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	300.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 200904 Call Number: 021 **Proposal ID:** 15091-209538

Description: Traffic signal installation, concrete curb and gutter, sidewalk, sidewalk ramps and pavement markings on US-131 at M-75, Charlevoix County. ** 361 L **

N6 = 0.32%

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section
209538A	N/A		M 15091
Location: US-131 at M-75.			
Route:			
Classification Ratings			
Cb = 1.32%	Ea = 2.32%	I = 0.05%	ITS = 0.28%
J = 1.87%	L = 69.65%	MOT = 8.04%	Misc = 15.08%

List of Items by Section

N3 = 1.08%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$32,900.00	1500001	1.000	LSUM
0800	Project Cleanup	2090001	1.000	LSUM
0120	_Managed Field Ethernet Switch, Fiber Capable	8007050	1.000	Ea
0130	_Roadside Unit, Intersection	8007050	1.000	Ea
0320	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0330	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0650	Span Wire Tether	8200142	4.000	Ea
0850	Contractor Staking, Road Only	8240007	1.000	LSUM
0860	Staking Plan Errors and Extras, One Person	8240020	3.000	Hr
0870	Staking Plan Errors and Extras, Two Person	8240021	1.000	Hr
0880	Staking Plan Errors and Extras, Three Person	8240022	2.000	Hr



Report v1

Letting ID: 200904 **Call Number:** 022 **Proposal ID:** 08052-200165

Description: 5.42 mi of overband crack fill, single course chip seal, fog seal, aggregate shoulders and pavement

markings on M-66 from Coats Grove Road north to M-50, Barry County. This project includes a 2 year pavement performance warranty. ** 527 Ca **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This

subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
200165A	20A0942		ST 08052
Location: M-66 from	Coats Grove Road north to M-50.		
Route:			
Classification Ratin	gs		

Ca = 51.64% Ea = 17.31% MOT = 9.55% Misc = 11.69%

N3 = 3.03% N93E = 6.78%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$48,000.00	1500001	1.000	LSUM
0150	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	450.000	Ea
0160	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	450.000	Ea
0300	Monument Box	8210001	1.000	Ea
0310	Monument Preservation	8210010	1.000	Ea
0320	Protect Corners	8210020	10.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 200904 Call Number: 023 **Proposal ID:** 84927-128781


Description: Signal modernization, concrete curb and gutter, sidewalk and sidewalk ramp upgrades on M-3 (Gratiot Avenue) at 15 Mile Road, Macomb County. ** 468 L **

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
128781A	20A0943		HSIP 84927
Location: On various route	S.		
Route: M-3			
Classification Ratings			
B = 0.61%	Ba = 0.11%	Cb = 0.75%	Ea = 3.30%
ITS = 0.75%	J = 5.37%	K = 0.20%	L = 64.99%
MOT = 7.29%	Misc = 14.13%	N3 = 2.43%	N6 = 0.07%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$42,600.00	1500001	1.000	LSUM
0100	Project Cleanup	2090001	1.000	LSUM
0370	Plastic Drum, Fluorescent, Furn	8120252	246.000	Ea
0380	Plastic Drum, Fluorescent, Oper	8120253	246.000	Ea
0420	_Turf Establishment, Performance	8167011	219.000	Syd
0750	Span Wire Tether	8200142	5.000	Ea
1040	Contractor Staking, Road Only	8240007	1.000	LSUM
1050	Staking Plan Errors and Extras, One Person	8240020	4.000	Hr
1060	Staking Plan Errors and Extras, Two Person	8240021	2.000	Hr
1070	Staking Plan Errors and Extras, Three Person	8240022	3.000	Hr





Report v1

Letting ID: 200904 **Call Number:** 024 **Proposal ID:** 76000-208229

Description: 0.42 mi of hot mix asphalt reconstruction, ditching and pavement markings on Parmenter Road south

of McNeil Street in the city of Corunna, Shiawassee County. This is a Local Agency project. ** 848 Ea or Comb/Jt. 848 Cb, K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors

must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
208229A	20A0839		STUL 76000
Location: Parmenter	Road south of McNeil Street.		
Route:			
Classification Ratin	gs		
Cb = 25.59%	Ea = 45.55%	J = 2.13%	K = 11.45%
MOT = 0.90%	Misc = 13.62%	N3 = 0.34%	N6 = 0.19%
N94B = 0.16%	N96M = 0.06%		

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$77,200.00	1500001	1.000	LSUM
0430	Post, Mailbox	8070095	10.000	Ea
0620	_Slope Restoration, Modified	8167011	6,784.000	Syd
0630	Monument Box Adjust	8210005	1.000	Ea
0640	Monument Preservation	8210010	1.000	Ea
0730	_Railroad Protection, at Grade Crossing	8507060	2,500.000	Dlr



Report v1

Letting ID: 200904 **Call Number:** 025 **Proposal ID:** 03033-205393

Description: 0.01 mi of culvert replacement, cable barrier and guardrail work on I-196 over Pier Cove Creek,

Allegan County. This project includes a 5 year materials and workmanship pavement warranty. ** 5875 Ea or 5875 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Fa. If the prime contractor is not prequalified in this

subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior

to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section
205393A	20A0946		IM 03033
Location: C04-03033 I-196	over Pier Cove Creek.		
Route:			
Classification Ratings			
Cb = 5.35%	Ea = 45.60%	Fa = 20.05%	Fb = 0.28%
I = 1.54%	K = 1.73%	MOT = 11.24%	Misc = 11.22%

N2 = 0.08% N3 = 0.09% N6 = 0.01% N93A = 0.14%

N96L = 2.51% N96M = 0.14%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$534,400.00	1500001	1.000	LSUM
0840	Plastic Drum, Fluorescent, Furn	8120252	150.000	Ea
0850	Plastic Drum, Fluorescent, Oper	8120253	150.000	Ea
1040	Shoulder Corrugations, Ground or Cut, HMA	8220001	14,600.000	Ft
1050	Contractor Staking	8240001	1.000	LSUM
1060	Staking Plan Errors and Extras, One Person	8240020	44.000	Hr
1070	Staking Plan Errors and Extras, Two Person	8240021	18.000	Hr
1080	Staking Plan Errors and Extras, Three Person	8240022	26.000	Hr



Report v1

Letting ID: 200904 Call Number: 026 **Proposal ID:** 37000-200454

Description: 0.27 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter, sidewalk and ramps, drainage, watermain, signing and pavement markings and traffic signal installation including controller and cabinet, steel strain poles, aluminum pedestals, and wireless vehicle detection on Isabella Road at Bluegrass Road, Broomfield Road, and Remus Road, Isabella County. This is a Local Agency project. ** 863 L **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 2.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
200454A	20A0858		HSIP 37000
Location: On Isabella Road	d at Bluegrass Road, Broomfie	ld Road and Remus Road.	
Route:			
Classification Ratings			
Cb = 9.41%	Ea = 11.93%	ITS = 7.17%	J = 8.64%
K = 3.49%	L = 39.21%	MOT = 5.31%	Misc = 11.27%
N3 = 2.03%	N6 = 0.44%	N93A = 1.10%	

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$78,500.00	1500001	1.000	LSUM
0120	Project Cleanup	2090001	1.000	LSUM
0530	Post, Mailbox	8070095	1.000	Ea
0880	_Slope Restoration, Modified	8167011	1,451.000	Syd
1120	Span Wire Tether	8200142	11.000	Ea
1300	Monument Box	8210001	1.000	Ea
1310	_Monument Preservation, Special	8217050	1.000	Ea



Report v1

Letting ID: 200904 **Call Number:** 027 **Proposal ID:** 70000-209491

Description: 0.72 mi of hot mix asphalt shared use path, aggregate base, culverts, sewer, drainage and slope

restoration along Greenly Street from Sun Ridge Drive to 24th Avenue, Ottawa County. This is a Local Agency project. This is a Small Business Program project. Only those approved by MDOT as a Small Business may be eligible to bid as a prime contractor. ** 395 Cb or 395 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use

prequalified subcontractors. Those subcontractors must be designated prior to award of the contract

to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section		
209491A	20A0859		TAU 70000		
Location: Greenly Street from Sun Ridge Drive to 24th Avenue.					
Route:					
Classification Rating	gs				

Cb = 26.89%	Ea = 27.34%	I = 4.04%	J = 0.21%

K = 8.09% MOT = 6.58% Misc = 26.53% N2 = 0.15%

N6 = 0.18%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$36,000.00	1500001	1.000	LSUM
0270	_Shared Use Path, Grading, Special	8067001	3,780.000	Ft
0480	_Non Selective Weed Spray Under HMA	8507010	37,800.000	Sft



Report v1

Letting ID: 200904 Call Number: 028 Proposal ID: 25000-207637

Description: 0.28 mi of hot mix asphalt cold milling and resurfacing, concrete pavement repair, water main, signing and pavement markings on Robert T Longway Boulevard from Chavez Drive to East Boulevard Drive in the city of Flint, Genesee County. This is a Local Agency project. ** 972 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section			
207637A	20A0865		NH 25000			
Location: Robert T Lo	Location: Robert T Longway Boulevard from Chavez Drive to E. Boulevard Drive.					
Route:						
Classification Ratin	gs					
B = 0.62%	Cb = 31.05%	Ea = 21.24%	J = 7.80%			
K = 8.65%	MOT = 6.05%	Misc = 20.34%	N3 = 0.72%			
N6 = 0.90%	N93A = 0.62%	N93G = 1.97%	N94B = 0.03%			

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$88,400.00	1500001	1.000	LSUM
0060	_Pavt, Rem, Modified	2047011	6,257.000	Syd
0740	_Turf Establishment, Performance	8167011	3,100.000	Syd



Report v1

Letting ID: 200904 Call Number: 029 **Proposal ID:** 77000-133412

Description: 0.20 mi of hot mix asphalt reconstruction, storm sewer, concrete pavement, curb, gutter, sidewalk and ramps, water main and pavement markings on McMorran Boulevard from Huron Avenue (I-69BL) to Merchant Street in the city of Port Huron, St. Clair County. This is a Local Agency project. ** Comb/Jt. 1339 Cb, Ea or Comb/Jt. 1339 Cb, J or Comb/Jt. 1339 Cb, K or Comb/Jt. 1339 Ea, J or Comb/Jt. 1339 Ea, K or Comb/Jt. 1339 J, K**In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section		
133412A	20A0857		STUL 77000		
Location: McMorran Boulevard from Huron Avenue (I-69BL) to Merchant Street.					
Route:					
Classification Ratings					
B = 2.08%	Ba = 0.08%	Cb = 15.68%	Ea = 19.44%		
H = 0.87%	I = 0.19%	J = 17.07%	K = 27.25%		
L = 0.82%	MOT = 2.05%	Misc = 13.04%	N2 = 0.14%		

N3 = 0.45%N6 = 0.85%

Line Num	Item Description	Item ID	Quantity	Units
0010	_Reimbursed Permit Fees	1077060	450.000	Dlr
0020	Mobilization, Max\$121,700.00	1500001	1.000	LSUM
0100	_Sidewalk, Brick Pavers, Rem and Salv	2047010	553.000	Sft
0110	_Sidewalk, Rem, Modified	2047010	11,481.000	Sft
0120	_Driveway, Rem, Modified	2047011	197.000	Syd
0940	_Slope Restoration, Modified	8167011	2,142.000	Syd
1400	_Exploratory Excavation	8507040	20.000	Hr
1410	_Parking Meter and Post, Reinstall	8507050	21.000	Ea
1420	_Parking Meter and Post, Salv	8507050	21.000	Ea
1430	_Parking Meter Cover	8507050	21.000	Ea
1440	_Audiovisual Record	8507051	1.000	LSUM



Report v1

Letting ID: 200904 Call Number: 030 **Proposal ID:** 50000-200657

Description: 0.33 mi of hot mix asphalt shared use path, concrete curb, gutter, sidewalk and ramps, aggregate base and pavement markings along Earl Memorial Highway from Kaeding Road to 33 Mile Road, Macomb County. This is a Local Agency project. This is a Small Business Program project. Only those approved by MDOT as a Small Business may be eligible to bid as a prime contractor. ** 161 Cb or 161 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

•			
Project Number	Federal Project Number	Federal Item Nun	nber Control Section
200657A	20A0902		TAU 50000
Location: Earl Memor	rial Highway from Kaeding Roa	d to 33 Mile Road.	
Route:			
Classification Ratin	gs		
Cb = 25.21%	Ea = 32.59%	J = 12.03%	K = 1.12%
MOT = 6.60%	Misc = 15.71%	N2 = 3.09%	N3 = 2.02%
N6 = 1.62%			

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$14,500.00	1500001	1.000	LSUM
0800	_Landscape Removal, Special	2047051	1.000	LSUM
0460	_Turf Establishment, Performance - No Rye, Special	8167011	1,990.000	Syd



Report v1

Description: 0.16 mi of construction of concrete sidewalk and ramps on Fuller Court at Fuller Road in the city of

Ann Arbor, Washtenaw County. This is a Local Agency project. ** 187 J **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified

subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	er Control Section	
203579A	20A0881		STU 81000	
Location: Fuller Court at F	uller Road.			
Route:				
Classification Ratings				
B = 1.67%	Cb = 2.94%	Ea = 16.71%	H = 1.07%	
I = 0.23%	J = 33.36%	K = 0.32%	MOT = 9.92%	
Misc = 29.17%	N3 = 1.40%	N6 = 0.54%	N96M = 2.67%	

Line Num	Item Description	Item ID	Quantity	Units
0010	_Audiovisual Tape Coverage	1047051	1.000	LSUM
0020	_Project Supervision, Max.	1047051	1.000	LSUM
0030	Mobilization, Max\$17,000.00	1500001	1.000	LSUM
0800	_Sidewalk Grading	2057001	863.000	Ft
0130	Project Cleanup	2090001	1.000	LSUM
0590	_Mulch Blanket, Modified	8167011	850.000	Syd



Report v1

Letting ID: 200904 **Call Number:** 032 **Proposal ID:** 08033-200136

Description: 10.82 mi of hot mix asphalt cold milling and resurfacing, aggregate shoulder, centerline corrugations

and pavement markings on M-179 from Patterson Road to west of M-43, Allegan and Barry Counties. This project includes a 3 year materials and workmanship pavement warranty. ** 2639 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract

to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
200136A	N/A		M 08033
Location: M-179 from	Patterson Road to west of M-43	3.	
Route:			
Classification Ratin	gs		
Cb = 66.41%	Ea = 2.54%	I = 0.01%	K = 0.16%
MOT = 5.95%	Misc = 10.37%	N3 = 1.68%	N93A = 12.81%

N93D = 0.08% N94A = 0.01%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$240,000.00	1500001	1.000	LSUM
0310	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	450.000	Ea
0320	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	450.000	Ea
0490	_HMA Spillway	8147011	20.000	Syd
0510	Monument Box	8210001	1.000	Ea
0520	Monument Preservation	8210010	1.000	Ea
0530	Protect Corners	8210020	11.000	Ea
0540	Centerline Corrugations, Milled, HMA	8220013	57,362.000	Ft
0550	Contractor Staking, Road Only	8240007	1.000	LSUM
0560	Staking Plan Errors and Extras, One Person	8240020	1.000	Hr
0570	Staking Plan Errors and Extras, Two Person	8240021	1.000	Hr
0580	Staking Plan Errors and Extras, Three Person	8240022	1.000	Hr



Report v1

Call Number: 033 **Letting ID**: 200904 **Proposal ID:** 62015-204208

Description: 15.91 mi of overband crack filling, chip sealing, single, warranty, fog sealing, intermittent shoulder and pavement repairs, hot mix asphalt cold milling and resurfacing and pavement markings on M-20 from east of Swain Street easterly to east of US-131 and the Stanwood carpool lot, Newaygo and Mecosta Counties. This project includes a 2 year pavement performance warranty and a 3 year materials and workmanship pavement warranty. ** 2189 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ca. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
204208A	20A0949		ST 62015

Location: M-20 from east of Swain Street easterly to east of US-131.

Route:

204382A 20A0950 ST 54041

Location: M-20 at US-131.

Route:


Classification Ratings

Ca = 19.15%	Cb = 49.96%	Ea = 3.13%	MOT = 4.57%

Misc = 9.59%N3 = 2.69%N93A = 7.75%N93D = 0.24%

N93E = 2.93%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$199,000.00	1500001	1.000	LSUM
0250	Centerline Corrugations, Milled, HMA	8220013	37,596.000	Ft





Cost Summaries For Primes

Report v1

Letting ID: 200904 Call Number: 034 **Proposal ID: 21011-203896**

Description: 5.21 mi of hot mix asphalt cold milling and resurfacing, concrete sidewalk ramps, aggregate shoulders,

approach work and pavement markings on M-69 from US-2/US-41 northwesterly to the Delta/Menominee county line, Delta County. This project includes two 3 year materials and

workmanship pavement warranties. ** 972 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Numb	er Federal Item	Number Control Section
203896A	N/A		M 21011
Location: M-69 from	US-2/41 to the Menominee/De	Ita County Line.	
Route: M-69			
Classification Ratin	gs		
Cb = 68.00%	Ea = 6.72%	I = 0.18%	J = 0.19%

MOT = 6.60%Misc = 10.98%N3 = 3.73%N93A = 3.59%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$88,400.00	1500001	1.000	LSUM
0320	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0330	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea
0420	Monument Box Adjust	8210005	2.000	Ea
0430	Protect Corners	8210020	2.000	Ea
0440	Centerline Corrugations, Milled, HMA	8220013	27,519.000	Ft
0450	_Railroad Protection, at Grade Crossing	8507060	6,000.000	Dlr





Cost Summaries For Primes

Report v1

Letting ID: 200904 **Call Number:** 035 **Proposal ID:** 34044-209902

Description: 0.01 mi of upgrading rest area lighting luminaire heads to LED on I-96 westbound at the Portland Rest

Area, Ionia County. ** 81 L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
209902A	20A0934		ST 34044

Location: On I-96 westbound at the Portland Rest Area (#531)

Route: I-96

209902A 20A0934 ST 34044


Location: On I-96 westbound at the Portland Rest Area (#531)

Route: 96

Classification Ratings

L = 73.65% MOT = 16.50% Misc = 9.85%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$7,400.00	1500001	1.000	LSUM
0050	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	30.000	Ea
0060	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	30.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 200904 Call Number: 036 **Proposal ID:** 50051-210591

Description: Advance procurement of signal equipment for use on M-3 from Common Road to 11 Mile Road in the city of Roseville, Macomb County. ** 393 L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
210591A	20A0957		ST 50051

Location: M-3 from Common Road to 11 Mile Road.

Route: M-3

Classification Ratings

L = 100.00%

Line Num It	tem Description	Item ID	Quantity	Units
-------------	-----------------	---------	----------	-------



Report v1

Description: 2.14 mi of concrete pavement repairs, shoulder aggregate, berm grading and pavement markings on

US-2, US-41, and M-35 from Lakeshore Drive northerly to the CN/WC Railroad in the city of Gladstone, Delta County. ** 399 Ba **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must

be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	Control Section
208436A	20A0962		NH 21022
Location: US-2/US-4	1/M-35 from Lakeshore Drive to	the CN/WC Railroad.	
Route: US-2 / US-41	/ M-35		
Classification Ratin	gs		
B = 3.79%	Ba = 50.92%	Ea = 10.12%	I = 1.78%
MOT = 9.15%	Misc = 11.62%	N3 = 8.28%	N93C = 0.37%

N93F = 3.98%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$36,300.00	1500001	1.000	LSUM
0030	_Ditching, Modified	2057001	300.000	Ft
0410	Plastic Drum, Fluorescent, Furn	8120252	200.000	Ea
0420	Plastic Drum, Fluorescent, Oper	8120253	200.000	Ea
0530	Protect Corners	8210020	3.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 200904 **Call Number:** 038 **Proposal ID:** 50031-202783

Description: Installation of connected vehicle roadside units and Wi-Fi detection with travel time analytics along M-

97 at various locations, Macomb County. This is a Local Agency project. ** 2346 ITS **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
202783A	20A0802		CPMG 50031
Location: 167 locations.			
Route:			

Classification Ratings

ITS = 15.56% L = 74.71% MOT = 0.64% Misc = 9.09%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$213,300.00	1500001	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 200904 **Call Number:** 039 **Proposal ID:** 82000-204965

Description: 2.12 mi of hot mix asphalt shared use path, concrete sidewalk ramp and pavement markings on

Hamilton Avenue from Tuxedo Street to McNichols Road in the city of Highland Park, Wayne County.

This is a Local Agency project. ** 218 N3 **

N3 = 70.66%

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
204965A	20A0880		TAU 82000
Location: Hamilton Avenue	e from Tuxedo Street to McNicho	ols Road.	
Route:			
Classification Ratings			
Cb = 0.18%	Ea = 0.69%	J = 9.37%	MOT = 3.76%

List of Items by Section

Misc = 9.07%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$19,800.00	1500001	1.000	LSUM

N6 = 6.26%

Federal Item Number



Cost Summaries For Primes

Report v1

Control Section

Letting ID: 200904 Call Number: 040 **Proposal ID:** 50000-206451

Federal Project Number

N96L = 1.04%

Description: 1.37 mi of bridge rehabilitation of 4 bridges including concrete deck repair and patching, epoxy overlay and temporary supports, hot mix asphalt paving, concrete pavement repair, curb, gutter, sidewalk and ramps, drainage, guardrail and pavement markings on Schoenherr Road from Plumbrook Drain to north of Clinton River Road, Macomb County. This is a Local Agency project. ** Comb/Jt. 4942 Ba, Cb or Comb/Jt. 4942 Ba, Fa or Comb/Jt. 4942 Cb, Fa or Comb/Jt. 4942 Cb, J or Comb/Jt. 4942 Fa, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba, Cb, Fa and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number

206451A	20A0909		STU 50000		
Location: Schoenherr Road from Plumbrook Drain to north of Clinton River Road.					
Route:					
Classification Ratings					
B = 0.95%	Ba = 12.98%	Cb = 29.66%	Ea = 5.79%		
Fa = 6.32%	Fb = 0.42%	J = 12.25%	K = 1.40%		
MOT = 2.21%	Misc = 12.79%	N3 = 0.53%	N7 = 0.40%		
N91A = 6.41%	N91B = 0.80%	N91C = 1.65%	N93G = 4.12%		

List of Items by Section

N94A = 0.26%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$449,300.00	1500001	1.000	LSUM
0050	_Pavt, Rem, Modified	2047011	426.000	Syd
0070	Project Cleanup	2090001	1.000	LSUM
0160	Dr Structure, Temp Lowering	4030390	95.000	Ea
0770	_Turf Establishment, Modified	8167011	14,000.000	Syd
0780	Monument Box Adjust	8210005	2.000	Ea
0790	Monument Preservation	8210010	2.000	Ea



Report v1

Letting ID: 200904 Call Number: 041 Proposal ID: 04021-128777

Description: 10.13 mi of hot mix asphalt and crushed limestone non-motorized path including concrete sidewalk, sidewalk ramps, curb and gutter, culverts, underdrains, signing and vehicle control treatments, bridge and culvert replacements with 20 foot by 7 foot precast concrete box culvert, steel pedestrian bridge, cofferdams and steel piles along M-32 in the city of Alpena, Alpena County. This project requires a mandatory pre-bid meeting. ** 2602 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Fa. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

> A mandatory pre-bid meeting will be held at 10:00 a.m. on August 25, 2020, at the MDOT Alpena TSC located at 1540 Airport Road, Alpena, MI. All prospective bidders must attend in order to be considered eligible to bid.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	er Control Section				
128777A	20A0964		TAL 04021				
Location: Approximate midpoint of trail at Indian Reserve Road							
Route:							
Classification Ratings							
B = 0.02%	Cb = 1.76%	Ea = 42.88%	Fa = 26.11%				
Fb = 1.88%	H = 2.12%	J = 0.35%	MOT = 2.71%				
Misc = 12.25%	N2 = 0.45%	N3 = 0.80%	N6 = 3.96%				
N7 = 0.44%	N95C = 2.72%	N96M = 1.54%					

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max \$236,600.00	1500001	1.000	LSUM
0070	_Gate, Rem	2047050	15.000	Ea
0720	_Vehicle Control Post	8007050	150.000	Ea
0940	Plastic Drum, Fluorescent, Furn	8120252	40.000	Ea
0950	Plastic Drum, Fluorescent, Oper	8120253	40.000	Ea
1000	_Riprap, Special, Class II	8137011	925.000	Syd