



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 001

**Proposal ID:** 82111-213922

**Description:** Design-Build Project: Design and construction of permanent standby generators & associated ancillary infrastructure to improve up to 19 different existing pump stations, Wayne County. \*\* 7100 Fd \*\*  
Prequalification in Pumphouses is required by the Design-Builder, Major Participant, or Subcontractor.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
213922A	N/A		M 82111

**Location:** Middle of the 19 pump stations

**Route:**

**Classification Ratings**

Ea = 0.10%

Misc = 99.90%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Design-Build for JN 213922 (Max. \$6,511,500)	1027051	1.000	LSUM
0010	_No Excuse Site Completion Incentive	1027060	200,000.000	Dir
0015	Dispute Review Board, Hearing	1040010	7,500.000	Dir
0020	Dispute Review Board, Progress Meeting	1040050	14,000.000	Dir
0030	_DTE Gas Service Installation	8007060	360,000.000	Dir

**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 002

**Proposal ID:** 78042-215111

**Description:** 8.05 mi of hot mix asphalt cold milling and resurfacing, sidewalk ramps, traffic recorder replacement and pavement markings on M-60 from east of the west junction with M-66 to east of Hack Road and on US-12 from west of Fairview Drive east to west of Grass Lake Lane, Saint Joseph and Branch Counties. \*\* 1950 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
215111A	N/A		M 78042

**Location:** M-60 from the west junction with M-66 east to Hack Road and US-12 from Fairview Drive east to Grass Lake Lane.

**Route:** M-60/US-12

**Classification Ratings**

B = 0.10%	Cb = 62.60%	Ea = 1.64%	H = 0.01%
I = 0.03%	ITS = 1.28%	J = 0.62%	K = 0.10%
MOT = 7.50%	Misc = 13.07%	N3 = 1.42%	N93A = 11.63%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max \$177,300.00	1100001	1.000	LSUM
0170	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	1,210.000	Ea
0175	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	1,210.000	Ea
0265	Monument Box Adj	8210005	1.000	Ea
0270	Protect Corners	8210020	2.000	Ea
0275	Centerline Corrugations, Milled, HMA	8220013	35,150.000	Ft
0280	Non-Freeway Shld Corrugations, Milled, HMA	8220025	32,600.000	Ft
0285	Contractor Staking	8240001	1.000	LSUM
0290	Staking Plan Errors and Extras, Max \$180/hour	8240002	20.000	Hr



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 003

**Proposal ID:** 47082-213308

**Description:** Traffic signal modernization, concrete curb and gutter, sidewalk and sidewalk ramps on M-59 at Michigan Avenue/Oak Grove Road in the city of Howell, Livingston County. \*\* 356 L \*\*

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
213308A	N/A		M 47082

**Location:** M-59 at Michigan Avenue.

**Route:**

**Classification Ratings**

B = 0.26%	Ba = 0.11%	Cb = 0.28%	Ea = 2.91%
I = 0.10%	ITS = 0.14%	J = 4.69%	L = 68.41%
MOT = 8.37%	Misc = 14.09%	N3 = 0.64%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$32,400.00	1100001	1.000	LSUM
0140	Plastic Drum, Fluorescent, Furn	8120252	72.000	Ea
0145	Plastic Drum, Fluorescent, Oper	8120253	72.000	Ea
0330	Span Wire Tether	8200142	4.000	Ea
0435	_Controller, NEMA, ATC Type	8207050	1.000	Ea
0440	Contractor Staking	8240001	1.000	LSUM
0445	Staking Plan Errors and Extras, Max \$180/hour	8240002	4.000	Hr

**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 004

**Proposal ID:** 13045-214484

**Description:** 1.23 mi of hot mix asphalt cold milling and resurfacing and pavement markings on M-227 from 15-1/2 Mile Road easterly to Old 27/17 Mile Road, Calhoun County. \*\* 292 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
214484A	N/A		M 13045

**Location:** M-227 from 15-1/2 Mile Road to 17 Mile Road/Old 27.

**Route:** M-227

**Classification Ratings**

Cb = 54.06%      Ea = 2.10%      MOT = 11.36%      Misc = 14.48%

N3 = 4.36%      N93A = 13.64%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$26,600.00	1100001	1.000	LSUM
0105	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	160.000	Ea
0110	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	160.000	Ea
0125	Plastic Drum, Fluorescent, Furn	8120252	34.000	Ea
0130	Plastic Drum, Fluorescent, Oper	8120253	34.000	Ea
0185	Monument Box	8210001	3.000	Ea
0190	Monument Preservation	8210010	3.000	Ea
0195	Centerline Corrugations, Milled, HMA	8220013	5,200.000	Ft
0200	Contractor Staking	8240001	1.000	LSUM
0205	Staking Plan Errors and Extras, Max \$180/hour	8240002	3.000	Hr



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 005

**Proposal ID:** 41000-210607

**Description:** 2.03 mi of hot mix asphalt cold milling and resurfacing and pavement markings on Wolverine Boulevard from 10 Mile Road northerly to 11 Mile Road and Northland Drive from 11 Mile Road northerly to 12 Mile Road, Kent County. This is a Local Agency project. \*\* 2423 Cb \*\*

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
210607A	22A0563		ST 41000

**Location:** Wolverine Boulevard from 10 Mile Road northerly to 11 Mile Road and Northland Drive from 11 Mile Road northerly to 12 Mile Road.

**Route:**

**Classification Ratings**

Cb = 81.34%	Ea = 2.08%	K = 0.13%	MOT = 2.00%
Misc = 10.25%	N3 = 0.65%	N93A = 3.45%	N93I = 0.11%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$220,400.00	1100001	1.000	LSUM
0040	Dr Structure, Temp Lowering	4030390	3.000	Ea
0115	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0120	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0140	Plastic Drum, Fluorescent, Furn	8120252	584.000	Ea
0145	Plastic Drum, Fluorescent, Oper	8120253	584.000	Ea
0185	_Roadside Seeding	8167011	2,000.000	Syd
0190	Monument Box	8210001	2.000	Ea
0195	Protect Corners	8210020	2.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 006

**Proposal ID:** 50000-206526

**Description:** 2.00 mi of concrete milling and hot mix asphalt overlay, sidewalk ramps and pavement markings on Hayes Road from M-59 (Hall Road) south to south of 18 Mile Road, Macomb County. This is a Local Agency project. \*\* 4190 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ba. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
206526A	22A0570		ST 50000

**Location:** Hayes Road from M-59 (Hall Road) south to south of 18 Mile Road.

**Route:**

**Classification Ratings**

B = 0.93%	Ba = 18.61%	Cb = 50.20%	Ea = 2.65%
J = 4.18%	K = 2.11%	MOT = 2.97%	Misc = 10.96%
N3 = 1.96%	N93G = 4.76%	N94A = 0.67%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$380,900.00	1100001	1.000	LSUM
0035	Project Cleanup	2090001	1.000	LSUM
0075	Dr Structure, Temp Lowering	4030390	80.000	Ea
0095	Pavt, Cleaning	5010001	1.000	LSUM
0235	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	620.000	Ea
0240	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	620.000	Ea
0280	Plastic Drum, Fluorescent, Furn	8120252	240.000	Ea
0285	Plastic Drum, Fluorescent, Oper	8120253	240.000	Ea
0340	_Turf Establishment, Performance	8167011	384.000	Syd
0345	Monument Box Adj	8210005	4.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 007

**Proposal ID:** 25000-211814

**Description:** 0.29 mi of hot mix asphalt cold milling and resurfacing, high friction surface treatment, signing and pavement markings on Seymour Road north of Farrand Road, Genesee County. This is a Local Agency project. \*\* 215 Ea \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Cb. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
211814A	22A0548		HRRR 25000

**Location:** Seymour Road north of Farrand Road.

**Route:**

**Classification Ratings**

Cb = 20.88%	Ea = 26.97%	MOT = 11.97%	Misc = 17.68%
N3 = 0.89%	N6 = 1.65%	N7 = 17.45%	N93A = 2.52%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$19,600.00	1100001	1.000	LSUM
0010	_Pavt, Rem, Modified	2047011	1,288.000	Syd
0070	Post, Mailbox	8070095	6.000	Ea
0135	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0140	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0190	_Turf Establishment, Performance	8167011	267.000	Syd



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 008

**Proposal ID:** 32000-212484

**Description:** Exterior masonry, roof, stair and handrail repairs, replace windows and doors and lightning protection system on Spring Street at Port Austin Reef Light Station in the village of Port Austin, Huron County. This is a Local Agency project. \*\* Prequalification Waived \*\*Electronic bidding is required for prequalification waived projects. Please visit [www.michigan.gov/mdot/business/contractors/bid-letting](http://www.michigan.gov/mdot/business/contractors/bid-letting) for information regarding electronic bidding.

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
212484A	22A0551		TAL 32000

**Location:** Spring Street at the Port Austin Reef Light Station.

**Route:**

**Classification Ratings**

Misc = 100.00%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$54,700.00	1100001	1.000	LSUM
0010	Project Cleanup	2090001	1.000	LSUM
0015	_Concrete Cracks	8507001	102.000	Ft
0020	_Railing Repairs and Painting	8507001	68.000	Ft
0025	_Replace Exterior Wood Trim	8507001	24.000	Ft
0030	_Steel Lintel Replacement	8507001	8.000	Ft
0035	_Concrete Patching	8507010	236.000	Sft
0040	_Historic Masonry Cleaning	8507010	3,780.000	Sft
0045	_Historic Masonry Repointing & Replacement	8507010	315.000	Sft
0050	_Metal Roofing Repair	8507010	30.000	Sft
0055	_Chimney Stack Repair	8507050	1.000	Ea
0060	_Door Fabrication, Installation, and Painting	8507050	1.000	Ea
0065	_Emergency Generator and Enclosure	8507050	1.000	Ea
0070	_Framing of Dormer	8507050	1.000	Ea
0075	_Remove and Replace Existing Window A	8507050	8.000	Ea
0080	_Remove and Replace Existing Window B	8507050	1.000	Ea
0085	_Remove and Replace Existing Window C	8507050	1.000	Ea
0090	_Remove and Replace Existing Window D	8507050	12.000	Ea





**Cost Summaries For Primes**

Report v1

---

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0095	_Remove and Replace Existing Window E	8507050	4.000	Ea
0100	_Remove and Replace Existing Window F	8507050	1.000	Ea
0105	_Remove and Replace Existing Window G	8507050	1.000	Ea
0110	_Stair Railing Fabrication, Installation, and Painting	8507050	1.000	Ea
0115	_Wood Shutter Repair	8507050	4.000	Ea

---



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 009

**Proposal ID:** 50000-206554

**Description:** 1.10 mi of concrete pavement milling with hot mix asphalt overlay, concrete patching, shoulder improvements and pavement markings on Powell Road from 32 Mile Road to 33 Mile Road, Macomb County. This is a Local Agency project. \*\* 1726 Cb or 1726 Ba \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ba. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
206554A	22A0571		STU 50000

**Location:** Powell Road from 32 Mile Road to 33 Mile Road.

**Route:**

**Classification Ratings**

Ba = 28.53%	Cb = 41.42%	Ea = 3.81%	J = 2.33%
K = 0.70%	MOT = 3.78%	Misc = 10.74%	N2 = 0.32%
N3 = 1.96%	N93G = 4.34%	N94A = 0.19%	N96L = 1.88%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$157,000.00	1100001	1.000	LSUM
0055	Project Cleanup	2090001	1.000	LSUM
0110	Dr Structure, Temp Lowering	4030390	5.000	Ea
0225	Post, Mailbox	8070095	13.000	Ea
0280	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	270.000	Ea
0285	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	270.000	Ea
0340	_Turf Establishment, Performance	8167011	1,000.000	Syd
0345	Monument Box Adj	8210005	2.000	Ea
0350	Monument Preservation	8210010	2.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 010

**Proposal ID:** 50000-209825

**Description:** Bridge rehabilitation of 3 structures including epoxy deck overlay, deck patching, replace abutment wingwall sloped walls and deck expansion anchors and approach work on Callens Road over Salt River, Heydenreich Road and 21 Mile Road over Middle Branch Clinton River, Macomb County. This is a Local Agency project. \*\* 511 N9-1A \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
209825A	N/A		MCS 50000

**Location:** Callens Road over Salt River, Heydenreich Road and 21 Mile Road over Middle Branch Clinton River.

**Route:**

**Classification Ratings**

B = 13.12%	Ba = 0.19%	Ea = 9.64%	Fa = 13.04%
Fb = 1.60%	G = 0.20%	J = 3.94%	L = 0.21%
MOT = 10.74%	Misc = 12.95%	N3 = 1.37%	N7 = 0.50%
N91A = 23.52%	N91B = 0.84%	N91C = 4.32%	N96L = 3.83%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$46,500.00	1100001	1.000	LSUM
0020	_Pavt, Rem, Modified	2047011	549.000	Syd
0040	Project Cleanup	2090001	1.000	LSUM
0255	_Cobble Spillway	8137011	60.000	Syd
0260	_Turf Establishment	8167011	300.000	Syd
0265	_Reimbursed Permit Fees	1077060	6,195.000	Dlr



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 011

**Proposal ID:** 07000-212299-2

**Description:** Culvert replacement with multi-plate pipe arch culvert 87 inch by 63 inch, guardrail and approach work on Froberg Road over Sturgeon Slough Drain, Baraga County. This is a Local Agency project. \*\* 336 Ea \*\*

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
212299A	N/A		MCS 07000

**Location:** Froberg Road over Sturgeon Slough Drain.

**Route:**

**Classification Ratings**

Cb = 6.10%	Ea = 73.96%	Fa = 1.70%	MOT = 2.09%
Misc = 10.68%	N3 = 0.36%	N6 = 0.12%	N96L = 5.00%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$32,500.00	1100001	1.000	LSUM
0155	Plastic Drum, Fluorescent, Furn	8120252	25.000	Ea
0160	Plastic Drum, Fluorescent, Oper	8120253	25.000	Ea
0180	_Slope Restoration, Modified	8167011	275.000	Syd



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 012

**Proposal ID:** 54000-209811-2

**Description:** Bridge rehabilitation project including epoxy overlay, joint replacement, bridge rail repairs trenching and guardrail on Hoover Road over Muskegon River, Mecosta County. This is a Local Agency project. \*\* 365 N9-1A \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Fa. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
209811A	N/A		MCS 54000

**Location:** Hoover Road over Muskegon River.

**Route:**

**Classification Ratings**

Ea = 0.82%	Fa = 9.76%	Fb = 0.68%	I = 1.50%
MOT = 35.04%	Misc = 14.82%	N3 = 0.25%	N6 = 0.30%
N91A = 28.50%	N91C = 1.39%	N96L = 6.92%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$32,200.00	1100001	1.000	LSUM
0065	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	30.000	Ea
0070	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	30.000	Ea
0210	Pipe Railing, Alum	7110020	20.000	Ft
0240	_Riprap, Heavy, Modified	8137011	156.000	Syd



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 013

**Proposal ID:** 72000-214267

**Description:** 3.60 mi of ultra-thin hot mix asphalt overlay, aggregate shoulders and pavement markings on East Houghton Lake Drive from South Long Point Drive to County Road 100 (Markey Road), Roscommon County. This is a Local Agency project. \*\* 481 Cb \*\*

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
----------------	------------------------	---------------------	-----------------

214267A	22A0568		ST 72000
---------	---------	--	----------

**Location:** East Houghton Lake Drive from South Long Point Drive to County Road 100 (Markey Road).

**Route:**

**Classification Ratings**

Cb = 1.32%      Ea = 5.83%      MOT = 7.64%      Misc = 10.29%

N3 = 2.06%      N93I = 72.86%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$43,800.00	1100001	1.000	LSUM
0045	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	218.000	Ea
0050	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	218.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 014

**Proposal ID:** 17000-210994

**Description:** 0.25 mi of hot mix asphalt resurfacing, drainage and pavement markings on Whitefish Point Road, Chippewa County. This is a Local Agency project. \*\* 709 Cb or 709 Ea \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
210994A	22A0577		FLAP 17000

**Location:** Midpoint of Project

**Route:**

**Classification Ratings**

B = 0.15%	Cb = 38.17%	Ea = 30.50%	Fa = 5.20%
H = 1.30%	J = 2.62%	MOT = 8.05%	Misc = 13.16%
N3 = 0.49%	N6 = 0.36%		

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$64,500.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0195	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	75.000	Ea
0200	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	75.000	Ea
0220	Plastic Drum, Fluorescent, Furn	8120252	10.000	Ea
0225	Plastic Drum, Fluorescent, Oper	8120253	10.000	Ea
0275	Monument Box	8210001	3.000	Ea
0280	Monument Preservation	8210010	3.000	Ea
0285	Contractor Staking	8240001	1.000	LSUM
0290	Staking Plan Errors and Extras, Max \$180/hour	8240002	20.000	Hr



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 015

**Proposal ID:** 78041-215608

**Description:** 6.14 mi of hot mix asphalt cold milling and resurfacing and pavement markings on M-60 from west of Corey Lake Road to west of US-131 in the city of Three Rivers, Cass and Saint Joseph Counties. \*\* 1304 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
----------------	------------------------	---------------------	-----------------

215608A	N/A		M 78041
---------	-----	--	---------

**Location:** M-60 from the western Saint Joseph County line to US-131.

**Route:** M-60

**Classification Ratings**

Cb = 64.73%      Ea = 0.34%      MOT = 7.33%      Misc = 12.70%

N3 = 2.01%      N93A = 12.89%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$118,600.00	1100001	1.000	LSUM
0115	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	770.000	Ea
0120	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	770.000	Ea
0205	Monument Box Adj	8210005	1.000	Ea
0210	Protect Corners	8210020	1.000	Ea
0215	Centerline Corrugations, Milled, HMA	8220013	25,300.000	Ft
0220	Contractor Staking	8240001	1.000	LSUM
0225	Staking Plan Errors and Extras, Max \$180/hour	8240002	13.000	Hr





**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 016

**Proposal ID:** 47065-216448

**Description:** 1.00 mi of concrete pavement repairs on I-96 at D-19 in the city of Howell, Livingston County. This is a Small Business Program project. Only those approved by MDOT as a Small Business may be eligible to bid as a prime contractor.\*\* 263 Ba \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of B. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
----------------	------------------------	---------------------	-----------------

216448A	N/A		M 47065
---------	-----	--	---------

**Location:** I-96 at D-19.

**Route:**

**Classification Ratings**

B = 18.46%      Ba = 71.42%      Ea = 3.82%      MOT = 5.70%

N93C = 0.60%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
----------	------------------	---------	----------	-------



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 017

**Proposal ID:** 82142-210075

**Description:** 10.09 mi of hot mix asphalt cold milling and resurfacing, pavement, curb and gutter repairs, drainage improvements, concrete patching, sidewalk ramp upgrades, traffic signals, signing, bridge rehabilitation includes healer/sealer, partial painting, bearing replacement, superstructure repair, substructure repair, pressure relief joints, concrete surface coating and pavement markings on M-102 from M-39 to M-53 and M-102 and I-75 N Ramp Winchester over I-75 in the cities of Detroit, Ferndale, Hazel Park, Oak Park, Warren and Southfield, Wayne, Oakland and Macomb Counties. This project includes two 5 year and one 3 year materials and workmanship pavement warranties and a 2 year concrete surface coating warranty. This project is an OJT VIP project. Please see Special Provision for Preparation and Consideration of Bids on On-The-Job Training Voluntary Incentive Program Projects. \*\* 61409 Cb \*\*

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
210075A	22A0637		NH 50143
<b>Location:</b> M-102 from M-39 to M-53 (Van Dyke Avenue).			
<b>Route:</b>			
214276A	22A0638		IM 82252
<b>Location:</b> M-102 and I-75 N Ramp Winchester over I-75.			
<b>Route:</b>			

**Classification Ratings**

B = 7.62%	Ba = 3.83%	Cb = 31.10%	Ea = 5.89%
Fa = 3.54%	Fb = 0.16%	G = 0.16%	H = 0.24%
I = 0.29%	ITS = 0.03%	J = 7.81%	K = 3.34%
L = 8.58%	MOT = 3.87%	Misc = 13.95%	N2 = 0.01%
N3 = 2.77%	N4 = 0.99%	N6 = 1.28%	N7 = 0.09%
N91A = 0.86%	N91B = 0.10%	N91C = 0.23%	N91E = 0.03%
N93A = 1.71%	N93C = 0.08%	N93D = 0.03%	N93G = 0.75%
N94A = 0.10%	N94B = 0.01%		
N96L = 0.33%	N96M = 0.21%		

**Cost Summaries For Primes**

Report v1

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0010	_Railroad Inspection and Flagging, Grand Trunk Western Railroad Company	1027060	60,000.000	Dir
0015	_Railroad Protection, Grand Trunk Western Railroad Company	1027060	7,500.000	Dir
0020	Dispute Review Board, Hearing	1040010	15,000.000	Dir
0025	Dispute Review Board, Progress Meeting	1040050	70,000.000	Dir
0030	_Audio-Visual Filming	1047051	1.000	LSUM
0035	_Relocation and Site Cleanup (S10 of 82252)	1077051	1.000	LSUM
0040	Mobilization, Max\$5,581,100.00	1100001	1.000	LSUM
0080	_Abandon Utility, Rem	2037001	1,465.000	Ft
0130	_Advertising Bench, Rem	2047050	10.000	Ea
0135	_Impact Attenuator, Rem and Disposal	2047050	5.000	Ea
0190	Project Cleanup	2090001	1.000	LSUM
0425	Dr Structure, Temp Lowering	4030390	690.000	Ea
0585	Pavt, Cleaning	5010001	1.000	LSUM
0750	Reflective Marker, Permanent Barrier	7110003	106.000	Ea
0770	_Impact Attenuator, Test Level-3, Furn and Install, Type 3	8007050	6.000	Ea
0775	_Restricted Excavation Marker, Relocate	8007050	2.000	Ea
0780	_Dewatering System for Petroleum Contaminated Groundwater, Site	8007051	1.000	LSUM
0785	_Vibration Monitoring, Utility	8007051	1.000	LSUM
1375	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	1,080.000	Ea
1380	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	1,080.000	Ea
1460	Plastic Drum, Fluorescent, Furn	8120252	4,031.000	Ea
1465	Plastic Drum, Fluorescent, Oper	8120253	4,031.000	Ea
1625	_Mulch, Shredded Bark	8167021	25.000	Cyd
1950	Span Wire Tether	8200142	100.000	Ea
2165	_Controller, NEMA, ATC Type	8207050	29.000	Ea
2170	_TS, One Way Mast Arm Mtd (LED), Optic	8207050	6.000	Ea
2175	Monument Box	8210001	14.000	Ea
2180	Monument Box Adj	8210005	40.000	Ea
2185	Monument Preservation	8210010	40.000	Ea
2190	Protect Corners	8210020	117.000	Ea
2320	Contractor Staking	8240001	1.000	LSUM
2325	Staking Plan Errors and Extras, Max \$180/hour	8240002	610.000	Hr

**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 018

**Proposal ID:** 08051-200148

**Description:** 4.82 mi of hot mix asphalt cold milling and resurfacing, sidewalk ramp upgrades and pavement markings on M-66 south of Assyria Road north to Pearl Street and M-79 at M-66 in village of Nashville, Barry County. \*\* 1541 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
----------------	------------------------	---------------------	-----------------

200148A	22A0660		ST 08051
---------	---------	--	----------

**Location:** M-66 south of Assyria Road north to Pearl Street and M-79 at M-66.

**Route:**

**Classification Ratings**

Cb = 61.80%	Ea = 1.41%	I = 0.06%	J = 0.21%
K = 0.08%	MOT = 7.08%	Misc = 12.62%	N3 = 1.33%
N93A = 15.23%	N93D = 0.18%		

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$140,100.00	1100001	1.000	LSUM
0190	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	750.000	Ea
0195	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	750.000	Ea
0225	Plastic Drum, Fluorescent, Furn	8120252	9.000	Ea
0230	Plastic Drum, Fluorescent, Oper	8120253	9.000	Ea
0290	_HMA Spillway	8147011	36.000	Syd
0305	Monument Box	8210001	1.000	Ea
0310	Monument Box Adj	8210005	1.000	Ea
0315	Protect Corners	8210020	5.000	Ea
0320	Sinusoidal Corrugations, Non-Freeway, Milled, HMA Shld	8220035	42,829.000	Ft
0325	_Sinusoidal Corrugations, Milled, HMA Centerline	8227001	21,697.000	Ft
0330	Contractor Staking	8240001	1.000	LSUM
0335	Staking Plan Errors and Extras, Max \$180/hour	8240002	2.000	Hr



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 019

**Proposal ID:** 19042-214723

**Description:** 8.32 mi of full depth concrete patches and concrete pavement reconstruction on I-69 from US-127 to the Shiawassee County line, Clinton County. \*\* Comb/Jt. 675 B, Ba or 675 Ea \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of B, Ba and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
----------------	------------------------	---------------------	-----------------

214723A	N/A		M 19042
---------	-----	--	---------

**Location:** I-69 from US-127 to the Shiawassee County line.

**Route:**

**Classification Ratings**

B = 24.75%	Ba = 15.67%	Ea = 36.31%	I = 0.94%
MOT = 10.32%	Misc = 11.24%	N3 = 0.33%	N93C = 0.44%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max \$61,400.00	1100001	1.000	LSUM
0030	Project Cleanup	2090001	1.000	LSUM
0215	Plastic Drum, Fluorescent, Furn	8120252	400.000	Ea
0220	Plastic Drum, Fluorescent, Oper	8120253	400.000	Ea
0265	Freeway Shld Corrugations, Milled, Conc	8222000	730.000	Ft



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 020

**Proposal ID:** 33091-215582

**Description:** 0.63 mi of hot mix asphalt cold milling and resurfacing, sidewalk ramps and pavement markings on M-52 from Clinton Street to north of Morton Road in the village of Stockbridge, Ingham County. \*\* 233 Cb  
\*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
----------------	------------------------	---------------------	-----------------

215582A	N/A		M 33091
---------	-----	--	---------

**Location:** M-52 from Clinton Street to north of Morton Road.

**Route:** M-52

**Classification Ratings**

Cb = 53.40%	Ea = 3.86%	I = 0.54%	J = 1.72%
MOT = 11.10%	Misc = 11.92%	N3 = 5.39%	N93A = 12.08%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max \$21,200.00	1100001	1.000	LSUM
0035	Project Cleanup	2090001	1.000	LSUM
0180	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0185	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0270	Monument Preservation	8210010	7.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 021

**Proposal ID:** 61000-205366

**Description:** 0.25 mi of hot mix asphalt reconstruction, storm sewer, concrete curb, gutter, sidewalk and ramps signing and pavement markings on Seminole Road from Park Street northeasterly to Seaway Drive (US-31BR) in the city of Norton Shores, Muskegon County. This is a Local Agency project. \*\* 1233 L or Comb/Jt. 1233 Cb, Ea or Comb/Jt. 1233 Ea, J \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and L. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
205366A	22A0589		STUL 61000

**Location:** Seminole Road from Park Street northeasterly to Seaway Drive (US-31BR).

**Route:**

**Classification Ratings**

Cb = 12.11%	Ea = 12.89%	H = 3.15%	J = 10.77%
K = 10.87%	L = 33.48%	MOT = 4.65%	Misc = 11.38%
N3 = 0.23%	N6 = 0.41%	N94B = 0.02%	N96M = 0.04%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Audio Visual Filming	1047051	1.000	LSUM
0010	Mobilization, Max\$108,400.00	1100001	1.000	LSUM
0045	_Pavt, Rem, Modified	2047011	7,950.000	Syd
0070	Project Cleanup	2090001	1.000	LSUM
0215	Post, Mailbox	8070095	15.000	Ea
0325	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0330	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0505	_Bench, 6 Foot	8507050	2.000	Ea
0510	_Irrigation Allowance	8507060	3,500.000	Dir



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 022

**Proposal ID:** 69000-205318

**Description:** 1.90 mi of hot mix asphalt base crushing, shaping and resurfacing, trenching, drainage and pavement markings on Marlette Road from Old 27 east to Sherman Road, Otsego County. \*\* 946 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
205318A	22A0567		STL 69000

**Location:** Marlette Road from Old-27 east to Sherman Road.

**Route:**

**Classification Ratings**

Cb = 57.14%      Ea = 14.84%      I = 0.13%      J = 0.69%

MOT = 4.24%      Misc = 14.63%      N3 = 1.28%      N6 = 1.32%

N92D = 5.73%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$86,300.00	1100001	1.000	LSUM
0115	Post, Mailbox	8070095	10.000	Ea
0200	Plastic Drum, Fluorescent, Furn	8120252	150.000	Ea
0205	Plastic Drum, Fluorescent, Oper	8120253	150.000	Ea
0240	_HMA Spillway	8147011	19.000	Syd
0250	_Slope Restoration, Special	8167011	25,000.000	Syd





**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 023

**Proposal ID:** 20000-205311

**Description:** 2.85 mi of hot mix asphalt resurfacing and pavement markings on County Road 612 from KP Lake Road east to Lonesome Lake Road, Crawford County. This is a Local Agency project. \*\* 727 Cb \*\*

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
205311A	22A0582		STL 20000

**Location:** County Road 612 from KP Lake Road east to Lonesome Lake Road.

**Route:**

**Classification Ratings**

Cb = 85.05%

MOT = 4.76%

Misc = 10.18%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$66,100.00	1100001	1.000	LSUM
0015	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	200.000	Ea
0020	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	200.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 024

**Proposal ID:** 11113-211838

**Description:** Guardrail removal and installation on various routes, Berrien County. This is a Local Agency project.  
\*\* 693 N9-6L \*\*

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
211838A	22A0596		HSIP 11113

**Location:** On various routes.

**Route:**

**Classification Ratings**

Ea = 2.27%

MOT = 6.02%

Misc = 9.22%

N96L = 82.48%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$63,000.00	1100001	1.000	LSUM
0060	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0065	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 025

**Proposal ID:** 43000-210838

**Description:** 0.21 mi of hot mix asphalt reconstruction, subbase, underdrains, aggregate base and pavement markings on Branch Road north of West 40th Street, Lake County. This is a Local Agency project. \*\* 388 Cb or 388 Ea \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
210838A	22A0018		ER 43000

**Location:** Branch Road north of West 40th Street.

**Route:**

**Classification Ratings**

Cb = 26.97%	Ea = 48.54%	I = 0.27%	MOT = 6.02%
Misc = 14.75%	N3 = 0.25%	N6 = 0.01%	N96L = 3.18%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$35,300.00	1100001	1.000	LSUM
0420	_Slope Restoration	8167011	2,200.000	Syd

**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 026

**Proposal ID:** 63000-210734

**Description:** 1.49 mi of construction of a roundabout including hot mix asphalt base crushing, shaping and resurfacing, concrete curb, gutter and ramps, guardrail, signing and pavement markings on Taft Road from the south city limits of Novi to 10 Mile Road and 9 Mile Road at Taft Road in the city of Novi, Oakland County. This is a Local Agency project. \*\* 3922 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
210734A	22A0583		STU 63000
<b>Location:</b> Taft Road from the south city limits of Novi to 10 Mile Road.			
<b>Route:</b>			
211908A	22A0592		HISP 63000
<b>Location:</b> 9 Mile Road at Taft Road.			
<b>Route:</b>			

**Classification Ratings**

B = 2.74%	Cb = 35.06%	Ea = 19.64%	Fa = 2.72%
Fb = 0.00%	H = 0.35%	J = 8.84%	K = 3.71%
L = 0.33%	MOT = 2.70%	Misc = 17.12%	N2 = 0.49%
N3 = 1.89%	N6 = 0.74%	N91A = 0.01%	N92D = 3.06%
N96L = 0.49%	N96M = 0.13%		

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Audio Video Route Survey	1077051	1.000	LSUM
0010	Mobilization, Max\$356,510.00	1100001	1.000	LSUM
0070	_Pavt, Rem, Modified	2047011	22,076.000	Syd
0075	_Exploratory Excavation	2047050	10.000	Ea
0125	Project Cleanup	2090001	1.000	LSUM
0545	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	250.000	Ea
0550	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	250.000	Ea



**Cost Summaries For Primes**

Report v1

---

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0625	_Turf Establishment, Performance	8167011	10,000.000	Syd
0630	_Planting Mix	8167021	50.000	Cyd
0645	Monument Box	8210001	3.000	Ea
0650	Monument Box Adj	8210005	3.000	Ea
0655	Monument Preservation	8210010	3.000	Ea
0660	Protect Corners	8210020	6.000	Ea

---



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 027

**Proposal ID:** 29000-215903

**Description:** 2.04 mi of hot mix asphalt resurfacing, aggregate shoulders and pavement markings on Washington Road from Alger Road east to Jerome Road, Gratiot County. This is a Local Agency project. \*\* 248 Cb  
\*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
----------------	------------------------	---------------------	-----------------

215903A	22A0573		STL 29000
---------	---------	--	-----------

**Location:** Washington Road from Alger Road east to Jerome Road.

**Route:**

**Classification Ratings**

Cb = 67.93%      Ea = 10.50%      MOT = 8.66%      Misc = 11.93%

N3 = 0.98%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$22,600.00	1100001	1.000	LSUM
0055	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	150.000	Ea
0060	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	150.000	Ea
0105	Monument Box Adj	8210005	9.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 028

**Proposal ID:** 43000-210839

**Description:** 0.12 mi of hot mix asphalt reconstruction, culvert replacements, subbase, aggregate base and pavement markings on West Stevenson Road east of Tyndall Road, Lake County. This is a Local Agency project. \*\* 261 Ea \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Cb. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
210839A	22A0605		ER 43000

**Location:** Stevenson Road east of Tyndall Road.

**Route:**

**Classification Ratings**

Cb = 24.40%      Ea = 50.39%      I = 2.58%      MOT = 6.15%

Misc = 15.98%      N3 = 0.50%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$23,800.00	1100001	1.000	LSUM
0145	_Slope Restoration	8167011	1,800.000	Syd



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 029

**Proposal ID:** 65000-211879

**Description:** 10.27 mi of hot mix asphalt ultra-thin overlay, aggregate shoulders and pavement markings on various routes, Ogemaw County. This is a Local Agency project. \*\* 805 Cb \*\*

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
211879A	22A0572		STL 65000

**Location:** On various routes.

**Route:**

**Classification Ratings**

Cb = 7.24%	Ea = 3.14%	MOT = 6.59%	Misc = 10.97%
N3 = 1.14%	N93A = 1.99%	N93I = 68.93%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Lake State Railway	1027060	1,200.000	Dir
0010	Mobilization, Max\$73,200.00	1100001	1.000	LSUM
0020	Pavt, Cleaning	5010001	1.000	LSUM
0065	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	120.000	Ea
0070	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	120.000	Ea
0110	Monument Box	8210001	11.000	Ea
0115	Monument Preservation	8210010	11.000	Ea





**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 030

**Proposal ID:** 81000-205614

**Description:** 0.51 mi of hot mix asphalt resurfacing, water main, concrete curb, gutter and sidewalk, drainage and pavement markings on Platt Road from Packard Road to Huron Parkway in the city of Ann Arbor, Washtenaw County. This is a Local Agency project. \*\* 2337 Ea or 2337 K \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
205614A	22A0597		STU 81000

**Location:** Platt Road from Packard Road to Huron Parkway.

**Route:**

**Classification Ratings**

B = 0.09%	Cb = 13.04%	Ea = 23.00%	I = 0.08%
J = 4.61%	K = 28.06%	L = 7.27%	MOT = 6.71%
Misc = 14.14%	N2 = 0.56%	N3 = 0.97%	N93A = 1.28%
N94A = 0.05%	N96M = 0.15%		

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$211,700.00	1100001	1.000	LSUM
0030	_Curb and Gutter, Rem, Modified	2047001	1,097.000	Ft
0035	_Driveway Approach, Rem, Modified	2047010	259.000	Sft
0040	_Sidewalk, Rem, Modified	2047010	1,176.000	Sft
0045	_Audio-Visual Recording	2047051	1.000	LSUM
0095	Project Cleanup	2090001	1.000	LSUM
0135	Dr Structure, Temp Lowering	4030390	5.000	Ea
0340	Plastic Drum, Fluorescent, Furn	8120252	249.000	Ea
0345	Plastic Drum, Fluorescent, Oper	8120253	496.000	Ea
0465	_Rectangular Rapid Flashing Beacon Assembly	8207050	2.000	Ea
0655	_Project Supervision	8247051	1.000	LSUM



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 031

**Proposal ID:** 03000-206324

**Description:** 2.05 mi of hot mix asphalt surfacing, gravel shoulder and pavement markings on 60th Street from 136th Avenue to Blue Star Highway and 136th Avenue from 60th Street to 58th Street, Allegan County. This is a Local Agency project. \*\* 434 Cb \*\*

**DBE Goal Percent:** 2.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
206324A	22A0486		STUL 03000

**Location:** 60th Street from 136th Avenue to Blue Star Highway and 136th Avenue from 60th Street to 58th Street.

**Route:**

**Classification Ratings**

Cb = 78.51%                      Ea = 4.14%                      MOT = 4.70%                      Misc = 10.25%

N3 = 1.02%                      N93A = 1.38%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$39,500.00	1100001	1.000	LSUM
0010	Project Cleanup	2090001	1.000	LSUM
0085	_Monument Box Adjust, Modified	8217050	5.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 032

**Proposal ID:** 13000-215072

**Description:** 2.79 mi of hot mix asphalt cold milling and resurfacing and pavement markings on Michigan Avenue from 20 Mile Road to 22 1/2 Mile Road and on 22 1/2 Mile Road from Michigan Avenue north to I-94 eastbound ramp, Calhoun County. This is a Local Agency project. \*\* 605 Cb \*\*

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
215072A	22A0527		STL 13000

**Location:** Michigan Avenue from 20 Mile to 22 1/2 Mile and 22 1/2 Mile from Michigan Avenue to I-94EB Ramp.

**Route:**

**Classification Ratings**

Cb = 68.80%	Ea = 2.49%	MOT = 5.91%	Misc = 9.59%
N3 = 2.51%	N6 = 0.87%	N93A = 9.84%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$55,100.00	1100001	1.000	LSUM
0115	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	148.000	Ea
0120	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	148.000	Ea
0175	Monument Box Adj	8210005	3.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 033

**Proposal ID:** 77000-213138

**Description:** 0.37 mi of concrete pavement repairs, ramps and pavement markings on East Huron Boulevard from Busha Highway (M-29) to River Road in the city of Marysville, St. Clair County. This is a Local Agency project. \*\* 329 Ba \*\*

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
213138A	22A0591		STUL 77000

**Location:** E Huron Boulevard from Busha Highway (M-29) to River Road.

**Route:**

**Classification Ratings**

B = 2.18%                      Ba = 61.17%                      Cb = 0.38%                      Ea = 8.19%

J = 4.76%                      K = 2.15%                      MOT = 9.75%                      Misc = 10.48%

N3 = 0.93%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, CSX Transportation	1027060	504.000	Dir
0010	Mobilization, Max\$30,000.00	1100001	1.000	LSUM
0200	Plastic Drum, Fluorescent, Furn	8120252	25.000	Ea
0205	Plastic Drum, Fluorescent, Oper	8120253	25.000	Ea
0240	_Lawn Restoration, Hydroseed	8167011	600.000	Syd



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 034

**Proposal ID:** 77111-123842

**Description:** 0.90 mi of LED lighting upgrades on 2 structures and the Blue Water Bridge Plaza beginning at the west end of the Plaza easterly to the American/Canadian border in the city of Port Huron, St. Clair County. \*\* 2847 L \*\*

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
123842A	N/A		MBWB 77111

**Location:** Blue Water Bridge 1 and 2.

**Route:** I-94

**Classification Ratings**

Fb = 0.27%	L = 76.35%	MOT = 5.19%	Misc = 9.83%
N6 = 0.05%	N91A = 4.22%	N91C = 4.08%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Inspection and Flagging, Lake State Railway Company	1027060	7,500.000	Dlr
0010	_Railroad Protection, Lake State Railway Company	1027060	7,500.000	Dlr
0015	Mobilization, Max\$258,900.00	1100001	1.000	LSUM
0040	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	170.000	Ea
0045	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	170.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 035

**Proposal ID:** 49000-206188

**Description:** 7.64 mi of hot mix asphalt overlay and pavement markings on Borgstrom Road from H-40 north to the north Mackinac County line, Mackinac County. This is a Local Agency project. \*\* 1032 Cb or 1032 Ea  
 \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 2.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
----------------	------------------------	---------------------	-----------------

206188A	22A0619		STL 49000
---------	---------	--	-----------

**Location:** Borgstrom Road from H-40 north to the north Mackinac County line.

**Route:**

**Classification Ratings**

Cb = 54.27%	Ea = 30.41%	MOT = 1.54%	Misc = 10.00%
N3 = 1.74%	N92D = 1.99%	N93A = 0.05%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Wisconsin Central Railroad	1027060	1.000	Dlr
0010	Mobilization, Max\$94,300.00	1100001	1.000	LSUM
0075	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	62.000	Ea
0080	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	62.000	Ea
0120	Monument Box	8210001	5.000	Ea
0125	Monument Box Adj	8210005	4.000	Ea
0130	Monument Preservation	8210010	5.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 036

**Proposal ID:** 58000-211906

**Description:** 1.26 mi of high friction surface treatment, signing and pavement markings on North Dixie Highway from Pheasant Lane to Armstrong Road, Newport South Road from Post Road to Swan Creek Road and War Road from Post Road to Buhl Road, Monroe County. This is a Local Agency project. \*\* 350 N7 \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-1A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
211906A	22A0599		HSIP 58000

**Location:** North Dixie Highway from Pheasant Lane to Armstrong Road, Newport South Road from Post Road to Swan Creek Road and War Road from Post Road to Buhl Road.

**Route:**

**Classification Ratings**

B = 3.43%	Cb = 0.10%	Ea = 0.03%	Fb = 0.22%
MOT = 16.39%	Misc = 9.32%	N3 = 1.64%	N6 = 5.71%
N7 = 42.85%	N91A = 17.80%	N91C = 2.50%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$31,800.00	1100001	1.000	LSUM
0110	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0115	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 037

**Proposal ID:** 41000-205562

**Description:** 0.66 mi of hot mix asphalt widening and surfacing, concrete curb, gutter, sidewalk and ramps, guardrail and pavement markings on 68th Street from Plaster Creek easterly to Hanna Lake Avenue, Kent County. This is a Local Agency project. \*\* 1905 Cb or Comb/Jt. 1905 Ea, J or Comb/Jt. 1905 Ea, K or Comb/Jt. 1905 J, K \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
205562A	N/A		EDC 41000

**Location:** 68th Street from Plaster Creek easterly to Hanna Lake Avenue.

**Route:**

**Classification Ratings**

Cb = 35.97%	Ea = 16.56%	Fa = 1.25%	I = 0.05%
J = 15.91%	K = 14.29%	L = 0.01%	MOT = 1.95%
Misc = 11.84%	N2 = 0.26%	N3 = 0.15%	N93A = 0.22%
N96L = 0.55%	N96M = 0.98%		

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$175,700.00	1100001	1.000	LSUM
0165	Dr Structure, Temp Lowering	4030390	8.000	Ea
0215	_Driveway Opening, Conc, Det M, Modified	8007001	275.000	Ft
0280	Post, Mailbox	8070095	40.000	Ea
0345	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	25.000	Ea
0350	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	25.000	Ea
0370	Plastic Drum, Fluorescent, Furn	8120252	110.000	Ea
0375	Plastic Drum, Fluorescent, Oper	8120253	110.000	Ea
0410	_Roadside Seeding	8167011	3,500.000	Syd
0425	Monument Box	8210001	1.000	Ea
0430	Monument Preservation	8210010	1.000	Ea





**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 038

**Proposal ID:** 23000-205695

**Description:** 2.08 mi of hot mix asphalt cold milling and resurfacing, driveway openings and pavement markings on Millett Highway from Canal Road to Creyts Road and Marketplace Boulevard from M-43 to St. Joe Highway, Eaton County. This is a Local Agency project. \*\* 1084 Cb \*\*

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
205695A	22A0661		STU 23000
<b>Location:</b> Millett Highway from Canal Road to Creyts Road.			
<b>Route:</b>			
205697A	22A0544		STU 23000
<b>Location:</b> Marketplace Boulevard from M-43 to St. Joe Highway.			
<b>Route:</b>			

**Classification Ratings**

Cb = 64.53%      Ea = 3.00%      J = 4.53%      K = 3.08%

MOT = 2.32%      Misc = 12.46%      N3 = 0.77%      N93A = 8.63%

N94A = 0.68%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$98,600.00	1100001	1.000	LSUM
0030	Project Cleanup	2090001	1.000	LSUM
0070	Dr Structure, Temp Lowering	4030390	51.000	Ea
0195	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	400.000	Ea
0200	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	400.000	Ea
0230	Plastic Drum, Fluorescent, Furn	8120252	10.000	Ea
0235	Plastic Drum, Fluorescent, Oper	8120253	10.000	Ea
0260	Monument Box Adj	8210005	1.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 039

**Proposal ID:** 82000-209914

**Description:** 1.41 mi of hot mix asphalt cold milling and resurfacing, concrete pavement repair, curb ramps, signing and pavement markings on Warren Road from Newburgh Road northeasterly to Wayne Road in the city of Westland, Wayne County. This is a Local Agency project. \*\* 1936 Cb or Comb/Jt. 1936 Ba, Ea  
 \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba, Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
209914A	22A0490		STU 82000

**Location:** Warren Road from from Newburgh Road northeasterly to Wayne Road.

**Route:**

**Classification Ratings**

B = 1.98%	Ba = 16.96%	Cb = 43.70%	Ea = 1.54%
I = 0.27%	J = 1.49%	K = 2.80%	MOT = 7.96%
Misc = 19.86%	N3 = 2.37%	N6 = 0.83%	N93F = 0.16%
N93G = 0.08%			

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$160,900.00	1100001	1.000	LSUM
0020	_Pavt Repr, Remove, Patching	2047011	4,528.000	Syd
0035	Project Cleanup	2090001	1.000	LSUM
0040	Dr Structure, Temp Lowering	4030390	8.000	Ea
0190	_Field Office	8097043	3.000	Mo
0300	Plastic Drum, Fluorescent, Furn	8120252	450.000	Ea
0305	Plastic Drum, Fluorescent, Oper	8120253	450.000	Ea
0360	_Sodding, Modified	8167011	4,260.000	Syd
0365	Monument Box Adj	8210005	8.000	Ea
0370	Monument Preservation	8210010	8.000	Ea
0375	Protect Corners	8210020	8.000	Ea
0380	Staking Plan Errors and Extras, Max \$180/hour	8240002	40.000	Hr



**Cost Summaries For Primes**

Report v1

---

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0385	_Contractor Staking, Modified	8247051	1.000	LSUM

---



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 040

**Proposal ID:** 11000-206404

**Description:** 1.20 mi of hot mix asphalt cold milling and resurfacing, concrete curb and gutter, sewer and pavement markings on Red Arrow Highway from southwest of Harbert Road to Cherry Beach Road and from Sawyer Road to northeast of Harbert Road, Berrien County. This is a Local Agency project. \*\* 1686 Cb or Comb/Jt. 1686 Ea, N9-6L \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and N9-6L. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 4.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
206404A	22A0662		STL 11000

**Location:** Red Arrow Highway from southwest of Harbert Road to Cherry Beach Road and from Sawyer Road to northeast of Harbert Road.

**Route:**

**Classification Ratings**

B = 0.29%	Cb = 34.50%	Ea = 13.66%	I = 1.24%
J = 4.64%	K = 8.83%	MOT = 6.09%	Misc = 13.46%
N3 = 0.45%	N6 = 0.24%	N93A = 3.33%	N93G = 2.13%
N96L = 11.14%			

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$151,600.00	1100001	1.000	LSUM
0030	_Pavt, Rem, Modified	2047011	4,400.000	Syd
0305	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	95.000	Ea
0310	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	95.000	Ea
0335	Plastic Drum, Fluorescent, Furn	8120252	150.000	Ea
0340	Plastic Drum, Fluorescent, Oper	8120253	150.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 041

**Proposal ID:** 37000-206363

**Description:** 5.03 mi of hot mix asphalt cold milling and resurfacing, guardrail improvements, sidewalk ramps and pavement markings on Mission Road from Rosebush Road north to Stevenson Lake Road, Isabella County. This is a Local Agency project. \*\* 1154 Cb \*\*

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
206363A	22A0569		STL 37000

**Location:** Mission Road from Rosebush Road north to Stevenson Lake Road.

**Route:**

**Classification Ratings**

Cb = 65.99%	Ea = 8.98%	I = 0.13%	J = 1.58%
K = 0.26%	MOT = 5.79%	Misc = 10.21%	N3 = 1.56%
N6 = 0.04%	N91B = 0.15%	N96L = 5.30%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$104,900.00	1100001	1.000	LSUM
0230	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	351.000	Ea
0235	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	351.000	Ea
0290	Monument Box	8210001	3.000	Ea
0295	Monument Box Adj	8210005	10.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 042

**Proposal ID:** 58000-212324

**Description:** 0.30 mi of hot mix asphalt approaches, ditch cleanout, storm sewer, stump removal and signing on Hickory Road at Norfolk Southern Railroad, Monroe County. This is a Local Agency project. \*\* 346 Ea or Comb/Jt. 346 Cb, K \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
212324A	22A0631		STRH 58000

**Location:** Hickory Road at Norfolk Southern.

**Route:**

**Classification Ratings**

Cb = 17.86%      Ea = 41.72%      I = 2.89%      K = 15.32%

MOT = 6.69%      Misc = 10.94%      N2 = 2.53%      N3 = 1.76%

N6 = 0.30%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing	1027060	5,000.000	Dir
0010	Mobilization, Max\$31,600.00	1100001	1.000	LSUM
0200	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0205	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 043

**Proposal ID:** 70000-213925

**Description:** 0.98 mi of hot mix asphalt cold milling and resurfacing and pavement markings on State Road from 144th Avenue easterly to 136th Avenue, Ottawa County. This is a Local Agency project. \*\* 350 Cb \*\*

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
213925A	22A0604		HIC 70000

**Location:** State Road from 144th Avenue easterly to 136th Avenue.

**Route:**

**Classification Ratings**

Cb = 75.25%	Ea = 9.02%	MOT = 3.65%	Misc = 9.36%
N3 = 0.26%	N93A = 2.37%	N96L = 0.11%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$30,900.00	1100001	1.000	LSUM
0090	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	81.000	Ea
0095	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	81.000	Ea
0140	_Slope Restoration	8167011	50.000	Syd



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 044

**Proposal ID:** 13000-215056

**Description:** 0.83 mi of hot mix asphalt cold milling and resurfacing and pavement markings on Clark Road from River Road south to M-96 (Dickman Road) in the city of Battle Creek, Marshall County. This is a Local Agency project. \*\* 367 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
215056A	22A0553		ST 13000

**Location:** Clark Road from River Road south to M-96 (Dickman Road).

**Route:**

**Classification Ratings**

Cb = 72.36%	Ea = 0.41%	K = 0.56%	MOT = 0.63%
Misc = 9.25%	N3 = 1.62%	N93A = 15.18%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$29,800.00	1100001	1.000	LSUM
0070	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	200.000	Ea
0075	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	200.000	Ea





**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 045

**Proposal ID:** 79051-212198

**Description:** Guardrail upgrades, shoulder improvements, embankment and slope restoration on various routes, Tuscola County. This is a Local Agency project. \*\* 260 N9-6L \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
212198A	22A0608		STL 79051

**Location:** On various routes.

**Route:**

**Classification Ratings**

Cb = 0.10%                      Ea = 9.69%                      MOT = 7.60%                      Misc = 17.19%

N6 = 0.87%                      N96L = 64.55%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$23,700.00	1100001	1.000	LSUM
0015	_Barrier Wall, Partial, Remove	2047001	106.000	Ft
0080	Post, Mailbox	8070095	1.000	Ea
0160	Plastic Drum, Fluorescent, Furn	8120252	40.000	Ea
0165	Plastic Drum, Fluorescent, Oper	8120253	40.000	Ea
0185	_Slope Restoration, Modified	8167011	2,078.000	Syd



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 046

**Proposal ID:** 32000-213867

**Description:** Installation of span wire mounted overhead flashing beacons, wood pole, conduit, and signing on Bay Port Road at Sebewaing Road, Huron County. This is a Local Agency project. \*\* 124 L \*\*

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
213867A	22A0621		HSIP 32000

**Location:** Bay Port Road at Sebewaing Road.

**Route:**

**Classification Ratings**

Ea = 1.21%                      I = 3.64%                      L = 68.76%                      MOT = 10.21%

Misc = 9.14%                      N6 = 7.04%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$10,000.00	1100001	1.000	LSUM
0065	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	60.000	Ea
0070	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	60.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 047

**Proposal ID:** 62000-215539

**Description:** 1.48 mi of hot mix asphalt base crushing, shaping and resurfacing, aggregate shoulders and pavement markings on Wisner Avenue from 124th Street north to 112th Street, Newaygo County. This is a Local Agency project. \*\* 486 Cb \*\*

**DBE Goal Percent:** 3.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
215539A	22A0624		HIC 62000

**Location:** Wisner Avenue from 124th Street north to 112th Street.

**Route:**

**Classification Ratings**

Cb = 72.87%	Ea = 5.22%	J = 0.92%	MOT = 2.68%
Misc = 11.84%	N3 = 0.59%	N92D = 5.88%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$44,300.00	1100001	1.000	LSUM
0090	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0095	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0110	Plastic Drum, Fluorescent, Furn	8120252	30.000	Ea
0115	Plastic Drum, Fluorescent, Oper	8120253	30.000	Ea
0150	_Roadside Seeding	8167011	500.000	Syd
0155	_Monument Preservation, Spec	8217050	2.000	Ea
0160	_Well Brine, 26%	8507022	16,300.000	Gal

**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 048

**Proposal ID:** 82000-208976

**Description:** 0.90 mi of hot mix asphalt cold milling and resurfacing, storm sewer, concrete pavement repair, curb ramps and pavement markings on Beaconsfield Road from Woodland Drive northeasterly to eastbound Vernier Road (M-102) in the city of Harper Woods, Wayne County. This is a Local Agency project. \*\* 1418 Cb or Comb/Jt. 1418 Ba, Ea \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba, Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
208976A	22A0617		STU 82000

**Location:** Beaconsfield Road from Woodland Drive northeasterly to Eastbound Vernier Road (M-102).

**Route:**

**Classification Ratings**

B = 0.33%	Ba = 16.07%	Cb = 39.14%	Ea = 6.00%
I = 0.42%	J = 3.53%	K = 6.39%	L = 1.57%
MOT = 1.86%	Misc = 13.59%	N3 = 2.62%	N6 = 0.65%
N93A = 5.00%	N93F = 0.13%	N93G = 2.64%	N94B = 0.06%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Reimbursed Permit Fees	1077051	1.000	LSUM
0010	Mobilization, Max\$129,000.00	1100001	1.000	LSUM
0060	Project Cleanup	2090001	1.000	LSUM
0130	Dr Structure, Temp Lowering	4030390	47.000	Ea
0170	Pavt, Cleaning	5010001	1.000	LSUM
0420	Plastic Drum, Fluorescent, Furn	8120252	330.000	Ea
0425	Plastic Drum, Fluorescent, Oper	8120253	330.000	Ea
0465	_Surface Restoration, Hydroseeding	8167011	2,050.000	Syd
0495	Monument Box	8210001	4.000	Ea
0510	_Audio-Visual Record of the Construction Influence Area	8507051	1.000	LSUM



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 049

**Proposal ID:** 63000-212352

**Description:** 1.07 mi of hot mix asphalt and concrete paving, add left turn lane, curb, gutter and sidewalk, pavement repairs and pavement markings on 10 Mile Road from Meadowbrook Road to Haggerty Road in the city of Novi, Oakland County. This project includes a 3 year Local Agency Program Warranty. This is a Local Agency project. \*\* 8026 Ea or Comb/Jt. 8026 Cb, K \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
212352A	22A0614		ST 63000

**Location:** 10 Mile Road from Meadowbrook Road to Haggerty Road.

**Route:**

**Classification Ratings**

B = 1.79%	Ba = 0.10%	Cb = 18.37%	Ea = 27.51%
Fa = 2.67%	Fb = 0.12%	G = 0.06%	J = 5.74%
K = 18.92%	L = 3.65%	MOT = 3.34%	Misc = 15.47%
N2 = 0.12%	N3 = 0.39%	N6 = 0.25%	N93A = 0.49%
N93G = 0.78%	N94B = 0.08%	N96M = 0.13%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Reimbursed Permit Fees	1077060	5,000.000	Dlr
0010	Mobilization, Max\$729,700.00	1100001	1.000	LSUM
0015	_Clearing, RCOC	2017011	1,966.000	Syd
0035	_Stump, Rem, 3 inch to 18 inch	2027050	7.000	Ea
0040	_Tree Trimming, Single Tree Bottom	2027050	3.000	Ea
0045	_Tree Trimming, Single Tree Top	2027050	2.000	Ea
0050	_Tree, Rem, 3 inch to 18 inch	2027050	101.000	Ea
0125	_Exploratory Investigation, Utility, Vertical, RCOC	2047001	90.000	Ft
0130	_Gas Utility, Rem	2047001	4,000.000	Ft

**Cost Summaries For Primes**

Report v1

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0135	_Exploratory Investigation, Utility, RCOC	2047021	550.000	Cyd
0455	Dr Structure, Temp Lowering	4030390	6.000	Ea
0775	Post, Mailbox	8070095	44.000	Ea
0935	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	650.000	Ea
0940	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	650.000	Ea
0985	Plastic Drum, Fluorescent, Furn	8120252	150.000	Ea
0990	Plastic Drum, Fluorescent, Oper	8120253	150.000	Ea
1095	_Riprap, Plain, RCOC	8137011	248.000	Syd
1100	_Turf Establishment, ES Seed, Regular Mulch, Performance, RCOC	8167011	1,235.000	Syd
1105	_Turf Establishment, THM Seed, Regular Mulch, Performance, RCOC	8167011	21,840.000	Syd
1365	_Backplate, TS, RCOC	8207050	20.000	Ea
1370	_Cabinet, ITS Type, Delivered, RCOC	8207050	2.000	Ea
1375	_Cabinet, ITS Type, RCOC	8207050	2.000	Ea
1380	_Camera, Traffic Monitoring, RCOC	8207050	2.000	Ea
1385	_Case Sign, One Way, 24 inch by 30 inch, Non-Illuminated, RCOC	8207050	4.000	Ea
1390	_Controller, Digital Type, Delivered, SCATS, RCOC	8207050	2.000	Ea
1395	_Optical Priority Control System, Infrared, RCOC	8207050	2.000	Ea
1400	_Optical Priority Control System, Infrared, Rem, RCOC	8207050	2.000	Ea
1405	_Pedestal, Alum, RCOC	8207050	1.000	Ea
1410	_Pushbutton Support Post, RCOC	8207050	12.000	Ea
1415	_Pushbutton Support Post, Rem, RCOC	8207050	4.000	Ea
1420	_Span Wire, Box, RCOC	8207050	2.000	Ea
1425	_Street Name Sign, Non-Illuminated, Bracket Arm, RCOC	8207050	5.000	Ea
1430	_Street Name Sign, Non-Illuminated, Two Way, 8 foot, RCOC	8207050	5.000	Ea
1435	_Tether Wire, Box, Bottom, RCOC	8207050	2.000	Ea
1440	_Video Traffic Detection Camera, Rem, RCOC	8207050	12.000	Ea
1575	_Sprinkler Line	8507001	5,000.000	Ft
1580	_Tree Trimming	8507001	62.000	Ft
1585	_Irrigation Control Box, Relocate	8507050	20.000	Ea
1590	_Irrigation Control Box, Replace	8507050	20.000	Ea
1595	_Sprinkler Head, Relocate	8507050	150.000	Ea
1600	_Sprinkler Head, Replace	8507050	150.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 050

**Proposal ID:** 41000-214323

**Description:** 2.61 mi of hot mix asphalt base crushing, shaping and resurfacing, aggregate shoulders and pavement markings on Northland Drive NE from the north city limits of Cedar Springs north to Ritchie Avenue, Kent County. This is a Local Agency project. \*\* 1580 Cb or 1580 Ea \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
214323A	22A0580		STPR 41000

**Location:** Northland Dr NE from the north city limits of Cedar Springs north to Ritchie Avenue.

**Route:**

**Classification Ratings**

Cb = 54.39%	Ea = 22.84%	H = 0.29%	J = 4.22%
MOT = 1.12%	Misc = 11.67%	N3 = 0.38%	N92D = 4.41%
N93A = 0.53%	N93I = 0.16%		

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$143,700.00	1100001	1.000	LSUM
0160	Post, Mailbox	8070095	30.000	Ea
0195	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	300.000	Ea
0200	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	300.000	Ea
0250	Monument Box	8210001	2.000	Ea
0255	Protect Corners	8210020	2.000	Ea
0260	_Well Brine, 26%	8507022	36,533.000	Gal



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 051

**Proposal ID:** 47000-210622-2

**Description:** 1.28 mi of hot mix asphalt cold milling and resurfacing, curb repairs, concrete sidewalk and ramps, and pavement markings on Grand River Avenue from Appian Way to North Street and from St. Paul Street to Ore Creek in the city of Brighton, Livingston County. This is a Local Agency project. \*\* 1728 Cb \*\*

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
210622A	22A0444		STUL 47000

**Location:** Grand River Avenue from Appian Way to North Street and from St. Paul Street to Ore Creek.

**Route:**

**Classification Ratings**

B = 0.28%	Ba = 0.09%	Cb = 54.92%	Ea = 3.31%
I = 0.58%	J = 7.62%	K = 2.75%	L = 2.54%
MOT = 8.46%	Misc = 10.76%	N3 = 1.74%	N6 = 1.61%
N93A = 4.48%	N93G = 0.87%		

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$157,100.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0065	Dr Structure, Temp Lowering	4030390	53.000	Ea
0070	Pavt, Cleaning	5010001	1.000	LSUM
0290	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	400.000	Ea
0295	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	400.000	Ea
0340	Plastic Drum, Fluorescent, Furn	8120252	35.000	Ea
0345	Plastic Drum, Fluorescent, Oper	8120253	35.000	Ea
0425	Monument Box Adj	8210005	1.000	Ea
0430	Monument Preservation	8210010	1.000	Ea
0435	Protect Corners	8210020	2.000	Ea





**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 052

**Proposal ID:** 63000-209482

**Description:** 1.30 mi of hot mix asphalt cold milling and resurfacing, concrete curb and gutter repair, ramps, signing and pavement markings on 14 Mile Road from Barrington Street to Dequindre Road in the cities of Madison Heights and Troy, Oakland County. This is a Local Agency project. \*\* 4669 Cb \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of L. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 6.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
209482A	22A0585		STU 63000

**Location:** 14 Mile Road from Barrington Street to Dequindre Road.

**Route:**

**Classification Ratings**

B = 1.00%	Ba = 0.08%	Cb = 30.61%	Ea = 6.19%
ITS = 0.35%	J = 5.65%	K = 3.84%	L = 18.55%
MOT = 4.70%	Misc = 22.53%	N3 = 0.65%	N6 = 0.75%
N93G = 5.09%			

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	_Reimbursed Permit Fees	1077060	850.000	Dir
0010	Mobilization, Max\$424,500.00	1100001	1.000	LSUM
0040	_Exploratory Investigation, Utility, Vertical, RCOC	2047001	400.000	Ft
0045	_Gas Utility, Rem	2047001	100.000	Ft
0135	Dr Structure, Temp Lowering	4030390	16.000	Ea
0425	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	200.000	Ea
0430	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	200.000	Ea
0495	Plastic Drum, Fluorescent, Furn	8120252	745.000	Ea
0500	Plastic Drum, Fluorescent, Oper	8120253	745.000	Ea
0565	_Turf Establishment, THM Seed, Regular Mulch, Performance, RCOC	8167011	1,184.000	Syd
0860	_Mast Arm Pole Fdn, 6 Bolt, RCOC	8207001	243.000	Ft

**Cost Summaries For Primes**

Report v1

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0865	_Backplate, TS, RCOC	8207050	57.000	Ea
0870	_Cabinet, ITS Type, Delivered, RCOC	8207050	7.000	Ea
0875	_Cabinet, ITS Type, RCOC	8207050	7.000	Ea
0880	_Camera, Traffic Monitoring, RCOC	8207050	5.000	Ea
0885	_Camera, Traffic Monitoring, RCOC, Rem	8207050	2.000	Ea
0890	_Case Sign, One Way, 24 inch by 30 inch, Non-Illuminated, RCOC	8207050	19.000	Ea
0895	_Cellular Modem, 4/5G, RCOC	8207050	7.000	Ea
0900	_Controller, Digital Type, Delivered, Modified, RCOC	8207050	7.000	Ea
0905	_Optical and GPS Priority Control System, RCOC	8207050	2.000	Ea
0910	_Optical and GPS Priority Control System, Salv, RCOC	8207050	5.000	Ea
0915	_Optical Priority Control System, Rem, RCOC	8207050	5.000	Ea
0920	_Pedestal, Alum, RCOC	8207050	8.000	Ea
0925	_Pushbutton Support Post, RCOC	8207050	2.000	Ea
0930	_Pushbutton Support Post, Rem, RCOC	8207050	6.000	Ea
0935	_Roadside Unit, Intersection, RCOC	8207050	7.000	Ea
0940	_Street Name Sign, Non-Illuminated, Bracket Arm, RCOC	8207050	3.000	Ea
0945	_Street Name Sign, Non-Illuminated, One Way, 8 foot, RCOC	8207050	7.000	Ea
0950	_Street Name Sign, Non-Illuminated, Two Way, 8 foot, RCOC	8207050	4.000	Ea
0955	_Video Traffic Detection Camera, Modified, RCOC	8207050	8.000	Ea
0960	_Video Traffic Detection Camera, Rem, RCOC	8207050	13.000	Ea
0965	Monument Box Adj	8210005	3.000	Ea
1030	_Sprinkler Line	8507001	1,500.000	Ft
1035	_Sprinkler Head, Relocate	8507050	50.000	Ea
1040	_Sprinkler Head, Replace	8507050	70.000	Ea



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 053

**Proposal ID:** 70000-207038

**Description:** 2.63 mi of hot mix asphalt cold milling, widening and resurfacing, aggregate shoulders and pavement markings on Leonard Street from 68th Avenue east to 48th Avenue, Ottawa County. This is a Local Agency project. \*\* 1047 Cb \*\*

**DBE Goal Percent:** 4.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
207038A	22A0620		STL 70000

**Location:** Leonard Street from 68th Avenue east to 48th Avenue.

**Route:**

**Classification Ratings**

Cb = 73.74%      Ea = 5.51%      K = 0.06%      MOT = 2.26%

Misc = 10.06%      N3 = 0.36%      N7 = 5.07%      N93A = 2.37%

N96L = 0.57%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$95,200.00	1100001	1.000	LSUM
0040	Dr Structure, Temp Lowering	4030390	1.000	Ea
0110	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	400.000	Ea
0115	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	400.000	Ea
0160	_Slope Restoration	8167011	500.000	Syd

**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 054

**Proposal ID:** 41000-206961

**Description:** 0.94 mi of hot mix asphalt widening and surfacing, concrete curb, gutter and ramps, retaining wall, guardrail and pavement markings on Cascade Road from 36th Street southeasterly to Whitneyville Avenue, Kent County. This is a Local Agency project. \*\* 1762 Cb or 1762 Ea or Comb/Jt. 1762 J, K  
 \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
206961A	N/A		EDC 41000

**Location:** Cascade Road from 36th Street southeasterly to Whitneyville Avenue.

**Route:**

**Classification Ratings**

Cb = 30.45%	Ea = 23.05%	Fa = 0.50%	I = 1.08%
J = 10.62%	K = 16.80%	MOT = 3.89%	Misc = 10.75%
N2 = 0.63%	N3 = 0.46%	N93A = 0.07%	N96L = 1.68%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$160,200.00	1100001	1.000	LSUM
0155	_Driveway Opening, Conc, Det M, Modified	8007001	160.000	Ft
0205	Post, Mailbox	8070095	30.000	Ea
0260	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	220.000	Ea
0265	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	220.000	Ea
0285	Plastic Drum, Fluorescent, Furn	8120252	15.000	Ea
0290	Plastic Drum, Fluorescent, Oper	8120253	15.000	Ea
0335	_Roadside Seeding	8167011	5,000.000	Syd



**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 055

**Proposal ID:** 41000-205515

**Description:** 1.75 mi of hot mix asphalt cold milling and resurfacing, signing, landscaping and pavement markings on 29th Street from Breton Road easterly to the east city limit of Grand Rapids, Butterworth Street from O'Brien Road easterly to Marion Avenue and Division Avenue from Quigley Street northerly to Cottage Grove Street in the city of Grand Rapids, Kent County. This is a Local Agency project. \*\* 2183 Cb or 2183 Ea \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 5.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
205515A	22A0579		STU 41000
<b>Location:</b> 29th Street from Breton Road easterly to east city limit in the city of Grand Rapids.			
<b>Route:</b>			
205516A	22A0574		STU 41000
<b>Location:</b> Butterworth Street from O'Brien Road easterly to Marion Avenue.			
<b>Route:</b>			
205526A	22A0576		STU 41000
<b>Location:</b> Division Avenue from Quigley Street northerly to Cottage Grove Street.			
<b>Route:</b>			

**Classification Ratings**

Ba = 0.23%	Cb = 29.57%	Ea = 12.07%	H = 5.19%
J = 10.72%	K = 12.63%	MOT = 7.73%	Misc = 12.68%
N3 = 4.88%	N6 = 0.63%	N93A = 3.68%	

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$198,500.00	1100001	1.000	LSUM
0015	_Manhole, Valve Chamber, or Catch Basin, Rem	2037050	1.000	Ea
0030	_Pavt, Rem, Modified	2047011	2,880.000	Syd
0060	Project Cleanup	2090001	1.000	LSUM
0355	Plastic Drum, Fluorescent, Furn	8120252	235.000	Ea
0360	Plastic Drum, Fluorescent, Oper	8120253	235.000	Ea



**Cost Summaries For Primes**

Report v1

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0450	_Turf Establishment	8167011	2,185.000	Syd
0485	_Preconstruction Documentation	8507051	1.000	LSUM
0490	_Additional Insurance	8507060	3,000.000	Dir
0495	_Underground Sprinkling Systems, Restore	8507060	3,000.000	Dir



Cost Summaries For Primes

Report v1

Letting ID: 220701

Call Number: 056

Proposal ID: 41000-205661

Description: 0.37 mi of hot mix asphalt reconstruction, storm sewer, concrete curb, gutter and sidewalk, water main and pavement markings on Ottawa Avenue from Newberry Street northerly to Mason Street; Walbridge Street northerly to Coldbrook Street in the city of Grand Rapids, Kent County. This is a Local Agency project. \*\* 2041 K \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Table with 4 columns: Project Number, Federal Project Number, Federal Item Number, Control Section. Row 1: 205661A, 22A0603, STU 41000

Location: Ottawa Avenue from Newberry Street northerly to Mason Street and from Walbridge Street northerly to Coldbrook Street .

Route:

Classification Ratings

Classification ratings: Cb = 12.61%, Ea = 13.17%, H = 2.67%, I = 0.37%, J = 10.42%, K = 38.90%, MOT = 4.17%, Misc = 16.95%, N3 = 0.14%, N6 = 0.61%

List of Items by Section

Table with 5 columns: Line Num, Item Description, Item ID, Quantity, Units. Lists items from 0005 to 0075 including Mobilization, Bulkhead, Butterfly Valve, Flanged Coupling Adapter, Manhole, Valve Chamber, and Abandon and Fill Underground Utilities.

**Cost Summaries For Primes**

Report v1

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0080	_Brick Pavt, Rem, Salvage, Full Depth	2047011	2.000	Syd
0085	_Pavt, Rem, Modified	2047011	5,397.000	Syd
0325	Plastic Drum, Fluorescent, Furn	8120252	4.000	Ea
0330	Plastic Drum, Fluorescent, Oper	8120253	4.000	Ea
0445	_Turf Establishment	8167011	1,292.000	Syd
0650	_Preconstruction Documentation	8507051	1.000	LSUM
0655	_Contaminated Material, Storage, Handling and Disposal	8507060	1.000	Dlr





**Cost Summaries For Primes**

Report v1

**Letting ID:** 220701

**Call Number:** 057

**Proposal ID:** 78061-215475

**Description:** 0.08 mi of hot mix asphalt reconstruction, sleeper slab replacement, bridge approach work and pavement markings on M-86 either side of Prairie River in the village of Centreville, Saint Joseph County. \*\* Comb/Jt. 604 Cb, Ea or Comb/Jt. 604 Cb, Fa or Comb/Jt. 604 Ea, Fa \*\*In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

**DBE Goal Percent:** 0.00%

**Project Information**

Project Number	Federal Project Number	Federal Item Number	Control Section
215475A	N/A		M 78061

**Location:** M-86 at Prairie River Bridge B2 of 78061.

**Route:** M-86

**Classification Ratings**

Cb = 14.70%      Ea = 14.70%      Fa = 16.30%      Fb = 4.61%

J = 1.05%      MOT = 17.79%      Misc = 12.86%      N3 = 4.34%

N6 = 0.10%      N7 = 0.15%      N91A = 6.61%      N93D = 0.30%

N96L = 6.47%

**List of Items by Section**

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max \$55,000.00	1100001	1.000	LSUM
0125	_Turf Establishment, Performance	8067011	956.000	Syd
0155	Post, Mailbox	8070095	2.000	Ea
0280	Plastic Drum, Fluorescent, Furn	8120252	35.000	Ea
0285	Plastic Drum, Fluorescent, Oper	8120253	35.000	Ea
0380	Centerline Corrugations, Milled, HMA	8220013	325.000	Ft
0385	Contractor Staking	8240001	1.000	LSUM
0390	Staking Plan Errors and Extras, Max \$180/hour	8240002	6.000	Hr