

# **MDOT Drainage Manual**

## **Master Table of Contents**

**Revised September 2026**

If you require assistance accessing this information or require it in an alternative format, contact the Michigan Department of Transportation's (MDOT) Americans with disabilities Act (ADA) coordinator at [Michigan.gov/MDOT-ADA](https://Michigan.gov/MDOT-ADA).

## CHAPTERS

### Chapter 1 – Introduction

|       |                                                                   |     |
|-------|-------------------------------------------------------------------|-----|
| 1.1   | INTRODUCTION/PURPOSE.....                                         | 1-3 |
| 1.2   | OVERVIEW .....                                                    | 1-4 |
| 1.2.1 | Policy and Procedures (Chapter 2).....                            | 1-4 |
| 1.2.2 | Hydrology (Chapter 3).....                                        | 1-4 |
| 1.2.3 | Open Channels and Roadside Ditches (Chapter 4).....               | 1-4 |
| 1.2.4 | Culverts (Chapter 5).....                                         | 1-4 |
| 1.2.5 | Bridge Hydraulic Design (Chapter 6) .....                         | 1-5 |
| 1.2.6 | Inlet and Enclosed Storm Drainage Systems (Chapter 7).....        | 1-5 |
| 1.2.7 | Stormwater Storage Facilities for Flood Control (Chapter 8) ..... | 1-5 |
| 1.2.8 | Coastal Engineering (Chapter 9) .....                             | 1-5 |
| 1.1.9 | Pump Stations (Chapter 10) .....                                  | 1-5 |
| 1.3   | MANUALS, COMPUTER PROGRAMS, AND REGULATIONS .....                 | 1-6 |
| 1.4   | REFERENCES AND HYPERLINKS .....                                   | 1-6 |
| 1.5   | UPDATES.....                                                      | 1-6 |

### Chapter 2 – Policy and Procedures

|       |                                                                                      |      |
|-------|--------------------------------------------------------------------------------------|------|
| 2.1   | INTRODUCTION.....                                                                    | 2-4  |
| 2.2   | DEFINITIONS.....                                                                     | 2-5  |
| 2.3   | RESPONSIBILITY OF HYDRAULIC ENGINEER/PROJECT MANAGER IN<br>LEGAL MATTERS.....        | 2-8  |
| 2.4   | HYDRAULIC POLICY AND PROCEDURES .....                                                | 2-9  |
| 2.4.1 | ROW for Drainage .....                                                               | 2-9  |
| 2.4.2 | Drainage Considerations .....                                                        | 2-9  |
| 2.4.3 | Intracounty and Intercounty Drainage Systems for State Trunkline<br>Stormwater ..... | 2-15 |
| 2.4.4 | Relocation of Existing Stream.....                                                   | 2-16 |
| 2.4.5 | Relocation of Existing Drainage Course .....                                         | 2-16 |
| 2.4.6 | Relocation of Field Tile Drains .....                                                | 2-16 |
| 2.4.7 | Design Procedures for Unknown Field Tile Location .....                              | 2-17 |
| 2.4.8 | Permitting Drainage Connections to State Trunkline Drainage<br>Systems .....         | 2-17 |
| 2.5   | DRAINAGE DESIGN OVERVIEW.....                                                        | 2-20 |
| 2.6   | GENERAL DESIGN GUIDANCE.....                                                         | 2-21 |
| 2.6.1 | Route Location and Flood Hazards .....                                               | 2-21 |

|                                                                       |      |
|-----------------------------------------------------------------------|------|
| 2.6.2 Construction Site Soil Erosion and Sedimentation Controls ..... | 2-21 |
| 2.6.3 Intra-agency Coordination and Environmental Permits .....       | 2-21 |
| References .....                                                      | 2-23 |

### **Chapter 3 – Hydrology**

|                                                                                           |      |
|-------------------------------------------------------------------------------------------|------|
| 3.1 INTRODUCTION/PURPOSE .....                                                            | 3-4  |
| 3.2 DEFINITIONS .....                                                                     | 3-5  |
| 3.3 POLICY .....                                                                          | 3-8  |
| 3.3.1 EGLE .....                                                                          | 3-8  |
| 3.4 HYDROLOGIC ANALYSIS .....                                                             | 3-9  |
| 3.4.1 Data Collection and Evaluation of Runoff Volume and Peak Discharge<br>Factors ..... | 3-9  |
| 3.4.2 Rainfall Data and Recurrence Interval .....                                         | 3-9  |
| 3.4.3 Hydrologic Flood Flow Development .....                                             | 3-10 |
| 3.4.4 Documentation .....                                                                 | 3-10 |
| 3.5 HYDROLOGIC METHOD SELECTION .....                                                     | 3-11 |
| 3.5.1 Hydrologic Analysis Procedure Flow Chart .....                                      | 3-11 |
| 3.5.2 Rainfall Distribution .....                                                         | 3-12 |
| 3.5.3 Ponding Factors .....                                                               | 3-14 |
| 3.6 DESIGN GUIDANCE AND PROCEDURE .....                                                   | 3-15 |
| 3.6.1 Rational Method .....                                                               | 3-15 |
| 3.6.1.1 Application .....                                                                 | 3-15 |
| 3.6.1.2 Rational Method Equation .....                                                    | 3-15 |
| 3.6.1.3 Parameters .....                                                                  | 3-16 |
| 3.6.1.3.1 Time of Concentration ( $T_c$ ) .....                                           | 3-16 |
| 3.6.1.3.2 Common Issues Related to $T_c$ .....                                            | 3-17 |
| 3.6.1.3.3 Rainfall Intensity ( $i$ ) .....                                                | 3-18 |
| 3.6.1.3.4 Runoff Coefficient ( $C$ ) .....                                                | 3-18 |
| 3.6.2 Rational Method Procedure .....                                                     | 3-19 |
| 3.6.3 Rational Method – Example Problem .....                                             | 3-19 |
| 3.6.4 Other Hydrograph Methods .....                                                      | 3-21 |
| References .....                                                                          | 3-23 |

### **Chapter 4 – Open Channels and Roadside Ditches**

|                                      |     |
|--------------------------------------|-----|
| 4.1 INTRODUCTION/PURPOSE .....       | 4-5 |
| 4.2 DEFINITIONS .....                | 4-6 |
| 4.3 POLICY AND DESIGN CRITERIA ..... | 4-9 |

|          |                                                                                                 |      |
|----------|-------------------------------------------------------------------------------------------------|------|
| 4.3.1    | Federal Policy .....                                                                            | 4-9  |
| 4.3.2    | State Policy .....                                                                              | 4-9  |
| 4.3.3    | Roadside Ditches.....                                                                           | 4-9  |
| 4.3.4    | Stream Channel Design.....                                                                      | 4-10 |
| 4.4      | DESIGN GUIDANCE AND PROCEDURE.....                                                              | 4-11 |
| 4.4.1    | Hydraulic Analysis for Stream and Roadside Ditches .....                                        | 4-11 |
| 4.4.2    | Roadside Ditches.....                                                                           | 4-11 |
| 4.4.2.1  | Standard Ditch Types .....                                                                      | 4-12 |
| 4.4.2.2  | Erosion Control in Ditches .....                                                                | 4-12 |
| 4.4.3    | Design Procedures .....                                                                         | 4-13 |
| 4.4.3.1  | Cross-Sections .....                                                                            | 4-13 |
| 4.4.3.2  | Terrain Development for Advanced Hydraulic Modeling<br>(2D or CFD) .....                        | 4-16 |
| 4.4.3.3  | Manning's n-value Selection .....                                                               | 4-17 |
| 4.4.3.4  | Hydrologic and Hydraulic Calibration and Validation .....                                       | 4-20 |
| 4.4.3.5  | Normal Depth Analysis .....                                                                     | 4-21 |
| 4.4.3.6  | Example - Normal Depth Analysis for Culvert Tailwater<br>Determination .....                    | 4-24 |
| 4.4.3.7  | Standard Step Analysis – Hand Calculation .....                                                 | 4-27 |
| 4.4.3.8  | Standard Step Analysis – HEC-RAS Model.....                                                     | 4-28 |
| 4.4.3.9  | HEC-RAS Standard Step Method.....                                                               | 4-28 |
| 4.4.3.10 | Profile Calculation Concepts.....                                                               | 4-29 |
| 4.4.3.11 | Switchback Phenomenon .....                                                                     | 4-31 |
| 4.4.3.12 | Example: Calculation of Effect of Tailwater Condition on<br>Channel Water Surface Profile ..... | 4-31 |
| 4.4.3.13 | 2D Hydraulic Modeling.....                                                                      | 4-37 |
| 4.4.4    | Channel Design Procedure.....                                                                   | 4-37 |
| 4.4.4.1  | Stream Channels .....                                                                           | 4-37 |
| 4.4.4.2  | Stream Morphology .....                                                                         | 4-40 |
| 4.5      | MAINTENANCE .....                                                                               | 4-41 |
| 4.5.1    | Ditch Maintenance and Repairs .....                                                             | 4-41 |
| 4.5.2    | Erosion and Vegetation.....                                                                     | 4-41 |
|          | References.....                                                                                 | 4-42 |

## Chapter 5 – Culverts

|     |                           |     |
|-----|---------------------------|-----|
| 5.1 | INTRODUCTION/PURPOSE..... | 5-2 |
| 5.2 | DEFINITIONS.....          | 5-8 |

|           |                                                       |      |
|-----------|-------------------------------------------------------|------|
| 5.3       | POLICY AND DESIGN CRITERIA .....                      | 5-12 |
| 5.3.1     | Introduction .....                                    | 5-12 |
| 5.3.1.1   | Structure Types.....                                  | 5-12 |
| 5.3.1.2   | Hydrologic Methods .....                              | 5-12 |
| 5.3.1.3   | Hydraulic Computational Complexities.....             | 5-13 |
| 5.3.1.4   | Computer Software Methods .....                       | 5-13 |
| 5.3.2     | Culvert Policy.....                                   | 5-14 |
| 5.3.2.1   | Federal Culvert Policy .....                          | 5-14 |
| 5.3.2.2   | State Policy .....                                    | 5-14 |
| 5.3.2.3   | Culvert Hydrologic Design Criteria .....              | 5-14 |
| 5.3.2.4   | Hydraulic Analysis Requirements .....                 | 5-15 |
| 5.3.2.5   | Culvert Pipe Class Designation.....                   | 5-15 |
| 5.3.2.6   | Culvert Usage Guidelines .....                        | 5-16 |
| 5.3.3     | Culvert Environmental Permit Requirements .....       | 5-16 |
| 5.3.4     | Culvert Hydraulic Design Criteria .....               | 5-17 |
| 5.3.4.1   | Length and Slope .....                                | 5-17 |
| 5.3.4.2   | Maximum Allowable Headwater .....                     | 5-17 |
| 5.3.4.3   | Steep Slopes.....                                     | 5-18 |
| 5.3.4.4   | Tailwater .....                                       | 5-18 |
| 5.3.4.5   | Outlet Velocity.....                                  | 5-19 |
| 5.3.4.6   | Erosion Protection.....                               | 5-19 |
| 5.3.4.7   | Culvert Invert Placement.....                         | 5-19 |
| 5.3.5     | End Treatments (Inlet or Outlet) .....                | 5-20 |
| 5.3.5.1   | Culvert End Treatment Descriptions .....              | 5-22 |
| 5.3.5.2   | Boxes/Slab End Treatments .....                       | 5-24 |
| 5.3.5.2.1 | Headwalls and Wingwalls .....                         | 5-24 |
| 5.3.5.2.2 | Concrete Aprons .....                                 | 5-24 |
| 5.3.5.2.3 | Cut-off Walls .....                                   | 5-24 |
| 5.3.5.3   | Underdrain Systems.....                               | 5-25 |
| 5.3.6     | Culvert Extensions and End Section Replacements ..... | 5-25 |
| 5.3.6.1   | Reinforced Circular Concrete Pipe Extensions .....    | 5-25 |
| 5.3.6.2   | Extending Existing Box and Slab Culverts .....        | 5-25 |
| 5.3.7     | Bedding and Filling Around Pipe Culverts.....         | 5-25 |
| 5.4       | DESIGN GUIDANCE AND PROCEDURE.....                    | 5-27 |
| 5.4.1     | Design Guidance/Approach .....                        | 5-27 |
| 5.4.1.1   | Control Section .....                                 | 5-27 |

|           |                                   |      |
|-----------|-----------------------------------|------|
| 5.4.1.2   | Minimum Performance .....         | 5-27 |
| 5.4.1.3   | Buoyancy Protection .....         | 5-27 |
| 5.4.1.4   | Relief Opening .....              | 5-27 |
| 5.4.1.5   | Sag Culverts .....                | 5-27 |
| 5.4.1.6   | Slope or Side Tapered Inlets..... | 5-28 |
| 5.4.1.7   | Sedimentation in Culverts .....   | 5-28 |
| 5.4.1.8   | Culvert Flow Types .....          | 5-28 |
| 5.4.2     | Inlet Control .....               | 5-28 |
| 5.4.2.1   | Headwater Factors.....            | 5-29 |
| 5.4.2.2   | Hydraulics .....                  | 5-30 |
| 5.4.2.3   | Unsubmerged Flow.....             | 5-30 |
| 5.4.2.4   | Submerged Flow.....               | 5-31 |
| 5.4.2.5   | Transition Zone .....             | 5-32 |
| 5.4.2.6   | Nomographs .....                  | 5-32 |
| 5.4.3     | Outlet Control.....               | 5-32 |
| 5.4.3.1   | Hydraulics .....                  | 5-33 |
| 5.4.3.2   | Energy Grade Line.....            | 5-37 |
| 5.4.3.3   | Hydraulic Grade Line .....        | 5-37 |
| 5.4.3.4   | Full Flow.....                    | 5-37 |
| 5.4.3.5   | Partly Full Flow .....            | 5-38 |
| 5.4.3.6   | Open Channel Flow .....           | 5-39 |
| 5.4.4     | Outlet Velocity.....              | 5-39 |
| 5.4.4.1   | Inlet Control.....                | 5-40 |
| 5.4.4.2   | Outlet Control.....               | 5-41 |
| 5.4.5     | Roadway Overtopping .....         | 5-41 |
| 5.4.5.1   | Length.....                       | 5-43 |
| 5.4.5.2   | Total Flow .....                  | 5-45 |
| 5.4.6     | Performance Curves.....           | 5-45 |
| 5.4.7     | Culvert Design Procedure.....     | 5-46 |
| 5.4.8     | Example Problem .....             | 5-52 |
| 5.4.8.1   | Overview.....                     | 5-67 |
| 5.4.8.2   | Data Input .....                  | 5-67 |
| 5.4.8.2.1 | Discharge Data .....              | 5-68 |
| 5.4.8.2.2 | Tailwater Data.....               | 5-70 |
| 5.4.8.2.3 | Roadway Data .....                | 5-72 |
| 5.4.8.2.4 | Culvert Data.....                 | 5-73 |

|            |                                          |      |
|------------|------------------------------------------|------|
|            | 5.4.8.2.4 Site Data .....                | 5-74 |
|            | 5.4.8.3 Find Proposed Alternatives ..... | 5-76 |
|            | 5.4.8.3.1 Culvert Data .....             | 5-77 |
|            | 5.4.8.3.2 Site Data .....                | 5-78 |
|            | 5.4.8.4 Rating Curve .....               | 5-79 |
| 5.5        | TEMPORARY CULVERTS .....                 | 5-80 |
| 5.5.1      | Temporary Culverts .....                 | 5-80 |
| 5.5.2      | Example Problem .....                    | 5-81 |
| 5.6        | MAINTENANCE .....                        | 5-83 |
| 5.6.1      | Culvert Maintenance and Inspection ..... | 5-83 |
| 5.6.2      | Lining Culverts .....                    | 5-83 |
| References | .....                                    | 5-84 |

## **Chapter 6 – Bridge Hydraulic Design**

|       |                                                                                  |      |
|-------|----------------------------------------------------------------------------------|------|
| 6.1   | INTRODUCTION/PURPOSE .....                                                       | 6-5  |
| 6.2   | DEFINITIONS .....                                                                | 6-6  |
| 6.3   | POLICY AND DESIGN CRITERIA .....                                                 | 6-10 |
| 6.3.1 | General Policy and Design Criteria .....                                         | 6-10 |
| 6.3.2 | MDOT Policy and Design Criteria .....                                            | 6-10 |
|       | 6.3.2.1 Overtopping .....                                                        | 6-11 |
|       | 6.3.2.2 Backwater Increases Over Existing Conditions .....                       | 6-11 |
|       | 6.3.2.3 Freeboard .....                                                          | 6-11 |
|       | 6.3.2.4 Clearance .....                                                          | 6-12 |
|       | 6.3.2.5 Location .....                                                           | 6-12 |
|       | 6.3.2.6 Vertical Wall Abutments .....                                            | 6-12 |
|       | 6.3.2.7 Spill through Abutments .....                                            | 6-12 |
|       | 6.3.2.8 Scour .....                                                              | 6-12 |
|       | 6.3.2.9 Design Scour Countermeasure versus Bridge<br>Embankment Protection ..... | 6-12 |
| 6.3.3 | Coordination, Permits, and Approvals .....                                       | 6-13 |
| 6.3.4 | Bridge Deck Drainage .....                                                       | 6-13 |
| 6.4.  | DESIGN GUIDANCE AND PROCEDURE .....                                              | 6-14 |
| 6.4.1 | Design Procedure Outline .....                                                   | 6-14 |
| 6.4.2 | Hydraulic Performance of Bridges .....                                           | 6-16 |
| 6.4.3 | Modeling Selection Rationale .....                                               | 6-20 |
|       | 6.4.3.1 One-Dimensional (1D) Modeling .....                                      | 6-20 |
|       | 6.4.3.2 Two-Dimensional (2D) Modeling .....                                      | 6-20 |

|          |                                                        |      |
|----------|--------------------------------------------------------|------|
| 6.4.3.3  | Physical Modeling and CFD Modeling.....                | 6-22 |
| 6.4.3.4  | HEC-RAS 1D Modeling .....                              | 6-22 |
| 6.4.3.5  | 2D Modeling .....                                      | 6-24 |
| 6.4.4    | Reporting Requirements .....                           | 6-24 |
| 6.4.5    | Bridge Scour .....                                     | 6-24 |
| 6.4.5.1  | Introduction.....                                      | 6-24 |
| 6.4.5.2  | Information Needed .....                               | 6-25 |
| 6.4.5.3  | Scour Analysis Equations .....                         | 6-25 |
| 6.4.5.4  | Long-Term Aggradation/Degradation .....                | 6-25 |
| 6.4.5.5  | Lateral Channel Movement .....                         | 6-25 |
| 6.4.5.6  | Contraction Scour.....                                 | 6-26 |
| 6.4.5.7  | Pressure Flow Scour (Vertical Contraction Scour) ..... | 6-26 |
| 6.4.5.8  | Pier Scour.....                                        | 6-26 |
| 6.4.5.9  | Abutment Scour.....                                    | 6-26 |
| 6.4.5.10 | Assessment Steps.....                                  | 6-27 |
| 6.4.5.11 | General Guidelines.....                                | 6-28 |
| 6.4.5.12 | Piers .....                                            | 6-28 |
| 6.4.5.13 | Abutments .....                                        | 6-28 |
| 6.4.5.14 | Scour Countermeasure Design .....                      | 6-29 |
| 6.4.6    | Hydraulic and Scour Analysis Documentation .....       | 6-29 |
| 6.4.7    | Scour Analysis .....                                   | 6-30 |
| 6.4.8    | Bridge Deck Drainage.....                              | 6-30 |
| 6.5      | TEMPORARY STRUCTURES .....                             | 6-31 |
| 6.5.1    | Temporary Bridges .....                                | 6-31 |
| 6.5.2    | Temporary Haul Roads in the Floodplain.....            | 6-31 |
| 6.6      | MAINTENANCE .....                                      | 6-32 |
| 6.6.1    | Introduction .....                                     | 6-32 |
| 6.6.2    | Inspection .....                                       | 6-32 |
| 6.6.3    | Maintenance Concerns .....                             | 6-32 |
| 6.6.4    | Maintenance Measures.....                              | 6-33 |
|          | References.....                                        | 6-34 |

## **Chapter 7 – Inlet and Enclosed Storm Sewer Systems**

|       |                                  |      |
|-------|----------------------------------|------|
| 7.1   | INTRODUCTION/PURPOSE.....        | 7-7  |
| 7.2   | DEFINITIONS.....                 | 7-8  |
| 7.3   | POLICY AND DESIGN CRITERIA ..... | 7-12 |
| 7.3.1 | Introduction .....               | 7-12 |

|         |                                                                              |      |
|---------|------------------------------------------------------------------------------|------|
| 7.3.2   | Hydrology.....                                                               | 7-12 |
| 7.3.3   | Selection of Design Storm Frequency and Spread .....                         | 7-12 |
| 7.3.4   | Roadways with Enclosed Drainage .....                                        | 7-13 |
| 7.3.5   | Depressed Roadways.....                                                      | 7-14 |
| 7.3.6   | Drainage Structure Location and Spacing .....                                | 7-15 |
| 7.3.7   | Minimum Pipe Sizes .....                                                     | 7-15 |
| 7.3.8   | Peak Flow Storage.....                                                       | 7-15 |
| 7.3.9   | System Planning.....                                                         | 7-16 |
| 7.4     | DESIGN GUIDANCE AND PROCEDURE FOR INLET SPACING.....                         | 7-17 |
| 7.4.1   | Pavement and Bridge Deck Drainage.....                                       | 7-17 |
| 7.4.1.1 | Roadway Geometrics (Longitudinal Slope and Cross Slope) .....                | 7-17 |
| 7.4.1.2 | Superelevated Horizontal Curves .....                                        | 7-17 |
| 7.4.1.3 | Bridge Decks .....                                                           | 7-18 |
| 7.4.1.4 | Curbs, Inlets, and Spillways.....                                            | 7-18 |
| 7.4.1.5 | Median Barriers .....                                                        | 7-18 |
| 7.4.1.6 | Roadside and Median Ditches .....                                            | 7-18 |
| 7.4.2   | Curb and Gutter .....                                                        | 7-19 |
| 7.4.3   | Gutter Flow Calculations.....                                                | 7-21 |
| 7.4.3.1 | Introduction .....                                                           | 7-21 |
| 7.4.3.2 | Capacity Relationship .....                                                  | 7-22 |
| 7.4.3.3 | Uniform Cross Slope Procedure .....                                          | 7-23 |
| 7.4.3.4 | Composite Gutter Section Procedure .....                                     | 7-25 |
| 7.4.3.5 | V-Type Gutter Section Procedure .....                                        | 7-26 |
| 7.4.4   | Inlet Types .....                                                            | 7-28 |
| 7.4.4.1 | Grate Inlets .....                                                           | 7-28 |
| 7.4.4.2 | Curb Opening Inlets.....                                                     | 7-29 |
| 7.4.4.3 | Combination Inlets.....                                                      | 7-29 |
| 7.4.4.4 | Slotted Drain and Trench Drain Inlets.....                                   | 7-29 |
| 7.4.5   | Inlet Locations.....                                                         | 7-30 |
| 7.4.6   | Inlet Spacing .....                                                          | 7-31 |
| 7.4.6.1 | General.....                                                                 | 7-31 |
| 7.4.6.2 | Interception Capacity of Grate Inlets on Grade.....                          | 7-31 |
| 7.4.6.3 | Interception Capacity of Grate Inlets in Sag.....                            | 7-34 |
| 7.4.6.4 | Interception Capacity of Curb Opening Inlets or Slotted Inlets on Grade..... | 7-38 |
| 7.4.6.5 | Interception Capacity of Curb Opening Inlets in Sag .....                    | 7-42 |

|           |                                                                     |      |
|-----------|---------------------------------------------------------------------|------|
| 7.4.6.6   | Flanking Inlets.....                                                | 7-47 |
| 7.4.6.7   | Design Procedure for Inlet Spacing .....                            | 7-49 |
| 7.5       | DRAINAGE STRUCTURES .....                                           | 7-53 |
| 7.5.1     | Manhole Location and Spacing.....                                   | 7-53 |
| 7.5.2     | Drainage Structure Types.....                                       | 7-53 |
| 7.5.3     | Drainage Structure Sizing .....                                     | 7-54 |
| 7.5.3.1   | Catch Basin Structure Diameter .....                                | 7-54 |
| 7.5.3.2   | Manhole Structure Sizing Considerations .....                       | 7-54 |
| 7.5.3.3   | Measurement and Payment.....                                        | 7-56 |
| 7.6       | DESIGN GUIDANCE AND PROCEDURE FOR STORM SEWER SYSTEMS .....         | 7-57 |
| 7.6.1     | Introduction .....                                                  | 7-57 |
| 7.6.1.1   | Storm Sewer Design Considerations .....                             | 7-58 |
| 7.6.1.2   | Outlets, Outfalls, and Points of Discharge .....                    | 7-59 |
| 7.6.1.3   | Storm Sewer Outlet Guidance .....                                   | 7-59 |
| 7.6.1.3.1 | Project Outfalls (Refer to Section 7.6.1.2).....                    | 7-59 |
| 7.6.1.3.2 | Outfall/Outlet Invert Placement .....                               | 7-60 |
| 7.6.1.3.3 | Safety Grates or Culvert Safety Sloped End<br>Sections .....        | 7-60 |
| 7.6.1.3.4 | Water Quality and Channel Protection .....                          | 7-60 |
| 7.6.2     | Storm Sewer Pipe Classification and Usage Guidelines.....           | 7-60 |
| 7.6.2.1   | Special Pipe Designs.....                                           | 7-61 |
| 7.6.2.2   | Storm Sewer Soil Borings.....                                       | 7-61 |
| 7.6.2.3   | Storm Sewer Measurement and Payment .....                           | 7-61 |
| 7.6.3     | Hydraulic Capacity.....                                             | 7-62 |
| 7.6.3.1   | Minimum Grades .....                                                | 7-65 |
| 7.6.3.2   | Outlet Velocity and Erosion Protection .....                        | 7-66 |
| 7.6.4     | Hydraulic Grade Line and Energy Grade Line .....                    | 7-67 |
| 7.6.4.1   | Introduction.....                                                   | 7-67 |
| 7.6.4.2   | Tailwater .....                                                     | 7-69 |
| 7.6.4.3   | Exit Loss .....                                                     | 7-72 |
| 7.6.4.4   | Bend, Transition, and Junction Losses .....                         | 7-72 |
| 7.6.4.5   | Pipe Friction Loss .....                                            | 7-73 |
| 7.6.4.6   | Inlet and Manhole Energy Losses.....                                | 7-73 |
| 7.6.4.7   | Adjusting for Benching, Angled Inflow, and Plunging<br>Inflow ..... | 7-76 |
| 7.6.4.7.1 | Additional Energy Loss: Benching .....                              | 7-77 |

|       |                                                                  |       |
|-------|------------------------------------------------------------------|-------|
|       | 7.6.4.7.2 Additional Energy Loss: Angled Inflow .....            | 7-78  |
|       | 7.6.4.7.3 Additional Energy Loss: Plunging Inflow .....          | 7-80  |
|       | 7.6.4.8 Calculating Inflow Pipe Exit Losses .....                | 7-81  |
|       | 7.6.4.9 Offline Hydrodynamic Separator Loss .....                | 7-82  |
|       | 7.6.4.10 Design Procedure for Storm Sewers .....                 | 7-83  |
|       | 7.6.4.11 Hydraulic and Energy Grade Lines Design Procedure ..... | 7-86  |
|       | 7.6.4.12 Example Problem .....                                   | 7-91  |
| 7.6.5 | Inverted Siphon (Sag Culvert, Submerged Culverts) .....          | 7-102 |
|       | 7.6.5.1 Siphon Design Procedure .....                            | 7-103 |
| 7.6.6 | Underdrains .....                                                | 7-104 |
| 7.7   | MAINTENANCE .....                                                | 7-105 |
|       | 7.7.1 Drainage Structures .....                                  | 7-105 |
|       | 7.7.2 Storm Sewers .....                                         | 7-105 |
| 7.8   | ADVANCED HYDRAULICS .....                                        | 7-106 |
|       | 7.8.1 Stormwater Tunnel Systems .....                            | 7-106 |
|       | 7.8.2 Hydraulic Analysis of Stormwater Tunnel Systems .....      | 7-107 |
|       | 7.8.2.1 Design Storms .....                                      | 7-111 |
|       | 7.8.1.2 Extreme Event Analysis .....                             | 7-111 |
|       | 7.8.1.2.1 Resiliency Design Storm .....                          | 7-111 |
|       | 7.8.1.2.2 Large Historic Event .....                             | 7-112 |
|       | 7.8.1.2.3 Emergency Conditions .....                             | 7-112 |
|       | 7.8.3 Drop Shaft Design .....                                    | 7-112 |
|       | References .....                                                 | 7-115 |

## **Chapter 8 – Stormwater Storage Facilities for Flood Control**

|     |                                                         |      |
|-----|---------------------------------------------------------|------|
| 8.1 | INTRODUCTION/PURPOSE .....                              | 8-5  |
|     | 8.1.1 Storage Overview .....                            | 8-5  |
|     | 8.1.2 Acceptable Outfalls and Points of Discharge ..... | 8-5  |
|     | 8.1.3 Computer Programs .....                           | 8-5  |
| 8.2 | DEFINITIONS .....                                       | 8-6  |
| 8.3 | POLICY .....                                            | 8-8  |
| 8.4 | TYPES OF STORAGE FACILITIES .....                       | 8-9  |
|     | 8.4.1 Detention Basin .....                             | 8-9  |
|     | 8.4.2 Wet Detention Basin .....                         | 8-9  |
|     | 8.4.3 Infiltration Basin .....                          | 8-10 |
|     | 8.4.4 Underground Storage .....                         | 8-11 |

|         |                                                                  |      |
|---------|------------------------------------------------------------------|------|
| 8.5     | STORAGE DESIGN CRITERIA.....                                     | 8-12 |
| 8.5.1   | General Design Criteria Common to All Storage Facilities.....    | 8-12 |
| 8.5.1.1 | Discharge Rate.....                                              | 8-12 |
| 8.5.1.2 | Storage Volume.....                                              | 8-12 |
| 8.5.1.3 | Safety.....                                                      | 8-13 |
| 8.5.1.4 | Grading and Depth Requirements.....                              | 8-13 |
| 8.5.1.5 | Pretreatment.....                                                | 8-14 |
| 8.5.1.6 | Structural Controls.....                                         | 8-14 |
| 8.5.1.7 | In-line and Off-line Storage Configurations.....                 | 8-15 |
| 8.5.1.8 | Location.....                                                    | 8-15 |
| 8.5.2   | Design Criteria Specific to Storage Facilities.....              | 8-16 |
| 8.5.2.1 | Detention Basin Design Summary.....                              | 8-16 |
| 8.5.2.2 | Wet Detention Basin Design.....                                  | 8-17 |
| 8.5.2.3 | Infiltration Basin Design.....                                   | 8-18 |
| 8.5.2.4 | Underground Storage Design.....                                  | 8-19 |
| 8.6     | STRUCTURAL CONTROLS.....                                         | 8-20 |
| 8.6.1   | Sharp-Crested Weirs.....                                         | 8-20 |
| 8.6.2   | Broad-Crested Weirs.....                                         | 8-22 |
| 8.6.3   | Sloped Weirs.....                                                | 8-23 |
| 8.6.3.1 | Standard Weir Equation - Average Height.....                     | 8-23 |
| 8.6.3.2 | Sloping Weir Equation.....                                       | 8-23 |
| 8.6.3.3 | Discharge Coefficients.....                                      | 8-24 |
| 8.6.3.4 | Weir Length.....                                                 | 8-24 |
| 8.6.3.5 | Submergence.....                                                 | 8-24 |
| 8.6.4   | V-Notch Weirs.....                                               | 8-26 |
| 8.6.5   | Orifices.....                                                    | 8-26 |
| 8.7     | SIZING METHODS AND ROUTING CALCULATIONS.....                     | 8-27 |
| 8.7.1   | Stage-Storage Curve.....                                         | 8-27 |
| 8.7.2   | Stage-Discharge Curve.....                                       | 8-28 |
| 8.7.3   | Routing Calculations (Modified Puls Method).....                 | 8-29 |
| 8.7.4   | Design Procedure.....                                            | 8-30 |
| 8.8     | EXAMPLES.....                                                    | 8-32 |
| 8.8.1   | Example: Developing a Stage-Discharge Curve.....                 | 8-32 |
| 8.8.2   | Example: Detention Basin Design and Outlet Structure.....        | 8-35 |
| 8.8.3   | Example: Use Hydraulic Toolbox to Perform Hydrograph Routing.... | 8-41 |
| 8.9     | MAINTENANCE.....                                                 | 8-47 |

|                 |      |
|-----------------|------|
| References..... | 8-48 |
|-----------------|------|

## **Chapter 9 – Coastal Engineering**

|                 |                                                     |      |
|-----------------|-----------------------------------------------------|------|
| 9.1             | INTRODUCTION/PURPOSE.....                           | 9-4  |
| 9.2             | DEFINITIONS.....                                    | 9-5  |
| 9.3             | POLICY AND DESIGN CRITERIA .....                    | 9-8  |
| 9.3.1           | Federal Policy .....                                | 9-8  |
| 9.3.2           | State Policy.....                                   | 9-8  |
| 9.3.3           | Design Criteria .....                               | 9-8  |
| 9.4             | DESIGN GUIDANCE AND PROCEDURE.....                  | 9-10 |
| 9.4.1           | Determining High Water Levels .....                 | 9-10 |
| 9.4.1.1         | Seasonal and Historical Fluctuations.....           | 9-10 |
| 9.4.1.2         | Storm Surge and Seiche on the Great Lakes .....     | 9-11 |
| 9.4.1.3         | Determining Design Stillwater Elevation (SWEL)..... | 9-11 |
| 9.4.1.4         | Determining Wave Height.....                        | 9-14 |
| 9.4.1.5         | Depth-Limited Waves.....                            | 9-14 |
| 9.4.1.6         | Non-Depth-limited Waves .....                       | 9-15 |
| 9.4.2           | Shoreline Infrastructure Impacts .....              | 9-16 |
| 9.4.2.1         | Coastal Roadway Impacts .....                       | 9-16 |
| 9.4.2.1.1       | High Water Level Risk.....                          | 9-16 |
| 9.4.2.1.2       | Low Water Level Risk.....                           | 9-17 |
| 9.4.2.1.3       | Undermining Due to Erosion Risk .....               | 9-17 |
| 9.4.2.1.4       | Wave Impact Risk .....                              | 9-18 |
| 9.4.2.1.5       | Littoral Drift.....                                 | 9-18 |
| 9.4.2.1.6       | Long-Term Shoreline Recession .....                 | 9-18 |
| 9.4.2.2         | Coastal Roadway Revetment Design .....              | 9-18 |
| 9.4.2.2.1       | Revetment Design.....                               | 9-19 |
| 9.4.2.2.2       | Wave Runup.....                                     | 9-21 |
| 9.4.2.2.3       | Example Revetment Design.....                       | 9-23 |
| 9.4.2.3         | Coastal Bridge Impacts.....                         | 9-26 |
| 9.4.2.3.1       | Wave Impacts.....                                   | 9-26 |
| 9.4.2.3.2       | Bridge Scour.....                                   | 9-27 |
| 9.4.2.3.3       | Bridge Scour Due to Waves .....                     | 9-27 |
| 9.4.2.3.4       | Bridge Scour Due to Seiche .....                    | 9-27 |
| 9.4.2.3.5       | Scour Evaluation Methods .....                      | 9-28 |
| References..... |                                                     | 9-29 |

## Chapter 10 – Pump Stations

|            |                                                                                      |       |
|------------|--------------------------------------------------------------------------------------|-------|
| 10.1       | INTRODUCTION.....                                                                    | 10-7  |
| 10.2       | DEFINITIONS.....                                                                     | 10-9  |
| 10.3       | GENERAL DESIGN CRITERIA.....                                                         | 10-12 |
| 10.3.1     | Hydrology, Collection Systems, and Storage.....                                      | 10-12 |
| 10.3.1.1   | Hydrology.....                                                                       | 10-12 |
| 10.3.1.2   | Collection Systems .....                                                             | 10-12 |
| 10.3.1.3   | Storage .....                                                                        | 10-12 |
| 10.3.2     | Pump Station Design .....                                                            | 10-14 |
| 10.3.2.1   | Design Considerations.....                                                           | 10-14 |
| 10.3.2.1.1 | Risk Management and Cost Considerations .....                                        | 10-14 |
| 10.3.2.1.2 | New Pump Station versus Restoration or<br>Retrofitting of Existing Pump Station..... | 10-14 |
| 10.3.2.1.3 | Location and Vertical Arrangement (Above-<br>Grade versus Below-Grade) .....         | 10-15 |
| 10.3.2.2   | Station Type.....                                                                    | 10-16 |
| 10.3.2.2.1 | Station Types .....                                                                  | 10-16 |
| 10.3.2.2.2 | Wet Pit Stations .....                                                               | 10-17 |
| 10.3.2.2.3 | Dry Pit Stations .....                                                               | 10-19 |
| 10.4       | PUMPING SYSTEM .....                                                                 | 10-21 |
| 10.4.1     | Pump Types and Selection Considerations .....                                        | 10-21 |
| 10.4.2     | Pump Number and Capacity.....                                                        | 10-28 |
| 10.4.3     | Wet Well Design .....                                                                | 10-29 |
| 10.4.3.1   | Wet Well Depth.....                                                                  | 10-33 |
| 10.4.3.2   | Cycling Sequence and Volumes.....                                                    | 10-34 |
| 10.4.3.3   | Lowest Pump "Off" Elevation .....                                                    | 10-37 |
| 10.4.3.4   | First Pump "On" Elevation .....                                                      | 10-37 |
| 10.4.3.5   | Pumping Range.....                                                                   | 10-38 |
| 10.4.3.6   | Allowable High-Water Elevation.....                                                  | 10-38 |
| 10.4.3.7   | Motor Starter Selection .....                                                        | 10-38 |
| 10.4.4     | Final Pump Selection .....                                                           | 10-39 |
| 10.4.5     | Structure .....                                                                      | 10-40 |
| 10.4.5.1   | Materials .....                                                                      | 10-40 |
| 10.4.5.2   | Wet Well Requirements .....                                                          | 10-40 |
| 10.4.5.3   | Access to Pump Equipment.....                                                        | 10-40 |
| 10.4.5.4   | Access Hatches and Removable Covers.....                                             | 10-41 |
| 10.4.5.5   | Trashracks .....                                                                     | 10-41 |

|           |                                             |       |
|-----------|---------------------------------------------|-------|
| 10.4.5.6  | Sumps .....                                 | 10-41 |
| 10.4.6    | Equipment Certification and Testing .....   | 10-42 |
| 10.4.7    | Safety.....                                 | 10-42 |
| 10.4.8    | Outlet Discharge System .....               | 10-43 |
| 10.5      | ELECTRICAL SYSTEM .....                     | 10-44 |
| 10.5.1    | Requirements .....                          | 10-44 |
| 10.5.2    | Code Compliance .....                       | 10-45 |
| 10.5.3    | Operation .....                             | 10-45 |
| 10.5.4    | Power Supply and Service Connections .....  | 10-45 |
| 10.5.5    | Area Classifications .....                  | 10-45 |
| 10.5.6    | Materials .....                             | 10-46 |
| 10.5.6.1  | Service Cables.....                         | 10-46 |
| 10.5.6.2  | Wire and Cable .....                        | 10-46 |
| 10.5.6.3  | Conduit and Fittings.....                   | 10-47 |
| 10.5.6.4  | Light Fixtures .....                        | 10-47 |
| 10.5.6.5  | Ventilation .....                           | 10-47 |
| 10.5.6.6  | Heating .....                               | 10-48 |
| 10.5.6.7  | Switches .....                              | 10-48 |
| 10.5.6.8  | Receptacles .....                           | 10-48 |
| 10.5.6.9  | Motors.....                                 | 10-48 |
| 10.5.6.10 | Motor Control Center .....                  | 10-49 |
| 10.5.6.11 | Variable Frequency Drive .....              | 10-49 |
| 10.5.6.12 | Reduced Voltage Soft Starters .....         | 10-50 |
| 10.5.6.13 | Automatic Sequence Selector Switch .....    | 10-50 |
| 10.5.6.14 | Miscellaneous .....                         | 10-50 |
| 10.5.6.15 | Lighting Transformer.....                   | 10-50 |
| 10.5.6.16 | Lighting Distribution Panel .....           | 10-50 |
| 10.5.6.17 | Transformer Disconnect.....                 | 10-50 |
| 10.5.6.18 | Main Power Disconnect .....                 | 10-51 |
| 10.5.6.19 | Installation and Wiring .....               | 10-51 |
| 10.5.6.20 | Grounding .....                             | 10-51 |
| 10.6      | MONITORING, CONTROL AND COMMUNICATION ..... | 10-52 |
| 10.7      | MAINTENANCE .....                           | 10-53 |
|           | References.....                             | 10-54 |

## LIST OF FIGURES

### Chapter 2 – Policy and Procedures

|                                              |      |
|----------------------------------------------|------|
| Figure 2-1. Sewer Participation Sketch ..... | 2-13 |
|----------------------------------------------|------|

### Chapter 3 – Hydrology

|                                                                                  |      |
|----------------------------------------------------------------------------------|------|
| Figure 3-1. Representation of Hydrograph, Hyetograph, and Rainfall Excess .....  | 3-6  |
| Figure 3-2. Hydrologic Selection Method Flow Chart .....                         | 3-12 |
| Figure 3-3. MSE3 and MSE4 distributions (Watkins et al., 2026).....              | 3-13 |
| Figure 3-4. Rainfall distribution zones in Michigan (Watkins et al., 2026) ..... | 3-13 |

### Chapter 4 – Open Channels and Roadside Ditches

|                                                                                                                  |      |
|------------------------------------------------------------------------------------------------------------------|------|
| Figure 4-1. Cross-Sections of Reaches, Segments and Subsections Used to Assign<br>n-values (Arcement, 1989)..... | 4-14 |
| Figure 4-2. Cross-Section Alignment to Flow Direction .....                                                      | 4-15 |
| Figure 4-3. Example Survey Cross-Section .....                                                                   | 4-16 |
| Figure 4-4. Hydraulic Toolbox Input Data.....                                                                    | 4-22 |
| Figure 4-5. Hydraulic Toolbox Cross-Section.....                                                                 | 4-23 |
| Figure 4-6. Hydraulic Toolbox Stage Discharge Curve .....                                                        | 4-23 |
| Figure 4-7. Stream Profile .....                                                                                 | 4-24 |
| Figure 4-8. Cross-Section (Station 4+46).....                                                                    | 4-25 |
| Figure 4-9. Stage Discharge Curve for Cross-Section 4+46 .....                                                   | 4-27 |
| Figure 4-10. Backwater Profile Example .....                                                                     | 4-28 |
| Figure 4-11. Profile Convergence Pattern Standard Step Computation (AASHTO<br>Drainage Manual, 2014) .....       | 4-30 |
| Figure 4-12. Profile Study Limits (HEC-RAS Reference Manual).....                                                | 4-30 |
| Figure 4-13. Switchback Phenomenon .....                                                                         | 4-31 |
| Figure 4-14. Cross-Section Examples.....                                                                         | 4-35 |
| Figure 4-15. Channel Profile .....                                                                               | 4-36 |

### Chapter 5 – Culverts

|                                                                |      |
|----------------------------------------------------------------|------|
| Figure 5-1. Culvert Components .....                           | 5-8  |
| Figure 5-2. Roadway Cross-Section at Culvert - Freeboard ..... | 5-18 |
| Figure 5-3. Box Culvert Invert Placement .....                 | 5-20 |
| Figure 5-4. Box Culvert with Cut-off Walls .....               | 5-24 |
| Figure 5-5. Types of Inlet Control.....                        | 5-29 |
| Figure 5-6. Inlet Control Curves .....                         | 5-30 |
| Figure 5-7. Unsubmerged Flow.....                              | 5-31 |

|                                                                                     |      |
|-------------------------------------------------------------------------------------|------|
| Figure 5-8. Submerged Flow.....                                                     | 5-31 |
| Figure 5-9. Types of Outlet Control .....                                           | 5-33 |
| Figure 5-10. Outlet Control Energy and Hydraulic Grade Lines .....                  | 5-34 |
| Figure 5-11. Full Flow Energy and Hydraulic Grade Lines .....                       | 5-35 |
| Figure 5-12. Full Flow in the Culvert .....                                         | 5-38 |
| Figure 5-13. Partly Full Flow .....                                                 | 5-38 |
| Figure 5-14. Open Channel Flow when $TW < d_c$ .....                                | 5-39 |
| Figure 5-15. Open Channel Flow when $TW > d_c$ .....                                | 5-39 |
| Figure 5-16. Outlet Velocity Under Inlet Control.....                               | 5-40 |
| Figure 5-17. Outlet Velocity Under Outlet Control.....                              | 5-41 |
| Figure 5-18. Roadway Overtopping .....                                              | 5-42 |
| Figure 5-19. Discharge Coefficients for Roadway Overtopping .....                   | 5-43 |
| Figure 5-20. Weir Crest Length Determinations for Roadway Overtopping .....         | 5-44 |
| Figure 5-21. Overall Performance Curve .....                                        | 5-46 |
| Figure 5-22. Culvert Headwater Elevation Definitions.....                           | 5-47 |
| Figure 5-23. Example Roadway Cross-Section Showing Existing Culvert.....            | 5-52 |
| Figure 5-24. Hydraulic Toolbox – TW Channel Information .....                       | 5-54 |
| Figure 5-25. Hydraulic Toolbox – Q2% TW Depth .....                                 | 5-55 |
| Figure 5-26. Hydraulic Toolbox – Q1% TW Depth .....                                 | 5-55 |
| Figure 5-27. Chart 4B, Critical Depth Circular Pipe.....                            | 5-56 |
| Figure 5-28. Chart 1B, Headwater Depth for Concrete Culverts with Inlet Control ... | 5-57 |
| Figure 5-29. Hydraulic Elements of Channel Sections .....                           | 5-62 |
| Figure 5-30. Chart 2B, Headwater Depth for CM Pipe Culverts with Inlet Control .... | 5-63 |
| Figure 5-31. Example Problem – Culvert Design Form.....                             | 5-66 |
| Figure 5-32. HY-8 Welcome Screen .....                                              | 5-67 |
| Figure 5-33. HY-8 Culvert Data Input Screen .....                                   | 5-68 |
| Figure 5-34. HY-8 Culvert Flow Rate Data Input Screen .....                         | 5-69 |
| Figure 5-35. HY-8 Culvert Data Input Screen .....                                   | 5-70 |
| Figure 5-36. HY-8 Tailwater Channel Data Input Screen.....                          | 5-71 |
| Figure 5-37. HY-8 Roadway Data Input Screen.....                                    | 5-72 |
| Figure 5-38. HY-8 Culvert Size Data Input Screen.....                               | 5-73 |
| Figure 5-39. HY-8 Culvert Elevation Data Input Screen.....                          | 5-74 |
| Figure 5-40. HY-8 Culvert Summary Table Screen.....                                 | 5-75 |
| Figure 5-41. HY-8 Duplicate Culvert Screen .....                                    | 5-76 |
| Figure 5-42. HY-8 Rename Culvert Screen .....                                       | 5-76 |
| Figure 5-43. HY-8 Update Culvert Material Screen.....                               | 5-77 |

|                                                                              |      |
|------------------------------------------------------------------------------|------|
| Figure 5-44. HY-8 Culvert Invert Lowering Screen.....                        | 5-78 |
| Figure 5-45. HY-8 Culvert Summary Table Screen.....                          | 5-79 |
| Figure 5-46. Cross-Section with Temporary Culverts and Cofferdam .....       | 5-82 |
| Figure 5-47. Hydraulic Profile of the Temporary Culverts and Cofferdam ..... | 5-82 |

## **Chapter 6 – Bridge Hydraulic Design**

|                                                                      |      |
|----------------------------------------------------------------------|------|
| Figure 6-1. Bridge Hydraulics Definition Sketch .....                | 6-18 |
| Figure 6-2. Bridge Flow Types .....                                  | 6-19 |
| Figure 6-3. Bridge Hydraulic Modeling Selection .....                | 6-21 |
| Figure 6-4. Cross-Section Locations in the Vicinity of Bridges ..... | 6-23 |

## **Chapter 7 – Inlet and Enclosed Storm Sewer Systems**

|                                                                                                  |       |
|--------------------------------------------------------------------------------------------------|-------|
| Figure 7-1. Grate Intake Flow Definitions .....                                                  | 7-8   |
| Figure 7-2. Typical Gutter Sections .....                                                        | 7-22  |
| Figure 7-3. Inlet Types .....                                                                    | 7-29  |
| Figure 7-4. Plan and Profile Views of a Grate Inlet .....                                        | 7-35  |
| Figure 7-5. Curb Opening Inlet Definition Sketch .....                                           | 7-43  |
| Figure 7-6. Curb Opening Inlets.....                                                             | 7-45  |
| Figure 7-7. Location of Flanking and Sag Inlets.....                                             | 7-48  |
| Figure 7-8. Values of Hydraulic Elements of Circular Section for Various Depths<br>of Flow ..... | 7-65  |
| Figure 7-9. Hydraulic and Energy Grade Lines in Pipes .....                                      | 7-67  |
| Figure 7-10. Graphical Representation of System Losses .....                                     | 7-69  |
| Figure 7-11. Manhole Benching Methods .....                                                      | 7-77  |
| Figure 7-12. Manhole Angled Inflow Definition.....                                               | 7-79  |
| Figure 7-13. Offline Hydrodynamic Separator Configuration.....                                   | 7-82  |
| Figure 7-14. Example Problem for EGL Calculation.....                                            | 7-91  |
| Figure 7-15. Example Profile with Calculated EGL Values .....                                    | 7-101 |
| Figure 7-16. Plan and Profile Schematic of Double Barrel Siphon.....                             | 7-102 |
| Figure 7-17. Major Components of a Stormwater Tunnel System.....                                 | 7-107 |
| Figure 7-18. Phases of Rapidly Filling Stormwater Tunnel .....                                   | 7-109 |

## **Chapter 8 – Stormwater Storage Facilities for Flood Control**

|                                                          |      |
|----------------------------------------------------------|------|
| Figure 8-1. Detention Basin Schematic.....               | 8-9  |
| Figure 8-2. Wet Detention Basin Schematic.....           | 8-10 |
| Figure 8-3. Infiltration Basin Schematic.....            | 8-11 |
| Figure 8-4. Cross Section View of MDOT Weir .....        | 8-14 |
| Figure 8-5. In-line and Off-line Storage Schematics..... | 8-15 |

|              |                                                               |      |
|--------------|---------------------------------------------------------------|------|
| Figure 8-6.  | Sharp-Crested Weir – No End Contractions .....                | 8-21 |
| Figure 8-7.  | Sharp-Crested Weir – Two End Contractions .....               | 8-21 |
| Figure 8-8.  | Sharp-Crested Weir and Head.....                              | 8-21 |
| Figure 8-9.  | Weir Flow Over Sloping Weir .....                             | 8-23 |
| Figure 8-10. | Discharge Coefficients for Flow over Roadway Embankments..... | 8-25 |
| Figure 8-11. | V-Notch Weir.....                                             | 8-26 |
| Figure 8-12. | Example Stage-Storage Curve .....                             | 8-28 |
| Figure 8-13. | Example Stage-Discharge Curve.....                            | 8-29 |
| Figure 8-14. | Sheet Pile Outlet Structure .....                             | 8-33 |
| Figure 8-15. | Stage-Discharge Curve.....                                    | 8-34 |
| Figure 8-16. | Stage-Storage Curve .....                                     | 8-36 |
| Figure 8-17. | Stage-Discharge Curve.....                                    | 8-37 |
| Figure 8-18. | Plot of Routed Hydrograph .....                               | 8-41 |
| Figure 8-19. | Hydraulic Toolbox Inputs.....                                 | 8-42 |
| Figure 8-20. | Hydraulic Toolbox Outputs .....                               | 8-43 |
| Figure 8-21. | Inflow and Routed Hydrograph Hydraulic Toolbox Output. ....   | 8-43 |

## **Chapter 9 – Coastal Engineering**

|              |                                                                              |      |
|--------------|------------------------------------------------------------------------------|------|
| Figure 9-1.  | Wave Parameter Definitions .....                                             | 9-7  |
| Figure 9-2.  | Stillwater Elevation (modified from FEMA).....                               | 9-8  |
| Figure 9-3.  | Example Long-Term Lake Michigan Level .....                                  | 9-10 |
| Figure 9-4.  | FEMA NFHL Viewer (as of 2025).....                                           | 9-12 |
| Figure 9-5.  | Michigan Lake Level Data.....                                                | 9-13 |
| Figure 9-6.  | Log-Pearson Type III Frequency Curves on Lake Michigan .....                 | 9-14 |
| Figure 9-7.  | Depth-limited Wave Breaking in Shallow Water .....                           | 9-15 |
| Figure 9-8.  | Au Train River Outlet to Lake Superior Near M-28 Migration Over<br>Time..... | 9-18 |
| Figure 9-9.  | Typical Coastal Revetment Cross-Section.....                                 | 9-19 |
| Figure 9-10. | Wave Runup on a Structure.....                                               | 9-22 |
| Figure 9-11. | Wave Load Forces on Bridge.....                                              | 9-26 |
| Figure 9-12. | Seiche Flow Near Coastal Bridge .....                                        | 9-28 |

## **Chapter 10 – Pump Stations**

|              |                                                         |       |
|--------------|---------------------------------------------------------|-------|
| Figure 10-1. | Estimating Required Storage .....                       | 10-12 |
| Figure 10-2. | Sample Wet Pit Submersible Pump Station.....            | 10-17 |
| Figure 10-3. | Sample Wet Pit Vertical Pump Station .....              | 10-18 |
| Figure 10-4. | Dry Pit Station with Horizontal Centrifugal Pumps ..... | 10-19 |

|                                                           |       |
|-----------------------------------------------------------|-------|
| Figure 10-5. Suction Umbrella .....                       | 10-22 |
| Figure 10-6. Various Submersible Pump Configurations..... | 10-24 |
| Figure 10-7. Sample Circular Wet Well .....               | 10-29 |
| Figure 10-8. Sample Rectangular Wet Well .....            | 10-30 |
| Figure 10-9. Sample Rectangular Confined Wet Well .....   | 10-30 |
| Figure 10-10. Cumulative Flow versus Time Diagram.....    | 10-36 |

## LIST OF TABLES

### Chapter 2 – Policy and Procedures

|            |                                                                                          |      |
|------------|------------------------------------------------------------------------------------------|------|
| Table 2-1. | Recurrence Interval Factors (Rule 9 for Section 14a of Act 51, Public Acts of 1951)..... | 2-14 |
| Table 2-2. | Range of Runoff Coefficients for Various Land Surface Types .....                        | 2-15 |

### Chapter 3 – Hydrology

|            |                                                |      |
|------------|------------------------------------------------|------|
| Table 3-1. | AEP and ARI Relationship .....                 | 3-9  |
| Table 3-2. | K Coefficient Based on Flow Types .....        | 3-17 |
| Table 3-3. | Runoff Coefficients for Rational Formula ..... | 3-18 |
| Table 3-4. | Weighted C Values .....                        | 3-20 |
| Table 3-5. | Computation of Weighted C Values .....         | 3-20 |
| Table 3-6. | T <sub>c</sub> Calculations.....               | 3-20 |
| Table 3-7. | Other Hydrograph Methods .....                 | 3-22 |

### Chapter 4 – Open Channels and Roadside Ditches

|             |                                                                   |      |
|-------------|-------------------------------------------------------------------|------|
| Table 4-1.  | Roadway Ditch Design Criteria – AEP (ARI).....                    | 4-10 |
| Table 4-2.  | Permanent Stabilization Treatments for Various Ditch Grades ..... | 4-12 |
| Table 4-3.  | Values of Manning’s Roughness Coefficient n (Uniform Flow) .....  | 4-17 |
| Table 4-4.  | Cross-Section Data – Station 4+46.....                            | 4-25 |
| Table 4-5.  | Cross-Section Data for Sections A at Station 0 .....              | 4-32 |
| Table 4-6.  | Cross-Section Data for Cross-Section B at Station 6,600 .....     | 4-33 |
| Table 4-7.  | Cross-Section Data for Cross-Section C at Station 16,500.....     | 4-33 |
| Table 4-8.  | Cross-Section Data for Cross-Section D at Station 24,000.....     | 4-34 |
| Table 4-9.  | Cross-Section Data for Cross-Section E at Station 32,400.....     | 4-34 |
| Table 4-10. | Output Table from HEC-RAS for Figure 4-15 Profile .....           | 4-36 |

### Chapter 5 – Culverts

|            |                                                              |      |
|------------|--------------------------------------------------------------|------|
| Table 5-1. | Minimum Culvert Design Criteria – AEP (ARI).....             | 5-14 |
| Table 5-2. | Transverse Culverts Inside Clear Zone.....                   | 5-21 |
| Table 5-3. | Longitudinal Culverts Inside Clear Zone .....                | 5-22 |
| Table 5-4. | USGS Flow Types (FHWA HDS 5, 2012).....                      | 5-28 |
| Table 5-5. | Corresponding AEP/ARI for 10% Probability of Exceedance..... | 5-81 |

### Chapter 6 – Bridge Hydraulic Design

|            |                                                                            |      |
|------------|----------------------------------------------------------------------------|------|
| Table 6-1. | Minimum Design Criteria – AEP (ARI) .....                                  | 6-11 |
| Table 6-2. | Minimum Scour Design and Check Floods AEP (ARI) for Temporary Bridges..... | 6-31 |

## **Chapter 7 – Inlet and Enclosed Storm Sewer Systems**

|             |                                                           |      |
|-------------|-----------------------------------------------------------|------|
| Table 7-1.  | Allowable Spread Design Criteria – AEP (ARI) .....        | 7-13 |
| Table 7-2.  | Storm Sewer Minimum Design Criteria AEP (ARI) .....       | 7-14 |
| Table 7-3.  | Drainage Covers .....                                     | 7-20 |
| Table 7-4.  | Manhole or Manhole Base Maximum Pipe Sizes .....          | 7-55 |
| Table 7-5.  | Conveyance Factor (K) and Pipe Sizes .....                | 7-63 |
| Table 7-6.  | Minimum Sewer Slopes for Self-Cleaning .....              | 7-66 |
| Table 7-7.  | Frequencies for Coincidental Occurrence – AEP (ARI) ..... | 7-70 |
| Table 7-8.  | Values for the Coefficient, CB .....                      | 7-78 |
| Table 7-9.  | Case Conditions and Downstream EGL Estimates .....        | 7-86 |
| Table 7-10. | Flow Conditions at the Upstream End of a Conduit .....    | 7-87 |

## **Chapter 8 – Stormwater Storage Facilities for Flood Control**

|             |                                                                                               |      |
|-------------|-----------------------------------------------------------------------------------------------|------|
| Table 8-1.  | Detention Basin Criteria .....                                                                | 8-16 |
| Table 8-2.  | Wet Detention Basin Criteria .....                                                            | 8-17 |
| Table 8-3.  | Infiltration Basin Criteria .....                                                             | 8-19 |
| Table 8-4.  | Broad-Crested Weir Coefficient C Values as a Function of Weir Crest<br>Breadth and Head ..... | 8-22 |
| Table 8-5.  | Stage-Discharge Summary Table .....                                                           | 8-34 |
| Table 8-6.  | Inflow Hydrograph Data .....                                                                  | 8-35 |
| Table 8-7.  | Pre- and Post-Developed Peak Flow Rates .....                                                 | 8-36 |
| Table 8-8.  | Storage Facility Characteristics .....                                                        | 8-36 |
| Table 8-9.  | Routing Procedure Table for 1% AEP (100-year), 24-hour Storm .....                            | 8-39 |
| Table 8-10. | Updated Routing Procedure Table .....                                                         | 8-40 |
| Table 8-11. | Pre-Developed, Post-Developed, and Routed Peak Flow .....                                     | 8-41 |

## **Chapter 9 – Coastal Engineering**

|            |                                           |      |
|------------|-------------------------------------------|------|
| Table 9-1. | Roadway Minimum Design Criteria AEP ..... | 9-9  |
| Table 9-2. | Design Water Levels .....                 | 9-13 |

## **Chapter 10 – Pump Stations**

|             |                                                                            |       |
|-------------|----------------------------------------------------------------------------|-------|
| Table 10-1. | Advantages and Disadvantages of Wet Pit and Dry Pit Pump<br>Stations ..... | 10-15 |
| Table 10-2. | Advantages and Disadvantages of Stormwater Pump Types .....                | 10-25 |
| Table 10.3. | Minimum Cycle Time and Maximum SPH for a Range of Motor Sizes .....        | 10-34 |
| Table 10-4. | Advantages and Disadvantages of Pump Motor Drive Types .....               | 10-37 |

## LIST OF WORKSHEETS

### **Chapter 7 – Inlet and Enclosed Storm Sewer Systems**

|                                                                               |      |
|-------------------------------------------------------------------------------|------|
| Worksheet 7-1. Inlet Spacing Calculations .....                               | 7-52 |
| Worksheet 7-2. Storm Sewer Preliminary Layout .....                           | 7-84 |
| Worksheet 7-3. Storm Sewer Hydraulic and Energy Grade Line Calculations ..... | 7-90 |

## **LIST OF APPENDICES**

### **Chapter 2 – Policy and Procedures**

- Appendix 2-A Symbols and Acronyms
- Appendix 2-B Legal References
- Appendix 2-C Federal Statutes
- Appendix 2-D State Statutes
- Appendix 2-E Roads and County Drains Guideline
- Appendix 2-F Drainage Study Task List
- Appendix 2-G National Flood Insurance Program

### **Chapter 3 – Hydrology**

- Appendix 3-A Symbols and Acronyms
- Appendix 3-B MDOT Rainfall Intensity-Duration-Frequency Development
- Appendix 3-C Wetland Hydrology – The Water Budget
- Appendix 3-D Flood Hydrograph Development

### **Chapter 4 – Open Channels and Roadside Ditches**

- Appendix 4-A Symbols and Acronyms
- Appendix 4-B Open Channel Theory

### **Chapter 5 – Culverts**

- Appendix 5-A Symbols and Acronyms
- Appendix 5-B Manning n Values, Entrance Loss Coefficients, and Culvert Design Form
- Appendix 5-C Culvert End Section Loss Pictures
- Appendix 5-D Culvert Design Tables
- Appendix 5-E Culvert Design Flowchart

### **Chapter 6 – Bridge Hydraulic Design**

- Appendix 6-A Symbols and Acronyms
- Appendix 6-B Summary Hydraulic Analysis Form
- Appendix 6-C MDOT Hydraulic Report Format and Supporting Documents
- Appendix 6-D MDOT Guidelines for Evaluation of Scour and Scour Analysis Worksheets

### **Chapter 7 – Inlet and Enclosed Storm Sewer Systems**

- Appendix 7-A Symbols and Acronyms
- Appendix 7-B Importing DEM/Terrain Data into ORD

Appendix 7-C ORD Drainage and Utilities Hydraulic Settings

**Chapter 8 – Stormwater Storage Facilities for Flood Control**

Appendix 8-A Symbols and Acronyms

Appendix 8-B Sheet Pile Weirs with Low-flow Orifice Details

**Chapter 9 – Coastal Engineering**

Appendix 9-A Symbols and Acronyms

**Chapter 10 – Pump Stations**

Appendix 10-A Symbols and Acronyms

Appendix 10-B Pump Station Hydraulic Design Example

Appendix 10-C Pump Station Design Flow Chart

If you require assistance accessing this information or require it in an alternative format, contact the Michigan Department of Transportation's (MDOT) Americans with disabilities Act (ADA) coordinator at [Michigan.gov/MDOT-ADA](https://www.michigan.gov/MDOT-ADA)