

MICHIGAN DEPARTMENT OF TRANSPORTATION

BRIDGE SAFETY INSPECTION REPORT

Facility	Latitude / Longitude	MDOT Structure ID	Structure Condition
Feature	Length / Width / Spans	Owner	
Location	Built / Recon. / Paint / Ovly.	TSC	Operational Status
Region / County	Material / Design	Last NBI Inspection	Scour Evaluation

NBI INSPECTION

Inspector Name	Agency / Company Name	Insp. Freq.	Insp. Date
----------------	-----------------------	-------------	------------

GENERAL NOTES

DECK

1. Surface  
(SIA-58A)

2. Expansion  
Joints

3. Other  
Joints

4. Railings

5. Sidewalks  
or Curbs

6. Deck  
Bottom  
Surface  
(SIA-58B)

MICHIGAN DEPARTMENT OF TRANSPORTATION

BRIDGE SAFETY INSPECTION REPORT

Facility	Latitude / Longitude	MDOT Structure ID	Structure Condition
Feature	Length / Width / Spans	Owner	
Location	Built / Recon. / Paint / Ovly.	TSC	Operational Status
Region / County	Material / Design	Last NBI Inspection	Scour Evaluation

7. Deck  
(SIA-58)

8. Drainage

**SUPERSTRUCTURE**

9. Stringer  
(SIA-59)

10. Paint  
(SIA-59A)

11. Section  
Loss

12. Bearings

**SUBSTRUCTURE**

13. Abutments  
(SIA-60)

MICHIGAN DEPARTMENT OF TRANSPORTATION

BRIDGE SAFETY INSPECTION REPORT

Facility	Latitude / Longitude	MDOT Structure ID	Structure Condition
Feature	Length / Width / Spans	Owner	
Location	Built / Recon. / Paint / Ovly.	TSC	Operational Status
Region / County	Material / Design	Last NBI Inspection	Scour Evaluation

14. Piers  
(SIA-60)

15. Slope  
Protection

16. Channel  
(SIA-61)

17. Scour  
Inspection

**APPROACH**

18. Approach  
Pavement

19. Approach  
Shoulders  
Sidewalks

20. Approach  
Slopes

21. Utilities

22. Drainage  
Culverts

MICHIGAN DEPARTMENT OF TRANSPORTATION

BRIDGE SAFETY INSPECTION REPORT

Facility	Latitude / Longitude	MDOT Structure ID	Structure Condition
Feature	Length / Width / Spans	Owner	
Location	Built / Recon. / Paint / Ovly.	TSC	Operational Status
Region / County	Material / Design	Last NBI Inspection	Scour Evaluation

MISCELLANEOUS

Guard Rail

<u>Item</u>	<u>Rating</u>
36A. Bridge Railings	
36B. Transitions	
36C. Approach Guardrail	
36D. Approach Guardrail Ends	

Other Items

<u>Item</u>	<u>Rating</u>
71. Water Adequacy	
72. Approach Alignment	
Temporary Support	
High Load Hit (M)	
Special Insp. Equipment	
Underwater Insp. Method	

False Decking (Timber) Removed to Complete Inspection

Critical Feature Inspections (SIA-92)

	<u>Freq</u>	<u>Date</u>
92A. Fracture Critical		
92B. Underwater		
92C. Other Special		
92D. Fatigue Sensitive		