Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 001 **Proposal ID:** 63022-226741

Description: Bridge rehabilitation including partial deck, beam, superstructure, railing and pin replacement on I-96EB over Milford Road, Oakland County. ** 603 Fa **

DBE Goal Percent: 0.00%

SBP Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
226741A	N/A		MER 63022

Location: I-96EB over Milford Road.

Route:

Classification Ratings

Fa = 20.05%	Fb = 7.51%	J = 0.17%	MOT = 25.99%
Misc = 12.15%	N3 = 0.26%	N4 = 5.85%	N6 = 0.48%
N7 = 1.01%	N91A = 19.97%	N91B = 6.14%	N91C = 0.43%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$54,900.00	1100001	1.000	LSUM
0100	Plastic Drum, Fluorescent, Furn	8120252	206.000	Ea
0105	Plastic Drum, Fluorescent, Oper	8120253	206.000	Ea
0160	Contractor Staking	8240001	1.000	LSUM
0165	Staking Plan Errors and Extras, Max $180/hour	8240002	7.000	Hr
0230	Reflective Marker, Permanent Barrier	7110003	2.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 002 **Proposal ID:** 39042-211178

Description: Bridge rehabilitation including deep overlay, full depth patching, barrier with partial deck replacement, partial painting, concrete surface coating, silane treatment, substructure patching, substructure horizontal surface sealer and approach replacement on M-96 over Kalamazoo River, Kalamazoo County. This project includes a 2 year concrete surface coating warranty. ** 2270 N9-1A **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N4. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211178A	26A1009		BFP 39042

Location: M-96 (King Highway) over Kalamazoo River.

Route:

Classification Ratings

B = 1.97%	Cb = 1.57%	Ea = 5.40%	Fa = 12.64%
Fb = 2.78%	I = 0.53%	J = 1.00%	K = 0.53%
L = 0.40%	MOT = 4.39%	Misc = 11.15%	N2 = 0.13%
N3 = 0.41%	N4 = 12.34%	N6 = 0.25%	N7 = 0.45%
N91A = 26.82%	N91B = 5.24%	N91C = 5.69%	N91F = 4.44%
N94B = 0.01%	N96L = 1.79%	N96M = 0.05%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$206,400.00	1100001	1.000	LSUM
0400	Plastic Drum, Fluorescent, Furn	8120252	154.000	Ea
0405	Plastic Drum, Fluorescent, Oper	8120253	154.000	Ea
0505	Contractor Staking	8240001	1.000	LSUM
0510	Staking Plan Errors and Extras, Max $180/hour	8240002	18.000	Hr
0600	Reflective Marker, Permanent Barrier	7110003	8.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 003 **Proposal ID:** 82071-120048

Description: 1.12 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter and sidewalk, signing and pavement markings on M-85 (Fort Street) from Rosa Parks easterly to Griswold Street in the city of Detroit, Wayne County. This project includes a 5 year materials and workmanship pavement warranty. ** Comb/Jt. 7746 Cb, Ea or Comb/Jt. 7746 Cb, J or Comb/Jt. 7746 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and L. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 2.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
120048A	26A1153		NH 82071

Location: M-85 at M-10.

Route: M-85

Classification Ratings

B = 0.18%	Ba = 0.44%	Cb = 18.87%	Ea = 13.90%
J = 12.94%	K = 4.85%	L = 22.47%	MOT = 5.05%
Misc = 13.17%	N3 = 3.78%	N6 = 0.27%	N93A = 2.40%
N93D = 1.27%	N93G = 0.39%	N94B = 0.03%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$704,200.00	1100001	1.000	LSUM
0075	Project Cleanup	2090001	1.000	LSUM
0185	Pavt, Cleaning	5010001	1.000	LSUM
0475	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	1,279.000	Ea
0480	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	1,279.000	Ea
0580	_Turf Establishment, Performance	8167011	250.000	Syd
0890	_St Name Sign, Two Way, Illuminated, Rem	8207050	2.000	Ea
0895	_St Name Sign, Two Way, LED, 6 foot	8207050	13.000	Ea
0900	_St Name Sign, Two Way, LED, 8 foot	8207050	8.000	Ea
0905	Monument Box, Adj	8210005	4.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0910	Protect Corners	8210020	4.000	Ea
0930	Contractor Staking	8240001	1.000	LSUM
0935	Staking Plan Errors and Extras, Max $180/hour	8240002	77.000	Hr

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 004 **Proposal ID:** 77032-214965

Description: 0.40 mi of hot mix asphalt reconstruction, concrete curb and gutter, concrete sidewalk, storm sewer, sanitary sewer, watermain, traffic signal upgrades and pavement markings and bridge rehabilitation on I-94BL from the Black River to Glenwood Avenue in city of Port Huron, St Clair County. This project includes a 5 year materials and workmanship warranty. ** 24578 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of L. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
214965A	26A1124		NH 77032
Location: I-94BL from Black River to Glenwood Avenue.			
Route:			
217215A	26A1003		BFP 77032
Location: I-94 BL over Black River.			
Route:			
220939A	26A1053		TA 77032
Location: Midpoint			
Route:			
226505A	26A1054		TA 77032
Location: I-94BL from Vanderburg Place to Lincoln Avenue.			
Route:			

Classification Ratings

B = 0.98%	Ba = 0.00%	Cb = 3.62%	Ea = 9.15%
Fa = 2.72%	Fb = 0.28%	H = 1.15%	I = 0.02%
ITS = 0.01%	J = 3.81%	K = 9.28%	L = 11.69%
MOT = 2.98%	Misc = 51.39%	N2 = 0.11%	N3 = 1.03%
N4 = 0.62%	N6 = 0.37%	N7 = 0.04%	N91A = 0.35%
N91H = 0.12%	N93F = 0.01%	N94A = 0.05%	N94B = 0.02%

N96M = 0.16% N96N = 0.03%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Dispute Review Board, Hearing	1040010	9,400.000	Dlr
0010	Dispute Review Board, Progress Meeting	1040050	105,600.000	Dlr
0015	Mobilization, Max$2,234,400.00	1100001	1.000	LSUM
0040	_Abandon Utility, Rem	2037001	500.000	Ft
0095	_Pavt, Rem, Spec	2047011	150.000	Syd
0100	_Bollard, Rem	2047050	4.000	Ea
0105	_Rem Misc Site Items	2047051	1.000	LSUM
0165	Project Cleanup	2090001	1.000	LSUM
0405	_Metal Flashing	7007001	55.000	Ft
0410	_Ships Ladder	7007050	1.000	Ea
0450	_Aluminum Floor Door (5 foot by 5 foot)	8007050	1.000	Ea
0455	_Vibration Monitoring	8007051	1.000	LSUM
0770	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	200.000	Ea
0775	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	200.000	Ea
0825	Plastic Drum, Fluorescent, Furn	8120252	150.000	Ea
0830	Plastic Drum, Fluorescent, Oper	8120253	150.000	Ea
1610	_Pedestal Painting	8207050	3.000	Ea
1615	Monument Box	8210001	3.000	Ea
1620	Monument Box, Adj	8210005	2.000	Ea
1625	Monument Preservation	8210010	3.000	Ea
1630	Protect Corners	8210020	9.000	Ea
1750	Contractor Staking	8240001	1.000	LSUM
1755	Staking Plan Errors and Extras, Max $180/hour	8240002	119.000	Hr
1815	_Maintaining Navigation (B01 of 77032)	1077051	1.000	LSUM
1860	Pipe Railing, Galv Steel	7110021	32.000	Ft
1920	_Bascule Span Longit Deck Joint	8007001	76.000	Ft
1925	_Steel Access Door	8007050	4.000	Ea
1930	_Bridge Elec Work (B01 of 77032)	8007051	1.000	LSUM
1935	_Bridge Lock Machinery (B01 of 77032)	8007051	1.000	LSUM
1940	_Operating Machinery (B01 of 77032)	8007051	1.000	LSUM

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 005 **Proposal ID:** 59032-211041

Description: 4.59 mi of hot mix asphalt crushing, shaping and resurfacing, drainage improvements and pavement markings on M-91 from south of Stanton Road north to north of Kendaville Road, Montcalm County. This project includes two 5 year materials and workmanship pavement warranties. ** 7207 Cb or 7207 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211041A	26A1091		ST 59032

Location: M-91 from Stanton Road north to Kendaville Road.

Route:

Classification Ratings

Cb = 49.71%	Ea = 26.66%	I = 1.78%	J = 0.87%
K = 0.49%	MOT = 2.75%	Misc = 12.49%	N2 = 0.80%
N3 = 0.73%	N6 = 0.23%	N92D = 2.18%	N93A = 0.16%
N93D = 0.05%	N94B = 0.01%	N96L = 1.08%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$655,200.00	1100001	1.000	LSUM
0075	_Pavt, Rem, Spec	2047011	50.000	Syd
0435	Post, Mailbox	8070095	54.000	Ea
0575	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	230.000	Ea
0580	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	230.000	Ea
0590	Plastic Drum, Fluorescent, Furn	8120252	6.000	Ea
0595	Plastic Drum, Fluorescent, Oper	8120253	6.000	Ea
0660	_HMA Spillway	8147011	202.000	Syd
0680	Monument Box	8210001	9.000	Ea
0685	Monument Preservation	8210010	14.000	Ea
0690	Protect Corners	8210020	66.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0695	Centerline Corrugations, Milled, HMA	8220013	23,111.000	Ft
0700	_Sinusoidal Corrugations, Milled, HMA Edgeline	8227001	46,222.000	Ft
0705	Contractor Staking	8240001	1.000	LSUM
0710	Staking Plan Errors and Extras, Max $180/hour	8240002	71.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 006 **Proposal ID:** 34032-214339

Description: 2.10 mi of hot mix asphalt reconstruction, drainage, shared-use path construction, concrete curb, gutter and sidewalk, box culvert replacement, guardrail, geotechnical construction, signage and pavement markings on M-66 from south of Tuttle Road to Wells Street in the city of Ionia, Ionia County. This Project includes a 5 year materials and workmanship pavement warranty and a 2 year concrete surface coating warranty. Mandatory pre-bid meeting on Thursday, October 15, 2026 at 10:00 a.m. at the MDOT Grand Rapids TSC Office, 2660 Leonard Street NE, Grand Rapids Michigan 49525. ** 34799 Ea or 34799 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, Fa and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 2.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
214339A	26A1162		ST 34032

Location: M-66 from Tuttle Road north to Wells Street.

Route:

Classification Ratings

B = 0.04%	Ba = 0.02%	Cb = 10.91%	Ea = 24.25%
Fa = 10.75%	Fb = 0.09%	H = 0.04%	I = 0.82%
ITS = 0.00%	J = 2.37%	K = 12.75%	L = 1.85%
MOT = 3.72%	Misc = 14.95%	N2 = 0.43%	N3 = 2.23%
N6 = 0.22%	N7 = 0.30%	N91A = 11.59%	N91B = 0.14%
N91C = 0.32%	N93C = 0.00%	N93D = 0.02%	N94B = 0.05%
N95C = 0.16%	N95D = 1.64%	N96L = 0.22%	N96M = 0.13%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Critical Path Method Schedule	1080005	15,000.000	Dlr
0010	Mobilization, Max$3,157,500.00	1100001	1.000	LSUM
0095	_Pavt, Rem, Modified	2047011	66,771.000	Syd
0225	Project Cleanup	2090001	1.000	LSUM

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0745	Pavt, Cleaning	5010001	1.000	LSUM
0965	_Shared use Path, Fence	8067001	743.000	Ft
1000	Post, Mailbox	8070095	28.000	Ea
1260	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	210.000	Ea
1265	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	210.000	Ea
1375	Plastic Drum, Fluorescent, Furn	8120252	1,151.000	Ea
1380	Plastic Drum, Fluorescent, Oper	8120253	1,151.000	Ea
1840	Span Wire Tether	8200142	6.000	Ea
1985	_Flsh Beacon, Rectangular Rapid	8207050	2.000	Ea
1990	Monument Box	8210001	3.000	Ea
1995	Monument Preservation	8210010	3.000	Ea
2030	Contractor Staking	8240001	1.000	LSUM
2035	Staking Plan Errors and Extras, Max $180/hour	8240002	341.000	Hr
2310	_Vibration Monitoring	8007051	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 007 **Proposal ID:** 42021-213374

Description: Bridge reconstruction including culvert replacement, watermain relocation and approach work on M-26 over Eliza Creek, Keweenaw County. ** 1901 Ea or 1901 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
213374A	26A1149		ST 42021

Location: M-26 over Eliza Creek.

Route: M-26

Classification Ratings

Cb = 10.68%	Ea = 39.23%	Fa = 21.44%	Fb = 1.93%
I = 0.16%	J = 0.18%	K = 2.40%	MOT = 5.91%
Misc = 14.57%	N3 = 0.26%	N6 = 0.06%	N7 = 0.06%
N95D = 1.81%	N96L = 0.05%	N96M = 1.26%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Audio-Visual Filming	1047051	1.000	LSUM
0010	Mobilization, Max$172,400.00	1100001	1.000	LSUM
0125	_Vibration Monitoring	8007051	1.000	LSUM
0235	Plastic Drum, Fluorescent, Furn	8120252	75.000	Ea
0240	Plastic Drum, Fluorescent, Oper	8120253	75.000	Ea
0280	Monument Preservation	8210010	1.000	Ea
0300	Contractor Staking	8240001	1.000	LSUM
0305	Staking Plan Errors and Extras, Max $180/hour	8240002	30.000	Hr
0455	_Riprap, Spec, Cl II	8137031	256.000	Ton

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 008 **Proposal ID:** 02011-208891

Description: 11.10 mi of hot mix asphalt crushing, shaping, cold milling and resurfacing and pavement markings, culvert repair, guardrail improvements and pavement markings on US-41 from Marquette County line southernly to Delta County line, Alger County. This project includes a 5 year materials and workmanship pavement warranty. ** 7590 Cb **

DBE Goal Percent: 0.00%

SBP Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
208891A	26A1105		NH 02011

Location: US-41 from the Delta/Alger County line to the Alger/Marquette County line.

Route: US-41

Classification Ratings

B = 0.09%	Cb = 61.22%	Ea = 8.12%	I = 1.95%
J = 0.41%	K = 0.29%	MOT = 2.48%	Misc = 12.18%
N3 = 5.79%	N6 = 0.08%	N92D = 2.61%	N93A = 2.85%
N93D = 0.05%	N94B = 0.01%	N96L = 1.86%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$690,000.00	1100001	1.000	LSUM
0470	Plastic Drum, Fluorescent, Furn	8120252	625.000	Ea
0475	Plastic Drum, Fluorescent, Oper	8120253	625.000	Ea
0545	Monument Box	8210001	1.000	Ea
0550	Monument Box, Adj	8210005	4.000	Ea
0555	Centerline Corrugations, Milled, HMA	8220013	56,000.000	Ft
0560	Sinusoidal Corrugations, Non-Freeway, Milled, HMA Shld	8220035	112,000.000	Ft
0565	Contractor Staking	8240001	1.000	LSUM
0570	Staking Plan Errors and Extras, Max $180/hour	8240002	76.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 009 **Proposal ID:** 13016-211021

Description: Bridge reconstruction including bridge and culvert removal and replacement, guardrail, riprap placement and approach work on M-311 (11 MIle Road) over Alder Creek, Calhoun County. ** 2428 Ea or 2428 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211021A	26A1096		ST 13016

Location: M-311 (11 MIle Road) over Alder Creek.

Route:

Classification Ratings

Cb = 7.07%	Ea = 39.93%	Fa = 29.55%	Fb = 1.15%
I = 1.49%	MOT = 6.12%	Misc = 11.40%	N2 = 0.69%
N3 = 0.13%	N6 = 0.10%	N7 = 0.03%	N95D = 0.89%
N96L = 1.44%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$220,700.00	1100001	1.000	LSUM
0235	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0240	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0250	Plastic Drum, Fluorescent, Furn	8120252	6.000	Ea
0255	Plastic Drum, Fluorescent, Oper	8120253	6.000	Ea
0325	Monument Box	8210001	3.000	Ea
0330	Monument Preservation	8210010	3.000	Ea
0335	Protect Corners	8210020	8.000	Ea
0340	Centerline Corrugations, Milled, HMA	8220013	935.000	Ft
0345	Contractor Staking	8240001	1.000	LSUM
0350	Staking Plan Errors and Extras, Max $180/hour	8240002	23.000	Hr

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 010 **Proposal ID:** 08031-219039

Description: 5.21 mi of hot mix asphalt cold milling and resurfacing, detail 7/8 joint repairs, longitudinal joint repairs and pavement markings on M-37 from Groat Road northerly to Lawrence Road, Barry County. ** 1905 Cb **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
219039A	26A1097		ST 08031

Location: M-37 from Groat Road to Lawrence Road.

Route:

Classification Ratings

Cb = 61.86%	Ea = 5.87%	MOT = 6.09%	Misc = 10.80%
N3 = 1.96%	N93A = 8.87%	N93D = 0.39%	N93G = 4.17%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$173,300.00	1100001	1.000	LSUM
0120	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	600.000	Ea
0125	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	600.000	Ea
0195	Monument Box	8210001	8.000	Ea
0200	Monument Preservation	8210010	8.000	Ea
0205	Centerline Corrugations, Milled, HMA	8220013	27,509.000	Ft
0210	Non-Freeway Shld Corrugations, Milled, HMA	8220025	6,950.000	Ft

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 011 **Proposal ID:** 41132-204378

Description: 6.40 mi of concrete shoulder widening, concrete curb and gutter, sidewalk, culverts, drainage, sewer, rehabilitation of 4 structures to include steel sheet piling, steel piles, approach work and pavement markings on US-131 from I-96 to Post drive in the city of Walker, Kent County. This project includes a 5 year materials and workmanship pavement warranty, a 2 year concrete surface coating warranty and a 2 year bridge coating warranty. ** Comb/Jt. 64196 B, Ea or Comb/Jt. 64196 B, Fa or Comb/Jt. 64196 Ea, Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of B, Ea and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
204378A	26A1158		BFP 41132
Location: US-131 SB over West River Dr			
Route:			
204378A	26A1158		BFP 41132
Location: US-131 NB over West River Dr			
Route:			
211694A	26A1174		NHFP 41132
Location: US-131 from I-96 to Post Drive.			
Route:			
221439A	26A1161		NH 41132
Location: US-131 from I-96 north to Post Drive.			
Route:			
225218A	26A1165		HSIP 41132
Location: US-131 from I-96 to Post Drive.			
Route:			

Classification Ratings

B = 15.31%	Ba = 1.30%	Cb = 1.24%	Ea = 20.21%
Fa = 12.11%	Fb = 3.38%	H = 0.14%	I = 0.87%
ITS = 0.89%	J = 1.55%	K = 0.99%	Ka = 0.74%
L = 3.84%	MOT = 4.97%	Misc = 13.37%	N2 = 0.13%

N3 = 2.67%	N4 = 3.70%	N6 = 2.35%	N7 = 0.03%
N91A = 5.11%	N91B = 0.87%	N91C = 0.84%	N91E = 0.01%
N93C = 0.00%	N93D = 0.01%	N93F = 0.14%	N95C = 0.49%
N95D = 0.69%	N96L = 2.06%	N96M = 0.00%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	_Reimbursed Permit Fees	1077060	25,000.000	Dlr
0015	Critical Path Method Schedule	1080005	15,000.000	Dlr
0020	Mobilization, Max$5,836,100.00	1100001	1.000	LSUM
0120	_Pavt, Rem, Modified	2047011	15,144.000	Syd
0215	Project Cleanup	2090001	1.000	LSUM
0540	Pavt, Cleaning	5010001	1.000	LSUM
0715	_Fiber Optic, Cable, Install Salv	8007001	3,300.000	Ft
0720	_Fiber Optic, Cable, Rem and Salv	8007001	3,990.000	Ft
0725	_Impact Attenuator, Test Level-3, Furn and Install, Type 1	8007050	2.000	Ea
0730	_Managed Field Ethernet Switch, Layer 2, Modified	8007050	17.000	Ea
0735	_Microwave Vehicle Detection System, Calibration	8007050	9.000	Ea
0740	_Pavt Sensor, Non-Invasive Condition	8007050	1.000	Ea
0745	_Pavt Sensor, Non-Invasive Condition, Install Salv	8007050	1.000	Ea
0750	_Pavt Sensor, Non-Invasive Condition, Rem and Salv	8007050	1.000	Ea
0755	_Power Distribution Unit	8007050	17.000	Ea
0760	_Rack-Mtd Step-Down Transformer, 7.5kV AMP	8007050	8.000	Ea
0765	_Rack-Mtd Step-Up Transformer, 15kV AMP	8007050	3.000	Ea
0770	_Rack-Mtd Step-Up Transformer, 7.5kV AMP	8007050	2.000	Ea
0775	_Underground Splice Enclosure	8007050	10.000	Ea
0780	_Fiber Optic, System Testing	8007051	1.000	LSUM
0785	_Integration, Advanced Traf Management System Software	8007051	1.000	LSUM
1195	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	10.000	Ea
1200	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	10.000	Ea
1320	Plastic Drum, Fluorescent, Furn	8120252	762.000	Ea
1325	Plastic Drum, Fluorescent, Oper	8120253	762.000	Ea
1525	_Slope Restoration, Wetland	8167011	8,998.000	Syd
1785	_Case Sign (LED), Changeable Message, One Way, 48 inch by 48 inch, Modified	8207050	3.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
1788	Freeway Shld Corrugations, Milled, Conc	8222000	4,345.000	Ft
1790	Contractor Staking	8240001	1.000	LSUM
1795	Staking Plan Errors and Extras, Max $180/hour	8240002	610.000	Hr
2210	Reflective Marker, Permanent Barrier	7110003	74.000	Ea
2400	_Monitoring Structure (S03 of 41132)	8007051	1.000	LSUM
2430	Structure Survey During Construction (S03 of 41132)	8240020	1.000	LSUM
2435	Structure Survey During Construction(R01 of 41132)	8240020	1.000	LSUM
2440	Structure Survey During Construction(R02 of 41132)	8240020	1.000	LSUM

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 012 **Proposal ID:** 63132-204314

Description: 1.37 mi of hot mix asphalt reconstruction, 2.77 mi of hot mix asphalt cold milling and overlay, partial deck replacement, deck patching, epoxy overlay, expansion joint replacement, substructure patching, silane treatment, epoxy injecting box beams, barrier patching, downspout installation, scour countermeasure, full depth pavement repairs, storm sewer, concrete curb and gutter, driveway and sidewalk, signing, signals, lighting, guardrail, underdrain and pavement markings on M-150 from Tienken Road southerly to Paint Creek and M-150 from Clinton River southerly to M-59 in the city of Rochester Hills, Oakland County. This project includes two 5 year materials and workmanship pavement warranties, a 2 year concrete surface coating warranty, and a 5 year pavement performance warranty. ** Comb/Jt. 42550 Cb, Ea or Comb/Jt. 42550 Cb, K or Comb/Jt. 42550 Ea, K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
204314A	26A1139		NH 63132
Location: M-150 Avon to Clinton River and Paint Creek to Tienken			
Route: 150			
210081A	26A1138		NH 63132
Location: M-150 from M-59 to Avon Road.			
Route: M-150			
210111A	26A1137		BFP 63132
Location: M-150 over GTW Railroad, Clinton River, 1st and 2nd street and over Paint Creek.			
Route:			
210219A	26A1136		BFP 63043
Location: M-150 over M-59. (S09-63043)			
Route:			
225178A	26A1131		TA 63131
Location: M-150 at M-59.			
Route:			

Classification Ratings

B = 1.98%	Ba = 1.68%	Cb = 13.67%	Ea = 20.00%
Fa = 2.47%	Fb = 0.39%	H = 0.28%	I = 0.03%

ITS = 0.05%	J = 7.22%	K = 21.21%	Ka = 0.25%
L = 4.40%	MOT = 3.91%	Misc = 13.53%	N2 = 0.04%
N3 = 1.44%	N4 = 0.05%	N6 = 0.33%	N7 = 0.23%
N91A = 2.84%	N91B = 0.27%	N91C = 1.07%	N91E = 0.09%
N93A = 0.47%	N93D = 0.02%	N93G = 0.33%	N94A = 0.04%
N94B = 0.05%	N95D = 1.18%	N96L = 0.20%	N96M = 0.29%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	_Audio-Visual Filming	1047051	1.000	LSUM
0015	_Reimbursed Permit Fees	1077060	5,000.000	Dlr
0020	Critical Path Method Schedule	1080005	15,000.000	Dlr
0025	Mobilization, Max$3,868,300.00	1100001	1.000	LSUM
0145	Project Cleanup	2090001	1.000	LSUM
0545	Dr Structure, Temp Lowering	4030390	67.000	Ea
0565	Pavt, Cleaning	5010001	1.000	LSUM
0725	_Modular Block Wall	8007010	124.000	Sft
0925	Post, Mailbox	8070095	2.000	Ea
1255	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	1,100.000	Ea
1260	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	1,100.000	Ea
1380	Plastic Drum, Fluorescent, Furn	8120252	476.000	Ea
1385	Plastic Drum, Fluorescent, Oper	8120253	476.000	Ea
1640	_Turf Establishment, Performance	8167011	55,939.000	Syd
1905	Span Wire Tether	8200142	9.000	Ea
2165	_Antenna, Delivered	8207050	4.000	Ea
2170	_Backplate, TS, Flexible	8207050	46.000	Ea
2175	_Cabinet, ITS Type	8207050	4.000	Ea
2180	_Cabinet, ITS Type, Delivered	8207050	4.000	Ea
2185	_Cabinet, ITS Type, Salv	8207050	1.000	Ea
2190	_Case Sign (LED), Two Way, 12 inch by 27 inch	8207050	2.000	Ea
2195	_Cellular Router, Fourth/Fifth G, Delivered	8207050	4.000	Ea
2200	_Controller, NEMA, ATC Type	8207050	3.000	Ea
2205	_Radar Vehicle Presence Stop-Bar Detector Sensor, Modified	8207050	17.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
2210	_Radar Vehicle Presence Stop-Bar Detector Sensor, Rem, Modified	8207050	1.000	Ea
2215	_Radar Vehicle Presence Stop-Bar Detector Sensor, Salv, Modified	8207050	1.000	Ea
2220	_Radar Vehicle Presence Stop-Bar Detector System, Modified	8207050	5.000	Ea
2225	_Radar Vehicle Presence Stop-Bar Detector System, Rem, Modified	8207050	1.000	Ea
2230	_Radar Vehicle Presence Stop-Bar Detector System, Salv, Modified	8207050	1.000	Ea
2235	_Radar Vehicle Presence Stop-Bar Detector, Initial Setup	8207050	5.000	Ea
2240	Monument Preservation	8210010	4.000	Ea
2420	Contractor Staking	8240001	1.000	LSUM
2425	Staking Plan Errors and Extras, Max $180/hour	8240002	267.000	Hr
2795	_Utility Protection	8007001	367.000	Ft
2805	_Riprap, Spec, Cl II	8137031	94.000	Ton
2810	Structure Survey During Construction(S09 of 63043)	8240020	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 013 **Proposal ID:** 82053-221894

Description: 4.89 mi of hot mix asphalt cold milling and resurfacing, detail 7 joint repairs, concrete pavement repairs, concrete ramp upgrades and pavement markings on US-24 from Fordson Drive to north of Plymouth Road and M-153 from Vernon Street to US-24 in the cities of Dearborn and Dearborn Heights, Wayne County. This project includes a 3 year materials and workmanship pavement warranty. ** 12139 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3G. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
221894A	26A1146		NH 82053

Location: On US-24 from Fordson Drive to north of Plymouth Road and M-153 from Vernon Street to US-24.

Route:

Classification Ratings

B = 1.15%	Ba = 7.43%	Cb = 48.79%	Ea = 2.95%
J = 3.63%	K = 1.30%	L = 0.00%	MOT = 3.50%
Misc = 11.68%	N3 = 3.30%	N6 = 0.04%	N93A = 5.77%
N93C = 0.11%	N93D = 0.09%	N93G = 10.26%	N94A = 0.01%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$1,103,600.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0195	_Bus Stop, Temp	8007050	17.000	Ea
0365	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	953.000	Ea
0370	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	953.000	Ea
0475	_Turf Establishment, Performance	8167011	1,962.000	Syd
0485	Monument Preservation	8210010	1.000	Ea
0495	Contractor Staking	8240001	1.000	LSUM
0500	Staking Plan Errors and Extras, Max $180/hour	8240002	115.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 014 **Proposal ID:** 62022-221766

Description: 8.94 mi of hot mix asphalt micro-cold milling and overlay over chip seal, minor shoulder repairs and overband crack fill on M-82 from north of 56th Street southerly then easterly to CSX Railroad/Penoyer Creek in the city of Newaygo, Newaygo County. This project includes a 3 year materials and workmanship pavement warranty. ** 3601 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ca. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
221766A	26A1108		ST 62022

Location: M-82 from 56th Street to CSX Railroad/Penoyer Creek. (R01 of 62031)

Route: M-82

Classification Ratings

Ca = 13.21%	Cb = 50.83%	Ea = 5.68%	J = 0.10%
MOT = 5.85%	Misc = 11.41%	N3 = 4.71%	N93A = 6.45%
N93D = 0.10%	N93E = 1.66%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$327,400.00	1100001	1.000	LSUM
0030	Pavt, Cleaning	5010001	1.000	LSUM
0135	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	244.000	Ea
0140	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	244.000	Ea
0160	Plastic Drum, Fluorescent, Furn	8120252	9.000	Ea
0165	Plastic Drum, Fluorescent, Oper	8120253	9.000	Ea
0245	Monument Box, Adj	8210005	15.000	Ea
0250	Monument Preservation	8210010	15.000	Ea
0255	Centerline Corrugations, Milled, HMA	8220013	39,186.000	Ft
0260	_Sinusoidal Corrugations, Milled, HMA Edgeline	8227001	77,366.000	Ft

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 015 **Proposal ID:** 38061-214083

Description: 16.04 mi of hot mix asphalt cold milling and resurfacing, overband crack filling, single chip seal with fog seal, trenching, shoulder widening and paving, installation of passing flare and pavement markings on M-60 from the Jackson/Calhoun County line easterly to I-94 and the passing flare for westbound M-60 at Cross Road, Jackson County. This project includes a 5 year Materials and Workmanship Pavement Warranty and a 2 year Pavement Performance Warranty. ** 5395 Ca or Comb/Jt. 5395 Cb, Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ca, Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
214083A	26A1113		HSIP 38061
Location: M-60 at Cross Road.			
Route:			
226284A	26A1117		ST 38061
Location: M-60 from the Calhoun/Jackson County line to I-94.			
Route: M-60			

Classification Ratings

Ca = 33.92%	Cb = 19.61%	Ea = 12.53%	H = 0.06%
I = 0.28%	MOT = 11.79%	Misc = 10.66%	N2 = 0.10%
N3 = 3.73%	N6 = 0.04%	N93A = 1.30%	N93D = 0.64%
N93E = 3.63%	N94A = 1.71%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Reimbursed Permit Fees	1077060	500.000	Dlr
0010	Mobilization, Max$490,500.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0155	Pavt, Cleaning	5010001	1.000	LSUM
0240	Post, Mailbox	8070095	40.000	Ea
0375	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	700.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0380	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	700.000	Ea
0440	Plastic Drum, Fluorescent, Furn	8120252	220.000	Ea
0445	Plastic Drum, Fluorescent, Oper	8120253	220.000	Ea
0550	Centerline Corrugations, Milled, HMA	8220013	4,870.000	Ft
0555	Sinusoidal Corrugations, Non-Freeway, Milled, HMA Shld	8220035	27,100.000	Ft
0560	Contractor Staking	8240001	1.000	LSUM
0565	Staking Plan Errors and Extras, Max $180/hour	8240002	3.000	Hr

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 016 **Proposal ID:** 50051-211179

Description: 3.79 mi of hot mix asphalt reconstruction, cold milling and resurfacing, storm sewer separation, joint repairs, curb ramp upgrades, concrete curb, gutter and sidewalk, signage, railroad crossing surface improvements, watermain replacement, sewer lining and pavement markings on M-3 from Wellington Crescent northerly to Sandpiper Drive in the city of Mt. Clemens, Macomb County. This project includes a 5 year and a 3 year materials and workmanship pavement warranty. ** 21894 Ea or 21894 K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211179A	26A1151		NH 50051
Location: M-3 from Church Street to MTM RR Tracks.			
Route:			
217867A	26A1148		NH 50051
Location: M-3 from Wellington Crescent to Sandpiper, Mt Clemens			
Route: M-3			
225021A	26A1144		STRH 50051
Location: G01 of 50051 at Michigan Transit Museum in Mt Clemens			
Route:			
225022A	26A1142		STRH 50051
Location: SB M-3 at Michigan Transit Museum Railroad Crossing			
Route:			

Classification Ratings

B = 0.14%	Ba = 2.74%	Cb = 18.72%	Ea = 23.07%
Fa = 0.93%	Fb = 0.05%	H = 0.03%	J = 6.21%
K = 30.16%	L = 0.06%	MOT = 2.95%	Misc = 12.52%
N3 = 1.02%	N6 = 0.17%	N7 = 0.00%	N93D = 0.13%
N93G = 1.01%	N94B = 0.09%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Michigan Transit Museum	1027060	6,443.000	Dlr
0010	_Reimbursed Permit Fees	1077060	1,500.000	Dlr
0015	Critical Path Method Schedule	1080005	15,000.000	Dlr
0020	Mobilization, Max$1,990,400.00	1100001	1.000	LSUM
0045	_Abandoned Utility, Rem	2037001	200.000	Ft
0050	_Monitoring Well, Adj	2037050	1.000	Ea
0150	Project Cleanup	2090001	1.000	LSUM
0720	Pavt, Cleaning	5010001	1.000	LSUM
0850	_Utility Protection and Support, Consumers Energy	8007001	100.000	Ft
0855	_Utility Protection and Support, DTE Energy	8007001	100.000	Ft
0860	_Utility Protection and Support, Macomb County Public Works Office	8007001	25.000	Ft
0865	_Roadside Unit, Rem	8007050	1.000	Ea
0870	_Vibration Monitoring	8007051	1.000	LSUM
1245	Plastic Drum, Fluorescent, Furn	8120252	1,051.000	Ea
1250	Plastic Drum, Fluorescent, Oper	8120253	1,051.000	Ea
1335	_Riprap, Spec, Cl II	8137011	118.000	Syd
1380	_Native Grasses and Wildflowers Seeding	8167011	711.000	Syd
1385	_Turf Establishment, Performance	8167011	10,494.000	Syd
1435	Span Wire Tether	8200142	4.000	Ea
1480	Protect Corners	8210020	2.000	Ea
1640	Contractor Staking	8240001	1.000	LSUM
1645	Staking Plan Errors and Extras, Max $180/hour	8240002	215.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 017 **Proposal ID:** 32022-211421

Description: 4.81 mi of road rehabilitation and reconstruction including hot mix asphalt cold milling and resurfacing, joint repairs, concrete sidewalk ramps, storm sewer, water main and pavement markings on Ruth Road to M-25 in the city of Harbor Beach, Huron County. This project includes two 5 year and one 3 year materials and workmanship pavement warranty. ** 5416 Cb or 5416 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211421A	26A1150		ST 32022
Location: M-142 from the west village limits of Harbor Beach to M-25.			
Route: M-142			
212691A	N/A		M 32022
Location: M-142 from Ruth Road to the west village limits of Harbor Beach.			
Route: M-142			

Classification Ratings

B = 0.15%	Cb = 26.63%	Ea = 21.83%	I = 0.45%
J = 5.08%	K = 21.94%	L = 0.47%	MOT = 5.66%
Misc = 11.44%	N3 = 2.14%	N6 = 0.10%	N93A = 3.21%
N93D = 0.09%	N93G = 0.75%	N94A = 0.04%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$492,200.00	1100001	1.000	LSUM
0380	Post, Mailbox	8070095	15.000	Ea
0500	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	400.000	Ea
0505	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	400.000	Ea
0530	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0535	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0625	Monument Box	8210001	8.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0630	Monument Preservation	8210010	8.000	Ea
0635	Centerline Corrugations, Milled, HMA	8220013	21,600.000	Ft
0740	Contractor Staking	8240001	1.000	LSUM
0745	Staking Plan Errors and Extras, Max $180/hour	8240002	24.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 018 **Proposal ID:** 64015-211435

Description: Bridge rehabilitation including deck patching, dual system overlay, replace pin and hanger, beam painting and approach work on US-31 Business Loop (Oceana Drive) over US-31, Oceana County. This project includes a 2 year bridge coating warranty. ** 2255 Fa or 2255 N4 **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Fa and N4. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211435A	26A1090		BFP 64015

Location: US-31BL over US-31. (64015-S16)

Route:

Classification Ratings

Ea = 0.24%	Fa = 28.15%	Fb = 7.07%	L = 0.98%
MOT = 9.75%	Misc = 11.38%	N3 = 1.80%	N4 = 33.27%
N91A = 4.80%	N91C = 2.56%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$205,000.00	1100001	1.000	LSUM
0025	Project Cleanup	2090001	1.000	LSUM
0125	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0130	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0195	Contractor Staking	8240001	1.000	LSUM
0200	Staking Plan Errors and Extras, Max $180/hour	8240002	22.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 019 **Proposal ID:** 39022-226314

Description: Bridge rehabilitation including partial superstructure replacement with a 30-inch steel beam on 38th Street over I-94, Kalamazoo County. This project includes a 5 year performance warranty on epoxy overlay. ** 574 Fa **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
226314A	N/A		MER 39022

Location: I-94 E 38th Street over I-94.

Route: I-94

Classification Ratings

Fa = 28.43%	Fb = 6.63%	J = 0.17%	MOT = 17.94%
Misc = 12.68%	N3 = 8.97%	N4 = 1.92%	N6 = 0.71%
N91A = 18.88%	N91B = 3.13%	N91C = 0.30%	N96L = 0.23%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$52,200.00	1100001	1.000	LSUM
0115	Plastic Drum, Fluorescent, Furn	8120252	260.000	Ea
0120	Plastic Drum, Fluorescent, Oper	8120253	260.000	Ea
0185	Contractor Staking	8240001	1.000	LSUM
0190	Staking Plan Errors and Extras, Max $180/hour	8240002	6.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 020 **Proposal ID:** 82000-225323

Description: 0.30 mi of concrete roadway reconstruction, intersection reconfiguration, drainage, signing and pavement markings on Northbound Oakland Avenue and Northbound Chrysler Drive from Nevada Street northerly to Grixdale Street in the city of Detroit, Wayne County. ** 934 Ea or Comb/Jt. 934 B, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of B, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
225323A	26A1083		ST 82000

Location: Oakland Avenue, Nevada St, and NB Chrysler Dr

Route: Oakland/Chrysler

Classification Ratings

B = 17.99%	Ba = 0.51%	Cb = 3.18%	Ea = 32.12%
I = 3.30%	J = 12.57%	K = 6.93%	MOT = 5.50%
Misc = 11.56%	N2 = 0.37%	N3 = 0.66%	N6 = 1.72%
N94A = 0.53%	N94B = 0.08%	N96M = 2.98%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max$85,000.00	1100001	1.000	LSUM
0100	Project Cleanup	2090001	1.000	LSUM
0455	Plastic Drum, Fluorescent, Furn	8120252	140.000	Ea
0460	Plastic Drum, Fluorescent, Oper	8120253	140.000	Ea
0545	Contractor Staking	8240001	1.000	LSUM
0550	Staking Plan Errors and Extras, Max $180/hour	8240002	10.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 021 **Proposal ID:** 23071-225397

Description: Traffic signal modernization and pavement markings at M-100 at Vermontville Road and M-52 at Howell Road, Eaton and Ingham Counties. ** 162 L **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N3. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
225397A	26A1082		HSIP 23071

Location: M-100 at Vermontville Highway and M-52 at Howell Road.

Route: M-52 & M-100

Classification Ratings

Ea = 1.66%	ITS = 1.89%	L = 34.02%	MOT = 24.78%
Misc = 13.11%	N3 = 13.91%	N6 = 10.63%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$14,800.00	1100001	1.000	LSUM
0115	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0120	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0265	Contractor Staking	8240001	1.000	LSUM
0270	Staking Plan Errors and Extras, Max $180/hour	8240002	10.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 022 **Proposal ID:** 53034-219588

Description: 17.93 mi of hot mix asphalt crack sealing and overband on US-31 from south of Oceana/Mason County line to Chauvez Road, US-31 from north of Apple Avenue to Mid-Michigan Railroad, on M-116 from Tinkham Avenue to the Big Sable River and on US-31BR from east of Getty Street to US-31 in the cities of Muskegon and Ludington, Mason, Muskegon and Oceana Counties. ** 349 N9-3E **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
219588A	26A1109		NH 53034
Location: On various routes.			
Route: US-31			
219588A	26A1109		NH 53034
Location: On various routes.			
Route: US-31			
219588A	26A1109		NH 53034
Location: On various routes.			
Route: M-116			

Classification Ratings

MOT = 9.60% Misc = 10.94% N93E = 79.47%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$31,800.00	1100001	1.000	LSUM
0035	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	325.000	Ea
0040	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	325.000	Ea

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 023 **Proposal ID:** 82125-222601

Description: Pedestrian safety improvements including HAWK traffic signal, crosswalk, delineation work and pavement markings on I-275 Metro Trail at 7 Mile Road, Ann Arbor Trail, Van Born Road and Northline Road, Wayne County. ** 423 L **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222601A	N/A		MNMP 82125

Location: I-275 Metro Trail at 7 Mile Road., Ann Arbor Trail, Van Born Road and Northline Road.

Route:

Classification Ratings

Ba = 0.05%	Cb = 0.33%	Ea = 3.10%	I = 0.20%
ITS = 0.59%	J = 5.10%	L = 58.21%	MOT = 9.36%
Misc = 20.38%	N3 = 0.72%	N6 = 1.78%	N96M = 0.17%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$38,500.00	1100001	1.000	LSUM
0060	_Vibration Monitoring, Utility	8007051	1.000	LSUM
0150	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0155	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0175	Plastic Drum, Fluorescent, Furn	8120252	200.000	Ea
0180	Plastic Drum, Fluorescent, Oper	8120253	200.000	Ea
0320	Span Wire Tether	8200142	2.000	Ea
0380	_Controller, NEMA, ATC Type	8207050	2.000	Ea
0385	_Flsh Beacon, Rectangular Rapid	8207050	2.000	Ea
0390	Contractor Staking	8240001	1.000	LSUM
0395	Staking Plan Errors and Extras, Max $180/hour	8240002	10.000	Hr

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 024 **Proposal ID:** 82061-227165

Description: 1.76 mi of tree removals on US-12 from Haggerty Road to Lotz Road and from west of Pershing Street to Howe Road in the city of Wayne, Wayne County. This is a Small Business Program project. Only those approved by MDOT as a Small Business may be eligible to bid as a prime contractor.
** 81 N2 **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
227165A	26A1008		NH 82061

Location: US-12 from Haggerty Road to Lotz Road and from west of Pershing Street to Howe Road.

Route: US-12

Classification Ratings

Ea = 4.91% I = 1.84% MOT = 16.20% Misc = 15.93%

N2 = 61.12%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$7,400.00	1100001	1.000	LSUM
0060	Plastic Drum, Fluorescent, Furn	8120252	180.000	Ea
0065	Plastic Drum, Fluorescent, Oper	8120253	180.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 025 **Proposal ID:** 08052-210819

Description: 0.98 mi of concrete joint repairs, shoulder hot mix asphalt cold milling and resurfacing on M-66 from south of M-50 to south of Barry/Ionia County line, Barry and Eaton Counties. ** 793 Ba or 793 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba and Cb. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
210819A	26A1110		ST 08052

Location: M-66 from M-50 to Barry/Ionia County line.

Route: M-66

Classification Ratings

B = 1.41%	Ba = 30.80%	Cb = 28.29%	Ea = 1.56%
MOT = 8.84%	Misc = 15.70%	N3 = 4.86%	N93A = 6.30%
N93C = 0.06%	N93F = 2.18%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	_Railroad Protection, at Grade Crossing, CSX	1027060	27,000.000	Dlr
0015	Mobilization, Max$72,100.00	1100001	1.000	LSUM
0025	Project Cleanup	2090001	1.000	LSUM
0195	Plastic Drum, Fluorescent, Furn	8120252	250.000	Ea
0200	Plastic Drum, Fluorescent, Oper	8120253	250.000	Ea
0260	Sinusoidal Corrugations, Non-Freeway, Milled, HMA Shld	8220035	5,076.000	Ft
0265	Contractor Staking	8240001	1.000	LSUM
0270	Staking Plan Errors and Extras, Max $180/hour	8240002	8.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 026 **Proposal ID:** 42000-221996

Description: Guardrail improvements at various locations, Keweenaw County. This is a Local Agency project. ** 115 N9-6L **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N6. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
221996A	26A0869		HRRR 42000

Location: Various Locations - Keweenaw County

Route:

Classification Ratings

MOT = 12.31% Misc = 10.09% N6 = 17.94% N96L = 59.66%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$11,000.00	1100001	1.000	LSUM
0060	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	40.000	Ea
0065	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	40.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 027 **Proposal ID:** 16000-225357

Description: Horizontal curve sign upgrades along various routes, Cheboygan County. This is a Local Agency project. ** 70 N6 **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
225357A	26A0922		HSIP 16000

Location: Various Locations - Cheboygan County

Route:

Classification Ratings

Ea = 5.32% MOT = 35.49% Misc = 9.09% N6 = 50.10%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$6,400.00	1100001	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 028 **Proposal ID:** 21000-222002

Description: Guardrail upgrades on CR-497 from CR-499 to US-2, Delta County. This is a Local Agency project. ** 140 N9-6L **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222002A	26A0846		HSIP 21000

Location: CR-497, CR-499 to US-2

Route:

Classification Ratings

Cb = 0.43%	Ea = 9.00%	I = 0.36%	MOT = 6.83%
Misc = 9.24%	N96L = 74.14%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$12,700.00	1100001	1.000	LSUM
0110	Plastic Drum, Fluorescent, Furn	8120252	8.000	Ea
0115	Plastic Drum, Fluorescent, Oper	8120253	8.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 029 **Proposal ID:** 28000-219045

Description: 0.27 mi of hot mix asphalt crush, shape and overlay, drainage improvements, signing, and pavement markings on Summit City Road at Walton Road, Grand Traverse County. This is a Local Agency project. ** 642 Cb or 642 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
219045A	26A1045		HRRR 28000

Location: Summit City Rd at Walton Rd

Route:

Classification Ratings

Cb = 24.06%	Ea = 36.01%	I = 7.39%	L = 8.40%
MOT = 5.40%	Misc = 9.75%	N3 = 0.68%	N6 = 2.50%
N92D = 5.80%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$59,000.00	1100001	1.000	LSUM
0105	Post, Mailbox	8070095	4.000	Ea
0235	_HMA Spillway	8147011	20.000	Syd
0260	Monument Box	8210001	1.000	Ea
0265	Monument Preservation	8210010	1.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 030 **Proposal ID:** 28000-219888

Description: 0.31 mi of hot mix asphalt crush, shape and overlay, drainage improvements, signing and pavement markings on Secor Road at E Long Lake Road and Bass Lake Road, Grand Traverse County. This is a Local Agency project. ** 638 Cb or 638 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
219888A	26A1040		HSIP 28000

Location: Secor Rd, E Long Lake/Bass Lake Rd to 0.31 miles east

Route:

Classification Ratings

Cb = 35.31%	Ea = 31.31%	I = 6.27%	J = 2.44%
MOT = 7.88%	Misc = 8.94%	N3 = 0.47%	N6 = 0.47%
N92D = 6.91%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$52,500.00	1100001	1.000	LSUM
0120	Post, Mailbox	8070095	8.000	Ea
0200	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	60.000	Ea
0205	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	60.000	Ea
0265	_HMA Spillway	8147011	11.000	Syd
0275	Monument Box	8210001	1.000	Ea
0280	Monument Preservation	8210010	1.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 031 **Proposal ID:** 41000-223748

Description: 0.96 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter and sidewalk ramps, signing and pavement markings on 48th Street from Division Avenue easterly to Marshall Avenue in the city of Kentwood, Kent County. This is a Local Agency Project. ** 1579 Cb or 1579 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
223748A	26A0914		STU 41000

Location: 48th Street from Division Avenue easterly to Marshall Avenue.

Route:

Classification Ratings

Cb = 23.89%	Ea = 12.24%	J = 12.70%	K = 5.42%
L = 0.75%	MOT = 5.17%	Misc = 34.92%	N3 = 4.68%
N6 = 0.23%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max143,600.00	1100001	1.000	LSUM
0030	_Pavt, Rem, Modified	2047011	19,589.000	Syd
0100	Dr Structure, Temp Lowering	4030390	40.000	Ea
0175	Post, Mailbox	8070095	43.000	Ea
0290	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	143.000	Ea
0295	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	143.000	Ea
0340	_Turf Restoration	8167011	1,490.000	Syd
0355	Monument Box, Adj	8210005	1.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 032 **Proposal ID:** 41000-223746

Description: 0.81 mi of hot mix asphalt cold milling and resurfacing, storm sewer, curb ramps and pavement markings on 44th Street from Eastern Avenue easterly to Kalamazoo Avenue in the city of Kentwood, Kent County. This is a Local Agency project. ** 3067 Cb or 3067 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
223746A	26A0913		STU 41000

Location: 44th Street from Eastern Avenue easterly to Kalamazoo Avenue.

Route:

Classification Ratings

Cb = 42.73%	Ea = 16.18%	H = 0.35%	J = 1.39%
K = 4.78%	L = 0.94%	MOT = 5.74%	Misc = 26.77%
N3 = 1.10%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$278,800.00	1100001	1.000	LSUM
0025	_Pavt, Rem, Modified	2047011	28,800.000	Syd
0100	Dr Structure, Temp Lowering	4030390	24.000	Ea
0210	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	260.000	Ea
0215	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	260.000	Ea
0240	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0245	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0290	_Turf Restoration	8167011	350.000	Syd
0335	Monument Box, Adj	8210005	1.000	Ea
0340	Monument Preservation	8210010	1.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 033 **Proposal ID:** 82000-222036

Description: Traffic signal modernization and sidewalk upgrades on Beech-Daly Road at the intersection of Seven Mile Road, Wayne County. This is a Local Agency project. ** 483 L **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222036A	26A0933		HSIP 82000

Location: Beech Daly Rd at Seven Mile Rd

Route:

Classification Ratings

Ba = 0.28%	Ea = 1.72%	I = 0.17%	J = 3.31%
L = 69.12%	MOT = 7.33%	Misc = 16.52%	N3 = 1.34%
N6 = 0.22%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$44,800.00	1100001	1.000	LSUM
0120	Plastic Drum, Fluorescent, Furn	8120252	30.000	Ea
0125	Plastic Drum, Fluorescent, Oper	8120253	30.000	Ea
0285	Span Wire Tether	8200142	4.000	Ea
0395	_St Name Sign Bracket Arm, 10 Foot	8207050	2.000	Ea
0400	_St Name Sign, Two Way, LED, 8 foot	8207050	2.000	Ea
0405	Monument Box, Adj	8210005	1.000	Ea
0410	Monument Preservation	8210010	1.000	Ea
0415	Protect Corners	8210020	2.000	Ea
0420	_Contractor Staking, Modified	8247051	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 034 **Proposal ID:** 82000-222038

Description: Traffic signal modernization and sidewalk upgrades on Cherry Hill Road at the intersection of Wildwood Street in the city of Westland, Wayne County. This is a Local Agency project. ** 385 L **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222038A	26A0935		HSIP 82000

Location: Cherry Hill Rd at Wildwood St

Route:

Classification Ratings

Ba = 0.25%	Ea = 2.64%	I = 0.21%	ITS = 3.91%
J = 4.29%	K = 0.67%	L = 61.75%	MOT = 7.59%
Misc = 17.07%	N3 = 1.47%	N6 = 0.14%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$35,100.00	1100001	1.000	LSUM
0130	Plastic Drum, Fluorescent, Furn	8120252	30.000	Ea
0135	Plastic Drum, Fluorescent, Oper	8120253	30.000	Ea
0305	Span Wire Tether	8200142	4.000	Ea
0405	_St Name Sign Bracket Arm, 10 Foot	8207050	1.000	Ea
0410	_St Name Sign Bracket Arm, 8 Foot	8207050	1.000	Ea
0415	_St Name Sign, Two Way, LED, 6 foot	8207050	1.000	Ea
0420	_St Name Sign, Two Way, LED, 8 foot	8207050	1.000	Ea
0425	Protect Corners	8210020	2.000	Ea
0430	_Contractor Staking, Modified	8247051	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 035 **Proposal ID:** 82000-222037

Description: Traffic signal modernization and sidewalk upgrades on Goddard Road at the intersection of Reeck Road in the cities of Allen Park and Southgate, Wayne County. This is a Local Agency project. ** 609 L **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222037A	26A0934		HSIP 82000

Location: Goddard Rd at Reeck Rd

Route:

Classification Ratings

Ba = 0.15%	Ea = 2.41%	I = 0.12%	J = 2.50%
L = 72.85%	MOT = 6.13%	Misc = 14.76%	N3 = 1.07%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$55,300.00	1100001	1.000	LSUM
0105	Plastic Drum, Fluorescent, Furn	8120252	30.000	Ea
0110	Plastic Drum, Fluorescent, Oper	8120253	30.000	Ea
0285	Span Wire Tether	8200142	4.000	Ea
0395	_St Name Sign Bracket Arm, 10 Foot	8207050	1.000	Ea
0400	_St Name Sign Bracket Arm, 8 Foot	8207050	1.000	Ea
0405	_St Name Sign, Two Way, LED, 6 foot	8207050	1.000	Ea
0410	_St Name Sign, Two Way, LED, 8 foot	8207050	1.000	Ea
0415	Protect Corners	8210020	2.000	Ea
0420	_Contractor Staking, Modified	8247051	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 036 **Proposal ID:** 63000-224601

Description: 0.17 mi of pedestrian safety improvements including boardwalk and sidewalk along Maybee Road from Rohr Road to Tall Oaks Road, Oakland County. This is a Local Agency project. ** 1104 Fa **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
224601A	26A0931		TAU 63000

Location: Maybee Road from Rohr Road to Tall Oaks Road.

Route:

Classification Ratings

Cb = 0.23%	Ea = 4.81%	Fa = 74.67%	I = 0.27%
J = 1.86%	MOT = 4.20%	Misc = 13.95%	N6 = 0.01%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Audio-Visual Filming	1047051	1.000	LSUM
0010	_Reimbursed Permit Fees	1077051	1.000	LSUM
0015	Mobilization, Max$90,000.00	1100001	1.000	LSUM
0020	_Clearing, Modified	2017011	1,550.000	Syd
0025	_Tree, Rem, 19 inch to 36 inch, Wetland	2027050	1.000	Ea
0030	_Tree, Rem, 6 inch to 18 inch, Wetland	2027050	4.000	Ea
0075	Project Cleanup	2090001	1.000	LSUM
0205	_Wetland Seed Mix	8167011	2,000.000	Syd

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 037 **Proposal ID:** 48000-215183

Description: 45.35 mi of crack sealing on various routes, Luce County. This is a Local Agency project. ** 371 N9-3E **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
215183A	26A0938		STL 48000

Location: On various routes.

Route:

Classification Ratings

MOT = 6.61% Misc = 9.64% N93E = 83.76%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Grand Elk Railroad	1027060	2,000.000	Dlr
0010	Mobilization, Max$33,800.00	1100001	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 038 **Proposal ID:** 37000-214574

Description: 1.99 mi of hot mix asphalt crushing, shaping and resurfacing, aggregate shoulders, culvert repair, guardrail and pavement markings on Rolland Road from Millbrook Road to Broomfield Road, Isabella County. This is a Local Agency project. ** 1203 Cb or Comb/Jt. 1203 Ea, I **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and I. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
214574A	26A0980		STL 37000

Location: Rolland Road from Millbrook Road to Broomfield Road.

Route:

Classification Ratings

Cb = 37.29%	Ea = 20.23%	Fa = 3.07%	Fb = 0.88%
I = 10.63%	J = 0.42%	MOT = 3.84%	Misc = 9.98%
N2 = 0.83%	N3 = 2.24%	N6 = 1.00%	N91A = 0.24%
N92D = 4.09%	N96L = 5.10%	N96M = 0.14%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$103,000.00	1100001	1.000	LSUM
0180	Post, Mailbox	8070095	18.000	Ea
0300	_HMA Spillway	8147011	88.000	Syd
0315	Monument Box	8210001	5.000	Ea
0320	Monument Preservation	8210010	1.000	Ea
0325	_Monument Preservation, Modified	8217050	4.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 039 **Proposal ID:** 03000-226459

Description: 1.87 mi of road rehabilitation including pavement removal, aggregate base, hot mix asphalt resurfacing, and pavement markings on N Shore Drive at I-196 at exit 22, and Blue Star Highway at I-196 at exits 30, 36, and 41, Allegan County. This is a Local Agency project. ** 1372 Cb or 1372 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
226459A	26A0927		STL 03000
Location: North Shore Drive at I-196 at exit 22, and Blue Star Highway at I-196 at exit 30 and exit 36.			
Route:			
226486A	26A0910		STL 03000
Location: Blue Star Highway over I-196 at Exit 41.			
Route:			

Classification Ratings

Cb = 48.99%	Ea = 38.81%	MOT = 2.30%	Misc = 8.69%
N3 = 0.67%	N93A = 0.54%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$115,000.00	1100001	1.000	LSUM
0020	Project Cleanup	2090001	1.000	LSUM
0100	Plastic Drum, Fluorescent, Furn	8120252	200.000	Ea
0105	Plastic Drum, Fluorescent, Oper	8120253	200.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 040 **Proposal ID:** 19000-223475

Description: 1.50 mi of hot mix asphalt base crushing, shaping and resurfacing, drainage improvements and pavement markings on Francis Road from I-69WB Ramp to Clark Road, Clinton County. This is a Local Agency project. ** 1308 Cb or 1308 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
223475A	26A0932		STL 19000

Location: Francis Road from I-69WB Ramp to Clark Road.

Route:

Classification Ratings

Cb = 35.34%	Ea = 39.30%	I = 5.60%	J = 0.23%
K = 2.68%	MOT = 0.92%	Misc = 10.36%	N2 = 0.44%
N3 = 0.66%	N92D = 2.09%	N93A = 2.37%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$119,000.00	1100001	1.000	LSUM
0065	Project Cleanup	2090001	1.000	LSUM
0185	Post, Mailbox	8070095	29.000	Ea
0250	Monument Box	8210001	3.000	Ea
0255	Monument Preservation	8210010	3.000	Ea
0260	Contractor Staking	8240001	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 041 **Proposal ID:** 41000-222855

Description: 1.10 mi of concrete curb, gutter and sidewalk, pedestrian refuge island, signing and pavement markings on Reeds Lake Boulevard SE from Centro Boulevard to Manhattan Road, Manhattan Road from Reeds Lake Boulevard SE to Manhattan Park and Cascade Road from Elmhurst Avenue to Manhattan Road in the city of East Grand Rapids, Kent County. This is a Local Agency project. ** 1577 J **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222855A	26A1052		TA 41000

Location: Reeds Lake Boulevard SE from Centro Boulevard to Manhattan Road, Manhattan Road from Reeds Lake Boulevard SE to Manhattan Park and Cascade Road from Elmhurst Avenue to Manhattan Road.

Route:

Classification Ratings

B = 0.20%	Cb = 5.94%	Ea = 15.08%	H = 0.19%
I = 6.70%	J = 28.32%	K = 3.19%	MOT = 6.68%
Misc = 29.35%	N3 = 1.70%	N6 = 0.74%	N96M = 1.92%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$143,000.00	1100001	1.000	LSUM
0175	_Modular Block Retaining Wall, Large Block	8007010	3,200.000	Sft
0180	_Modular Block Retaining Wall, Small Block	8007010	300.000	Sft
0230	Post, Mailbox	8070095	6.000	Ea
0320	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0325	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0345	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0350	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 042 **Proposal ID:** 21000-223574

Description: Bridge preventative maintenance including cleaning and coating of structural steel and maintenance of traffic on County Road E2 over Ford River and County Road J11 over Ogontz River, Delta County. This is a Local Agency project. ** 458 N4 **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
223574A	26A0917		BFPO 21000

Location: County Road E2 (Structure 2153) over Ford River and County Road J11 (Structure 2154) over Ogontz River, Delta County.

Route:

Classification Ratings

Fa = 0.75% MOT = 2.89% Misc = 8.73% N4 = 87.63%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$40,000.00	1100001	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 043 **Proposal ID:** 18000-227168

Description: 2.98 mi of hot mix asphalt overlay on Rock Road from South Garfield Avenue to South Lake Station Avenue, Clare County. This is a Local Agency project. ** 323 Cb **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
227168A	26A1098		SRGR 18000

Location: Rock Road from South Garfield Avenue to South Lake Station Avenue.

Route:

Classification Ratings

Cb = 84.48% MOT = 4.97% Misc = 10.56%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$29,500.00	1100001	1.000	LSUM
0040	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0045	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0080	Monument Box, Adj	8210005	6.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 044 **Proposal ID:** 09000-224348

Description: 3.92 mi of hot mix asphalt base crushing, shaping and resurfacing, hot mix asphalt shoulders, aggregate shoulders, guardrail, storm sewer, drainage improvements, and pavement markings on 7 Mile Road from Erickson Road to Pinconning Road, Bay County. This is a Local Agency project. ** 2628 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 2.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
224348A	26A1033		STL 09000

Location: 7 Mile Road from Erickson Road to Pinconning Road.

Route:

Classification Ratings

Cb = 55.04%	Ea = 15.60%	I = 2.99%	K = 0.93%
MOT = 6.16%	Misc = 9.90%	N3 = 0.74%	N92D = 7.23%
N94B = 0.08%	N96L = 1.33%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$238,900.00	1100001	1.000	LSUM
0325	Post, Mailbox	8070095	31.000	Ea
0400	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0405	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0465	Monument Box	8210001	7.000	Ea
0470	Monument Preservation	8210010	7.000	Ea
0475	_Dust Palliative, Applied, Modified	8507022	10,965.000	Gal

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 045 **Proposal ID:** 47000-225385

Description: 2.14 mi of concrete sidewalk improvements and pedestrian crossings along various routes in the city of Howell, Livingston County. This is a Local Agency project. ** 1216 Ea or 1216 J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
225385A	26A0997		TAU 47000

Location: Along various routes.

Route:

Classification Ratings

Ba = 0.06%	Cb = 5.35%	Ea = 22.35%	J = 36.65%
K = 1.93%	MOT = 4.92%	Misc = 26.82%	N3 = 1.91%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, CSX	1027060	25,000.000	Dlr
0010	_Railroad Protection, at Grade Crossing, Great Lakes Central Railroad	1027060	30,000.000	Dlr
0015	_Reimbursed Permit Fees	1077060	5,000.000	Dlr
0020	Mobilization, Max$111,000.00	1100001	1.000	LSUM
0025	_Root Grinding	2027050	360.000	Ea
0165	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0170	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0185	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0190	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0210	_Greenbelt Restoration, Hydroseeding	8167011	8,542.000	Syd

Cost Summaries For Primes

Letting ID: 261106 **Call Number:** 046 **Proposal ID:** 33000-225034

Description: 2.28 mi of hot mix asphalt base crushing, shaping and resurfacing, intersection improvements, aggregate shoulders, drive approaches, and pavement markings on College Road from Jolly Road to Forest Road, Farm Lane from Mt. Hope Road to Forest Road, and Forest Road from Farm Lane to College Road, Ingham County. This is a Local Agency project. ** 2004 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and N9-2D. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
225034A	26A0837		STU 33000

Location: College Road from Jolly Road to Forest Road, Farm Lane from Mt. Hope Road to Forest Road, and Forest Road from Farm Lane to College Road.

Route:

Classification Ratings

Cb = 44.03%	Ea = 10.06%	I = 5.24%	ITS = 0.68%
J = 1.19%	K = 0.03%	MOT = 4.17%	Misc = 22.48%
N3 = 0.83%	N92D = 11.24%	N96L = 0.05%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$181,700.00	1100001	1.000	LSUM
0195	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	250.000	Ea
0200	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	250.000	Ea
0220	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0225	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0290	Monument Box	8210001	6.000	Ea
0295	Monument Preservation	8210010	6.000	Ea
0300	Protect Corners	8210020	6.000	Ea
0305	Contractor Staking	8240001	1.000	LSUM
0310	Staking Plan Errors and Extras, Max $180/hour	8240002	14.000	Hr
0315	_Stabilization Asphalt, Engineered Emulsion	8507031	313.000	Ton

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 047 **Proposal ID:** 28000-223784

Description: 1.21 mi of hot mix asphalt crushing, shaping, resurfacing and widening for center left turn lane and pavement markings on Cass Road from north of Hartman Road to South Airport Road, Grand Traverse County. This is a Local Agency project. ** 2235 Cb or Comb/Jt. 2235 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
223784A	26A1104		STUL 28000

Location: Cass Road from north of Hartman Road to South Airport Road.

Route:

Classification Ratings

Cb = 39.52%	Ea = 18.91%	I = 2.12%	J = 11.87%
K = 0.13%	MOT = 8.69%	Misc = 9.54%	N3 = 0.75%
N6 = 0.15%	N92D = 7.03%	N96L = 1.30%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$204,000.00	1100001	1.000	LSUM
0150	Post, Mailbox	8070095	49.000	Ea
0245	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0250	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0295	Monument Preservation	8210010	2.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 048 **Proposal ID:** 50000-219341

Description: 0.55 mi of construction of a shared-use path, installation of a pedestrian bridge, concrete sidewalk ramps and pavement markings on Jefferson Avenue over the Clinton River Spillway, Macomb County. This is a Local Agency project. ** 3023 Fa **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
219341A	26A1147		TA 50000

Location: Jefferson Avenue at Clinton River Spillway.

Route:

Classification Ratings

Cb = 0.50%	Ea = 6.16%	Fa = 59.14%	Fb = 1.78%
I = 0.62%	J = 9.13%	K = 0.56%	MOT = 2.55%
Misc = 9.81%	N2 = 0.12%	N3 = 0.27%	N6 = 0.00%
N7 = 0.04%	N95C = 8.93%	N96M = 0.39%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Audio-Visual Filming	1047051	1.000	LSUM
0010	Mobilization, Max$274,800.00	1100001	1.000	LSUM
0015	_Clearing, Spec	2017012	1.000	Acre
0070	Project Cleanup	2090001	1.000	LSUM
0285	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0290	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0315	Plastic Drum, Fluorescent, Furn	8120252	25.000	Ea
0320	Plastic Drum, Fluorescent, Oper	8120253	25.000	Ea
0345	_Slope Restoration, Stabilization	8167011	330.000	Syd
0350	_Slope Restoration, Wetland	8167011	65.000	Syd

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 049 **Proposal ID:** 28000-214833

Description: 0.50 mi of hot mix asphalt reconstruction, concrete curb and gutter, storm sewer, and pavement markings in the village of Kingsley, Grand Traverse County. This is a Local Agency project. ** 912 Cb or 912 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
214833A	26A1163		STL 28000
Location: North Brownson from M-113 to the north village limits of Kingsley.			
Route:			
224979A	26A1119		TAL 28000
Location: North Brownson from M-113 to the north village limits of Kingsley.			
Route:			

Classification Ratings

B = 0.69%	Cb = 35.97%	Ea = 22.80%	I = 0.55%
J = 15.91%	K = 8.57%	MOT = 6.69%	Misc = 6.00%
N3 = 2.46%	N6 = 0.36%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$53,200.00	1100001	1.000	LSUM
0160	Post, Mailbox	8070095	5.000	Ea
0235	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0240	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 050 **Proposal ID:** 33000-224981

Description: 1.70 mi of shared-use path extension, pedestrian bridge, and permanent signing and pavement markings on Hayhoe Trail from Kerns Road to College Road, Ingham County. This is a Local Agency project. ** 5710 Fa **

DBE Goal Percent: 6.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
224981A	26A1145		TA 33000

Location: Install an extension of Hayhoe Trail from Kerns Road to College Road.

Route:

Classification Ratings

Cb = 4.36%	Ea = 8.28%	Fa = 40.94%	Fb = 1.13%
H = 0.26%	I = 1.04%	ITS = 0.44%	J = 1.12%
K = 2.00%	L = 4.87%	MOT = 8.18%	Misc = 14.30%
N2 = 1.11%	N3 = 0.14%	N6 = 0.19%	N7 = 0.02%
N91A = 0.02%	N94B = 0.02%	N95C = 3.73%	N96L = 0.45%
N96M = 7.40%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max$519,100.00	1100001	1.000	LSUM
0090	_Exploratory Trenching	2047001	90.000	Ft
0420	_Shared use Path, Aggregate, 6 inch	8067011	9,669.000	Syd
0440	Post, Mailbox	8070095	2.000	Ea
0585	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	70.000	Ea
0590	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	70.000	Ea
0670	Plastic Drum, Fluorescent, Furn	8120252	332.000	Ea
0675	Plastic Drum, Fluorescent, Oper	8120253	332.000	Ea
0850	Span Wire Tether	8200142	2.000	Ea
0925	_Controller and Cabinet, Digital Type, Modified	8207050	1.000	Ea
0930	_Global Positioning System Module, RTC	8207050	1.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0935	_Tremie Pour	8207050	6.000	Ea
1150	_Shared use Path, Fence	8067001	226.000	Ft

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 051 **Proposal ID:** 23000-215983-2

Description: 2.00 mi of hot mix asphalt cold milling, crushing, shaping and resurfacing, aggregate shoulders and pavement markings on Holt Highway from the village limits of Dimondale to Waverly Road, Eaton County. This is a Local Agency project. ** 2076 Cb or 2076 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
215983A	26A0358		STU 23000

Location: Holt Highway from the village limits of Dimondale to Waverly Road.

Route:

Classification Ratings

Cb = 44.77%	Ea = 28.17%	I = 3.57%	ITS = 1.02%
J = 1.41%	K = 0.83%	MOT = 5.31%	Misc = 9.92%
N2 = 1.35%	N3 = 0.54%	N92D = 3.11%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$188,700.00	1100001	1.000	LSUM
0065	Project Cleanup	2090001	1.000	LSUM
0150	Dr Structure, Temp Lowering	4030390	1.000	Ea
0215	Post, Mailbox	8070095	39.000	Ea
0265	Plastic Drum, Fluorescent, Furn	8120252	220.000	Ea
0270	Plastic Drum, Fluorescent, Oper	8120253	220.000	Ea
0315	Monument Box	8210001	4.000	Ea
0320	Monument Preservation	8210010	4.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 052 **Proposal ID:** 44000-226062

Description: 0.62 mi of hot mix asphalt base crushing, shaping and resurfacing, drainage improvements, signing, shoulder work and pavement markings on Baldwin Road from north of I-69 to the city limits of Lapeer, Lapeer County. This is a Local Agency project. ** 1042 Cb or 1042 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
226062A	26A1112		STUL 44000

Location: Baldwin Road from north of I-69 to the city limits of Lapeer.

Route:

Classification Ratings

Cb = 35.70%	Ea = 39.67%	I = 5.58%	J = 0.86%
MOT = 4.77%	Misc = 9.19%	N3 = 0.34%	N6 = 0.40%
N92D = 2.82%	N96L = 0.65%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$94,700.00	1100001	1.000	LSUM
0170	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	75.000	Ea
0175	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	75.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 053 **Proposal ID:** 33000-225782

Description: 0.80 mi of concrete sidewalk construction along the south side of Haslett Road from East End Drive to west of Okemos Road, Ingham County. This is a Local Agency project. ** 489 Ea or 489 J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
225782A	26A1101		TAU 33000

Location: Haslett Road from East End Drive to west of Okemos Road.

Route:

Classification Ratings

Cb = 1.75%	Ea = 24.35%	H = 2.43%	I = 5.34%
J = 46.44%	K = 2.70%	MOT = 1.06%	Misc = 9.55%
N2 = 0.41%	N96M = 5.98%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$44,800.00	1100001	1.000	LSUM
0155	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0160	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 054 **Proposal ID:** 39000-222049

Description: 1.53 mi of cape seal, installation of rectangular rapid flashing beacons, pedestrian refuge islands, signing and pavement markings on Cork Street from Westnedge Avenue to Portage Street and on Lovers Lane from Foley Street to Portage Street in the city of Kalamazoo, Kalamazoo County. This is a Local Agency project. ** Comb/Jt. 1153 J, N3 or Comb/Jt. 1153 J, N9-3I or Comb/Jt. 1153 N3, N9-3I **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of J, L, N3 and N3-9I. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 2.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222049A	26A1069		VRU 39000

Location: Cork St, Westnedge Ave to Portage St and Lovers Ln, Foley St to Portage St

Route:

Classification Ratings

B = 3.80%	Ca = 9.32%	Cb = 1.31%	Ea = 1.90%
I = 0.55%	J = 10.56%	K = 0.13%	L = 6.79%
MOT = 8.17%	Misc = 14.55%	N3 = 18.97%	N4 = 1.30%
N6 = 7.33%	N93E = 2.25%	N93I = 13.05%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Grand Elk Railroad	1027060	10,000.000	Dlr
0010	Mobilization, Max$95,000.00	1100001	1.000	LSUM
0025	_Curb and Gutter, Rem, Modified	2047001	774.000	Ft
0340	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	700.000	Ea
0345	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	700.000	Ea
0470	_Flsh Beacon, Rectangular Rapid, Solar Power	8207050	8.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 055 **Proposal ID:** 63000-221952

Description: Traffic signal modernizations, installation of rectangular rapid flashing beacons, sidewalk ramp upgrades, signing and pavement markings on various routes in the city of Wixom, Oakland County. This is a Local Agency project. ** 1871 L **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
221952A	26A1047		HSIP 63000
Location: Wixom Rd at Maple Rd, Wixom Rd at Charms Rd			
Route:			
222046A	26A1041		HSIP 63000
Location: Potter Rd, Wixom Rd to Beechnut Dr			
Route:			

Classification Ratings

Ba = 0.03%	Cb = 5.87%	Ea = 7.98%	J = 5.16%
K = 1.65%	L = 44.05%	MOT = 1.89%	Misc = 30.60%
N3 = 1.92%	N6 = 0.86%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Reimbursed Permit Fees	1077060	45,000.000	Dlr
0010	Mobilization, Max$171,000.00	1100001	1.000	LSUM
0270	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0275	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0315	_Greenbelt Restoration, Modified	8167011	1,559.000	Syd
0575	_Antenna, Delivered, RCOC	8207050	3.000	Ea
0580	_Backplate, TS, RCOC	8207050	29.000	Ea
0585	_Cabinet, ITS Type, Delivered, RCOC	8207050	3.000	Ea
0590	_Cabinet, ITS Type, RCOC	8207050	3.000	Ea
0595	_Camera, Traf Monitoring, Rem, RCOC	8207050	1.000	Ea
0600	_Cellular Router, 4/5G, Delivered, RCOC	8207050	3.000	Ea
0605	_Controller, Digital Type, Delivered, SCATS, RCOC	8207050	3.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0610	_Flsh Beacon, Rectangular Rapid, Solar Power	8207050	6.000	Ea
0615	_Ground Rod, RCOC	8207050	4.000	Ea
0620	_Pedestal, Alum, RCOC	8207050	26.000	Ea
0625	_Pushbutton Support Post, RCOC	8207050	1.000	Ea
0630	_Radar Vehicle Presence Stop-Bar Detector, Initial Setup, RCOC	8207050	3.000	Ea
0635	_Radar, Vehicle Presence Stop-Bar Detector Sensor, RCOC	8207050	11.000	Ea
0640	_Radar, Vehicle Presence Stop-Bar Detector System, RCOC	8207050	3.000	Ea
0645	_Solar Warning Beacon Controller, Compact	8207050	2.000	Ea
0650	_Solar Warning Beacon Controller, Large	8207050	1.000	Ea
0655	_St Name Sign, Non-Illuminated, Bracket Arm, RCOC	8207050	1.000	Ea
0660	_St Name Sign, Non-Illuminated, Two Way, 6 foot, RCOC	8207050	6.000	Ea
0665	_Video Traf Detection Camera, Rem, RCOC	8207050	12.000	Ea
0670	_Warning Beacon	8207050	2.000	Ea
0675	_Wireless Intercn Reciever Radio Panel Mount	8207050	1.000	Ea
0680	_Wireless Intercn Transmitter Radio Handheld	8207050	7.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 056 **Proposal ID:** 41000-222051

Description: 0.30 mi of hot mix asphalt milling and reconstruction, construction of median island for separate bike lanes, installation of rectangular rapid flashing beacons and traffic signal modernization, signing and pavement markings on Mt Vernon Avenue from Fulton Street to north of Pearl Street in the city of Grand Rapids, Kent County. This is a Local Agency project. ** Comb/Jt. 1452 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of L If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 2.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222051A	26A1042		VRU 41000

Location: Mt Vernon Ave SW, Fulton St W to Pearl St

Route:

Classification Ratings

B = 1.78%	Cb = 8.28%	Ea = 17.20%	ITS = 0.05%
J = 19.33%	K = 3.05%	L = 13.66%	MOT = 4.68%
Misc = 26.35%	N3 = 4.08%	N4 = 0.41%	N6 = 0.97%
N93A = 0.16%	N94B = 0.01%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$126,300.00	1100001	1.000	LSUM
0015	_Mh, Valve Chamber, or Catch Basin, Rem	2037050	2.000	Ea
0030	_Abandon and Fill Underground Utilities, 12 inch Dia	2047001	16.000	Ft
0035	_Brick Pavt, Rem, Salv, Full Depth	2047011	30.000	Syd
0040	_Pavt, Rem, Modified	2047011	3,766.000	Syd
0070	Project Cleanup	2090001	1.000	LSUM
0125	Pavt, Cleaning	5010001	1.000	LSUM
0350	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0355	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0380	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0385	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0410	_Turf Establishment	8167011	1,725.000	Syd
0515	Span Wire Tether	8200142	4.000	Ea
0600	_Audible Pedestrian Beacon	8207050	8.000	Ea
0605	_Cabinet, NEMA Type, Modified	8207050	1.000	Ea
0610	_Controller, NEMA, ATC Type, Modified	8207050	1.000	Ea
0615	_Flsh Beacon, Rectangular Rapid	8207050	4.000	Ea
0620	_Managed Field Ethernet Switch, Type, Modified	8207050	1.000	Ea
0625	_Opticom GPS System	8207050	1.000	Ea
0630	_Opticom Infrared, Rem	8207050	1.000	Ea
0635	_Overhead Static St Name Sign, One Way	8207050	1.000	Ea
0640	_Overhead Static St Name Sign, Two Way	8207050	2.000	Ea
0645	_RRFB Audible Push Button Station	8207050	4.000	Ea
0650	_Steel Pole Mounting Hub	8207050	17.000	Ea
0655	_Wireless Bike Sensor Node	8207050	3.000	Ea
0660	_Wireless Vehicle Detection System, Salv, Modified	8207050	1.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 057 **Proposal ID:** 13000-216631

Description: 1.51 mi of hot mix asphalt cold milling and resurfacing, concrete sidewalk and ramps, concrete curb and gutter, and pavement markings on Avenue A from M-37 (Helmer Road) eastward in the city of Springfield, Calhoun County. This is a Local Agency project. ** 573 Cb or Comb/Jt. 573 Ea, J or Comb/Jt. 573 Ea, N9-3A **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and N9-3A. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
216631A	26A0945		STUL 13000

Location: Avenue A from M-37 (Helmer Road) eastward to City Limit.

Route:

Classification Ratings

Cb = 43.82%	Ea = 8.91%	H = 0.70%	ITS = 0.98%
J = 11.12%	K = 1.19%	MOT = 5.75%	Misc = 14.41%
N2 = 0.63%	N3 = 2.11%	N6 = 0.10%	N93A = 10.29%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$28,000.00	1100001	1.000	LSUM
0020	_Curb and Gutter, Rem, Modified	2047001	450.000	Ft
0045	Dr Structure, Temp Lowering	4030390	46.000	Ea
0155	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	200.000	Ea
0160	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	200.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 058 **Proposal ID:** 50000-224759

Description: Bridge reconstruction including replacement of pedestrian superstructure with prefabricated superstructure with partial abutment replacement and approach work on Iron Belle Trail Bridge from north side of Clinton River to south side of Clinton River at Davis Street in the city of Utica, Macomb County. This is a Local Agency project. ** 763 Fa **

DBE Goal Percent: 2.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
224759A	26A0992		EAR 50000

Location: Iron Belle Trail Bridge from north side of Clinton River to south side of Clinton River at Davis Street.

Route:

Classification Ratings

Cb = 1.55%	Ea = 3.76%	Fa = 59.59%	Fb = 0.34%
K = 0.17%	MOT = 3.97%	Misc = 24.07%	N2 = 0.26%
N6 = 0.03%	N7 = 0.20%	N91A = 5.58%	N91C = 0.38%
N96L = 0.11%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$69,000.00	1100001	1.000	LSUM
0020	_HMA Surface Rem, Modified	2047011	400.000	Syd
0025	_Bollard, Rem	2047050	1.000	Ea
0065	_Bollard, Steel, 8 inch, Special	8007050	1.000	Ea
0115	Plastic Drum, Fluorescent, Furn	8120252	20.000	Ea
0120	Plastic Drum, Fluorescent, Oper	8120253	20.000	Ea
0155	_Turf Establishment, Performance	8167011	875.000	Syd
0160	_Structures, Rem Portions, Modified	2047051	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 059 **Proposal ID:** 50000-222055

Description: 0.20 mi of hot mix asphalt intersection widening for left turn lanes, drainage improvements, installation of new traffic signal, signing and pavement markings on 26 Mile Road at Hayes Road, Macomb County. This is a Local Agency project. ** Comb/Jt. 1770 Cb, Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of L. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222055A	26A1048		HSIP 50000

Location: 26 Mile Rd at Hayes Rd

Route:

Classification Ratings

Cb = 20.64%	Ea = 20.36%	J = 1.69%	K = 2.87%
L = 13.97%	MOT = 12.91%	Misc = 24.93%	N2 = 0.02%
N3 = 0.50%	N4 = 0.29%	N6 = 0.31%	N93A = 0.86%
N96L = 0.59%	N96M = 0.06%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$161,000.00	1100001	1.000	LSUM
0040	_Pavt, Rem, Modified	2047011	235.000	Syd
0080	Project Cleanup	2090001	1.000	LSUM
0275	Post, Mailbox	8070095	1.000	Ea
0385	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0390	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0430	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0435	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0495	_Turf Establishment, Performance	8167011	4,500.000	Syd
0610	_ATC Cabinet Fdn, 340	8207050	1.000	Ea
0615	_ATC Cabinet Operational Test Certification	8207050	1.000	Ea
0620	_ATC Cabinet, 340, 16 Output, Black	8207050	1.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0625	_ATC Controller	8207050	1.000	Ea
0630	_ATC Controller, D4 Software	8207050	1.000	Ea
0635	_Case Sign, One Way (LED), 24 inch by 30 inch, Black	8207050	1.000	Ea
0640	_Hemispherical Video Detection Camera, Modified	8207050	2.000	Ea
0645	_Hemispherical Video Detection System, Modified	8207050	1.000	Ea
0650	_Pedestal, Black	8207050	8.000	Ea
0655	_Pushbutton and Sign, Black	8207050	8.000	Ea
0660	_Radar Detection, Dilemma Zone	8207050	2.000	Ea
0665	_Roadside Unit, with Wi-Fi Detection	8207050	1.000	Ea
0670	_St Name Sign, Two Way, (LED) Illuminated, 6 foot, Black	8207050	4.000	Ea
0675	_Steel Truss Arm, Mast Arm Mtd, 18 foot, Black	8207050	2.000	Ea
0680	_TS, One Way Mast Arm Mtd, Safety	8207050	8.000	Ea
0685	_TS, One Way Mast Arm Mtd, Safety, FYA	8207050	2.000	Ea
0690	_Video Surveillance, Camera	8207050	1.000	Ea
0695	_Wireless Interconnect, Dual Radio, Rem	8207050	2.000	Ea
0700	_Wireless Interconnect, Integrated Radio, Proxim	8207050	4.000	Ea
0710	Monument Preservation	8210010	1.000	Ea
0715	_Benchmark Post	8217050	1.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 060 **Proposal ID:** 50000-221322

Description: 0.20 mi of pedestrian improvements including concrete sidewalks and ramp upgrades and lighting on west of Gratiot Avenue from Martin Road to Victor Street in the city of Roseville, Macomb County. This is a Local Agency project. ** 866 H or Comb/Jt. 866 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea, H and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 8.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
221322A	26A1001		TAU 50000

Location: On the west side of Gratiot Avenue from Martin Road to Victor Street.

Route:

Classification Ratings

Ea = 8.33%	Fa = 6.34%	Fb = 5.95%	H = 20.59%
I = 0.69%	J = 16.55%	K = 0.57%	L = 0.58%
MOT = 7.56%	Misc = 31.89%	N2 = 0.65%	N3 = 0.12%
N6 = 0.18%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Audio Visual Record of Construction Area	1027051	1.000	LSUM
0010	_Reimbursed Permit Fees	1077060	3,000.000	Dlr
0015	Mobilization, Max$74,500.00	1100001	1.000	LSUM
0050	_Handrail, Rem	2047001	10.000	Ft
0055	_Conc Planter, Rem	2047050	2.000	Ea
0060	_Light Pole, Rem	2047050	12.000	Ea
0065	_Trash Receptacle, Rem	2047050	3.000	Ea
0070	_Trash Receptacle, Rem, Salv, and Reinstall	2047050	2.000	Ea
0075	_Irrigation System, Rem	2047051	1.000	LSUM
0100	Project Cleanup	2090001	1.000	LSUM
0355	_Simulated Wood Masonry	8507010	1,076.000	Sft

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0360	_Bench, Type 1	8507050	12.000	Ea
0365	_Bench, Type 2	8507050	1.000	Ea
0370	_Bike Rack	8507050	4.000	Ea
0375	_Skate Deterrent	8507050	333.000	Ea
0380	_Trash Receptacle	8507050	3.000	Ea
0385	_Irrigation System	8507051	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 061 **Proposal ID:** 63000-224234

Description: 0.90 mi of hot mix asphalt shared-use path, concrete curb, gutter and sidewalk ramps and traffic signal work on 9 Mile from Northwestern Highway to Greenfield Road in the city of Southfield, Oakland County. This is a Local Agency project. ** 1277 Ea or Comb/Jt. 1277 Cb, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
224234A	26A0999		TAU 63000

Location: 9 Mile from Northwestern Highway to Greenfield.

Route:

Classification Ratings

B = 4.39%	Cb = 19.88%	Ea = 25.16%	J = 17.30%
K = 3.86%	L = 7.55%	MOT = 3.15%	Misc = 16.33%
N2 = 1.39%	N3 = 0.41%	N6 = 0.58%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Audio-Visual Filming	1027051	1.000	LSUM
0010	_Reimbursed Permit Fees	1047060	15,000.000	Dlr
0015	Mobilization, Max$116,100.00	1100001	1.000	LSUM
0055	_Sidewalk, Brick Pavers, Rem and Salv	2047010	30.000	Sft
0060	_Bench, Salv and Reinstall	2047050	4.000	Ea
0065	_Bus Shelter, Salv and Reinstall	2047050	1.000	Ea
0070	_Flagpole, Rem	2047050	1.000	Ea
0075	_Litter Receptacle, Salv and Reinstall	2047050	4.000	Ea
0310	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	310.000	Ea
0315	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	310.000	Ea
0350	_Slope Restoration, Bonded Fiber Matrix	8167011	4,683.000	Syd
0530	_Case Sign, One Way, 12 inch by 27 inch, Non-Illuminated, RCOC	8207050	2.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0535	_Case Sign, One Way, 24 inch by 30 inch, Non-Illuminated, RCOC	8207050	1.000	Ea
0540	_Ground Rod, RCOC	8207050	5.000	Ea
0545	_Pedestal, Alum, RCOC	8207050	4.000	Ea
0550	_Pushbutton Support Post, RCOC	8207050	2.000	Ea
0555	_Pushbutton Support Post, Rem, RCOC	8207050	1.000	Ea
0560	_TS Head, Recable, RCOC	8207050	2.000	Ea
0565	_TS Pushbutton, Recable, RCOC	8207050	2.000	Ea
0570	Protect Corners	8210020	5.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 062 **Proposal ID:** 61000-215762

Description: 0.53 mi of hot mix asphalt reconstruction, storm sewer, water main, curb ramps, signing and pavement marking on McCracken Street from Norton Avenue northerly to Bonneville Drive in the city of Norton Shores, Muskegon County. This is a Local Agency project. ** 3217 Ea or 3217 K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
215762A	26A1050		STUL 61000

Location: McCracken Street from Norton Avenue northerly to Bonneville Drive.

Route:

Classification Ratings

B = 1.72%	Cb = 20.28%	Ea = 21.16%	I = 0.78%
J = 3.34%	K = 36.92%	MOT = 5.72%	Misc = 9.29%
N3 = 0.17%	N6 = 0.57%	N94B = 0.03%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$292,500.00	1100001	1.000	LSUM
0275	Post, Mailbox	8070095	25.000	Ea
0410	Plastic Drum, Fluorescent, Furn	8120252	130.000	Ea
0415	Plastic Drum, Fluorescent, Oper	8120253	130.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 063 **Proposal ID:** 41000-222891

Description: 1.07 mi of hot mix asphalt reconstruction, concrete curb, gutter and sidewalk, retaining walls, signing, water main, sanitary sewer and pavement markings on Vinecroft Street from Indian Mill Creek northerly to 3 Mile Road in the city of Walker, Kent County. This is a Local Agency project. ** 6061 Ea or 6061 K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
222891A	26A1044		STU 41000
Location: Bristol Avenue from Vinecroft Street northerly to 3 Mile Road.			
Route:			
222928A	26A1000		TAU 41000
Location: Bristol Avenue from Indian Mill Creek northerly to 3 Mile Road.			
Route:			

Classification Ratings

Cb = 10.26%	Ea = 20.75%	Fa = 7.22%	H = 0.99%
I = 0.14%	ITS = 0.16%	J = 8.51%	K = 37.97%
MOT = 3.10%	Misc = 9.37%	N2 = 0.80%	N3 = 0.09%
N6 = 0.14%	N96M = 0.50%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$551,000.00	1100001	1.000	LSUM
0045	_Mh, Valve Chamber, or Catch Basin, Rem	2037050	1.000	Ea
0075	_Unsuitable Soil, Rem and Replacement, with Granular Material Class II	2047021	100.000	Cyd
0225	Dr Structure, Temp Lowering	4030390	3.000	Ea
0460	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	125.000	Ea
0465	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	125.000	Ea
0490	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0495	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0570	_Turf Establishment, Modified	8167011	400.000	Syd

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 064 **Proposal ID:** 73000-226791

Description: Bridge reconstruction including replacement with 21-inch prestressed concrete box beams and approach work on Bueche Road over Pattie Creek, Saginaw County. This is a Local Agency project. ** 1885 Fa **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
226791A	N/A		NRFB 73000

Location: Bueche Road over Pattie Creek.

Route:

Classification Ratings

B = 1.13%	Ea = 7.78%	Fa = 57.76%	Fb = 7.23%
I = 0.34%	J = 0.24%	Misc = 9.55%	N3 = 0.02%
N6 = 0.04%	N7 = 0.19%	N91B = 1.51%	N95C = 12.64%
N96L = 1.54%	N96M = 0.03%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$180,000.00	1100001	1.000	LSUM

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 065 **Proposal ID:** 34000-214705

Description: Bridge reconstruction including removal and replacement and approach work on Divine Highway over the Looking Glass River in the city of Portland, Ionia County. This is a Local Agency project. ** 4123 Fa **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
214705A	N/A		MCS 34000

Location: Divine Highway over the Looking Glass River.

Route:

Classification Ratings

B = 0.19%	Cb = 1.03%	Ea = 5.67%	Fa = 54.91%
Fb = 6.00%	I = 0.09%	J = 2.35%	K = 2.75%
L = 0.58%	MOT = 3.80%	Misc = 10.10%	N2 = 0.38%
N3 = 0.04%	N6 = 0.00%	N7 = 0.17%	N91A = 0.27%
N91B = 1.81%	N93A = 0.12%	N95C = 9.18%	N96L = 0.51%
N96M = 0.05%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$410,000.00	1100001	1.000	LSUM
0295	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	150.000	Ea
0300	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	150.000	Ea
0350	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0355	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 066 **Proposal ID:** 06073-211115

Description: 3.75 mi of hot mix asphalt cold milling and resurfacing with joint repairs on US-23 from Au Gres River to South Point Lookout Road in the city of AuGres, Arenac County. This project includes a 3 year materials and workmanship pavement warranty. ** 2181 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 2.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211115A	26A1152		NH 06073

Location: US-23 from Au Gres River to South Point Lookout Road.

Route:

Classification Ratings

Cb = 56.58%	Ea = 1.60%	K = 0.07%	MOT = 5.57%
Misc = 10.46%	N3 = 5.78%	N93A = 12.63%	N93D = 0.63%
N93G = 6.67%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$198,300.00	1100001	1.000	LSUM
0140	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	350.000	Ea
0145	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	350.000	Ea
0165	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0170	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0225	Monument Box	8210001	1.000	Ea
0230	Monument Preservation	8210010	1.000	Ea
0235	Protect Corners	8210020	1.000	Ea
0240	Centerline Corrugations, Milled, HMA	8220013	18,000.000	Ft
0245	Non-Freeway Shld Corrugations, Milled, HMA	8220025	37,000.000	Ft

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 067 **Proposal ID:** 39103-225437

Description: 1.20 mi of high friction surface treatment in curve sections of roadway on M-89 from west of 27th Street to east of C Avenue, Kalamazoo County. ** 330 N7 **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
225437A	26A1141		HSIP 39103

Location: M-89 from west of 27th Street to east of C Avenue.

Route: M-89

Classification Ratings

MOT = 9.54% Misc = 9.54% N3 = 3.51% N7 = 77.41%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$30,100.00	1100001	1.000	LSUM
0040	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0045	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 068 **Proposal ID:** 76062-214087

Description: 2.00 mi of concrete sidewalk, curb ramps, drive approaches, signing, pedestrian signals and pavement markings along M-21 from Gould Street to State Road in the cities of Corunna and Owosso, Shiawassee County. ** 2376 Ea or 2376 J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

SBP Goal Percent: 8.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
214087A	26A1176		VRU 76062

Location: M-21 from Gould Street to State Road.

Route:

Classification Ratings

B = 0.20%	Ba = 0.00%	Cb = 6.18%	Ea = 24.17%
I = 2.19%	J = 36.80%	K = 5.15%	L = 5.84%
MOT = 5.62%	Misc = 13.36%	N3 = 0.26%	N6 = 0.23%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	Critical Path Method Schedule	1080005	15,000.000	Dlr
0015	Mobilization, Max$216,100.00	1100001	1.000	LSUM
0080	Project Cleanup	2090001	1.000	LSUM
0160	_Maintaining Water Sprinkler System	8007050	25.000	Ea
0230	Post, Mailbox	8070095	31.000	Ea
0305	Plastic Drum, Fluorescent, Furn	8120252	300.000	Ea
0310	Plastic Drum, Fluorescent, Oper	8120253	300.000	Ea
0485	Contractor Staking	8240001	1.000	LSUM
0490	Staking Plan Errors and Extras, Max $180/hour	8240002	21.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 069 **Proposal ID:** 13083-224976

Description: 34.81 mi of overband crack fill on various routes in various villages and cities, St. Joseph, Branch and Calhoun Counties. ** 710 N9-3E **

DBE Goal Percent: 0.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
224976A	26A1159		ST 13083

Location: On various routes.

Route: Various

Classification Ratings

MOT = 31.15% Misc = 19.57% N93E = 49.28%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Amtrak Railroad	1027060	7,500.000	Dlr
0010	_Railroad Protection, at Grade Crossing, Grand Elk Railroad	1027060	7,500.000	Dlr
0015	_Railroad Protection, at Grade Crossing, Grand Trunk Western Railroad	1027060	7,500.000	Dlr
0020	Mobilization, Max$64,600.00	1100001	1.000	LSUM
0040	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	1,400.000	Ea
0045	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	1,400.000	Ea
0075	Plastic Drum, Fluorescent, Furn	8120252	870.000	Ea
0080	Plastic Drum, Fluorescent, Oper	8120253	870.000	Ea
0135	Contractor Staking	8240001	1.000	LSUM
0140	Staking Plan Errors and Extras, Max $180/hour	8240002	7.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 070 **Proposal ID:** 82062-212162

Description: 2.60 mi of hot mix asphalt cold milling and resurfacing, full depth pavement repair, concrete sidewalk ramp upgrades and pavement markings and traffic signal modernization at five locations in the cities of Dearborn and Dearborn Heights, Wayne County. This project includes a 3 year materials and workmanship pavement warranty. ** 7918 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of L. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
212162A	26A1128		STG 82062
Location: On US-12 at Nowlin Street, Military Street, Howard Street, Mason Street and Brady Street.			
Route: US-12			
221893A	26A1121		NH 82062
Location: US-12 from Gulley Road to Elm Street.			
Route:			

Classification Ratings

B = 0.16%	Ba = 6.57%	Cb = 35.84%	Ea = 2.84%
I = 0.04%	ITS = 0.04%	J = 2.33%	K = 0.42%
L = 17.14%	MOT = 3.11%	Misc = 13.98%	N3 = 1.84%
N4 = 0.30%	N6 = 0.04%	N93A = 6.23%	N93D = 0.17%
N93G = 8.92%	N96M = 0.02%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$719,900.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0160	_Restricted Excavation Marker, Relocate	8007050	1.000	Ea
0165	_Vibration Monitoring	8007051	1.000	LSUM
0170	_Vibration Monitoring, Utility	8007051	1.000	LSUM
0335	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	1,520.000	Ea

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0340	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	1,520.000	Ea
0570	Span Wire Tether	8200142	20.000	Ea
0725	_Backplate, TS, Flexible	8207050	48.000	Ea
0730	_Controller, NEMA, ATC Type	8207050	5.000	Ea
0735	_St Name Sign Bracket Arm, 10 Foot	8207050	1.000	Ea
0740	_St Name Sign Bracket Arm, 18 Foot	8207050	6.000	Ea
0745	_St Name Sign Bracket Arm, 8 Foot	8207050	3.000	Ea
0750	_St Name Sign, Two Way, Illuminated, Rem	8207050	6.000	Ea
0755	_St Name Sign, Two Way, LED, 6 foot	8207050	6.000	Ea
0760	_St Name Sign, Two Way, LED, 8 foot	8207050	4.000	Ea
0780	Contractor Staking	8240001	1.000	LSUM
0785	Staking Plan Errors and Extras, Max $180/hour	8240002	89.000	Hr

Cost Summaries For Primes

Report v1

Letting ID: 261106 **Call Number:** 071 **Proposal ID:** 33081-225401

Description: 2.89 mi of hot mix asphalt cold milling and resurfacing, minor drainage work and installation of a pedestrian refuge island on I-96BL from Bardaville Drive to Waverly Road in the city of Lansing, Clinton and Ingham Counties. ** 2033 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N3. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

SBP Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
225401A	26A1107		VRU 33081
Location: I-96BL (Grand River) between Bardaville Drive and Waverly Road.			
Route:			
226516A	26A1106		ST 19021
Location: I-96BL (Grand River Avenue) from Bunkerhill Drive to Waverly Road.			
Route:			

Classification Ratings

Cb = 50.16%	Ea = 2.74%	I = 0.15%	J = 0.74%
K = 1.30%	MOT = 6.48%	Misc = 11.71%	N3 = 16.48%
N6 = 0.83%	N93A = 8.23%	N93G = 1.18%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max$184,400.00	1100001	1.000	LSUM
0305	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	1,000.000	Ea
0310	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	1,000.000	Ea
0400	_Turf Establishment, Performance	8167011	25.000	Syd
0405	Contractor Staking	8240001	1.000	LSUM
0410	Staking Plan Errors and Extras, Max $180/hour	8240002	20.000	Hr