

FY2023-FY2026 Transportation Improvement Program Mid-Year Update

Federal Highway Administration
Eastern Federal Lands Highway Division

Last Printed: 8/18/2023

												Last Printed:	8/18/2023
	PROGRAM							TOTAL	FUNDS				
	FISCAL			PARK, REFUGE, FOREST OR		TYPE OF	PRIMARY FUND	PROGRAMMED	FROM	DELIVERED		CONGRESSIONAL	
PROJECT	YEAR	STATE	COUNTY	OTHER PARTNER/AGENCY	DESCRIPTION	WORK	SOURCE	AMOUNT	TITLE	BY	STATUS	DISTRICT	FLMA REGION
Michigan		T	T			Т	•			ı	•	ı	T
					L								
					Existing bridge is 57 years old with a								
					deck area of 520 sf constructed of								
					sawn treated timber with a								
					minimum NBI of 4 and a load rating								
					Rf of 0.40. The new bridge length								
					will be determined by H&H and								
					three options considered for final								
					design are longitudinal laminated								
					timber, steel with timber deck, and								
MI Brevoort River Bridge	2023	MI	Mackinac	Hiawatha National Forest	glulam with timber deck.	BR3R	FLTP - FS	\$516,797.00	Title 23	FS	Construction	MI-01	FS-09-East
				Alger County Road									
MI FLAP 82	2023	MI	Alger	Commission	Chapel Road Phase 2	3R	FLAP - EFL	\$390,000.00	Title 23	state	Construction	MI-01	NPS-MWR
				Shiawassee National Wildlife						l			=1440 = 44=
MI FLAP 83	2023	-	Saginaw	Refuge	Curtis Road Improvements	4R	FLAP - EFL	\$732,000.00		local	Construction	MI-05	FWS-5-NE
MI FLAP 87	2023	MI	Gogebic	Hiawatha National Forest	Roddis Road	3R	FLAP - EFL	\$1,100,946.00	Title 23	state	Construction	MI-01	FS-09-East
. 41 FTNID 61 DE 25 6222	2022		l	S. D.E.	Replace Covered Bridge-Pierce	222	FLTD NDC	4440,000,00	T' 22	NEC		N.41.04	NIDG A WARD
MI FTNP SLBE 256323	2023	MI	Leelanau	SLBE	Stoking DR	BR3R	FLTP - NPS	\$110,000.00		NPS	Construction	MI-01	NPS-MWR
MI NP ISRO 295911	2023	MI	Keweenaw	ISRO	Replace Ranger III	Boat	FLTP - NPS	\$25,000.00		NPS	In design	MI-01	NPS-MWR
MI NP ISRO 312643	2023	MI	Keweenaw	ISRO	Drydock Ranger III	Boat	FLTP - NPS	\$10,000.00		NPS	In design	MI-01	NPS-MWR
MI NP PIRO 322515	2023	MI	Alger	PIRO	Sand Point Multi-Use Trail	Trail	FLTP - NPS	\$50,000.00	Title 23	TBD	In design	MI-01	NPS-MWR
					Evicting builded is EQ years ald with a								
					Existing bridge is 58 years old with a deck area of 1614.46 sf constructed								
					of steel girders and sawn treated								
					timber with a minimum NBI of 4and								
					an RF of The new bridge length will								
					be determined by H&H and three								
					options considered for final design								
					will consider two span and single								
					span options and are longitudinal								
					laminated timber, steel with timber			4					
MI Carp River Bridge 2	2024	MI	Baraga	CARP	deck, and glulam with timber deck.	BR3R	FLTP - FS	\$1,310,660.00		FS	Planned	MI-01	FS-09-East
MI FLAP 96	2024	MI	Chippewa	Hiawatha National Forest	Mackinac Trail over Chub Creek	3R	FLAP - EFL	\$2,800,000.00	Title 23	state	Planned	MI-01	FS-09-East
					B 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
				l	Rehabilitation of the Manistee River								
				Huron Manistee National	Trail bridge (Little Mac, M8) over		F	4			1		FC 22 5
MI FS HRMAN904 8(1)	2024	MI	Manistee	Forest	Slagle Creek. Design is complete	BR3R	FLTP - FS	\$255,000.00	Title 23	FS	In design	MI-01	FS-09-East



FY2023-FY2026 Transportation Improvement Program Mid-Year Update

Federal Highway Administration
Eastern Federal Lands Highway Division

Last Printed: 8/18/2023

Removal and replacement of the Miners River bridge and the integrated Lumprey Barrier dam structure. The replacement of the 270 long, as 70 wide Miners River Bridge will certail the C11 demolition and removal of the steel bridge and, the supporting abutments, and the attached Lamprey Barrier dam structure, (2) the restablishment of bridge footing, (3) the construction, (3) the construction, (3) the construction, (4) the construction, (4													Last Printed:	8/18/2023
PROJECT VEAR STATE COUNTY OTHER PARTNER/ASERCY DESCRIPTION WORK SOURCE AMOUNT TITLE BY STATUS DISTRICT FEMA REGIC Removal and replacement of the minery shore in the minery family and the minery family family and the minery family family and the minery family		PROGRAM							TOTAL	FUNDS				
Removal and replacement of the Miners River bridge and the integrated Lamprey Barrier dam structure. The replacement of the 27 long st Wide Miners River Bridge will entail the (1) demolition and removal of the sate bridge and, the supporting abutments, and the attached Lamprey Barrier dam structure. [2) the restablishment of bridge footing and, the supporting abutments, and the attached Lamprey Barrier dam structure. [2) the restablishment of bridge footings, (3) the construction/placement of a low profile contracts sensitive bridge and (1) constructing an adjuent Lamprey Barrier dam structure. [2] the restablishment of bridge footings, (3) the construction/placement of a low profile contracts sensitive bridge and (1) constructing and gloent Lamprey Barrier (Jampsey Barrier (Ja		FISCAL			PARK, REFUGE, FOREST OR		TYPE OF	PRIMARY FUND	PROGRAMMED	FROM	DELIVERED		CONGRESSIONAL	
Mines River bridge and the integrated lamprey sarrier dam structure. The replacement of the 27 long as 27 wide Mense River Bridge will entail the (13 denoiltion and removal of the steel bridge and, the supporting abutments, and the attached Lamprey Barrier dam structure, (2) the restabilishment of bridge footings, (3) the construction/pitcement of a low prifice context tenditive bridge and (4) constructings and gotter Lamprey Barrier dam) attractive bridge and (4) constructings and gotter Lamprey Barrier dam) attractive bridge and (4) constructings and gotter Lamprey Barrier dam) attractive bridge and (4) constructings and gotter Lamprey Barrier dam) attractive bridge and (4) constructings and gotter Lamprey Barrier (dam) structure. 8R FLTP - NPS \$2,400,000.00 Title 23 EFL In design MI+01 NPS-MIWR MI NP SLRE \$109(2) 2024 MI Lealanau SLRE on MI30 Dune Climb Entractive Bridge and MI+01 NPS-MIWR MI NP SLRE \$109(2) 2024 MI Lealanau SLRE on MI30 Dune Climb Entractive Bridge Research and the Constructive Bridge Research and the Constructive Bridge Research and the Constructed of Sawn treated inflow with a deck area of 76 st Constructed of Sawn treated imber with a minimum. Mist of 5 and a load rating R1 Of S.3. The new bridge length will be determined by HRH and three options considered for final deckpr are longitudinal laminated lambers, seek with timber deck, and plant mixture with timber deck, and plant mixture with timber deck, and plant with timber deck, and mixture and constructive Bridge and the Construction Bridge R1 Dr. NPS S175,000.00 Title 23 NPS Planned MI-01 NPS-MIWR MIFTNPPRO 258355 2025 MI Alger PIRO Rehabiliste B-W Parkway Mainline ROUTE 20 ACCESS RAMP RRINGE -	PROJECT	YEAR	STATE	COUNTY	OTHER PARTNER/AGENCY	DESCRIPTION	WORK	SOURCE	AMOUNT	TITLE	BY	STATUS	DISTRICT	FLMA REGION
Mines River bridge and the integrated lamprey sarrier dam structure. The replacement of the 27 long as 27 wide Mense River Bridge will entail the (13 denoiltion and removal of the steel bridge and, the supporting abutments, and the attached Lamprey Barrier dam structure, (2) the restabilishment of bridge footings, (3) the construction/pitcement of a low prifice context tenditive bridge and (4) constructings and gotter Lamprey Barrier dam) attractive bridge and (4) constructings and gotter Lamprey Barrier dam) attractive bridge and (4) constructings and gotter Lamprey Barrier dam) attractive bridge and (4) constructings and gotter Lamprey Barrier dam) attractive bridge and (4) constructings and gotter Lamprey Barrier (dam) structure. 8R FLTP - NPS \$2,400,000.00 Title 23 EFL In design MI+01 NPS-MIWR MI NP SLRE \$109(2) 2024 MI Lealanau SLRE on MI30 Dune Climb Entractive Bridge and MI+01 NPS-MIWR MI NP SLRE \$109(2) 2024 MI Lealanau SLRE on MI30 Dune Climb Entractive Bridge Research and the Constructive Bridge Research and the Constructive Bridge Research and the Constructed of Sawn treated inflow with a deck area of 76 st Constructed of Sawn treated imber with a minimum. Mist of 5 and a load rating R1 Of S.3. The new bridge length will be determined by HRH and three options considered for final deckpr are longitudinal laminated lambers, seek with timber deck, and plant mixture with timber deck, and plant mixture with timber deck, and plant with timber deck, and mixture and constructive Bridge and the Construction Bridge R1 Dr. NPS S175,000.00 Title 23 NPS Planned MI-01 NPS-MIWR MIFTNPPRO 258355 2025 MI Alger PIRO Rehabiliste B-W Parkway Mainline ROUTE 20 ACCESS RAMP RRINGE -														
MI NP SIRE \$109(1)						Removal and replacement of the								
### STUCKURE. The replacement of the Policy Strokers River Bridge will entail the (1) denolition and removal of the steb bridge and, the supporting abutments, and the attached lamprey Barrier dam structure, (2) the resitabilishment of bridge foolings, (3) the construction/placement of a low profile context sensitive bridge and (4) constructing an adjacent Lamprey Barrier (dam) structure. MI NP PIRO 11(2) 2024 Mil Leelanau SLBE TO Constructing an adjacent Lamprey Barrier (dam) structure. **To Constructing Piro Structure.** BR FLTP - NPS \$2,400,000.00 Title 22 EPL In design MI-01 NPS-MWR MI NP SLBE \$109(1) 2024 Mil Leelanau SLBE on MI-02 Dave Climb Estrance on MI-02 Dave Climb Estrance MI-03 Dave Climb Estrance MI-04 FLTP - NPS \$1,000,000.00 Title 23 EPL In design MI-01 NPS-MWR MI-04 NPS-MWR MI-05 NPS-						Miners River bridge and the								
### STUCKURE. The replacement of the Policy Strokers River Bridge will entail the (1) denolition and removal of the steb bridge and, the supporting abutments, and the attached lamprey Barrier dam structure, (2) the resitabilishment of bridge foolings, (3) the construction/placement of a low profile context sensitive bridge and (4) constructing an adjacent Lamprey Barrier (dam) structure. MI NP PIRO 11(2) 2024 Mil Leelanau SLBE TO Constructing an adjacent Lamprey Barrier (dam) structure. **To Constructing Piro Structure.** BR FLTP - NPS \$2,400,000.00 Title 22 EPL In design MI-01 NPS-MWR MI NP SLBE \$109(1) 2024 Mil Leelanau SLBE on MI-02 Dave Climb Estrance on MI-02 Dave Climb Estrance MI-03 Dave Climb Estrance MI-04 FLTP - NPS \$1,000,000.00 Title 23 EPL In design MI-01 NPS-MWR MI-04 NPS-MWR MI-05 NPS-						integrated Lamprey Barrier dam								
20 long x 30 wide Miners River Bridge will entail the (1) demolition and removal of the steel bridge and, the supporting absurbance of bridge footings, (3) in the supporting absurbance of bridge and (4) constructing an adjacent Lamprey Barrier (dam) structure. MI NP SLBE \$109(1)														
Bridge will entail the (1) demolition and removal of the bridge and, the supporting abutments, and the attached Lamprey Barrier dam structure. (2) the restablishment of bridge footings, (3) the constructing and (4) construction and (4) construction and (4) construction and (4) cons						- I								
and removal of the steel bridge and, the supporting abutments, and the attached tamprey Barrier dam structure. (2) the restablishment of bridge footings, (3) the construction/placement of a low profile context sensitive bridge and (4) constructing an adjacent Lamprey Barrier dam structure. MI NP PIRO 11(2) 2024 MI Alger PIRO Barrier (dam) structure. To Construct right and left turn lanes on M.109 Dune Climb Entrance AR New FLTP - NPS \$2,400,000.00 Title 23 EFL in design MI-01 NPS-MWR MIN PS.LBE \$109(2) 2024 MI Ceclanau SLBE on M.109 Dune Climb Entrance MI NP SLBE \$109(2) 2024 MI Ceclanau SLBE Heritage Trail Trail FLTP - NPS \$1,000,000.00 Title 23 NPS In design MI-01 NPS-MWR Existing bridge is 66 years old with a deck area of 765 of constructed of saw metade timber with a minimum NBI of 5 and a load rating R of 0.51. The new bridge length will be determined by Hell and three options considered for final design are longitudinal laminated timber, steel with infer deck, and glulam with timber deck. MI EROntonagon R Bridge 2025 MI Gogobic Ottawa NF glulam willtate B-W Parkway Mainline BR FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 2014 CCCSS RAMP BRIDGE - NPS S175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 2014 CCCSS RAMP BRIDGE - NPS S175,000.00 Title 23 NPS Planned MI-01 NPS-MWR						_								
the supporting abutments, and the attached Lampvey Barrier dam structure, (2) the reestablishment of bridge bookings, (3) the construction/figurement of a low profile context sensitive bridge and (4) constructing and (6) constructing and (6) constructing and (7) constructing and (8) constructing and (9) constructing and (10) construction and (10) con														
attached Lamprey Barrier dam structure, (2) the restablishment of bridge footings, (3) the construction/placement of a low profile context six by bridge and (4) constructing an adjacent Lamprey BR FLTP - NPS \$2,400,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SIBE 5109(1) 2024 MI Leelanau SIBE To Construct right and left turn lanes on M109 Dune Climb Entrance AR New FLTP - NPS \$2,500,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SIBE 5109(2) 2024 MI Leelanau SIBE On M109 Dune Climb Entrance AR New FLTP - NPS \$2,500,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SIBE 5109(2) 2024 MI Leelanau SIBE Heritage Trail Trail FLTP - NPS \$1,000,000.00 Title 23 NPS In design MI-01 NPS-MWR Added the care of 765 sf constructed of sample and the continuation of the continuation														
structure, (2) the reestablishment of bridge footings, (3) the construction/placement of a low profile context sensitive bridge and (4) construction/placement of a low profile context sensitive bridge and (4) construction and (4) constructi														
bridge footings, (3) the construction/placement of a low profile context sensitive bridge and (4) constructing an adjacent Lamprey MI NP PIRO 11(2) 2024 MI Leelanau SLBE To Construct right and left turn lanes on M109 Dune Climb Entrance MI NP SLBE 5109(1) 2024 MI Leelanau SLBE On M109 Dune Climb Entrance AR, New FLTP - NPS \$2,400,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SLBE 5109(2) Tail FLTP - NPS \$3,500,000.00 Title 23 FFL In design MI-01 NPS-MWR Existing bridge is 66 years old with a deck area of 765 sf constructed of sawn treated unber with a minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck, and glulam with timber deck. BB3R FLTP - NPS \$325,000.00 Title 23 NPS Planned MI-01 NPS-MWR MI SPS-MWR						1 · · · · · · · · · · · · · · · · · · ·								
Construction/placement of a low profile context sensitive bridge and (a) constructing an adjacent Lamprey Barrier (dam) structure. BR FLTP - NPS \$2,400,000.00 Title 23 EFL In design MI-01 NPS-MWR														
Pro														
MI NP PIRO 11(2) 2024 MI Alger PIRO Barrier (dam) structure. To Constructing an adjacent Lamprey Barrier (dam) structure. BR FLTP - NPS \$2,400,000.00 Title 23 EFL In design MI-01 NPS-MWR To Construct right and left turn lanes on M109 Dune Climb Entrance 4R, New FLTP - NPS \$2,500,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SLBE 5109(2) 2024 MI Leelanau SLBE Heritage Trail Trail FLTP - NPS \$1,000,000.00 Title 23 NPS In design MI-01 NPS-MWR Existing bridge is 66 years old with a deck area of 765 sf constructed of sawn treated timber with a minimum NBI of 5 and a load rating R of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck, and Rhabilitate B-W Parkway Mainline ROUTE 201 ACCESS RAMP BRIDGE -						•								
MI NP SLBE 5109(1) MI Leelanau SLBE TO Construct right and left turn lanes on M109 Dune Climb Entrance AR, New FLTP - NPS \$2,400,000.00 Title 23 EFL In design MI-01 NPS-MWR FLTP - NPS \$2,500,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SLBE 5109(1) MI NP SLBE 5109(2) MI Leelanau SLBE MI NP SLBE 5109(2) MI Leelanau SLBE MI NP SLBE 5109(2) MI Gogebic Ottawa NF BRAR FLTP - NPS S2,500,000.00 Title 23 EFL In design MI-01 NPS-MWR FLTP - NPS S1,000,000.00 Title 23 NPS In design MI-01 NPS-MWR MI NPS-MWR						i.								
To Construct right and left turn lanes on M109 Dune Climb Entrance 4R_New FLTP - NPS \$2,500,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SLBE 5109(2) 2024 MI Leelanau SLBE Heritage Trail Trail FLTP - NPS \$1,000,000.00 Title 23 NPS In design MI-01 NPS-MWR Existing bridge is 66 years old with a deck area of 765 sf constructed of sawn treated timber with a minimum MB of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR	MI ND DIDO 44/2)	2024		Alman	DIRO	1		CLTD NDC	¢2.400.000.00	T'11 - 22	- F	la dasina	N41 04	NIDC NAVAD
MI NP SLBE 5109(1) 2024 MI Leelanau SLBE on M109 Dune Climb Entrance 4R_New FLTP - NPS \$2,500,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SLBE 5109(2) 2024 MI Leelanau SLBE Heritage Trail Trail FLTP - NPS \$1,000,000.00 Title 23 NPS In design MI-01 NPS-MWR Existing bridge is 66 years old with a deck area of 765 sf constructed of sawn treated timber with a minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -	IVII NP PIRO 11(2)	2024	IVII	Aiger	PIRO	Barrier (dam) structure.	BK	FLIP - NPS	\$2,400,000.00	Title 23	EFL	in design	IVII-U1	NPS-IVIVVK
MI NP SLBE 5109(1) 2024 MI Leelanau SLBE on M109 Dune Climb Entrance 4R_New FLTP - NPS \$2,500,000.00 Title 23 EFL In design MI-01 NPS-MWR MI NP SLBE 5109(2) 2024 MI Leelanau SLBE Heritage Trail Trail FLTP - NPS \$1,000,000.00 Title 23 NPS In design MI-01 NPS-MWR Existing bridge is 66 years old with a deck area of 765 sf constructed of sawn treated timber with a minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -						To Construct right and left turn lanes								
MI NP SLBE 5109(2) 2024 MI Leelanau SLBE Heritage Trail Trail FLTP - NPS \$1,000,000.00 Title 23 NPS In design MI-01 NPS-MWR Existing bridge is 66 years old with a deck area of 765 sf constructed of sawn treated timber with a minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design ree longitudinal laminated timber, steel with timber deck, and glulam with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -	MI ND SIDE 5100/1\	2024	N/I	Loolanau	CIDE	<u> </u>		ELTD NDC	\$2,500,000,00	Title 22	EEI	In docian	MI O1	NIDS NAVA/D
Existing bridge is 66 years old with a deck area of 765 sf constructed of sawn treated timber with a minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -	, ,													
deck area of 765 sf constructed of sawn treated timber with a minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. BR3R FLTP - FS \$925,000.00 Title 23 FS Planned MI-01 FS-09-East MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -	WIT WIT SEDE S105(2)	2024	1411	Lecianda	SEBE	Tierrage Trail	Trun	TEIT WIS	71,000,000.00	THE 23	1413	iii acsigii	IVII OI	TVI S IVIVIN
deck area of 765 sf constructed of sawn treated timber with a minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. BR3R FLTP - FS \$925,000.00 Title 23 FS Planned MI-01 FS-09-East MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -						Existing bridge is 66 years old with a								
sawn treated timber with a minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. BR3R FLTP - FS \$925,000.00 Title 23 FS Planned MI-01 FS-09-East Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -														
minimum NBI of 5 and a load rating Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -														
Rf of 0.51. The new bridge length will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -														
will be determined by H&H and three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -						<u> </u>								
three options considered for final design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. MIFTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -														
design are longitudinal laminated timber, steel with timber deck, and glulam with timber deck. MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. BR3R FLTP - FS \$925,000.00 Title 23 FS Planned MI-01 FS-09-East Planned MI-01 NPS-MWR MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -														
timber, steel with timber deck, and glulam with timber deck, and glulam with timber deck. MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline ROUTE 201 ACCESS RAMP BRIDGE - timber, steel with timber deck, and glulam with timber deck. BR3R FLTP - FS \$925,000.00 Title 23 FS Planned MI-01 NPS-MWR						•								
MI BR Ontonagon R Bridge 2025 MI Gogebic Ottawa NF glulam with timber deck. BR3R FLTP - FS \$925,000.00 Title 23 FS Planned MI-01 FS-09-East MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -														
MI FTNP PIRO 258355 2025 MI Alger PIRO Rehabilitate B-W Parkway Mainline 3R FLTP - NPS \$175,000.00 Title 23 NPS Planned MI-01 NPS-MWR ROUTE 201 ACCESS RAMP BRIDGE -														
ROUTE 201 ACCESS RAMP BRIDGE -	MI BR Ontonagon R Bridge	2025	MI	Gogebic	Ottawa NF	glulam with timber deck.	BR3R	FLTP - FS	\$925,000.00	Title 23	FS	Planned	MI-01	FS-09-East
ROUTE 201 ACCESS RAMP BRIDGE -	MI FTNP PIRO 258355	2025	MI	Alger	PIRO	Rehabilitate B-W Parkway Mainline	3R	FLTP - NPS	\$175,000.00	Title 23	NPS	Planned	MI-01	NPS-MWR
						ROUTE 201 ACCESS RAMP BRIDGE -								
River Raisin National NORTHBOUND & BW PARKWAY					River Raisin National	NORTHBOUND & BW PARKWAY								
MI FTNP RIRA 312498 2025 MI Monroe Battlefield ACCESS RAMP 3R FLTP - NPS \$400,000.00 Title 23 NPS Planned MI-07 NPS-MWR	MI FTNP RIRA 312498	2025	MI	Monroe	Battlefield	ACCESS RAMP	3R	FLTP - NPS	\$400,000.00	Title 23	NPS	Planned	MI-07	NPS-MWR



FY2023-FY2026 Transportation Improvement Program Mid-Year Update

Federal Highway Administration
Eastern Federal Lands Highway Division

Last Printed: 8/18/2023

	PROGRAM							TOTAL	FUNDS				
	FISCAL			PARK, REFUGE, FOREST OR		TYPE OF	PRIMARY FUND	PROGRAMMED	FROM	DELIVERED		CONGRESSIONAL	
PROJECT	YEAR	STATE	COUNTY	OTHER PARTNER/AGENCY	DESCRIPTION	WORK	SOURCE	AMOUNT	TITLE	BY	STATUS	DISTRICT	FLMA REGION
					Existing bridge is 69 years old with a								
					deck area of 480 sf constructed of								
					sawn treated timber with a								
					minimum NBI of 5 and a load rating								
					Rf of 0.56. The new bridge length								
					will be determined by H&H and								
					three options considered for final								
					design are longitudinal laminated								
					timber, steel with timber deck, and								
MI PT. AUX Chenes Creek Bridge	2025	MI	MACKINAC	Hiawatha NF	glulam with timber deck.	3R	FLTP - FS	\$576,037.00	Title 23	FS	Planned	M1-01	FS-09-East
MI FLTP FW SHW(1)	2026	MI	Spaulding	Shiawassee NWR	Shiawassee NWR	Transit	FLTP - FWS	\$200,000.00	Title 23	FWS	Planned	MI-05	FWS-3-Gr8Lk
					Replace existing 55' x 8.9' x 6' arch								
					pipe with a larger culvert to								
					accommodate min 7.4' depth and								
MI FS OTTAW907 1100(1)	2026	MI	Houghton	Ottawa National Forest	15.9' width	3R	FLTP - FS	\$35,000.00	Title 23	FS	Planned	MI-01	FS-09-East