

Michigan Department of Community Health
Childhood Lead Poisoning Prevention Program


2010 Data Report
on Blood Lead Testing and Elevated Levels

Laboratories Analyzing and Reporting Blood Lead Specimens to MDCH CLPPP
Specimens Drawn in Calendar Year 2010

		Number of Specimens Reported	% of Total Reported			Number of Specimens Reported	% of Total Reported
out-of-state private labs:				in-state private labs:			
Advanced Toxicology Network	Memphis, TN	1,539	0.8	1 Allegan Hospital Lab	Allegan	401	0.2
Assoc Reg & Univ Path	Salt Lake City, UT	12,897	6.3	1 Allegan Professional Hlth Svcs	Allegan	22	<0.1
Bellin Hospital Lab	Green Bay, WI	47	<0.1	1 Biotech Clinical Labs	Farmington Hills	254	0.1
Labcorp of America	Burlington, NC	2,887	1.4	1 Brentwood Pediatrics	Livonia	496	0.2
Marshfield Lab	Marshfield, WI	9	<0.1	1 Capital Area Pediatrics	Lansing	59	<0.1
Mayo Medical Lab	Rochester, MN	10,453	5.1	1 Cascade Pediatrics	Grand Rapids	305	0.2
2 Medtox Labs	St Paul, MN	7,847	3.8	1 Center for Family Health	Grand Rapids	190	0.1
2 Nationwide Children's Hospital/ChildLab	Columbus, OH	10	<0.1	1 Chass Center Inc	Detroit	71	<0.1
Pathology Labs	Toledo, OH	61	<0.1	1 Child & Adolescent Center	Southgate	194	0.1
Pacific Toxicology	Chatsworth, CA	70	<0.1	1 Childrens Medical Group	Bay City & Saginaw	538	0.3
Promedica Health System	Toledo, OH	739	0.4	1 Choudhury, Dr Amimul	Monroe	410	0.2
Quest Diagnostics IL	Wood Dale, IL	150	0.1	1 Clinton Preferred Pediatrics	Clinton Twp	310	0.2
Quest Diagnostics NJ	Terterboro, NJ	1	<0.1	1 Day One Healthcare	Battle Creek	154	0.1
Quest Diagnostics VA	Chantilly, VA	34	<0.1	1 Diamond Family Medicine	Shelby Twp	3	<0.1
Quest Nichols Institute CA	San Juan Capistrano, CA	1	<0.1	DMC Laboratories	Detroit	29427	14.3
South Bend Med Foundation	South Bend, IN	843	0.4	Drug Analysis & Tox Lab	Ann Arbor	4004	2.0
Specialty Labs	Valencia, CA	896	0.4	1 Eastman and Wozniak MDPC	Birmingham	747	0.4
St Vincent Mercy Med	Toledo, OH	46	<0.1	1 Family Care Medical Center	Detroit	355	0.2
2 Tamarac Medical	Littleton, CO	145	<0.1	1 Forest Hills Pediatrics	Grand Rapids	238	0.1
subtotal		38,675	18.9	1 Gerber Memorial Hospital	Fremont	223	0.1
in-state public labs:				1 Grand Traverse Band Family Health	Suttons Bay	11	<0.1
1 Bay County Hlth Dept EPSDT	Bay City	1	<0.1	1 Grand Traverse Children's Clinic	Traverse City	96	0.1
1 Bay County Hlth Dept Lab	Bay City	565	0.3	1 Gunderson, Dr Paul	Manistee	206	0.1
1 City of Detroit Hlth Dept CLP	Detroit	5,008	2.4	1 GVSU Family Hlth Ctr	Grand Rapids	27	<0.1
1 Detroit Hlth Dept lab	Detroit	355	0.2	1 Hackley Community Care Center	Muskegon	930	0.5
1 Genesee County Hlth Dept	Flint	146	<0.1	1 Hackley Lakeshore Hosp/MHP Lakeshore/	Shelby	230	<0.1
1 Grand Traverse County Hlth Dept	Traverse City	297	0.1	1 Hasan, Dr Kamal	Davison	79	<0.1
1 Guidance Ctr HS	Southgate	45	<0.1	1 Health Specialists of Lenawee	Tecumseh	74	<0.1
1 Huron County Hlth Dept	Bad Axe	363	0.2	Henry Ford Hospital Lab	Detroit	6661	3.2
1 ICHD-Child Health Center	Lansing	124	0.1	1 Holland Pediatrics	Holland	49	<0.1
1 ICHD-Well Child Clinic	Lansing	320	0.2	1 Jackson Pediatrics	Jackson	352	0.2
1 Ingham County Hlth Dept WIC	Lansing	4,226	2.1	1 Kids Creek Children's Clinic	Traverse City	693	0.3
1 Kent County Hlth Dept Lab	Grand Rapids	5,737	2.8	Marquette General Hospital	Marquette	2172	1.1
2 MDCH Lab	Lansing	40,157	19.5	1 Metro Hlth Breton	Grand Rapids	7	<0.1
1 Mid Michigan Community Action Agency WIC	Midland	362	0.2	1 Mid MI Med Family Practice Ctr	Midland	118	0.1
1 Mott Children's Hlth Ctr	Flint	169	0.1	Mt Clemens Reg Med Ctr	Mt Clemens	1205	1.0
1 Muskegon County Hlth Dept	Muskegon	553	0.3	1 Muskegon Family Care	Muskegon	302	0.2
1 Oakland Livingston Human Services Agency	Pontiac	9	<0.1	1 Northside Pediatrics	Battle Creek	199	0.1
1 Sanilac County Hlth Dept	Sandusky	394	0.2	1 Partners in Pediatrics	Saginaw	201	0.1
1 St Johns Hlth System-Hazel Park	Ferndale	18	<0.1	1 Pediatric & Adolescent Medicine	Ludington	276	0.1
1 St John Hlth System-Nolan	Detroit	4	<0.1	1 Pediatric & Adolescent Services	Owosso	4	<0.1
1 Starfish Family Svcs	Inkster	83	<0.1	1 Pediatric Care Corner	West Bloomfield	636	0.3
1 Stottlemeyer Early C C	Westland	14	<0.1	1 Pediatric Healthcare	Sterling Hts	80	<0.1
1 Tuscola County Hlth Dept	Caro	353	0.2	1 Pediatric Healthcare Association IHA	Ypsilanti	980	0.5
1 YWCA Of West Wayne Co HS	Redford	26	<0.1	1 Promed Pediatrics	Kalamazoo	9	<0.1
subtotal		59,329	28.8	1 Providence Park Peds	Novi	109	0.1
				1 Pullukat, Dr Annamma	Pontiac	229	0.1
				Quest Diagnostics MI	Auburn Hills	12644	6.2
				1 Regional Medical Lab	Battle Creek	2853	1.4
				1 Roth & Shah, Drs	Beverly Hills	503	0.3
				1 Rummani-Askar, Dr Sundus	Warren	220	0.1
				1 Sacred Heart Pediatrics	Grass Lake	48	<0.1
				1 Shanavas, Dr T O	Adrian	120	0.1
				1 Southwestern Med CC Lab	Berrien Springs	123	0.1
				Sparrow Regional Lab	Lansing	3745	1.8
				2 Spectrum Hlth	Grand Rapids	6016	2.9
				1 Thorrez Medical Practice	Ypsilanti	169	0.1
				1 Trestlewood Pediatrics	Portage	165	0.1
				Warde Medical	Ann Arbor	26,626	13.0
				subtotal		107,568	52.3
				Unregistered Labs	Various	120	<0.1
1 LeadCare hand-held analyzer				Total		205,692	100.0
2 filter paper analysis possible							


Blood Lead Testing in Michigan, 1998 - 2010

Children less than Six Years of Age




Blood Lead Testing in Michigan, 1998 - 2010

Children One & Two Years of Age




Pct. of Children 1 & 2 years of age Tested for Lead Poisoning 2010




Elevated Blood Lead Levels (EBLL) in Michigan 1998 - 2010


Children less than Six Years of Age



Children less than Six years of age with Confirmed Elevated Blood Lead Levels (EBLL) 2010



Childhood Lead Poisoning in Michigan Progress toward Elimination of Elevated Blood Lead Levels (EBLL) among Children less than Six Years of Age 2001 - 2010



Childhood Lead Poisoning Data Facts
All Counties in Michigan -- Calendar Year 2010 -- Children less than Six Years of Age

County	%Pre-1950 Housing	Children Under Age 6	Children < Age 6, Tested for Lead		% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	Children with Low-Level Exposure 5 to 9 ug/dL (capillary, venous or unknown)	Children with Confirmed Elevated Blood Lead Levels (EBLL)					Total EBLL (>= 10 µg/dL)	Children with Elevated Capillary Tests, Not Confirmed by Venous				
			Number of Children Tested	% Tested				10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	>=45 ug/dL (venous only)	Capillary 10-14, not confirmed by venous		Capillary 15-19, not confirmed by venous	Capillary 20-44, not confirmed by venous	Capillary >= 45, not confirmed by venous	Total Elevated Capillary, not confirmed by venous	
Alcona	21.0	425	105	24.7	8.6	0.0	8	0	0	0	0	0	1	0	0	0	1	
Alger	32.6	496	109	22.0	4.6	0.0	5	0	0	0	0	0	0	0	0	0	0	
Allegan	27.4	9,141	1,271	13.9	3.9	0.2	45	0	1	2	0	3	2	0	0	0	2	
Alpena	28.6	1,778	366	20.6	3.8	0.5	12	2	0	0	0	2	0	0	0	0	0	
Antrim	22.6	1,457	281	19.3	3.6	0.0	10	0	0	0	0	0	0	0	0	0	0	
Arenac	20.6	1,004	212	21.1	3.3	0.0	7	0	0	0	0	0	0	0	0	0	0	
Baraga	34.9	537	127	23.6	1.6	0.0	2	0	0	0	0	0	0	0	0	0	0	
Barry	29.4	4,214	617	14.6	7.0	0.5	39	1	1	1	0	3	1	0	0	0	1	
Bay	37.1	7,529	1,450	19.3	8.3	1.0	103	12	1	2	0	15	2	0	1	0	3	
Benzie	27.3	1,113	166	14.9	1.8	0.0	3	0	0	0	0	0	0	0	0	0	0	
Berrien	32.7	12,628	2,267	18.0	8.6	1.2	163	17	6	4	1	28	3	1	0	0	4	
Branch	36.5	3,507	758	21.6	10.9	0.1	70	1	0	0	0	1	10	1	1	0	12	
Calhoun	36.4	10,745	2,514	23.4	6.1	0.6	134	11	3	2	0	16	4	0	0	0	4	
Cass	30.4	3,222	600	18.6	6.5	0.7	33	2	2	0	0	4	2	0	0	0	2	
Charlevoix	25.7	1,706	225	13.2	0.9	0.4	1	1	0	0	0	1	0	0	0	0	0	
Cheboygan	21.7	1,537	232	15.1	2.2	0.4	4	0	0	1	0	1	0	0	0	0	0	
Chippewa	28.4	2,296	582	25.3	3.1	0.0	17	0	0	0	0	0	1	0	0	0	1	
Clare	13.1	1,982	525	26.5	1.7	0.0	9	0	0	0	0	0	0	0	0	0	0	
Clinton	28.7	5,145	656	12.8	1.8	0.2	10	1	0	0	0	1	1	0	0	0	1	
Crawford	19.6	770	126	16.4	0.8	0.0	1	0	0	0	0	0	0	0	0	0	0	
Delta	37.7	2,438	507	20.8	5.3	0.2	24	0	1	0	0	1	1	1	0	0	2	
Dickinson	41.6	1,616	296	18.3	2.0	0.0	6	0	0	0	0	0	0	0	0	0	0	
Eaton	23.4	7,005	1,305	18.6	3.6	0.2	42	2	1	0	0	3	1	1	0	0	2	
Emmet	27.7	2,153	253	11.8	2.0	0.0	5	0	0	0	0	0	0	0	0	0	0	
Genesee	22.8	34,075	7,035	20.6	4.3	0.4	267	19	4	3	1	27	10	0	0	0	10	
Gladwin	13.7	1,534	269	17.5	2.6	0.4	6	0	1	0	0	1	0	0	0	0	0	
Gogebic	54.1	808	268	33.2	3.4	0.0	9	0	0	0	0	0	0	0	0	0	0	
Grand Traverse	17.8	6,006	936	15.6	2.1	0.0	19	0	0	0	0	0	1	0	0	0	1	
Gratiot	39.8	2,859	512	17.9	2.1	0.2	9	1	0	0	0	1	1	0	0	0	1	
Hillsdale	39.0	3,359	679	20.2	8.0	1.0	41	4	1	2	0	7	5	1	0	0	6	
Houghton	54.8	2,453	552	22.5	4.3	0.2	23	0	0	1	0	1	0	0	0	0	0	
Huron	33.5	1,945	521	26.8	5.0	0.4	18	2	0	0	0	2	4	2	0	0	6	
Ingham	25.9	20,346	5,176	25.4	4.5	0.5	206	17	3	4	0	24	2	1	1	0	4	
Ionia	37.9	4,889	872	17.8	3.9	0.5	29	3	1	0	0	4	1	0	0	0	1	
Iosco	19.8	1,393	265	19.0	3.4	0.0	8	0	0	0	0	0	1	0	0	0	1	
Iron	44.5	589	174	29.5	2.3	0.0	4	0	0	0	0	0	0	0	0	0	0	
Isabella	19.2	4,204	528	12.6	1.3	0.0	7	0	0	0	0	0	0	0	0	0	0	
Jackson	35.7	11,826	2,511	21.2	8.3	0.6	185	6	5	3	0	14	6	2	1	0	9	
Kalamazoo	24.6	18,686	3,886	20.8	8.1	0.8	266	21	5	6	0	32	16	1	1	0	18	
Kalkaska	15.2	1,255	218	17.4	3.2	0.5	6	1	0	0	0	1	0	0	0	0	0	
Kent	26.8	54,539	10,735	19.7	8.0	0.7	753	46	13	13	0	72	22	6	1	0	29	
Keweenaw	54.9	141	33	23.4	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	
Lake	15.1	647	137	21.2	4.4	0.0	6	0	0	0	0	0	0	0	0	0	0	
Lapeer	22.2	5,947	676	11.4	3.1	0.1	20	1	0	0	0	1	0	0	0	0	0	

Childhood Lead Poisoning Data Facts
All Counties in Michigan -- Calendar Year 2010 -- Children less than Six Years of Age

County	%Pre-1950 Housing	Children Under Age 6	Children < Age 6, Tested for Lead		% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	Children with Low-Level Exposure 5 to 9 ug/dL (capillary, venous or unknown)	Children with Confirmed Elevated Blood Lead Levels (EBLL)					Children with Elevated Capillary Tests, Not Confirmed by Venous				
			Number of Children Tested	% Tested				10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	>=45 ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary 10-14, not confirmed by venous	Capillary 15-19, not confirmed by venous	Capillary 20-44, not confirmed by venous	Capillary >= 45, not confirmed by venous	Total Elevated Capillary, not confirmed by venous
Leelanau	22.0	1,163	175	15.0	4.0	0.0	5	0	0	0	0	0	1	1	0	0	2
Lenawee	38.6	7,238	1,725	23.8	7.4	0.5	115	3	6	0	0	9	2	2	0	0	4
Livingston	13.7	12,414	1,113	9.0	1.8	0.3	17	1	1	1	0	3	0	0	0	0	0
Luce	30.0	356	101	28.4	2.0	0.0	2	0	0	0	0	0	0	0	0	0	0
Mackinac	28.1	594	117	19.7	5.1	0.9	5	1	0	0	0	1	0	0	0	0	0
Macomb	10.9	59,398	9,401	15.8	2.0	0.2	162	15	1	5	0	21	7	0	0	0	7
Manistee	35.9	1,431	312	21.8	7.7	0.6	20	1	0	1	0	2	1	1	0	0	2
Marquette	32.6	3,862	716	18.5	2.9	0.0	21	0	0	0	0	0	0	0	0	0	0
Mason	31.1	1,909	403	21.1	7.4	0.8	24	2	1	0	0	3	2	1	0	0	3
Mecosta	22.0	2,590	355	13.7	2.0	0.0	7	0	0	0	0	0	0	0	0	0	0
Menominee	38.4	1,429	259	18.1	4.2	0.4	10	0	0	1	0	1	0	0	0	0	0
Midland	16.9	5,667	695	12.3	4.3	0.0	30	0	0	0	0	0	0	0	0	0	0
Missaukee	20.6	1,059	142	13.4	2.8	0.0	4	0	0	0	0	0	0	0	0	0	0
Monroe	28.3	10,538	1,908	18.1	4.1	0.3	71	2	1	3	0	6	1	0	0	0	1
Montcalm	28.1	4,895	795	16.2	2.3	0.0	16	0	0	0	0	0	2	0	0	0	2
Montmorency	18.4	491	104	21.2	3.8	0.0	4	0	0	0	0	0	0	0	0	0	0
Muskegon	29.8	13,849	3,514	25.4	8.7	1.0	261	18	9	8	0	35	10	0	0	0	10
Newaygo	22.7	3,831	657	17.1	4.4	0.2	28	1	0	0	0	1	0	0	0	0	0
Oakland	15.9	85,894	14,559	16.9	2.1	0.3	262	22	7	9	0	38	4	1	0	0	5
Oceana	26.8	2,395	625	26.1	2.4	0.2	13	0	0	1	0	1	1	0	0	0	1
Ogemaw	18.3	1,261	240	19.0	2.5	0.0	6	0	0	0	0	0	0	0	0	0	0
Ontonagon	43.4	302	72	23.8	9.7	0.0	6	0	0	0	0	0	0	1	0	0	1
Osceola	24.2	1,746	256	14.7	7.0	0.4	17	0	1	0	0	1	0	0	0	0	0
Oscoda	18.3	493	56	11.4	3.6	0.0	2	0	0	0	0	0	0	0	0	0	0
Otsego	12.6	1,623	334	20.6	1.2	0.0	4	0	0	0	0	0	0	0	0	0	0
Ottawa	18.0	21,662	2,383	11.0	3.7	0.1	80	1	2	0	0	3	5	1	0	0	6
Presque Isle	27.6	714	112	15.7	2.7	0.0	3	0	0	0	0	0	0	0	0	0	0
Roscommon	16.1	1,174	209	17.8	1.0	0.0	2	0	0	0	0	0	0	0	0	0	0
Saginaw	29.3	14,754	3,801	25.8	6.8	0.6	224	14	5	3	0	22	8	1	2	0	11
St Clair	29.6	11,908	1,630	13.7	6.0	0.1	83	1	1	0	0	2	11	0	1	0	12
St Joseph	34.8	5,550	1,279	23.0	11.1	0.6	120	4	2	1	0	7	11	0	4	0	15
Sanilac	34.7	2,989	641	21.4	4.2	0.0	26	0	0	0	0	0	1	0	0	0	1
Schoolcraft	33.1	454	122	26.9	4.1	0.0	5	0	0	0	0	0	0	0	0	0	0
Shiawassee	35.9	4,932	928	18.8	2.5	0.2	21	1	0	1	0	2	0	0	0	0	0
Tuscola	32.8	3,818	708	18.5	2.1	0.4	11	2	1	0	0	3	1	0	0	0	1
Van Buren	29.4	6,580	1,117	17.0	4.3	0.3	44	2	0	1	0	3	1	0	0	0	1
Washtenaw	19.3	23,917	3,029	12.7	2.7	0.3	73	7	2	0	0	9	0	0	0	0	0
Wayne ex Det	24.0	73,053	18,582	25.4	3.6	0.4	582	41	15	14	1	71	15	1	3	0	19
Wexford	26.2	2,494	327	13.1	2.1	0.6	5	1	1	0	0	2	0	0	0	0	0
Detroit, City of	56.0	81,248	30,812	37.9	13.0	2.3	3,197	417	151	134	12	714	59	17	12	0	88
MICHIGAN	27.0	743,620	155,847	21.0	6.3	0.8	8,223	728	256	227	15	1,226	241	44	28	0	313

Sources: Census 2000, U.S. Census Bureau (Pre-1950 housing); 2009 Population Estimates, U.S. Census Bureau (county populations); 2009 American Community Survey, U.S. Census Bureau (Detroit population)

MDCH Data Warehouse (children tested and elevated levels).

Note: %EBLL is calculated as follows: Number of Children w/EBLL divided by (Number of Children Tested minus Children w/elevated capillary tests, not confirmed by venous)

February 22, 2010

Childhood Lead Poisoning Data Facts
All Counties in Michigan -- Calendar Year 2010 -- Children One and Two Years of Age

County	%Pre-1950 Housing	Children Age 1 & 2	Children Age 1 & 2, Tested for Lead		% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	Children with Low-Level Exposure 5 to 9 ug/dL (capillary, venous or unknown)	Children with Confirmed Elevated Blood Lead Levels (EBLL)					Children with Elevated Capillary Tests, Not Confirmed by Venous				Total Elevated Capillary, not confirmed by venous
			Number of Children Tested	% Tested				10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	>45 ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary 10-14, not confirmed by venous	Capillary 15-19, not confirmed by venous	Capillary 20-44, not confirmed by venous	Capillary >= 45, not confirmed by venous	
Alcona	21.0	135	83	61.5	9.6	0.0	7	0	0	0	0	0	1	0	0	0	1
Alger	32.6	164	82	50.0	4.9	0.0	4	0	0	0	0	0	0	0	0	0	0
Allegan	27.4	3,028	746	24.6	4.0	0.4	25	0	1	2	0	3	2	0	0	0	2
Alpena	28.6	583	289	49.6	3.5	0.0	10	0	0	0	0	0	0	0	0	0	0
Antrim	22.6	479	171	35.7	4.7	0.0	8	0	0	0	0	0	0	0	0	0	0
Arenac	20.6	334	153	45.8	3.9	0.0	6	0	0	0	0	0	0	0	0	0	0
Baraga	34.9	181	87	48.1	1.1	0.0	1	0	0	0	0	0	0	0	0	0	0
Barry	29.4	1,382	373	27.0	7.8	0.5	25	1	0	1	0	2	2	0	0	0	2
Bay	37.1	2,508	1,152	45.9	8.9	1.1	85	10	1	2	0	13	3	0	1	0	4
Benzie	27.3	368	72	19.6	1.4	0.0	1	0	0	0	0	0	0	0	0	0	0
Berrien	32.7	4,216	1,560	37.0	8.9	1.2	117	10	6	3	0	19	2	1	0	0	3
Branch	36.5	1,173	409	34.9	10.5	0.0	38	0	0	0	0	0	2	1	2	0	5
Calhoun	36.4	3,592	1,538	42.8	7.2	0.7	96	7	2	1	0	10	4	0	0	0	4
Cass	30.4	1,054	452	42.9	7.3	0.7	28	1	2	0	0	3	2	0	0	0	2
Charlevoix	25.7	563	148	26.3	1.4	0.7	1	1	0	0	0	1	0	0	0	0	0
Cheboygan	21.7	506	174	34.4	1.1	0.6	1	0	0	1	0	1	0	0	0	0	0
Chippewa	28.4	771	325	42.2	4.3	0.0	14	0	0	0	0	0	0	0	0	0	0
Clare	13.1	665	355	53.4	2.0	0.0	7	0	0	0	0	0	0	0	0	0	0
Clinton	28.7	1,694	400	23.6	2.0	0.3	7	1	0	0	0	1	0	0	0	0	0
Crawford	19.6	254	93	36.6	1.1	0.0	1	0	0	0	0	0	0	0	0	0	0
Delta	37.7	810	355	43.8	6.2	0.3	19	0	1	0	0	1	1	1	0	0	2
Dickinson	41.6	533	257	48.2	2.3	0.0	6	0	0	0	0	0	0	0	0	0	0
Eaton	23.4	2,287	879	38.4	4.0	0.1	33	1	0	0	0	1	1	0	0	0	1
Emmet	27.7	702	180	25.6	1.1	0.0	2	0	0	0	0	0	0	0	0	0	0
Genesee	22.8	11,332	4,351	38.4	4.5	0.4	170	12	4	2	0	18	6	0	0	0	6
Gladwin	13.7	503	194	38.6	2.1	0.0	4	0	0	0	0	0	0	0	0	0	0
Gogebic	54.1	272	194	71.3	4.6	0.0	9	0	0	0	0	0	0	0	0	0	0
Grand Traverse	17.8	1,994	411	20.6	2.4	0.0	9	0	0	0	0	0	1	0	0	0	1
Gratiot	39.8	943	333	35.3	3.0	0.3	8	1	0	0	0	1	1	0	0	0	1
Hillsdale	39.0	1,112	314	28.2	11.8	1.9	28	4	1	1	0	6	3	0	0	0	3
Houghton	54.8	820	405	49.4	4.7	0.2	18	0	0	1	0	1	0	0	0	0	0
Huron	33.5	638	306	48.0	6.5	0.7	14	2	0	0	0	2	3	1	0	0	4
Ingham	25.9	6,858	2,952	43.0	4.3	0.5	111	9	2	3	0	14	2	1	0	0	3
Ionia	37.9	1,625	658	40.5	4.6	0.6	25	3	1	0	0	4	1	0	0	0	1
Iosco	19.8	460	206	44.8	4.4	0.0	8	0	0	0	0	0	1	0	0	0	1
Iron	44.5	196	131	66.8	3.1	0.0	4	0	0	0	0	0	0	0	0	0	0
Isabella	19.2	1,418	353	24.9	1.7	0.0	6	0	0	0	0	0	0	0	0	0	0
Jackson	35.7	3,943	1,830	46.4	7.7	0.5	126	4	3	3	0	10	3	1	1	0	5
Kalamazoo	24.6	6,254	2,071	33.1	10.0	1.0	175	12	4	4	0	20	10	2	0	0	12
Kalkaska	15.2	420	119	28.3	1.7	0.0	2	0	0	0	0	0	0	0	0	0	0
Kent	26.8	18,330	7,616	41.5	7.9	0.8	529	36	12	9	0	57	16	3	0	0	19
Keweenaw	54.9	49	19	38.8	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0
Lake	15.1	218	87	39.9	2.3	0.0	2	0	0	0	0	0	0	0	0	0	0
Lapeer	22.2	1,933	443	22.9	3.4	0.2	14	1	0	0	0	1	0	0	0	0	0

Childhood Lead Poisoning Data Facts

All Counties in Michigan -- Calendar Year 2010 -- Children One and Two Years of Age

County	%Pre-1950 Housing	Children Age 1 & 2	Children Age 1 & 2, Tested for Lead		% with BLL \geq 5 ug/dL	% EBLL (\geq 10 ug/dL venous only)	Children with Low-Level Exposure 5 to 9 ug/dL (capillary, venous or unknown)	Children with Confirmed Elevated Blood Lead Levels (EBLL)					Children with Elevated Capillary Tests, Not Confirmed by Venous					
			Number of Children Tested	% Tested				10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	\geq 45 ug/dL (venous only)	Total EBLL (\geq 10 μ g/dL)	Capillary 10-14, not confirmed by venous	Capillary 15-19, not confirmed by venous	Capillary 20-44, not confirmed by venous	Capillary \geq 45, not confirmed by venous	Total Elevated Capillary, not confirmed by venous	
Leelanau	22.0	381	88	23.1	3.4	0.0	2	0	0	0	0	0	0	0	1	0	0	1
Lenawee	38.6	2,402	1,058	44.0	7.7	0.6	71	4	2	0	0	6	2	2	0	0	4	
Livingston	13.7	3,995	797	19.9	2.0	0.4	13	1	1	1	0	3	0	0	0	0	0	
Luce	30.0	118	86	72.9	2.3	0.0	2	0	0	0	0	0	0	0	0	0	0	
Mackinac	28.1	196	93	47.4	6.5	1.1	5	1	0	0	0	1	0	0	0	0	0	
Macomb	10.9	19,598	5,235	26.7	1.9	0.2	85	7	0	3	0	10	4	0	0	0	4	
Manistee	35.9	466	223	47.9	9.0	0.9	17	1	0	1	0	2	0	1	0	0	1	
Marquette	32.6	1,297	557	42.9	3.8	0.0	21	0	0	0	0	0	0	0	0	0	0	
Mason	31.1	640	154	24.1	9.7	2.0	10	2	1	0	0	3	1	1	0	0	2	
Mecosta	22.0	856	227	26.5	2.2	0.0	5	0	0	0	0	0	0	0	0	0	0	
Menominee	38.4	467	194	41.5	5.7	0.5	10	0	0	1	0	1	0	0	0	0	0	
Midland	16.9	1,846	442	23.9	4.5	0.0	20	0	0	0	0	0	0	0	0	0	0	
Missaukee	20.6	348	88	25.3	2.3	0.0	2	0	0	0	0	0	0	0	0	0	0	
Monroe	28.3	3,458	1,387	40.1	4.1	0.2	53	2	0	1	0	3	1	0	0	0	1	
Montcalm	28.1	1,632	515	31.6	1.9	0.0	10	0	0	0	0	0	0	0	0	0	0	
Montmorency	18.4	162	78	48.1	5.1	0.0	4	0	0	0	0	0	0	0	0	0	0	
Muskegon	29.8	4,616	2,046	44.3	8.8	1.0	153	10	4	7	0	21	7	0	0	0	7	
Newaygo	22.7	1,279	478	37.4	4.6	0.2	21	1	0	0	0	1	0	0	0	0	0	
Oakland	15.9	28,129	7,957	28.3	2.3	0.3	153	16	2	6	0	24	3	0	0	0	3	
Oceana	26.8	806	327	40.6	3.1	0.3	8	0	0	1	0	1	1	0	0	0	1	
Ogemaw	18.3	417	180	43.2	2.8	0.0	5	0	0	0	0	0	0	0	0	0	0	
Ontonagon	43.4	101	55	54.5	10.9	0.0	5	0	0	0	0	0	0	1	0	0	1	
Osceola	24.2	583	184	31.6	7.6	0.5	13	0	1	0	0	1	0	0	0	0	0	
Oscoda	18.3	164	47	28.7	4.3	0.0	2	0	0	0	0	0	0	0	0	0	0	
Otsego	12.6	534	200	37.5	1.0	0.0	2	0	0	0	0	0	0	0	0	0	0	
Ottawa	18.0	7,182	1,714	23.9	3.7	0.1	59	1	0	0	0	1	2	1	0	0	3	
Presque Isle	27.6	237	81	34.2	2.5	0.0	2	0	0	0	0	0	0	0	0	0	0	
Roscommon	16.1	388	166	42.8	1.2	0.0	2	0	0	0	0	0	0	0	0	0	0	
Saginaw	29.3	4,892	2,522	51.6	6.6	0.6	143	10	3	2	0	15	8	0	1	0	9	
St Clair	29.6	3,920	818	20.9	6.5	0.1	43	0	1	0	0	1	9	0	0	0	9	
St Joseph	34.8	1,865	602	32.3	13.5	1.0	68	4	1	1	0	6	5	0	2	0	7	
Sanilac	34.7	987	358	36.3	5.0	0.0	17	0	0	0	0	0	1	0	0	0	1	
Schoolcraft	33.1	148	91	61.5	3.3	0.0	3	0	0	0	0	0	0	0	0	0	0	
Shiawassee	35.9	1,624	600	36.9	3.0	0.3	16	1	0	1	0	2	0	0	0	0	0	
Tuscola	32.8	1,260	440	34.9	2.7	0.7	8	2	1	0	0	3	1	0	0	0	1	
Van Buren	29.4	2,201	677	30.8	4.4	0.1	28	0	0	1	0	1	1	0	0	0	1	
Washtenaw	19.3	7,988	2,037	25.5	3.2	0.3	59	5	2	0	0	7	0	0	0	0	0	
Wayne ex Det	24.0	23,610	10,298	43.6	3.6	0.4	320	22	12	9	0	43	7	0	4	0	11	
Wexford	26.2	840	209	24.9	1.9	0.5	3	1	0	0	0	1	0	0	0	0	0	
Detroit, City of	56.0	27,493	12,528	45.6	16.1	3.2	1,557	229	90	79	7	405	30	13	9	0	52	
MICHIGAN	27.0	246,426	89,163	36.2	6.5	0.8	4,824	436	161	147	7	751	150	31	20	0	201	

Sources: Census 2000, U.S. Census Bureau (Pre-1950 housing); 2009 Population Estimates, U.S. Census Bureau (county populations); 2009 American Community Survey, U.S. Census Bureau (Detroit population)

MDCH Data Warehouse (children tested and elevated levels).

Note: %EBLL is calculated as follows: Number of Children w/EBLL divided by (Number of Children Tested minus Children w/elevated capillary tests, not confirmed by venous)

February 22, 2010

Childhood Lead Poisoning Data Facts

All Counties in Michigan - Comparing Calendar Year 2009 and Calendar Year 2010 - Children less than Six Years of Age

County	Kids<6*	Children Tested					Children with Elevated Blood Lead Levels (EBLL)				
		Number Tested		Percentage Tested			Number w/EBLL		Percentage w/EBLL		
		CY 2009	CY 2010	CY 2009	CY 2010	Δ %	CY 2009	CY 2010	CY 2009	CY 2010	Δ %
Alcona	425	91	105	21.4	24.7	3.3	0	0	0.0	0.0	0.0
Alger	496	129	109	26.0	22.0	-4.0	0	0	0.0	0.0	0.0
Allegan	9,141	1,381	1,271	15.1	13.9	-1.2	2	3	0.1	0.2	0.1
Alpena	1,778	299	366	16.8	20.6	3.8	1	2	0.3	0.5	0.2
Antrim	1,457	224	281	15.4	19.3	3.9	0	0	0.0	0.0	0.0
Arenac	1,004	241	212	24.0	21.1	-2.9	0	0	0.0	0.0	0.0
Baraga	537	151	127	28.1	23.6	-4.5	1	0	0.7	0.0	-0.7
Barry	4,214	659	617	15.6	14.6	-1.0	3	3	0.5	0.5	0.0
Bay	7,529	1,369	1,450	18.2	19.3	1.1	14	15	1.0	1.0	0.0
Benzie	1,113	179	166	16.1	14.9	-1.2	0	0	0.0	0.0	0.0
Berrien	12,628	2,252	2,267	17.8	18.0	0.1	39	28	1.7	1.2	-0.5
Branch	3,507	487	758	13.9	21.6	7.7	2	1	0.4	0.1	-0.3
Calhoun	10,745	2,598	2,514	24.2	23.4	-0.8	26	16	1.0	0.6	-0.4
Cass	3,222	595	600	18.5	18.6	0.2	4	4	0.7	0.7	0.0
Charlevoix	1,706	205	225	12.0	13.2	1.2	2	1	1.0	0.4	-0.5
Cheboygan	1,537	256	232	16.7	15.1	-1.6	0	1	0.0	0.4	0.4
Chippewa	2,296	437	582	19.0	25.3	6.3	3	0	0.7	0.0	-0.7
Clare	1,982	370	525	18.7	26.5	7.8	1	0	0.3	0.0	-0.3
Clinton	5,145	674	656	13.1	12.8	-0.3	0	1	0.0	0.2	0.2
Crawford	770	114	126	14.8	16.4	1.6	0	0	0.0	0.0	0.0
Delta	2,438	447	507	18.3	20.8	2.5	2	1	0.4	0.2	-0.3
Dickinson	1,616	324	296	20.0	18.3	-1.7	1	0	0.3	0.0	-0.3
Eaton	7,005	1,357	1,305	19.4	18.6	-0.7	7	3	0.5	0.2	-0.3
Emmet	2,153	212	253	9.8	11.8	1.9	0	0	0.0	0.0	0.0
Genesee	34,075	6,189	7,035	18.2	20.6	2.5	32	27	0.5	0.4	-0.1
Gladwin	1,534	280	269	18.3	17.5	-0.7	0	1	0.0	0.4	0.4
Gogebic	808	247	268	30.6	33.2	2.6	3	0	1.2	0.0	-1.2
Grand Traverse	6,006	843	936	14.0	15.6	1.5	0	0	0.0	0.0	0.0
Gratiot	2,859	475	512	16.6	17.9	1.3	0	1	0.0	0.2	0.2
Hillsdale	3,359	744	679	22.1	20.2	-1.9	4	7	0.5	1.0	0.5
Houghton	2,453	513	552	20.9	22.5	1.6	1	1	0.2	0.2	0.0
Huron	1,945	545	521	28.0	26.8	-1.2	1	2	0.2	0.4	0.2
Ingham	20,346	5,310	5,176	26.1	25.4	-0.7	19	24	0.4	0.5	0.1
Ionia	4,889	797	872	16.3	17.8	1.5	1	4	0.1	0.5	0.3
Iosco	1,393	310	265	22.3	19.0	-3.2	0	0	0.0	0.0	0.0
Iron	589	164	174	27.8	29.5	1.7	0	0	0.0	0.0	0.0
Isabella	4,204	573	528	13.6	12.6	-1.1	0	0	0.0	0.0	0.0
Jackson	11,826	2,404	2,511	20.3	21.2	0.9	23	14	1.0	0.6	-0.4
Kalamazoo	18,686	4,121	3,886	22.1	20.8	-1.3	37	32	0.9	0.8	-0.1
Kalkaska	1,255	177	218	14.1	17.4	3.3	0	1	0.0	0.5	0.5
Kent	54,539	8,487	10,735	15.6	19.7	4.1	75	72	0.9	0.7	-0.2
Keweenaw	141	25	33	17.7	23.4	5.7	0	0	0.0	0.0	0.0
Lake	647	144	137	22.3	21.2	-1.1	2	0	1.4	0.0	-1.4
Lapeer	5,947	702	676	11.8	11.4	-0.4	2	1	0.3	0.1	-0.1

Childhood Lead Poisoning Data Facts

All Counties in Michigan - Comparing Calendar Year 2009 and Calendar Year 2010 - Children less than Six Years of Age

County	Kids<6*	Children Tested					Children with Elevated Blood Lead Levels (EBLL)				
		Number Tested		Percentage Tested			Number w/EBLL		Percentage w/EBLL		
		CY 2009	CY 2010	CY 2009	CY 2010	Δ %	CY 2009	CY 2010	CY 2009	CY 2010	Δ %
Leelanau	1,163	172	175	14.8	15.0	0.3	0	0	0.0	0.0	0.0
Lenawee	7,238	1,546	1,725	21.4	23.8	2.5	5	9	0.3	0.5	0.2
Livingston	12,414	1,105	1,113	8.9	9.0	0.1	4	3	0.4	0.3	-0.1
Luce	356	93	101	26.1	28.4	2.2	1	0	1.1	0.0	-1.1
Mackinac	594	152	117	25.6	19.7	-5.9	0	1	0.0	0.9	0.9
Macomb	59,398	9,044	9,401	15.2	15.8	0.6	15	21	0.2	0.2	0.1
Manistee	1,431	297	312	20.8	21.8	1.0	2	2	0.7	0.6	0.0
Marquette	3,862	703	716	18.2	18.5	0.3	0	0	0.0	0.0	0.0
Mason	1,909	436	403	22.8	21.1	-1.7	0	3	0.0	0.8	0.8
Mecosta	2,590	382	355	14.7	13.7	-1.0	0	0	0.0	0.0	0.0
Menominee	1,429	271	259	19.0	18.1	-0.8	0	1	0.0	0.4	0.4
Midland	5,667	772	695	13.6	12.3	-1.4	0	0	0.0	0.0	0.0
Missaukee	1,059	153	142	14.4	13.4	-1.0	1	0	0.7	0.0	-0.7
Monroe	10,538	1,783	1,908	16.9	18.1	1.2	5	6	0.3	0.3	0.0
Montcalm	4,895	853	795	17.4	16.2	-1.2	1	0	0.1	0.0	-0.1
Montmorency	491	93	104	18.9	21.2	2.2	0	0	0.0	0.0	0.0
Muskegon	13,849	3,904	3,514	28.2	25.4	-2.8	36	35	0.9	1.0	0.1
Newaygo	3,831	572	657	14.9	17.1	2.2	0	1	0.0	0.2	0.2
Oakland	85,894	14,426	14,559	16.8	16.9	0.2	29	38	0.2	0.3	0.1
Oceana	2,395	674	625	28.1	26.1	-2.0	2	1	0.3	0.2	-0.1
Ogemaw	1,261	350	240	27.8	19.0	-8.7	0	0	0.0	0.0	0.0
Ontonagon	302	71	72	23.5	23.8	0.3	0	0	0.0	0.0	0.0
Osceola	1,746	232	256	13.3	14.7	1.4	1	1	0.4	0.4	0.0
Oscoda	493	83	56	16.8	11.4	-5.5	0	0	0.0	0.0	0.0
Otsego	1,623	280	334	17.3	20.6	3.3	0	0	0.0	0.0	0.0
Ottawa	21,662	2,545	2,383	11.7	11.0	-0.7	8	3	0.3	0.1	-0.2
Presque Isle	714	120	112	16.8	15.7	-1.1	0	0	0.0	0.0	0.0
Roscommon	1,174	256	209	21.8	17.8	-4.0	0	0	0.0	0.0	0.0
Saginaw	14,754	3,343	3,801	22.7	25.8	3.1	27	22	0.8	0.6	-0.2
St Clair	11,908	1,530	1,630	12.8	13.7	0.8	5	2	0.3	0.1	-0.2
St Joseph	5,550	965	1,279	17.4	23.0	5.7	6	7	0.6	0.6	-0.1
Sanilac	2,989	630	641	21.1	21.4	0.4	1	0	0.2	0.0	-0.2
Schoolcraft	454	135	122	29.7	26.9	-2.9	0	0	0.0	0.0	0.0
Shiawassee	4,932	924	928	18.7	18.8	0.1	4	2	0.4	0.2	-0.2
Tuscola	3,818	814	708	21.3	18.5	-2.8	1	3	0.1	0.4	0.3
Van Buren	6,580	1,255	1,117	19.1	17.0	-2.1	6	3	0.5	0.3	-0.2
Washtenaw	23,917	2,642	3,029	11.0	12.7	1.6	7	9	0.3	0.3	0.0
Wayne ex Det	73,053	20,229	18,582	27.7	25.4	-2.3	96	71	0.5	0.4	-0.1
Wexford	2,494	386	327	15.5	13.1	-2.4	0	2	0.0	0.6	0.6
Detroit, City of	81,248	31,969	30,812	39.3	37.9	-1.4	832	714	2.6	2.3	-0.3
MICHIGAN	743,620	154,291	155,847	20.7	21.0	0.2	1,403	1,226	0.9	0.8	-0.1

Sources: 2009 Population Estimates, U.S. Census Bureau (county populations); 2009 American Community Survey, U.S. Census Bureau (Detroit population); MDCH Data Warehouse (children tested and elevated levels).

February 22, 2010

Note: %EBLL is calculated as follows: Number of Children w/EBLL divided by (Number of Children Tested minus Children w/elevated capillary tests, not confirmed by venous)

Childhood Lead Poisoning Data Facts

All Counties in Michigan - Comparing Calendar Year 2009 and Calendar Year 2010 - Children One and Two Years of Age

County	Kids 1&2*	Children Tested					Children with Elevated Blood Lead Levels (EBLL)				
		Number Tested		Percentage Tested			Number w/EBLL		Percentage w/EBLL		
		CY 2009	CY 2010	CY 2009	CY 2010	Δ %	CY 2009	CY 2010	CY 2009	CY 2010	Δ %
Alcona	135	73	83	54.1	61.5	7.4	0	0	0.0	0.0	0.0
Alger	164	95	82	57.9	50.0	-7.9	0	0	0.0	0.0	0.0
Allegan	3,028	862	746	28.5	24.6	-3.8	1	3	0.1	0.4	0.3
Alpena	583	241	289	41.3	49.6	8.2	1	0	0.4	0.0	-0.4
Antrim	479	157	171	32.8	35.7	2.9	0	0	0.0	0.0	0.0
Arenac	334	165	153	49.4	45.8	-3.6	0	0	0.0	0.0	0.0
Baraga	181	89	87	49.2	48.1	-1.1	1	0	1.1	0.0	-1.1
Barry	1,382	425	373	30.8	27.0	-3.8	2	2	0.5	0.5	0.1
Bay	2,508	981	1,152	39.1	45.9	6.8	10	13	1.0	1.1	0.1
Benzie	368	98	72	26.6	19.6	-7.1	0	0	0.0	0.0	0.0
Berrien	4,216	1,465	1,560	34.7	37.0	2.3	27	19	1.9	1.2	-0.6
Branch	1,173	289	409	24.6	34.9	10.2	1	0	0.4	0.0	-0.4
Calhoun	3,592	1,783	1,538	49.6	42.8	-6.8	17	10	1.0	0.7	-0.3
Cass	1,054	420	452	39.8	42.9	3.0	4	3	1.0	0.7	-0.3
Charlevoix	563	136	148	24.2	26.3	2.1	0	1	0.0	0.7	0.7
Cheboygan	506	201	174	39.7	34.4	-5.3	0	1	0.0	0.6	0.6
Chippewa	771	254	325	32.9	42.2	9.2	3	0	1.2	0.0	-1.2
Clare	665	256	355	38.5	53.4	14.9	1	0	0.4	0.0	-0.4
Clinton	1,694	430	400	25.4	23.6	-1.8	0	1	0.0	0.3	0.3
Crawford	254	79	93	31.1	36.6	5.5	0	0	0.0	0.0	0.0
Delta	810	326	355	40.2	43.8	3.6	2	1	0.6	0.3	-0.3
Dickinson	533	254	257	47.7	48.2	0.6	1	0	0.4	0.0	-0.4
Eaton	2,287	889	879	38.9	38.4	-0.4	6	1	0.7	0.1	-0.6
Emmet	702	140	180	19.9	25.6	5.7	0	0	0.0	0.0	0.0
Genesee	11,332	3,633	4,351	32.1	38.4	6.3	18	18	0.5	0.4	-0.1
Gladwin	503	193	194	38.4	38.6	0.2	0	0	0.0	0.0	0.0
Gogebic	272	183	194	67.3	71.3	4.0	1	0	0.5	0.0	-0.5
Grand Traverse	1,994	440	411	22.1	20.6	-1.5	0	0	0.0	0.0	0.0
Gratiot	943	319	333	33.8	35.3	1.5	0	1	0.0	0.3	0.3
Hillsdale	1,112	385	314	34.6	28.2	-6.4	2	6	0.5	1.9	1.4
Houghton	820	394	405	48.0	49.4	1.3	1	1	0.3	0.2	0.0
Huron	638	281	306	44.0	48.0	3.9	1	2	0.4	0.7	0.3
Ingham	6,858	3,055	2,952	44.5	43.0	-1.5	13	14	0.4	0.5	0.0
Ionia	1,625	549	658	33.8	40.5	6.7	1	4	0.2	0.6	0.4
Iosco	460	241	206	52.4	44.8	-7.6	0	0	0.0	0.0	0.0
Iron	196	113	131	57.7	66.8	9.2	0	0	0.0	0.0	0.0
Isabella	1,418	369	353	26.0	24.9	-1.1	0	0	0.0	0.0	0.0
Jackson	3,943	1,674	1,830	42.5	46.4	4.0	19	10	1.1	0.5	-0.6
Kalamazoo	6,254	2,480	2,071	39.7	33.1	-6.5	24	20	1.0	1.0	0.0
Kalkaska	420	86	119	20.5	28.3	7.9	0	0	0.0	0.0	0.0
Kent	18,330	6,182	7,616	33.7	41.5	7.8	56	57	0.9	0.8	-0.2
Keweenaw	49	18	19	36.7	38.8	2.0	0	0	0.0	0.0	0.0
Lake	218	94	87	43.1	39.9	-3.2	2	0	2.1	0.0	-2.1
Lapeer	1,933	464	443	24.0	22.9	-1.1	0	1	0.0	0.2	0.2

Childhood Lead Poisoning Data Facts

All Counties in Michigan - Comparing Calendar Year 2009 and Calendar Year 2010 - Children One and Two Years of Age

County	Kids 1&2*	Children Tested					Children with Elevated Blood Lead Levels (EBLL)				
		Number Tested		Percentage Tested			Number w/EBLL		Percentage w/EBLL		
		CY 2009	CY 2010	CY 2009	CY 2010	Δ %	CY 2009	CY 2010	CY 2009	CY 2010	Δ %
Leelanau	381	103	88	27.0	23.1	-3.9	0	0	0.0	0.0	0.0
Lenawee	2,402	1,003	1,058	41.8	44.0	2.3	4	6	0.4	0.6	0.2
Livingston	3,995	697	797	17.4	19.9	2.5	4	3	0.6	0.4	-0.2
Luce	118	80	86	67.8	72.9	5.1	1	0	1.3	0.0	-1.3
Mackinac	196	115	93	58.7	47.4	-11.2	0	1	0.0	1.1	1.1
Macomb	19,598	5,160	5,235	26.3	26.7	0.4	9	10	0.2	0.2	0.0
Manistee	466	205	223	44.0	47.9	3.9	1	2	0.5	0.9	0.4
Marquette	1,297	504	557	38.9	42.9	4.1	0	0	0.0	0.0	0.0
Mason	640	140	154	21.9	24.1	2.2	0	3	0.0	2.0	2.0
Mecosta	856	240	227	28.0	26.5	-1.5	0	0	0.0	0.0	0.0
Menominee	467	211	194	45.2	41.5	-3.6	0	1	0.0	0.5	0.5
Midland	1,846	505	442	27.4	23.9	-3.4	0	0	0.0	0.0	0.0
Missaukee	348	87	88	25.0	25.3	0.3	0	0	0.0	0.0	0.0
Monroe	3,458	1,305	1,387	37.7	40.1	2.4	5	3	0.4	0.2	-0.2
Montcalm	1,632	540	515	33.1	31.6	-1.5	0	0	0.0	0.0	0.0
Montmorency	162	67	78	41.4	48.1	6.8	0	0	0.0	0.0	0.0
Muskegon	4,616	2,309	2,046	50.0	44.3	-5.7	24	21	1.0	1.0	0.0
Newaygo	1,279	425	478	33.2	37.4	4.1	0	1	0.0	0.2	0.2
Oakland	28,129	7,750	7,957	27.6	28.3	0.7	14	24	0.2	0.3	0.1
Oceana	806	343	327	42.6	40.6	-2.0	2	1	0.6	0.3	-0.3
Ogemaw	417	240	180	57.6	43.2	-14.4	0	0	0.0	0.0	0.0
Ontonagon	101	58	55	57.4	54.5	-3.0	0	0	0.0	0.0	0.0
Osceola	583	167	184	28.6	31.6	2.9	1	1	0.6	0.5	-0.1
Oscoda	164	66	47	40.2	28.7	-11.6	0	0	0.0	0.0	0.0
Otsego	534	176	200	33.0	37.5	4.5	0	0	0.0	0.0	0.0
Ottawa	7,182	1,810	1,714	25.2	23.9	-1.3	6	1	0.3	0.1	-0.3
Presque Isle	237	91	81	38.4	34.2	-4.2	0	0	0.0	0.0	0.0
Roscommon	388	175	166	45.1	42.8	-2.3	0	0	0.0	0.0	0.0
Saginaw	4,892	2,226	2,522	45.5	51.6	6.1	17	15	0.8	0.6	-0.2
St Clair	3,920	789	818	20.1	20.9	0.7	4	1	0.5	0.1	-0.4
St Joseph	1,865	494	602	26.5	32.3	5.8	5	6	1.0	1.0	0.0
Sanilac	987	355	358	36.0	36.3	0.3	1	0	0.3	0.0	-0.3
Schoolcraft	148	94	91	63.5	61.5	-2.0	0	0	0.0	0.0	0.0
Shiawassee	1,624	626	600	38.5	36.9	-1.6	4	2	0.6	0.3	-0.3
Tuscola	1,260	497	440	39.4	34.9	-4.5	1	3	0.2	0.7	0.5
Van Buren	2,201	796	677	36.2	30.8	-5.4	3	1	0.4	0.1	-0.2
Washtenaw	7,988	1,654	2,037	20.7	25.5	4.8	4	7	0.2	0.3	0.1
Wayne ex Det	23,610	11,103	10,298	47.0	43.6	-3.4	49	43	0.4	0.4	0.0
Wexford	840	219	209	26.1	24.9	-1.2	0	1	0.0	0.5	0.5
Detroit, City of	27,493	13,800	12,528	50.2	45.6	-4.6	459	405	3.3	3.2	-0.1
MICHIGAN	246,426	88,486	89,163	35.9	36.2	0.3	833	751	0.9	0.8	-0.1

Sources: 2009 Population Estimates, U.S. Census Bureau (county populations); 2009 American Community Survey, U.S. Census Bureau (Detroit population); MDCH Data Warehouse (children tested and elevated levels).

February 22, 2010

Note: %EBLL is calculated as follows: Number of Children w/EBLL divided by (Number of Children Tested minus Children w/elevated capillary tests, not confirmed by venous)

Childhood Lead Poisoning Data Facts
All Counties in Michigan
CY 2010

Blood Lead Testing Among Children who are Insured by Medicaid

County	Children age 1 & 2 years, Insured by Medicaid					Children age 3 through 5 years, Insured by Medicaid		
	# of Children Insured by Medicaid	# of Children Tested for Lead Poisoning	% Tested	# of Children Confirmed w/EBLL*	% EBLL*	# of Children Tested for Lead Poisoning	# of Children Confirmed w/EBLL*	% EBLL*
Alcona	96	62	64.6	0	0.0	16	0	0.0
Alger	89	66	74.2	0	0.0	11	0	0.0
Allegan	1,587	526	33.1	1	0.2	299	0	0.0
Alpena	401	247	61.6	0	0.0	52	2	3.8
Antrim	310	155	50.0	0	0.0	51	0	0.0
Arenac	212	112	52.8	0	0.0	45	0	0.0
Baraga	116	67	57.8	0	0.0	25	0	0.0
Barry	740	298	40.3	2	0.7	101	1	1.0
Bay	1,409	839	59.5	9	1.1	249	2	0.8
Benzie	222	65	29.3	0	0.0	36	0	0.0
Berrien	2,687	1,372	51.1	19	1.4	455	7	1.5
Branch	778	362	46.5	0	0.0	222	1	0.5
Calhoun	2,461	1,054	42.8	9	0.9	323	5	1.5
Cass	808	407	50.4	3	0.7	112	1	0.9
Charlevoix	282	143	50.7	0	0.0	46	0	0.0
Cheboygan	358	168	46.9	1	0.6	38	0	0.0
Chippewa	495	257	51.9	0	0.0	147	0	0.0
Clare	520	332	63.8	0	0.0	149	0	0.0
Clinton	598	277	46.3	1	0.4	150	0	0.0
Crawford	212	87	41.0	0	0.0	24	0	0.0
Delta	489	316	64.6	1	0.3	86	0	0.0
Dickinson	310	230	74.2	0	0.0	21	0	0.0
Eaton	1,264	699	55.3	1	0.1	296	1	0.3
Emmet	388	171	44.1	0	0.0	36	0	0.0
Genesee	7,689	3,495	45.5	18	0.5	1,930	9	0.5
Gladwin	309	184	59.5	0	0.0	60	0	0.0
Gogebic	219	140	63.9	0	0.0	57	0	0.0
Grand Traverse	1,073	310	28.9	0	0.0	218	0	0.0
Gratiot	590	284	48.1	0	0.0	129	0	0.0
Hillsdale	715	243	34.0	4	1.6	90	0	0.0
Houghton	440	219	49.8	0	0.0	68	0	0.0
Huron	418	265	63.4	2	0.8	139	0	0.0
Ingham	3,952	2,373	60.0	13	0.5	1,651	6	0.4
Ionia	915	543	59.3	2	0.4	159	0	0.0
Iosco	314	173	55.1	0	0.0	47	0	0.0
Iron	164	123	75.0	0	0.0	35	0	0.0
Isabella	852	259	30.4	0	0.0	117	0	0.0
Jackson	2,461	1,336	54.3	10	0.7	384	2	0.5
Kalamazoo	3,401	1,557	45.8	19	1.2	632	11	1.7
Kalkaska	317	110	34.7	0	0.0	34	1	2.9
Kent	10,075	5,829	57.9	49	0.8	1,955	10	0.5
Keweenaw	28	10	35.7	0	0.0	6	0	0.0
Lake	189	83	43.9	0	0.0	36	0	0.0

Childhood Lead Poisoning Data Facts
All Counties in Michigan
CY 2010

Blood Lead Testing Among Children who are Insured by Medicaid

County	Children age 1 & 2 years, Insured by Medicaid					Children age 3 through 5 years, Insured by Medicaid		
	# of Children Insured by Medicaid	# of Children Tested for Lead Poisoning	% Tested	# of Children Confirmed w/EBLL*	% EBLL*	# of Children Tested for Lead Poisoning	# of Children Confirmed w/EBLL*	% EBLL*
Lapeer	1,037	347	33.5	0	0.0	160	0	0.0
Leelanau	143	71	49.7	0	0.0	30	0	0.0
Lenawee	1,416	807	57.0	4	0.5	371	3	0.8
Livingston	1,233	568	46.1	2	0.4	184	0	0.0
Luce	95	78	82.1	0	0.0	10	0	0.0
Mackinac	101	79	78.2	1	1.3	16	0	0.0
Macomb	9,230	3,341	36.2	7	0.2	2,291	11	0.5
Manistee	305	183	60.0	2	1.1	57	0	0.0
Marquette	725	428	59.0	0	0.0	98	0	0.0
Mason	449	137	30.5	3	2.2	81	0	0.0
Mecosta	577	180	31.2	0	0.0	55	0	0.0
Menominee	286	162	56.6	1	0.6	44	0	0.0
Midland	915	358	39.1	0	0.0	172	0	0.0
Missaukee	239	86	36.0	0	0.0	29	0	0.0
Monroe	1,779	878	49.4	3	0.3	256	3	1.2
Montcalm	1,007	448	44.5	0	0.0	204	0	0.0
Montmorency	123	75	61.0	0	0.0	20	0	0.0
Muskegon	3,286	1,570	47.8	18	1.1	1,077	13	1.2
Newaygo	857	402	46.9	1	0.2	105	0	0.0
Oakland	10,293	4,791	46.5	17	0.4	3,017	14	0.5
Oceana	594	297	50.0	1	0.3	209	0	0.0
Ogemaw	283	148	52.3	0	0.0	50	0	0.0
Ontonagon	56	41	73.2	0	0.0	11	0	0.0
Osceola	355	165	46.5	1	0.6	48	0	0.0
Oscoda	89	39	43.8	0	0.0	7	0	0.0
Otsego	393	173	44.0	0	0.0	109	0	0.0
Ottawa	3,023	1,049	34.7	1	0.1	387	0	0.0
Presque Isle	124	70	56.5	0	0.0	18	0	0.0
Roscommon	325	151	46.5	0	0.0	32	0	0.0
Saginaw	3,227	2,032	63.0	15	0.7	1,006	5	0.5
St Clair	2,250	662	29.4	1	0.2	402	0	0.0
St Joseph	1,244	509	40.9	5	1.0	441	1	0.2
Sanilac	627	325	51.8	0	0.0	195	0	0.0
Schoolcraft	114	77	67.5	0	0.0	18	0	0.0
Shiawassee	943	513	54.4	2	0.4	224	0	0.0
Tuscola	787	351	44.6	3	0.9	140	0	0.0
Van Buren	1,493	571	38.2	0	0.0	288	2	0.7
Washtenaw	3,033	1,164	38.4	5	0.4	658	2	0.3
Wayne ex Det	15,256	6,955	45.6	35	0.5	5,020	22	0.4
Wexford	636	194	30.5	1	0.5	67	1	1.5
Detroit, City of	19,962	10,795	54.1	382	3.5	13,632	286	2.1
MICHIGAN	139,863	67,118	48.0	675	1.0	41,976	422	1.0

*EBLL: elevated blood lead level--i.e., ≥10 ug/dL

Source: MDCH Data Warehouse

Childhood Lead Poisoning Data Facts - Calendar Year 2010
Blood Lead Testing Among Children Who Should Be Tested
in accordance with the Statewide Screening/Testing Plan*

County	Population of Children Who Should be Tested*	Children who were tested	% Tested	Children with confirmed Elevated Blood Lead Levels	% EBLL
Alcona	96	62	64.6	0	0.0
Alger	89	66	74.2	0	0.0
Allegan	1,587	526	33.1	1	0.2
Alpena	401	247	61.6	0	0.0
Antrim	310	155	50.0	0	0.0
Arenac	212	112	52.8	0	0.0
Baraga	116	67	57.8	0	0.0
Barry	740	298	40.3	2	0.7
Bay	1,409	839	59.5	9	1.1
Benzie	222	65	29.3	0	0.0
Berrien	2,687	1,387	51.6	19	1.4
Branch	778	362	46.5	0	0.0
Calhoun	2,826	1,264	44.7	10	0.8
Cass	808	407	50.4	3	0.7
Charlevoix	282	143	50.7	0	0.0
Cheboygan	358	168	46.9	1	0.6
Chippewa	495	257	51.9	0	0.0
Clare	520	332	63.8	0	0.0
Clinton	598	278	46.5	1	0.4
Crawford	212	87	41.0	0	0.0
Delta	489	316	64.6	1	0.3
Dickinson	310	230	74.2	0	0.0
Eaton	1,264	700	55.4	1	0.1
Emmet	388	171	44.1	0	0.0
Genesee	7,935	3,637	45.8	18	0.5
Gladwin	309	184	59.5	0	0.0
Gogebic	219	140	63.9	0	0.0
Grand Traverse	1,073	310	28.9	0	0.0
Gratiot	590	284	48.1	0	0.0
Hillsdale	715	243	34.0	4	1.6
Houghton	440	219	49.8	0	0.0
Huron	418	265	63.4	2	0.8
Ingham	4,911	2,632	53.6	14	0.5
Ionia	915	543	59.3	2	0.4
Iosco	314	173	55.1	0	0.0
Iron	164	123	75.0	0	0.0
Isabella	852	259	30.4	0	0.0
Jackson	2,537	1,425	56.2	10	0.7
Kalamazoo	3,786	1,701	44.9	20	1.2
Kalkaska	317	110	34.7	0	0.0
Kent	12,627	6,422	50.9	56	0.9
Keweenaw	28	10	35.7	0	0.0
Lake	189	83	43.9	0	0.0
Lapeer	1,037	347	33.5	0	0.0
Leelanau	143	71	49.7	0	0.0
Lenawee	1,416	807	57.0	4	0.5
Livingston	1,233	568	46.1	2	0.4
Luce	95	78	82.1	0	0.0
Mackinac	101	79	78.2	1	1.3
Macomb	9,230	3,341	36.2	7	0.2
Manistee	305	183	60.0	2	1.1
Marquette	725	428	59.0	0	0.0
Mason	449	137	30.5	3	2.2

Childhood Lead Poisoning Data Facts - Calendar Year 2010
Blood Lead Testing Among Children Who Should Be Tested
in accordance with the Statewide Screening/Testing Plan*

County	Population of Children Who Should be Tested*	Children who were tested	% Tested	Children with confirmed Elevated Blood Lead Levels	% EBLL
Mecosta	577	180	31.2	0	0.0
Menominee	286	162	56.6	1	0.6
Midland	915	358	39.1	0	0.0
Missaukee	239	86	36.0	0	0.0
Monroe	1,779	878	49.4	3	0.3
Montcalm	1,007	448	44.5	0	0.0
Montmorency	123	75	61.0	0	0.0
Muskegon	3,286	1,640	49.9	21	1.3
Newaygo	857	402	46.9	1	0.2
Oakland	10,675	4,909	46.0	19	0.4
Oceana	594	297	50.0	1	0.3
Ogemaw	283	148	52.3	0	0.0
Ontonagon	56	41	73.2	0	0.0
Osceola	355	165	46.5	1	0.6
Oscoda	89	39	43.8	0	0.0
Otsego	393	173	44.0	0	0.0
Ottawa	3,023	1,049	34.7	1	0.1
Presque Isle	124	70	56.5	0	0.0
Roscommon	325	151	46.5	0	0.0
Saginaw	3,451	2,127	61.6	15	0.7
St Clair	2,250	662	29.4	1	0.2
St Joseph	1,244	509	40.9	5	1.0
Sanilac	627	325	51.8	0	0.0
Schoolcraft	114	77	67.5	0	0.0
Shiawassee	943	513	54.4	2	0.4
Tuscola	787	351	44.6	3	0.9
Van Buren	1,493	571	38.2	0	0.0
Washtenaw	3,033	1,164	38.4	5	0.4
Wayne	42,122	20,005	47.5	445	2.2
Wexford	636	194	30.5	1	0.5
Totals by Category					
	Population	Children Tested	Pct Tested	Children w/EBLL	Pct EBLL
Children Who Should Be Tested* (portion of All Children)	151,956 0.62	71,110 0.80	46.8	718 0.96	1.0
Other Children (portion of All Children)	94,470 0.38	18,053 0.20	19.1	33 0.04	0.2
Children Insured by Medicaid (portion of All Children)	139,863 0.57	67,118 0.75	48.0	675 0.90	1.0
All Children living in Target Communities (portion of All Children)	53,966 0.22	27,706 0.31	51.3	590 0.79	2.1
Children Insured by Medicaid AND Living in Target Communities (portion of All Children)	41,873 0.17	23,741 0.27	56.7	549 0.73	2.3
All Children	246,426	89,163	36.2	751	0.8

*"Children who should be tested" is defined for this report as 1 & 2 year olds who are insured by Medicaid or live in one of the 14 Target Communities in Michigan (Battle Creek, Benton Harbor, Dearborn, Detroit, Flint, Grand Rapids, Hamtramck, Highland Park, Jackson, Kalamazoo, Lansing, Muskegon/Muskegon Heights, Pontiac, Saginaw). Due to temporary data access issues, this report does not include those children who are participating in WIC but are not in either of the other categories.

Childhood Lead Poisoning Data Facts
Fourteen Target Communities in Michigan
Calendar Year 2010
Children less than Six Years of Age

Target Community	%Pre-1950 Housing	%Pre-1978 Housing	Children < Age 6	Children < Age 6, Tested for Lead		% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	Children with Low-Level Exposure 5 to 9 ug/dL (capillary, venous or unknown)	Children with Confirmed Elevated Blood Lead Levels (venous only)					Children with Elevated Capillary Tests, Not Confirmed by Venous				
				Number of Children Tested	% Tested				10-14 ug/dL	15-19 ug/dL	20-44 ug/dL	≥45 ug/dL	Total EBLL (≥ 10 µg/dL)	Capillary 10-14	Capillary 15-19	Capillary 20-44	Capillary >= 45	Total Elevated Capillary, not confirmed by venous
Battle Creek	42.3	83.2	4,415	1,118	25.3	8.6	1.3	80	9	3	2	0	14	2	0	0	0	2
Benton Harbor	47.8	88.8	1,144	421	36.8	22.1	3.8	77	11	3	1	1	16	0	0	0	0	0
Dearborn	49.5	87.8	9,084	2,555	28.1	3.1	0.3	71	5	2	1	0	8	1	0	0	0	1
Detroit	56.0	95.2	79,104	30,812	39.0	13.0	2.3	3,197	417	151	134	12	714	59	17	12	0	88
Flint	40.9	93.7	10,345	2,876	27.8	7.4	0.8	180	16	4	3	1	24	8	0	0	0	8
Grand Rapids	48.9	84.9	17,723	4,959	28.0	14.1	1.3	608	43	10	11	0	64	20	6	0	0	26
Hamtramck	75.8	95.7	1,808	1,102	61.0	17.7	1.5	170	8	3	4	1	16	6	0	3	0	9
Highland Park	62.4	89.8	1,081	444	41.1	22.1	5.0	75	13	4	5	0	22	1	0	0	0	1
Jackson	65.9	92.6	3,282	985	30.0	14.1	1.1	121	4	4	3	0	11	4	2	1	0	7
Kalamazoo	40.0	81.5	5,413	1,596	29.5	14.4	1.6	189	16	3	6	0	25	15	0	1	0	16
Lansing	35.8	85.1	10,269	3,373	32.8	5.8	0.7	169	16	3	4	0	23	2	1	1	0	4
Muskegon/MuskHts	52.1	90.4	4,521	1,551	34.3	16.6	2.0	219	16	7	8	0	31	8	0	0	0	8
Pontiac	35.2	84.3	6,331	2,042	32.3	3.1	0.5	51	6	4	1	0	11	1	0	0	0	1
Saginaw	54.4	95.4	5,515	1,828	33.1	11.3	0.9	181	9	5	3	0	17	6	1	2	0	9
Subtotal	51.1	91.5	160,035	55,662	34.8	11.8	1.8	5,388	589	206	186	15	996	133	27	20	0	180
Michigan	27.0	71.3	743,620	155,847	21.0	6.3	0.8	8,223	728	256	227	15	1,226	241	44	28	0	313

Sources:

Pre-1950 Housing and Pre-1978 Housing calculated from U.S. Bureau, Census 2000

Target Community populations calculated from 2007-2009 American Community Survey 3-Year Estimates & 2005-2009 5-Year Estimates

Children Tested and EBLL from Michigan Department of Community Health, Data Warehouse

Note: %EBLL is calculated as follows: Total EBLL divided by (Number of Children Tested minus Total Elevated Capillary, not confirmed by venous)

Childhood Lead Poisoning Data Facts
Fourteen Target Communities in Michigan
Calendar Year 2010
Children One and Two Years of Age

Target Community	%Pre-1950 Housing	%Pre-1978 Housing	Children Age 1 & 2	Children Age 1 & 2, Tested for Lead		% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	Children with Low-Level Exposure 5 to 9 ug/dL (capillary, venous or unknown)	Children with Confirmed Elevated Blood Lead Levels (venous only)					Total EBLL (>= 10 ug/dL)	Children with Elevated Capillary Tests, Not Confirmed by Venous				
				Number of Children Tested	% Tested				10-14 ug/dL	15-19 ug/dL	20-44 ug/dL	>=45 ug/dL	Capillary 10-14		Capillary 15-19	Capillary 20-44	Capillary >= 45	Total Elevated Capillary, not confirmed by venous	
Battle Creek	42.3	83.2	1,538	688	44.7	10.5	1.3	61	6	2	1	0	9	2	0	0	0	2	
Benton Harbor	47.8	88.8	397	259	65.2	24.3	2.7	56	4	3	0	0	7	0	0	0	0	0	
Dearborn	49.5	87.8	3,070	1,539	50.1	3.5	0.4	48	4	1	1	0	6	0	0	0	0	0	
Detroit	56.0	95.2	26,478	12,528	47.3	16.1	3.2	1,557	229	90	79	7	405	30	13	9	0	52	
Flint	40.9	93.7	3,496	1,759	50.3	7.6	0.9	113	10	4	2	0	16	5	0	0	0	5	
Grand Rapids	48.9	84.9	6,058	3,506	57.9	13.8	1.5	414	34	10	7	0	51	15	3	0	0	18	
Hamtramck	75.8	95.7	558	513	91.9	19.5	1.6	87	3	3	2	0	8	2	0	3	0	5	
Highland Park	62.4	89.8	357	191	53.5	26.2	6.8	37	6	3	4	0	13	0	0	0	0	0	
Jackson	65.9	92.6	1,133	691	61.0	13.2	1.3	78	3	3	3	0	9	2	1	1	0	4	
Kalamazoo	40.0	81.5	1,861	882	47.4	17.1	1.9	124	11	2	4	0	17	9	1	0	0	10	
Lansing	35.8	85.1	3,588	1,915	53.4	5.4	0.7	87	8	2	3	0	13	2	1	0	0	3	
Muskegon/MuskHts	52.1	90.4	1,511	853	56.5	17.2	2.1	123	8	3	7	0	18	6	0	0	0	6	
Pontiac	35.2	84.3	2,106	1,215	57.7	3.7	0.5	38	4	1	1	0	6	1	0	0	0	1	
Saginaw	54.4	95.4	1,815	1,167	64.3	11.2	1.0	112	7	3	2	0	12	6	0	1	0	7	
Subtotal	51.1	91.5	53,966	27,706	51.3	13.1	2.1	2,935	337	130	116	7	590	80	19	14	0	113	
Michigan	27.0	71.3	246,426	89,163	36.2	6.5	0.8	4,824	436	161	147	7	751	150	31	20	0	201	

Sources:

Pre-1950 Housing and Pre-1978 Housing calculated from U.S. Bureau, Census 2000

Target Community populations calculated from 2007-2009 American Community Survey 3-Year Estimates & 2005-2009 5-Year Estimates

Children Tested and EBLL from Michigan Department of Community Health, Data Warehouse

Note: %EBLL is calculated as follows: Total EBLL divided by (Number of Children Tested minus Total Elevated Capillary, not confirmed by venous)

February 22, 2010

Childhood Lead Poisoning Data Facts
14 Target Communities in Michigan
Comparing CY2009 and CY2010
Children less than Six Years of Age

City	Children Under Age	Children Tested					Children with Elevated Blood Lead Levels (EBLL)						Children with Highly Elevated Blood Lead Levels					
		Number Tested		Percentage Tested			Number w/BLL >= 10 ug/dL			Percentage w/EBLL			Number w/BLL 20 to 44 ug/dL			Number w/BLL >= 45 ug/dL		
		CY 2009	CY 2010	CY 2009	CY 2010	Δ %	CY 2009	CY 2010	Δ	CY 2009	CY 2010	Δ %	CY 2009	CY 2010	Δ	CY 2009	CY 2010	Δ
Battle Creek	4,415	1,293	1,118	29.3	25.3	-4.0	18	14	-4	1.4	1.3	-0.1	3	2	-1	0	0	0
Benton Harbor	1,144	409	421	35.8	36.8	1.0	19	16	-3	4.7	3.8	-0.9	4	1	-3	0	1	1
Dearborn	9,084	3,287	2,555	36.2	28.1	-8.1	16	8	-8	0.5	0.3	-0.2	2	1	-1	0	0	0
Detroit	79,104	31,969	30,812	40.4	39.0	-1.5	832	714	-118	2.6	2.3	-0.3	143	134	-9	10	12	2
Flint	10,345	2,321	2,876	22.4	27.8	5.4	24	24	0	1.0	0.8	-0.2	4	3	-1	2	1	-1
Grand Rapids	17,723	4,084	4,959	23.0	28.0	4.9	69	64	-5	1.7	1.3	-0.4	12	11	-1	0	0	0
Hamtramck	1,808	1,228	1,102	67.9	61.0	-7.0	25	16	-9	2.1	1.5	-0.6	1	4	3	0	1	1
Highland Park	1,081	511	444	47.3	41.1	-6.2	29	22	-7	5.8	5.0	-0.8	8	5	-3	0	0	0
Jackson	3,282	995	985	30.3	30.0	-0.3	18	11	-7	1.8	1.1	-0.7	9	3	-6	0	0	0
Kalamazoo	5,413	1,598	1,596	29.5	29.5	0.0	30	25	-5	1.9	1.6	-0.3	12	6	-6	0	0	0
Lansing	10,269	3,522	3,373	34.3	32.8	-1.5	15	23	8	0.4	0.7	0.3	4	4	0	0	0	0
Muskegon/MuskHts	4,521	1,785	1,551	39.5	34.3	-5.2	32	31	-1	1.8	2.0	0.2	3	8	5	0	0	0
Pontiac	6,331	2,057	2,042	32.5	32.3	-0.2	8	11	3	0.4	0.5	0.1	3	1	-2	0	0	0
Saginaw	5,515	1,613	1,828	29.2	33.1	3.9	25	17	-8	1.6	0.9	-0.6	5	3	-2	0	0	0
Subtotal	160,035	56,672	55,662	35.4	34.8	-0.6	1,160	996	-164	2.1	1.8	-0.3	213	186	-27	12	15	3
Michigan	743,620	154,291	155,847	20.7	21.0	0.2	1,403	1,226	-177	0.9	0.8	-0.1	255	227	-28	12	15	3

Sources:

Target Community populations calculated from 2007-2009 American Community Survey 3-Year Estimates & 2005-2009 5-Year Estimates

Children Tested and EBLL from Michigan Department of Community Health, Data Warehouse

Note: %EBLL is calculated as follows: Total EBLL divided by (Number of Children Tested minus Total Elevated Capillary, not confirmed by venous)

February 22, 2010

Childhood Lead Poisoning Data Facts
14 Target Communities in Michigan
Comparing CY2009 and CY2010
Children One and Two Years of Age

City	Children 1 & 2 yrs of	Children Tested					Children with Elevated Blood Lead Levels (EBLL)						Children with Highly Elevated Blood Lead Levels					
		Number Tested		Percentage Tested			Number w/BLL >= 10 ug/dL			Percentage w/EBLL			Number w/BLL 20 to 44 ug/dL			Number w/BLL >= 45 ug/dL		
		CY 2009	CY 2010	CY 2009	CY 2010	Δ %	CY 2009	CY 2010	Δ	CY 2009	CY 2010	Δ %	CY 2009	CY 2010	Δ	CY 2009	CY 2010	Δ
Battle Creek	1,538	895	688	58.2	44.7	-13.5	12	9	-3	1.3	1.3	0.0	2	1	-1	0	0	0
Benton Harbor	397	240	259	60.5	65.2	4.8	13	7	-6	5.5	2.7	-2.8	3	0	-3	0	0	0
Dearborn	3,070	1,806	1,539	58.8	50.1	-8.7	11	6	-5	0.6	0.4	-0.2	1	1	0	0	0	0
Detroit	26,478	13,800	12,528	52.1	47.3	-4.8	459	405	-54	3.3	3.2	-0.1	80	79	-1	7	7	0
Flint	3,496	1,373	1,759	39.3	50.3	11.0	15	16	1	1.1	0.9	-0.2	2	2	0	1	0	-1
Grand Rapids	6,058	2,970	3,506	49.0	57.9	8.8	52	51	-1	1.8	1.5	-0.3	7	7	0	0	0	0
Hamtramck	558	591	513	105.9	91.9	-14.0	11	8	-3	1.9	1.6	-0.3	0	2	2	0	0	0
Highland Park	357	233	191	65.3	53.5	-11.8	15	13	-2	6.6	6.8	0.2	6	4	-2	0	0	0
Jackson	1,133	687	691	60.6	61.0	0.4	16	9	-7	2.4	1.3	-1.0	8	3	-5	0	0	0
Kalamazoo	1,861	970	882	52.1	47.4	-4.7	17	17	0	1.8	1.9	0.2	8	4	-4	0	0	0
Lansing	3,588	2,032	1,915	56.6	53.4	-3.3	10	13	3	0.5	0.7	0.2	3	3	0	0	0	0
Muskegon/MuskHts	1,511	1,030	853	68.2	56.5	-11.7	21	18	-3	2.1	2.1	0.1	2	7	5	0	0	0
Pontiac	2,106	1,195	1,215	56.7	57.7	0.9	5	6	1	0.4	0.5	0.1	1	1	0	0	0	0
Saginaw	1,815	1,048	1,167	57.7	64.3	6.6	16	12	-4	1.5	1.0	-0.5	1	2	1	0	0	0
Subtotal	53,966	28,870	27,706	53.5	51.3	-2.2	673	590	-83	2.3	2.1	-0.2	124	116	-8	8	7	-1
Michigan	246,426	88,486	89,163	35.9	36.2	0.3	833	751	-82	0.9	0.8	-0.1	155	147	-8	8	7	-1

Sources:

Target Community populations calculated from 2007-2009 American Community Survey 3-Year Estimates & 2005-2009 5-Year Estimates

Children Tested and EBLL from Michigan Department of Community Health, Data Warehouse

Note: %EBLL is calculated as follows: Total EBLL divided by (Number of Children Tested minus Total Elevated Capillary, not confirmed by venous)

February 22, 2010

**25 ZIP Codes with Highest Numbers of Children with Elevated Blood Lead Levels
Calendar Year 2010
Children less than Six Years of Age**

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 ug/dL)	Capillary >= 10, not confirmed by venous	
48206	78.1	3278	962	29.3	26.8	6.5	187	28	15	18	1	62	9	
48210	68.1	4869	2409	49.5	13.3	2.2	261	35	8	10	1	54	6	
48214	71.0	2653	842	31.7	25.7	6.1	161	31	12	8	0	51	4	
48213	62.5	4802	1336	27.8	19.7	3.8	208	34	7	9	0	50	5	
48204	67.2	4121	1213	29.4	21.5	3.8	209	27	10	8	1	46	6	
48205	48.2	7914	2159	27.3	12.7	2.0	231	21	12	9	1	43	0	
48209	76.0	4804	2430	50.6	12.8	1.8	262	19	11	11	2	43	5	
48203	61.4	4717	1073	22.7	18.8	3.6	159	25	8	6	0	39	4	
48212	70.6	4663	1834	39.3	18.0	2.0	279	23	8	5	1	37	15	
48224	57.9	5612	1846	32.9	11.5	2.0	172	20	6	9	1	36	5	
48238	71.7	4369	1360	31.1	16.7	2.3	188	20	4	6	1	31	8	
48227	53.5	5939	1786	30.1	10.3	1.7	153	17	7	6	0	30	1	
48202	68.5	1721	527	30.6	23.9	5.4	89	20	4	4	0	28	9	
48207	34.7	1759	694	39.5	14.0	3.6	72	11	5	7	2	25	0	
48211	72.1	1140	337	29.6	23.4	6.5	56	16	2	4	0	22	1	
48215	55.5	1954	543	27.8	16.8	4.1	68	13	6	3	0	22	1	
48234	47.2	4569	1469	32.2	9.8	1.5	120	14	6	2	0	22	2	
49507	58.0	4913	1457	29.7	18.9	1.5	245	17	2	3	0	22	8	
49022	34.2	3674	991	27.0	12.6	2.1	101	13	4	3	1	21	3	
49504	58.0	3867	1032	26.7	13.9	2.0	117	11	3	7	0	21	5	
48221	63.5	3274	1193	36.4	9.9	1.6	96	14	2	3	0	19	3	
48223	39.5	3948	972	24.6	7.4	1.9	54	9	6	3	0	18	0	
48208	64.7	1105	448	40.5	16.5	3.8	55	7	5	4	1	17	2	
48228	39.5	6981	2378	34.1	6.5	0.7	131	11	4	1	1	17	7	
48219	34.4	5379	1701	31.6	5.6	0.9	78	8	6	1	0	15	2	

**25 ZIP Codes (plus ties) with Highest Percentages of Children with Elevated Blood Lead Levels
Calendar Year 2010
Children less than Six Years of Age**

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 ug/dL)	Capillary >= 10, not confirmed by venous	
48211	72.1	1140	337	29.6	23.4	6.5	56	16	2	4	0	22	1	
48206	78.1	3278	962	29.3	26.8	6.5	187	28	15	18	1	62	9	
48214	71.0	2653	842	31.7	25.7	6.1	161	31	12	8	0	51	4	
48202	68.5	1721	527	30.6	23.9	5.4	89	20	4	4	0	28	9	
48215	55.5	1954	543	27.8	16.8	4.1	68	13	6	3	0	22	1	
48208	64.7	1105	448	40.5	16.5	3.8	55	7	5	4	1	17	2	
48204	67.2	4121	1213	29.4	21.5	3.8	209	27	10	8	1	46	6	
48213	62.5	4802	1336	27.8	19.7	3.8	208	34	7	9	0	50	5	
48203	61.4	4717	1073	22.7	18.8	3.6	159	25	8	6	0	39	4	
48207	34.7	1759	694	39.5	14.0	3.6	72	11	5	7	2	25	0	
49007	61.2	936	343	36.6	22.4	2.7	61	5	2	2	0	9	7	
48238	71.7	4369	1360	31.1	16.7	2.3	188	20	4	6	1	31	8	
48210	68.1	4869	2409	49.5	13.3	2.2	261	35	8	10	1	54	6	
49022	34.2	3674	991	27.0	12.6	2.1	101	13	4	3	1	21	3	
49504	58.0	3867	1032	26.7	13.9	2.0	117	11	3	7	0	21	5	
48212	70.6	4663	1834	39.3	18.0	2.0	279	23	8	5	1	37	15	
48205	48.2	7914	2159	27.3	12.7	2.0	231	21	12	9	1	43	0	
49441	33.8	3230	656	20.3	8.8	2.0	44	6	5	2	0	13	1	
48224	57.9	5612	1846	32.9	11.5	2.0	172	20	6	9	1	36	5	
49250	37.4	465	103	22.2	4.9	1.9	3	0	1	1	0	2	0	
48708	59.1	2318	525	22.6	13.7	1.9	60	9	0	1	0	10	2	
48223	39.5	3948	972	24.6	7.4	1.9	54	9	6	3	0	18	0	
48209	76.0	4804	2430	50.6	12.8	1.8	262	19	11	11	2	43	5	
49001	44.5	3970	629	15.8	16.2	1.8	86	9	1	1	0	11	5	
48227	53.5	5939	1786	30.1	10.3	1.7	153	17	7	6	0	30	1	
48216	71.5	601	238	39.6	12.2	1.7	25	4	0	0	0	4	0	
48230	71.4	1451	120	8.3	4.2	1.7	3	1	1	0	0	2	0	

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
48001	25.7	913	149	16.3	6.0	0.0	8	0	0	0	0	0	0	1
48002	25.8	273	21	7.7	4.8	0.0	1	0	0	0	0	0	0	0
48003	24.1	483	36	7.5	8.3	2.8	2	1	0	0	0	0	1	0
48005	32.5	436	29	6.7	0.0	0.0	0	0	0	0	0	0	0	0
48006	28.1	318	30	9.4	0.0	0.0	0	0	0	0	0	0	0	0
48009	39.8	1567	235	15.0	0.4	0.0	1	0	0	0	0	0	0	0
48014	36.9	340	34	10.0	0.0	0.0	0	0	0	0	0	0	0	0
48015	33.4	647	124	19.2	3.2	0.8	3	1	0	0	0	0	1	0
48017	20.9	842	134	15.9	2.2	0.0	3	0	0	0	0	0	0	0
48021	31.4	2603	557	21.4	3.1	0.7	13	2	1	1	0	0	4	0
48022	21.7	222	21	9.5	0.0	0.0	0	0	0	0	0	0	0	0
48023	16.7	648	45	6.9	2.2	0.0	1	0	0	0	0	0	0	0
48025	14.5	1099	92	8.4	0.0	0.0	0	0	0	0	0	0	0	0
48026	7.3	1078	133	12.3	0.8	0.8	0	1	0	0	0	0	1	0
48027	29.1	222	16	7.2	0.0	0.0	0	0	0	0	0	0	0	0
48028	32.0	42	5	11.9	60.0	0.0	3	0	0	0	0	0	0	0
48030	36.7	1661	314	18.9	4.1	1.3	9	2	1	1	0	0	4	0
48032	19.7	162	18	11.1	5.6	0.0	1	0	0	0	0	0	0	0
48033	*	*	286	---	1.4	0.0	4	0	0	0	0	0	0	0
48034	7.1	2056	281	13.7	3.2	1.1	6	2	1	0	0	0	3	0
48035	5.5	2815	533	18.9	0.9	0.2	4	1	0	0	0	0	1	0
48036	4.7	1676	267	15.9	1.9	0.7	3	1	0	1	0	0	2	0
48038	0.9	2597	376	14.5	1.3	0.3	3	1	0	0	0	0	1	1
48039	41.7	639	76	11.9	5.3	0.0	4	0	0	0	0	0	0	0
48040	11.3	664	70	10.5	0.0	0.0	0	0	0	0	0	0	0	0
48041	28.0	401	24	6.0	0.0	0.0	0	0	0	0	0	0	0	0
48042	6.2	1656	209	12.6	1.9	0.0	3	0	0	0	0	0	0	1
48043	40.4	1364	244	17.9	2.9	0.4	5	1	0	0	0	0	1	1
48044	1.6	3862	410	10.6	1.0	0.0	4	0	0	0	0	0	0	0
48045	11.5	1657	185	11.2	1.1	0.0	2	0	0	0	0	0	0	0
48047	7.8	2944	316	10.7	1.9	0.0	5	0	0	0	0	0	0	1
48048	15.6	573	146	25.5	5.5	0.0	8	0	0	0	0	0	0	0
48049	14.2	430	38	8.8	5.3	0.0	1	0	0	0	0	0	0	1
48050	33.0	122	8	6.6	0.0	0.0	0	0	0	0	0	0	0	0
48051	5.1	1586	186	11.7	0.5	0.0	1	0	0	0	0	0	0	0
48054	24.9	437	39	8.9	2.6	0.0	0	0	0	0	0	0	0	1
48059	19.4	1049	110	10.5	0.9	0.0	1	0	0	0	0	0	0	0
48060	44.7	3675	676	18.4	9.8	0.3	56	1	1	0	0	0	2	8
48062	28.7	639	58	9.1	3.4	0.0	2	0	0	0	0	0	0	0
48063	12.3	428	35	8.2	5.7	0.0	2	0	0	0	0	0	0	0
48064	25.1	433	36	8.3	2.8	0.0	1	0	0	0	0	0	0	0
48065	25.4	854	84	9.8	2.4	0.0	2	0	0	0	0	0	0	0
48066	16.0	3855	618	16.0	1.3	0.6	4	1	0	3	0	0	4	0
48067	53.6	1689	217	12.8	1.8	0.5	3	0	0	1	0	0	1	0
48069	79.6	186	13	7.0	0.0	0.0	0	0	0	0	0	0	0	0
48070	55.2	560	41	7.3	0.0	0.0	0	0	0	0	0	0	0	0
48071	11.6	2313	479	20.7	2.7	0.0	13	0	0	0	0	0	0	0
48072	55.2	1224	160	13.1	1.3	0.0	2	0	0	0	0	0	0	0
48073	24.7	2173	319	14.7	2.2	0.0	7	0	0	0	0	0	0	0
48074	23.4	707	84	11.9	2.4	0.0	1	0	0	0	0	0	0	1
48075	12.8	1500	437	29.1	3.2	0.2	13	1	0	0	0	0	1	0
48076	9.4	1954	414	21.2	1.4	0.2	5	1	0	0	0	0	1	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
48079	26.0	1007	66	6.6	1.5	0.0	1	0	0	0	0	0	0	0
48080	19.2	1425	151	10.6	0.7	0.0	1	0	0	0	0	0	0	0
48081	15.0	1335	104	7.8	0.0	0.0	0	0	0	0	0	0	0	0
48082	10.2	1077	133	12.3	0.8	0.0	1	0	0	0	0	0	0	0
48083	7.5	1899	253	13.3	2.8	0.4	6	0	0	1	0	1	1	0
48084	3.0	973	92	9.5	3.3	0.0	3	0	0	0	0	0	0	0
48085	*	*	146	---	1.4	0.0	2	0	0	0	0	0	0	0
48088	*	*	217	---	1.4	0.0	3	0	0	0	0	0	0	0
48089	23.9	3315	637	19.2	4.2	0.3	25	2	0	0	0	2	2	0
48091	19.1	2646	626	23.7	3.4	0.0	21	0	0	0	0	0	0	0
48092	8.7	1823	330	18.1	2.4	0.6	6	2	0	0	0	2	2	0
48093	3.4	2796	228	8.2	0.4	0.0	1	0	0	0	0	0	0	0
48094	5.6	1109	123	11.1	0.0	0.0	0	0	0	0	0	0	0	0
48095	8.9	329	19	5.8	0.0	0.0	0	0	0	0	0	0	0	0
48096	19.6	300	21	7.0	0.0	0.0	0	0	0	0	0	0	0	0
48097	41.2	495	50	10.1	4.0	0.0	2	0	0	0	0	0	0	0
48098	4.4	3231	65	2.0	3.1	0.0	2	0	0	0	0	0	0	0
48101	25.6	1921	250	13.0	1.6	0.0	4	0	0	0	0	0	0	0
48103	21.9	3835	324	8.4	1.5	0.3	4	1	0	0	0	1	1	0
48104	36.7	1454	110	7.6	2.7	0.0	3	0	0	0	0	0	0	0
48105	7.3	2649	129	4.9	1.6	0.0	2	0	0	0	0	0	0	0
48108	5.0	2015	245	12.2	0.8	0.0	2	0	0	0	0	0	0	0
48109	36.0	12	0	0.0	---	---	0	0	0	0	0	0	0	0
48111	11.1	3350	639	19.1	2.3	0.0	14	0	0	0	0	0	0	1
48114	5.0	1609	96	6.0	1.0	0.0	1	0	0	0	0	0	0	0
48116	11.8	2152	122	5.7	3.3	0.0	4	0	0	0	0	0	0	0
48117	21.4	777	124	16.0	1.6	0.0	2	0	0	0	0	0	0	0
48118	27.7	727	39	5.4	5.1	2.6	1	1	0	0	0	1	1	0
48120	34.3	784	419	53.4	4.5	0.7	16	2	1	0	0	3	3	0
48122	39.7	882	257	29.1	2.7	0.0	6	0	0	0	0	0	0	1
48124	46.1	2348	336	14.3	0.6	0.0	2	0	0	0	0	0	0	0
48125	26.7	1777	331	18.6	0.9	0.0	3	0	0	0	0	0	0	0
48126	54.1	5751	1767	30.7	3.7	0.3	59	3	1	1	0	5	5	1
48127	12.1	2667	786	29.5	1.9	0.3	12	0	1	1	0	2	2	1
48128	53.0	799	140	17.5	0.7	0.0	1	0	0	0	0	0	0	0
48130	20.9	863	48	5.6	2.1	0.0	1	0	0	0	0	0	0	0
48131	35.7	579	103	17.8	3.9	0.0	3	0	0	0	0	0	0	1
48133	26.5	393	80	20.4	12.5	0.0	10	0	0	0	0	0	0	0
48134	13.1	1616	290	17.9	1.4	0.0	4	0	0	0	0	0	0	0
48135	17.6	2254	370	16.4	1.4	0.0	5	0	0	0	0	0	0	0
48137	24.9	349	33	9.5	3.0	0.0	1	0	0	0	0	0	0	0
48138	19.1	649	33	5.1	0.0	0.0	0	0	0	0	0	0	0	0
48139	31.0	1	4	400.0	0.0	0.0	0	0	0	0	0	0	0	0
48140	36.2	265	23	8.7	0.0	0.0	0	0	0	0	0	0	0	0
48141	19.0	2964	819	27.6	2.6	0.6	16	3	1	1	0	5	5	0
48143	21.7	7	1	14.3	0.0	0.0	0	0	0	0	0	0	0	0
48144	12.4	660	82	12.4	4.9	0.0	4	0	0	0	0	0	0	0
48145	33.6	223	36	16.1	2.8	0.0	1	0	0	0	0	0	0	0
48146	35.2	3283	768	23.4	3.5	0.5	23	2	1	1	0	4	4	0
48150	13.8	2195	287	13.1	0.3	0.0	1	0	0	0	0	0	0	0
48152	9.3	2168	286	13.2	1.4	0.3	3	0	0	1	0	1	1	0
48154	7.0	2622	303	11.6	0.7	0.0	2	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
48157	45.8	126	32	25.4	3.1	0.0	1	0	0	0	0	0	0	0
48158	36.1	532	25	4.7	4.0	0.0	1	0	0	0	0	0	0	0
48159	48.2	187	36	19.3	0.0	0.0	0	0	0	0	0	0	0	0
48160	32.2	866	136	15.7	3.7	0.0	5	0	0	0	0	0	0	0
48161	38.7	2242	436	19.4	4.6	1.1	15	2	1	2	0	5	0	0
48162	28.5	2235	454	20.3	2.9	0.0	13	0	0	0	0	0	0	0
48164	26.3	626	85	13.6	3.5	0.0	3	0	0	0	0	0	0	0
48165	6.1	525	65	12.4	4.6	1.5	2	1	0	0	0	1	0	0
48166	21.0	1101	171	15.5	2.9	0.0	5	0	0	0	0	0	0	0
48167	8.9	2442	117	4.8	0.9	0.0	1	0	0	0	0	0	0	0
48168	*	*	113	---	0.9	0.0	1	0	0	0	0	0	0	0
48169	15.4	1669	90	5.4	2.2	1.1	1	1	0	0	0	1	0	0
48170	15.7	2802	196	7.0	0.0	0.0	0	0	0	0	0	0	0	0
48173	18.2	773	139	18.0	0.0	0.0	0	0	0	0	0	0	0	0
48174	15.8	2772	649	23.4	2.5	0.0	16	0	0	0	0	0	0	0
48175	*	*	4	---	0.0	0.0	0	0	0	0	0	0	0	0
48176	12.2	1573	84	5.3	3.6	0.0	3	0	0	0	0	0	0	0
48178	7.9	2223	162	7.3	1.2	0.6	1	1	0	0	0	1	0	0
48179	32.7	182	37	20.3	0.0	0.0	0	0	0	0	0	0	0	0
48180	13.8	5968	1358	22.8	2.4	0.2	28	3	0	0	0	3	2	0
48182	17.3	1570	175	11.1	8.0	0.6	13	0	0	1	0	1	0	0
48183	9.3	3133	450	14.4	0.9	0.0	4	0	0	0	0	0	0	0
48184	30.4	1698	345	20.3	2.0	0.3	6	1	0	0	0	1	0	0
48185	4.7	3588	874	24.4	1.7	0.0	15	0	0	0	0	0	0	0
48186	17.9	3617	700	19.4	2.1	0.3	12	2	0	0	0	2	1	0
48187	2.0	4225	544	12.9	1.1	0.2	4	1	0	0	0	1	1	0
48188	2.6	3919	503	12.8	0.8	0.2	3	0	1	0	0	1	0	0
48189	15.7	1218	109	8.9	0.9	0.0	1	0	0	0	0	0	0	0
48190	70.3	7	12	171.4	0.0	0.0	0	0	0	0	0	0	0	0
48191	30.7	173	36	20.8	2.8	0.0	1	0	0	0	0	0	0	0
48192	37.1	3109	270	8.7	3.7	0.0	10	0	0	0	0	0	0	0
48193	*	*	189	---	2.1	0.0	4	0	0	0	0	0	0	0
48195	14.7	1972	331	16.8	1.2	0.0	4	0	0	0	0	0	0	0
48197	17.0	4505	953	21.2	3.3	0.6	25	4	2	0	0	6	0	0
48198	14.0	3791	832	21.9	3.0	0.1	24	1	0	0	0	1	0	0
48201	51.0	1090	354	32.5	5.6	0.3	18	0	0	1	0	1	1	0
48202	68.5	1721	527	30.6	23.9	5.4	89	20	4	4	0	28	9	0
48203	61.4	4717	1073	22.7	18.8	3.6	159	25	8	6	0	39	4	0
48204	67.2	4121	1213	29.4	21.5	3.8	209	27	10	8	1	46	6	0
48205	48.2	7914	2159	27.3	12.7	2.0	231	21	12	9	1	43	0	0
48206	78.1	3278	962	29.3	26.8	6.5	187	28	15	18	1	62	9	0
48207	34.7	1759	694	39.5	14.0	3.6	72	11	5	7	2	25	0	0
48208	64.7	1105	448	40.5	16.5	3.8	55	7	5	4	1	17	2	0
48209	76.0	4804	2430	50.6	12.8	1.8	262	19	11	11	2	43	5	0
48210	68.1	4869	2409	49.5	13.3	2.2	261	35	8	10	1	54	6	0
48211	72.1	1140	337	29.6	23.4	6.5	56	16	2	4	0	22	1	0
48212	70.6	4663	1834	39.3	18.0	2.0	279	23	8	5	1	37	15	0
48213	62.5	4802	1336	27.8	19.7	3.8	208	34	7	9	0	50	5	0
48214	71.0	2653	842	31.7	25.7	6.1	161	31	12	8	0	51	4	0
48215	55.5	1954	543	27.8	16.8	4.1	68	13	6	3	0	22	1	0
48216	71.5	601	238	39.6	12.2	1.7	25	4	0	0	0	4	0	0
48217	56.1	795	314	39.5	7.3	1.3	19	1	1	2	0	4	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									Capillary >= 10, not confirmed by venous
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)		
48218	62.1	1012	285	28.2	6.0	0.0	17	0	0	0	0	0	0	
48219	34.4	5379	1701	31.6	5.6	0.9	78	8	6	1	0	15	2	
48220	59.7	1771	342	19.3	2.0	0.0	7	0	0	0	0	0	0	
48221	63.5	3274	1193	36.4	9.9	1.6	96	14	2	3	0	19	3	
48223	39.5	3948	972	24.6	7.4	1.9	54	9	6	3	0	18	0	
48224	57.9	5612	1846	32.9	11.5	2.0	172	20	6	9	1	36	5	
48225	29.5	1110	292	26.3	4.5	0.3	12	1	0	0	0	1	0	
48226	49.4	148	52	35.1	5.8	2.0	1	0	0	1	0	1	1	
48227	53.5	5939	1786	30.1	10.3	1.7	153	17	7	6	0	30	1	
48228	39.5	6981	2378	34.1	6.5	0.7	131	11	4	1	1	17	7	
48229	47.3	1053	304	28.9	3.3	0.3	9	1	0	0	0	1	0	
48230	71.4	1451	120	8.3	4.2	1.7	3	1	1	0	0	2	0	
48234	47.2	4569	1469	32.2	9.8	1.5	120	14	6	2	0	22	2	
48235	44.9	4230	1606	38.0	5.7	0.9	77	9	3	2	0	14	1	
48236	43.3	2287	205	9.0	3.4	1.0	5	1	1	0	0	2	0	
48237	16.0	2679	809	30.2	3.2	0.4	21	2	0	1	0	3	2	
48238	71.7	4369	1360	31.1	16.7	2.3	188	20	4	6	1	31	8	
48239	23.1	3132	795	25.4	1.9	0.0	14	0	0	0	0	0	1	
48240	29.4	1654	376	22.7	1.6	0.0	6	0	0	0	0	0	0	
48243	*	*	0	---	---	---	0	0	0	0	0	0	0	
48301	7.3	1016	64	6.3	1.6	0.0	1	0	0	0	0	0	0	
48302	5.5	879	71	8.1	1.4	0.0	1	0	0	0	0	0	0	
48304	6.0	946	65	6.9	4.6	0.0	3	0	0	0	0	0	0	
48306	3.9	1899	89	4.7	0.0	0.0	0	0	0	0	0	0	0	
48307	10.9	3429	312	9.1	0.0	0.0	0	0	0	0	0	0	0	
48309	5.4	1967	127	6.5	0.8	0.0	1	0	0	0	0	0	0	
48310	2.1	3166	799	25.2	2.4	0.0	19	0	0	0	0	0	0	
48312	1.9	2153	336	15.6	1.8	0.0	6	0	0	0	0	0	0	
48313	1.8	2650	340	12.8	1.8	0.0	6	0	0	0	0	0	0	
48314	4.2	1395	217	15.6	1.4	0.0	3	0	0	0	0	0	0	
48315	1.8	1569	152	9.7	1.3	0.7	1	1	0	0	0	1	0	
48316	2.7	1588	148	9.3	2.0	0.0	3	0	0	0	0	0	0	
48317	8.4	2063	329	15.9	2.4	0.3	4	1	0	0	0	1	3	
48320	41.4	310	59	19.0	3.4	0.0	2	0	0	0	0	0	0	
48322	0.9	2265	231	10.2	2.6	0.9	4	2	0	0	0	2	0	
48323	6.6	1274	121	9.5	0.8	0.0	1	0	0	0	0	0	0	
48324	12.6	1714	138	8.1	1.4	0.0	2	0	0	0	0	0	0	
48326	10.6	1622	304	18.7	1.3	0.7	2	2	0	0	0	2	0	
48327	11.0	2016	329	16.3	0.3	0.0	1	0	0	0	0	0	0	
48328	22.0	2186	499	22.8	2.0	0.0	10	0	0	0	0	0	0	
48329	19.4	2129	326	15.3	0.3	0.0	1	0	0	0	0	0	0	
48331	1.2	1710	145	8.5	3.4	0.0	5	0	0	0	0	0	0	
48334	3.9	1283	179	14.0	2.2	0.6	3	0	0	1	0	1	0	
48335	4.0	1485	296	19.9	3.7	0.0	11	0	0	0	0	0	0	
48336	15.7	2100	375	17.9	2.9	0.5	9	0	0	2	0	2	0	
48340	21.4	2860	943	33.0	1.7	0.1	15	1	0	0	0	1	0	
48341	46.4	1742	422	24.2	3.6	1.4	9	4	2	0	0	6	0	
48342	42.3	2456	681	27.7	4.7	0.6	27	1	2	1	0	4	1	
48346	8.4	1972	293	14.9	1.4	0.0	3	0	0	0	0	0	1	
48348	5.8	1875	260	13.9	0.8	0.4	1	1	0	0	0	1	0	
48350	10.6	689	69	10.0	0.0	0.0	0	0	0	0	0	0	0	
48353	8.1	506	34	6.7	0.0	0.0	0	0	0	0	0	0	0	

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
48356	19.4	730	58	7.9	1.7	0.0	1	0	0	0	0	0	0	0
48357	7.9	825	53	6.4	1.9	0.0	1	0	0	0	0	0	0	0
48359	6.4	832	138	16.6	4.3	0.0	6	0	0	0	0	0	0	0
48360	3.6	1288	104	8.1	0.0	0.0	0	0	0	0	0	0	0	0
48362	24.4	1295	160	12.4	1.3	0.0	2	0	0	0	0	0	0	0
48363	13.0	318	25	7.9	8.0	4.0	1	0	0	1	0	1	1	0
48367	19.1	393	43	10.9	0.0	0.0	0	0	0	0	0	0	0	0
48370	18.4	157	7	4.5	14.3	0.0	1	0	0	0	0	0	0	0
48371	15.5	1802	272	15.1	0.7	0.0	2	0	0	0	0	0	0	0
48374	1.3	1324	74	5.6	2.7	0.0	2	0	0	0	0	0	0	0
48375	1.0	1820	174	9.6	1.7	0.0	3	0	0	0	0	0	0	0
48377	5.7	856	211	24.6	2.4	0.5	4	0	1	0	0	0	1	0
48380	7.4	459	33	7.2	3.0	0.0	0	0	0	0	0	0	0	1
48381	13.6	1109	99	8.9	0.0	0.0	0	0	0	0	0	0	0	0
48382	12.4	1897	171	9.0	0.6	0.0	1	0	0	0	0	0	0	0
48383	8.8	1222	144	11.8	1.4	0.0	2	0	0	0	0	0	0	0
48386	14.1	1259	192	15.3	1.6	0.0	3	0	0	0	0	0	0	0
48390	9.9	1826	213	11.7	0.9	0.0	2	0	0	0	0	0	0	0
48393	2.4	1629	251	15.4	1.2	0.0	3	0	0	0	0	0	0	0
48401	34.3	133	22	16.5	4.5	0.0	1	0	0	0	0	0	0	0
48412	27.7	515	29	5.6	3.4	0.0	1	0	0	0	0	0	0	0
48413	35.9	582	153	26.3	5.9	0.7	4	1	0	0	0	0	1	4
48414	40.4	199	36	18.1	0.0	0.0	0	0	0	0	0	0	0	0
48415	17.4	783	105	13.4	2.9	0.0	3	0	0	0	0	0	0	0
48416	37.6	459	57	12.4	3.5	0.0	2	0	0	0	0	0	0	0
48417	20.6	282	44	15.6	2.3	0.0	1	0	0	0	0	0	0	0
48418	27.6	390	42	10.8	4.8	0.0	2	0	0	0	0	0	0	0
48419	35.4	198	46	23.2	6.5	0.0	3	0	0	0	0	0	0	0
48420	19.3	1610	243	15.1	2.1	0.0	5	0	0	0	0	0	0	0
48421	20.4	541	63	11.6	1.6	0.0	1	0	0	0	0	0	0	0
48422	33.1	558	86	15.4	3.5	0.0	3	0	0	0	0	0	0	0
48423	10.5	2381	375	15.7	1.3	0.3	4	1	0	0	0	0	1	0
48426	39.6	70	18	25.7	5.6	0.0	1	0	0	0	0	0	0	0
48427	38.6	206	64	31.1	4.7	0.0	3	0	0	0	0	0	0	0
48428	19.7	376	23	6.1	4.3	0.0	1	0	0	0	0	0	0	0
48429	29.7	854	101	11.8	3.0	0.0	3	0	0	0	0	0	0	0
48430	17.2	2665	293	11.0	1.0	0.0	3	0	0	0	0	0	0	0
48432	45.3	64	11	17.2	0.0	0.0	0	0	0	0	0	0	0	0
48433	14.4	1601	304	19.0	1.0	0.0	3	0	0	0	0	0	0	0
48434	44.6	13	3	23.1	33.3	0.0	1	0	0	0	0	0	0	0
48435	24.8	199	25	12.6	0.0	0.0	0	0	0	0	0	0	0	0
48436	19.9	296	34	11.5	5.9	0.0	2	0	0	0	0	0	0	0
48437	36.4	32	6	18.8	0.0	0.0	0	0	0	0	0	0	0	0
48438	16.7	502	45	9.0	2.2	0.0	1	0	0	0	0	0	0	0
48439	6.7	3245	485	14.9	1.9	0.2	7	1	0	0	0	0	1	1
48440	100.0	5	2	40.0	0.0	0.0	0	0	0	0	0	0	0	0
48441	42.0	321	64	19.9	3.1	0.0	2	0	0	0	0	0	0	0
48442	18.5	1564	228	14.6	2.2	0.4	4	1	0	0	0	0	1	0
48444	29.0	811	107	13.2	4.7	0.0	5	0	0	0	0	0	0	0
48445	34.3	112	19	17.0	5.3	0.0	0	0	0	0	0	0	0	1
48446	20.0	2442	232	9.5	2.2	0.0	5	0	0	0	0	0	0	0
48449	17.1	308	50	16.2	4.0	0.0	2	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									Capillary >= 10, not confirmed by venous
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)		
48621	15.6	88	13	14.8	0.0	0.0	0	0	0	0	0	0	0	0
48622	13.1	414	98	23.7	2.0	0.0	2	0	0	0	0	0	0	0
48623	18.6	958	101	10.5	3.0	1.0	2	1	0	0	0	0	1	0
48624	15.8	1050	164	15.6	2.4	0.0	4	0	0	0	0	0	0	0
48625	10.2	940	246	26.2	2.0	0.0	5	0	0	0	0	0	0	0
48626	22.7	476	44	9.2	0.0	0.0	0	0	0	0	0	0	0	0
48627	26.8	12	2	16.7	0.0	0.0	0	0	0	0	0	0	0	0
48628	14.3	132	12	9.1	0.0	0.0	0	0	0	0	0	0	0	0
48629	15.7	436	71	16.3	0.0	0.0	0	0	0	0	0	0	0	0
48630	49.4	19	0	0.0	---	---	0	0	0	0	0	0	0	0
48631	27.2	348	42	12.1	2.4	0.0	1	0	0	0	0	0	0	0
48632	13.8	296	75	25.3	0.0	0.0	0	0	0	0	0	0	0	0
48633	22.7	2	1	50.0	0.0	0.0	0	0	0	0	0	0	0	0
48634	25.2	340	37	10.9	8.1	0.0	2	0	0	0	0	0	0	1
48635	23.4	91	16	17.6	0.0	0.0	0	0	0	0	0	0	0	0
48636	19.1	87	6	6.9	16.7	0.0	1	0	0	0	0	0	0	0
48637	35.3	231	36	15.6	8.3	2.8	2	1	0	0	0	0	1	0
48638	*	*	188	---	1.6	0.0	3	0	0	0	0	0	0	0
48640	21.4	2554	287	11.2	4.5	0.0	13	0	0	0	0	0	0	0
48642	11.3	2635	261	9.9	3.4	0.0	9	0	0	0	0	0	0	0
48647	23.2	337	32	9.5	3.1	0.0	1	0	0	0	0	0	0	0
48649	35.6	132	18	13.6	0.0	0.0	0	0	0	0	0	0	0	0
48650	21.6	519	78	15.0	2.6	1.3	1	1	0	0	0	0	1	0
48651	13.8	287	54	18.8	1.9	0.0	1	0	0	0	0	0	0	0
48652	13.6	101	5	5.0	0.0	0.0	0	0	0	0	0	0	0	0
48653	18.1	539	72	13.4	0.0	0.0	0	0	0	0	0	0	0	0
48654	15.2	175	20	11.4	5.0	0.0	1	0	0	0	0	0	0	0
48655	29.5	522	82	15.7	3.7	0.0	3	0	0	0	0	0	0	0
48656	10.8	237	36	15.2	2.8	0.0	1	0	0	0	0	0	0	0
48657	10.5	623	50	8.0	6.0	0.0	3	0	0	0	0	0	0	0
48658	24.3	385	93	24.2	2.2	0.0	2	0	0	0	0	0	0	0
48659	24.7	201	37	18.4	2.7	0.0	1	0	0	0	0	0	0	0
48661	19.7	696	122	17.5	2.5	0.0	3	0	0	0	0	0	0	0
48662	44.8	129	10	7.8	0.0	0.0	0	0	0	0	0	0	0	0
48701	47.5	119	21	17.6	0.0	0.0	0	0	0	0	0	0	0	0
48703	21.1	178	35	19.7	11.4	0.0	4	0	0	0	0	0	0	0
48705	19.5	27	4	14.8	25.0	0.0	1	0	0	0	0	0	0	0
48706	33.5	2865	521	18.2	7.1	0.8	33	2	1	1	0	4	0	0
48708	59.1	2318	525	22.6	13.7	1.9	60	9	0	1	0	10	2	0
48720	57.8	66	14	21.2	14.3	0.0	2	0	0	0	0	0	0	0
48721	15.0	31	4	12.9	0.0	0.0	0	0	0	0	0	0	0	0
48722	17.1	229	53	23.1	1.9	0.0	1	0	0	0	0	0	0	0
48723	31.4	886	173	19.5	4.0	1.2	4	1	1	0	0	2	1	0
48724	47.5	26	11	42.3	0.0	0.0	0	0	0	0	0	0	0	0
48725	14.8	103	20	19.4	0.0	0.0	0	0	0	0	0	0	0	0
48726	37.7	471	109	23.1	2.8	0.0	3	0	0	0	0	0	0	0
48727	33.2	102	18	17.6	16.7	0.0	3	0	0	0	0	0	0	0
48728	24.5	14	5	35.7	0.0	0.0	0	0	0	0	0	0	0	0
48729	33.3	128	23	18.0	0.0	0.0	0	0	0	0	0	0	0	0
48730	29.3	270	38	14.1	2.6	0.0	1	0	0	0	0	0	0	0
48731	44.5	171	47	27.5	2.1	0.0	1	0	0	0	0	0	0	0
48732	22.5	828	126	15.2	3.2	0.0	4	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
48834	32.8	200	24	12.0	4.2	0.0	1	0	0	0	0	0	0	0
48835	45.2	360	24	6.7	4.2	0.0	1	0	0	0	0	0	0	0
48836	26.2	1053	150	14.2	2.7	0.7	3	0	0	1	0	1	0	0
48837	27.3	1317	146	11.1	5.5	0.0	8	0	0	0	0	0	0	0
48838	24.4	1328	262	19.7	1.1	0.0	3	0	0	0	0	0	0	0
48840	8.5	801	94	11.7	1.1	0.0	1	0	0	0	0	0	0	0
48841	54.9	73	11	15.1	0.0	0.0	0	0	0	0	0	0	0	0
48842	11.4	1524	284	18.6	3.2	0.4	8	1	0	0	0	1	0	0
48843	15.8	4230	307	7.3	1.6	0.0	5	0	0	0	0	0	0	0
48845	53.1	96	9	9.4	0.0	0.0	0	0	0	0	0	0	0	0
48846	42.1	1357	310	22.8	6.5	1.0	16	2	1	0	0	3	1	0
48847	47.3	528	78	14.8	1.3	0.0	1	0	0	0	0	0	0	0
48848	22.5	649	56	8.6	1.8	0.0	0	0	0	0	0	0	0	1
48849	44.5	521	61	11.7	4.9	0.0	3	0	0	0	0	0	0	0
48850	30.6	400	33	8.3	3.0	0.0	1	0	0	0	0	0	0	0
48851	31.6	164	32	19.5	6.3	0.0	2	0	0	0	0	0	0	0
48852	79.1	11	6	54.5	0.0	0.0	0	0	0	0	0	0	0	0
48853	61.1	40	16	40.0	0.0	0.0	0	0	0	0	0	0	0	0
48854	27.7	1164	220	18.9	1.4	0.0	3	0	0	0	0	0	0	0
48855	*	*	83	---	2.4	1.2	1	0	1	0	0	1	0	0
48856	61.4	83	14	16.9	0.0	0.0	0	0	0	0	0	0	0	0
48857	31.8	222	25	11.3	0.0	0.0	0	0	0	0	0	0	0	0
48858	17.0	2483	353	14.2	1.1	0.0	4	0	0	0	0	0	0	0
48860	42.0	105	22	21.0	4.5	0.0	1	0	0	0	0	0	0	0
48861	41.3	127	18	14.2	0.0	0.0	0	0	0	0	0	0	0	0
48864	6.4	1296	177	13.7	1.1	0.0	2	0	0	0	0	0	0	0
48865	29.3	158	25	15.8	4.0	0.0	1	0	0	0	0	0	0	0
48866	43.5	398	51	12.8	3.9	0.0	2	0	0	0	0	0	0	0
48867	42.9	2332	429	18.4	3.0	0.5	11	1	0	1	0	2	0	0
48870	*	*	3	---	33.3	0.0	1	0	0	0	0	0	0	0
48871	31.4	142	18	12.7	0.0	0.0	0	0	0	0	0	0	0	0
48872	25.6	708	81	11.4	2.5	0.0	2	0	0	0	0	0	0	0
48873	46.0	215	11	5.1	0.0	0.0	0	0	0	0	0	0	0	0
48874	79.0	14	3	21.4	0.0	0.0	0	0	0	0	0	0	0	0
48875	35.1	869	109	12.5	0.9	0.0	1	0	0	0	0	0	0	0
48876	18.0	312	57	18.3	0.0	0.0	0	0	0	0	0	0	0	0
48877	22.9	226	37	16.4	0.0	0.0	0	0	0	0	0	0	0	0
48878	35.9	155	11	7.1	0.0	0.0	0	0	0	0	0	0	0	0
48879	38.6	1430	210	14.7	1.0	0.5	1	1	0	0	0	1	0	0
48880	35.1	511	99	19.4	4.0	1.0	2	1	0	0	0	1	1	0
48881	31.3	454	67	14.8	1.5	1.5	0	1	0	0	0	1	0	0
48883	25.1	574	54	9.4	1.9	0.0	1	0	0	0	0	0	0	0
48884	30.5	323	49	15.2	2.0	0.0	1	0	0	0	0	0	0	0
48885	36.5	66	10	15.2	0.0	0.0	0	0	0	0	0	0	0	0
48886	23.2	196	25	12.8	4.0	0.0	0	0	0	0	0	0	0	1
48888	26.2	535	82	15.3	3.7	0.0	3	0	0	0	0	0	0	0
48889	35.3	107	26	24.3	0.0	0.0	0	0	0	0	0	0	0	0
48890	42.3	181	18	9.9	0.0	0.0	0	0	0	0	0	0	0	0
48891	24.1	231	39	16.9	0.0	0.0	0	0	0	0	0	0	0	0
48892	33.3	362	51	14.1	0.0	0.0	0	0	0	0	0	0	0	0
48893	10.3	370	35	9.5	0.0	0.0	0	0	0	0	0	0	0	0
48894	39.4	75	21	28.0	4.8	0.0	1	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
48895	26.0	894	132	14.8	2.3	0.0	3	0	0	0	0	0	0	0
48896	44.9	6	1	16.7	0.0	0.0	0	0	0	0	0	0	0	0
48897	55.5	113	12	10.6	8.3	0.0	1	0	0	0	0	0	0	0
48906	39.6	2572	805	31.3	6.8	1.0	47	6	1	1	0	8	0	0
48910	37.7	3162	891	28.2	4.8	0.6	36	4	0	1	0	5	2	0
48911	8.3	4241	1270	29.9	4.4	0.6	46	5	1	2	0	8	2	0
48912	48.3	1501	370	24.7	5.9	0.5	20	1	1	0	0	2	0	0
48915	61.2	1072	339	31.6	8.3	0.6	25	2	0	0	0	2	1	0
48917	9.6	2208	487	22.1	3.7	0.0	18	0	0	0	0	0	0	0
48933	42.8	139	43	30.9	9.3	0.0	4	0	0	0	0	0	0	0
49001	44.5	3970	629	15.8	16.2	1.8	86	9	1	1	0	11	5	0
49002	13.4	1491	252	16.9	1.2	0.0	3	0	0	0	0	0	0	0
49004	22.5	1870	231	12.4	4.3	0.0	10	0	0	0	0	0	0	0
49006	15.1	1466	286	19.5	5.2	0.4	11	0	0	1	0	1	3	0
49007	61.2	936	343	36.6	22.4	2.7	61	5	2	2	0	9	7	0
49008	32.6	1046	234	22.4	5.1	0.4	11	1	0	0	0	1	0	0
49009	7.5	2351	437	18.6	3.7	0.0	16	0	0	0	0	0	0	0
49010	31.7	1355	207	15.3	5.3	1.0	9	0	1	1	0	2	0	0
49011	43.1	157	31	19.7	0.0	0.0	0	0	0	0	0	0	0	0
49012	32.0	232	41	17.7	0.0	0.0	0	0	0	0	0	0	0	0
49013	33.1	470	110	23.4	5.5	0.0	6	0	0	0	0	0	0	0
49014	32.3	1806	397	22.0	8.1	0.8	27	2	1	0	0	3	2	0
49015	30.1	2769	532	19.2	4.1	0.6	18	3	0	0	0	3	1	0
49017	39.0	3002	821	27.3	8.2	1.2	56	6	2	2	0	10	1	0
49021	36.5	441	94	21.3	2.1	0.0	2	0	0	0	0	0	0	0
49022	34.2	3674	991	27.0	12.6	2.1	101	13	4	3	1	21	3	0
49024	4.5	2445	364	14.9	2.2	0.0	8	0	0	0	0	0	0	0
49026	33.1	215	25	11.6	0.0	0.0	0	0	0	0	0	0	0	0
49027	70.5	10	8	80.0	0.0	0.0	0	0	0	0	0	0	0	0
49028	38.9	533	115	21.6	9.6	0.0	10	0	0	0	0	0	1	0
49029	48.3	109	29	26.6	6.9	0.0	2	0	0	0	0	0	0	0
49030	44.3	202	51	25.2	9.8	2.0	4	1	0	0	0	1	0	0
49031	32.0	626	98	15.7	6.1	0.0	5	0	0	0	0	0	1	0
49032	39.4	324	40	12.3	12.5	2.5	4	0	1	0	0	1	0	0
49033	33.4	104	17	16.3	0.0	0.0	0	0	0	0	0	0	0	0
49034	39.6	174	25	14.4	0.0	0.0	0	0	0	0	0	0	0	0
49036	32.0	1659	411	24.8	12.4	0.2	41	1	0	0	0	1	9	0
49037	*	*	135	---	2.2	0.0	3	0	0	0	0	0	0	0
49038	30.2	750	102	13.6	5.9	1.0	5	1	0	0	0	1	0	0
49040	37.0	288	52	18.1	5.8	0.0	3	0	0	0	0	0	0	0
49042	41.1	392	113	28.8	15.9	0.9	14	1	0	0	0	1	3	0
49043	31.0	252	63	25.0	4.8	0.0	3	0	0	0	0	0	0	0
49045	39.3	518	118	22.8	5.1	0.8	5	0	0	1	0	1	0	0
49046	25.1	566	84	14.8	6.0	1.2	4	1	0	0	0	1	0	0
49047	36.8	1277	271	21.2	8.1	1.5	17	2	2	0	0	4	1	0
49048	*	*	623	---	8.0	1.1	41	4	1	2	0	7	2	0
49050	26.1	107	24	22.4	12.5	0.0	3	0	0	0	0	0	0	0
49051	30.1	151	33	21.9	0.0	0.0	0	0	0	0	0	0	0	0
49052	53.0	52	18	34.6	5.6	0.0	1	0	0	0	0	0	0	0
49053	24.7	533	92	17.3	8.7	1.1	7	0	1	0	0	1	0	0
49055	21.8	494	75	15.2	1.3	0.0	1	0	0	0	0	0	0	0
49056	28.4	344	110	32.0	2.7	0.0	2	0	0	0	0	0	1	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									Capillary >= 10, not confirmed by venous	
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)			
49057	35.1	638	174	27.3	4.6	0.6	7	1	0	0	0	1	0		
49058	34.4	1541	213	13.8	10.3	0.9	19	0	1	1	0	2	1		
49060	40.1	133	18	13.5	0.0	0.0	0	0	0	0	0	0	0		
49061	35.5	104	17	16.3	0.0	0.0	0	0	0	0	0	0	0		
49064	33.3	311	50	16.1	8.0	0.0	4	0	0	0	0	0	0		
49065	22.9	505	51	10.1	3.9	0.0	2	0	0	0	0	0	0		
49066	62.9	86	15	17.4	20.0	0.0	3	0	0	0	0	0	0		
49067	40.8	363	61	16.8	13.1	0.0	8	0	0	0	0	0	0		
49068	38.6	1116	181	16.2	2.8	0.0	5	0	0	0	0	0	0		
49070	34.4	198	29	14.6	6.9	0.0	2	0	0	0	0	0	0		
49071	11.4	680	85	12.5	0.0	0.0	0	0	0	0	0	0	0		
49072	37.4	274	48	17.5	6.3	0.0	2	0	0	0	0	0	1		
49073	45.8	405	57	14.1	7.0	0.0	4	0	0	0	0	0	0		
49075	12.5	30	7	23.3	14.3	0.0	1	0	0	0	0	0	0		
49076	36.9	371	42	11.3	0.0	0.0	0	0	0	0	0	0	0		
49078	35.8	758	104	13.7	4.8	0.0	5	0	0	0	0	0	0		
49079	29.5	967	125	12.9	2.4	0.0	3	0	0	0	0	0	0		
49080	25.4	1130	200	17.7	5.0	0.0	9	0	0	0	0	0	1		
49082	39.0	614	109	17.8	8.3	0.0	8	0	0	0	0	0	1		
49083	20.3	464	62	13.4	1.6	0.0	1	0	0	0	0	0	0		
49085	28.8	1554	102	6.6	2.0	0.0	2	0	0	0	0	0	0		
49087	26.0	439	52	11.8	5.8	0.0	3	0	0	0	0	0	0		
49088	31.4	221	40	18.1	5.0	0.0	2	0	0	0	0	0	0		
49089	41.7	168	33	19.6	9.1	0.0	3	0	0	0	0	0	0		
49090	33.2	1099	176	16.0	6.8	0.6	10	1	0	0	0	1	1		
49091	33.0	1929	512	26.5	11.3	0.4	47	0	1	1	0	2	9		
49092	50.9	177	34	19.2	11.8	0.0	4	0	0	0	0	0	0		
49093	33.8	1496	345	23.1	11.6	0.6	36	2	0	0	0	2	2		
49094	45.3	320	76	23.8	13.2	0.0	9	0	0	0	0	0	1		
49095	24.4	144	7	4.9	0.0	0.0	0	0	0	0	0	0	0		
49096	44.5	255	35	13.7	2.9	0.0	1	0	0	0	0	0	0		
49097	30.6	695	133	19.1	6.0	0.8	7	1	0	0	0	1	0		
49098	38.6	544	75	13.8	2.7	1.3	1	0	0	1	0	1	0		
49099	26.0	371	91	24.5	6.6	0.0	6	0	0	0	0	0	0		
49101	29.0	255	25	9.8	0.0	0.0	0	0	0	0	0	0	0		
49102	42.3	94	18	19.1	5.6	0.0	1	0	0	0	0	0	0		
49103	24.2	862	139	16.1	2.9	0.0	4	0	0	0	0	0	0		
49106	18.3	323	24	7.4	4.2	4.2	0	0	1	0	0	1	0		
49107	35.6	822	111	13.5	9.0	0.0	9	0	0	0	0	0	1		
49111	34.8	262	82	31.3	4.9	0.0	4	0	0	0	0	0	0		
49112	21.0	696	84	12.1	1.2	0.0	1	0	0	0	0	0	0		
49113	44.5	121	14	11.6	7.1	0.0	1	0	0	0	0	0	0		
49115	42.5	0	0	---	---	---	0	0	0	0	0	0	0		
49116	59.5	10	2	20.0	0.0	0.0	0	0	0	0	0	0	0		
49117	30.2	252	11	4.4	0.0	0.0	0	0	0	0	0	0	0		
49119	64.3	9	3	33.3	33.3	0.0	1	0	0	0	0	0	0		
49120	33.8	2663	507	19.0	7.3	0.8	33	3	1	0	0	4	0		
49125	52.7	162	11	6.8	0.0	0.0	0	0	0	0	0	0	0		
49126	26.9	116	39	33.6	2.6	0.0	1	0	0	0	0	0	0		
49127	13.0	645	60	9.3	1.7	0.0	1	0	0	0	0	0	0		
49128	42.8	335	24	7.2	8.3	0.0	2	0	0	0	0	0	0		
49129	53.1	38	4	10.5	0.0	0.0	0	0	0	0	0	0	0		

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									Capillary >= 10, not confirmed by venous
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)		
49130	19.9	79	12	15.2	8.3	0.0	1	0	0	0	0	0	0	
49201	26.9	3107	599	19.3	7.0	0.5	36	2	0	1	0	3	3	
49202	46.2	2040	491	24.1	7.7	0.0	37	0	0	0	0	0	1	
49203	46.1	3602	838	23.3	12.3	1.1	90	3	4	2	0	9	4	
49220	33.9	171	43	25.1	9.3	0.0	4	0	0	0	0	0	0	
49221	37.2	3271	922	28.2	9.4	0.5	80	2	3	0	0	5	2	
49224	45.8	1157	214	18.5	7.5	0.0	16	0	0	0	0	0	0	
49227	45.3	111	17	15.3	5.9	0.0	1	0	0	0	0	0	0	
49228	55.7	387	76	19.6	2.6	1.3	1	1	0	0	0	1	0	
49229	49.3	244	32	13.1	6.3	0.0	2	0	0	0	0	0	0	
49230	22.4	548	85	15.5	3.5	0.0	2	0	0	0	0	0	1	
49232	35.9	289	41	14.2	2.4	0.0	1	0	0	0	0	0	0	
49233	28.1	122	31	25.4	0.0	0.0	0	0	0	0	0	0	0	
49234	38.3	163	23	14.1	0.0	0.0	0	0	0	0	0	0	0	
49235	49.6	156	34	21.8	2.9	0.0	1	0	0	0	0	0	0	
49236	35.8	366	39	10.7	5.1	0.0	2	0	0	0	0	0	0	
49237	36.9	277	39	14.1	2.6	0.0	1	0	0	0	0	0	0	
49238	54.6	165	38	23.0	7.9	0.0	3	0	0	0	0	0	0	
49240	27.8	587	66	11.2	4.5	1.5	2	1	0	0	0	1	0	
49241	32.1	170	42	24.7	0.0	0.0	0	0	0	0	0	0	0	
49242	40.9	1146	209	18.2	11.0	0.5	18	1	0	0	0	1	4	
49245	40.9	408	55	13.5	3.6	0.0	2	0	0	0	0	0	0	
49246	23.7	228	28	12.3	0.0	0.0	0	0	0	0	0	0	0	
49247	49.3	439	117	26.7	6.0	0.9	6	0	1	0	0	1	0	
49248	76.0	67	12	17.9	16.7	0.0	1	0	0	0	0	0	1	
49249	18.5	218	31	14.2	3.2	0.0	1	0	0	0	0	0	0	
49250	37.4	465	103	22.2	4.9	1.9	3	0	1	1	0	2	0	
49251	33.5	516	92	17.8	4.3	0.0	4	0	0	0	0	0	0	
49252	42.4	215	36	16.7	13.9	5.6	3	2	0	0	0	2	0	
49253	36.1	182	35	19.2	14.3	0.0	5	0	0	0	0	0	0	
49254	49.6	224	34	15.2	11.8	0.0	4	0	0	0	0	0	0	
49255	53.1	225	13	5.8	0.0	0.0	0	0	0	0	0	0	0	
49256	54.8	337	81	24.0	8.6	1.2	6	0	1	0	0	1	0	
49259	26.7	232	26	11.2	3.8	0.0	1	0	0	0	0	0	0	
49262	54.2	123	22	17.9	4.5	0.0	0	0	0	0	0	0	1	
49263	53.3	3	0	0.0	---	---	0	0	0	0	0	0	0	
49264	28.9	161	35	21.7	2.9	0.0	1	0	0	0	0	0	0	
49265	28.1	336	64	19.0	7.8	0.0	4	0	0	0	0	0	1	
49266	37.8	224	61	27.2	6.6	1.6	3	1	0	0	0	1	0	
49267	39.6	278	19	6.8	0.0	0.0	0	0	0	0	0	0	0	
49268	62.6	90	29	32.2	0.0	0.0	0	0	0	0	0	0	0	
49269	28.4	509	89	17.5	5.6	0.0	5	0	0	0	0	0	0	
49270	28.9	470	46	9.8	6.5	0.0	3	0	0	0	0	0	0	
49271	54.7	176	27	15.3	0.0	0.0	0	0	0	0	0	0	0	
49272	33.9	187	28	15.0	10.7	0.0	3	0	0	0	0	0	0	
49274	40.3	306	52	17.0	11.5	2.0	4	0	0	1	0	1	1	
49276	66.0	77	5	6.5	0.0	0.0	0	0	0	0	0	0	0	
49277	23.9	316	37	11.7	0.0	0.0	0	0	0	0	0	0	0	
49279	57.6	66	9	13.6	22.2	0.0	2	0	0	0	0	0	0	
49281	7.3	40	4	10.0	0.0	0.0	0	0	0	0	0	0	0	
49282	6.9	47	1	2.1	0.0	0.0	0	0	0	0	0	0	0	
49283	15.6	155	39	25.2	5.1	2.6	1	0	1	0	0	1	0	

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
49284	40.4	225	47	20.9	4.3	0.0	2	0	0	0	0	0	0	0
49285	34.9	421	79	18.8	2.5	0.0	2	0	0	0	0	0	0	0
49286	26.5	1120	164	14.6	2.4	0.6	3	0	1	0	0	0	1	0
49287	29.8	140	29	20.7	0.0	0.0	0	0	0	0	0	0	0	0
49288	64.2	123	35	28.5	5.7	0.0	2	0	0	0	0	0	0	0
49289	64.9	3	5	166.7	0.0	0.0	0	0	0	0	0	0	0	0
49301	13.7	902	119	13.2	2.5	0.8	2	1	0	0	0	0	1	0
49302	21.0	585	57	9.7	3.5	0.0	1	0	0	0	0	0	0	1
49303	30.7	86	26	30.2	7.7	0.0	2	0	0	0	0	0	0	0
49304	13.8	223	70	31.4	1.4	0.0	1	0	0	0	0	0	0	0
49305	22.0	161	31	19.3	3.2	0.0	1	0	0	0	0	0	0	0
49306	9.9	732	62	8.5	3.2	0.0	2	0	0	0	0	0	0	0
49307	25.6	1217	155	12.7	1.9	0.0	3	0	0	0	0	0	0	0
49309	15.8	151	17	11.3	5.9	5.9	0	1	0	0	0	0	1	0
49310	33.7	226	27	11.9	0.0	0.0	0	0	0	0	0	0	0	0
49312	3.2	4	2	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49315	17.7	1214	133	11.0	1.5	0.0	2	0	0	0	0	0	0	0
49316	16.7	1324	157	11.9	3.2	0.0	5	0	0	0	0	0	0	0
49318	42.0	116	22	19.0	9.1	0.0	2	0	0	0	0	0	0	0
49319	17.1	1292	302	23.4	3.3	0.0	10	0	0	0	0	0	0	0
49321	8.9	1451	363	25.0	2.2	0.3	7	1	0	0	0	0	1	0
49322	40.4	104	16	15.4	6.3	0.0	0	0	0	0	0	0	0	1
49323	13.8	810	61	7.5	0.0	0.0	0	0	0	0	0	0	0	0
49325	37.9	143	19	13.3	5.3	0.0	1	0	0	0	0	0	0	0
49326	14.4	262	50	19.1	2.0	0.0	1	0	0	0	0	0	0	0
49327	22.4	792	168	21.2	3.6	0.0	6	0	0	0	0	0	0	0
49328	39.7	343	31	9.0	3.2	0.0	1	0	0	0	0	0	0	0
49329	17.8	673	104	15.5	2.9	0.0	3	0	0	0	0	0	0	0
49330	30.4	446	125	28.0	0.8	0.0	1	0	0	0	0	0	0	0
49331	21.6	1277	121	9.5	1.7	0.0	2	0	0	0	0	0	0	0
49332	22.1	177	33	18.6	3.0	0.0	1	0	0	0	0	0	0	0
49333	21.6	855	120	14.0	3.3	0.0	4	0	0	0	0	0	0	0
49335	71.8	14	1	7.1	0.0	0.0	0	0	0	0	0	0	0	0
49336	26.1	412	39	9.5	2.6	0.0	1	0	0	0	0	0	0	0
49337	20.6	963	153	15.9	5.2	0.0	8	0	0	0	0	0	0	0
49338	14.4	139	18	12.9	0.0	0.0	0	0	0	0	0	0	0	0
49339	32.5	173	24	13.9	0.0	0.0	0	0	0	0	0	0	0	0
49340	29.0	230	30	13.0	6.7	0.0	2	0	0	0	0	0	0	0
49341	14.3	2964	332	11.2	1.2	0.6	2	1	0	1	0	0	2	0
49342	23.3	159	23	14.5	0.0	0.0	0	0	0	0	0	0	0	0
49343	22.4	442	92	20.8	0.0	0.0	0	0	0	0	0	0	0	0
49344	23.0	252	24	9.5	4.2	0.0	1	0	0	0	0	0	0	0
49345	27.3	1128	244	21.6	1.6	0.0	4	0	0	0	0	0	0	0
49346	7.4	327	29	8.9	0.0	0.0	0	0	0	0	0	0	0	0
49347	29.8	97	11	11.3	0.0	0.0	0	0	0	0	0	0	0	0
49348	21.9	1082	100	9.2	1.0	0.0	1	0	0	0	0	0	0	0
49349	20.2	653	110	16.8	5.5	0.0	6	0	0	0	0	0	0	0
49401	10.7	936	83	8.9	1.2	0.0	1	0	0	0	0	0	0	0
49402	11.6	76	13	17.1	0.0	0.0	0	0	0	0	0	0	0	0
49403	41.1	203	79	38.9	3.8	0.0	3	0	0	0	0	0	0	0
49404	28.6	682	75	11.0	2.7	0.0	1	0	0	0	0	0	0	1
49405	34.4	98	19	19.4	10.5	0.0	2	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
49406	38.5	42	4	9.5	0.0	0.0	0	0	0	0	0	0	0	0
49408	24.4	864	133	15.4	2.3	0.8	2	0	0	1	0	1	1	0
49410	16.0	116	25	21.6	4.0	0.0	1	0	0	0	0	0	0	0
49411	26.5	94	12	12.8	16.7	0.0	2	0	0	0	0	0	0	0
49412	31.3	888	129	14.5	3.9	0.0	5	0	0	0	0	0	0	0
49415	19.3	410	68	16.6	2.9	0.0	2	0	0	0	0	0	0	0
49417	23.4	2206	263	11.9	3.0	0.0	7	0	0	0	0	0	0	1
49418	13.8	2172	258	11.9	1.9	0.0	5	0	0	0	0	0	0	0
49419	21.6	658	59	9.0	5.1	0.0	3	0	0	0	0	0	0	0
49420	36.9	587	177	30.2	4.0	0.6	5	0	0	1	0	1	1	1
49421	23.3	492	75	15.2	2.7	0.0	2	0	0	0	0	0	0	0
49423	30.3	4288	658	15.3	6.7	0.2	41	0	1	0	0	1	2	2
49424	8.1	4606	516	11.2	3.5	0.2	15	1	0	0	0	1	2	2
49425	23.7	290	50	17.2	6.0	0.0	3	0	0	0	0	0	0	0
49426	12.3	2838	164	5.8	0.6	0.0	1	0	0	0	0	0	0	0
49428	3.9	1991	131	6.6	0.8	0.0	1	0	0	0	0	0	0	0
49431	36.8	1127	259	23.0	8.9	1.2	17	2	1	0	0	3	3	3
49434	87.8	0	0	---	---	---	0	0	0	0	0	0	0	0
49435	27.6	288	43	14.9	4.7	0.0	2	0	0	0	0	0	0	0
49436	15.3	99	25	25.3	4.0	0.0	1	0	0	0	0	0	0	0
49437	24.4	483	86	17.8	2.3	0.0	2	0	0	0	0	0	0	0
49440	65.3	42	24	57.1	16.7	4.3	2	1	0	0	0	1	1	1
49441	33.8	3230	656	20.3	8.8	2.0	44	6	5	2	0	13	1	1
49442	29.0	4187	1062	25.4	11.2	0.9	108	4	1	5	0	10	1	1
49444	42.2	2147	776	36.1	12.5	0.9	85	5	1	1	0	7	5	5
49445	22.1	1397	313	22.4	0.6	0.0	2	0	0	0	0	0	0	0
49446	29.4	184	41	22.3	0.0	0.0	0	0	0	0	0	0	0	0
49448	24.7	249	43	17.3	0.0	0.0	0	0	0	0	0	0	0	0
49449	29.5	138	29	21.0	0.0	0.0	0	0	0	0	0	0	0	0
49450	23.0	380	110	28.9	2.7	0.0	3	0	0	0	0	0	0	0
49451	20.9	507	99	19.5	6.1	1.0	5	0	1	0	0	1	0	0
49452	18.8	159	54	34.0	3.7	0.0	2	0	0	0	0	0	0	0
49453	38.3	145	13	9.0	0.0	0.0	0	0	0	0	0	0	0	0
49454	33.2	365	65	17.8	3.1	0.0	2	0	0	0	0	0	0	0
49455	31.0	397	198	49.9	2.0	0.0	4	0	0	0	0	0	0	0
49456	18.9	1311	158	12.1	2.5	0.6	3	0	1	0	0	1	0	0
49457	17.9	806	221	27.4	2.3	0.9	3	1	1	0	0	2	0	0
49458	15.3	11	3	27.3	0.0	0.0	0	0	0	0	0	0	0	0
49459	16.9	118	47	39.8	0.0	0.0	0	0	0	0	0	0	0	0
49460	14.6	817	76	9.3	1.3	0.0	1	0	0	0	0	0	0	0
49461	23.0	665	115	17.3	4.3	0.9	2	1	0	0	0	1	2	2
49464	22.3	2118	190	9.0	3.7	0.0	7	0	0	0	0	0	0	0
49503	66.1	3063	1018	33.2	16.2	1.1	147	8	3	0	0	11	7	7
49504	58.0	3867	1032	26.7	13.9	2.0	117	11	3	7	0	21	5	5
49505	37.8	3031	559	18.4	5.2	0.5	25	0	2	1	0	3	1	1
49506	48.2	2973	490	16.5	13.5	0.8	57	4	0	0	0	4	5	5
49507	58.0	4913	1457	29.7	18.9	1.5	245	17	2	3	0	22	8	8
49508	3.3	3655	749	20.5	4.3	0.5	28	3	1	0	0	4	0	0
49509	20.6	5628	756	13.4	4.2	0.1	31	0	0	1	0	1	0	0
49512	1.5	1023	245	23.9	2.4	0.4	5	0	1	0	0	1	0	0
49519	*	*	507	---	3.2	0.0	14	0	0	0	0	0	2	2
49525	13.3	2004	222	11.1	3.2	0.0	7	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									Capillary >= 10, not confirmed by venous
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)		
49534	*	*	197	---	3.6	0.5	6	0	1	0	0	1	0	
49544	11.2	2395	152	6.3	2.0	0.0	3	0	0	0	0	0	0	
49546	3.7	2594	322	12.4	3.4	0.0	11	0	0	0	0	0	0	
49548	20.2	3137	674	21.5	2.1	0.0	14	0	0	0	0	0	0	
49601	29.6	1542	207	13.4	1.4	0.0	3	0	0	0	0	0	0	
49611	29.1	25	9	36.0	11.1	0.0	1	0	0	0	0	0	0	
49612	23.6	69	9	13.0	11.1	0.0	1	0	0	0	0	0	0	
49613	48.2	27	7	25.9	0.0	0.0	0	0	0	0	0	0	0	
49614	31.9	209	52	24.9	3.8	0.0	2	0	0	0	0	0	0	
49615	19.9	249	51	20.5	2.0	0.0	1	0	0	0	0	0	0	
49616	23.3	138	27	19.6	3.7	0.0	1	0	0	0	0	0	0	
49617	24.6	193	26	13.5	0.0	0.0	0	0	0	0	0	0	0	
49618	16.3	61	4	6.6	0.0	0.0	0	0	0	0	0	0	0	
49619	26.3	69	13	18.8	0.0	0.0	0	0	0	0	0	0	0	
49620	20.8	193	30	15.5	0.0	0.0	0	0	0	0	0	0	0	
49621	16.8	194	19	9.8	0.0	0.0	0	0	0	0	0	0	0	
49622	32.2	176	21	11.9	0.0	0.0	0	0	0	0	0	0	0	
49623	18.8	98	18	18.4	11.1	0.0	2	0	0	0	0	0	0	
49625	33.2	101	8	7.9	0.0	0.0	0	0	0	0	0	0	0	
49626	66.7	15	5	33.3	20.0	0.0	1	0	0	0	0	0	0	
49627	30.7	11	4	36.4	0.0	0.0	0	0	0	0	0	0	0	
49628	62.6	21	1	4.8	0.0	0.0	0	0	0	0	0	0	0	
49629	30.7	122	21	17.2	9.5	0.0	2	0	0	0	0	0	0	
49630	27.3	51	6	11.8	0.0	0.0	0	0	0	0	0	0	0	
49631	24.3	471	75	15.9	10.7	1.3	7	0	1	0	0	1	0	
49632	20.0	95	17	17.9	5.9	0.0	1	0	0	0	0	0	0	
49633	19.9	248	35	14.1	5.7	0.0	2	0	0	0	0	0	0	
49634	66.7	2	2	100.0	50.0	0.0	1	0	0	0	0	0	0	
49635	40.1	220	16	7.3	0.0	0.0	0	0	0	0	0	0	0	
49636	14.6	26	1	3.8	0.0	0.0	0	0	0	0	0	0	0	
49637	13.4	173	33	19.1	0.0	0.0	0	0	0	0	0	0	0	
49638	10.8	63	6	9.5	0.0	0.0	0	0	0	0	0	0	0	
49639	16.7	184	29	15.8	0.0	0.0	0	0	0	0	0	0	0	
49640	28.1	99	22	22.2	0.0	0.0	0	0	0	0	0	0	0	
49642	23.3	66	13	19.7	7.7	0.0	1	0	0	0	0	0	0	
49643	9.4	415	81	19.5	2.5	0.0	2	0	0	0	0	0	0	
49644	8.3	118	13	11.0	15.4	0.0	2	0	0	0	0	0	0	
49645	28.4	116	26	22.4	7.7	0.0	2	0	0	0	0	0	0	
49646	13.7	675	100	14.8	3.0	0.0	3	0	0	0	0	0	0	
49648	13.5	99	30	30.3	0.0	0.0	0	0	0	0	0	0	0	
49649	16.7	583	87	14.9	1.1	0.0	1	0	0	0	0	0	0	
49650	10.5	243	29	11.9	0.0	0.0	0	0	0	0	0	0	0	
49651	16.8	564	79	14.0	1.3	0.0	1	0	0	0	0	0	0	
49653	29.6	132	24	18.2	0.0	0.0	0	0	0	0	0	0	0	
49654	36.7	14	0	0.0	---	---	0	0	0	0	0	0	0	
49655	19.2	228	25	11.0	0.0	0.0	0	0	0	0	0	0	0	
49656	26.0	99	16	16.2	0.0	0.0	0	0	0	0	0	0	0	
49657	33.9	284	27	9.5	3.7	0.0	1	0	0	0	0	0	0	
49659	16.5	573	120	20.9	4.2	0.8	4	1	0	0	0	1	0	
49660	43.1	864	172	19.9	8.7	1.2	12	1	0	1	0	2	1	
49663	23.9	456	67	14.7	3.0	0.0	2	0	0	0	0	0	0	
49664	23.8	134	13	9.7	0.0	0.0	0	0	0	0	0	0	0	

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
49665	26.7	307	42	13.7	11.9	0.0	5	0	0	0	0	0	0	0
49666	30.0	4	1	25.0	0.0	0.0	0	0	0	0	0	0	0	0
49667	23.5	40	5	12.5	20.0	0.0	1	0	0	0	0	0	0	0
49668	16.7	262	31	11.8	6.5	6.5	0	1	1	0	0	0	2	0
49670	30.3	83	11	13.3	0.0	0.0	0	0	0	0	0	0	0	0
49675	37.7	71	7	9.9	0.0	0.0	0	0	0	0	0	0	0	0
49676	21.1	214	40	18.7	2.5	0.0	1	0	0	0	0	0	0	0
49677	27.3	529	74	14.0	6.8	0.0	5	0	0	0	0	0	0	0
49679	14.7	74	10	13.5	0.0	0.0	0	0	0	0	0	0	0	0
49680	20.7	157	38	24.2	0.0	0.0	0	0	0	0	0	0	0	0
49682	20.6	300	61	20.3	9.8	0.0	4	0	0	0	0	0	0	2
49683	17.5	122	29	23.8	3.4	0.0	1	0	0	0	0	0	0	0
49684	19.1	2656	432	16.3	2.1	0.0	9	0	0	0	0	0	0	0
49686	17.6	1886	292	15.5	3.1	0.0	8	0	0	0	0	0	0	1
49688	26.3	188	19	10.1	5.3	0.0	1	0	0	0	0	0	0	0
49689	16.8	112	17	15.2	11.8	0.0	1	0	0	0	0	0	0	1
49690	12.2	428	45	10.5	4.4	0.0	2	0	0	0	0	0	0	0
49701	25.7	53	8	15.1	0.0	0.0	0	0	0	0	0	0	0	0
49705	18.2	89	11	12.4	0.0	0.0	0	0	0	0	0	0	0	0
49706	17.5	384	57	14.8	1.8	0.0	1	0	0	0	0	0	0	0
49707	30.2	1620	296	18.3	3.4	0.7	8	2	0	0	0	0	2	0
49709	20.1	208	33	15.9	6.1	0.0	2	0	0	0	0	0	0	0
49710	25.2	24	5	20.8	0.0	0.0	0	0	0	0	0	0	0	0
49712	23.9	607	83	13.7	0.0	0.0	0	0	0	0	0	0	0	0
49713	23.0	159	13	8.2	0.0	0.0	0	0	0	0	0	0	0	0
49715	18.6	252	61	24.2	3.3	0.0	2	0	0	0	0	0	0	0
49716	13.0	72	4	5.6	0.0	0.0	0	0	0	0	0	0	0	0
49718	33.7	54	3	5.6	0.0	0.0	0	0	0	0	0	0	0	0
49719	22.8	88	9	10.2	0.0	0.0	0	0	0	0	0	0	0	0
49720	27.2	674	64	9.5	1.6	0.0	1	0	0	0	0	0	0	0
49721	26.8	1104	116	10.5	2.6	0.9	2	0	0	1	0	1	0	0
49722	47.2	6	3	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49724	23.8	88	14	15.9	0.0	0.0	0	0	0	0	0	0	0	0
49725	19.9	41	1	2.4	100.0	0.0	1	0	0	0	0	0	0	0
49726	14.0	45	5	11.1	0.0	0.0	0	0	0	0	0	0	0	0
49727	25.0	668	75	11.2	1.3	1.3	0	1	0	0	0	1	0	0
49728	18.5	15	2	13.3	0.0	0.0	0	0	0	0	0	0	0	0
49729	33.2	138	9	6.5	0.0	0.0	0	0	0	0	0	0	0	0
49730	14.6	170	19	11.2	0.0	0.0	0	0	0	0	0	0	0	0
49733	15.6	119	20	16.8	0.0	0.0	0	0	0	0	0	0	0	0
49735	11.2	1468	274	18.7	1.1	0.0	3	0	0	0	0	0	0	0
49736	20.5	25	4	16.0	25.0	0.0	1	0	0	0	0	0	0	0
49738	21.8	702	85	12.1	1.2	0.0	1	0	0	0	0	0	0	0
49740	24.2	451	29	6.4	0.0	0.0	0	0	0	0	0	0	0	0
49743	34.9	49	5	10.2	0.0	0.0	0	0	0	0	0	0	0	0
49744	30.9	65	9	13.8	11.1	0.0	1	0	0	0	0	0	0	0
49745	50.7	11	6	54.5	0.0	0.0	0	0	0	0	0	0	0	0
49746	18.9	212	44	20.8	4.5	0.0	2	0	0	0	0	0	0	0
49747	21.0	107	17	15.9	5.9	0.0	1	0	0	0	0	0	0	0
49748	24.9	6	0	0.0	---	---	0	0	0	0	0	0	0	0
49749	14.8	267	34	12.7	0.0	0.0	0	0	0	0	0	0	0	0
49751	17.7	118	18	15.3	5.6	0.0	1	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
49752	9.0	15	6	40.0	0.0	0.0	0	0	0	0	0	0	0	0
49753	20.7	150	15	10.0	0.0	0.0	0	0	0	0	0	0	0	0
49755	26.2	180	18	10.0	5.6	0.0	1	0	0	0	0	0	0	0
49756	10.8	194	30	15.5	0.0	0.0	0	0	0	0	0	0	0	0
49757	53.8	23	12	52.2	0.0	0.0	0	0	0	0	0	0	0	0
49759	14.0	105	12	11.4	0.0	0.0	0	0	0	0	0	0	0	0
49760	25.4	34	12	35.3	0.0	0.0	0	0	0	0	0	0	0	0
49761	0.0	2	1	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49762	22.1	32	3	9.4	0.0	0.0	0	0	0	0	0	0	0	0
49764	29.3	10	3	30.0	0.0	0.0	0	0	0	0	0	0	0	0
49765	26.8	301	49	16.3	2.0	0.0	1	0	0	0	0	0	0	0
49766	24.7	165	27	16.4	3.7	0.0	1	0	0	0	0	0	0	0
49768	10.9	21	2	9.5	0.0	0.0	0	0	0	0	0	0	0	0
49769	30.3	149	14	9.4	7.1	0.0	1	0	0	0	0	0	0	0
49770	31.6	1149	126	11.0	1.6	0.0	2	0	0	0	0	0	0	0
49774	26.6	149	12	8.1	0.0	0.0	0	0	0	0	0	0	0	0
49775	29.3	1	0	0.0	---	---	0	0	0	0	0	0	0	0
49776	31.0	123	16	13.0	0.0	0.0	0	0	0	0	0	0	0	0
49777	17.7	69	5	7.2	0.0	0.0	0	0	0	0	0	0	0	0
49779	38.1	279	42	15.1	4.8	0.0	2	0	0	0	0	0	0	0
49780	23.6	159	27	17.0	0.0	0.0	0	0	0	0	0	0	0	0
49781	28.1	357	56	15.7	5.4	1.8	2	1	0	0	0	0	1	0
49782	18.2	27	0	0.0	---	---	0	0	0	0	0	0	0	0
49783	39.7	1336	342	25.6	2.6	0.0	9	0	0	0	0	0	0	0
49788	15.6	359	96	26.7	4.2	0.0	3	0	0	0	0	0	0	1
49791	70.0	1	5	500.0	0.0	0.0	0	0	0	0	0	0	0	0
49792	22.2	6	3	50.0	33.3	0.0	1	0	0	0	0	0	0	0
49793	33.8	4	5	125.0	20.0	0.0	1	0	0	0	0	0	0	0
49795	16.3	135	22	16.3	4.5	0.0	1	0	0	0	0	0	0	0
49796	47.6	10	3	30.0	0.0	0.0	0	0	0	0	0	0	0	0
49799	14.5	173	28	16.2	0.0	0.0	0	0	0	0	0	0	0	0
49801	42.2	830	133	16.0	1.5	0.0	2	0	0	0	0	0	0	0
49802	43.1	489	73	14.9	2.7	0.0	2	0	0	0	0	0	0	0
49805	75.0	15	8	53.3	0.0	0.0	0	0	0	0	0	0	0	0
49806	34.3	26	5	19.2	0.0	0.0	0	0	0	0	0	0	0	0
49807	27.6	265	34	12.8	0.0	0.0	0	0	0	0	0	0	0	0
49808	26.4	10	3	30.0	0.0	0.0	0	0	0	0	0	0	0	0
49812	37.5	63	7	11.1	0.0	0.0	0	0	0	0	0	0	0	0
49813	27.7	9	0	0.0	---	---	0	0	0	0	0	0	0	0
49814	30.5	93	16	17.2	0.0	0.0	0	0	0	0	0	0	0	0
49815	37.5	47	5	10.6	0.0	0.0	0	0	0	0	0	0	0	0
49816	37.6	51	7	13.7	14.3	0.0	1	0	0	0	0	0	0	0
49817	29.8	42	4	9.5	25.0	0.0	1	0	0	0	0	0	0	0
49818	24.7	76	12	15.8	8.3	0.0	1	0	0	0	0	0	0	0
49819	*	*	1	---	0.0	0.0	0	0	0	0	0	0	0	0
49820	23.7	42	5	11.9	20.0	0.0	1	0	0	0	0	0	0	0
49821	36.6	108	12	11.1	0.0	0.0	0	0	0	0	0	0	0	0
49822	15.4	6	2	33.3	50.0	0.0	1	0	0	0	0	0	0	0
49825	35.5	15	3	20.0	0.0	0.0	0	0	0	0	0	0	0	0
49826	22.2	5	4	80.0	0.0	0.0	0	0	0	0	0	0	0	0
49827	31.1	60	7	11.7	14.3	0.0	1	0	0	0	0	0	0	0
49829	46.0	1231	317	25.8	6.3	0.3	18	0	1	0	0	0	1	1

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
49831	57.1	0	17	---	0.0	0.0	0	0	0	0	0	0	0	0
49833	17.6	12	4	33.3	0.0	0.0	0	0	0	0	0	0	0	0
49834	32.4	17	4	23.5	0.0	0.0	0	0	0	0	0	0	0	0
49835	32.0	53	9	17.0	0.0	0.0	0	0	0	0	0	0	0	0
49836	31.1	48	5	10.4	20.0	0.0	1	0	0	0	0	0	0	0
49837	34.7	675	105	15.6	5.7	0.0	5	0	0	0	0	0	0	1
49838	21.2	16	5	31.3	0.0	0.0	0	0	0	0	0	0	0	0
49839	33.3	6	1	16.7	0.0	0.0	0	0	0	0	0	0	0	0
49840	19.1	44	8	18.2	0.0	0.0	0	0	0	0	0	0	0	0
49841	12.4	464	145	31.3	1.4	0.0	2	0	0	0	0	0	0	0
49847	45.3	59	15	25.4	0.0	0.0	0	0	0	0	0	0	0	0
49848	43.8	17	2	11.8	0.0	0.0	0	0	0	0	0	0	0	0
49849	48.5	896	129	14.4	5.4	0.0	7	0	0	0	0	0	0	0
49852	71.8	4	2	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49853	23.4	70	12	17.1	0.0	0.0	0	0	0	0	0	0	0	0
49854	37.7	469	109	23.2	3.7	0.0	4	0	0	0	0	0	0	0
49855	30.7	1779	282	15.9	1.8	0.0	5	0	0	0	0	0	0	0
49858	43.4	895	138	15.4	8.0	0.7	10	0	0	1	0	1	0	0
49861	34.0	18	4	22.2	0.0	0.0	0	0	0	0	0	0	0	0
49862	35.8	310	65	21.0	3.1	0.0	2	0	0	0	0	0	0	0
49863	57.8	13	4	30.8	0.0	0.0	0	0	0	0	0	0	0	0
49866	40.2	477	92	19.3	6.5	0.0	6	0	0	0	0	0	0	0
49868	32.9	368	89	24.2	2.2	0.0	2	0	0	0	0	0	0	0
49870	51.6	247	33	13.4	3.0	0.0	1	0	0	0	0	0	0	0
49871	60.8	22	5	22.7	0.0	0.0	0	0	0	0	0	0	0	0
49872	58.8	2	1	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49873	27.1	8	2	25.0	0.0	0.0	0	0	0	0	0	0	0	0
49874	29.4	72	13	18.1	0.0	0.0	0	0	0	0	0	0	0	0
49876	22.0	77	16	20.8	0.0	0.0	0	0	0	0	0	0	0	0
49877	52.8	1	0	0.0	---	---	0	0	0	0	0	0	0	0
49878	27.4	193	23	11.9	0.0	0.0	0	0	0	0	0	0	0	0
49879	36.0	44	9	20.5	0.0	0.0	0	0	0	0	0	0	0	0
49880	36.8	74	5	6.8	0.0	0.0	0	0	0	0	0	0	0	0
49881	24.1	25	2	8.0	50.0	0.0	1	0	0	0	0	0	0	0
49883	28.3	17	0	0.0	---	---	0	0	0	0	0	0	0	0
49884	15.9	38	5	13.2	0.0	0.0	0	0	0	0	0	0	0	0
49885	22.5	159	22	13.8	4.5	0.0	1	0	0	0	0	0	0	0
49886	40.8	37	2	5.4	0.0	0.0	0	0	0	0	0	0	0	0
49887	36.4	144	14	9.7	0.0	0.0	0	0	0	0	0	0	0	0
49891	37.6	66	7	10.6	14.3	0.0	1	0	0	0	0	0	0	0
49892	34.1	129	13	10.1	0.0	0.0	0	0	0	0	0	0	0	0
49893	26.1	119	10	8.4	0.0	0.0	0	0	0	0	0	0	0	0
49894	39.5	34	4	11.8	0.0	0.0	0	0	0	0	0	0	0	0
49895	18.4	32	9	28.1	0.0	0.0	0	0	0	0	0	0	0	0
49896	27.8	172	37	21.5	0.0	0.0	0	0	0	0	0	0	0	0
49901	85.8	22	6	27.3	0.0	0.0	0	0	0	0	0	0	0	0
49902	69.2	22	2	9.1	0.0	0.0	0	0	0	0	0	0	0	0
49903	67.0	11	3	27.3	0.0	0.0	0	0	0	0	0	0	0	0
49905	56.0	168	44	26.2	0.0	0.0	0	0	0	0	0	0	0	0
49908	30.5	213	43	20.2	2.3	0.0	1	0	0	0	0	0	0	0
49910	33.4	14	3	21.4	0.0	0.0	0	0	0	0	0	0	0	0
49911	58.8	161	46	28.6	6.5	0.0	3	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children less than Six Years of Age

ZIP	%Pre-1950 Housing	Children Under Age 6	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL								Capillary >= 10, not confirmed by venous
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	
49912	50.6	50	11	22.0	9.1	0.0	1	0	0	0	0	0	0
49913	75.6	659	120	18.2	10.0	0.0	12	0	0	0	0	0	0
49915	69.3	44	28	63.6	0.0	0.0	0	0	0	0	0	0	0
49916	37.0	201	34	16.9	0.0	0.0	0	0	0	0	0	0	0
49917	84.8	11	6	54.5	0.0	0.0	0	0	0	0	0	0	0
49918	69.3	3	2	66.7	0.0	0.0	0	0	0	0	0	0	0
49919	36.9	10	3	30.0	0.0	0.0	0	0	0	0	0	0	0
49920	41.6	204	40	19.6	0.0	0.0	0	0	0	0	0	0	0
49921	57.9	38	6	15.8	0.0	0.0	0	0	0	0	0	0	0
49922	35.5	99	14	14.1	14.3	7.1	1	0	0	1	0	1	0
49925	43.0	38	6	15.8	0.0	0.0	0	0	0	0	0	0	0
49927	53.4	32	8	25.0	0.0	0.0	0	0	0	0	0	0	0
49929	70.2	6	4	66.7	0.0	0.0	0	0	0	0	0	0	0
49930	56.5	367	122	33.2	2.5	0.0	3	0	0	0	0	0	0
49931	38.0	349	107	30.7	1.9	0.0	2	0	0	0	0	0	0
49934	88.8	70	17	24.3	0.0	0.0	0	0	0	0	0	0	0
49935	42.8	306	91	29.7	4.4	0.0	4	0	0	0	0	0	0
49938	63.6	564	152	27.0	3.9	0.0	6	0	0	0	0	0	0
49942	89.0	18	0	0.0	---	---	0	0	0	0	0	0	0
49945	49.1	189	42	22.2	4.8	0.0	2	0	0	0	0	0	0
49946	33.9	296	76	25.7	1.3	0.0	1	0	0	0	0	0	0
49947	33.3	31	14	45.2	0.0	0.0	0	0	0	0	0	0	0
49948	58.7	47	6	12.8	33.3	0.0	2	0	0	0	0	0	0
49950	52.7	75	12	16.0	0.0	0.0	0	0	0	0	0	0	0
49952	29.5	8	3	37.5	0.0	0.0	0	0	0	0	0	0	0
49953	43.8	193	29	15.0	10.3	0.0	2	0	0	0	0	0	1
49955	85.9	24	8	33.3	0.0	0.0	0	0	0	0	0	0	0
49958	43.3	99	18	18.2	11.1	0.0	2	0	0	0	0	0	0
49959	74.0	28	4	14.3	0.0	0.0	0	0	0	0	0	0	0
49960	66.2	26	0	0.0	---	---	0	0	0	0	0	0	0
49961	44.1	8	0	0.0	---	---	0	0	0	0	0	0	0
49962	42.0	7	0	0.0	---	---	0	0	0	0	0	0	0
49963	61.5	65	12	18.5	0.0	0.0	0	0	0	0	0	0	0
49964	65.3	58	2	3.4	0.0	0.0	0	0	0	0	0	0	0
49965	39.1	20	6	30.0	0.0	0.0	0	0	0	0	0	0	0
49967	48.9	18	5	27.8	40.0	0.0	2	0	0	0	0	0	0
49968	53.6	109	42	38.5	0.0	0.0	0	0	0	0	0	0	0
49969	20.8	81	12	14.8	0.0	0.0	0	0	0	0	0	0	0
49970	59.4	22	2	9.1	0.0	0.0	0	0	0	0	0	0	0
49971	8.4	26	7	26.9	0.0	0.0	0	0	0	0	0	0	0
unknown	---	---	31	---	0.0	0.0	0	0	0	0	0	0	0
Total	27.0	781,759	155,624	19.9	6.3	0.8	8,214	727	256	227	15	1,225	312

*No census data available

Sources: Pre-1950 Housing calculated from U.S. Bureau, Census 2000; Populations from U.S. Census Bureau, Census 2000; Children Tested and EBLL from Michigan

Department of Community Health, Data Warehouse

February 17, 2011

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
48001	25.7	322	74	23.0	6.8	0.0	4	0	0	0	0	0	0	1
48002	25.8	88	12	13.6	8.3	0.0	1	0	0	0	0	0	0	0
48003	24.1	164	18	11.0	16.7	5.6	2	1	0	0	0	0	1	0
48005	32.5	142	17	12.0	0.0	0.0	0	0	0	0	0	0	0	0
48006	28.1	98	17	17.3	0.0	0.0	0	0	0	0	0	0	0	0
48009	39.8	580	192	33.1	0.5	0.0	1	0	0	0	0	0	0	0
48014	36.9	115	19	16.5	0.0	0.0	0	0	0	0	0	0	0	0
48015	33.4	210	64	30.5	1.6	0.0	1	0	0	0	0	0	0	0
48017	20.9	289	104	36.0	1.9	0.0	2	0	0	0	0	0	0	0
48021	31.4	870	275	31.6	4.0	1.1	8	2	0	1	0	3	0	0
48022	21.7	83	8	9.6	0.0	0.0	0	0	0	0	0	0	0	0
48023	16.7	208	25	12.0	0.0	0.0	0	0	0	0	0	0	0	0
48025	14.5	347	69	19.9	0.0	0.0	0	0	0	0	0	0	0	0
48026	7.3	303	83	27.4	0.0	0.0	0	0	0	0	0	0	0	0
48027	29.1	69	8	11.6	0.0	0.0	0	0	0	0	0	0	0	0
48028	32.0	13	2	15.4	50.0	0.0	1	0	0	0	0	0	0	0
48030	36.7	503	166	33.0	4.2	1.2	5	1	0	1	0	2	0	0
48032	19.7	40	11	27.5	9.1	0.0	1	0	0	0	0	0	0	0
48033	*	*	137	---	0.7	0.0	1	0	0	0	0	0	0	0
48034	7.1	704	118	16.8	2.5	0.8	2	1	0	0	0	1	0	0
48035	5.5	933	291	31.2	1.0	0.3	2	1	0	0	0	1	0	0
48036	4.7	573	148	25.8	2.0	0.7	2	0	0	1	0	1	0	0
48038	0.9	853	232	27.2	1.7	0.4	2	1	0	0	0	1	1	1
48039	41.7	208	37	17.8	5.4	0.0	2	0	0	0	0	0	0	0
48040	11.3	197	31	15.7	0.0	0.0	0	0	0	0	0	0	0	0
48041	28.0	122	11	9.0	0.0	0.0	0	0	0	0	0	0	0	0
48042	6.2	533	135	25.3	1.5	0.0	1	0	0	0	0	0	1	1
48043	40.4	472	137	29.0	4.4	0.7	4	1	0	0	0	1	1	1
48044	1.6	1274	241	18.9	0.8	0.0	2	0	0	0	0	0	0	0
48045	11.5	563	105	18.7	0.0	0.0	0	0	0	0	0	0	0	0
48047	7.8	978	183	18.7	1.6	0.0	3	0	0	0	0	0	0	0
48048	15.6	192	69	35.9	4.3	0.0	3	0	0	0	0	0	0	0
48049	14.2	138	14	10.1	0.0	0.0	0	0	0	0	0	0	0	0
48050	33.0	39	2	5.1	0.0	0.0	0	0	0	0	0	0	0	0
48051	5.1	511	104	20.4	1.0	0.0	1	0	0	0	0	0	0	0
48054	24.9	140	15	10.7	0.0	0.0	0	0	0	0	0	0	0	0
48059	19.4	350	58	16.6	0.0	0.0	0	0	0	0	0	0	0	0
48060	44.7	1229	345	28.1	11.0	0.3	30	0	1	0	0	1	7	7
48062	28.7	214	32	15.0	6.3	0.0	2	0	0	0	0	0	0	0
48063	12.3	132	21	15.9	4.8	0.0	1	0	0	0	0	0	0	0
48064	25.1	141	19	13.5	0.0	0.0	0	0	0	0	0	0	0	0
48065	25.4	261	47	18.0	4.3	0.0	2	0	0	0	0	0	0	0
48066	16.0	1262	326	25.8	1.2	0.3	3	0	0	1	0	1	0	0
48067	53.6	517	145	28.0	2.1	0.7	2	0	0	1	0	1	0	0
48069	79.6	67	9	13.4	0.0	0.0	0	0	0	0	0	0	0	0
48070	55.2	205	38	18.5	0.0	0.0	0	0	0	0	0	0	0	0
48071	11.6	728	258	35.4	2.7	0.0	7	0	0	0	0	0	0	0
48072	55.2	414	102	24.6	0.0	0.0	0	0	0	0	0	0	0	0
48073	24.7	746	224	30.0	2.7	0.0	6	0	0	0	0	0	0	0
48074	23.4	224	44	19.6	4.5	0.0	1	0	0	0	0	0	1	1
48075	12.8	456	197	43.2	3.6	0.5	6	1	0	0	0	1	0	0
48076	9.4	602	201	33.4	1.0	0.5	1	1	0	0	0	1	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
48079	26.0	314	29	9.2	3.4	0.0	1	0	0	0	0	0	0	0
48080	19.2	458	96	21.0	0.0	0.0	0	0	0	0	0	0	0	0
48081	15.0	438	69	15.8	0.0	0.0	0	0	0	0	0	0	0	0
48082	10.2	361	86	23.8	1.2	0.0	1	0	0	0	0	0	0	0
48083	7.5	669	159	23.8	2.5	0.6	3	0	0	1	0	1	0	0
48084	3.0	314	55	17.5	5.5	0.0	3	0	0	0	0	0	0	0
48085	*	*	97	---	1.0	0.0	1	0	0	0	0	0	0	0
48088	*	*	124	---	1.6	0.0	2	0	0	0	0	0	0	0
48089	23.9	1078	343	31.8	4.1	0.3	13	1	0	0	0	1	0	0
48091	19.1	859	308	35.9	3.2	0.0	10	0	0	0	0	0	0	0
48092	8.7	592	174	29.4	1.1	0.6	1	1	0	0	0	1	0	0
48093	3.4	955	145	15.2	0.7	0.0	1	0	0	0	0	0	0	0
48094	5.6	368	72	19.6	0.0	0.0	0	0	0	0	0	0	0	0
48095	8.9	102	12	11.8	0.0	0.0	0	0	0	0	0	0	0	0
48096	19.6	100	15	15.0	0.0	0.0	0	0	0	0	0	0	0	0
48097	41.2	165	27	16.4	3.7	0.0	1	0	0	0	0	0	0	0
48098	4.4	1018	42	4.1	2.4	0.0	1	0	0	0	0	0	0	0
48101	25.6	628	142	22.6	2.1	0.0	3	0	0	0	0	0	0	0
48103	21.9	1267	227	17.9	2.2	0.4	4	1	0	0	0	1	0	0
48104	36.7	521	82	15.7	3.7	0.0	3	0	0	0	0	0	0	0
48105	7.3	901	86	9.5	2.3	0.0	2	0	0	0	0	0	0	0
48108	5.0	691	159	23.0	1.3	0.0	2	0	0	0	0	0	0	0
48109	36.0	4	0	0.0	---	---	0	0	0	0	0	0	0	0
48111	11.1	1081	421	38.9	2.6	0.0	10	0	0	0	0	0	0	1
48114	5.0	524	69	13.2	1.4	0.0	1	0	0	0	0	0	0	0
48116	11.8	701	90	12.8	3.3	0.0	3	0	0	0	0	0	0	0
48117	21.4	243	82	33.7	2.4	0.0	2	0	0	0	0	0	0	0
48118	27.7	236	31	13.1	6.5	3.2	1	1	0	0	0	1	0	0
48120	34.3	245	242	98.8	4.5	0.8	9	2	0	0	0	2	0	0
48122	39.7	296	142	48.0	3.5	0.0	5	0	0	0	0	0	0	0
48124	46.1	779	191	24.5	0.5	0.0	1	0	0	0	0	0	0	0
48125	26.7	586	180	30.7	1.1	0.0	2	0	0	0	0	0	0	0
48126	54.1	1874	1009	53.8	4.1	0.4	37	2	1	1	0	4	0	0
48127	12.1	907	439	48.4	1.6	0.5	4	0	1	1	0	2	1	0
48128	53.0	243	91	37.4	1.1	0.0	1	0	0	0	0	0	0	0
48130	20.9	293	35	11.9	2.9	0.0	1	0	0	0	0	0	0	0
48131	35.7	207	82	39.6	3.7	0.0	2	0	0	0	0	0	1	0
48133	26.5	122	52	42.6	7.7	0.0	4	0	0	0	0	0	0	0
48134	13.1	525	144	27.4	1.4	0.0	2	0	0	0	0	0	0	0
48135	17.6	754	249	33.0	1.6	0.0	4	0	0	0	0	0	0	0
48137	24.9	109	24	22.0	4.2	0.0	1	0	0	0	0	0	0	0
48138	19.1	200	19	9.5	0.0	0.0	0	0	0	0	0	0	0	0
48139	31.0	0	3	---	0.0	0.0	0	0	0	0	0	0	0	0
48140	36.2	89	16	18.0	0.0	0.0	0	0	0	0	0	0	0	0
48141	19.0	979	415	42.4	3.1	0.5	11	1	1	0	0	2	0	0
48143	21.7	3	1	33.3	0.0	0.0	0	0	0	0	0	0	0	0
48144	12.4	205	61	29.8	6.6	0.0	4	0	0	0	0	0	0	0
48145	33.6	68	24	35.3	0.0	0.0	0	0	0	0	0	0	0	0
48146	35.2	1100	381	34.6	2.4	0.3	8	0	0	1	0	1	0	0
48150	13.8	735	169	23.0	0.6	0.0	1	0	0	0	0	0	0	0
48152	9.3	654	163	24.9	1.2	0.0	1	0	0	0	0	0	1	0
48154	7.0	802	188	23.4	0.5	0.0	1	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
48157	45.8	45	22	48.9	4.5	0.0	1	0	0	0	0	0	0	0
48158	36.1	158	14	8.9	7.1	0.0	1	0	0	0	0	0	0	0
48159	48.2	64	29	45.3	0.0	0.0	0	0	0	0	0	0	0	0
48160	32.2	287	100	34.8	4.0	0.0	4	0	0	0	0	0	0	0
48161	38.7	799	328	41.1	4.6	0.9	12	2	0	1	0	3	0	0
48162	28.5	756	331	43.8	3.0	0.0	10	0	0	0	0	0	0	0
48164	26.3	215	59	27.4	3.4	0.0	2	0	0	0	0	0	0	0
48165	6.1	181	41	22.7	2.4	0.0	1	0	0	0	0	0	0	0
48166	21.0	369	114	30.9	2.6	0.0	3	0	0	0	0	0	0	0
48167	8.9	811	61	7.5	0.0	0.0	0	0	0	0	0	0	0	0
48168	*	*	52	---	1.9	0.0	1	0	0	0	0	0	0	0
48169	15.4	558	70	12.5	1.4	1.4	0	1	0	0	0	1	0	0
48170	15.7	896	136	15.2	0.0	0.0	0	0	0	0	0	0	0	0
48173	18.2	259	79	30.5	0.0	0.0	0	0	0	0	0	0	0	0
48174	15.8	1837	337	18.3	2.1	0.0	7	0	0	0	0	0	0	0
48175	*	*	3	---	0.0	0.0	0	0	0	0	0	0	0	0
48176	12.2	499	60	12.0	3.3	0.0	2	0	0	0	0	0	0	0
48178	7.9	737	103	14.0	1.9	1.0	1	1	0	0	0	1	0	0
48179	32.7	62	23	37.1	0.0	0.0	0	0	0	0	0	0	0	0
48180	13.8	2017	661	32.8	2.7	0.3	15	2	0	0	0	2	1	1
48182	17.3	493	131	26.6	8.4	0.0	11	0	0	0	0	0	0	0
48183	9.3	1033	244	23.6	0.0	0.0	0	0	0	0	0	0	0	0
48184	30.4	545	196	36.0	2.0	0.5	3	1	0	0	0	1	0	0
48185	4.7	1182	500	42.3	2.0	0.0	10	0	0	0	0	0	0	0
48186	17.9	1214	431	35.5	2.1	0.5	6	2	0	0	0	2	1	1
48187	2.0	1374	346	25.2	1.7	0.3	4	1	0	0	0	1	1	1
48188	2.6	1336	346	25.9	0.9	0.3	2	0	1	0	0	1	0	0
48189	15.7	403	73	18.1	0.0	0.0	0	0	0	0	0	0	0	0
48190	70.3	3	8	266.7	0.0	0.0	0	0	0	0	0	0	0	0
48191	30.7	49	25	51.0	4.0	0.0	1	0	0	0	0	0	0	0
48192	37.1	981	160	16.3	5.0	0.0	8	0	0	0	0	0	0	0
48193	*	*	103	---	1.9	0.0	2	0	0	0	0	0	0	0
48195	14.7	659	208	31.6	1.9	0.0	4	0	0	0	0	0	0	0
48197	17.0	1568	663	42.3	3.9	0.8	21	3	2	0	0	5	0	0
48198	14.0	1239	514	41.5	3.3	0.0	17	0	0	0	0	0	0	0
48201	51.0	401	130	32.4	8.5	1.6	8	0	0	2	0	2	1	1
48202	68.5	519	190	36.6	31.6	8.6	41	12	3	1	0	16	3	3
48203	61.4	1502	450	30.0	22.0	5.4	73	14	6	4	0	24	2	2
48204	67.2	1369	502	36.7	26.9	4.6	105	13	5	4	1	23	7	7
48205	48.2	2562	888	34.7	13.9	2.5	101	14	7	1	0	22	0	0
48206	78.1	1050	391	37.2	31.2	9.9	78	18	7	12	1	38	6	6
48207	34.7	584	284	48.6	18.3	5.7	35	6	4	5	1	16	1	1
48208	64.7	381	180	47.2	20.6	6.1	26	4	4	3	0	11	0	0
48209	76.0	1597	981	61.4	16.7	2.8	135	11	8	7	1	27	2	2
48210	68.1	1602	1006	62.8	16.2	3.3	126	24	1	8	0	33	4	4
48211	72.1	392	135	34.4	30.4	9.7	27	8	1	4	0	13	1	1
48212	70.6	1546	805	52.1	18.4	2.5	121	10	8	2	0	20	7	7
48213	62.5	1468	544	37.1	23.5	5.7	95	18	5	8	0	31	2	2
48214	71.0	878	349	39.7	32.1	7.8	82	18	4	5	0	27	3	3
48215	55.5	688	224	32.6	21.4	4.9	36	5	4	2	0	11	1	1
48216	71.5	179	90	50.3	14.4	2.2	11	2	0	0	0	2	0	0
48217	56.1	266	138	51.9	10.1	2.2	11	1	1	1	0	3	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
48356	19.4	247	33	13.4	3.0	0.0	1	0	0	0	0	0	0	0
48357	7.9	257	21	8.2	0.0	0.0	0	0	0	0	0	0	0	0
48359	6.4	288	72	25.0	4.2	0.0	3	0	0	0	0	0	0	0
48360	3.6	427	41	9.6	0.0	0.0	0	0	0	0	0	0	0	0
48362	24.4	416	93	22.4	2.2	0.0	2	0	0	0	0	0	0	0
48363	13.0	101	9	8.9	22.2	11.1	1	0	0	1	0	1	1	0
48367	19.1	106	27	25.5	0.0	0.0	0	0	0	0	0	0	0	0
48370	18.4	46	5	10.9	20.0	0.0	1	0	0	0	0	0	0	0
48371	15.5	603	148	24.5	1.4	0.0	2	0	0	0	0	0	0	0
48374	1.3	411	38	9.2	5.3	0.0	2	0	0	0	0	0	0	0
48375	1.0	619	97	15.7	3.1	0.0	3	0	0	0	0	0	0	0
48377	5.7	301	108	35.9	3.7	0.9	3	0	1	0	0	0	1	0
48380	7.4	131	14	10.7	0.0	0.0	0	0	0	0	0	0	0	0
48381	13.6	364	54	14.8	0.0	0.0	0	0	0	0	0	0	0	0
48382	12.4	592	72	12.2	0.0	0.0	0	0	0	0	0	0	0	0
48383	8.8	401	62	15.5	1.6	0.0	1	0	0	0	0	0	0	0
48386	14.1	402	93	23.1	1.1	0.0	1	0	0	0	0	0	0	0
48390	9.9	590	106	18.0	0.0	0.0	0	0	0	0	0	0	0	0
48393	2.4	555	115	20.7	0.0	0.0	0	0	0	0	0	0	0	0
48401	34.3	44	14	31.8	7.1	0.0	1	0	0	0	0	0	0	0
48412	27.7	173	23	13.3	0.0	0.0	0	0	0	0	0	0	0	0
48413	35.9	189	87	46.0	8.0	1.2	3	1	0	0	0	0	1	3
48414	40.4	69	17	24.6	0.0	0.0	0	0	0	0	0	0	0	0
48415	17.4	230	63	27.4	3.2	0.0	2	0	0	0	0	0	0	0
48416	37.6	149	39	26.2	2.6	0.0	1	0	0	0	0	0	0	0
48417	20.6	87	23	26.4	0.0	0.0	0	0	0	0	0	0	0	0
48418	27.6	122	23	18.9	8.7	0.0	2	0	0	0	0	0	0	0
48419	35.4	67	28	41.8	10.7	0.0	3	0	0	0	0	0	0	0
48420	19.3	522	152	29.1	2.0	0.0	3	0	0	0	0	0	0	0
48421	20.4	182	43	23.6	2.3	0.0	1	0	0	0	0	0	0	0
48422	33.1	174	44	25.3	2.3	0.0	1	0	0	0	0	0	0	0
48423	10.5	747	267	35.7	1.1	0.4	2	1	0	0	0	0	1	0
48426	39.6	29	11	37.9	9.1	0.0	1	0	0	0	0	0	0	0
48427	38.6	70	25	35.7	0.0	0.0	0	0	0	0	0	0	0	0
48428	19.7	117	9	7.7	11.1	0.0	1	0	0	0	0	0	0	0
48429	29.7	280	61	21.8	3.3	0.0	2	0	0	0	0	0	0	0
48430	17.2	862	163	18.9	1.8	0.0	3	0	0	0	0	0	0	0
48432	45.3	21	7	33.3	0.0	0.0	0	0	0	0	0	0	0	0
48433	14.4	523	201	38.4	1.5	0.0	3	0	0	0	0	0	0	0
48434	44.6	5	3	60.0	33.3	0.0	1	0	0	0	0	0	0	0
48435	24.8	63	15	23.8	0.0	0.0	0	0	0	0	0	0	0	0
48436	19.9	107	21	19.6	4.8	0.0	1	0	0	0	0	0	0	0
48437	36.4	9	2	22.2	0.0	0.0	0	0	0	0	0	0	0	0
48438	16.7	177	24	13.6	4.2	0.0	1	0	0	0	0	0	0	0
48439	6.7	1078	268	24.9	1.5	0.0	3	0	0	0	0	0	0	1
48440	100.0	1	1	100.0	0.0	0.0	0	0	0	0	0	0	0	0
48441	42.0	110	33	30.0	3.0	0.0	1	0	0	0	0	0	0	0
48442	18.5	521	121	23.2	0.8	0.0	1	0	0	0	0	0	0	0
48444	29.0	258	61	23.6	4.9	0.0	3	0	0	0	0	0	0	0
48445	34.3	40	13	32.5	7.7	0.0	0	0	0	0	0	0	0	1
48446	20.0	792	162	20.5	2.5	0.0	4	0	0	0	0	0	0	0
48449	17.1	102	28	27.5	3.6	0.0	1	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels \geq 5 ug/dL									Capillary \geq 10, not confirmed by venous
			# Tested	% Tested	% with BLL \geq 5 ug/dL	% EBLL (\geq 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (\geq 10 μ g/dL)		
48621	15.6	29	11	37.9	0.0	0.0	0	0	0	0	0	0	0	0
48622	13.1	134	67	50.0	3.0	0.0	2	0	0	0	0	0	0	0
48623	18.6	312	83	26.6	2.4	1.2	1	1	0	0	0	0	1	0
48624	15.8	349	118	33.8	2.5	0.0	3	0	0	0	0	0	0	0
48625	10.2	311	174	55.9	1.7	0.0	3	0	0	0	0	0	0	0
48626	22.7	170	32	18.8	0.0	0.0	0	0	0	0	0	0	0	0
48627	26.8	5	2	40.0	0.0	0.0	0	0	0	0	0	0	0	0
48628	14.3	39	7	17.9	0.0	0.0	0	0	0	0	0	0	0	0
48629	15.7	124	56	45.2	0.0	0.0	0	0	0	0	0	0	0	0
48630	49.4	8	0	0.0	---	---	0	0	0	0	0	0	0	0
48631	27.2	120	30	25.0	3.3	0.0	1	0	0	0	0	0	0	0
48632	13.8	102	48	47.1	0.0	0.0	0	0	0	0	0	0	0	0
48633	22.7	1	1	100.0	0.0	0.0	0	0	0	0	0	0	0	0
48634	25.2	101	27	26.7	11.1	0.0	2	0	0	0	0	0	0	1
48635	23.4	26	11	42.3	0.0	0.0	0	0	0	0	0	0	0	0
48636	19.1	32	5	15.6	20.0	0.0	1	0	0	0	0	0	0	0
48637	35.3	75	17	22.7	11.8	0.0	2	0	0	0	0	0	0	0
48638	*	*	131	---	0.8	0.0	1	0	0	0	0	0	0	0
48640	21.4	849	177	20.8	5.6	0.0	10	0	0	0	0	0	0	0
48642	11.3	872	163	18.7	2.5	0.0	4	0	0	0	0	0	0	0
48647	23.2	102	26	25.5	3.8	0.0	1	0	0	0	0	0	0	0
48649	35.6	42	12	28.6	0.0	0.0	0	0	0	0	0	0	0	0
48650	21.6	178	51	28.7	2.0	2.0	0	1	0	0	0	0	1	0
48651	13.8	105	38	36.2	2.6	0.0	1	0	0	0	0	0	0	0
48652	13.6	27	3	11.1	0.0	0.0	0	0	0	0	0	0	0	0
48653	18.1	170	58	34.1	0.0	0.0	0	0	0	0	0	0	0	0
48654	15.2	52	13	25.0	0.0	0.0	0	0	0	0	0	0	0	0
48655	29.5	177	61	34.5	4.9	0.0	3	0	0	0	0	0	0	0
48656	10.8	84	32	38.1	3.1	0.0	1	0	0	0	0	0	0	0
48657	10.5	207	40	19.3	2.5	0.0	1	0	0	0	0	0	0	0
48658	24.3	128	65	50.8	3.1	0.0	2	0	0	0	0	0	0	0
48659	24.7	60	31	51.7	3.2	0.0	1	0	0	0	0	0	0	0
48661	19.7	217	89	41.0	3.4	0.0	3	0	0	0	0	0	0	0
48662	44.8	35	8	22.9	0.0	0.0	0	0	0	0	0	0	0	0
48701	47.5	28	14	50.0	0.0	0.0	0	0	0	0	0	0	0	0
48703	21.1	54	29	53.7	10.3	0.0	3	0	0	0	0	0	0	0
48705	19.5	7	2	28.6	50.0	0.0	1	0	0	0	0	0	0	0
48706	33.5	944	427	45.2	7.7	0.9	29	2	1	1	0	4	0	0
48708	59.1	793	409	51.6	14.4	2.0	48	7	0	1	0	8	3	0
48720	57.8	23	7	30.4	14.3	0.0	1	0	0	0	0	0	0	0
48721	15.0	9	4	44.4	0.0	0.0	0	0	0	0	0	0	0	0
48722	17.1	93	40	43.0	2.5	0.0	1	0	0	0	0	0	0	0
48723	31.4	279	111	39.8	4.5	1.8	2	1	1	0	0	2	1	0
48724	47.5	8	7	87.5	0.0	0.0	0	0	0	0	0	0	0	0
48725	14.8	25	11	44.0	0.0	0.0	0	0	0	0	0	0	0	0
48726	37.7	156	62	39.7	1.6	0.0	1	0	0	0	0	0	0	0
48727	33.2	35	12	34.3	8.3	0.0	1	0	0	0	0	0	0	0
48728	24.5	3	4	133.3	0.0	0.0	0	0	0	0	0	0	0	0
48729	33.3	41	13	31.7	0.0	0.0	0	0	0	0	0	0	0	0
48730	29.3	93	26	28.0	3.8	0.0	1	0	0	0	0	0	0	0
48731	44.5	55	34	61.8	2.9	0.0	1	0	0	0	0	0	0	0
48732	22.5	256	109	42.6	3.7	0.0	4	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
48834	32.8	70	22	31.4	4.5	0.0	1	0	0	0	0	0	0	0
48835	45.2	109	14	12.8	0.0	0.0	0	0	0	0	0	0	0	0
48836	26.2	323	103	31.9	2.9	1.0	2	0	0	1	0	1	0	0
48837	27.3	404	106	26.2	6.6	0.0	7	0	0	0	0	0	0	0
48838	24.4	464	160	34.5	1.3	0.0	2	0	0	0	0	0	0	0
48840	8.5	245	55	22.4	1.8	0.0	1	0	0	0	0	0	0	0
48841	54.9	35	9	25.7	0.0	0.0	0	0	0	0	0	0	0	0
48842	11.4	498	152	30.5	2.6	0.0	4	0	0	0	0	0	0	0
48843	15.8	1392	237	17.0	1.7	0.0	4	0	0	0	0	0	0	0
48845	53.1	26	7	26.9	0.0	0.0	0	0	0	0	0	0	0	0
48846	42.1	462	236	51.1	7.2	1.3	13	2	1	0	0	3	1	0
48847	47.3	183	55	30.1	1.8	0.0	1	0	0	0	0	0	0	0
48848	22.5	208	39	18.8	0.0	0.0	0	0	0	0	0	0	0	0
48849	44.5	165	45	27.3	4.4	0.0	2	0	0	0	0	0	0	0
48850	30.6	120	19	15.8	0.0	0.0	0	0	0	0	0	0	0	0
48851	31.6	54	22	40.7	4.5	0.0	1	0	0	0	0	0	0	0
48852	79.1	3	3	100.0	0.0	0.0	0	0	0	0	0	0	0	0
48853	61.1	14	11	78.6	0.0	0.0	0	0	0	0	0	0	0	0
48854	27.7	378	140	37.0	2.1	0.0	3	0	0	0	0	0	0	0
48855	*	*	65	---	3.1	1.5	1	0	1	0	0	1	0	0
48856	61.4	26	12	46.2	0.0	0.0	0	0	0	0	0	0	0	0
48857	31.8	86	16	18.6	0.0	0.0	0	0	0	0	0	0	0	0
48858	17.0	832	245	29.4	1.6	0.0	4	0	0	0	0	0	0	0
48860	42.0	42	21	50.0	4.8	0.0	1	0	0	0	0	0	0	0
48861	41.3	41	9	22.0	0.0	0.0	0	0	0	0	0	0	0	0
48864	6.4	378	105	27.8	0.0	0.0	0	0	0	0	0	0	0	0
48865	29.3	56	18	32.1	5.6	0.0	1	0	0	0	0	0	0	0
48866	43.5	134	36	26.9	5.6	0.0	2	0	0	0	0	0	0	0
48867	42.9	758	292	38.5	3.4	0.7	8	1	0	1	0	2	0	0
48870	*	*	2	---	50.0	0.0	1	0	0	0	0	0	0	0
48871	31.4	41	15	36.6	0.0	0.0	0	0	0	0	0	0	0	0
48872	25.6	250	52	20.8	3.8	0.0	2	0	0	0	0	0	0	0
48873	46.0	69	9	13.0	0.0	0.0	0	0	0	0	0	0	0	0
48874	79.0	9	2	22.2	0.0	0.0	0	0	0	0	0	0	0	0
48875	35.1	284	77	27.1	1.3	0.0	1	0	0	0	0	0	0	0
48876	18.0	99	39	39.4	0.0	0.0	0	0	0	0	0	0	0	0
48877	22.9	81	24	29.6	0.0	0.0	0	0	0	0	0	0	0	0
48878	35.9	52	5	9.6	0.0	0.0	0	0	0	0	0	0	0	0
48879	38.6	443	116	26.2	1.7	0.9	1	1	0	0	0	1	0	0
48880	35.1	166	62	37.3	4.8	1.6	1	1	0	0	0	1	1	0
48881	31.3	135	53	39.3	1.9	1.9	0	1	0	0	0	1	0	0
48883	25.1	203	32	15.8	3.1	0.0	1	0	0	0	0	0	0	0
48884	30.5	111	31	27.9	0.0	0.0	0	0	0	0	0	0	0	0
48885	36.5	15	9	60.0	0.0	0.0	0	0	0	0	0	0	0	0
48886	23.2	62	14	22.6	0.0	0.0	0	0	0	0	0	0	0	0
48888	26.2	156	56	35.9	3.6	0.0	2	0	0	0	0	0	0	0
48889	35.3	33	19	57.6	0.0	0.0	0	0	0	0	0	0	0	0
48890	42.3	58	12	20.7	0.0	0.0	0	0	0	0	0	0	0	0
48891	24.1	68	24	35.3	0.0	0.0	0	0	0	0	0	0	0	0
48892	33.3	133	34	25.6	0.0	0.0	0	0	0	0	0	0	0	0
48893	10.3	113	23	20.4	0.0	0.0	0	0	0	0	0	0	0	0
48894	39.4	32	12	37.5	8.3	0.0	1	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									Capillary >= 10, not confirmed by venous
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)		
48895	26.0	274	70	25.5	2.9	0.0	2	0	0	0	0	0	0	0
48896	44.9	1	1	100.0	0.0	0.0	0	0	0	0	0	0	0	0
48897	55.5	37	6	16.2	16.7	0.0	1	0	0	0	0	0	0	0
48906	39.6	845	445	52.7	7.0	1.1	26	4	0	1	0	5	0	0
48910	37.7	1142	539	47.2	4.3	0.2	20	1	0	0	0	1	2	0
48911	8.3	1434	691	48.2	4.1	0.7	22	2	1	2	0	5	1	0
48912	48.3	514	232	45.1	6.0	0.9	12	1	1	0	0	2	0	0
48915	61.2	373	200	53.6	7.5	1.0	13	2	0	0	0	2	0	0
48917	9.6	772	326	42.2	3.4	0.0	11	0	0	0	0	0	0	0
48933	42.8	48	21	43.8	9.5	0.0	2	0	0	0	0	0	0	0
49001	44.5	1360	356	26.2	20.8	2.0	62	6	0	1	0	7	5	0
49002	13.4	527	111	21.1	1.8	0.0	2	0	0	0	0	0	0	0
49004	22.5	585	118	20.2	6.8	0.0	8	0	0	0	0	0	0	0
49006	15.1	498	148	29.7	3.4	1.4	2	1	0	1	0	2	1	0
49007	61.2	307	172	56.0	25.0	3.5	35	3	2	1	0	6	2	0
49008	32.6	368	128	34.8	7.8	0.8	9	1	0	0	0	1	0	0
49009	7.5	771	240	31.1	3.3	0.0	8	0	0	0	0	0	0	0
49010	31.7	450	107	23.8	5.6	1.9	4	0	1	1	0	2	0	0
49011	43.1	56	22	39.3	0.0	0.0	0	0	0	0	0	0	0	0
49012	32.0	86	23	26.7	0.0	0.0	0	0	0	0	0	0	0	0
49013	33.1	163	65	39.9	4.6	0.0	3	0	0	0	0	0	0	0
49014	32.3	559	239	42.8	10.0	0.8	20	2	0	0	0	2	2	0
49015	30.1	885	344	38.9	4.4	0.6	12	2	0	0	0	2	1	0
49017	39.0	1024	495	48.3	9.9	1.2	42	3	2	1	0	6	1	0
49021	36.5	136	57	41.9	3.5	0.0	2	0	0	0	0	0	0	0
49022	34.2	1185	599	50.5	13.9	2.0	69	6	4	2	0	12	2	0
49024	4.5	798	175	21.9	3.4	0.0	6	0	0	0	0	0	0	0
49026	33.1	66	11	16.7	0.0	0.0	0	0	0	0	0	0	0	0
49027	70.5	3	4	133.3	0.0	0.0	0	0	0	0	0	0	0	0
49028	38.9	183	64	35.0	14.1	0.0	8	0	0	0	0	0	1	0
49029	48.3	30	19	63.3	5.3	0.0	1	0	0	0	0	0	0	0
49030	44.3	59	26	44.1	11.5	3.8	2	1	0	0	0	1	0	0
49031	32.0	196	74	37.8	8.1	0.0	5	0	0	0	0	0	1	0
49032	39.4	94	11	11.7	18.2	0.0	2	0	0	0	0	0	0	0
49033	33.4	35	9	25.7	0.0	0.0	0	0	0	0	0	0	0	0
49034	39.6	57	12	21.1	0.0	0.0	0	0	0	0	0	0	0	0
49036	32.0	541	226	41.8	9.3	0.0	19	0	0	0	0	0	2	0
49037	*	*	76	---	3.9	0.0	3	0	0	0	0	0	0	0
49038	30.2	257	72	28.0	6.9	1.4	4	1	0	0	0	1	0	0
49040	37.0	93	31	33.3	6.5	0.0	2	0	0	0	0	0	0	0
49042	41.1	135	59	43.7	18.6	1.7	9	1	0	0	0	1	1	0
49043	31.0	81	40	49.4	5.0	0.0	2	0	0	0	0	0	0	0
49045	39.3	165	78	47.3	6.4	1.3	4	0	0	1	0	1	0	0
49046	25.1	172	40	23.3	7.5	2.5	2	1	0	0	0	1	0	0
49047	36.8	435	215	49.4	8.8	1.4	15	1	2	0	0	3	1	0
49048	*	*	355	---	9.0	0.6	27	0	1	1	0	2	3	0
49050	26.1	33	9	27.3	22.2	0.0	1	0	0	0	0	0	1	0
49051	30.1	56	26	46.4	0.0	0.0	0	0	0	0	0	0	0	0
49052	53.0	13	11	84.6	9.1	0.0	1	0	0	0	0	0	0	0
49053	24.7	179	54	30.2	11.1	1.9	5	0	1	0	0	1	0	0
49055	21.8	164	39	23.8	2.6	0.0	1	0	0	0	0	0	0	0
49056	28.4	110	70	63.6	4.3	0.0	2	0	0	0	0	0	1	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
49130	19.9	22	9	40.9	11.1	0.0	1	0	0	0	0	0	0	0
49201	26.9	969	440	45.4	6.4	0.2	25	0	0	1	0	1	2	2
49202	46.2	743	353	47.5	6.2	0.0	22	0	0	0	0	0	0	0
49203	46.1	1157	606	52.4	11.9	1.3	62	3	3	2	0	8	2	2
49220	33.9	58	24	41.4	12.5	0.0	3	0	0	0	0	0	0	0
49221	37.2	1054	539	51.1	9.3	0.4	46	2	0	0	0	2	2	2
49224	45.8	384	120	31.3	8.3	0.0	10	0	0	0	0	0	0	0
49227	45.3	42	9	21.4	11.1	0.0	1	0	0	0	0	0	0	0
49228	55.7	126	55	43.7	3.6	1.8	1	1	0	0	0	1	0	0
49229	49.3	80	22	27.5	9.1	0.0	2	0	0	0	0	0	0	0
49230	22.4	185	69	37.3	2.9	0.0	1	0	0	0	0	0	0	1
49232	35.9	93	18	19.4	5.6	0.0	1	0	0	0	0	0	0	0
49233	28.1	34	21	61.8	0.0	0.0	0	0	0	0	0	0	0	0
49234	38.3	50	18	36.0	0.0	0.0	0	0	0	0	0	0	0	0
49235	49.6	45	18	40.0	0.0	0.0	0	0	0	0	0	0	0	0
49236	35.8	122	22	18.0	4.5	0.0	1	0	0	0	0	0	0	0
49237	36.9	101	29	28.7	3.4	0.0	1	0	0	0	0	0	0	0
49238	54.6	53	26	49.1	7.7	0.0	2	0	0	0	0	0	0	0
49240	27.8	178	49	27.5	4.1	2.0	1	1	0	0	0	1	0	0
49241	32.1	62	31	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49242	40.9	393	91	23.2	15.4	1.1	12	1	0	0	0	1	1	1
49245	40.9	113	35	31.0	5.7	0.0	2	0	0	0	0	0	0	0
49246	23.7	74	21	28.4	0.0	0.0	0	0	0	0	0	0	0	0
49247	49.3	158	63	39.9	6.3	1.6	3	1	0	0	0	1	0	0
49248	76.0	21	9	42.9	11.1	0.0	0	0	0	0	0	0	0	1
49249	18.5	75	20	26.7	5.0	0.0	1	0	0	0	0	0	0	0
49250	37.4	155	50	32.3	6.0	2.0	2	0	1	0	0	1	0	0
49251	33.5	159	47	29.6	4.3	0.0	2	0	0	0	0	0	0	0
49252	42.4	72	16	22.2	12.5	12.5	0	2	0	0	0	2	0	0
49253	36.1	59	21	35.6	14.3	0.0	3	0	0	0	0	0	0	0
49254	49.6	64	23	35.9	8.7	0.0	2	0	0	0	0	0	0	0
49255	53.1	75	5	6.7	0.0	0.0	0	0	0	0	0	0	0	0
49256	54.8	108	45	41.7	13.3	2.2	5	0	1	0	0	1	0	0
49259	26.7	66	20	30.3	5.0	0.0	1	0	0	0	0	0	0	0
49262	54.2	33	10	30.3	10.0	0.0	0	0	0	0	0	0	0	1
49263	53.3	1	0	0.0	---	---	0	0	0	0	0	0	0	0
49264	28.9	47	14	29.8	7.1	0.0	1	0	0	0	0	0	0	0
49265	28.1	96	43	44.8	9.3	0.0	3	0	0	0	0	0	0	1
49266	37.8	72	26	36.1	15.4	3.8	3	1	0	0	0	1	0	0
49267	39.6	79	16	20.3	0.0	0.0	0	0	0	0	0	0	0	0
49268	62.6	22	18	81.8	0.0	0.0	0	0	0	0	0	0	0	0
49269	28.4	180	63	35.0	4.8	0.0	3	0	0	0	0	0	0	0
49270	28.9	150	40	26.7	7.5	0.0	3	0	0	0	0	0	0	0
49271	54.7	55	9	16.4	0.0	0.0	0	0	0	0	0	0	0	0
49272	33.9	54	20	37.0	15.0	0.0	3	0	0	0	0	0	0	0
49274	40.3	98	22	22.4	22.7	4.8	3	0	0	1	0	1	1	1
49276	66.0	24	3	12.5	0.0	0.0	0	0	0	0	0	0	0	0
49277	23.9	98	25	25.5	0.0	0.0	0	0	0	0	0	0	0	0
49279	57.6	15	9	60.0	22.2	0.0	2	0	0	0	0	0	0	0
49281	7.3	12	4	33.3	0.0	0.0	0	0	0	0	0	0	0	0
49282	6.9	20	1	5.0	0.0	0.0	0	0	0	0	0	0	0	0
49283	15.6	56	32	57.1	6.3	0.0	2	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
49284	40.4	71	30	42.3	6.7	0.0	2	0	0	0	0	0	0	0
49285	34.9	149	47	31.5	4.3	0.0	2	0	0	0	0	0	0	0
49286	26.5	358	119	33.2	4.2	0.8	4	0	1	0	0	0	1	0
49287	29.8	33	19	57.6	0.0	0.0	0	0	0	0	0	0	0	0
49288	64.2	40	19	47.5	5.3	0.0	1	0	0	0	0	0	0	0
49289	64.9	1	2	200.0	0.0	0.0	0	0	0	0	0	0	0	0
49301	13.7	309	100	32.4	1.0	0.0	1	0	0	0	0	0	0	0
49302	21.0	196	44	22.4	4.5	0.0	1	0	0	0	0	0	0	1
49303	30.7	30	19	63.3	10.5	0.0	2	0	0	0	0	0	0	0
49304	13.8	86	44	51.2	0.0	0.0	0	0	0	0	0	0	0	0
49305	22.0	43	20	46.5	0.0	0.0	0	0	0	0	0	0	0	0
49306	9.9	237	44	18.6	4.5	0.0	2	0	0	0	0	0	0	0
49307	25.6	431	104	24.1	1.9	0.0	2	0	0	0	0	0	0	0
49309	15.8	45	8	17.8	12.5	12.5	0	1	0	0	0	0	1	0
49310	33.7	82	14	17.1	0.0	0.0	0	0	0	0	0	0	0	0
49312	3.2	2	1	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49315	17.7	373	110	29.5	1.8	0.0	2	0	0	0	0	0	0	0
49316	16.7	432	104	24.1	3.8	0.0	4	0	0	0	0	0	0	0
49318	42.0	37	16	43.2	12.5	0.0	2	0	0	0	0	0	0	0
49319	17.1	393	208	52.9	3.4	0.0	7	0	0	0	0	0	0	0
49321	8.9	536	270	50.4	2.2	0.4	5	1	0	0	0	0	1	0
49322	40.4	37	7	18.9	0.0	0.0	0	0	0	0	0	0	0	0
49323	13.8	267	40	15.0	0.0	0.0	0	0	0	0	0	0	0	0
49325	37.9	49	11	22.4	0.0	0.0	0	0	0	0	0	0	0	0
49326	14.4	76	38	50.0	2.6	0.0	1	0	0	0	0	0	0	0
49327	22.4	264	128	48.5	3.1	0.0	4	0	0	0	0	0	0	0
49328	39.7	106	14	13.2	0.0	0.0	0	0	0	0	0	0	0	0
49329	17.8	216	69	31.9	2.9	0.0	2	0	0	0	0	0	0	0
49330	30.4	146	82	56.2	1.2	0.0	1	0	0	0	0	0	0	0
49331	21.6	406	81	20.0	1.2	0.0	1	0	0	0	0	0	0	0
49332	22.1	54	18	33.3	5.6	0.0	1	0	0	0	0	0	0	0
49333	21.6	278	93	33.5	3.2	0.0	3	0	0	0	0	0	0	0
49335	71.8	3	0	0.0	---	---	0	0	0	0	0	0	0	0
49336	26.1	140	25	17.9	4.0	0.0	1	0	0	0	0	0	0	0
49337	20.6	330	117	35.5	6.0	0.0	7	0	0	0	0	0	0	0
49338	14.4	43	12	27.9	0.0	0.0	0	0	0	0	0	0	0	0
49339	32.5	64	17	26.6	0.0	0.0	0	0	0	0	0	0	0	0
49340	29.0	76	22	28.9	9.1	0.0	2	0	0	0	0	0	0	0
49341	14.3	946	251	26.5	1.2	0.8	1	1	0	1	0	0	2	0
49342	23.3	57	15	26.3	0.0	0.0	0	0	0	0	0	0	0	0
49343	22.4	149	65	43.6	0.0	0.0	0	0	0	0	0	0	0	0
49344	23.0	75	14	18.7	0.0	0.0	0	0	0	0	0	0	0	0
49345	27.3	368	156	42.4	1.9	0.0	3	0	0	0	0	0	0	0
49346	7.4	109	17	15.6	0.0	0.0	0	0	0	0	0	0	0	0
49347	29.8	32	8	25.0	0.0	0.0	0	0	0	0	0	0	0	0
49348	21.9	344	60	17.4	1.7	0.0	1	0	0	0	0	0	0	0
49349	20.2	224	79	35.3	5.1	0.0	4	0	0	0	0	0	0	0
49401	10.7	321	57	17.8	1.8	0.0	1	0	0	0	0	0	0	0
49402	11.6	25	7	28.0	0.0	0.0	0	0	0	0	0	0	0	0
49403	41.1	63	48	76.2	6.3	0.0	3	0	0	0	0	0	0	0
49404	28.6	228	57	25.0	3.5	0.0	1	0	0	0	0	0	0	1
49405	34.4	28	10	35.7	20.0	0.0	2	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (>= 10 ug/dL)	Capillary >= 10, not confirmed by venous	
49406	38.5	15	2	13.3	0.0	0.0	0	0	0	0	0	0	0	0
49408	24.4	279	90	32.3	2.2	1.1	1	0	0	1	0	1	0	1
49410	16.0	43	10	23.3	10.0	0.0	1	0	0	0	0	0	0	0
49411	26.5	27	6	22.2	0.0	0.0	0	0	0	0	0	0	0	0
49412	31.3	292	91	31.2	4.4	0.0	4	0	0	0	0	0	0	0
49415	19.3	136	45	33.1	2.2	0.0	1	0	0	0	0	0	0	0
49417	23.4	693	199	28.7	3.5	0.0	7	0	0	0	0	0	0	0
49418	13.8	715	186	26.0	2.2	0.0	4	0	0	0	0	0	0	0
49419	21.6	204	46	22.5	6.5	0.0	3	0	0	0	0	0	0	0
49420	36.9	203	95	46.8	4.2	1.1	2	0	0	1	0	1	1	1
49421	23.3	153	45	29.4	4.4	0.0	2	0	0	0	0	0	0	0
49423	30.3	1469	498	33.9	6.0	0.0	29	0	0	0	0	0	0	1
49424	8.1	1588	378	23.8	2.9	0.3	9	1	0	0	0	0	1	1
49425	23.7	93	26	28.0	3.8	0.0	1	0	0	0	0	0	0	0
49426	12.3	931	121	13.0	0.8	0.0	1	0	0	0	0	0	0	0
49428	3.9	618	89	14.4	1.1	0.0	1	0	0	0	0	0	0	0
49431	36.8	378	85	22.5	14.1	3.6	7	2	1	0	0	0	3	2
49434	87.8	0	0	---	---	---	0	0	0	0	0	0	0	0
49435	27.6	92	28	30.4	3.6	0.0	1	0	0	0	0	0	0	0
49436	15.3	34	14	41.2	7.1	0.0	1	0	0	0	0	0	0	0
49437	24.4	163	57	35.0	1.8	0.0	1	0	0	0	0	0	0	0
49440	65.3	9	14	155.6	21.4	0.0	2	0	0	0	0	0	0	1
49441	33.8	1060	371	35.0	9.2	1.6	27	2	2	2	0	6	6	1
49442	29.0	1413	606	42.9	11.2	1.0	61	2	0	4	0	6	6	1
49444	42.2	686	456	66.5	12.5	1.3	48	4	1	1	0	6	6	3
49445	22.1	428	190	44.4	1.1	0.0	2	0	0	0	0	0	0	0
49446	29.4	58	26	44.8	0.0	0.0	0	0	0	0	0	0	0	0
49448	24.7	81	22	27.2	0.0	0.0	0	0	0	0	0	0	0	0
49449	29.5	36	21	58.3	0.0	0.0	0	0	0	0	0	0	0	0
49450	23.0	124	77	62.1	3.9	0.0	3	0	0	0	0	0	0	0
49451	20.9	178	62	34.8	6.5	0.0	4	0	0	0	0	0	0	0
49452	18.8	54	27	50.0	3.7	0.0	1	0	0	0	0	0	0	0
49453	38.3	51	10	19.6	0.0	0.0	0	0	0	0	0	0	0	0
49454	33.2	120	30	25.0	0.0	0.0	0	0	0	0	0	0	0	0
49455	31.0	133	94	70.7	3.2	0.0	3	0	0	0	0	0	0	0
49456	18.9	430	98	22.8	1.0	0.0	1	0	0	0	0	0	0	0
49457	17.9	268	128	47.8	2.3	1.6	1	1	1	0	0	2	2	0
49458	15.3	2	1	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49459	16.9	43	16	37.2	0.0	0.0	0	0	0	0	0	0	0	0
49460	14.6	301	54	17.9	1.9	0.0	1	0	0	0	0	0	0	0
49461	23.0	219	65	29.7	6.2	1.6	2	1	0	0	0	1	1	1
49464	22.3	730	140	19.2	3.6	0.0	5	0	0	0	0	0	0	0
49503	66.1	1056	718	68.0	15.5	1.3	98	7	2	0	0	9	9	4
49504	58.0	1280	767	59.9	14.0	2.2	86	8	4	5	0	17	17	4
49505	37.8	1042	400	38.4	5.3	0.5	19	0	2	0	0	2	2	0
49506	48.2	985	358	36.3	10.6	0.3	34	1	0	0	0	1	1	3
49507	58.0	1680	1005	59.8	19.3	1.9	168	15	2	2	0	19	19	7
49508	3.3	1174	521	44.4	4.2	0.8	18	3	1	0	0	4	4	0
49509	20.6	1894	539	28.5	5.0	0.2	26	0	0	1	0	1	1	0
49512	1.5	353	165	46.7	4.2	0.6	6	0	1	0	0	1	1	0
49519	*	*	342	---	2.9	0.0	10	0	0	0	0	0	0	0
49525	13.3	654	164	25.1	3.7	0.0	6	0	0	0	0	0	0	0

**Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age**

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL										
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous		
49752	9.0	6	3	50.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49753	20.7	40	13	32.5	0.0	0.0	0	0	0	0	0	0	0	0	0
49755	26.2	50	13	26.0	7.7	0.0	1	0	0	0	0	0	0	0	0
49756	10.8	63	19	30.2	0.0	0.0	0	0	0	0	0	0	0	0	0
49757	53.8	6	7	116.7	0.0	0.0	0	0	0	0	0	0	0	0	0
49759	14.0	38	11	28.9	0.0	0.0	0	0	0	0	0	0	0	0	0
49760	25.4	8	10	125.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49761	0.0	1	1	100.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49762	22.1	7	2	28.6	0.0	0.0	0	0	0	0	0	0	0	0	0
49764	29.3	0	1	---	0.0	0.0	0	0	0	0	0	0	0	0	0
49765	26.8	98	36	36.7	2.8	0.0	1	0	0	0	0	0	0	0	0
49766	24.7	60	15	25.0	6.7	0.0	1	0	0	0	0	0	0	0	0
49768	10.9	11	2	18.2	0.0	0.0	0	0	0	0	0	0	0	0	0
49769	30.3	55	11	20.0	9.1	0.0	1	0	0	0	0	0	0	0	0
49770	31.6	359	87	24.2	0.0	0.0	0	0	0	0	0	0	0	0	0
49774	26.6	42	6	14.3	0.0	0.0	0	0	0	0	0	0	0	0	0
49775	29.3	0	0	---	---	---	0	0	0	0	0	0	0	0	0
49776	31.0	36	13	36.1	0.0	0.0	0	0	0	0	0	0	0	0	0
49777	17.7	26	5	19.2	0.0	0.0	0	0	0	0	0	0	0	0	0
49779	38.1	92	28	30.4	3.6	0.0	1	0	0	0	0	0	0	0	0
49780	23.6	53	14	26.4	0.0	0.0	0	0	0	0	0	0	0	0	0
49781	28.1	105	47	44.8	6.4	2.1	2	1	0	0	0	0	1	0	0
49782	18.2	11	0	0.0	---	---	0	0	0	0	0	0	0	0	0
49783	39.7	437	185	42.3	3.8	0.0	7	0	0	0	0	0	0	0	0
49788	15.6	125	46	36.8	4.3	0.0	2	0	0	0	0	0	0	0	0
49791	70.0	0	4	---	0.0	0.0	0	0	0	0	0	0	0	0	0
49792	22.2	1	1	100.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49793	33.8	1	2	200.0	50.0	0.0	1	0	0	0	0	0	0	0	0
49795	16.3	45	9	20.0	11.1	0.0	1	0	0	0	0	0	0	0	0
49796	47.6	3	3	100.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49799	14.5	68	18	26.5	0.0	0.0	0	0	0	0	0	0	0	0	0
49801	42.2	273	117	42.9	1.7	0.0	2	0	0	0	0	0	0	0	0
49802	43.1	162	62	38.3	3.2	0.0	2	0	0	0	0	0	0	0	0
49805	75.0	5	5	100.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49806	34.3	4	4	100.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49807	27.6	75	30	40.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49808	26.4	5	3	60.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49812	37.5	19	5	26.3	0.0	0.0	0	0	0	0	0	0	0	0	0
49813	27.7	7	0	0.0	---	---	0	0	0	0	0	0	0	0	0
49814	30.5	27	13	48.1	0.0	0.0	0	0	0	0	0	0	0	0	0
49815	37.5	9	5	55.6	0.0	0.0	0	0	0	0	0	0	0	0	0
49816	37.6	14	5	35.7	20.0	0.0	1	0	0	0	0	0	0	0	0
49817	29.8	17	4	23.5	25.0	0.0	1	0	0	0	0	0	0	0	0
49818	24.7	22	7	31.8	14.3	0.0	1	0	0	0	0	0	0	0	0
49819	*	*	1	---	0.0	0.0	0	0	0	0	0	0	0	0	0
49820	23.7	14	4	28.6	25.0	0.0	1	0	0	0	0	0	0	0	0
49821	36.6	37	9	24.3	0.0	0.0	0	0	0	0	0	0	0	0	0
49822	15.4	0	1	---	100.0	0.0	1	0	0	0	0	0	0	0	0
49825	35.5	6	2	33.3	0.0	0.0	0	0	0	0	0	0	0	0	0
49826	22.2	2	2	100.0	0.0	0.0	0	0	0	0	0	0	0	0	0
49827	31.1	17	6	35.3	16.7	0.0	1	0	0	0	0	0	0	0	0
49829	46.0	434	220	50.7	7.7	0.5	15	0	1	0	0	0	1	1	1

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
49831	57.1	0	14	---	0.0	0.0	0	0	0	0	0	0	0	0
49833	17.6	4	3	75.0	0.0	0.0	0	0	0	0	0	0	0	0
49834	32.4	5	4	80.0	0.0	0.0	0	0	0	0	0	0	0	0
49835	32.0	12	9	75.0	0.0	0.0	0	0	0	0	0	0	0	0
49836	31.1	15	5	33.3	20.0	0.0	1	0	0	0	0	0	0	0
49837	34.7	233	71	30.5	5.6	0.0	3	0	0	0	0	0	0	1
49838	21.2	6	5	83.3	0.0	0.0	0	0	0	0	0	0	0	0
49839	33.3	2	1	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49840	19.1	15	5	33.3	0.0	0.0	0	0	0	0	0	0	0	0
49841	12.4	151	118	78.1	1.7	0.0	2	0	0	0	0	0	0	0
49847	45.3	24	14	58.3	0.0	0.0	0	0	0	0	0	0	0	0
49848	43.8	6	1	16.7	0.0	0.0	0	0	0	0	0	0	0	0
49849	48.5	300	105	35.0	6.7	0.0	7	0	0	0	0	0	0	0
49852	71.8	0	1	---	0.0	0.0	0	0	0	0	0	0	0	0
49853	23.4	24	9	37.5	0.0	0.0	0	0	0	0	0	0	0	0
49854	37.7	162	81	50.0	2.5	0.0	2	0	0	0	0	0	0	0
49855	30.7	602	218	36.2	2.3	0.0	5	0	0	0	0	0	0	0
49858	43.4	305	102	33.4	10.8	1.0	10	0	0	1	0	1	0	0
49861	34.0	9	2	22.2	0.0	0.0	0	0	0	0	0	0	0	0
49862	35.8	92	48	52.2	4.2	0.0	2	0	0	0	0	0	0	0
49863	57.8	5	4	80.0	0.0	0.0	0	0	0	0	0	0	0	0
49866	40.2	138	64	46.4	9.4	0.0	6	0	0	0	0	0	0	0
49868	32.9	111	77	69.4	2.6	0.0	2	0	0	0	0	0	0	0
49870	51.6	80	30	37.5	3.3	0.0	1	0	0	0	0	0	0	0
49871	60.8	4	3	75.0	0.0	0.0	0	0	0	0	0	0	0	0
49872	58.8	0	0	---	---	---	0	0	0	0	0	0	0	0
49873	27.1	1	2	200.0	0.0	0.0	0	0	0	0	0	0	0	0
49874	29.4	20	9	45.0	0.0	0.0	0	0	0	0	0	0	0	0
49876	22.0	16	13	81.3	0.0	0.0	0	0	0	0	0	0	0	0
49877	52.8	0	0	---	---	---	0	0	0	0	0	0	0	0
49878	27.4	58	13	22.4	0.0	0.0	0	0	0	0	0	0	0	0
49879	36.0	14	6	42.9	0.0	0.0	0	0	0	0	0	0	0	0
49880	36.8	25	4	16.0	0.0	0.0	0	0	0	0	0	0	0	0
49881	24.1	9	2	22.2	50.0	0.0	1	0	0	0	0	0	0	0
49883	28.3	5	0	0.0	---	---	0	0	0	0	0	0	0	0
49884	15.9	12	4	33.3	0.0	0.0	0	0	0	0	0	0	0	0
49885	22.5	54	18	33.3	5.6	0.0	1	0	0	0	0	0	0	0
49886	40.8	14	1	7.1	0.0	0.0	0	0	0	0	0	0	0	0
49887	36.4	40	9	22.5	0.0	0.0	0	0	0	0	0	0	0	0
49891	37.6	23	6	26.1	0.0	0.0	0	0	0	0	0	0	0	0
49892	34.1	36	10	27.8	0.0	0.0	0	0	0	0	0	0	0	0
49893	26.1	44	7	15.9	0.0	0.0	0	0	0	0	0	0	0	0
49894	39.5	13	4	30.8	0.0	0.0	0	0	0	0	0	0	0	0
49895	18.4	9	8	88.9	0.0	0.0	0	0	0	0	0	0	0	0
49896	27.8	62	28	45.2	0.0	0.0	0	0	0	0	0	0	0	0
49901	85.8	10	3	30.0	0.0	0.0	0	0	0	0	0	0	0	0
49902	69.2	7	1	14.3	0.0	0.0	0	0	0	0	0	0	0	0
49903	67.0	4	1	25.0	0.0	0.0	0	0	0	0	0	0	0	0
49905	56.0	56	38	67.9	0.0	0.0	0	0	0	0	0	0	0	0
49908	30.5	71	29	40.8	0.0	0.0	0	0	0	0	0	0	0	0
49910	33.4	4	3	75.0	0.0	0.0	0	0	0	0	0	0	0	0
49911	58.8	45	32	71.1	9.4	0.0	3	0	0	0	0	0	0	0

Childhood Lead Poisoning Data Facts
All ZIP Codes in Michigan
Calendar Year 2010
Children One and Two Years of Age

ZIP	%Pre-1950 Housing	Children Age 1 & 2	Children Tested for Lead		Children with Blood Lead Levels >= 5 ug/dL									
			# Tested	% Tested	% with BLL >= 5 ug/dL	% EBLL (>= 10 ug/dL venous only)	5 to 9 ug/dL (capillary, venous or unknown)	10-14 ug/dL (venous only)	15-19 ug/dL (venous only)	20-44 ug/dL (venous only)	45+ ug/dL (venous only)	Total EBLL (≥ 10 µg/dL)	Capillary >= 10, not confirmed by venous	
49912	50.6	12	9	75.0	11.1	0.0	1	0	0	0	0	0	0	0
49913	75.6	208	87	41.8	10.3	0.0	9	0	0	0	0	0	0	0
49915	69.3	9	21	233.3	0.0	0.0	0	0	0	0	0	0	0	0
49916	37.0	61	27	44.3	0.0	0.0	0	0	0	0	0	0	0	0
49917	84.8	7	2	28.6	0.0	0.0	0	0	0	0	0	0	0	0
49918	69.3	0	2	---	0.0	0.0	0	0	0	0	0	0	0	0
49919	36.9	4	1	25.0	0.0	0.0	0	0	0	0	0	0	0	0
49920	41.6	70	25	35.7	0.0	0.0	0	0	0	0	0	0	0	0
49921	57.9	7	6	85.7	0.0	0.0	0	0	0	0	0	0	0	0
49922	35.5	42	10	23.8	20.0	10.0	1	0	0	1	0	1	0	0
49925	43.0	15	3	20.0	0.0	0.0	0	0	0	0	0	0	0	0
49927	53.4	11	4	36.4	0.0	0.0	0	0	0	0	0	0	0	0
49929	70.2	0	4	---	0.0	0.0	0	0	0	0	0	0	0	0
49930	56.5	127	95	74.8	3.2	0.0	3	0	0	0	0	0	0	0
49931	38.0	108	83	76.9	2.4	0.0	2	0	0	0	0	0	0	0
49934	88.8	24	9	37.5	0.0	0.0	0	0	0	0	0	0	0	0
49935	42.8	100	77	77.0	5.2	0.0	4	0	0	0	0	0	0	0
49938	63.6	164	111	67.7	5.4	0.0	6	0	0	0	0	0	0	0
49942	89.0	7	0	0.0	---	---	0	0	0	0	0	0	0	0
49945	49.1	72	25	34.7	4.0	0.0	1	0	0	0	0	0	0	0
49946	33.9	106	54	50.9	1.9	0.0	1	0	0	0	0	0	0	0
49947	33.3	12	8	66.7	0.0	0.0	0	0	0	0	0	0	0	0
49948	58.7	11	6	54.5	33.3	0.0	2	0	0	0	0	0	0	0
49950	52.7	19	7	36.8	0.0	0.0	0	0	0	0	0	0	0	0
49952	29.5	2	1	50.0	0.0	0.0	0	0	0	0	0	0	0	0
49953	43.8	63	23	36.5	8.7	0.0	1	0	0	0	0	0	0	1
49955	85.9	7	3	42.9	0.0	0.0	0	0	0	0	0	0	0	0
49958	43.3	29	13	44.8	7.7	0.0	1	0	0	0	0	0	0	0
49959	74.0	13	3	23.1	0.0	0.0	0	0	0	0	0	0	0	0
49960	66.2	5	0	0.0	---	---	0	0	0	0	0	0	0	0
49961	44.1	1	0	0.0	---	---	0	0	0	0	0	0	0	0
49962	42.0	3	0	0.0	---	---	0	0	0	0	0	0	0	0
49963	61.5	27	6	22.2	0.0	0.0	0	0	0	0	0	0	0	0
49964	65.3	24	2	8.3	0.0	0.0	0	0	0	0	0	0	0	0
49965	39.1	7	4	57.1	0.0	0.0	0	0	0	0	0	0	0	0
49967	48.9	6	3	50.0	66.7	0.0	2	0	0	0	0	0	0	0
49968	53.6	37	33	89.2	0.0	0.0	0	0	0	0	0	0	0	0
49969	20.8	23	8	34.8	0.0	0.0	0	0	0	0	0	0	0	0
49970	59.4	12	0	0.0	---	---	0	0	0	0	0	0	0	0
49971	8.4	9	4	44.4	0.0	0.0	0	0	0	0	0	0	0	0
unknown	---	---	16	---	0.0	0.0	0	0	0	0	0	0	0	0
Total	27.0	258,777	89,039	34.4	6.5	0.8	4,817	436	161	147	7	751	200	

*No census data available

Sources: Pre-1950 Housing calculated from U.S. Bureau, Census 2000; Populations from U.S. Census Bureau, Census 2000; Children Tested and EBLL from Michigan

Department of Community Health, Data Warehouse

February 17, 2011