



2017 Annual Data Report

ZIP Code Supplement

Issued September 28, 2020

Prepared by

Childhood Lead Poisoning Prevention Program (CLPPP)
Michigan Department of Health and Human Services

For more information and questions, visit

www.Michigan.gov/Lead

or contact

MDHHS-CLPPP@Michigan.gov

This publication was partially supported by Grant Number BO4MC26674 from the federal Health Resources and Services Administration (HRSA), Grant Number 3UE1EH001267 from the Centers for Disease Control and Prevention (CDC), and the Michigan General Fund.

Suggested Citation:

Michigan Department of Health and Human Services Childhood Lead Poisoning Prevention Program. 2017 Annual Data Report – ZIP Code Supplement. September 2020. Accessed online at

www.michigan.gov/documents/lead/2017_MICLPPP_Zipcode_Supplemental_691427_7.pdf

Table of Contents

Report Abbreviations.....	i
Introduction.....	1
Supplemental Report Scope.....	1
Blood Lead Testing and Surveillance (Monitoring).....	1
Methods.....	1
Data Used for Analysis.....	1
Inclusion Criteria.....	1
Elevated Blood Lead Levels.....	1
Risk Factors.....	1
Analysis.....	2
Measures.....	2
Data Suppression.....	2
Results.....	2
Summary.....	2
Maps.....	4
Figure 1. Population of Michigan Children Less than Six by ZIP Code, 2017.....	4
Figure 2. Number of Michigan Children Less than Six Tested for Lead by ZIP Code, 2017.....	5
Figure 3. Percentage of Tested Michigan Children Under Age Six with Elevated Blood Lead Levels (>5 µg/dL, EBLL) by ZIP Code, 2017.....	6
Tables.....	7
Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests, 2017, Data Suppressed.....	7
Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests, 2017, Data Suppressed.....	55
References.....	99

Report Abbreviations

ACS: The American Community Survey conducted by the U.S Census Bureau

BLL: Blood Lead Level

CDC: Centers for Disease Control and Prevention

CLPPP: Childhood Lead Poisoning Prevention Program

EBLL: Elevated Blood Lead Level ($\geq 5 \mu\text{g}/\text{dL}$ of lead in the blood)

MDHHS: Michigan Department of Health and Human Services

Introduction

Supplemental Report Scope

The 2017 Annual Data Report on Childhood Blood Lead Testing in Michigan (https://www.michigan.gov/documents/lead/2017_MICLPPP_Report_691425_7.pdf) presents the analysis and blood lead test results for all Michigan children under six years old for the state, counties, and selected communities. This supplemental report presents results by ZIP code and includes abbreviated background and methods sections. For the full background, methods, and results, see the primary report.

Blood Lead Testing and Surveillance (Monitoring)

The amount of lead in the blood (blood lead level, BLL) is measured by capillary and venous blood lead tests. All Michigan blood lead test results must be submitted to the Michigan Department of Health and Human Services Childhood Lead Poisoning Prevention Program (MDHHS CLPPP). MDHHS recommends blood lead testing for all children under six years old who are at risk of lead exposure. Children enrolled in Medicaid are required to be tested for lead by age three.¹

Methods

Data Used for Analysis

Inclusion Criteria

Data are current as of September 17, 2018. Test results were included in these supplemental tables if sample collection was between 1/1/2017 and 12/31/2017 and children were under six years old at sample collection.

Test results were deduplicated to one test per child per year. If a child had multiple tests within a calendar year, the highest BLL obtained from the most accurate test, a venous test, was kept. If no venous test was performed, the highest BLL obtained from a capillary test was kept. If the only test results were of unspecified sample type, then the highest of these results was kept.

Elevated Blood Lead Levels

Five micrograms per deciliter (5 µg/dL) or greater of lead in the blood is an elevated blood lead level (EBLL).^{2,3} At this BLL, MDHHS recommends the local health department and child's healthcare provider take actions to immediately minimize risk of ongoing exposure, including:

- Educate and help the family to identify and remove sources of lead,
- Order a confirmatory venous test (if needed) and periodic retests to monitor the child's blood lead level, and
- Provide follow-up medical treatment as needed.^{4,5}

Risk Factors

Two indicators of older housing are included: percent of housing constructed before 1980 and percent pre-1950 housing, from the 2017 5-year estimates from the [U.S. Census American Community Survey](#) table B25034 (Year Structure was Built).

Analysis

Measures

Blood lead test results were aggregated (pooled together) to create counts and proportions (percentages) for groups residing in each ZIP code. Test results were categorized by sample type and BLL. Tests with unknown sample type were counted as capillary tests. The following measures are included:

- Blood Lead Testing Coverage: The number and percentage of children under 6 years old who have had a venous or capillary blood lead test. It is the number who have had at least one blood lead test divided by the total number of children under 6 years old (source: 2017 5-year estimates from the [U.S. Census American Community Survey](#) table B09001, population of children).
- Elevated Blood Lead Levels: The number and percentage of children under 6 years old with an EBLL (≥ 5 $\mu\text{g}/\text{dL}$). The percent is the number who had an elevated test result divided by the total number of children under 6 years old who had at least one test.
- Capillary and Venous Elevated Blood Lead Levels: The number and percentage of children under 6 years old with an EBLL from a capillary test or a venous test. The percent is the number who had an elevated capillary or venous test result divided by the total number of children under 6 years old who had at least one test.
- Venous BLL Categories: The number and percentage of children under 6 years old with a venous BLL in the categories listed below. The percent is the number with test results in that BLL category divided by the total number of children who have had at least one test
 - Venous BLL 5-9 $\mu\text{g}/\text{dL}$
 - Venous BLL 10-14 $\mu\text{g}/\text{dL}$
 - Venous BLL 15-19 $\mu\text{g}/\text{dL}$
 - Venous BLL 20-44 $\mu\text{g}/\text{dL}$
 - Venous BLL ≥ 45 $\mu\text{g}/\text{d}$

At venous BLL ≥ 45 $\mu\text{g}/\text{dL}$, the child's physician will consult with Michigan's Poison Control Center and consider hospitalization and/or chelation to remove lead from the body.^{4,5}

ZIP code results were mapped using Arc GIS for the following categories: population of children under six years old, number tested for lead, and percent of children with an elevated result.

Data Suppression

Counts between one (1) and five (5) were suppressed (not reported); other counts were not reported if they could be used to calculate the suppressed counts. Suppressed counts were replaced with an asterisk (*) in the tables. This was done to protect the privacy of people who had a blood lead test. Tables without suppression will be made available to local health departments upon request.

Results

Summary

In 2017, there were 1,050 Michigan ZIP codes in which at least one child under 6 years old was tested.


Among ZIPs with a population of at least 50 children under 6 years old:

- ZIP codes with the top testing rates included 48733 (58%), 49227 (53%), and 49953 (52%). These ZIP codes are located in or near the cities of Fairgrove/Gilford (Tuscola County), Allen (Hillsdale County), and Ontonagon (Ontonagon County), respectively.
- ZIP codes with the highest number of children with EBLLs include 49507 (134 children), 48206 (116 children), and 48238 (112 children). The first ZIP code is near Grand Rapids/Wyoming (Kent County); the others are part of Detroit (Wayne County).

- ZIP codes with the highest proportion of children with EBLLs include 48206 (19%, 116 children), 48214 (16%, 81 children), and 48202 (13%, 48 children). All ZIP codes are part of Detroit (Wayne County).


Maps

Figure 1. Population of Michigan Children Less than Six by ZIP Code, 2017




Population data from 2017 American Community Survey 5-Year Population Estimates, Table B09001

Figure 2. Number of Michigan Children Less than Six Tested for Lead by ZIP Code, 2017



Michigan blood lead testing data from MDHHS, as of Sep 17, 2018

Figure 3. Percentage of Tested Michigan Children Under Age Six with Elevated Blood Lead Levels (>5 µg/dL, EBLL) by ZIP Code, 2017



* Only ZIP codes where at least 30 children were tested and at least 6 had elevated blood lead levels in 2017 are reported

Michigan blood lead testing data from MDHHS, as of Sep 17, 2018

Tables

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48001	20.8	68.3	631	176	27.9	*	-	0	0.0	*	-
48002	21.3	49.9	129	26	20.2	0	0.0	0	0.0	0	0.0
48003	21.5	42.7	410	67	16.3	*	-	0	0.0	*	-
48005	24.9	58.9	340	34	10.0	*	-	*	-	0	0.0
48006	22.4	45.6	201	42	20.9	*	-	*	-	*	-
48007	NA	NA	NA	*	NA	0	-	0	-	0	-
48009	34.6	78.3	1714	338	19.7	*	-	*	-	0	0.0
48011	NA	NA	NA	*	NA	0	-	0	-	0	-
48012	NA	NA	NA	*	NA	0	-	0	-	0	-
48013	NA	NA	NA	*	NA	0	-	0	-	0	-
48014	19.2	44.9	188	57	30.3	0	0.0	0	0.0	0	0.0
48015	38.3	90.9	576	140	24.3	*	-	*	-	*	-
48017	20.6	90.8	700	170	24.3	*	-	*	-	*	-
48021	32.0	93.9	2139	686	32.1	21	3.1	12	1.7	9	1.3
48022	18.0	55.3	201	24	11.9	0	0.0	0	0.0	0	0.0
48023	18.2	57.7	305	66	21.6	0	0.0	0	0.0	0	0.0
48025	13.4	83.0	857	146	17.0	0	0.0	0	0.0	0	0.0
48026	8.7	72.3	892	177	19.8	*	-	0	0.0	*	-
48027	22.4	47.6	243	42	17.3	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48028	29.8	64.7	13	6	46.2	0	0.0	0	0.0	0	0.0
48030	35.7	90.2	910	251	27.6	*	-	*	-	*	-
48032	15.9	34.7	112	25	22.3	0	0.0	0	0.0	0	0.0
48033	9.5	77.4	845	324	38.3	6	1.9	*	-	*	-
48034	3.4	74.1	863	238	27.6	*	-	*	-	0	0.0
48035	5.1	72.0	2263	581	25.7	*	-	*	-	0	0.0
48036	6.2	65.3	1582	420	26.5	*	-	*	-	*	-
48037	NA	NA	NA	7	NA	0	0.0	0	0.0	0	0.0
48038	1.3	32.3	2378	560	23.5	*	-	*	-	0	0.0
48039	36.1	71.5	384	119	31.0	*	-	*	-	*	-
48040	9.9	57.3	741	133	17.9	*	-	*	-	*	-
48041	26.8	57.5	239	49	20.5	*	-	*	-	0	0.0
48042	3.7	12.3	2482	320	12.9	*	-	0	0.0	*	-
48043	44.9	90.0	770	259	33.6	8	3.1	*	-	*	-
48044	0.9	12.6	3945	618	15.7	*	-	*	-	*	-
48045	8.7	58.6	1385	286	20.6	*	-	*	-	0	0.0
48046	NA	NA	NA	7	NA	0	0.0	0	0.0	0	0.0
48047	6.3	36.4	2405	551	22.9	*	-	*	-	*	-
48048	11.0	32.8	573	146	25.5	*	-	*	-	0	0.0
48049	14.1	63.1	406	58	14.3	0	0.0	0	0.0	0	0.0
48050	31.7	70.0	103	13	12.6	0	0.0	0	0.0	0	0.0
48051	4.1	23.7	1219	228	18.7	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48054	15.4	55.8	268	66	24.6	*	-	*	-	0	0.0
48059	13.8	51.6	889	225	25.3	*	-	*	-	0	0.0
48060	39.8	75.9	2852	1390	48.7	66	4.7	36	2.6	30	2.2
48061	NA	NA	NA	*	NA	0	-	0	-	0	-
48062	17.3	49.5	726	113	15.6	0	0.0	0	0.0	0	0.0
48063	18.1	52.6	243	50	20.6	*	-	0	0.0	*	-
48064	20.3	57.3	304	58	19.1	0	0.0	0	0.0	0	0.0
48065	20.0	52.3	642	99	15.4	*	-	*	-	0	0.0
48066	15.2	84.2	3600	755	21.0	7	0.9	*	-	*	-
48067	48.2	84.6	1221	307	25.1	*	-	*	-	*	-
48068	NA	NA	NA	*	NA	0	-	0	-	0	-
48069	79.7	95.2	177	24	13.6	0	0.0	0	0.0	0	0.0
48070	53.2	94.7	487	77	15.8	0	0.0	0	0.0	0	0.0
48071	12.3	86.2	2533	410	16.2	*	-	*	-	0	0.0
48072	50.0	90.4	1141	219	19.2	*	-	0	0.0	*	-
48073	22.5	89.2	2059	433	21.0	*	-	0	0.0	*	-
48074	15.0	48.3	699	184	26.3	*	-	0	0.0	*	-
48075	10.3	84.0	1343	446	33.2	6	1.3	*	-	*	-
48076	9.0	90.5	1452	387	26.7	8	2.1	*	-	*	-
48079	22.8	52.4	585	170	29.1	*	-	*	-	0	0.0
48080	17.6	91.7	1272	306	24.1	*	-	*	-	0	0.0
48081	12.9	92.0	1389	260	18.7	*	-	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48082	11.8	88.5	967	167	17.3	0	0.0	0	0.0	0	0.0
48083	5.4	66.5	1630	283	17.4	*	-	*	-	*	-
48084	2.5	74.1	1059	195	18.4	*	-	*	-	*	-
48085	3.9	66.8	1469	221	15.0	*	-	*	-	0	0.0
48088	2.6	90.8	1328	298	22.4	*	-	*	-	0	0.0
48089	22.3	88.4	2804	767	27.4	7	0.9	*	-	*	-
48090	NA	NA	NA	*	NA	0	-	0	-	0	-
48091	20.5	80.2	2489	734	29.5	14	1.9	*	-	*	-
48092	6.3	82.0	1827	442	24.2	*	-	*	-	*	-
48093	3.8	87.6	1473	391	26.5	*	-	*	-	0	0.0
48094	3.4	21.3	1076	180	16.7	*	-	*	-	0	0.0
48095	5.7	39.8	374	41	11.0	0	0.0	0	0.0	0	0.0
48096	17.8	57.2	209	21	10.0	0	0.0	0	0.0	0	0.0
48097	33.0	68.1	323	81	25.1	*	-	0	0.0	*	-
48098	2.6	43.8	937	152	16.2	*	-	*	-	0	0.0
48099	NA	NA	NA	*	NA	0	-	0	-	0	-
48101	22.0	95.3	1800	399	22.2	*	-	*	-	*	-
48103	19.1	56.4	3359	469	14.0	8	1.7	*	-	*	-
48104	35.3	76.9	1457	162	11.1	*	-	*	-	*	-
48105	6.5	51.8	1933	211	10.9	*	-	*	-	*	-
48106	NA	NA	NA	*	NA	0	-	0	-	0	-
48107	NA	NA	NA	*	NA	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48108	4.0	51.0	1562	268	17.2	*	-	*	-	*	-
48109	NA	NA	NA	*	NA	0	-	0	-	0	-
48111	10.9	51.8	2997	578	19.3	8	1.4	*	-	*	-
48112	NA	NA	NA	*	NA	0	-	0	-	0	-
48114	4.3	41.5	1324	103	7.8	0	0.0	0	0.0	0	0.0
48116	10.0	46.0	1500	86	5.7	*	-	0	0.0	*	-
48117	19.1	57.1	589	86	14.6	*	-	*	-	*	-
48118	23.0	52.0	862	108	12.5	0	0.0	0	0.0	0	0.0
48120	29.3	65.1	930	375	40.3	*	-	0	0.0	*	-
48121	NA	NA	NA	*	NA	0	-	0	-	0	-
48122	29.8	80.9	1154	383	33.2	*	-	*	-	*	-
48124	42.3	93.9	1881	453	24.1	*	-	*	-	*	-
48125	25.2	95.1	1673	447	26.7	*	-	*	-	*	-
48126	53.8	84.3	5369	1527	28.4	26	1.7	6	0.4	20	1.3
48127	8.4	87.8	3089	825	26.7	14	1.7	*	-	*	-
48128	48.1	95.4	900	183	20.3	*	-	*	-	*	-
48130	9.8	33.1	984	80	8.1	0	0.0	0	0.0	0	0.0
48131	24.8	64.1	351	73	20.8	*	-	*	-	0	0.0
48133	22.4	60.7	378	35	9.3	*	-	*	-	0	0.0
48134	7.0	37.1	1464	272	18.6	*	-	*	-	*	-
48135	14.2	92.2	1715	348	20.3	*	-	*	-	0	0.0
48136	NA	NA	NA	*	NA	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48137	19.7	58.7	252	39	15.5	*	-	*	-	0	0.0
48138	15.5	69.3	489	78	16.0	0	0.0	0	0.0	0	0.0
48139	27.0	53.9	0	*	-	0	-	0	-	0	-
48140	33.9	70.7	134	27	20.1	0	0.0	0	0.0	0	0.0
48141	20.0	90.1	1930	774	40.1	22	2.8	10	1.3	12	1.6
48142	NA	NA	NA	*	NA	0	-	0	-	0	-
48144	12.5	57.0	709	54	7.6	*	-	*	-	*	-
48145	26.5	77.0	252	23	9.1	0	0.0	0	0.0	0	0.0
48146	31.4	94.6	2844	1059	37.2	17	1.6	*	-	*	-
48147	NA	NA	NA	*	NA	0	-	0	-	0	-
48148	NA	NA	NA	*	NA	0	-	0	-	0	-
48150	11.9	83.1	1805	312	17.3	*	-	*	-	*	-
48151	NA	NA	NA	*	NA	*	-	0	-	*	-
48152	10.2	68.8	1689	364	21.6	*	-	0	0.0	*	-
48153	NA	NA	NA	*	NA	0	-	0	-	0	-
48154	6.5	86.7	1929	337	17.5	*	-	*	-	0	0.0
48155	NA	NA	NA	*	NA	0	-	0	-	0	-
48157	29.2	52.6	70	10	14.3	0	0.0	0	0.0	0	0.0
48158	27.4	56.7	257	58	22.6	0	0.0	0	0.0	0	0.0
48159	36.6	75.2	161	23	14.3	*	-	*	-	0	0.0
48160	30.5	62.0	779	92	11.8	*	-	0	0.0	*	-
48161	29.9	62.6	1817	288	15.9	8	2.8	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48162	25.0	71.7	2121	288	13.6	6	2.1	*	-	*	-
48164	11.5	41.6	441	71	16.1	0	0.0	0	0.0	0	0.0
48165	5.0	27.7	510	123	24.1	*	-	*	-	*	-
48166	13.2	35.0	1068	166	15.5	*	-	*	-	0	0.0
48167	10.5	55.3	1440	199	13.8	*	-	*	-	*	-
48168	4.6	27.2	1165	116	10.0	*	-	*	-	*	-
48169	10.9	49.3	1009	67	6.6	0	0.0	0	0.0	0	0.0
48170	12.5	63.4	2452	219	8.9	*	-	*	-	0	0.0
48172	NA	NA	NA	*	NA	0	-	0	-	0	-
48173	13.6	60.8	827	148	17.9	*	-	*	-	0	0.0
48174	13.4	57.4	2661	613	23.0	*	-	*	-	0	0.0
48176	9.1	43.5	1265	142	11.2	*	-	*	-	*	-
48177	67.4	100.0	24	*	-	0	-	0	-	0	-
48178	6.3	33.8	2685	306	11.4	*	-	*	-	0	0.0
48179	22.1	54.9	112	34	30.4	0	0.0	0	0.0	0	0.0
48180	10.9	84.2	4930	1449	29.4	21	1.4	13	0.9	8	0.6
48181	NA	NA	NA	*	NA	0	-	0	-	0	-
48182	14.2	55.5	1344	139	10.3	*	-	*	-	*	-
48183	8.0	67.3	2442	504	20.6	9	1.8	*	-	*	-
48184	31.0	86.7	1036	290	28.0	*	-	*	-	0	0.0
48185	7.2	69.5	3412	773	22.7	8	1.0	*	-	*	-
48186	15.4	80.1	2212	604	27.3	6	1.0	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48187	1.7	53.1	3137	571	18.2	9	1.6	*	-	*	-
48188	2.1	24.3	3015	481	16.0	7	1.5	*	-	*	-
48189	13.9	47.3	947	82	8.7	*	-	*	-	0	0.0
48190	0.0	0.0	0	8	#DIV/0!	0	0.0	0	0.0	0	0.0
48191	12.9	42.0	374	15	4.0	0	0.0	0	0.0	0	0.0
48192	50.9	90.0	1404	373	26.6	7	1.9	*	-	*	-
48193	9.0	77.2	1013	244	24.1	*	-	*	-	*	-
48195	13.9	80.4	1942	495	25.5	6	1.2	6	1.2	0	0.0
48196	NA	NA	NA	*	NA	0	-	0	-	0	-
48197	13.8	47.8	4753	707	14.9	6	0.8	*	-	*	-
48198	14.0	72.8	3107	636	20.5	8	1.3	*	-	*	-
48201	41.1	66.1	1019	361	35.4	6	1.7	*	-	*	-
48202	63.2	82.6	768	357	46.5	48	13.4	16	4.5	32	9.0
48203	60.0	91.6	1730	757	43.8	92	12.2	19	2.5	73	9.6
48204	72.4	96.0	2279	836	36.7	110	13.2	27	3.2	83	9.9
48205	61.5	96.4	3554	1387	39.0	93	6.7	19	1.4	74	5.3
48206	80.4	96.8	1489	605	40.6	116	19.2	31	5.1	85	14.0
48207	29.2	79.4	1457	488	33.5	35	7.2	*	-	*	-
48208	63.6	82.3	841	282	33.5	24	8.5	7	2.5	17	6.0
48209	82.9	94.9	3970	1339	33.7	89	6.6	13	1.0	76	5.7
48210	80.8	96.0	3534	1408	39.8	97	6.9	16	1.1	81	5.8
48211	73.2	88.7	583	277	47.5	32	11.6	6	2.2	26	9.4

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48212	68.5	94.0	4271	1704	39.9	109	6.4	26	1.5	83	4.9
48213	63.1	90.0	1860	728	39.1	90	12.4	11	1.5	79	10.9
48214	59.9	88.6	1436	503	35.0	81	16.1	14	2.8	67	13.3
48215	52.4	72.7	1129	383	33.9	34	8.9	8	2.1	26	6.8
48216	68.8	81.3	411	131	31.9	8	6.1	*	-	*	-
48217	50.8	94.1	487	161	33.1	*	-	*	-	*	-
48218	68.3	95.3	541	239	44.2	10	4.2	*	-	*	-
48219	37.9	93.9	3794	1429	37.7	55	3.8	29	2.0	26	1.8
48220	55.2	91.7	1425	264	18.5	6	2.3	*	-	*	-
48221	68.2	97.3	2485	1022	41.1	54	5.3	21	2.1	33	3.2
48223	48.6	91.0	2008	751	37.4	30	4.0	12	1.6	18	2.4
48224	64.7	95.8	3764	1472	39.1	103	7.0	27	1.8	76	5.2
48225	30.2	97.1	961	361	37.6	10	2.8	*	-	*	-
48226	46.4	63.5	103	30	29.1	*	-	*	-	*	-
48227	58.8	96.5	4051	1392	34.4	97	7.0	24	1.7	73	5.2
48228	44.6	92.0	5919	2164	36.6	105	4.9	44	2.0	61	2.8
48229	52.6	92.8	804	251	31.2	10	4.0	*	-	*	-
48230	69.0	94.3	1124	221	19.7	*	-	*	-	*	-
48231	NA	NA	NA	*	NA	0	-	0	-	0	-
48232	NA	NA	NA	*	NA	0	-	0	-	0	-
48234	50.6	95.1	3063	1146	37.4	66	5.8	20	1.7	46	4.0
48235	45.5	95.5	3505	1341	38.3	45	3.4	15	1.1	30	2.2

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48236	39.3	91.9	1770	384	21.7	*	-	*	-	*	-
48237	15.9	93.6	2215	633	28.6	*	-	*	-	0	0.0
48238	72.7	94.3	2494	930	37.3	112	12.0	45	4.8	67	7.2
48239	21.3	95.0	2771	729	26.3	9	1.2	*	-	*	-
48240	24.4	95.1	1410	387	27.4	8	2.1	*	-	*	-
48244	NA	NA	NA	*	NA	0	-	0	-	0	-
48280	NA	NA	NA	*	NA	0	-	0	-	0	-
48282	NA	NA	NA	*	NA	0	-	0	-	0	-
48285	NA	NA	NA	*	NA	0	-	0	-	0	-
48287	NA	NA	NA	*	NA	0	-	0	-	0	-
48291	NA	NA	NA	*	NA	0	-	0	-	0	-
48293	NA	NA	NA	*	NA	0	-	0	-	0	-
48301	5.8	83.4	999	143	14.3	0	0.0	0	0.0	0	0.0
48302	3.1	64.4	848	137	16.2	0	0.0	0	0.0	0	0.0
48303	NA	NA	NA	*	NA	0	-	0	-	0	-
48304	5.7	73.0	812	145	17.9	*	-	0	0.0	*	-
48306	2.2	33.6	1508	144	9.5	*	-	*	-	0	0.0
48307	8.6	43.9	3137	318	10.1	*	-	0	0.0	*	-
48309	6.6	51.1	1621	180	11.1	*	-	0	0.0	*	-
48310	3.5	66.1	2968	695	23.4	*	-	*	-	*	-
48311	NA	NA	NA	*	NA	0	-	0	-	0	-
48312	1.7	73.8	2264	498	22.0	*	-	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48313	1.2	63.2	2148	462	21.5	*	-	*	-	*	-
48314	2.6	35.4	1169	262	22.4	6	2.3	*	-	*	-
48315	1.2	15.6	1427	216	15.1	*	-	*	-	*	-
48316	1.1	50.4	1504	221	14.7	*	-	*	-	0	0.0
48317	6.9	57.4	2098	359	17.1	0	0.0	0	0.0	0	0.0
48318	NA	NA	NA	*	NA	0	-	0	-	0	-
48320	35.9	76.1	233	47	20.2	0	0.0	0	0.0	0	0.0
48321	NA	NA	NA	*	NA	0	-	0	-	0	-
48322	1.7	46.1	1943	302	15.5	0	0.0	0	0.0	0	0.0
48323	5.3	59.4	1039	163	15.7	*	-	*	-	*	-
48324	14.2	54.3	1167	195	16.7	*	-	0	0.0	*	-
48326	9.1	42.3	1342	277	20.6	*	-	*	-	*	-
48327	9.6	54.9	1310	253	19.3	*	-	*	-	*	-
48328	20.1	74.6	1691	358	21.2	7	2.0	*	-	*	-
48329	17.2	71.5	1422	280	19.7	*	-	*	-	0	0.0
48331	2.3	37.6	1152	239	20.7	*	-	*	-	0	0.0
48332	NA	NA	NA	6	NA	0	0.0	0	0.0	0	0.0
48333	NA	NA	NA	*	NA	0	-	0	-	0	-
48334	5.0	75.3	1076	250	23.2	*	-	*	-	*	-
48335	5.3	51.2	1575	576	36.6	32	5.6	9	1.6	23	4.0
48336	12.7	72.4	1834	365	19.9	7	1.9	*	-	*	-
48337	NA	NA	NA	*	NA	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLI (>5 µg/dL)	% EBLI ^C	# Capillary ^D EBLI	% Capillary ^D EBLI ^C	# Venous EBLI	% Venous EBLI ^C
48340	22.3	75.8	2753	727	26.4	8	1.1	*	-	*	-
48341	45.3	83.3	1198	329	27.5	9	2.7	*	-	*	-
48342	34.9	82.7	1891	626	33.1	16	2.6	9	1.4	7	1.1
48344	NA	NA	NA	*	NA	0	-	0	-	0	-
48346	7.5	51.4	1287	238	18.5	0	0.0	0	0.0	0	0.0
48348	5.4	33.1	1694	276	16.3	*	-	0	0.0	*	-
48349	NA	NA	NA	*	NA	0	-	0	-	0	-
48350	16.0	44.7	631	78	12.4	0	0.0	0	0.0	0	0.0
48353	5.5	50.2	330	36	10.9	*	-	0	0.0	*	-
48356	17.8	67.4	488	53	10.9	0	0.0	0	0.0	0	0.0
48357	5.7	50.4	485	58	12.0	0	0.0	0	0.0	0	0.0
48359	3.3	40.8	711	112	15.8	*	-	*	-	0	0.0
48360	2.1	34.0	760	116	15.3	0	0.0	0	0.0	0	0.0
48361	NA	NA	NA	*	NA	0	-	0	-	0	-
48362	21.2	58.2	887	148	16.7	*	-	0	0.0	*	-
48363	7.6	40.7	392	45	11.5	0	0.0	0	0.0	0	0.0
48367	14.6	51.3	230	31	13.5	*	-	*	-	0	0.0
48370	6.6	40.2	113	10	8.8	0	0.0	0	0.0	0	0.0
48371	10.8	37.6	1728	195	11.3	*	-	*	-	0	0.0
48374	0.3	9.8	1314	203	15.4	*	-	*	-	0	0.0
48375	2.2	45.1	1505	293	19.5	9	3.1	*	-	*	-
48376	NA	NA	NA	*	NA	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLI category= # in EBLI category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48377	3.5	19.6	1471	300	20.4	*	-	*	-	*	-
48380	9.2	41.4	456	46	10.1	*	-	*	-	0	0.0
48381	10.6	44.5	973	132	13.6	0	0.0	0	0.0	0	0.0
48382	9.5	48.6	1445	230	15.9	*	-	*	-	0	0.0
48383	6.1	41.9	1035	133	12.9	*	-	*	-	0	0.0
48386	11.6	56.2	890	154	17.3	*	-	*	-	0	0.0
48390	6.3	40.4	1587	273	17.2	0	0.0	0	0.0	0	0.0
48393	3.3	37.8	1458	280	19.2	*	-	*	-	*	-
48401	23.7	53.8	65	12	18.5	0	0.0	0	0.0	0	0.0
48411	0.0	100.0	0	*	-	0	-	0	-	0	-
48412	14.9	54.0	385	60	15.6	0	0.0	0	0.0	0	0.0
48413	26.1	67.7	601	96	16.0	*	-	*	-	*	-
48414	34.3	75.7	171	40	23.4	*	-	*	-	0	0.0
48415	16.0	66.0	747	126	16.9	0	0.0	0	0.0	0	0.0
48416	29.1	58.6	425	56	13.2	0	0.0	0	0.0	0	0.0
48417	24.7	77.9	243	37	15.2	0	0.0	0	0.0	0	0.0
48418	19.6	51.8	196	54	27.6	0	0.0	0	0.0	0	0.0
48419	28.5	56.3	144	28	19.4	0	0.0	0	0.0	0	0.0
48420	14.2	71.3	1266	293	23.1	*	-	*	-	0	0.0
48421	18.9	61.2	315	73	23.2	*	-	*	-	0	0.0
48422	29.3	56.0	481	67	13.9	0	0.0	0	0.0	0	0.0
48423	9.4	54.3	1719	393	22.9	*	-	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48426	32.7	65.7	80	6	7.5	0	0.0	0	0.0	0	0.0
48427	30.1	67.7	186	26	14.0	*	-	*	-	0	0.0
48428	13.1	45.0	218	27	12.4	*	-	*	-	0	0.0
48429	28.7	72.6	367	142	38.7	*	-	*	-	*	-
48430	12.6	47.0	2305	328	14.2	*	-	*	-	0	0.0
48432	37.6	78.0	29	*	-	0	-	0	-	0	-
48433	12.8	63.6	1755	360	20.5	*	-	*	-	*	-
48434	51.9	73.0	0	*	-	0	-	0	-	0	-
48435	29.4	52.3	154	29	18.8	*	-	0	0.0	*	-
48436	14.5	50.5	246	45	18.3	0	0.0	0	0.0	0	0.0
48437	16.3	69.7	27	6	22.2	0	0.0	0	0.0	0	0.0
48438	10.2	47.4	369	45	12.2	0	0.0	0	0.0	0	0.0
48439	3.4	48.3	3195	498	15.6	*	-	*	-	*	-
48441	35.3	71.3	263	42	16.0	0	0.0	0	0.0	0	0.0
48442	15.5	54.8	1264	220	17.4	*	-	*	-	*	-
48444	22.8	51.9	667	117	17.5	*	-	*	-	*	-
48445	33.1	70.9	98	9	9.2	0	0.0	0	0.0	0	0.0
48446	16.3	60.6	1847	382	20.7	8	2.1	*	-	*	-
48449	19.6	76.9	131	61	46.6	0	0.0	0	0.0	0	0.0
48450	21.1	68.8	71	34	47.9	*	-	*	-	0	0.0
48451	10.6	42.9	1060	120	11.3	0	0.0	0	0.0	0	0.0
48453	26.2	74.8	435	70	16.1	*	-	0	0.0	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48454	36.1	61.9	50	9	18.0	0	0.0	0	0.0	0	0.0
48455	13.9	44.9	488	48	9.8	*	-	0	0.0	*	-
48456	36.6	69.0	26	7	26.9	0	0.0	0	0.0	0	0.0
48457	16.9	70.4	590	122	20.7	*	-	*	-	*	-
48458	18.1	74.9	1374	355	25.8	6	1.7	6	1.7	0	0.0
48460	28.9	72.3	177	37	20.9	*	-	0	0.0	*	-
48461	13.2	53.4	636	103	16.2	0	0.0	0	0.0	0	0.0
48462	13.6	51.7	660	119	18.0	0	0.0	0	0.0	0	0.0
48463	19.5	66.5	207	47	22.7	*	-	*	-	0	0.0
48464	18.5	66.3	131	27	20.6	*	-	*	-	0	0.0
48465	29.4	67.5	25	*	-	0	-	0	-	0	-
48466	33.4	65.5	103	18	17.5	*	-	*	-	0	0.0
48467	16.5	55.7	43	17	39.5	0	0.0	0	0.0	0	0.0
48468	28.6	59.7	17	13	76.5	0	0.0	0	0.0	0	0.0
48469	24.4	65.0	25	7	28.0	0	0.0	0	0.0	0	0.0
48470	28.6	68.6	52	16	30.8	0	0.0	0	0.0	0	0.0
48471	30.8	69.1	365	58	15.9	0	0.0	0	0.0	0	0.0
48472	39.3	72.1	200	26	13.0	0	0.0	0	0.0	0	0.0
48473	9.9	54.7	1366	256	18.7	0	0.0	0	0.0	0	0.0
48475	30.0	60.6	137	27	19.7	0	0.0	0	0.0	0	0.0
48476	46.6	91.3	9	9	100.0	0	0.0	0	0.0	0	0.0
48480	NA	NA	NA	*	NA	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48485	NA	NA	NA	*	NA	0	-	0	-	0	-
48501	NA	NA	NA	*	NA	0	-	0	-	0	-
48502	84.5	89.2	0	17	#DIV/0!	0	0.0	0	0.0	0	0.0
48503	46.4	90.5	2061	559	27.1	31	5.5	8	1.4	23	4.1
48504	26.1	89.0	2435	695	28.5	15	2.2	*	-	*	-
48505	33.2	95.6	1754	565	32.2	15	2.7	9	1.6	6	1.1
48506	29.7	83.6	2543	579	22.8	14	2.4	6	1.0	8	1.4
48507	18.2	81.8	2685	697	26.0	17	2.4	7	1.0	10	1.4
48509	15.1	82.3	516	135	26.2	*	-	*	-	0	0.0
48519	11.4	61.2	584	125	21.4	*	-	*	-	0	0.0
48520	NA	NA	NA	*	NA	0	-	0	-	0	-
48529	25.2	87.2	763	209	27.4	*	-	*	-	*	-
48532	16.3	74.1	1601	365	22.8	*	-	*	-	*	-
48543	NA	NA	NA	*	NA	0	-	0	-	0	-
48601	32.5	88.3	3127	1008	32.2	32	3.2	15	1.5	17	1.7
48602	55.0	93.8	2563	678	26.5	36	5.3	17	2.5	19	2.8
48603	3.6	64.5	1284	370	28.8	*	-	*	-	*	-
48604	19.9	77.1	549	155	28.2	6	3.9	*	-	*	-
48605	NA	NA	NA	*	NA	0	-	0	-	0	-
48607	73.5	89.0	25	33	132.0	*	-	*	-	*	-
48609	13.0	61.2	686	119	17.3	0	0.0	0	0.0	0	0.0
48610	8.3	52.6	97	41	42.3	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48611	20.8	64.5	437	58	13.3	0	0.0	0	0.0	0	0.0
48612	10.5	53.5	461	110	23.9	*	-	*	-	0	0.0
48613	23.7	60.2	62	12	19.4	0	0.0	0	0.0	0	0.0
48614	28.8	64.2	116	8	6.9	0	0.0	0	0.0	0	0.0
48615	34.0	74.4	235	30	12.8	0	0.0	0	0.0	0	0.0
48616	29.2	71.5	537	105	19.6	*	-	*	-	0	0.0
48617	24.3	61.5	749	113	15.1	*	-	*	-	0	0.0
48618	21.2	58.8	407	43	10.6	0	0.0	0	0.0	0	0.0
48619	18.1	65.8	47	*	-	0	-	0	-	0	-
48621	8.5	62.8	87	16	18.4	*	-	*	-	0	0.0
48622	10.7	52.7	320	90	28.1	*	-	*	-	0	0.0
48623	12.4	50.6	768	117	15.2	*	-	0	0.0	*	-
48624	10.8	52.9	1081	196	18.1	*	-	*	-	*	-
48625	9.2	64.0	778	201	25.8	6	3.0	*	-	*	-
48626	21.3	70.1	345	56	16.2	*	-	*	-	0	0.0
48628	12.5	54.2	125	*	-	0	-	0	-	0	-
48629	10.5	61.8	390	67	17.2	0	0.0	0	0.0	0	0.0
48631	20.6	63.2	136	48	35.3	*	-	*	-	0	0.0
48632	8.3	51.2	265	65	24.5	*	-	*	-	0	0.0
48633	19.9	58.8	0	*	-	0	-	0	-	0	-
48634	22.4	76.3	233	43	18.5	0	0.0	0	0.0	0	0.0
48635	22.6	65.2	58	10	17.2	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48636	17.1	68.2	11	6	54.5	0	0.0	0	0.0	0	0.0
48637	26.7	76.2	225	24	10.7	0	0.0	0	0.0	0	0.0
48638	6.0	83.7	1019	180	17.7	*	-	*	-	0	0.0
48640	16.2	65.2	2305	160	6.9	*	-	0	0.0	*	-
48642	8.7	58.6	1966	155	7.9	*	-	*	-	0	0.0
48647	13.2	71.1	301	37	12.3	0	0.0	0	0.0	0	0.0
48649	27.5	60.8	76	24	31.6	*	-	*	-	0	0.0
48650	18.2	68.1	379	87	23.0	*	-	*	-	0	0.0
48651	11.3	61.6	171	45	26.3	0	0.0	0	0.0	0	0.0
48652	14.4	57.9	69	17	24.6	0	0.0	0	0.0	0	0.0
48653	9.9	56.1	351	69	19.7	*	-	*	-	0	0.0
48654	15.0	58.5	125	20	16.0	0	0.0	0	0.0	0	0.0
48655	20.8	70.0	419	81	19.3	*	-	0	0.0	*	-
48656	7.4	73.3	127	33	26.0	0	0.0	0	0.0	0	0.0
48657	7.6	51.2	362	23	6.4	0	0.0	0	0.0	0	0.0
48658	20.9	64.8	253	95	37.5	*	-	*	-	0	0.0
48659	19.1	55.1	237	66	27.8	0	0.0	0	0.0	0	0.0
48661	15.6	52.1	549	106	19.3	*	-	*	-	0	0.0
48662	33.6	71.2	68	11	16.2	0	0.0	0	0.0	0	0.0
48664	NA	NA	NA	*	NA	0	-	0	-	0	-
48701	42.9	82.8	91	35	38.5	0	0.0	0	0.0	0	0.0
48703	12.4	58.0	101	27	26.7	*	-	0	0.0	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48705	9.9	63.8	17	*	-	0	-	0	-	0	-
48706	27.9	75.0	2627	506	19.3	17	3.4	11	2.2	6	1.2
48708	54.4	91.8	1719	435	25.3	26	6.0	17	3.9	9	2.1
48710	NA	NA	NA	*	NA	0	-	0	-	0	-
48719	NA	NA	NA	*	NA	0	-	0	-	0	-
48720	45.5	81.4	34	16	47.1	0	0.0	0	0.0	0	0.0
48721	18.3	56.6	10	*	-	0	-	0	-	0	-
48722	19.0	79.8	187	31	16.6	0	0.0	0	0.0	0	0.0
48723	20.8	69.4	676	221	32.7	*	-	0	0.0	*	-
48724	100.0	100.0	0	*	-	0	-	0	-	0	-
48725	10.8	62.7	71	11	15.5	0	0.0	0	0.0	0	0.0
48726	31.1	67.3	472	98	20.8	*	-	0	0.0	*	-
48727	25.6	68.4	96	12	12.5	0	0.0	0	0.0	0	0.0
48729	35.0	59.7	63	18	28.6	*	-	0	0.0	*	-
48730	26.3	71.3	320	28	8.8	0	0.0	0	0.0	0	0.0
48731	43.3	78.0	112	32	28.6	*	-	*	-	0	0.0
48732	22.6	68.6	557	142	25.5	*	-	*	-	0	0.0
48733	45.8	86.3	71	41	57.7	*	-	0	0.0	*	-
48734	13.3	66.3	401	73	18.2	*	-	0	0.0	*	-
48735	39.8	81.3	63	14	22.2	0	0.0	0	0.0	0	0.0
48737	9.7	62.2	36	12	33.3	*	-	*	-	0	0.0
48738	10.9	76.9	49	*	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48739	18.8	68.8	128	44	34.4	0	0.0	0	0.0	0	0.0
48740	18.5	64.8	94	21	22.3	0	0.0	0	0.0	0	0.0
48741	28.5	62.4	106	38	35.8	*	-	0	0.0	*	-
48742	14.1	70.9	71	8	11.3	*	-	*	-	0	0.0
48744	25.9	56.6	178	88	49.4	0	0.0	0	0.0	0	0.0
48745	9.2	63.7	67	16	23.9	0	0.0	0	0.0	0	0.0
48746	17.4	59.6	601	117	19.5	*	-	*	-	*	-
48747	32.7	77.2	59	19	32.2	*	-	0	0.0	*	-
48748	14.7	68.4	62	18	29.0	*	-	*	-	0	0.0
48749	16.6	63.7	67	27	40.3	0	0.0	0	0.0	0	0.0
48750	14.1	72.2	395	129	32.7	6	4.7	*	-	*	-
48753	NA	NA	NA	*	NA	0	-	0	-	0	-
48754	34.0	75.6	52	14	26.9	0	0.0	0	0.0	0	0.0
48755	20.5	64.4	141	26	18.4	*	-	0	0.0	*	-
48756	8.3	67.9	425	67	15.8	*	-	*	-	0	0.0
48757	39.2	79.4	285	48	16.8	0	0.0	0	0.0	0	0.0
48758	NA	NA	NA	*	NA	0	-	0	-	0	-
48759	44.4	82.3	196	51	26.0	0	0.0	0	0.0	0	0.0
48760	27.1	72.2	71	22	31.0	0	0.0	0	0.0	0	0.0
48761	15.3	64.4	8	*	-	*	-	0	-	*	-
48762	17.4	69.6	33	16	48.5	*	-	*	-	0	0.0
48763	19.3	63.7	323	46	14.2	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48764	NA	NA	NA	*	NA	*	-	*	-	0	-
48765	24.6	60.3	20	6	30.0	0	0.0	0	0.0	0	0.0
48766	17.8	63.5	78	23	29.5	0	0.0	0	0.0	0	0.0
48767	50.0	85.8	94	19	20.2	0	0.0	0	0.0	0	0.0
48768	27.7	74.2	600	153	25.5	*	-	*	-	0	0.0
48770	20.3	56.9	100	18	18.0	0	0.0	0	0.0	0	0.0
48801	32.1	68.8	868	132	15.2	0	0.0	0	0.0	0	0.0
48805	NA	NA	NA	*	NA	0	-	0	-	0	-
48806	32.6	70.5	51	9	17.6	0	0.0	0	0.0	0	0.0
48807	23.1	63.0	79	7	8.9	0	0.0	0	0.0	0	0.0
48808	10.5	39.5	421	56	13.3	*	-	*	-	0	0.0
48809	30.7	65.8	790	196	24.8	10	5.1	*	-	*	-
48811	45.6	73.7	176	37	21.0	*	-	*	-	0	0.0
48812	NA	NA	NA	*	NA	0	-	0	-	0	-
48813	30.7	59.9	1583	185	11.7	*	-	*	-	0	0.0
48815	28.9	49.5	156	30	19.2	*	-	*	-	*	-
48816	89.6	100.0	5	*	-	0	-	0	-	0	-
48817	30.8	69.4	294	119	40.5	*	-	*	-	0	0.0
48818	18.2	56.1	260	30	11.5	*	-	*	-	0	0.0
48819	27.0	52.6	140	30	21.4	*	-	*	-	0	0.0
48820	9.1	40.7	1265	133	10.5	*	-	*	-	*	-
48821	12.8	52.5	338	47	13.9	*	-	0	0.0	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLI (>5 µg/dL)	% EBLI ^C	# Capillary ^D EBLI	% Capillary ^D EBLI ^C	# Venous EBLI	% Venous EBLI ^C
48822	20.3	56.8	130	17	13.1	0	0.0	0	0.0	0	0.0
48823	14.5	55.9	2348	385	16.4	7	1.8	7	1.8	0	0.0
48826	NA	NA	NA	*	NA	0	-	0	-	0	-
48827	25.1	55.4	1196	150	12.5	*	-	*	-	0	0.0
48829	29.7	64.8	217	50	23.0	*	-	*	-	*	-
48831	48.4	78.2	211	46	21.8	*	-	*	-	*	-
48832	22.9	56.9	84	10	11.9	0	0.0	0	0.0	0	0.0
48834	26.8	50.9	84	33	39.3	0	0.0	0	0.0	0	0.0
48835	38.4	68.0	229	10	4.4	0	0.0	0	0.0	0	0.0
48836	19.3	43.4	1357	117	8.6	*	-	*	-	*	-
48837	18.3	59.3	1387	125	9.0	*	-	0	0.0	*	-
48838	25.0	61.1	1096	274	25.0	11	4.0	*	-	*	-
48840	9.0	56.5	641	107	16.7	0	0.0	0	0.0	0	0.0
48841	45.2	85.0	78	14	17.9	*	-	*	-	0	0.0
48842	8.4	47.8	1465	289	19.7	*	-	*	-	0	0.0
48843	10.8	35.5	3135	260	8.3	*	-	*	-	*	-
48844	NA	NA	NA	*	NA	0	-	0	-	0	-
48845	43.4	66.5	81	17	21.0	*	-	*	-	0	0.0
48846	37.1	65.6	942	330	35.0	17	5.2	10	3.0	7	2.1
48847	35.7	72.4	358	57	15.9	*	-	0	0.0	*	-
48848	19.0	57.4	487	62	12.7	0	0.0	0	0.0	0	0.0
48849	42.5	73.8	445	88	19.8	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLI category= # in EBLI category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48850	26.3	61.7	375	44	11.7	*	-	*	-	*	-
48851	26.0	56.9	230	40	17.4	*	-	0	0.0	*	-
48853	42.1	52.3	37	8	21.6	0	0.0	0	0.0	0	0.0
48854	23.9	55.9	1370	217	15.8	*	-	*	-	*	-
48855	8.2	34.2	1026	94	9.2	0	0.0	0	0.0	0	0.0
48856	39.0	76.5	118	14	11.9	0	0.0	0	0.0	0	0.0
48857	17.3	48.8	188	34	18.1	0	0.0	0	0.0	0	0.0
48858	12.4	45.4	2452	378	15.4	*	-	*	-	*	-
48860	31.6	60.8	176	21	11.9	*	-	*	-	0	0.0
48861	36.1	75.2	126	18	14.3	0	0.0	0	0.0	0	0.0
48862	NA	NA	NA	*	NA	0	-	0	-	0	-
48864	6.6	44.9	1555	171	11.0	*	-	*	-	*	-
48865	20.5	42.6	127	29	22.8	*	-	*	-	0	0.0
48866	32.9	62.4	232	81	34.9	0	0.0	0	0.0	0	0.0
48867	34.2	76.3	1793	685	38.2	36	5.3	22	3.2	14	2.0
48870	63.5	87.8	32	*	-	0	-	0	-	0	-
48871	23.7	44.5	139	15	10.8	0	0.0	0	0.0	0	0.0
48872	18.1	55.4	410	111	27.1	*	-	*	-	0	0.0
48873	25.2	49.3	108	16	14.8	*	-	*	-	0	0.0
48874	46.5	83.7	8	*	-	0	-	0	-	0	-
48875	20.3	57.4	897	156	17.4	*	-	*	-	*	-
48876	14.8	51.7	305	62	20.3	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48877	25.9	55.2	199	23	11.6	*	-	*	-	0	0.0
48878	18.9	56.1	73	19	26.0	0	0.0	0	0.0	0	0.0
48879	28.2	61.9	1250	175	14.0	*	-	*	-	*	-
48880	35.4	72.8	435	87	20.0	*	-	*	-	0	0.0
48881	24.3	56.3	489	68	13.9	*	-	*	-	0	0.0
48883	21.0	56.5	566	59	10.4	0	0.0	0	0.0	0	0.0
48884	18.3	50.4	265	60	22.6	*	-	0	0.0	*	-
48885	25.6	51.2	43	11	25.6	0	0.0	0	0.0	0	0.0
48886	23.1	65.7	146	24	16.4	*	-	*	-	0	0.0
48888	22.9	57.8	444	72	16.2	0	0.0	0	0.0	0	0.0
48889	22.9	58.3	44	21	47.7	*	-	*	-	0	0.0
48890	32.9	62.4	109	30	27.5	*	-	*	-	*	-
48891	18.3	57.0	207	36	17.4	0	0.0	0	0.0	0	0.0
48892	27.6	58.6	491	80	16.3	*	-	*	-	0	0.0
48893	9.8	44.8	477	52	10.9	*	-	0	0.0	*	-
48894	19.6	61.8	247	22	8.9	*	-	*	-	0	0.0
48895	18.7	52.7	721	88	12.2	*	-	*	-	*	-
48896	40.6	84.1	80	*	-	0	-	0	-	0	-
48897	47.1	69.6	96	*	-	0	-	0	-	0	-
48901	NA	NA	NA	*	NA	0	-	0	-	0	-
48903	NA	NA	NA	*	NA	0	-	0	-	0	-
48906	36.8	78.3	2308	666	28.9	36	5.4	23	3.5	13	2.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
48909	NA	NA	NA	22	NA	*	-	0	0.0	*	-
48910	35.3	82.7	2985	782	26.2	17	2.2	9	1.2	8	1.0
48911	9.5	70.9	3371	1216	36.1	32	2.6	19	1.6	13	1.1
48912	42.7	87.5	1183	334	28.2	22	6.6	13	3.9	9	2.7
48915	62.5	91.9	824	269	32.6	17	6.3	10	3.7	7	2.6
48917	10.2	59.2	1783	371	20.8	10	2.7	*	-	*	-
48920	NA	NA	NA	*	NA	0	-	0	-	0	-
48933	45.8	85.3	96	31	32.3	0	0.0	0	0.0	0	0.0
48944	NA	NA	NA	*	NA	0	-	0	-	0	-
48977	NA	NA	NA	*	NA	0	-	0	-	0	-
49001	47.9	87.9	1833	467	25.5	35	7.5	17	3.6	18	3.9
49002	10.5	67.7	1637	235	14.4	0	0.0	0	0.0	0	0.0
49003	NA	NA	NA	*	NA	*	-	0	-	*	-
49004	18.4	68.6	1430	214	15.0	*	-	*	-	*	-
49005	NA	NA	NA	*	NA	0	-	0	-	0	-
49006	13.8	56.0	1433	306	21.4	9	2.9	*	-	*	-
49007	64.6	86.9	524	217	41.4	25	11.5	17	7.8	8	3.7
49008	33.8	85.2	1096	211	19.3	7	3.3	*	-	*	-
49009	7.5	37.7	3115	477	15.3	7	1.5	*	-	*	-
49010	30.0	52.2	1302	325	25.0	15	4.6	8	2.5	7	2.2
49011	38.6	73.9	112	47	42.0	0	0.0	0	0.0	0	0.0
49012	27.1	69.4	134	32	23.9	*	-	0	0.0	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49013	24.2	64.5	493	80	16.2	0	0.0	0	0.0	0	0.0
49014	28.9	69.0	1440	446	31.0	29	6.5	14	3.1	15	3.4
49015	24.8	74.3	1932	618	32.0	24	3.9	8	1.3	16	2.6
49016	NA	NA	NA	7	NA	*	-	*	-	0	0.0
49017	36.5	78.8	1325	390	29.4	32	8.2	10	2.6	22	5.6
49019	NA	NA	NA	*	NA	0	-	0	-	0	-
49021	27.3	60.4	398	108	27.1	*	-	*	-	*	-
49022	29.1	78.5	3068	811	26.4	25	3.1	12	1.5	13	1.6
49023	NA	NA	NA	6	NA	0	0.0	0	0.0	0	0.0
49024	4.7	55.4	2341	369	15.8	*	-	*	-	0	0.0
49025	NA	NA	NA	*	NA	0	-	0	-	0	-
49026	28.6	61.2	76	27	35.5	0	0.0	0	0.0	0	0.0
49028	37.0	72.7	458	85	18.6	6	7.1	*	-	*	-
49029	31.7	59.3	168	28	16.7	0	0.0	0	0.0	0	0.0
49030	33.9	71.2	236	27	11.4	*	-	*	-	0	0.0
49031	24.5	56.2	351	63	17.9	*	-	*	-	*	-
49032	24.1	56.3	257	36	14.0	0	0.0	0	0.0	0	0.0
49033	30.8	70.5	87	14	16.1	0	0.0	0	0.0	0	0.0
49034	26.3	61.4	193	29	15.0	*	-	*	-	0	0.0
49036	24.6	60.5	1617	253	15.6	17	6.7	8	3.2	9	3.6
49037	30.8	80.3	2183	750	34.4	37	4.9	18	2.4	19	2.5
49038	23.0	71.8	564	88	15.6	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49040	28.5	63.3	254	34	13.4	0	0.0	0	0.0	0	0.0
49041	NA	NA	NA	*	NA	0	-	0	-	0	-
49042	31.9	68.2	388	82	21.1	*	-	*	-	*	-
49043	22.6	67.2	205	31	15.1	*	-	*	-	*	-
49045	30.6	65.9	382	73	19.1	*	-	*	-	*	-
49046	19.0	62.0	480	70	14.6	*	-	*	-	*	-
49047	30.4	71.5	1101	294	26.7	23	7.8	8	2.7	15	5.1
49048	28.0	64.9	2106	488	23.2	26	5.3	15	3.1	11	2.3
49050	28.4	57.9	75	11	14.7	0	0.0	0	0.0	0	0.0
49051	20.4	62.5	150	35	23.3	0	0.0	0	0.0	0	0.0
49052	35.7	61.6	69	14	20.3	0	0.0	0	0.0	0	0.0
49053	20.3	52.4	642	103	16.0	*	-	0	0.0	*	-
49055	24.6	55.6	450	87	19.3	*	-	0	0.0	*	-
49056	26.4	61.8	193	96	49.7	*	-	*	-	*	-
49057	29.8	63.8	603	165	27.4	*	-	*	-	*	-
49058	25.4	59.1	1404	148	10.5	*	-	*	-	*	-
49060	28.7	62.8	116	17	14.7	*	-	0	0.0	*	-
49061	29.8	68.8	52	9	17.3	*	-	*	-	0	0.0
49064	23.1	54.7	243	50	20.6	0	0.0	0	0.0	0	0.0
49065	24.3	60.2	436	65	14.9	*	-	0	0.0	*	-
49066	43.9	64.6	39	*	-	0	-	0	-	0	-
49067	34.1	63.2	248	39	15.7	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49068	35.3	70.8	1025	173	16.9	*	-	*	-	*	-
49070	30.2	53.5	188	28	14.9	*	-	*	-	0	0.0
49071	8.5	37.5	752	92	12.2	*	-	*	-	0	0.0
49072	33.8	66.2	205	34	16.6	*	-	0	0.0	*	-
49073	39.3	62.0	305	55	18.0	*	-	*	-	*	-
49074	9.9	89.0	0	*	-	0	-	0	-	0	-
49075	11.9	71.4	21	*	-	0	-	0	-	0	-
49076	29.9	65.2	243	37	15.2	*	-	*	-	0	0.0
49077	NA	NA	NA	*	NA	0	-	0	-	0	-
49078	30.6	70.8	511	125	24.5	*	-	*	-	0	0.0
49079	24.5	61.4	968	153	15.8	6	3.9	*	-	*	-
49080	25.4	63.7	1022	198	19.4	*	-	*	-	*	-
49081	NA	NA	NA	*	NA	0	-	0	-	0	-
49082	32.2	60.0	398	56	14.1	*	-	*	-	0	0.0
49083	8.1	49.8	422	73	17.3	*	-	*	-	*	-
49084	0.0	100.0	10	*	-	0	-	0	-	0	-
49085	22.9	71.0	1438	129	9.0	*	-	*	-	*	-
49087	19.9	52.0	392	59	15.1	0	0.0	0	0.0	0	0.0
49088	25.1	53.6	217	38	17.5	*	-	*	-	*	-
49089	47.4	78.3	112	24	21.4	*	-	*	-	0	0.0
49090	29.1	58.8	795	101	12.7	*	-	0	0.0	*	-
49091	25.0	73.7	1770	298	16.8	13	4.4	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49092	44.9	72.6	168	14	8.3	0	0.0	0	0.0	0	0.0
49093	28.0	67.0	1298	285	22.0	15	5.3	8	2.8	7	2.5
49094	35.8	69.1	314	53	16.9	*	-	*	-	0	0.0
49095	19.9	53.3	139	19	13.7	*	-	*	-	0	0.0
49096	41.5	63.2	336	22	6.5	0	0.0	0	0.0	0	0.0
49097	23.2	56.5	743	128	17.2	0	0.0	0	0.0	0	0.0
49098	30.9	72.4	421	81	19.2	*	-	*	-	*	-
49099	26.5	68.2	434	76	17.5	6	7.9	*	-	*	-
49101	17.3	56.0	176	24	13.6	*	-	0	0.0	*	-
49102	34.8	54.9	117	12	10.3	0	0.0	0	0.0	0	0.0
49103	19.0	65.9	639	185	29.0	*	-	*	-	0	0.0
49106	14.7	49.2	246	48	19.5	*	-	0	0.0	*	-
49107	28.2	72.2	575	120	20.9	6	5.0	*	-	*	-
49111	25.4	63.5	238	56	23.5	0	0.0	0	0.0	0	0.0
49112	13.6	48.4	703	66	9.4	*	-	*	-	*	-
49113	35.1	74.9	131	30	22.9	*	-	*	-	0	0.0
49115	32.4	61.2	13	*	-	0	-	0	-	0	-
49116	47.3	75.2	0	*	-	0	-	0	-	0	-
49117	22.5	58.2	93	18	19.4	0	0.0	0	0.0	0	0.0
49119	93.8	100.0	15	*	-	0	-	0	-	0	-
49120	25.2	69.9	2547	518	20.3	21	4.1	*	-	*	-
49125	30.2	75.8	91	10	11.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49126	36.3	70.2	41	17	41.5	0	0.0	0	0.0	0	0.0
49127	10.3	61.9	962	75	7.8	*	-	0	0.0	*	-
49128	39.0	70.4	238	24	10.1	*	-	0	0.0	*	-
49129	34.7	66.5	37	*	-	0	-	0	-	0	-
49130	20.9	70.8	140	11	7.9	0	0.0	0	0.0	0	0.0
49201	21.9	61.2	2772	705	25.4	43	6.1	31	4.4	12	1.7
49202	42.5	78.7	1862	454	24.4	19	4.2	*	-	*	-
49203	39.3	80.0	3532	834	23.6	78	9.4	44	5.3	34	4.1
49204	NA	NA	NA	*	NA	0	-	0	-	0	-
49209	NA	NA	NA	*	NA	0	-	0	-	0	-
49220	30.7	67.4	172	30	17.4	0	0.0	0	0.0	0	0.0
49221	28.4	66.1	2602	600	23.1	31	5.2	14	2.3	17	2.8
49224	42.6	82.2	1052	285	27.1	26	9.1	20	7.0	6	2.1
49227	43.9	76.1	66	35	53.0	*	-	*	-	*	-
49228	47.8	73.6	330	59	17.9	*	-	*	-	0	0.0
49229	34.4	54.4	226	40	17.7	*	-	0	0.0	*	-
49230	20.2	59.3	611	91	14.9	0	0.0	0	0.0	0	0.0
49232	34.0	56.2	154	70	45.5	*	-	*	-	0	0.0
49233	18.5	53.9	72	31	43.1	*	-	*	-	0	0.0
49234	19.2	53.4	108	13	12.0	0	0.0	0	0.0	0	0.0
49235	47.2	68.9	139	31	22.3	*	-	*	-	0	0.0
49236	28.4	60.4	311	50	16.1	*	-	0	0.0	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49237	32.9	64.1	257	34	13.2	*	-	*	-	0	0.0
49238	54.3	82.9	179	19	10.6	0	0.0	0	0.0	0	0.0
49239	NA	NA	NA	*	NA	0	-	0	-	0	-
49240	19.3	48.2	576	80	13.9	*	-	*	-	0	0.0
49241	25.2	58.7	159	28	17.6	*	-	*	-	0	0.0
49242	37.2	70.2	993	336	33.8	15	4.5	*	-	*	-
49245	41.0	67.8	384	58	15.1	*	-	*	-	*	-
49246	24.3	65.1	151	36	23.8	*	-	0	0.0	*	-
49247	41.9	73.9	449	95	21.2	*	-	*	-	*	-
49248	57.1	83.8	59	6	10.2	0	0.0	0	0.0	0	0.0
49249	8.6	52.0	207	50	24.2	*	-	*	-	*	-
49250	30.7	61.4	325	110	33.8	7	6.4	*	-	*	-
49251	30.4	67.8	448	94	21.0	*	-	*	-	0	0.0
49252	33.8	64.7	205	44	21.5	0	0.0	0	0.0	0	0.0
49253	33.8	68.1	101	39	38.6	0	0.0	0	0.0	0	0.0
49254	25.7	67.8	27	42	155.6	0	0.0	0	0.0	0	0.0
49255	44.3	65.2	385	31	8.1	0	0.0	0	0.0	0	0.0
49256	49.8	82.6	325	59	18.2	*	-	*	-	*	-
49258	NA	NA	NA	*	NA	0	-	0	-	0	-
49259	22.1	54.4	178	41	23.0	0	0.0	0	0.0	0	0.0
49261	26.2	84.6	0	*	-	0	-	0	-	0	-
49262	45.3	82.2	150	25	16.7	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49263	51.3	74.4	0	*	-	0	-	0	-	0	-
49264	22.1	51.3	238	33	13.9	0	0.0	0	0.0	0	0.0
49265	13.5	42.1	278	38	13.7	0	0.0	0	0.0	0	0.0
49266	27.4	62.4	244	62	25.4	*	-	*	-	*	-
49267	39.7	79.2	137	29	21.2	*	-	*	-	0	0.0
49268	50.6	84.4	75	7	9.3	*	-	*	-	0	0.0
49269	20.1	58.7	243	85	35.0	0	0.0	0	0.0	0	0.0
49270	26.4	71.8	257	52	20.2	*	-	*	-	0	0.0
49271	46.6	65.9	108	42	38.9	*	-	0	0.0	*	-
49272	19.2	46.2	138	35	25.4	*	-	*	-	0	0.0
49274	35.1	72.7	269	78	29.0	7	9.0	*	-	*	-
49276	70.0	85.0	70	*	-	0	-	0	-	0	-
49277	21.4	59.6	192	30	15.6	*	-	*	-	0	0.0
49279	51.4	74.3	68	13	19.1	0	0.0	0	0.0	0	0.0
49281	NA	NA	NA	*	NA	0	-	0	-	0	-
49282	14.9	60.2	10	6	60.0	0	0.0	0	0.0	0	0.0
49283	12.8	64.7	177	34	19.2	0	0.0	0	0.0	0	0.0
49284	32.4	67.2	207	52	25.1	0	0.0	0	0.0	0	0.0
49285	29.5	57.5	332	73	22.0	*	-	*	-	0	0.0
49286	22.9	63.2	1077	121	11.2	*	-	0	0.0	*	-
49287	28.8	68.2	95	16	16.8	0	0.0	0	0.0	0	0.0
49288	59.2	80.0	122	41	33.6	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49289	68.8	68.8	17	*	-	*	-	0	-	*	-
49301	6.1	32.3	1662	191	11.5	*	-	*	-	0	0.0
49302	14.1	42.1	669	71	10.6	*	-	*	-	0	0.0
49303	24.2	50.0	121	9	7.4	0	0.0	0	0.0	0	0.0
49304	8.9	52.8	156	41	26.3	0	0.0	0	0.0	0	0.0
49305	13.0	55.9	92	27	29.3	0	0.0	0	0.0	0	0.0
49306	4.9	30.1	733	65	8.9	0	0.0	0	0.0	0	0.0
49307	19.1	53.9	1110	236	21.3	*	-	0	0.0	*	-
49309	12.0	54.8	96	19	19.8	0	0.0	0	0.0	0	0.0
49310	26.8	50.4	262	26	9.9	*	-	*	-	*	-
49312	7.9	62.4	17	*	-	0	-	0	-	0	-
49315	10.3	28.2	1966	133	6.8	*	-	*	-	0	0.0
49316	9.3	28.6	2260	149	6.6	*	-	*	-	*	-
49318	36.3	68.4	141	24	17.0	0	0.0	0	0.0	0	0.0
49319	13.1	39.6	1468	201	13.7	*	-	0	0.0	*	-
49320	20.6	41.3	0	*	-	0	-	0	-	0	-
49321	8.0	47.1	1425	277	19.4	7	2.5	*	-	*	-
49322	31.0	62.7	173	8	4.6	0	0.0	0	0.0	0	0.0
49323	14.9	40.5	823	60	7.3	0	0.0	0	0.0	0	0.0
49325	45.4	65.2	191	15	7.9	*	-	*	-	*	-
49326	15.5	48.8	210	34	16.2	*	-	*	-	0	0.0
49327	17.0	45.1	681	138	20.3	*	-	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49328	27.9	52.9	278	38	13.7	*	-	*	-	*	-
49329	11.5	39.9	654	109	16.7	*	-	*	-	0	0.0
49330	19.3	43.8	534	107	20.0	*	-	*	-	*	-
49331	17.3	49.5	1139	184	16.2	*	-	*	-	*	-
49332	13.3	54.2	131	28	21.4	*	-	*	-	0	0.0
49333	17.7	42.8	799	82	10.3	*	-	0	0.0	*	-
49335	15.6	37.0	64	*	-	0	-	0	-	0	-
49336	19.0	54.5	291	57	19.6	*	-	*	-	*	-
49337	13.0	47.1	744	109	14.7	*	-	*	-	0	0.0
49338	13.7	41.6	66	17	25.8	0	0.0	0	0.0	0	0.0
49339	18.7	49.8	191	21	11.0	0	0.0	0	0.0	0	0.0
49340	19.3	58.2	270	37	13.7	0	0.0	0	0.0	0	0.0
49341	11.1	35.2	2596	241	9.3	0	0.0	0	0.0	0	0.0
49342	15.6	54.0	172	38	22.1	0	0.0	0	0.0	0	0.0
49343	17.1	49.4	564	53	9.4	*	-	*	-	0	0.0
49344	18.2	54.1	260	28	10.8	*	-	*	-	0	0.0
49345	24.5	54.0	1001	174	17.4	*	-	*	-	*	-
49346	6.0	32.9	326	53	16.3	*	-	0	0.0	*	-
49347	31.9	71.5	65	14	21.5	*	-	*	-	0	0.0
49348	20.5	44.1	1089	114	10.5	0	0.0	0	0.0	0	0.0
49349	13.1	50.4	549	86	15.7	*	-	*	-	0	0.0
49401	6.7	24.6	1227	103	8.4	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49402	7.9	50.2	72	13	18.1	0	0.0	0	0.0	0	0.0
49403	40.0	70.5	178	43	24.2	*	-	*	-	0	0.0
49404	21.8	52.9	655	118	18.0	0	0.0	0	0.0	0	0.0
49405	25.8	53.9	63	32	50.8	*	-	*	-	0	0.0
49406	43.3	61.1	29	*	-	0	-	0	-	0	-
49408	15.7	47.1	538	159	29.6	*	-	*	-	*	-
49410	15.9	58.3	178	31	17.4	*	-	*	-	0	0.0
49411	21.0	55.8	67	26	38.8	*	-	*	-	0	0.0
49412	27.1	60.6	702	100	14.2	*	-	0	0.0	*	-
49415	18.1	55.3	409	63	15.4	*	-	*	-	0	0.0
49416	NA	NA	NA	*	NA	0	-	0	-	0	-
49417	21.7	50.5	1742	445	25.5	*	-	0	0.0	*	-
49418	10.6	43.4	2195	204	9.3	0	0.0	0	0.0	0	0.0
49419	16.2	46.9	763	110	14.4	*	-	*	-	0	0.0
49420	29.0	63.7	467	148	31.7	*	-	*	-	0	0.0
49421	13.0	54.5	420	84	20.0	*	-	*	-	*	-
49422	NA	NA	NA	*	NA	0	-	0	-	0	-
49423	26.1	59.5	3615	676	18.7	16	2.4	8	1.2	8	1.2
49424	5.7	34.8	3622	729	20.1	10	1.4	*	-	*	-
49425	20.4	56.7	428	31	7.2	*	-	*	-	0	0.0
49426	7.6	29.4	3758	214	5.7	0	0.0	0	0.0	0	0.0
49428	4.9	65.0	2345	156	6.7	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49429	NA	NA	NA	*	NA	0	-	0	-	0	-
49431	29.7	60.4	1011	265	26.2	*	-	*	-	*	-
49435	17.6	61.5	322	34	10.6	*	-	*	-	*	-
49436	11.4	43.0	65	24	36.9	0	0.0	0	0.0	0	0.0
49437	22.5	60.2	482	65	13.5	0	0.0	0	0.0	0	0.0
49440	54.6	84.3	18	20	111.1	*	-	*	-	0	0.0
49441	31.2	75.5	2224	561	25.2	31	5.5	22	3.9	9	1.6
49442	34.5	75.1	3603	796	22.1	62	7.8	37	4.6	25	3.1
49443	NA	NA	NA	*	NA	0	-	0	-	0	-
49444	35.6	72.4	2490	561	22.5	30	5.3	22	3.9	8	1.4
49445	17.3	63.9	1206	217	18.0	*	-	*	-	*	-
49446	25.7	61.7	157	43	27.4	*	-	0	0.0	*	-
49448	24.4	57.4	365	75	20.5	0	0.0	0	0.0	0	0.0
49449	19.5	49.8	67	34	50.7	*	-	0	0.0	*	-
49450	17.6	59.1	597	120	20.1	0	0.0	0	0.0	0	0.0
49451	16.2	51.2	413	82	19.9	*	-	*	-	0	0.0
49452	8.9	32.9	210	33	15.7	0	0.0	0	0.0	0	0.0
49453	24.1	46.6	184	25	13.6	0	0.0	0	0.0	0	0.0
49454	26.2	59.6	359	74	20.6	*	-	*	-	*	-
49455	33.0	58.2	353	109	30.9	*	-	*	-	*	-
49456	12.5	47.1	830	237	28.6	*	-	*	-	*	-
49457	10.0	42.4	809	154	19.0	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49459	20.1	51.1	134	29	21.6	*	-	0	0.0	*	-
49460	8.6	35.8	532	86	16.2	*	-	0	0.0	*	-
49461	21.9	55.8	581	93	16.0	*	-	0	0.0	*	-
49464	14.9	40.5	2575	369	14.3	*	-	*	-	*	-
49501	NA	NA	NA	7	NA	0	0.0	0	0.0	0	0.0
49503	61.9	85.0	2974	847	28.5	73	8.6	36	4.3	37	4.4
49504	53.1	83.9	2977	798	26.8	56	7.0	21	2.6	35	4.4
49505	32.0	77.1	2709	564	20.8	30	5.3	20	3.5	10	1.8
49506	46.5	90.5	2235	516	23.1	33	6.4	13	2.5	20	3.9
49507	61.1	90.7	4815	1334	27.7	134	10.0	52	3.9	82	6.1
49508	6.4	57.7	3478	826	23.7	21	2.5	10	1.2	11	1.3
49509	23.2	86.3	2570	618	24.0	11	1.8	*	-	*	-
49510	NA	NA	NA	*	NA	*	-	0	-	*	-
49512	1.0	29.1	1388	236	17.0	*	-	*	-	*	-
49515	NA	NA	NA	*	NA	0	-	0	-	0	-
49516	NA	NA	NA	*	NA	0	-	0	-	0	-
49518	NA	NA	NA	*	NA	0	-	0	-	0	-
49519	12.7	62.2	2430	463	19.1	12	2.6	6	1.3	6	1.3
49525	8.7	56.2	1835	283	15.4	*	-	*	-	*	-
49528	NA	NA	NA	*	NA	0	-	0	-	0	-
49534	6.9	40.6	1551	189	12.2	*	-	0	0.0	*	-
49544	9.0	56.1	719	110	15.3	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49545	NA	NA	NA	*	NA	0	-	0	-	0	-
49546	3.1	51.8	2368	415	17.5	*	-	*	-	0	0.0
49547	NA	NA	NA	*	NA	0	-	0	-	0	-
49548	19.2	66.0	3300	731	22.2	11	1.5	*	-	*	-
49579	NA	NA	NA	*	NA	0	-	0	-	0	-
49601	23.8	60.6	1396	186	13.3	*	-	*	-	*	-
49605	NA	NA	NA	*	NA	0	-	0	-	0	-
49610	NA	NA	NA	*	NA	0	-	0	-	0	-
49611	28.2	71.8	12	6	50.0	0	0.0	0	0.0	0	0.0
49612	20.6	51.7	29	13	44.8	0	0.0	0	0.0	0	0.0
49613	34.0	63.9	16	8	50.0	0	0.0	0	0.0	0	0.0
49614	23.9	59.4	103	33	32.0	*	-	*	-	*	-
49615	13.3	53.9	186	44	23.7	*	-	0	0.0	*	-
49616	19.4	52.0	210	36	17.1	0	0.0	0	0.0	0	0.0
49617	22.8	51.2	169	48	28.4	0	0.0	0	0.0	0	0.0
49618	21.3	51.9	57	6	10.5	*	-	0	0.0	*	-
49619	16.9	50.6	50	14	28.0	0	0.0	0	0.0	0	0.0
49620	17.7	39.6	217	61	28.1	0	0.0	0	0.0	0	0.0
49621	13.6	47.6	157	30	19.1	0	0.0	0	0.0	0	0.0
49622	21.7	63.4	130	39	30.0	*	-	*	-	0	0.0
49623	12.5	43.9	68	15	22.1	0	0.0	0	0.0	0	0.0
49625	19.4	55.4	51	20	39.2	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49627	18.7	73.3	12	*	-	0	-	0	-	0	-
49628	54.1	74.8	6	6	100.0	*	-	*	-	0	0.0
49629	22.6	55.5	30	12	40.0	0	0.0	0	0.0	0	0.0
49630	17.6	45.1	42	18	42.9	0	0.0	0	0.0	0	0.0
49631	13.5	54.0	391	100	25.6	*	-	*	-	*	-
49632	21.9	64.0	114	15	13.2	0	0.0	0	0.0	0	0.0
49633	13.9	46.6	202	49	24.3	0	0.0	0	0.0	0	0.0
49634	87.5	87.5	0	*	-	0	-	0	-	0	-
49635	27.0	58.6	110	35	31.8	*	-	*	-	0	0.0
49636	8.4	44.2	0	*	-	0	-	0	-	0	-
49637	8.5	42.2	375	59	15.7	0	0.0	0	0.0	0	0.0
49638	15.9	58.0	30	*	-	0	-	0	-	0	-
49639	17.1	52.6	120	28	23.3	*	-	*	-	0	0.0
49640	14.5	52.6	45	22	48.9	0	0.0	0	0.0	0	0.0
49642	16.3	55.8	33	14	42.4	0	0.0	0	0.0	0	0.0
49643	8.0	34.7	274	103	37.6	0	0.0	0	0.0	0	0.0
49644	6.1	46.0	51	15	29.4	0	0.0	0	0.0	0	0.0
49645	28.9	68.6	55	23	41.8	0	0.0	0	0.0	0	0.0
49646	10.4	55.2	583	119	20.4	*	-	0	0.0	*	-
49648	10.3	46.1	83	20	24.1	0	0.0	0	0.0	0	0.0
49649	16.9	39.3	404	141	34.9	*	-	*	-	0	0.0
49650	3.1	21.1	229	67	29.3	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49651	13.6	56.9	527	69	13.1	0	0.0	0	0.0	0	0.0
49653	18.0	53.7	35	35	100.0	*	-	*	-	0	0.0
49654	24.1	47.8	8	*	-	0	-	0	-	0	-
49655	11.5	46.5	194	45	23.2	*	-	0	0.0	*	-
49656	17.5	54.7	123	25	20.3	0	0.0	0	0.0	0	0.0
49657	24.0	52.1	330	27	8.2	*	-	*	-	*	-
49659	13.7	48.0	475	132	27.8	*	-	*	-	*	-
49660	33.8	68.7	729	207	28.4	9	4.3	*	-	*	-
49663	15.9	49.5	491	52	10.6	0	0.0	0	0.0	0	0.0
49664	16.0	46.6	52	24	46.2	0	0.0	0	0.0	0	0.0
49665	19.6	64.2	287	56	19.5	*	-	0	0.0	*	-
49666	100.0	100.0	0	*	-	0	-	0	-	0	-
49667	12.4	59.6	19	6	31.6	0	0.0	0	0.0	0	0.0
49668	14.3	56.5	306	50	16.3	0	0.0	0	0.0	0	0.0
49670	23.3	44.5	92	17	18.5	*	-	*	-	0	0.0
49674	21.6	54.1	0	*	-	0	-	0	-	0	-
49675	24.2	60.3	92	9	9.8	0	0.0	0	0.0	0	0.0
49676	16.2	54.0	221	51	23.1	0	0.0	0	0.0	0	0.0
49677	22.2	59.6	509	121	23.8	*	-	*	-	0	0.0
49679	10.8	49.7	66	19	28.8	0	0.0	0	0.0	0	0.0
49680	11.7	47.5	117	30	25.6	0	0.0	0	0.0	0	0.0
49682	10.4	34.8	271	56	20.7	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49683	11.9	39.2	160	30	18.8	0	0.0	0	0.0	0	0.0
49684	16.9	41.4	3064	321	10.5	*	-	*	-	0	0.0
49685	NA	NA	NA	379	NA	*	-	*	-	*	-
49686	12.9	47.6	1688	363	21.5	6	1.7	*	-	*	-
49688	17.0	52.9	189	28	14.8	0	0.0	0	0.0	0	0.0
49689	8.8	51.9	47	18	38.3	0	0.0	0	0.0	0	0.0
49690	9.3	38.1	390	94	24.1	*	-	*	-	0	0.0
49696	NA	NA	NA	139	NA	*	-	*	-	0	0.0
49701	26.1	56.4	35	6	17.1	0	0.0	0	0.0	0	0.0
49705	12.8	46.4	59	10	16.9	0	0.0	0	0.0	0	0.0
49706	18.5	43.1	301	65	21.6	0	0.0	0	0.0	0	0.0
49707	25.0	74.4	1095	235	21.5	6	2.6	*	-	*	-
49709	9.6	64.1	151	24	15.9	0	0.0	0	0.0	0	0.0
49710	7.2	59.5	27	*	-	0	-	0	-	0	-
49712	20.5	59.9	486	92	18.9	0	0.0	0	0.0	0	0.0
49713	12.0	50.2	152	29	19.1	0	0.0	0	0.0	0	0.0
49715	10.5	39.1	210	34	16.2	*	-	0	0.0	*	-
49718	23.2	55.4	18	8	44.4	*	-	*	-	*	-
49719	22.9	61.3	90	11	12.2	0	0.0	0	0.0	0	0.0
49720	25.6	57.4	458	76	16.6	*	-	0	0.0	*	-
49721	21.6	57.7	819	166	20.3	*	-	*	-	0	0.0
49722	18.8	38.7	12	*	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49724	19.0	42.7	45	9	20.0	0	0.0	0	0.0	0	0.0
49726	12.1	43.5	22	*	-	0	-	0	-	0	-
49727	19.3	55.0	430	118	27.4	0	0.0	0	0.0	0	0.0
49729	22.8	61.9	57	20	35.1	0	0.0	0	0.0	0	0.0
49730	9.1	41.2	89	22	24.7	0	0.0	0	0.0	0	0.0
49733	7.7	43.4	150	23	15.3	0	0.0	0	0.0	0	0.0
49734	NA	NA	NA	8	NA	0	0.0	0	0.0	0	0.0
49735	7.6	50.1	1338	251	18.8	*	-	0	0.0	*	-
49736	12.0	46.9	25	*	-	0	-	0	-	0	-
49738	11.0	58.5	553	90	16.3	*	-	*	-	*	-
49740	19.6	45.9	305	53	17.4	0	0.0	0	0.0	0	0.0
49743	22.0	66.0	33	*	-	0	-	0	-	0	-
49744	21.7	70.7	17	7	41.2	0	0.0	0	0.0	0	0.0
49745	23.4	55.0	27	10	37.0	0	0.0	0	0.0	0	0.0
49746	12.1	63.7	180	24	13.3	0	0.0	0	0.0	0	0.0
49747	17.1	69.0	133	8	6.0	0	0.0	0	0.0	0	0.0
49749	16.0	54.7	158	35	22.2	*	-	*	-	0	0.0
49751	13.0	59.0	76	24	31.6	0	0.0	0	0.0	0	0.0
49752	10.9	49.1	74	6	8.1	0	0.0	0	0.0	0	0.0
49753	14.8	62.3	121	15	12.4	0	0.0	0	0.0	0	0.0
49755	18.9	53.4	102	18	17.6	0	0.0	0	0.0	0	0.0
49756	9.7	64.0	102	31	30.4	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49757	36.9	49.9	18	*	-	0	-	0	-	0	-
49759	10.4	61.2	36	15	41.7	*	-	*	-	0	0.0
49760	23.9	51.0	12	*	-	0	-	0	-	0	-
49764	44.9	85.6	0	*	-	*	-	*	-	0	-
49765	22.9	59.5	165	27	16.4	0	0.0	0	0.0	0	0.0
49766	15.4	75.6	192	30	15.6	*	-	*	-	*	-
49768	7.0	44.0	0	*	-	0	-	0	-	0	-
49769	25.5	54.3	94	24	25.5	0	0.0	0	0.0	0	0.0
49770	19.1	48.9	1052	142	13.5	*	-	0	0.0	*	-
49774	18.7	55.5	87	12	13.8	*	-	*	-	0	0.0
49776	32.5	72.6	113	15	13.3	0	0.0	0	0.0	0	0.0
49777	8.7	56.8	39	7	17.9	0	0.0	0	0.0	0	0.0
49779	29.6	79.0	218	40	18.3	*	-	*	-	0	0.0
49780	19.6	53.8	78	14	17.9	0	0.0	0	0.0	0	0.0
49781	26.5	58.2	210	63	30.0	0	0.0	0	0.0	0	0.0
49782	8.1	39.0	6	*	-	0	-	0	-	0	-
49783	31.7	64.7	1193	230	19.3	*	-	*	-	*	-
49788	3.4	94.3	393	55	14.0	0	0.0	0	0.0	0	0.0
49795	13.6	53.3	109	23	21.1	0	0.0	0	0.0	0	0.0
49796	34.6	68.4	0	*	-	0	-	0	-	0	-
49797	NA	NA	NA	*	NA	0	-	0	-	0	-
49799	15.6	46.4	91	20	22.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLI (>5 µg/dL)	% EBLI ^C	# Capillary ^D EBLI	% Capillary ^D EBLI ^C	# Venous EBLI	% Venous EBLI ^C
49801	35.7	71.4	723	122	16.9	*	-	*	-	*	-
49802	37.6	81.2	374	71	19.0	0	0.0	0	0.0	0	0.0
49805	45.2	51.4	0	6	#DIV/0!	*	-	0	0.0	*	-
49806	14.4	59.6	22	*	-	0	-	0	-	0	-
49807	22.3	59.6	170	18	10.6	0	0.0	0	0.0	0	0.0
49808	28.3	67.6	19	*	-	0	-	0	-	0	-
49809	NA	NA	NA	*	NA	0	-	0	-	0	-
49812	33.1	62.8	45	*	-	0	-	0	-	0	-
49814	32.2	80.9	94	9	9.6	0	0.0	0	0.0	0	0.0
49815	25.3	59.0	12	*	-	0	-	0	-	0	-
49816	24.3	65.8	17	6	35.3	0	0.0	0	0.0	0	0.0
49817	31.1	58.9	26	*	-	0	-	0	-	0	-
49818	24.5	61.4	46	10	21.7	0	0.0	0	0.0	0	0.0
49820	6.7	53.2	6	*	-	0	-	0	-	0	-
49821	27.1	59.7	51	12	23.5	*	-	*	-	0	0.0
49822	14.1	53.6	5	*	-	0	-	0	-	0	-
49825	36.1	58.7	0	*	-	0	-	0	-	0	-
49827	19.8	57.2	69	*	-	0	-	0	-	0	-
49829	44.6	80.3	1035	245	23.7	6	2.4	*	-	*	-
49831	25.8	61.8	34	*	-	0	-	0	-	0	-
49832	NA	NA	NA	*	NA	0	-	0	-	0	-
49833	20.7	82.9	0	*	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLI category= # in EBLI category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49834	25.2	42.9	9	*	-	0	-	0	-	0	-
49835	17.2	56.7	71	*	-	0	-	0	-	0	-
49836	18.2	56.2	39	*	-	0	-	0	-	0	-
49837	28.3	64.8	664	82	12.3	*	-	0	0.0	*	-
49838	17.5	52.3	19	*	-	0	-	0	-	0	-
49839	21.4	60.3	3	*	-	0	-	0	-	0	-
49840	13.4	53.2	38	7	18.4	0	0.0	0	0.0	0	0.0
49841	9.5	74.5	555	96	17.3	0	0.0	0	0.0	0	0.0
49847	38.7	65.8	37	10	27.0	0	0.0	0	0.0	0	0.0
49849	38.0	80.1	890	99	11.1	7	7.1	*	-	*	-
49852	64.7	80.9	11	*	-	0	-	0	-	0	-
49853	12.8	45.1	46	10	21.7	0	0.0	0	0.0	0	0.0
49854	24.7	58.7	415	84	20.2	*	-	0	0.0	*	-
49855	26.7	69.6	1475	224	15.2	6	2.7	*	-	*	-
49858	39.2	74.9	689	138	20.0	*	-	*	-	*	-
49861	26.2	70.3	15	*	-	0	-	0	-	0	-
49862	25.2	64.3	248	34	13.7	0	0.0	0	0.0	0	0.0
49863	63.6	88.6	13	*	-	0	-	0	-	0	-
49864	46.9	91.8	0	*	-	0	-	0	-	0	-
49866	35.6	74.7	759	62	8.2	*	-	*	-	*	-
49868	22.1	64.5	295	71	24.1	*	-	*	-	*	-
49870	48.6	73.7	276	39	14.1	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49871	73.5	95.3	23	*	-	0	-	0	-	0	-
49872	24.0	62.0	10	*	-	0	-	0	-	0	-
49873	22.2	63.7	0	*	-	0	-	0	-	0	-
49874	23.9	57.2	54	14	25.9	0	0.0	0	0.0	0	0.0
49876	25.4	89.0	0	13	-	0	0.0	0	0.0	0	0.0
49878	19.3	62.6	157	25	15.9	0	0.0	0	0.0	0	0.0
49879	21.4	74.6	30	*	-	0	-	0	-	0	-
49880	30.6	61.3	77	*	-	0	-	0	-	0	-
49881	39.5	72.0	21	*	-	0	-	0	-	0	-
49883	13.2	58.5	0	*	-	0	-	0	-	0	-
49884	10.1	52.5	40	6	15.0	0	0.0	0	0.0	0	0.0
49885	27.0	69.6	135	15	11.1	0	0.0	0	0.0	0	0.0
49886	40.1	74.1	25	*	-	0	-	0	-	0	-
49887	22.5	56.7	135	17	12.6	*	-	*	-	0	0.0
49891	20.2	53.0	17	*	-	0	-	0	-	0	-
49892	29.0	56.4	113	17	15.0	0	0.0	0	0.0	0	0.0
49893	26.3	57.8	53	14	26.4	0	0.0	0	0.0	0	0.0
49894	26.1	62.8	58	9	15.5	0	0.0	0	0.0	0	0.0
49895	4.3	50.9	12	*	-	0	-	0	-	0	-
49896	17.4	45.1	176	30	17.0	0	0.0	0	0.0	0	0.0
49901	87.5	95.1	0	*	-	0	-	0	-	0	-
49902	78.4	87.1	19	*	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49903	32.1	55.7	3	*	-	0	-	0	-	0	-
49905	45.1	65.1	261	38	14.6	*	-	*	-	0	0.0
49908	20.7	59.7	199	53	26.6	0	0.0	0	0.0	0	0.0
49909	NA	NA	NA	*	NA	0	-	0	-	0	-
49911	48.3	76.8	140	33	23.6	*	-	*	-	*	-
49912	38.4	73.5	30	9	30.0	0	0.0	0	0.0	0	0.0
49913	63.8	83.5	525	103	19.6	*	-	0	0.0	*	-
49915	74.0	94.6	3	6	200.0	0	0.0	0	0.0	0	0.0
49916	33.5	66.0	209	47	22.5	0	0.0	0	0.0	0	0.0
49917	83.7	97.2	17	*	-	0	-	0	-	0	-
49918	31.3	68.8	0	*	-	0	-	0	-	0	-
49920	37.4	68.0	205	47	22.9	*	-	*	-	*	-
49921	46.3	59.3	0	7	-	0	0.0	0	0.0	0	0.0
49922	38.5	77.3	79	18	22.8	*	-	*	-	0	0.0
49925	41.5	61.3	15	*	-	0	-	0	-	0	-
49929	57.3	80.6	0	*	-	0	-	0	-	0	-
49930	50.3	77.0	476	111	23.3	*	-	*	-	*	-
49931	31.5	61.9	326	95	29.1	*	-	*	-	*	-
49934	78.9	91.7	82	13	15.9	0	0.0	0	0.0	0	0.0
49935	39.8	73.2	371	56	15.1	*	-	*	-	*	-
49938	58.9	86.2	348	86	24.7	*	-	*	-	*	-
49945	37.4	71.1	151	31	20.5	*	-	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 1. Blood Lead Levels for Children Under 6 Years Old by Sample Type for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP code	% Pre-1950 Homes [†]	% Pre-1980 Homes [†]	Population ^A	# Tested	% Tested ^B	# EBLL (>5 µg/dL)	% EBLL ^C	# Capillary ^D EBLL	% Capillary ^D EBLL ^C	# Venous EBLL	% Venous EBLL ^C
49946	27.4	72.0	267	66	24.7	0	0.0	0	0.0	0	0.0
49947	14.8	47.1	20	6	30.0	0	0.0	0	0.0	0	0.0
49948	48.4	78.7	22	11	50.0	0	0.0	0	0.0	0	0.0
49950	41.9	68.9	132	11	8.3	0	0.0	0	0.0	0	0.0
49952	34.4	69.8	0	*	-	0	-	0	-	0	-
49953	39.0	76.0	54	28	51.9	0	0.0	0	0.0	0	0.0
49955	89.4	90.4	53	8	15.1	0	0.0	0	0.0	0	0.0
49958	45.0	69.3	47	13	27.7	0	0.0	0	0.0	0	0.0
49959	83.5	99.2	34	*	-	0	-	0	-	0	-
49960	70.3	85.5	4	*	-	0	-	0	-	0	-
49961	53.9	84.4	8	*	-	0	-	0	-	0	-
49962	9.3	58.4	10	*	-	0	-	0	-	0	-
49963	60.8	82.7	64	24	37.5	0	0.0	0	0.0	0	0.0
49964	NA	NA	NA	*	NA	0	-	0	-	0	-
49965	33.0	66.5	1	*	-	0	-	0	-	0	-
49967	29.5	58.5	26	*	-	0	-	0	-	0	-
49968	45.3	77.6	80	19	23.8	0	0.0	0	0.0	0	0.0
49969	11.5	51.0	72	25	34.7	*	-	0	0.0	*	-
49971	8.5	92.3	4	*	-	0	-	0	-	0	-
MICHIGAN	22.9	65.5	687562	150068	21.8	4711	3.1	2101	1.4	2610	1.7

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[†] Age of housing from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B25034

^A Population of children under 6 years old from the 2017 [U.S. Census American Community Survey](#) 5-year estimates, table B09001

^B Percent is among population of children under 6 years old (% Tested= # Tested/Population × 100)

^C Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

^D Tests with unknown sample type are assumed to be capillary tests

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL ^A	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL ^A	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL ^A	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL ^A	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL ^A
48001	176	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48002	26	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48003	67	*	-	*	-	0	0.0	0	0.0	0	0.0
48005	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48006	42	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48007	*	0	-	0	-	0	-	0	-	0	-
48009	338	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48011	*	0	-	0	-	0	-	0	-	0	-
48012	*	0	-	0	-	0	-	0	-	0	-
48013	*	0	-	0	-	0	-	0	-	0	-
48014	57	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48015	140	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48017	170	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48021	686	*	-	*	-	0	0.0	*	-	0	0.0
48022	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48023	66	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48025	146	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48026	177	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48027	42	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48028	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48030	251	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48032	25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48033	324	*	-	0	0.0	*	-	0	0.0	0	0.0
48034	238	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

^A Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48035	581	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48036	420	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48037	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48038	560	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48039	119	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48040	133	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48041	49	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48042	320	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48043	259	*	-	*	-	0	0.0	0	0.0	0	0.0
48044	618	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48045	286	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48046	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48047	551	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48048	146	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48049	58	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48050	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48051	228	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48054	66	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48059	225	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48060	1390	21	1.5	6	0.4	*	-	*	-	0	0.0
48061	*	0	-	0	-	0	-	0	-	0	-
48062	113	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48063	50	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48064	58	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48065	99	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48066	755	*	-	*	-	0	0.0	*	-	0	0.0
48067	307	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48068	*	0	-	0	-	0	-	0	-	0	-
48069	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48070	77	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48071	410	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48072	219	*	-	*	-	0	0.0	0	0.0	0	0.0
48073	433	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48074	184	*	-	*	-	0	0.0	0	0.0	0	0.0
48075	446	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48076	387	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48079	170	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48080	306	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48081	260	*	-	0	0.0	0	0.0	*	-	0	0.0
48082	167	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48083	283	*	-	*	-	0	0.0	0	0.0	0	0.0
48084	195	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48085	221	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48088	298	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48089	767	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48090	*	0	-	0	-	0	-	0	-	0	-
48091	734	*	-	0	0.0	*	-	0	0.0	0	0.0
48092	442	*	-	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48093	391	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48094	180	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48095	41	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48096	21	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48097	81	*	-	*	-	0	0.0	0	0.0	0	0.0
48098	152	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48099	*	0	-	0	-	0	-	0	-	0	-
48101	399	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48103	469	*	-	*	-	0	0.0	*	-	0	0.0
48104	162	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48105	211	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48106	*	0	-	0	-	0	-	0	-	0	-
48107	*	0	-	0	-	0	-	0	-	0	-
48108	268	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48109	*	0	-	0	-	0	-	0	-	0	-
48111	578	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48112	*	0	-	0	-	0	-	0	-	0	-
48114	103	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48116	86	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48117	86	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48118	108	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48120	375	*	-	*	-	0	0.0	0	0.0	0	0.0
48121	*	0	-	0	-	0	-	0	-	0	-
48122	383	*	-	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48124	453	*	-	*	-	0	0.0	0	0.0	0	0.0
48125	447	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48126	1527	15	1.0	*	-	*	-	0	0.0	0	0.0
48127	825	*	-	0	0.0	0	0.0	0	0.0	*	-
48128	183	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48130	80	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48131	73	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48133	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48134	272	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48135	348	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48136	*	0	-	0	-	0	-	0	-	0	-
48137	39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48138	78	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48139	*	0	-	0	-	0	-	0	-	0	-
48140	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48141	774	9	1.2	*	-	*	-	0	0.0	0	0.0
48142	*	0	-	0	-	0	-	0	-	0	-
48144	54	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48145	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48146	1059	*	-	*	-	0	0.0	0	0.0	0	0.0
48147	*	0	-	0	-	0	-	0	-	0	-
48148	*	0	-	0	-	0	-	0	-	0	-
48150	312	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48151	*	0	-	*	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48152	364	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48153	*	0	-	0	-	0	-	0	-	0	-
48154	337	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48155	*	0	-	0	-	0	-	0	-	0	-
48157	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48158	58	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48159	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48160	92	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48161	288	*	-	0	0.0	0	0.0	*	-	0	0.0
48162	288	0	0.0	0	0.0	*	-	0	0.0	0	0.0
48164	71	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48165	123	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48166	166	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48167	199	*	-	*	-	0	0.0	0	0.0	0	0.0
48168	116	*	-	*	-	0	0.0	0	0.0	0	0.0
48169	67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48170	219	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48172	*	0	-	0	-	0	-	0	-	0	-
48173	148	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48174	613	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48176	142	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48177	*	0	-	0	-	0	-	0	-	0	-
48178	306	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48179	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48180	1449	6	0.4	*	-	*	-	*	-	0	0.0
48181	*	0	-	0	-	0	-	0	-	0	-
48182	139	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48183	504	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48184	290	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48185	773	*	-	*	-	0	0.0	0	0.0	0	0.0
48186	604	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48187	571	*	-	*	-	*	-	0	0.0	0	0.0
48188	481	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48189	82	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48190	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48191	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48192	373	0	0.0	0	0.0	*	-	0	0.0	0	0.0
48193	244	0	0.0	0	0.0	*	-	0	0.0	0	0.0
48195	495	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48196	*	0	-	0	-	0	-	0	-	0	-
48197	707	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48198	636	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48201	361	*	-	*	-	0	0.0	0	0.0	0	0.0
48202	357	24	6.7	*	-	*	-	0	0.0	0	0.0
48203	757	47	6.2	14	1.8	*	-	*	-	0	0.0
48204	836	58	6.9	15	1.8	*	-	*	-	*	-
48205	1387	58	4.2	*	-	*	-	0	0.0	0	0.0
48206	605	62	10.2	16	2.6	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48207	488	20	4.1	*	-	*	-	0	0.0	0	0.0
48208	282	*	-	*	-	0	0.0	0	0.0	0	0.0
48209	1339	58	4.3	8	0.6	*	-	*	-	0	0.0
48210	1408	61	4.3	8	0.6	*	-	*	-	0	0.0
48211	277	20	7.2	*	-	0	0.0	*	-	0	0.0
48212	1704	64	3.8	11	0.6	*	-	*	-	0	0.0
48213	728	53	7.3	13	1.8	7	1.0	6	0.8	0	0.0
48214	503	42	8.3	17	3.4	*	-	*	-	0	0.0
48215	383	17	4.4	*	-	*	-	*	-	*	-
48216	131	*	-	*	-	0	0.0	0	0.0	0	0.0
48217	161	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48218	239	6	2.5	0	0.0	0	0.0	0	0.0	0	0.0
48219	1429	19	1.3	*	-	*	-	*	-	*	-
48220	264	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48221	1022	29	2.8	*	-	0	0.0	*	-	0	0.0
48223	751	12	1.6	*	-	*	-	*	-	0	0.0
48224	1472	59	4.0	10	0.7	*	-	*	-	0	0.0
48225	361	*	-	*	-	0	0.0	0	0.0	0	0.0
48226	30	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48227	1392	59	4.2	11	0.8	*	-	*	-	0	0.0
48228	2164	44	2.0	11	0.5	*	-	*	-	0	0.0
48229	251	*	-	*	-	0	0.0	0	0.0	0	0.0
48230	221	*	-	0	0.0	0	0.0	*	-	0	0.0
48231	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48232	*	0	-	0	-	0	-	0	-	0	-
48234	1146	36	3.1	*	-	*	-	*	-	0	0.0
48235	1341	24	1.8	*	-	*	-	*	-	0	0.0
48236	384	0	0.0	0	0.0	0	0.0	*	-	0	0.0
48237	633	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48238	930	48	5.2	11	1.2	*	-	*	-	0	0.0
48239	729	*	-	*	-	0	0.0	*	-	0	0.0
48240	387	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48244	*	0	-	0	-	0	-	0	-	0	-
48280	*	0	-	0	-	0	-	0	-	0	-
48282	*	0	-	0	-	0	-	0	-	0	-
48285	*	0	-	0	-	0	-	0	-	0	-
48287	*	0	-	0	-	0	-	0	-	0	-
48291	*	0	-	0	-	0	-	0	-	0	-
48293	*	0	-	0	-	0	-	0	-	0	-
48301	143	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48302	137	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48303	*	0	-	0	-	0	-	0	-	0	-
48304	145	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48306	144	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48307	318	*	-	*	-	0	0.0	0	0.0	0	0.0
48309	180	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48310	695	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48311	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48312	498	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48313	462	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48314	262	*	-	*	-	0	0.0	*	-	0	0.0
48315	216	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48316	221	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48317	359	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48318	*	0	-	0	-	0	-	0	-	0	-
48320	47	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48321	*	0	-	0	-	0	-	0	-	0	-
48322	302	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48323	163	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48324	195	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48326	277	*	-	0	0.0	*	-	0	0.0	0	0.0
48327	253	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48328	358	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48329	280	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48331	239	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48332	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48333	*	0	-	0	-	0	-	0	-	0	-
48334	250	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48335	576	17	3.0	*	-	*	-	*	-	0	0.0
48336	365	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48337	*	0	-	0	-	0	-	0	-	0	-
48340	727	*	-	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48341	329	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48342	626	*	-	*	-	*	-	0	0.0	0	0.0
48344	*	0	-	0	-	0	-	0	-	0	-
48346	238	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48348	276	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48349	*	0	-	0	-	0	-	0	-	0	-
48350	78	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48353	36	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48356	53	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48357	58	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48359	112	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48360	116	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48361	*	0	-	0	-	0	-	0	-	0	-
48362	148	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48363	45	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48367	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48370	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48371	195	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48374	203	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48375	293	*	-	*	-	0	0.0	0	0.0	0	0.0
48376	*	0	-	0	-	0	-	0	-	0	-
48377	300	*	-	*	-	0	0.0	*	-	0	0.0
48380	46	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48381	132	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48382	230	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48383	133	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48386	154	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48390	273	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48393	280	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48401	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48411	*	0	-	0	-	0	-	0	-	0	-
48412	60	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48413	96	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48414	40	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48415	126	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48416	56	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48417	37	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48418	54	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48419	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48420	293	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48421	73	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48422	67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48423	393	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48426	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48427	26	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48428	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48429	142	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48430	328	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48432	*	0	-	0	-	0	-	0	-	0	-
48433	360	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48434	*	0	-	0	-	0	-	0	-	0	-
48435	29	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48436	45	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48437	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48438	45	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48439	498	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48441	42	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48442	220	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48444	117	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48445	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48446	382	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48449	61	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48450	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48451	120	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48453	70	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48454	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48455	48	*	-	*	-	0	0.0	0	0.0	0	0.0
48456	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48457	122	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48458	355	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48460	37	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48461	103	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48462	119	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48463	47	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48464	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48465	*	0	-	0	-	0	-	0	-	0	-
48466	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48467	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48468	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48469	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48470	16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48471	58	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48472	26	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48473	256	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48475	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48476	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48480	*	0	-	0	-	0	-	0	-	0	-
48485	*	0	-	0	-	0	-	0	-	0	-
48501	*	0	-	0	-	0	-	0	-	0	-
48502	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48503	559	14	2.5	*	-	0	0.0	*	-	0	0.0
48504	695	8	1.2	*	-	*	-	0	0.0	0	0.0
48505	565	*	-	*	-	0	0.0	0	0.0	0	0.0
48506	579	*	-	*	-	0	0.0	0	0.0	0	0.0
48507	697	7	1.0	*	-	*	-	0	0.0	*	-
48509	135	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48519	125	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48520	*	0	-	0	-	0	-	0	-	0	-
48529	209	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48532	365	*	-	0	0.0	0	0.0	*	-	0	0.0
48543	*	0	-	0	-	0	-	0	-	0	-
48601	1008	10	1.0	*	-	*	-	*	-	0	0.0
48602	678	11	1.6	*	-	*	-	*	-	0	0.0
48603	370	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48604	155	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48605	*	0	-	0	-	0	-	0	-	0	-
48607	33	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48609	119	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48610	41	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48611	58	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48612	110	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48613	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48614	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48615	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48616	105	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48617	113	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48618	43	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48619	*	0	-	0	-	0	-	0	-	0	-
48621	16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48622	90	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48623	117	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48624	196	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48625	201	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48626	56	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48628	*	0	-	0	-	0	-	0	-	0	-
48629	67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48631	48	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48632	65	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48633	*	0	-	0	-	0	-	0	-	0	-
48634	43	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48635	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48636	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48637	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48638	180	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48640	160	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48642	155	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48647	37	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48649	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48650	87	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48651	45	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48652	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48653	69	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48654	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48655	81	*	-	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48656	33	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48657	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48658	95	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48659	66	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48661	106	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48662	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48664	*	0	-	0	-	0	-	0	-	0	-
48701	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48703	27	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48705	*	0	-	0	-	0	-	0	-	0	-
48706	506	*	-	*	-	0	0.0	0	0.0	0	0.0
48708	435	*	-	*	-	0	0.0	0	0.0	0	0.0
48710	*	0	-	0	-	0	-	0	-	0	-
48719	*	0	-	0	-	0	-	0	-	0	-
48720	16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48721	*	0	-	0	-	0	-	0	-	0	-
48722	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48723	221	*	-	*	-	0	0.0	0	0.0	0	0.0
48724	*	0	-	0	-	0	-	0	-	0	-
48725	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48726	98	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48727	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48729	18	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48730	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48731	32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48732	142	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48733	41	0	0.0	*	-	0	0.0	*	-	0	0.0
48734	73	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48735	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48737	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48738	*	0	-	0	-	0	-	0	-	0	-
48739	44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48740	21	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48741	38	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48742	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48744	88	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48745	16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48746	117	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48747	19	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48748	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48749	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48750	129	*	-	*	-	*	-	0	0.0	0	0.0
48753	*	0	-	0	-	0	-	0	-	0	-
48754	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48755	26	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48756	67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48757	48	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48758	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48759	51	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48760	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48761	*	*	-	0	-	0	-	0	-	0	-
48762	16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48763	46	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48764	*	0	-	0	-	0	-	0	-	0	-
48765	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48766	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48767	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48768	153	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48770	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48801	132	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48805	*	0	-	0	-	0	-	0	-	0	-
48806	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48807	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48808	56	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48809	196	*	-	*	-	0	0.0	0	0.0	0	0.0
48811	37	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48812	*	0	-	0	-	0	-	0	-	0	-
48813	185	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48815	30	*	-	*	-	0	0.0	0	0.0	0	0.0
48816	*	0	-	0	-	0	-	0	-	0	-
48817	119	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48818	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48819	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48820	133	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48821	47	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48822	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48823	385	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48826	*	0	-	0	-	0	-	0	-	0	-
48827	150	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48829	50	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48831	46	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48832	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48834	33	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48835	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48836	117	0	0.0	0	0.0	0	0.0	*	-	0	0.0
48837	125	*	-	*	-	0	0.0	*	-	0	0.0
48838	274	*	-	*	-	0	0.0	0	0.0	0	0.0
48840	107	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48841	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48842	289	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48843	260	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48844	*	0	-	0	-	0	-	0	-	0	-
48845	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48846	330	*	-	*	-	*	-	*	-	0	0.0
48847	57	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48848	62	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48849	88	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48850	44	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48851	40	*	-	0	0.0	0	0.0	*	-	0	0.0
48853	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48854	217	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48855	94	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48856	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48857	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48858	378	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48860	21	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48861	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48862	*	0	-	0	-	0	-	0	-	0	-
48864	171	0	0.0	*	-	0	0.0	0	0.0	0	0.0
48865	29	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48866	81	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48867	685	10	1.5	*	-	*	-	0	0.0	0	0.0
48870	*	0	-	0	-	0	-	0	-	0	-
48871	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48872	111	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48873	16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48874	*	0	-	0	-	0	-	0	-	0	-
48875	156	0	0.0	0	0.0	*	-	0	0.0	0	0.0
48876	62	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48877	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48878	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48879	175	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48880	87	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48881	68	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48883	59	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48884	60	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48885	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48886	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48888	72	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48889	21	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48890	30	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48891	36	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48892	80	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48893	52	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48894	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48895	88	*	-	0	0.0	0	0.0	0	0.0	0	0.0
48896	*	0	-	0	-	0	-	0	-	0	-
48897	*	0	-	0	-	0	-	0	-	0	-
48901	*	0	-	0	-	0	-	0	-	0	-
48903	*	0	-	0	-	0	-	0	-	0	-
48906	666	*	-	*	-	0	0.0	0	0.0	0	0.0
48909	22	0	0.0	0	0.0	0	0.0	*	-	0	0.0
48910	782	6	0.8	0	0.0	*	-	*	-	0	0.0
48911	1216	*	-	*	-	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
48912	334	*	-	*	-	0	0.0	0	0.0	0	0.0
48915	269	*	-	0	0.0	*	-	0	0.0	0	0.0
48917	371	*	-	*	-	*	-	*	-	0	0.0
48920	*	0	-	0	-	0	-	0	-	0	-
48933	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
48944	*	0	-	0	-	0	-	0	-	0	-
48977	*	0	-	0	-	0	-	0	-	0	-
49001	467	11	2.4	*	-	*	-	*	-	0	0.0
49002	235	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49003	*	*	-	0	-	0	-	0	-	0	-
49004	214	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49005	*	0	-	0	-	0	-	0	-	0	-
49006	306	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49007	217	*	-	*	-	*	-	0	0.0	0	0.0
49008	211	*	-	*	-	*	-	0	0.0	0	0.0
49009	477	*	-	*	-	0	0.0	0	0.0	0	0.0
49010	325	*	-	*	-	0	0.0	*	-	0	0.0
49011	47	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49012	32	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49013	80	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49014	446	9	2.0	*	-	*	-	0	0.0	0	0.0
49015	618	*	-	*	-	0	0.0	0	0.0	0	0.0
49016	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49017	390	14	3.6	*	-	*	-	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49019	*	0	-	0	-	0	-	0	-	0	-
49021	108	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49022	811	9	1.1	*	-	0	0.0	*	-	0	0.0
49023	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49024	369	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49025	*	0	-	0	-	0	-	0	-	0	-
49026	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49028	85	0	0.0	0	0.0	0	0.0	*	-	0	0.0
49029	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49030	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49031	63	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49032	36	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49033	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49034	29	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49036	253	6	2.4	*	-	*	-	0	0.0	0	0.0
49037	750	11	1.5	*	-	*	-	*	-	0	0.0
49038	88	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49040	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49041	*	0	-	0	-	0	-	0	-	0	-
49042	82	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49043	31	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49045	73	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49046	70	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49047	294	13	4.4	*	-	0	0.0	*	-	*	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49048	488	9	1.8	*	-	*	-	*	-	0	0.0
49050	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49051	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49052	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49053	103	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49055	87	*	-	0	0.0	0	0.0	*	-	0	0.0
49056	96	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49057	165	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49058	148	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49060	17	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49061	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49064	50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49065	65	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49066	*	0	-	0	-	0	-	0	-	0	-
49067	39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49068	173	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49070	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49071	92	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49072	34	*	-	*	-	0	0.0	0	0.0	0	0.0
49073	55	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49074	*	0	-	0	-	0	-	0	-	0	-
49075	*	0	-	0	-	0	-	0	-	0	-
49076	37	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49077	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49078	125	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49079	153	*	-	*	-	0	0.0	0	0.0	0	0.0
49080	198	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49081	*	0	-	0	-	0	-	0	-	0	-
49082	56	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49083	73	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49084	*	0	-	0	-	0	-	0	-	0	-
49085	129	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49087	59	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49088	38	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49089	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49090	101	*	-	0	0.0	*	-	0	0.0	0	0.0
49091	298	*	-	*	-	0	0.0	0	0.0	0	0.0
49092	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49093	285	*	-	*	-	0	0.0	0	0.0	0	0.0
49094	53	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49095	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49096	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49097	128	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49098	81	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49099	76	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49101	24	0	0.0	0	0.0	*	-	0	0.0	0	0.0
49102	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49103	185	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49106	48	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49107	120	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49111	56	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49112	66	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49113	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49115	*	0	-	0	-	0	-	0	-	0	-
49116	*	0	-	0	-	0	-	0	-	0	-
49117	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49119	*	0	-	0	-	0	-	0	-	0	-
49120	518	10	1.9	*	-	0	0.0	*	-	0	0.0
49125	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49126	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49127	75	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49128	24	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49129	*	0	-	0	-	0	-	0	-	0	-
49130	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49201	705	10	1.4	*	-	*	-	0	0.0	0	0.0
49202	454	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49203	834	26	3.1	*	-	*	-	0	0.0	0	0.0
49204	*	0	-	0	-	0	-	0	-	0	-
49209	*	0	-	0	-	0	-	0	-	0	-
49220	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49221	600	*	-	*	-	0	0.0	0	0.0	0	0.0
49224	285	*	-	*	-	0	0.0	*	-	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49227	35	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49228	59	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49229	40	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49230	91	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49232	70	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49233	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49234	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49235	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49236	50	*	-	*	-	0	0.0	0	0.0	0	0.0
49237	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49238	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49239	*	0	-	0	-	0	-	0	-	0	-
49240	80	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49241	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49242	336	*	-	*	-	*	-	0	0.0	0	0.0
49245	58	*	-	*	-	0	0.0	0	0.0	0	0.0
49246	36	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49247	95	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49248	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49249	50	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49250	110	*	-	*	-	0	0.0	0	0.0	0	0.0
49251	94	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49252	44	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49253	39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49254	42	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49255	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49256	59	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49258	*	0	-	0	-	0	-	0	-	0	-
49259	41	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49261	*	0	-	0	-	0	-	0	-	0	-
49262	25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49263	*	0	-	0	-	0	-	0	-	0	-
49264	33	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49265	38	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49266	62	*	-	*	-	0	0.0	0	0.0	0	0.0
49267	29	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49268	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49269	85	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49270	52	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49271	42	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49272	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49274	78	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49276	*	0	-	0	-	0	-	0	-	0	-
49277	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49279	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49281	*	0	-	0	-	0	-	0	-	0	-
49282	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49283	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49284	52	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49285	73	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49286	121	*	-	*	-	0	0.0	0	0.0	0	0.0
49287	16	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49288	41	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49289	*	*	-	0	-	0	-	0	-	0	-
49301	191	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49302	71	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49303	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49304	41	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49305	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49306	65	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49307	236	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49309	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49310	26	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49312	*	0	-	0	-	0	-	0	-	0	-
49315	133	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49316	149	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49318	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49319	201	0	0.0	0	0.0	0	0.0	*	-	0	0.0
49320	*	0	-	0	-	0	-	0	-	0	-
49321	277	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49322	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49323	60	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49325	15	0	0.0	0	0.0	*	-	0	0.0	0	0.0
49326	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49327	138	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49328	38	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49329	109	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49330	107	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49331	184	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49332	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49333	82	*	-	*	-	0	0.0	0	0.0	0	0.0
49335	*	0	-	0	-	0	-	0	-	0	-
49336	57	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49337	109	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49338	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49339	21	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49340	37	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49341	241	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49342	38	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49343	53	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49344	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49345	174	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49346	53	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49347	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49348	114	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49349	86	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49401	103	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49402	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49403	43	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49404	118	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49405	32	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49406	*	0	-	0	-	0	-	0	-	0	-
49408	159	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49410	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49411	26	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49412	100	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49415	63	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49416	*	0	-	0	-	0	-	0	-	0	-
49417	445	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49418	204	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49419	110	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49420	148	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49421	84	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49422	*	0	-	0	-	0	-	0	-	0	-
49423	676	*	-	*	-	0	0.0	0	0.0	0	0.0
49424	729	*	-	0	0.0	*	-	0	0.0	0	0.0
49425	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49426	214	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49428	156	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49429	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49431	265	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49435	34	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49436	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49437	65	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49440	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49441	561	*	-	*	-	0	0.0	0	0.0	0	0.0
49442	796	15	1.9	*	-	*	-	*	-	0	0.0
49443	*	0	-	0	-	0	-	0	-	0	-
49444	561	6	1.1	*	-	*	-	*	-	0	0.0
49445	217	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49446	43	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49448	75	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49449	34	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49450	120	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49451	82	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49452	33	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49453	25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49454	74	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49455	109	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49456	237	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49457	154	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49459	29	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49460	86	0	0.0	0	0.0	0	0.0	*	-	0	0.0
49461	93	*	-	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49464	369	*	-	*	-	0	0.0	0	0.0	0	0.0
49501	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49503	847	28	3.3	6	0.7	*	-	*	-	0	0.0
49504	798	22	2.8	*	-	*	-	*	-	*	-
49505	564	*	-	*	-	0	0.0	0	0.0	0	0.0
49506	516	12	2.3	*	-	0	0.0	*	-	0	0.0
49507	1334	60	4.5	*	-	*	-	0	0.0	0	0.0
49508	826	*	-	*	-	0	0.0	0	0.0	0	0.0
49509	618	*	-	*	-	0	0.0	0	0.0	0	0.0
49510	*	0	-	0	-	*	-	0	-	0	-
49512	236	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49515	*	0	-	0	-	0	-	0	-	0	-
49516	*	0	-	0	-	0	-	0	-	0	-
49518	*	0	-	0	-	0	-	0	-	0	-
49519	463	6	1.3	0	0.0	0	0.0	0	0.0	0	0.0
49525	283	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49528	*	0	-	0	-	0	-	0	-	0	-
49534	189	*	-	*	-	0	0.0	0	0.0	0	0.0
49544	110	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49545	*	0	-	0	-	0	-	0	-	0	-
49546	415	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49547	*	0	-	0	-	0	-	0	-	0	-
49548	731	*	-	*	-	*	-	0	0.0	0	0.0
49579	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49601	186	0	0.0	0	0.0	*	-	0	0.0	0	0.0
49605	*	0	-	0	-	0	-	0	-	0	-
49610	*	0	-	0	-	0	-	0	-	0	-
49611	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49612	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49613	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49614	33	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49615	44	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49616	36	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49617	48	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49618	6	0	0.0	0	0.0	0	0.0	*	-	0	0.0
49619	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49620	61	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49621	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49622	39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49623	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49625	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49627	*	0	-	0	-	0	-	0	-	0	-
49628	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49629	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49630	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49631	100	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49632	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49633	49	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49634	*	0	-	0	-	0	-	0	-	0	-
49635	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49636	*	0	-	0	-	0	-	0	-	0	-
49637	59	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49638	*	0	-	0	-	0	-	0	-	0	-
49639	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49640	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49642	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49643	103	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49644	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49645	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49646	119	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49648	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49649	141	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49650	67	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49651	69	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49653	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49654	*	0	-	0	-	0	-	0	-	0	-
49655	45	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49656	25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49657	27	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49659	132	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49660	207	*	-	0	0.0	*	-	0	0.0	0	0.0
49663	52	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49664	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49665	56	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49666	*	0	-	0	-	0	-	0	-	0	-
49667	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49668	50	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49670	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49674	*	0	-	0	-	0	-	0	-	0	-
49675	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49676	51	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49677	121	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49679	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49680	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49682	56	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49683	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49684	321	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49685	379	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49686	363	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49688	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49689	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49690	94	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49696	139	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49701	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49705	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49706	65	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49707	235	*	-	*	-	0	0.0	0	0.0	0	0.0
49709	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49710	*	0	-	0	-	0	-	0	-	0	-
49712	92	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49713	29	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49715	34	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49718	8	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49719	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49720	76	*	-	*	-	0	0.0	0	0.0	0	0.0
49721	166	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49722	*	0	-	0	-	0	-	0	-	0	-
49724	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49726	*	0	-	0	-	0	-	0	-	0	-
49727	118	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49729	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49730	22	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49733	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49734	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49735	251	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49736	*	0	-	0	-	0	-	0	-	0	-
49738	90	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49740	53	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49743	*	0	-	0	-	0	-	0	-	0	-
49744	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49745	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49746	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49747	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49749	35	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49751	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49752	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49753	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49755	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49756	31	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49757	*	0	-	0	-	0	-	0	-	0	-
49759	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49760	*	0	-	0	-	0	-	0	-	0	-
49764	*	0	-	0	-	0	-	0	-	0	-
49765	27	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49766	30	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49768	*	0	-	0	-	0	-	0	-	0	-
49769	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49770	142	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49774	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49776	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49777	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49779	40	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49780	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49781	63	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49782	*	0	-	0	-	0	-	0	-	0	-
49783	230	0	0.0	0	0.0	*	-	0	0.0	0	0.0
49788	55	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49795	23	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49796	*	0	-	0	-	0	-	0	-	0	-
49797	*	0	-	0	-	0	-	0	-	0	-
49799	20	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49801	122	*	-	0	0.0	0	0.0	*	-	0	0.0
49802	71	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49805	6	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49806	*	0	-	0	-	0	-	0	-	0	-
49807	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49808	*	0	-	0	-	0	-	0	-	0	-
49809	*	0	-	0	-	0	-	0	-	0	-
49812	*	0	-	0	-	0	-	0	-	0	-
49814	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49815	*	0	-	0	-	0	-	0	-	0	-
49816	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49817	*	0	-	0	-	0	-	0	-	0	-
49818	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49820	*	0	-	0	-	0	-	0	-	0	-
49821	12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49822	*	0	-	0	-	0	-	0	-	0	-
49825	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49827	*	0	-	0	-	0	-	0	-	0	-
49829	245	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49831	*	0	-	0	-	0	-	0	-	0	-
49832	*	0	-	0	-	0	-	0	-	0	-
49833	*	0	-	0	-	0	-	0	-	0	-
49834	*	0	-	0	-	0	-	0	-	0	-
49835	*	0	-	0	-	0	-	0	-	0	-
49836	*	0	-	0	-	0	-	0	-	0	-
49837	82	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49838	*	0	-	0	-	0	-	0	-	0	-
49839	*	0	-	0	-	0	-	0	-	0	-
49840	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49841	96	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49847	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49849	99	*	-	0	0.0	*	-	0	0.0	0	0.0
49852	*	0	-	0	-	0	-	0	-	0	-
49853	10	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49854	84	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49855	224	*	-	*	-	*	-	0	0.0	0	0.0
49858	138	*	-	0	0.0	*	-	0	0.0	0	0.0
49861	*	0	-	0	-	0	-	0	-	0	-
49862	34	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49863	*	0	-	0	-	0	-	0	-	0	-
49864	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49866	62	*	-	*	-	*	-	0	0.0	0	0.0
49868	71	*	-	*	-	0	0.0	0	0.0	0	0.0
49870	39	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49871	*	0	-	0	-	0	-	0	-	0	-
49872	*	0	-	0	-	0	-	0	-	0	-
49873	*	0	-	0	-	0	-	0	-	0	-
49874	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49876	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49878	25	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49879	*	0	-	0	-	0	-	0	-	0	-
49880	*	0	-	0	-	0	-	0	-	0	-
49881	*	0	-	0	-	0	-	0	-	0	-
49883	*	0	-	0	-	0	-	0	-	0	-
49884	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49885	15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49886	*	0	-	0	-	0	-	0	-	0	-
49887	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49891	*	0	-	0	-	0	-	0	-	0	-
49892	17	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49893	14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49894	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49895	*	0	-	0	-	0	-	0	-	0	-
49896	30	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49901	*	0	-	0	-	0	-	0	-	0	-

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBL category = # in EBL category / # Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49902	*	0	-	0	-	0	-	0	-	0	-
49903	*	0	-	0	-	0	-	0	-	0	-
49905	38	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49908	53	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49909	*	0	-	0	-	0	-	0	-	0	-
49911	33	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49912	9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49913	103	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49915	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49916	47	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49917	*	0	-	0	-	0	-	0	-	0	-
49918	*	0	-	0	-	0	-	0	-	0	-
49920	47	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49921	7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49922	18	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49925	*	0	-	0	-	0	-	0	-	0	-
49929	*	0	-	0	-	0	-	0	-	0	-
49930	111	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49931	95	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49934	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49935	56	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49938	86	*	-	*	-	0	0.0	0	0.0	0	0.0
49945	31	0	0.0	*	-	0	0.0	0	0.0	0	0.0
49946	66	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

Table 2. Venous Blood Lead Levels for Children Under 6 Years Old for ZIP Codes with One or More Tests[§], 2017, Data Suppressed*

ZIP Code	# Tested	# Venous 5-9 µg/dL	% Venous 5-9 µg/dL [^]	# Venous 10-14 µg/dL	% Venous 10-14 µg/dL [^]	# Venous 15-19 µg/dL	% Venous 15-19 µg/dL [^]	# Venous 20-44 µg/dL	% Venous 20-44 µg/dL [^]	# Venous ≥45 µg/dL	% Venous ≥45 µg/dL [^]
49947	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49948	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49950	11	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49952	*	0	-	0	-	0	-	0	-	0	-
49953	28	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49955	8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49958	13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49959	*	0	-	0	-	0	-	0	-	0	-
49960	*	0	-	0	-	0	-	0	-	0	-
49961	*	0	-	0	-	0	-	0	-	0	-
49962	*	0	-	0	-	0	-	0	-	0	-
49963	24	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49964	*	0	-	0	-	0	-	0	-	0	-
49965	*	0	-	0	-	0	-	0	-	0	-
49967	*	0	-	0	-	0	-	0	-	0	-
49968	19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
49969	25	*	-	0	0.0	0	0.0	0	0.0	0	0.0
49971	*	0	-	0	-	0	-	0	-	0	-
MICHIGAN	150,068	1,898	1.3	442	0.3	136	0.1	126	0.1	8	0.0

[§] If a Michigan zip code does not appear in the table, it means that there were zero tests performed for children under 6 residing in that zip code.

* Suppression means that counts between one (1) and five (5) are not reported (replaced with an asterisk (*) in the table above). Other counts are also not reported if they can be used to calculate the suppressed counts. This is done to protect the privacy of people who had a blood lead test.

[^] Percent is among all tested children under 6 years old (% in EBLL category= # in EBLL category/# Tested × 100)

References

1. Centers for Medicaid Services. State Medicaid Manual Chapter 5: Early and Periodic Screening, Diagnostic and Treatment Services. In:2000. <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Paper-Based-Manuals-Items/CMS021927.html>
2. Centers for Disease Control and Prevention. Low level lead exposure harms children: A renewed call for primary prevention. Report of the Advisory Committee on Childhood Lead Poisoning Prevention. In:2012:1-65. https://www.cdc.gov/nceh/lead/acclpp/final_document_030712.pdf
3. State of Michigan. Definition of Elevated Blood Lead Test Result. In: Department of Health and Human Services, ed2018. https://www.michigan.gov/documents/lead/CLPPP_Definition_of_E BLL_Unrounded_Value_637549_7.pdf
4. Michigan Department of Health and Human Services Childhood Lead Poisoning Prevention Program. Blood Lead Level (BLL) Quick Reference for Primary Care Providers. In:2015:1. https://www.michigan.gov/documents/lead/ProviderQuickReference_Sept2015_501803_7.pdf
5. Michigan Department of Health and Human Services Childhood Lead Poisoning Prevention Program. Lead Information for Healthcare Providers. <https://www.michigan.gov/lead/0,5417,7-310-84217---.00.html> Published 2019. Accessed.