# Michigan State Industries

# SAFETY DATA SHEET

Date: 1/24/2019

MSI- 8758 Automatic Dish Detergent Super Concentrate

1. PRODUCT AND COMPANY IDENTIFICATION		
<u>Product Identifier</u> Product Name	Automatic Dish Detergent Super Concentrate	
Other Means of Identification UN/ID No Product Code	UN1814 MSI-8758	
Recommended Use of the Chemic	al and Restrictions on Use	
Recommended Use	Machine dishwashing, injector fed systems only	
Details of the Supplier of the Safet	v Data Sheet	
Manufactured for Address	Michigan State Industries 1780 E. Parnall Rd. Jackson, MI. 49201	
Emergency Telephone Number		
Company Phone Number Emergency Telephone	517-780-6726 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	

# 2. HAZARDS IDENTIFICATION

#### **Classification**

Acute toxicity - Oral	Category 4
Skin Corrosion/Irritation	Category 1 Sub-category B
Serious Eye Damage/Eye Irritation	Category 1

Signal Word

DANGER

# Hazard Statements

Harmful if swallowed Causes severe skin burns and eye damage May be corrosive to metals



Appearance Red liquid

Physical State Liquid

Odor None

#### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection. Do not mix this product with any other product. Do not ingest. Do not breathe fume/mist/vapor/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Read entire label and safety data sheet before use.

#### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Thoroughly wash exposed area with water. Remove contaminated clothing. Get medical attention.

**IF IN EYES:** Immediately flush eyes with large quantities of water. Flush eyes for at least 15 minutes. Get immediate medical attention.

**INHALATION:** High concentrations may be irritating. If affected, immediately remove person to fresh air. Consult physician. **SWALLOWING:** Do not induce vomiting. Drink 1-2 glasses of water and get immediate medical attention.

#### **Precautionary Statements - Storage**

Store locked up and in original container.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Potassium Hydroxide	1310-58-3	25 - 50
Sodium Carbonate	497-19-8	5 – 10
Sodium Hydroxide	1310-73-2	0 - 5
Acetic Acid, hydroxyl-monosodium salt	2836-32-0	0 - 2
Silicic Acid	1312-76-1	0 - 5

# 4. FIRST AID MEASURES

#### First Aid Measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Discard contaminated leather goods.
Most Important Symptoms	and Effects, both Acute and Delayed

SymptomsSkin exposures: may cause redness, itching, irritation, swelling and/or burns. Eye<br/>exposures may cause damage to internal contents of the eye, permanent visual defects, and<br/>blindness and/or loss of the eye. Inhalation: exposure to airborne material may cause<br/>severe irritation to mucous membranes and upper respiratory tract. Swallowing: exposure<br/>by ingestion may cause severe and permanent damage.

#### Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Extinguish all nearby sources of ignition since flammable hydrogen gas will be liberated from contact with some metals. May react violently with many organic chemicals, especially nitrocarbons and chlorocarbons. Potassium hydroxide reacts with zinc, aluminum, tin, and other active metals liberating flammable hydrogen gas.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions** Use personal protective equipment as required.

#### Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth).
Methods for Cleaning Up	Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear appropriate personal protective equipment.

#### Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions	Store locked up and in original container away from heat and incompatible materials. Store in a cool, dry place.
Incompatible Materials	Acids. Combustible material. Organic compounds such as leather and wool. Avoid prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

#### **Appropriate Engineering Controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Showers. **Individual Protection Measures, such as Personal Protective Equipment** 

Eye/Face Protection	Chemical safety goggles/faceshield.
Skin and Body Protection	Rubber gloves. Suitable protective clothing.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on Basic Physical and Chemical Properties

Physical State Appearance	Liquid Red/Pink liquid	Odor	Odorless
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate	<u>Values</u> 13.5 - 14.5 Not applicable Not determined Not applicable <1	Remarks • Method (Water = 1)	
Upper Flammability Limits Lower Flammability Limit Specific Gravity Water Solubility	Not determined Not determined 1.258 Soluble in water		

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions. Reacts with acids, giving off heat.

#### **Chemical Stability**

Stable at normal temperatures and pressures.

#### Conditions to Avoid

Mixing with acids or incompatible materials may cause splattering and release of large amounts of heat. Will react with some metals forming flammable hydrogen gas. Carbon monoxide gas may form upon contact with reducing sugars, food and beverage products in enclosed spaces.

#### Incompatible Materials

Acids. Combustible material. Organic compounds such as leather and wool. Contact with metals may evolve flammable hydrogen gas.

#### **Hazardous Decomposition Products**

None known.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on Likely Routes of Exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Ingestion	Harmful if swallowed.

#### Component Information

Chemical Name	cal Name Oral LD50 Dermal LD50		Inhalation LC50
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
D Sodium silicate 1344-09-8	= 3400 mg/kg (Rat)	> 5000 mg/kg	>2.06 g/m <sup>3</sup>

#### Information on Physical, Chemical and Toxicological Effects

**Symptoms of Exposure** This material may cause severe burns and permanent damage to any tissue with which it comes into contact. Signs and symptoms vary, and are dependent on the route of exposure, and the duration of exposure. Aspirating this material may cause signs and symptoms that are similar to those experienced as a result of breathing or inhaling this material. Skin exposures may cause severe burns, blisters, tissue destruction, drying or defatting of the skin. Eye exposure may cause damage to the internal content of the eye, permanent visual defects, and blindness and/or loss of eye.

Carcinogenicity

Not classified as a carcinogen per GHS criteria. Not classified by NTP, IARC or OSHA.

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Potassium hydroxide 1310-58-3	EC50 (selenastrum capricornutum): 61 mg/l/96 hr.	LC50 (mosquito fish): 80mg/l/96 hr LC50 (fathead minnow): 179 mg/l/96 hr.		EC50 (daphnia magna): 60 mg/l/48 hr
D Sodium silicate 1344-09-8		Brachydanio rerio: LC50 1108 mg/l/96 hr.		Aquatic invertebrates: (daphnia magna) EC50 1700 mg/l/48 hr

#### **Biodegradation:**

This material will disassociate into ionic form in the aquatic environment. Natural carbon dioxide will slowly neutralize this material.

#### **Bioaccumulation**

This material will not bioconcentrate.

# 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. 5 Gal Pails do not require label/placard for <u>US Ground Transportation</u> , exception § CFR 173.152 applies.			
DOT				
UN/ID No	UN1814			
Proper Shipping Name	Potassium hydroxide, solution			
Hazard Class	8			
Packing Group	II			
IATA_				
UN/ID No	UN1814			
Proper Shipping Name	Potassium hydroxide, solution			
Hazard Class	8			
Packing Group	II			
IMDG				
UN/ID No	UN1814			
Proper Shipping Name	Potassium hydroxide, solution			
Hazard Class	8			
	-			
Packing Group	II			

# **15. REGULATORY INFORMATION**

#### International Inventories

TSCA	Listed
DSL	Listed
Legend:	

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

#### CERCLA Reportable Quantity

The following components are listed:

Chemical Name	CAS Number	CERCLA RQ
Potassium Hydroxide	1310-58-3	1000 lbs.

#### SARA 313

No ingredients of this product contain chemical (s) that are subject to reporting levels established by SARA Title III, Section 313.

#### US State Regulations

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide	Х	Х	Х
1310-58-3			

# 16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	2	0	1	Not Determined
<u>HMIS</u>	Health Hazards	Flammability	Reactivity	Personal Protection
	2	0	1	2B

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**