

Welcome to the Opioid Settlement Technical Assistance Learning Series

Treating Opioid Use Disorder in Jails

July 27, 2023 | 2:30 p.m. - 4:00 p.m.



HOUSEKEEPING ITEMS

- This Zoom event will be recorded
- Participants will be on mute when presenters are speaking
- To ask a question, please use the QA feature
- Any follow-up questions or requests for the Technical Assistance Collaborative (TAC), please email: MDHHS-opioidsettlementhelp@michigan.gov



About the TAC & Introduction of Presenters

Stella Resko, PhD

Professor, School of Social Work; Director and CADAS Coordinator
Wayne State University



ABOUT THE TAC

- Technical Assistance Collaborative (TAC) established in April 2023
- Comprised of MSU, U-M, and WSU
- Partnership with MDHHS
- Provides technical assistance and expertise to communities at the county, municipal, and township levels receiving opioid settlement funds
- Focus on evidence-based, best practices, promising programs and strategies to remediate opioid overdose deaths
- TA Learning Series is an opportunity for government officials, communities, and the public to hear from our TAC experts on a monthly basis



Presenters

Matthew Costello, LMSW

Center for Behavioral Health and Justice, Wayne State University

Allison Gorine, LMSW

Center for Behavioral Health and Justice, Wayne State University



Medication Assisted Treatment in Michigan Jails



WAYNE STATE
UNIVERSITY

School of Social Work
Center for Behavioral Health and Justice



WAYNE STATE

School of Social Work

Center for Behavioral Health and Justice

We envision communities in which **research, data, and best practices** are used by multiple stakeholders to *enhance the optimal well-being of individuals with mental illness and/or substance use disorders who come in contact with the criminal/legal system.*



We work with local communities, organizations, and behavioral health and law enforcement agencies across Michigan to provide

EXPERTISE, EVALUATION, TRAINING, and TECHNICAL ASSISTANCE

to optimize diversion of individuals with mental health or substance use disorders from jail or prison.

We Help Stakeholders...

Implement best and innovative practices at every intercept of the criminal/legal continuum.

Collect and use data to drive decisions.

Create linkages to solve problems.

Develop action plans to achieve goals and sustain initiatives.

We currently serve **28 counties** across the state, encompassing a range of rural, urban, and metropolitan communities.

Diversion

- 1 Antrim
- 2 Barry
- 3 Berrien
- 4 Calhoun
- 5 Cass
- 6 Charlevoix
- 7 Cheboygan
- 8 Delta
- 9 Eaton
- 10 Emmet
- 11 Genesee
- 12 Grand Traverse
- 13 Hillsdale
- 15 Jackson
- 16 Kalamazoo
- 17 Kent
- 18 Livingston
- 19 Macomb
- 20 Marquette
- 21 Monroe
- 22 Muskegon
- 23 Oakland
- 24 Ogemaw
- 25 Ottawa
- 26 St. Joseph
- 27 Washtenaw
- 28 Wayne

Reentry

- 17 Kent
- 19 Macomb
- 23 Oakland
- 28 Wayne

Treatment Ecosystems


- 4 Calhoun
- 11 Genesee
- 15 Jackson
- 17 Kent
- 18 Livingston
- 21 Monroe
- 22 Muskegon
- 27 Washtenaw
- 28 Wayne

Juvenile Justice

- 4 Calhoun
- 18 Livingston
- 28 Wayne

Crisis Response

- 14 Isabella
- 15 Jackson
- 16 Kalamazoo
- 23 Oakland
- 27 Washtenaw
- 28 Wayne



Current Initiatives


Across the Sequential Intercept Model

Juvenile Justice

Jail Diversion

Treatment Ecosystems


Crisis Response



Agenda

1. **Definition:** What is Medication Assisted Treatment (MAT)?
2. **Purpose:** What is the purpose of implementing MAT in jails?
3. **Methods:** How do we collaborate with jails?
4. **Outcomes:** Effectiveness of MAT
5. **Future Directions**

What is MAT?



A technical assistance framework aimed at strengthening community-based Medication Assisted Treatment for persons using opioids at the intersection of criminal-legal systems

The Facts

- **2,532** people died from drug overdoses in Michigan in 2022. Michigan ranks in the top 3rd for drug overdose death rates amongst all states.
- This epidemic has had a significant **impact on communities** across the country, leading to **increased rates of overdose, incarceration and death**.
- The opioid epidemic has significantly impacted the criminal/legal system and it's important to address the need for effective **MAT treatment in correctional settings**.



63%

of individuals serving sentences in US county jails meet the criteria for substance use disorder (SUD)

11%

of people incarcerated in the US who meet criteria for SUD will receive any form of treatment

<1%

of incarcerated individuals with a diagnosis of OUD will receive MOUD jail-based treatment

129x

Individuals releasing from jail with an untreated OUD, are **129** times *more* likely to die of an overdose within the first two weeks from incarceration than the general population

Why jail assisted Medication Assisted Treatment?

Increase probability of
engaging in treatment
post release


Prevent fatal and
non-fatal overdoses

Reduce
recidivism/reincarceration
rates


Decrease drug-related crimes
in communities

CBHJ MAT counties to date

- Calhoun County
- Cass County
- Gogebic County
- Jackson County
- Livingston County
- Kent County
- Manistee County
- Monroe County
- Muskegon County
- Saginaw County
- Washtenaw County
- Wayne County



CBHJ Implementation Framework



Site Exploration

Community Readiness Survey

This survey is administered twice;
Prior to program implementation,
and 6 months post implementation
launch


Jail Administration

Jail Medical


Community Providers

Community Mental Health


Preparation



Preparation | Jail MAT Model



Implementation



Implementation | RODS

Rapid Opioid Dependence Screen (RODS)

Inmate Name: _____ Booking ID: _____

Deputy Name/Badge ID: _____ Booking Date: _____ Date Administered: _____

Please complete the screen below on all bookings except for US Marshals and ICE bookings.

Instructions (to be read aloud): When individuals stop using opioids, there may be physical withdrawal symptoms that require medical attention. We want to better understand the need for services for opioid use or withdrawal. To help with this, I am going to ask a few questions about opioid use in the last 12 months. This should take less than 2 minutes to complete. Your answers will only be used to help us determine the need for programs and services and will NOT impact any charges or probation or parole violations.

	YES	NO	N/A
Does this person refuse to complete the RODS survey?	<input type="radio"/>	<input type="radio"/>	
If so, did they refuse because they do not use opioids or medications for opioid use disorder?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	YES	NO	
1a. Have you used heroin in the last 12 months?	<input type="radio"/>	<input type="radio"/>	
1b. In the last 12 months, have you abused or misused any of the following prescription drugs? (Abuse/misuse means taking without a prescription or taking more than prescribed.)	YES	NO	
◦ Vicodin	<input type="radio"/>	<input type="radio"/>	
◦ Norco	<input type="radio"/>	<input type="radio"/>	
◦ Oxycodone/Oxycontin ("Oxy")	<input type="radio"/>	<input type="radio"/>	
◦ Percocet	<input type="radio"/>	<input type="radio"/>	
◦ Other opioids such as morphine, Fentanyl, Dilaudid, Lortab, Codeine, or Tramadol	<input type="radio"/>	<input type="radio"/>	

	YES	NO	N/A
1c. In the last 12 months, have you used any of the following?			
◦ Buprenorphine? (also known as Suboxone, Subutex, or Zubsolv)	<input type="radio"/>	<input type="radio"/>	
IF YES, have you abused/misused it?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
◦ Methadone	<input type="radio"/>	<input type="radio"/>	
IF YES, have you abused/misused it?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
1d. Are you currently taking any prescribed medication assisted treatment (MAT) to help treat your opioid use disorder? (If yes, which one?)	<input type="radio"/>	<input type="radio"/>	
◦ Buprenorphine/Suboxone/Subutex/Zubsolv	<input type="radio"/>		
◦ Methadone	<input type="radio"/>		
◦ Naltrexone/Vivitrol	<input type="radio"/>		
If there are any "Yes" responses to 1a, 1b, or 'abuse/misuse' in 1c, please complete the questions below. If 1a, 1b, and 1c abuse/misuse items are all "No", stop the screen here.			
In the last 12 months...	YES	NO	
2. Did you ever need to use more opioids to get the same high as when you first started using opioids?	<input type="radio"/>	<input type="radio"/>	
3. Did the idea of missing a dose (or fix) ever make you anxious or worried?	<input type="radio"/>	<input type="radio"/>	
4. In the morning, did you ever use opioids to keep you from feeling "dope sick" or did you ever feel "dope sick"?	<input type="radio"/>	<input type="radio"/>	
5. Did you worry about your use of opioids?	<input type="radio"/>	<input type="radio"/>	
6. Did you find it difficult to stop or not use opioids?	<input type="radio"/>	<input type="radio"/>	
7. Did you ever need to spend a lot of time/energy on finding opioids or recovering from feeling high?	<input type="radio"/>	<input type="radio"/>	
8. Did you ever miss important things like doctor's appointments, family/friend activities, or other things because of opioids?	<input type="radio"/>	<input type="radio"/>	

Planning | Establishing positive RODS prevalence rate

County	Total Usable RODS	Total Positive RODS	Positive Screening Rate
A	215	28	13%
B	521	77	15%
C	3242	537	17%
D	4929	636	13%
E	143	36	25%
F	4229	824	19%
G	2745	478	17%
H	117	15	13%
Total	16141	2631	16%

Graph: Percentage of Positive Screens. Data Source: County A-H 2019 30-Day Baseline, 2019-2021 Quarter 1-5 RODS & Quarter 5 MOUD (n=11,986).

In all time periods, an individual is considered to have screened positive if their RODS screen reported heroin or other opioid use in the past year, use of medications for opioid use disorder (buprenorphine or methadone) in the past year, or current use of medications for opioid use disorder (buprenorphine, methadone, naltrexone). In Quarter 4 & 5, individuals enrolled in MOUD programming without a positive RODS are also considered to have screened positive.

*Difference is statistically significant, +Difference is trending significant.

Implementation



Access to all forms of MOUD

Methadone


Buprenorphine

Naltrexone


Implementation



Implementation



Sustainability



Future Directions and Outcomes

- CBHJ site certification recognized by the MMRMA
- **412** people were able to enroll in MAT while in jail (*of 4 jails total where CBHJ MAT data collection complete)
- From July 2021 to date, the CBHJ has placed **31 naloxone vending machines** in county jails and other community sites
- Changes in attitudes amongst stakeholders regarding in-jail MAT programming
- Relationships built, fostered, and sustained as result of CBHJ MAT model



Thank You!

For questions and to make requests to the TAC, please email MDHHS-opioidsettlementhelp@michigan.gov

Matthew Costello, LMSW

Manager, Opioid Treatment Ecosystem
matthew.costello@wayne.edu

Allison Gorine, LMSW

Project Coordinator, Treatment Ecosystems
Allison.gorine@wayne.edu



References

- Data. SOM - State of Michigan. (n.d.). <https://www.michigan.gov/opioids/category-data>
- Bohnert, A., Erb-Downward, J., & Ivacko, T. (2019, April). OPIOID ADDICTION: MEETING THE NEED FOR TREATMENT IN MICHIGAN. Ann Arbor; the University of Michigan Poverty Solutions. <https://poverty.umich.edu/files/2019/05/PovertySolutions-OpioidTreatment-PolicyBrief-r4.pdf>
- Damon W, Small W, Anderson S, Maher L, Wood E, Kerr T, McNeil R. “Crisis” and “Everyday” Initiators: A Qualitative Study of Coercion and Agency in the Context of Methadone Maintenance Treatment Initiation. *Drug Alcohol Rev.* 2017;36(2):253–260. PMCID: PMC5086307
- National Institute on Drug Abuse. (2017, December). Treating Opioid Addiction in Criminal Justice Settings.
- Vestal, C. (2023, June 6). *New Momentum for Addiction Treatment Behind Bars*. Stateline. <https://stateline.org/2018/04/04/new-momentum-for-addiction-treatment-behind-bars/>
- Binswanger et al., 2007. Ingrid A. Binswanger, Marc F. Stern, Richard A. Deyo, et al., “Release from Prison—A High Risk of Death for Former Inmates,” *New England Journal of Medicine* 356, no. 2 (2007), 157–65, 161, <https://perma.cc/L49X-7MZ7>
- Carroll, J. J., Asher, A., Krishnasamy, V., & Dowell, D. (2022). Linking People with Opioid Use Disorder to Medication Treatment: A Technical Package of Policy, Programs, and Practices. Atlanta, Georgia; National Center for Injury Prevention and Control Centers for Disease Control and Prevention.