




LEGEND

Groundwater Contours (10 ft Interval)

Groundwater Wells (WellLogic)

Well Depth

- 0 - 50 ft
- >50 ft

PFOS in Soil

- Non-Detect
- No Exceedances (<0.24 ppb)
- Exceeds GSIP Criteria (0.24 ppb or greater)
- Exceeds DWP Value (1.0 ppb or greater)
- Exceeds DC Value (2,100 ppb or greater)

GROUNDWATER CONTOUR ELEVATIONS IN FEET ABOVE MEAN SEA LEVEL

DATUM - NAD83
PROJECTION: MICHIGAN GEOREF
NORTHING AND EASTING COORDINATES (IN METERS)
ARE IN CORNERS OF MAP

AERIAL PHOTO SOURCE: MICHIGAN IMAGERY

0 0.7 1.4 Miles

1 in = 0.76 miles

0 1,900 3,800 5,700 7,600 Feet

1 inch = 3,999 feet



Otsego Area Study

SITE ID 03000256

KALAMAZOO AND ALLEGAN COUNTIES

GROUNDWATER CONTOURS AND RESIDENTIAL WELL LOCATIONS

GEOLOGIST
Brian Eustice
Geological Services
Section

Remediation and
Redevelopment
Division



CREATION DATE
September 2019

FIGURE 12